


AD-A046 122

AIR FORCE PACKAGING EVALUATION AGENCY WRIGHT-PATTERSO--ETC F/G 13/4
TEST AND EVALUATION OF BL-755 TALL UNIT CONTAINER.(U)
SEP 77 E J KOWALSKI
PTPD-77-36

UNCLASSIFIED

NL

| of |
ADA046122



END
DATE
FILMED
12-77
DDC

APPROVED FOR PUBLIC RELEASE
DISTRIBUTION UNLIMITED

PTPD REPORT NO. 77-36
AFFEA PROJECT NO. 77-P7-32

AD A 046122

P.S.

EDWARD J. KOWALSKI

Mechanical Engineer

AUTOVON 787-3120
Commercial (513) 257-3120

DDC
RECEIVED
NOV 4 1977
E

TEST AND EVALUATION OF
BL-755 TAIL UNIT CONTAINER

AFALD/PTPD
AIR FORCE PACKAGING EVALUATION AGENCY
Wright-Patterson AFB OH 45433

September 1977

AD No. ~~AD A 046122~~
DDC FILE COPY

NOTICE

When government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related government procurement operation, the United States Government thereby incurs no responsibility whatsoever; and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto. This report is not to be used in whole or in part for advertising or sales purposes.

ABSTRACT

One each BL-755 container with four each inert tail units was received from HQ ADTC/SDMT, Eglin AFB FL at the Air Force Packaging Evaluation Agency, Wright-Patterson AFB OH. Rough handling tests were conducted on the container in accordance with Federal Test Method Standard 101B.

Visual inspection indicated no physical damage to the container upon completion of the tests.

Edward J. Kowalski
PREPARED BY:
EDWARD J. KOWALSKI
Mechanical Engineer
Design Division

Ralph Zynda
REVIEWED BY:
RALPH ZYNDA
Chief, Design Division
Air Force Packaging
Evaluation Agency

PUBLICATION DATE:

30 September 1977

Jack E. Thompson
APPROVED BY:
JACK E. THOMPSON
Director, Air Force
Packaging Evaluation Agency

TABLE OF CONTENTS

	PAGE
ABSTRACT	1
TABLE OF CONTENTS	111
INTRODUCTION.	1
TEST OUTLINE AND TEST EQUIPMENT.. . . .	1
PROCEDURES AND RESULTS.	1
VIBRATION TEST.	1
CORNERWISE DROP (ROTATIONAL) TEST	1
EDGEWISE DROP (ROTATIONAL) TEST	2
PENDULUM-IMPACT TEST.	2
SUPERIMPOSED LOAD TEST.	2
DISCUSSION.	2
FIGURES: 1	3
2 and 3	4
4	5
DISTRIBUTION LIST	7-8
DD FORM 1473.	9

ACCESSION for	
NTIS	File Section <input checked="" type="checkbox"/>
DDC	B.f.f Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JCS IDENTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
SPECIAL	
A	

PRECEDING PAGE BLANK-NOT FILMED

INTRODUCTION

HQ ADTC/SDMT Eglin AFB FL requested the Air Force Packaging Evaluation Agency (AFPEA), Wright-Patterson AFB OH to conduct rough handling tests on a BL-755, tail unit container (see Figures 2 and 3).

The BL-755, tail unit container, was fabricated by Hunting Engineering Limited, Bedfordshire, England. The container is manufactured from fiberglass and was designed for shipment and inside storage of four each tail units.

TEST OUTLINE AND TEST EQUIPMENT

Tests were conducted in accordance with Federal Test Method Standard (FTMS) 101B, level A packing. Figure 1 outlines the container test plan.

A L.A.B. Corporation vibration machine, Serial No. 56801, Type 5000-96B, which has a frequency servoloop constant displacement cam linked motor drive, was used for the vibration test.

A pendulum-impact tester fabricated in accordance with Figure 1 of FTMS 101B, Method 5012, was used for the impact test.

A high capacity compression tester, Testing Machines Inc. (TMI) Model No. 17-24, Serial No. 2402, was used for the superimposed load test.

PROCEDURES AND RESULTS

1. VIBRATION TEST: A vibration test was conducted in accordance with the procedure in FTMS 101B, Method 5019. A one inch double amplitude and 4.5 Hz frequency was maintained for two hours.

RESULTS: Visual inspection revealed no damage to the container.

2. CORNERWISE DROP (ROTATIONAL) TEST: The cornerwise drop (rotational) test was conducted in accordance with FTMS 101B, Method 5005. A 24-inch drop height was used during the tests. Drops were made once to each of two diagonally opposite corners of the base.

RESULTS: Visual inspection revealed no damage to the container.

3. EDGEWISE DROP (ROTATIONAL) TEST: The edgewise drop (rotational) test was conducted in accordance with FTMS 101B, Method 5008. A 24-inch drop height was used during the tests. Drops were made once to each end of the container.

RESULTS: Visual inspection revealed no damage to the container.

4. PENDULUM-IMPACT TEST: The pendulum-impact test was conducted in accordance with FTMS 101B, Method 5012. Impact testing was conducted at seven feet per second. Both ends and both sides were impacted.

RESULTS: Visual inspection revealed no damage to the container.

5. SUPERIMPOSED LOAD TEST: The superimposed load test was conducted in accordance with FTMS 101B, Method 5016. A 1,012 pound load was applied to the container for one hour by means of the high capacity compression tester (see Figure 4).

RESULTS: Visual inspection revealed no damage to the container. Side deflection was measured at 0.07 inches at the end of one hour of testing.

DISCUSSION

Visual inspection of the container at the end of the rough handling tests indicated no physical damage to the container.

AIR FORCE PACKAGING EVALUATION AGENCY (Container Test Plan)				AFPEA PROJECT NUMBER 77-P7-32	
CONTAINER SIZE 45x40-5/8x46-1/8	(GROSS) W.T. 506	(ITEM) CODE 203	48.88	QUANTITY 1	DATE 2 Aug 77
ITEM NAME BL-755 Tail Unit (4 Each)			MANUFACTURER Hunting Engr Ltd., Bedfordshire, England		
CONTAINER NAME British 135-L10-5354-2823			CONTAINER COST \$900 (Approx)		
PACK DESCRIPTION Fiberglass					
CONDITIONING Ambient or as prescribed by test					
TEST NO.	IAW	PARAMETERS	ORIENTATION	INSTRUMENTED	
<u>VIBRATION TEST</u>					
1	FTMS 101 Method 5019	1" Double Amp. 4.5 Hz, 2 hours	As required by test	N/A	
<u>ROUGH HANDLING TESTS</u>					
2	FTMS 101 Method 5005	24 inch drop height	Once to each of two diagonally opposite corners of base	N/A	
3	FTMS 101 Method 5008	24 inch drop height	Once to each end of container	N/A	
4	FTMS 101 Method 5012	7 FPS impact	Both ends - Both sides	N/A	
<u>SUPERIMPOSED LOAD TEST</u>					
5	FTMS 101 Method 5016	Stack 3 high Ambient Condition		N/A	
<u>COORDINATION</u>					
COMMENTS	SYMBOL	NAME	DATE		
	DTPD	Berringer	3 Aug 77		
	SMT	Clay	2 Aug 77		
PREPARED BY <i>Edwin J. Houshaki</i>			APPROVED BY <i>Ralph J. Zunda</i>		

FIGURE 1



FIGURE 2. COVER REMOVED FROM BL-755 CONTAINER




FIGURE 3. BL-755 TAIL UNITS




FIGURE 4. SUPERIMPOSED LOAD TEST ON BL-755 CONTAINER

DISTRIBUTION LIST

HQ USAF/LGTN Washington DC 20330	2
DDC-TC (Accessions Division) Alexandria VA 22314	12
Tobyhanna Army Depot ATTN: DRXTO-TP-S Tobyhanna PA 18466	2
HQ AFSC/LGT Andrews AFB DC 20334	1
OO-ALC/DSTC Hill AFB UT 84406	2
OC-ALC/DSP Tinker AFB OK 73145	2
SA-ALC/DSP Kelly AFB TX 78241	2
SM-ALC/DSP McClellan AFB CA 95652	2
WR-ALC/DSP Robins AFB GA 31098	2
ADTC/SD15L Eglin AFB FL 32542	1
ADTC/SDMT Eglin AFB FL 32542	2
JMPTC Aberdeen Proving Ground MD 21005	1
Commander US Army Natick R&D Center ATTN: DRXNM-EPS Natick MA 01760	1
DESC/LQP 1507 Wilmington Pike Dayton OH 45444	1

Commander
Armament and Research
and Development Command
ATTN: DRDAR-LCU-TP
Dover NJ 07801

1

AFALD/PT

1

AFLC/LOT
WPAFB OH 45433

1

AFALD/PTP Library

10

ASD/AEGP
WPAFB OH 45433

1

14 PTPD-77-36

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER PTPD REPORT 77-36 ✓	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER 9 Technical rept.	
4. TITLE (and Subtitle) TEST AND EVALUATION OF BL-755 TAIL UNIT CONTAINER.		5. TYPE OF REPORT & PERIOD COVERED TECHNICAL - AUGUST 1977	
7. AUTHOR(s) 10 EDWARD J. KOWALSKI MECHANICAL ENGINEER		6. PERFORMING ORG. REPORT NUMBER	
9. PERFORMING ORGANIZATION NAME AND ADDRESS AFALD/PTPD AIR FORCE PACKAGING EVALUATION AGENCY ✓ WPAFB OH 45433		8. CONTRACT OR GRANT NUMBER(s)	
11. CONTROLLING OFFICE NAME AND ADDRESS AFALD/PTP WPAFB OH 45433		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AFPEA PROJ NO. 77-P7-32 ✓	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE 11 SEP 1977	
		13. NUMBER OF PAGES 11 12 9p	
		15. SECURITY CLASS. (of this report) UNCLASSIFIED	
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) APPROVED FOR PUBLIC RELEASE. DISTRIBUTION UNLIMITED.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) CONTAINER - INTERIOR CONTAINER - FIBERGLASS CONTAINER - TAIL UNIT			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) One each BL-755 container with four each inert tail units was received from HQ ADTC/SDMT, Eglin AFB, FL at the Air Force Packaging Evaluation Agency, Wright-Patterson AFB OH. Rough handling tests were conducted on the container in accordance with Federal Test Method Standard 101B. Visual inspection indicated no physical damage to the container upon completion of the tests.			