

AD-A048 279

NAVAL UNDERWATER SYSTEMS CENTER NEW LONDON CONN NEW --ETC P/O 3/2
FORTRAN PROGRAM FOR LINEAR PREDICTIVE SPECTRAL ANALYSIS OF UNIV--ETC(U)
DEC 77 A H NUTTALL

UNCLASSIFIED

NUSC-TD-5831

NL

| OF |

ADA048279



END
DATE
FILMED
2 - 78
DDC

AD A 0 4 8 2 7 9

NUSC Technical Document 5831




125

NUSC Technical Document 5831

FORTRAN Program for Linear Predictive Spectral Analysis of Univariate Complex Data With Disjoint Equi-Sized Pieces

**Albert H. Nuttall
Special Projects Department**



12 December 1977

NUSC

**NAVAL UNDERWATER SYSTEMS CENTER
Newport, Rhode Island • New London, Connecticut**

Approved for public release; distribution unlimited.

**AD No. _____
DDC FILE COPY**

PREFACE

This research was conducted under NUSC Project No. A-752-05, "Applications of Statistical Communication Theory to Acoustical Signal Processing," Principal Investigator, Dr. A. H. Nuttall (Code 313), Navy Subproject and Task No. ZR-00-001, Program Manager, J. H. Probus (MAT 035), Naval Material Command.

REVIEWED AND APPROVED: 12 December 1977


R. W. Hasse
Head: Special Projects Department

The author of this document is located at the New London
Laboratory, Naval Underwater Systems Center,
New London, Connecticut 06320.

14

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS BEFORE COMPLETING FORM

1. REPORT NUMBER: **NUSC-TD-5831** 2. GOVT ACCESSION NO. 3. RESUME/CATALOG NUMBER: **9 Technical Document**

6

4. TITLE (and Subtitle): **FORTRAN PROGRAM FOR LINEAR PREDICTIVE SPECTRAL ANALYSIS OF UNIVARIATE COMPLEX DATA WITH DISJOINT EQUI-SIZED PIECES** 5. TYPE OF REPORT & PERIOD COVERED

10

7. AUTHOR(s): **Albert H. Nuttall** 6. PERFORMING ORG. REPORT NUMBER

9. PERFORMING ORGANIZATION NAME AND ADDRESS: **Naval Underwater Systems Center
New London Laboratory
New London, CT 06320** 8. CONTRACT OR GRANT NUMBER(s)

16

10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS: **A-752-05
ZR-00-001**

11. CONTROLLING OFFICE NAME AND ADDRESS: **Naval Material Command (MAT 035)
Washington, DC 20362** 12. REPORT DATE: **12 December 1977**

11

13. NUMBER OF PAGES: **16**

14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office): **12 18p.** 15. SECURITY CLASS. (of this report)

15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report): **Approved for public release; distribution unlimited.**

DDC
RECEIVED
JAN 11 1978
REGISTERED
F

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number):
**Linear Prediction
Maximum Entropy
Spectral Analysis
Disjoint Pieces
Linear Predictive Beamforming**

20. ABSTRACT (Continue on reverse side if necessary and identify by block number):
→ **A FORTRAN program for linear predictive spectral analysis of univariate complex data with disjoint equi-sized pieces is presented. This result has application to data taken with a device that periodically goes off-line, and to maximum entropy beamforming on a limited number of equi-spaced linear array elements.** ←

405-918

4B

FORTRAN PROGRAM FOR LINEAR PREDICTIVE SPECTRAL ANALYSIS OF
UNIVARIATE COMPLEX DATA WITH DISJOINT EQUI-SIZED PIECES

INTRODUCTION

In reference 1, the theoretical basis for estimating spectra via linear predictive techniques from univariate complex data with bad data points was presented. Also, a program was given there for spectral analysis of real data with gaps. Later, in reference 2, a program for complex data with no bad data points was presented. However, neither program is capable of handling complex data with gaps. This present document remedies this situation for the case where the disjoint pieces of complex data each have the same number of points.

Complex data can arise when a real process is complex-demodulated to zero frequency and sampled at a low rate for purposes of ease of processing and computation. Alternatively, if a real process is subjected to Fourier transformation into the frequency domain, complex coefficients result. Both of these examples are of frequent occurrences in practical applications.

Data segments of equal length can occur, for example, when a recording device is periodically taken off-line (for calibration purposes, perhaps), or if large periodic bursts of noise occur. An important frequency-domain application occurs for an equi-spaced line array of limited extent. Then the number of elements in the array is the maximum size of each disjoint piece of frequency coefficients. If, for a particular time segment of array outputs, we look at the Fourier coefficients at one frequency, we can attempt linear prediction in space; averaging the prediction error over time then yields the extrapolation effect inherent in maximum entropy processing (see reference 3). This will result in the array appearing to have a longer length than its true length, and thereby yield improved angular resolution of plane-wave arrivals. This approach is analogous to the improved frequency resolution obtainable from limited time data.

The input parameters to the program are fully explained in the comment statements. For a single piece of data, the number of disjoint pieces, ND, can be set equal to 1. A sample run is presented after the program. For application to linear predictive beamforming, delete the statement

$$X(I, J) = X(I, J) - AVE$$

in loop 3 of SUBROUTINE CXDISJ.

```

C  LINEAR PREDICTIVE SPECTRAL ANALYSIS FOR UNIVARIATE
C  COMPLEX DATA WITH DISJOINT EQUI-SIZED PIECES
C  EQUATION REFERENCES ARE TO NUTTALL, NUSC TR 5303, 26 MARCH 1976
C  USER: CHANGE LINES 26 AND 40, AND REPLACE SUBROUTINE DATA
C  N = NUMBER OF COMPLEX DATA POINTS IN EACH PIECE; INTEGER INPUT
C  ND = NUMBER OF DISJOINT PIECES; INTEGER INPUT
C  X(1,1)...X(N,1),...,X(1,ND)...X(N,ND) = COMPLEX INPUT DATA;
C  ALTERED ON OUTPUT
C  PMAX = MAXIMUM ORDER OF FILTER; PMAX,LT,N; INTEGER INPUT
C  NF = SIZE OF FFT (MUST BE A POWER OF 2 TO USE MKLFFT); INTEGER INPUT
C  AVE = COMPLEX SAMPLE MEAN OF INPUT DATA; OUTPUT
C  P0 = SAMPLE POWER OF INPUT DATA; OUTPUT
C  AIC = AKAIKE'S INFORMATION CRITERION; OUTPUT
C  PBEST = BEST ORDER OF FILTER; INTEGER OUTPUT
C  SPBEST = (EQ H-7)/NF FOR P=PBEST; OUTPUT
C  SPMAX = (EQ H-7)/NF FOR P=PMAX; OUTPUT
C  A(1),...,A(PBEST) = COMPLEX PREDICTIVE FILTER COEFFICIENTS =
C  A(1;PBEST),...,A(PBEST;PBEST); OUTPUT
C  RHO(1),...,RHO(PMAX) = COMPLEX NORMALIZED CORRELATIONS; OUTPUT
C  XX(1),...,XX(NF) = SCALED SPECTRUM, WHOSE SUM = SAMPLE POWER; OUTPUT
C  COSI(1),...,COSI(NF/4+1) = QUARTER COSINE TABLE FOR FFT PURPOSES
C  Y(N,ND) IS A REQUIRED COMPLEX AUXILIARY ARRAY
C  YY(NF) IS A REQUIRED AUXILIARY ARRAY
C  ON OUTPUT, X(1,1),...,X(PMAX,1) = A(1;PMAX),...,A(PMAX;PMAX)
C  ON OUTPUT, Y(1,1),...,Y(PMAX,1) = A(1;1),...,A(PMAX;PMAX)
PARAMETER N = 10, ND = 20, PMAX = 6, NF = 512, NF41=NF/4+1
INTEGER PBEST,P
REAL SPBEST,T1,T2
COMPLEX X(N,ND),Y(N,ND),A(PMAX),RHO(PMAX),AVE,G,T
DIMENSION XX(NF),YY(NF),COSI(NF41),AIC(PMAX),AIC0(2)
EQUIVALENCE (AIC(1),AIC0(2))
C  PRINT OUT VALUES OF PARAMETERS
I=N
J=ND
K=PMAX
L=NF

```

BEST AVAILABLE COPY

```

PRINT 1, I, J, K, L
1  FORMAT(1H1, ' N =', I6, 10X, 'ND =', I6, 10X, 'PMAx =', I4, 10X, 'NF =', I5)
C  COMPLEX INPUT DATA IN X(1,1)...X(N,1),...,X(1,ND)...X(N,ND)
   CALL DATA
   PRINT 2
2  FORMAT(/' COMPLEX INPUT DATA:')
   DO 3 J=1,ND
   PRINT 34, J
34  FORMAT('  PIECE NUMBER', I3)
3  PRINT 4, (X(I,J), I=1,N)
4  FORMAT(4(E18.8, E15.8))
C  EVALUATE FILTER COEFFICIENTS
   CALL CXDISJ
   PRINT 5, AVE
5  FORMAT(/' COMPLEX MEAN OF INPUT DATA = ('E13.8', ' ', 'E13.8, ')')
   PRINT 6, P0
6  FORMAT(/' SAMPLE POWER OF INPUT DATA =', E13.8)
   PRINT 7
7  FORMAT(/' AKAIKE INFORMATION CRITERION: '/9X, 'P', 11X, 'AIC(P)')
   PRINT 8, (P, AIC(P), P=0, IA)
6  FORMAT(I10, E20.8)
   PRINT 9, PBEST
9  FORMAT(/' PBEST =', I3)
   PRINT 10
10  FORMAT(/' PARTIAL CORRELATION COEFFICIENTS: '/
$9X, 'P', 9X, 'RE A(P;P)', 7X, 'IM A(P;P)')
   PRINT 11, (P, Y(P,1), P=1, IA)
11  FORMAT(I10, E20.8, E16.8)
   IF(PBEST.EQ.0) GO TO 12
   PRINT 13
13  FORMAT(/' PREDICTIVE FILTER COEFFICIENTS FOR PBEST: '/
$9X, 'K', 7X, 'RE A(K;PBEST)', 3X, 'IM A(K;PBEST)')
   PRINT 11, (P, A(P), P=1, PBEST)

```

ACCESSION For	
NTIS	<input checked="" type="checkbox"/>
DDC	<input type="checkbox"/>
NATIONAL	<input type="checkbox"/>
J S I C	
BY	
DISTRIBUTION/AVAILABILITY CODES	
SP. CIAL	
A	


```

12 PRINT 14
14 FORMAT(/' NORMALIZED CORRELATIONS: '/
$7X,'DELAY',9X,'RE RHO',10X,'IM RHO')
P=0
T=(1.,0.)
PRINT 11, P,T
PRINT 11, (P,RHO(P), p=1,IA)
C EVALUATE SPECTRAL ESTIMATE
CALL SPECT
PRINT 15
15 FORMAT(/' POWER SPECTRUM, STARTING FROM ZERO FREQUENCY (BIN 1): ')
PRINT 16, (XX(I), I=1,NF)
16 FORMAT(2X,10E13.8)
PRINT 17, SUM
17 FORMAT(/' SUM OF SPECTRUM VALUES =',E13.8)
PRINT 18, P0
18 FORMAT(' SAMPLE POWER OF INPUT =',E13.8)
C
SUBROUTINE DATA
C THIS SUBROUTINE GENERATES COMPLEX DATA
DEFINE IRAND=I*5**15+((1-SIGN(1,I*5**15))/2)*34359738367
DEFINE RAND=FLOAT(I)/34359738367.
I=5281
G=(.65,.65)
DO 1 J=1,ND
T=(0.,0.)
DO 2 K=1,200      @ WILL DISCARD THESE INITIAL POINTS
I=IRAND
T1=RAND-.5
I=IRAND
T2=RAND-.5
2 T=G*T+CMPLX(T1,T2)
DO 3 K=1,N
I=IRAND
T1=RAND-.5
I=IRAND

```

BEST AVAILABLE COPY

```

T2=RAND-.5
T=G*T+CMPLX(T1,T2)
3 X(K,J)=T
1 CONTINUE
RETURN
C
SUBROUTINE CXDISJ
C THIS SUBROUTINE COMPUTES AIC, PBEST, ALL THE FILTER
C COEFFICIENTS, AND THE NORMALIZED CORRELATIONS
DOUBLE PRECISION SAR,SAI,SB
I=N
K=PMAX
IA=N-1
IF(PMAX.GE.N) PRINT 1, K,I,IA
1 FORMAT(/' PMAX =',I4,' IS TOO LARGE FOR NUMBER OF DATA',
5' POINTS N =',I5,'; SEARCH LIMITED TO P =',I4)
IA=MIN(IA,PMAX)
FAC=4./(N*ND) @ FAC=0. WOULD FORCE PBEST EQUAL TO IA
C COMPUTE SAMPLE MEAN
AVE=(0.,0.)
DO 2 J=1,ND
DO 2 I=1,N
2 AVE=AVE+X(I,J)
AVE=CMPLX(REAL(AVE)/(N*ND),AIMAG(AVE)/(N*ND))
C SUBTRACT SAMPLE MEAN AND COMPUTE SAMPLE POWER
P0=0.
DO 3 J=1,ND
DO 3 I=1,N
X(I,J)=X(I,J)-AVE @ TO KEEP SAMPLE MEAN, DELETE THIS CARD
Y(I,J)=X(I,J)
3 P0=P0+REAL(X(I,J))**2+AIMAG(X(I,J))**2
P0=P0/(N*ND)
C BEGIN RECURSION
AIC(0)=LOG(P0)
AICMIN=AIC(0)
PBEST=0

```

```

SPMAX=P0/NF
SPBEST=SPMAX
DO 4 P=1,IA
C CALCULATE CROSS-GAIN; EQ 155
SAR=0.D0
SAI=0.D0
SB=0.D0
L=P+1
DO 5 J=1,ND
DO 5 I=L,N
T1=REAL(X(I,J))
T2=AIMAG(X(I,J))
T3=REAL(Y(I-1,J))
T4=AIMAG(Y(I-1,J))
SAR=SAR+T1*T3+T2*T4
SAI=SAI+T2*T3-T1*T4
5 SB=SB+T1**2+T2**2+T3**2+T4**2
T1=2.*SAR/SB
T2=2.*SAI/SB
G=CMPLX(T1,T2)
C CALCULATE FILTER COEFFICIENTS; EQS 160&148. STORE IN X(1,1)...X(P,1)
X(P,1)=G
IF(P.EQ.1) GO TO 6
L=P/2
DO 7 I=1,L
T=X(I,1)-G*CONJG(X(P-I,1))
X(P-I,1)=X(P-I,1)-G*CONJG(X(I,1))
7 X(I,1)=T
C CALCULATE NORMALIZED CORRELATION; EQ 149
6 T=X(P,1)
IF(P.EQ.1) GO TO 8
L=P-1
DO 9 I=1,L
9 T=X(I,1)*RHO(P-I)
8 RHO(P)=T

```



```

C CALCULATE AKAIKÉ'S INFORMATION CRITERION
  T1=1.D0-4.D0*(SAR**2+SAI**2)/SB**2
  SPMAX=SPMAX*T1
  AIC(P)=LOG(SPMAX)+FAC*P
  IF(AIC(P).GE,AICMIN) GO TO 10
  AICMIN=AIC(P)
  PBEST=P
  SPBEST=SPMAX
  DO 11 I=1,P
11  A(I)=X(I,1)
10  IF(P.EQ,IA) GO TO 12
C UPDATE FORWARD AND BACKWARD SEQUENCES; EQ 153
  L=P+1
  DO 13 J=1,ND
  DO 13 I=N,L,-1
  T=X(I,J)-G*Y(I-1,J)
  Y(I,J)=Y(I-1,J)-CONJG(G)*X(I,J)
13  X(I,J)=T
  4  Y(P,1)=G
12  Y(IA,1)=G
  IF(PBEST.EQ,IA) GO TO 14
C COMPUTE EXTRAPOLATED NORMALIZED CORRELATION
C COEFFICIENTS FROM PBEST+1 TO PMAX; EQ 165
  L=PBEST+1
  DO 15 P=L,IA
  A(P)=(0.,0.)
  T=(0.,0.)
  DO 16 I=1,PBEST
16  T=T+A(I)*RHO(P-I)
15  RHO(P)=T
14  RETURN
C

```

```

SUBROUTINE SPECT
C THIS SUBROUTINE COMPUTES THE POWER SPECTRUM FOR PBEST; IT IS SCALED
C SUCH THAT THE SUM OF VALUES COMPUTED SHOULD EQUAL THE SAMPLE POWER
  XX(1)=1.
  YY(1)=0.
  IF(PBEST.EQ.0) GO TO 1
  DO 2 I=1,PBEST
  XX(I+1)=-REAL(A(I))
  YY(I+1)=-AIMAG(A(I))
2
1  L=PBEST+2
  DO 3 I=L,NF
  XX(I)=0.
  YY(I)=0.
3  CALL QTRCOS(COSI,NF)
  L=1.4427*LOG(NF)+.5 @ LOG2(NF)
  CALL MKLFFT(XX,YY,COSI,L,-1)
  SUM=0.
  DO 4 I=1,NF
  XX(I)=SPBEST/(XX(I)**2+YY(I)**2)
4  SUM=SUM+XX(I)
  RETURN
  END

```

```

SUBROUTINE QTRCOS(C,N)
DIMENSION C(1)
N41=N/4+1
SCL=6.283185307/N
DO 1 I=1,N41
1  C(I)=COS((I-1)*SCL)
  RETURN
  END

```

BEST AVAILABLE COPY

```

SUBROUTINE MKLFFT(X,Y,CC,M,ISN)
DIMENSION X(1),Y(1),CC(1),L(12)
EQUIVALENCE (L12,L(1)),(L11,L(2)),(L10,L(3)),(L9,L(4)),(L8,L(5)),
1(L7,L(6)),(L6,L(7)),(L5,L(8)),(L4,L(9)),(L3,L(10)),(L2,L(11)),
2(L1,L(12))
N=2**M
ND4=N/4
ND4P1=ND4+1
ND4P2=ND4P1+1
ND2P2=ND4+ND4P2
DO 8 LO=1,M
LMX=2**(M-LO)
LIX=2*LMX
ISCL=N/LIX
DO 8 LM=1,LMX
IARG=(LM-1)*ISCL+1
IF(IARG.LE.ND4P1) GO TO 4
C=-CC(ND2P2-IARG)
S=ISN*CC(IARG-ND4)
GO TO 6
4 C=CC(IARG)
S=ISN*CC(ND4P2-IARG)
6 DO 8 LI=LIX,N,LIX
J1=LI-LIX+LM
J2=J1+LMX
T1=X(J1)-X(J2)
T2=Y(J1)-Y(J2)
X(J1)=X(J1)+X(J2)
Y(J1)=Y(J1)+Y(J2)
X(J2)=C*T1-S*T2
Y(J2)=C*T2+S*T1
8 CONTINUE

```



```
DO 40 J=1,12
L(J)=1
IF(J-M) 31,31,40
31 L(J)=2**(M+1-J)
40 CONTINUE
JN=1
DO 60 J1=1,L1
DO 60 J2=J1,L2,L1
DO 60 J3=J2,L3,L2
DO 60 J4=J3,L4,L3
DO 60 J5=J4,L5,L4
DO 60 J6=J5,L6,L5
DO 60 J7=J6,L7,L6
DO 60 J8=J7,L8,L7
DO 60 J9=J8,L9,L8
DO 60 J10=J9,L10,L9
DO 60 J11=J10,L11,L10
DO 60 JR=J11,L12,L11
IF(JN-JR) 51,51,52
51 R=X(JN)
X(JN)=X(JR)
X(JR)=R
FI=Y(JN)
Y(JN)=Y(JR)
Y(JR)=FI
52 JN=JN+1
60 CONTINUE
RETURN
END
```

N = 10 ND = 20 PMAX = 6 NF = 512

COMPLEX INPUT DATA:

PIECE NUMBER	PIECE NUMBER	PIECE NUMBER	PIECE NUMBER
-13473221+00	-13652712+01	-794777+00	-12044645+01
78179665+00	-12310591+00	-4360992+00	-11779490+01
-14566335+01	-79239590+00	-64721197+00	-11577945+01
-13552177+01	-26430399+00	-72106371+00	-.29569094+00
-11332010+01	-43117464+01	-77447465+00	-.10167439+01
-15673967+01	-21709549+00	-54660321+00	-.44461977+00
-.91660022+00	-19422616+01	-90273482+00	-.94451493+00
-20974729+00	-11315998+01	-15129665+01	-.79080727+00
-12562732+01	-48266359+00	-54119695+00	-.30581955+00
-10378185+01	-60064784+00	-63291796+01	-.12167439+01
-.29150645+00	-78512141+01	-24598397+00	-.44461977+00
-28332410+00	-62218527+00	-10121199+00	-.22529240+00
-22314303+00	-30662629+00	-83007356+01	-.27501100+00
-.20801926+00	-68790219+01	-29153703+00	-.23329240+00
-37806652+02	-93537965+00	-40488669+00	-.20179067+00
-13452530+01	-65974023+01	-79014245+02	-.44461977+00
-.17218950+00	-71103991+00	-49994187+00	-.94013829+01
-.20801926+00	-62736874+00	-2766822+00	-.14140112+01
-.21515297+01	-.58576363+00	-89140194+00	-.94013829+01
-.64370962+00	-.44340446+00	-27077141+00	-.14140112+01
-.14438601+01	-.75026439+00	-.3440214+00	-.23006977+00
-13496244+00	-.12251202+01	-10333682+01	-.99955625+01
-.36497236+00	-.52010719+00	-9395137+00	-.27008977+00
-.11119591+01	-.66091142+00	-.49649345+00	-.94013829+01
PIECE NUMBER 9	PIECE NUMBER 10	PIECE NUMBER 11	PIECE NUMBER 12
-.10059941+01	-.59787136+00	-11217803+01	-.32392174+00
-.80359715+00	-.50259951+00	-.92177460+00	-.30075851+00
-.12552212+01	-.64260341+00	-.93757443+00	-.47986304+00
PIECE NUMBER 13	PIECE NUMBER 14	PIECE NUMBER 15	PIECE NUMBER 16
-.59787136+00	-.36497236+00	-.12179394+01	-.32392174+00
-.12552212+01	-.11119591+01	-.11217803+01	-.30075851+00
-.59787136+00	-.80359715+00	-.92177460+00	-.47986304+00
-.12552212+01	-.10059941+01	-.11217803+01	-.32392174+00
-.59787136+00	-.80359715+00	-.92177460+00	-.47986304+00
-.12552212+01	-.10059941+01	-.11217803+01	-.32392174+00
-.59787136+00	-.80359715+00	-.92177460+00	-.47986304+00
-.12552212+01	-.10059941+01	-.11217803+01	-.32392174+00
-.59787136+00	-.80359715+00	-.92177460+00	-.47986304+00
-.12552212+01	-.10059941+01	-.11217803+01	-.32392174+00
-.59787136+00	-.80359715+00	-.92177460+00	-.47986304+00

BEST AVAILABLE COPY

.16409397+01	.23764174+00	.16409397+01	.13901152+01	-.57977370+00	.16310306+01	-.10939529+01	.11466108+01
PIECE NUMBER 15	.38543141+00	-.18814373+01	-.49564407+00	-.30765580+00	.64361454+00	-.21487892+00	.91898974+00
-.6C10327+00	-.42201290+00	.31770632+00	.23912441+00	-.534543907+00	-.93429000+00	-.91870600+01	-.11836211+01
-.11472579+01	.14176743+70	-.67330026+00	-.20520941+00	-.41527621+00	.76709010+00	-.20101401+00	.11210217+01
PIECE NUMBER 16	-.96330317+00	.65713535+00	-.79496137-01	-.81969749+00	-.55853747-01	-.17052471+01	-.53566154+00
-.10506945+01	.27903251+00	.99693309+00	.60340144+00	.12641892+01	.10902475+01	.56007403+00	.17493214+01
PIECE NUMBER 17	.67654162+00	-.87676667+00	.21613240-01	-.19123404+01	-.10352052+00	-.12321000+01	-.10224272+01
-.15407440-01	-.65551642+00	.59113196-02	-.57087187+00	.67059243-01	.41747944-01	-.23516455+00	-.17003797-01
PIECE NUMBER 18	-.19437459+01	.15076416+01	-.22291129+00	.26383080+00	-.57426315+00	.54749575+00	-.14748140+00
-.10493477+01	-.18195128+01	-.14016637+01	.11474379+01	.67059243-01	.41747944-01	-.23516455+00	-.17003797-01
PIECE NUMBER 19	-.11228506+01	.84802874+00	-.53768451+00	.26383080+00	-.57426315+00	.54749575+00	-.14748140+00
-.45137634+00	.41741937+00	.20049324+00	.16854444+00	.67059243-01	.41747944-01	-.23516455+00	-.17003797-01
PIECE NUMBER 20	-.23306390+00	-.52246249+00	-.19265532+00	.26383080+00	-.57426315+00	.54749575+00	-.14748140+00
-.30005418-01	.21422679+00	-.33739936+00	-.20330944+00	.67059243-01	.41747944-01	-.23516455+00	-.17003797-01
PIECE NUMBER 21	-.22316602+00	.16167243+00	.42525277+00	-.34921423+00	-.67444494-02	.10779265+00	-.37963444+00
-.33143267-01	-.11117243+00	-.93226554-01	.15422764+00	-.54321114+00	.33674223+00	-.23450789+00	-.66412040-00
PIECE NUMBER 22	-.61086616-01	.72194413+00	.23158181-01	-.54321114+00	.33674223+00	-.23450789+00	-.66412040-00
PIECE NUMBER 23	-.34647398+00	-.10941341+01	-.77301000+00	-.51200870+00	-.12569580+01	.25522581+00	-.10967851+01
PIECE NUMBER 24	-.47905925+00	.13064936+01	.39008654+00	.30477042+00	.84802874+00	-.64816474+00	-.11969178+01
PIECE NUMBER 25	-.69469642+00	-.12542500+01	-.21400730+00	-.51200870+00	-.12569580+01	.25522581+00	-.10967851+01

COMPLEX MEAN OF INPUT DATA = (-.66319221-01, -.40282205-01)

SAMPLE POWER OF INPUT DATA = .12248106+01

AKAIKE INFORMATION CRITERION:

P	AIC(P)
0	.20278620+00
1	-.80169810+01
2	-.80072850+01
3	-.79875959+01
4	-.79702957+01
5	-.79654503+01
6	-.79519050+01

PBEST = 1

PARTIAL CORRELATION COEFFICIENTS:

P	RE A(P P)	IM A(P P)
1	.65607898+00	.65910558+00
2	.71265785-01	.71918564-01
3	.11103264-01	.13693754-01
4	.44373563-01	-.26964517-01
5	-.73896198-01	-.97876096-01
6	.20138093-03	.80211493-01

PREDICTIVE FILTER COEFFICIENTS FOR PBEST:

K	RE A(K PBEST)	IM A(K PBEST)
1	.65607898+00	.65910558+00

NORMALIZED CORRELATIONS:

DELAY	RE RHO	IM RHO
0	.10000000+01	.00000000
1	.65607898+00	.65910558+00
2	-.39805360-02	.86485063+00
3	-.57263941+00	.56478672+00
4	-.74795075+00	-.68851300-02
5	-.48617674+00	-.49749569+00
6	.89318492-02	-.64683826+00

BEST AVAILABLE COPY

POWER SPECTRUM - STARTING FROM ZERO FREQUENCY (BIN 1):

56491481-03	62080778-03	64071995-03	66080112-03	68154740-03	70388449-03	72739100-03	75219927-03	77244432-03
8545474-03	86559278-03	89127771-03	91277711-03	96911917-03	10099161-03	10891473-02	11030500-02	11500251-02
10957391-02	11001568-02	13133442-02	149753-03	149753-03	1573013-02	1655776-02	17485241-02	1800674-02
19450512-02	21824849-02	23179007-02	2466334-02	26949702-02	2809325-02	3008144-02	32247751-02	34783310-02
37486775-02	44029444-02	47449959-02	52646494-02	54949592-02	63300404-02	70011470-02	77938400-02	87108623-02
97097660-02	112595216-01	14429301-01	16687270-01	19343343-01	22633787-01	26543766-01	31501005-01	37280000-01
43393124-01	58069646-01	53862289-01	65849311-01	64715214-01	66279295-01	63784291-01	4659390-01	30887411-01
33561046-01	24400442-01	20501311-01	17584381-01	15211499-01	13283308-01	11204799-01	10204799-01	9088411-01
31177394-02	32893204-02	35757459-02	39923549-02	45424588-02	48935300-02	41014112-02	35959000-02	35736221-02
33177534-02	28815402-02	26949587-02	24226694-02	23719500-02	22318444-02	21030874-02	19466513-02	18780046-02
17796740-02	1604222-02	15254661-02	14520877-02	13954150-02	13226705-02	12840278-02	12023257-02	11481524-02
11102419-02	10652964-02	10230866-02	98339399-03	94662497-03	91020865-03	8775797-03	84618166-03	81649500-03
76177431-03	71256144-03	6879372-03	66814543-03	6475476-03	6279250-03	60922660-03	59139173-03	57836872-03
55810929-03	54256873-03	51448106-03	49989044-03	48680746-03	47429181-03	46228958-03	45076763-03	43970268-03
42907101-03	41865051-03	39956114-03	39054851-03	38168443-03	37323166-03	36508407-03	35722435-03	34964511-03
34235762-03	33262193-03	32843678-03	31568548-03	30303058-03	29336450-03	29756512-03	29197874-03	28586817-03
28132827-03	27132959-03	26655833-03	26194113-03	25744273-03	25300469-03	24885000-03	24473443-03	24076846-03
23689643-03	23313437-03	22947821-03	22284441-03	21910733-03	21583443-03	21265761-03	20956218-03	20659099-03
20361566-03	20075918-03	19252684-03	19226236-03	19005312-03	1875403-03	18510003-03	18271411-03	18039137-03
17611339-03	17591214-03	17375418-03	17164848-03	16758758-03	16562042-03	16371759-03	16185072-03	16002743-03
15824677-03	15650724-03	15460778-03	15182463-03	14993284-03	14803088-03	14687379-03	14559268-03	14398482-03
14252657-03	14114395-03	13972898-03	13771700-03	13590294-03	13466933-03	13345056-03	13226400-03	13110311-03
12996694-03	12776522-03	12670843-03	12464424-03	12264424-03	12066189-03	11869551-03	11677099-03	11482492-03
11854881-03	11807293-03	11721882-03	11637688-03	11555252-03	11474551-03	11395511-03	11318200-03	11242492-03
11168369-03	11095808-03	11024777-03	10887181-03	10820572-03	10758371-03	10691458-03	10629100-03	10567908-03
10580817-03	10494886-03	10392442-03	10336842-03	10284473-03	10175849-03	10124438-03	10073360-03	10023308-03
99307197-04	98850272-04	98850272-04	97967466-04	97941866-04	97123055-04	96719465-04	96323190-04	95936442-04
95559391-04	95191504-04	94833040-04	94833040-04	93931156-04	93488758-04	93174604-04	92869101-04	92571918-04
92243046-04	91730118-04	9165809-04	91200449-04	90961076-04	90720080-04	90487448-04	90262470-04	90044913-04
89348850-04	89323214-04	89249321-04	89068770-04	88995059-04	88729310-04	88570200-04	88411721-04	88273303-04
88135423-04	88044002-04	87980273-04	87825253-04	87748000-04	87451095-04	87273206-04	87273206-04	87201917-04
87131361-04	87010919-04	86906594-04	86914844-04	86799667-04	86899308-04	86824958-04	86907408-04	86796303-04
86791903-04	86793942-04	86802500-04	86617607-04	86667411-04	86902130-04	86943817-04	86901271-04	86784574-04
87106700-04	87174422-04	87240737-04	87429712-04	87511754-04	87612881-04	87720780-04	87835800-04	87947013-04
88084875-04	88220287-04	88363143-04	88412465-04	88469835-04	88532004-04	8902033-04	89180759-04	89365080-04
89758639-04	89865285-04	90179908-04	9002303-04	90169931-04	91115400-04	91368744-04	91630080-04	91899301-04
92176865-04	92462251-04	92756571-04	93358992-04	93689874-04	94017758-04	94358466-04	9470021-04	95056087-04
95427361-04	95793988-04	96177058-04	96169705-04	97344245-04	97866050-04	98238874-04	98621558-04	99134708-04
99530483-04	10007307-03	10055862-03	10105534-03	10208209-03	10261431-03	10315756-03	10371205-03	10429078-03
10448103-03	10454416-03	10680033-03	10667978-03	10795054-03	10862035-03	10929520-03	1099024-03	1108000-03
11145974-03	11214507-03	11289622-03	11366351-03	11444727-03	11626783-03	11690004-03	11775418-03	11862574-03
11915603-03	12442545-03	12135444-03	12327299-03	12426333-03	12527518-03	12630005-03	12776511-03	1284440-03
12954716-03	13674404-03	13182563-03	13420530-03	13543444-03	13669158-03	13797659-03	13920770-03	14043266-03
14200565-03	14440375-03	14448570-03	14031336-03	14781662-03	15020462-03	15253832-03	15418050-03	15586525-03
15758960-03	15935476-03	16116189-03	16102222-03	16484764-03	16803547-03	17087169-03	17295041-03	17500637-03
17728661-03	17953436-03	18143738-03	18419809-03	18669740-03	19100005-03	19426575-03	19685045-03	19970718-03
20253547-03	20543972-03	20842260-03	21148683-03	21787077-03	22119792-03	22461472-03	22813340-03	23175008-03
23547265-03	23930302-03	24324583-03	24730842-03	25148630-03	26023171-03	26486534-03	26952200-03	27430717-03
27946527-03	28458364-03	28922948-03	29444859-03	30070465-03	31312047-03	31942006-03	32595481-03	33267406-03
33946076-03	34667496-03	35435134-03	36210382-03	37018104-03	38172655-03	39410736-03	40548288-03	41511907-03
42519081-03	43566574-03	44665655-03	45791319-03	46973704-03	48248033-03	49496350-03	50830054-03	52159178-03
55219692-03	56818368-03							

SUM OF SPECTRUM VALUES = .12248068+01
 SAMPLE POWER OF INPUT = .12248106+01

REFERENCES

1. A. H. Nuttall, "Spectral Analysis of a Univariate Process with Bad Data Points, via Maximum Entropy and Linear Predictive Techniques," NUSC Technical Report 5303, 26 March 1976.
2. A. H. Nuttall, "FORTRAN Program for Linear Predictive Spectral Analysis of a Complex Univariate Process," NUSC Technical Report 5505, 3 December 1976.
3. A. H. Nuttall, "Multivariate Linear Predictive Spectral Analysis, Employing Weighted Forward and Backward Averaging: A Generalization of Burg's Algorithm," NUSC Technical Report 5501, 13 October 1976.

INITIAL DISTRIBUTION LIST

Addressee	No. of Copies
ASN(R&D)	1
ONR, ONR-102, -480, -486	4
CNO, OP-03EG, -098, -902, -941	4
CNM, MAT-03T, -03L, -03L4, -03T2	4
DARPA	1
DIA (DT-2C)	1
DWTNSRDC ANNA	1
NRL	1
NRL, USRD	1
NRL, AESD	1
NAVOCEANO, Code 02, 6130	2
NAVELECSYSCOM, ELEX 03	1
NAVSEASYSYSCOM, SEA-03C, -032, -06H1, -06H1-1, -09G32	5
DTNSRDC	1
NAVCOASTSYSLAB	1
NAVOCEANSYSCEN, Code 6565	2
NAVSEC, SEC-6034	1
NISC	1
NAVPGSCOL	1
APL/UW, SEATTLE	1
ARL/PENN STATE, STATE COLLEGE	1
CNO (ACQUISITION UNIT)	1
DDC, ALEXANDRIA	1
NOAA/ERL	1
WOODS HOLE OCEANOGRAPHIC INSTITUTION	1
ENGINEERING SOCIETIES LIBRARY, UNITED ENGINEERING CENTER	1