

AD-A048 321

ARMY ELECTRONICS COMMAND WHITE SANDS MISSILE RANGE N--ETC F/G 4/1
14818C LANCE MISSILE NUMBER 3292, ROUND NUMBER 298 APT (24 AUGU--ETC(U)
SEP 77

UNCLASSIFIED

DR-943

NL

| OF |

ADI
A048 321



END
DATE
FILMED

2 - 78

DDC

12

DR-943
September 1977

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

AD

ADA048321

METEOROLOGICAL DATA REPORT

14818C LANCE
MISSILE NO. 3292, ROUND NO. 298 APT
(24 AUGUST 1977)

BY

WSMR METEOROLOGICAL TEAM

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

AD NO.
DDC FILE COPY

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

DDC
RECEIVED
JAN 12 1978
B

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return to the originator.

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 14 DR-943 ✓	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 14818C Lance Missile 3292, Round 298 APT (24 August 1977). Number # Number #	5. TYPE OF REPORT & PERIOD COVERED	
7. AUTHOR(s) WSMR Meteorological Team	8. CONTRACT OR GRANT NUMBER(s) DA Task 1T665702D127-02 16 17 02	
9. PERFORMING ORGANIZATION NAME AND ADDRESS 9 Meteorological data rept.	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Command ✓ Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico 11	12. REPORT DATE Sep 1977	13. NUMBER OF PAGES 25 12 25 p.
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Command Ft. Monmouth, New Jersey	15. SECURITY CLASS. (of this report) UNCLASSIFIED	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) 1. Ballistics 2. Meteorology 3. Wind		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of 14818C Lance, Missile Number 3292, Round Number 298 APT, are presented in tabular form.		

DDC
REF ID: A66174
JAN 12 1978
B

400844

Faint, illegible text visible in the form area, likely bleed-through from the reverse side of the page.

D B C

SECRET
 JAN 12 1978
SECRET

8

CONTENTS

	PAGE
INTRODUCTION -----	1
DISCUSSION -----	1
TABLES	
I. Surface Observations taken at WSD -----	1
II. Pilot-Balloon-Measured Wind Data, Release No. 1 at 0900 MDT -----	2
III. Anemometer-Measured Wind Speed and Direction, Pole No. 1 at 0900 MDT -----	4
IV. WSD Significant Level Data (Release Time: 0850 MDT) -----	5
V. WSD Upper Air Data (Release Time: 0850 MDT) -----	6
VI. WSD Mandatory Levels (Release Time: 0850 MDT) -----	10
VII. Apache Significant Level Data (Release Time: 0915 MDT) -----	11
VIII. Apache Upper Air Data (Release Time: 0915 MDT) -----	12
IX. Apache Mandatory Levels (Release Time: 0915 MDT) -----	16
X. Holloman Significant Level Data (Release Time: 1000 MDT) -----	17
XI. Holloman Upper Air Data (Release Time: 1000 MDT) -----	18
XII. Holloman Mandatory Levels (Release Time: 1000 MDT) -----	22

ACCESSION for		
NTIS	White Section	<input checked="" type="checkbox"/>
DDC	Buff Section	<input type="checkbox"/>
UNANNOUNCED		<input type="checkbox"/>
JUSTIFICATION _____		
BY _____		
DISTRIBUTION/AVAILABILITY CODES		
Dist.	AVAIL. and/or	SPECIAL
A		

INTRODUCTION

14818C Lance, Missile Number 3292, Round Number 298 APT, was launched from LC-39, White Sands Missile Range (WSMR), New Mexico, at 0900 HRS MDT, 24 August 1977. The scheduled launch time was 0900 HRS MDT.

DISCUSSION

Meteorological data were recorded and reduced by the WSMR Meteorological Team, Atmospheric Sciences Laboratory (ASL), WSMR, New Mexico. The data are presented in the following tabulations.

ELEVATION	3,989.0	FEET/MSL
PRESSURE	880.0	MBS
TEMPERATURE	26.1	°C
RELATIVE HUMIDITY	52	%
DEW POINT	15.6	°C
DENSITY	1,015	GM/M ³
WIND SPEED	10	MPH
WIND DIRECTION	060	DEGREES
CLOUD COVER	0 7	Cu Ci

TABLE I. SURFACE OBSERVATIONS TAKEN AT WSD,
0900 HRS MDT/24 AUGUST 1977.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)	HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
SUR	030	6.0	2100	106	3.5
100	045	1.0	2200	090	3.5
200	011	5.0	2300	059	3.0
300	001	8.5	2400	011	2.5
400	344	8.0	2500	344	3.5
500	353	8.0	2600	338	5.5
600	356	7.5	2700	339	7.0
700	360	6.0	2800	344	7.0
800	347	4.5	2900	348	7.0
900	346	2.0	3000	351	6.5
1000	360	1.0	3100	351	6.0
1100	104	2.0	3200	355	5.5
1200	113	4.0	3300	360	4.5
1300	110	7.5	3400	360	4.0
1400	114	8.5	3500	009	3.0
1500	118	8.5	3600	018	3.0
1600	125	8.0	3700	027	3.0
1700	132	6.0	3800	040	4.0
1800	127	5.0	3900	045	4.0
1900	126	4.5	4000	040	4.0
2000	120	4.0	4100	045	3.5

TABLE II. PILOT-BALLOON-MEASURED WIND DATA, RELEASE NO. 1
RELEASED FROM LC-36, AT 0900 HRS MDT/24 AUGUST 1977
14818C LANCE, MISSILE NO. 3292, ROUND NO. 298 APT

PIBAL RELEASE POINT WSTM COORDINATES:

X = 504,465.56 Y = 190,780.55 Z = 4,040.71

APPROXIMATELY: 6 MILES WEST OF LAUNCHER.

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)	HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
4200	039	3.0	6700	191	2.5
4300	022	2.5	6800	202	2.5
4400	027	2.0	6900	202	2.5
4500	027	2.0	7000	198	3.0
4600	034	2.0	7100	196	3.5
4700	034	2.0	7200	187	4.0
4800	018	1.5	7300	187	4.0
4900	360	1.0	7400	180	4.0
5000	315	0.5	7500	173	4.0
5100	297	1.1	7600	173	4.0
5200	297	1.1	7700	166	4.0
5300	270	1.5	7800	166	4.0
5400	270	1.5	7900	166	4.0
5500	270	1.5	8000	166	4.0
5600	270	1.5	8100	167	4.5
5700	252	1.5	8200	169	5.0
5800	252	1.5	8300	163	5.0
5900	252	1.5	8400	165	5.5
6000	256	2.0	8500	160	6.0
6100	243	2.0	8600	162	6.0
6200	225	2.0	8700	159	7.0
6300	225	2.0	8800	159	7.0
6400	207	2.0	8900	160	7.5
6500	194	2.0	9000	162	8.0
6600	191	2.5			

TABLE II. (CONT)

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

T-TIME (SEC)	SPEED (MPH)	DIR DEG
-30.0	08	286
-20.0	08	284
-10.0	07	283
-00.00	08	288
+10.00	08	289

TABLE III. ANEMOMETER-MEASURED WIND SPEED AND DIRECTION
 POLE NO. 1
 14818C LANCE, MISSILE NO. 3292, ROUND NO. 298 APT
 LAUNCHED FROM LC-39, 0900 MDT/24 AUGUST 1977

WSTM COORDINATES: X = 1/4 MILE NORTH OF T-9

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

STATION ALTITUDE 3989.00 FEET MSL'
 24 AUG. 77 0850 HRS MDT
 ASCENSION NO. 623

SIGNIFICANT LEVEL DATA
 2360020623
 WHITE SANDS
 TABLE IV.

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT
880.0	3989.0	26.1	53.0
850.0	4995.0	24.5	48.0
700.0	10484.8	14.6	48.0
577.8	15679.0	1.1	54.0
549.4	17000.5	-2.5	74.0
500.0	19435.1	-6.4	47.0
452.8	21953.7	-11.1	44.0
430.3	23234.1	-11.9	27.0
423.8	23615.0	-13.0	38.0
400.0	25052.2	-15.1	20.0
388.3	25785.2	-16.5	23.0
369.3	27013.5	-19.5	52.0
343.3	28776.0	-23.5	24.0
311.6	31071.7	-28.6	35.0
306.8	31435.2	-29.2	36.0
300.0	31958.0	-30.5	30.0
273.8	34059.9	-35.9	20.0
250.8	36106.4	-40.7	20.0
200.0	40946.8	-52.7	
169.8	44338.0	-60.9	
150.0	46824.5	-66.4	
115.8	51831.4	-75.5	
100.0	54616.1	-73.9	
96.8	55233.4	-75.5	
87.1	57262.4	-68.9	

UPPER AIR DATA
 2360020623
 WHITE SANDS
 TABLE V.

STATION ALTITUDE 3989.00 FEET MSL
 24 AUG. 77
 ASCENSION NO. 623
 0850 HRS MDT.

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES(TN)	SPEED KNOTS	INDEX OF REFRACTION
3989.0	880.0	26.1	53.0	1016.5	676.5	20.0	9.9	1.000303
4000.0	879.7	26.1	52.9	1016.2	676.5	20.0	9.9	1.000302
4500.0	864.6	25.3	50.5	1002.1	675.4	21.6	9.0	1.000293
5000.0	849.8	24.5	48.0	988.1	674.3	23.5	8.2	1.000283
5500.0	835.0	23.6	48.0	974.0	673.2	25.9	7.4	1.000277
6000.0	820.3	22.7	48.0	960.1	672.1	28.4	6.6	1.000271
6500.0	805.9	21.8	48.0	946.3	671.0	29.0	6.3	1.000266
7000.0	791.8	20.9	48.0	932.8	669.9	29.6	6.0	1.000260
7500.0	777.9	20.0	48.0	919.5	668.8	27.2	4.7	1.000254
8000.0	764.3	19.1	48.0	906.3	667.7	22.3	3.4	1.000249
8500.0	750.9	18.2	48.0	893.4	666.6	4.1	2.2	1.000244
9000.0	737.7	17.3	48.0	880.6	665.5	321.6	1.5	1.000239
9500.0	724.8	16.4	48.0	868.0	664.4	265.6	2.0	1.000234
10000.0	712.1	15.5	48.0	855.6	663.3	245.6	2.7	1.000229
10500.0	699.6	14.6	48.0	843.5	662.2	234.4	3.2	1.000224
11000.0	686.8	13.3	48.6	832.0	660.7	213.8	3.3	1.000220
11500.0	674.2	12.0	49.2	820.6	659.1	196.3	3.8	1.000215
12000.0	661.9	10.7	49.8	809.5	657.5	183.9	4.7	1.000210
12500.0	649.8	9.4	50.3	798.5	655.9	178.5	5.6	1.000206
13000.0	637.9	8.1	50.9	787.7	654.4	177.1	6.4	1.000202
13500.0	626.2	6.8	51.5	777.0	652.8	181.9	6.9	1.000198
14000.0	614.8	5.5	52.1	766.5	651.2	187.8	7.3	1.000194
14500.0	603.3	4.2	52.6	756.1	649.6	196.9	7.2	1.000190
15000.0	592.3	2.9	53.2	745.9	648.1	205.8	7.2	1.000186
15500.0	581.6	1.6	53.8	735.8	646.5	214.3	7.2	1.000182
16000.0	570.8	.2	58.9	725.6	644.9	223.9	7.5	1.000180
16500.0	560.0	-1.1	66.4	715.4	643.3	234.1	8.0	1.000179
17000.0	549.4	-2.5	74.0	705.3	641.7	244.8	8.6	1.000177
17500.0	538.9	-3.3	68.5	694.1	640.7	253.4	9.4	1.000172
18000.0	528.6	-4.1	62.9	683.0	639.7	258.7	10.1	1.000167

STATION ALTITUDE 989.00 FEET MSL
 24 AUG. 77 0850 HRS MDT
 ASCENSION NO. 623

UPPER AIR DATA
 2360020623
 WHITE SANDS
 TABLE V. (CONT)

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES(TN)	SPEED KNOTS	INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE						
18500.0	518.4	-4.9	-12.0	57.4	672.1	638.6	264.1	10.4	1.000163
19000.0	508.5	-5.7	-14.0	51.8	661.3	637.6	270.5	10.6	1.000158
19500.0	498.7	-6.5	-16.0	46.9	650.7	636.6	283.1	11.3	1.000154
20000.0	489.0	-7.5	-17.0	46.3	640.4	635.4	292.2	12.7	1.000151
20500.0	479.5	-8.4	-18.0	45.7	630.1	634.3	298.0	14.3	1.000148
21000.0	470.1	-9.3	-19.0	45.1	620.1	633.1	294.5	14.9	1.000146
21500.0	461.0	-10.3	-20.0	44.5	610.2	632.0	289.4	15.3	1.000143
22000.0	452.0	-11.1	-21.1	43.4	600.3	630.9	282.4	15.6	1.000140
22500.0	443.1	-11.4	-23.3	36.7	589.3	630.5	277.5	16.0	1.000136
23000.0	434.5	-11.8	-25.7	30.1	578.5	630.1	273.3	16.4	1.000133
23500.0	425.8	-12.7	-25.0	34.7	569.0	629.0	268.9	16.6	1.000131
24000.0	417.5	-13.6	-26.3	33.2	559.6	627.9	267.5	15.7	1.000129
24500.0	409.0	-14.5	-29.2	26.9	550.1	627.0	264.9	14.5	1.000126
25000.0	400.8	-15.0	-32.5	20.7	540.8	626.0	260.5	13.2	1.000123
25500.0	392.8	-16.0	-32.8	21.8	531.9	624.9	249.7	12.8	1.000121
26000.0	384.9	-17.0	-31.1	28.1	523.3	623.6	240.0	13.1	1.000119
26500.0	377.1	-18.2	-28.5	39.9	515.1	622.2	234.2	14.2	1.000118
27000.0	369.5	-19.5	-26.9	51.7	507.1	620.7	235.4	13.2	1.000117
27500.0	361.9	-20.6	-29.6	44.3	499.0	619.3	239.5	11.7	1.000114
28000.0	354.5	-21.7	-32.6	36.3	491.0	617.8	247.7	9.9	1.000112
28500.0	347.2	-22.9	-36.1	28.4	483.2	616.4	250.9	10.3	1.000109
29000.0	340.1	-24.0	-38.3	25.1	475.4	615.0	252.0	11.2	1.000107
29500.0	333.0	-25.1	-38.4	27.5	467.5	613.6	252.5	12.6	1.000105
30000.0	326.0	-26.2	-38.6	29.9	459.8	612.3	252.6	13.2	1.000104
30500.0	319.2	-27.3	-38.8	32.3	452.3	610.9	252.6	13.4	1.000102
31000.0	312.5	-28.4	-39.1	34.7	444.8	609.5	251.8	13.2	1.000100
31500.0	305.9	-29.4	-39.8	35.3	437.1	608.3	253.8	13.1	1.000099
32000.0	299.5	-30.6	-42.5	29.8	430.0	606.8	258.4	12.9	1.000097
32500.0	293.0	-31.9	-44.4	27.4	423.0	605.2	267.4	12.2	1.000095
33000.0	286.7	-33.2	-46.3	25.0	416.2	603.5	274.9	11.8	1.000093

STATION ALTITUDE 989.00 FEET MSL
 24 AUG. 77
 ASCENSION NO. 623

UPPER AIR DATA
 2360020623
 WHITE SANDS
 TABLE V. (CONT)

0850 HRS MDT

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES(TN)	SPEED KNOTS	INDEX OF REFRACTION
33500.0	280.5	-34.5	22.7	409.4	601.9	279.2	11.6	1.000092
34000.0	274.5	-35.7	20.3	402.8	600.3	277.0	11.8	1.000090
34500.0	268.5	-36.9	15.7**	395.9	598.8	272.1	12.4	1.000088
35000.0	262.6	-38.1	10.8**	389.2	597.3	265.0	13.9	1.000087
35500.0	256.8	-39.3	5.9**	382.6	595.8	257.0	14.8	1.000085
36000.0	251.2	-40.5	1.0**	376.0	594.3	251.3	15.8	1.000084
36500.0	245.5	-41.7		369.5	592.7	249.8	16.3	1.000082
37000.0	239.9	-42.9		363.0	591.1	250.8	16.5	1.000081
37500.0	234.4	-44.2		356.7	589.5	252.7	16.6	1.000079
38000.0	229.1	-45.4		350.4	587.9	254.3	16.4	1.000078
38500.0	223.9	-46.6		344.3	586.3	255.9	16.2	1.000077
39000.0	218.8	-47.9		338.3	584.7	257.8	16.1	1.000075
39500.0	213.8	-49.1		332.4	583.1	256.9	16.3	1.000074
40000.0	208.9	-50.4		326.7	581.5	255.5	16.5	1.000073
40500.0	204.2	-51.6		321.0	579.9	255.4	16.8	1.000071
41000.0	199.5	-52.8		315.4	578.3	256.2	17.0	1.000070
41500.0	194.7	-54.0		309.6	576.7	258.2	16.8	1.000069
42000.0	190.1	-55.2		303.9	575.1	262.5	17.1	1.000068
42500.0	185.6	-56.5		298.3	573.5	267.1	17.6	1.000066
43000.0	181.1	-57.7		292.8	571.9	268.6	18.9	1.000065
43500.0	176.8	-58.9		287.5	570.3	269.3	20.3	1.000064
44000.0	172.6	-60.1		282.2	568.7	269.2	21.1	1.000063
44500.0	168.4	-61.3		276.9	567.1	268.9	21.6	1.000062
45000.0	164.3	-62.4		271.5	565.6	270.0	20.9	1.000060
45500.0	160.2	-63.5		266.2	564.1	270.5	19.7	1.000059
46000.0	156.3	-64.6		261.0	562.6	263.0	17.5	1.000058
46500.0	152.4	-65.7		256.0	561.1	251.3	17.0	1.000057
47000.0	148.6	-66.7		250.8	559.7	238.2	19.1	1.000056
47500.0	144.9	-67.6		245.5	558.5	234.4	22.2	1.000055
48000.0	141.2	-68.5		240.3	557.3	233.7	25.4	1.000054

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

UPPER AIR DATA
 2360020623
 WHITE SANDS

STATION ALTITUDE 3989.00 FEET MSL
 24 AUG. 77 0850 HRS MDT
 ASCENSION NO. 623

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

TABLE V. (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
48500.0	137.6	-69.4		235.2	556.0	239.6	25.2	1.000052
49000.0	134.0	-70.4		230.3	554.8	246.2	24.8	1.000051
49500.0	130.6	-71.3		225.4	553.5	253.6	23.4	1.000050
50000.0	127.3	-72.2		220.6	552.3	260.3	21.2	1.000049
50500.0	124.0	-73.1		216.0	551.0	265.6	17.2	1.000048
51000.0	120.9	-74.0		211.4	549.8	270.3	13.1	1.000047
51500.0	117.8	-74.9		207.0	548.5	273.8	9.0	1.000046
52000.0	114.8	-75.4		202.2	547.8	264.9	6.3	1.000045
52500.0	111.8	-75.1		196.7	548.2	239.3	4.8	1.000044
53000.0	108.9	-74.8		191.3	548.6	241.5	4.6	1.000043
53500.0	106.1	-74.5		186.0	549.0	256.0	3.6	1.000041
54000.0	103.3	-74.3		180.9	549.4	334.0	3.6	1.000040
54500.0	100.6	-74.0		176.0	549.8	13.6	6.8	1.000039
55000.0	98.0	-74.9		172.2	548.5	31.9	10.9	1.000038
55500.0	95.3	-74.6		167.5	548.9	39.8	11.5	1.000037
56000.0	93.0	-73.0		161.9	551.1			1.000036
56500.0	90.6	-71.4		156.5	553.4			1.000035
57000.0	88.3	-69.8		151.2	555.6			1.000034

STATION ALTITUDE 9989.00 FEET MSL
 24 AUG. 77 0850 HRS MDT
 ASCENSION NO. 623

MANDATORY LEVELS
 2360020623
 WHITE SANDS
 TABLE VI.

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM.	WIND DATA	
MILLIBARS	FEET	AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE	PERCENT	DIRECTION DEGREES(TN)	SPEED KNOTS
850.0	4994.	24.5	12.8	48.	23.5	8.2
800.0	6730.	21.4	10.0	48.	29.2	6.1
750.0	8556.	18.1	6.9	48.	.6	2.1
700.0	10485.	14.6	3.7	48.	234.0	3.2
650.0	12524.	9.4	-.4	50.	178.4	5.6
600.0	14682.	3.8	-5.0	53.	200.4	7.2
550.0	16977.	-2.4	-6.5	74.	244.6	8.6
500.0	19444.	-6.4	-15.8	47.	282.2	11.3
450.0	22122.	-11.2	-21.5	42.	280.6	15.7
400.0	25070.	-15.1	-32.9	20.	258.8	13.0
350.0	28337.	-22.4	-34.7	31.	250.5	10.1
300.0	31991.	-30.5	-42.3	30.	258.9	12.9
250.0	36151.	-40.7			250.6	16.0
200.0	41007.	-52.7			256.5	16.9
175.0	43793.	-59.4			269.3	20.9
150.0	46907.	-66.4			237.9	19.2
125.0	50473.	-72.8			267.0	16.4
100.0	54733.	-73.9			28.8	9.8

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

GFODETTIC COORDINATES
 32.62700 LAT DEG
 106.39352 LON DEG

SIGNIFICANT LEVEL DATA
 2360050073
 APACHE
 TABLE VII.

STATION ALTITUDE 3951.40 FEET MSL
 24 AUG. 77 0915 HRS MDT
 ASCENSION NO. 73

PRESSURE MILLIBARS	PRESSURE GEOMETRIC ALTITUDE		TEMPERATURE		REL. HUM. PERCENT
	MSL FEET	ALTITUDE	AIR DEGREES	DEWPOINT CENTIGRADE	
881.3	3951.4		26.7	15.4	50.0
850.0	4998.3		23.0	13.5	55.0
800.8	6704.0		22.4	9.6	44.0
700.0	10487.8		13.9	4.2	52.0
595.8	14863.6		3.1	-3.0	64.0
535.3	17674.5		-4.0	-7.3	78.0
500.0	19431.7		-6.7	-12.3	64.0
474.8	20751.1		-8.5	-24.1	27.0
400.0	25052.6		-15.0	-29.4	28.0
379.3	26361.7		-17.8	-28.9	37.0
351.3	28224.8		-22.0	-37.4	23.0
300.0	31965.7		-30.0	-45.6	20.0
261.3	35128.8		-38.4	-50.6	26.0
250.0	36116.8		-41.4		
200.0	40944.3		-53.2		
150.0	46835.7		-65.3		
138.3	48436.8		-69.0		
116.3	51771.3		-75.0		

UPPER AIR DATA
 2360050073
 APACHE
 TABLE VIII.

STATION ALTITUDE 3951.40 FEET MSL
 24 AUG. 77 0915 HRS MDT
 ASCENSION NO. 73

GEODETIC COORDINATES
 32.62700 LAT DEG
 106.39352 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND		WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE			KNOTS	FEET	DIRECTION DEGREES(TN)	SPEED KNOTS	
3951.4	881.3	26.7	15.4	50.0	1016.2	677.2	360.0	7.0	1.000300	
4000.0	879.8	26.5	15.3	50.2	1015.1	676.9	360.0	7.0	1.000300	
4500.0	864.8	24.8	14.4	52.6	1003.9	674.6	359.7	7.0	1.000294	
5000.0	849.9	23.0	13.5	55.0	992.9	672.7	359.5	6.9	1.000288	
5500.0	835.2	22.8	12.4	51.8	976.7	672.4	359.3	6.9	1.000280	
6000.0	820.8	22.6	11.3	48.5	960.7	672.1	359.0	6.9	1.000272	
6500.0	806.5	22.5	10.1	45.3	944.9	671.8	4.3	5.8	1.000264	
7000.0	792.4	21.7	9.2	44.6	930.9	670.9	21.1	4.1	1.000258	
7500.0	778.5	20.6	8.5	45.7	918.2	669.5	32.2	2.8	1.000253	
8000.0	764.7	19.5	7.8	46.7	905.6	668.2	36.4	1.6	1.000249	
8500.0	751.3	18.4	7.1	47.6	893.2	666.9	45.2	1.0	1.000244	
9000.0	738.0	17.2	6.4	48.9	881.0	665.5	58.9	.7	1.000240	
9500.0	725.0	16.1	5.7	49.9	869.0	664.2	229.8	.4	1.000235	
10000.0	712.2	15.0	4.9	51.0	857.1	662.8	231.3	1.6	1.000231	
10500.0	699.7	13.9	4.2	52.0	845.4	661.5	229.6	2.8	1.000226	
11000.0	686.9	12.6	3.4	53.4	833.7	660.0	226.5	3.8	1.000222	
11500.0	674.4	11.4	2.6	54.8	822.2	658.5	223.7	4.7	1.000218	
12000.0	662.1	10.2	1.8	56.1	810.8	657.1	212.0	4.7	1.000214	
12500.0	650.0	8.9	1.0	57.5	799.7	655.6	201.0	4.9	1.000210	
13000.0	638.1	7.7	.2	58.9	788.6	654.1	194.1	5.6	1.000205	
13500.0	626.5	6.5	-.7	60.3	777.8	652.6	192.1	6.4	1.000202	
14000.0	615.1	5.2	-1.5	61.6	767.1	651.1	195.1	7.6	1.000198	
14500.0	603.8	4.0	-2.4	63.0	756.6	649.6	197.6	8.5	1.000194	
15000.0	592.7	2.8	-3.2	64.7	746.1	648.1	199.8	9.3	1.000190	
15500.0	581.5	1.5	-3.9	67.2	735.4	646.6	205.2	9.6	1.000187	
16000.0	570.6	.2	-4.6	69.7	725.0	645.1	211.2	9.8	1.000183	
16500.0	559.8	-1.0	-5.4	72.2	714.7	643.5	219.9	9.2	1.000180	
17000.0	549.2	-2.3	-6.2	74.6	704.5	642.0	229.3	8.8	1.000177	
17500.0	538.9	-3.6	-7.0	77.1	694.6	640.5	239.1	8.4	1.000174	
18000.0	528.6	-4.5	-8.2	75.4	683.8	639.3	250.9	8.8	1.000170	

UPPER AIR DATA
 2360050073
 APACHE
 TABLE VIII. (CONT)

STATION ALTITUDE 3951.40 FEET MSL
 24 AUG. 77 0915 HRS MDT
 ASCENSION NO. 73

GEONETIC COORDINATES
 32.62700 LAT NEG
 106.39352 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND		WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE			KNOTS	DEGREES(TN)	DIRECTION DEGREES(TN)	SPEED KNOTS	
18500.0	518.4	-5.3	-9.6	71.4	672.7	638.5	262.2	262.2	9.8	1.000165
19000.0	508.5	-6.0	-11.1	67.4	661.8	637.3	275.5	275.5	10.6	1.000161
19500.0	498.7	-6.8	-12.8	62.1	651.1	636.4	288.4	288.4	11.6	1.000157
20000.0	489.0	-7.5	-16.5	48.1	640.4	635.4	296.5	296.5	12.9	1.000152
20500.0	479.5	-8.2	-21.2	34.0	629.8	634.5	294.9	294.9	14.5	1.000146
21000.0	470.1	-8.9	-24.4	27.1	619.3	633.5	285.8	285.8	15.7	1.000143
21500.0	460.8	-9.6	-25.0	27.2	608.8	632.6	278.7	278.7	17.0	1.000140
22000.0	451.7	-10.4	-25.6	27.3	598.5	631.7	275.9	275.9	18.0	1.000137
22500.0	442.8	-11.1	-26.2	27.4	588.4	630.8	276.6	276.6	18.0	1.000135
23000.0	434.1	-11.9	-26.8	27.5	578.5	629.9	276.5	276.5	17.6	1.000133
23500.0	425.5	-12.7	-27.4	27.6	568.7	629.0	274.0	274.0	16.8	1.000130
24000.0	417.1	-13.4	-28.1	27.8	559.2	628.0	271.6	271.6	15.9	1.000128
24500.0	408.9	-14.2	-28.7	27.9	549.7	627.1	268.9	268.9	14.8	1.000126
25000.0	400.8	-14.9	-29.3	28.0	540.5	626.2	262.0	262.0	13.9	1.000123
25500.0	392.8	-16.0	-29.1	31.1	531.8	624.9	252.9	252.9	13.3	1.000122
26000.0	384.9	-17.0	-28.9	34.5	523.2	623.6	242.1	242.1	13.3	1.000120
26500.0	377.1	-18.1	-29.5	36.0	514.9	622.3	239.2	239.2	12.3	1.000118
27000.0	369.5	-19.2	-31.6	32.2	506.7	620.9	240.1	240.1	11.3	1.000115
27500.0	361.9	-20.4	-33.9	28.4	498.6	619.5	245.3	245.3	10.4	1.000113
28000.0	354.6	-21.5	-36.3	24.7	490.7	618.1	250.4	250.4	10.8	1.000111
28500.0	347.2	-22.6	-38.0	22.8	482.7	616.7	252.3	252.3	12.1	1.000109
29000.0	340.0	-23.7	-39.1	22.4	474.6	615.4	251.8	251.8	13.8	1.000107
29500.0	332.9	-24.7	-40.2	22.0	466.7	614.1	249.8	249.8	15.5	1.000105
30000.0	325.9	-25.8	-41.3	21.6	459.0	612.8	249.1	249.1	15.8	1.000103
30500.0	319.1	-26.9	-42.4	21.2	451.3	611.4	248.5	248.5	15.6	1.000101
31000.0	312.5	-27.9	-43.5	20.8	443.9	610.1	247.9	247.9	15.3	1.000100
31500.0	306.0	-29.0	-44.6	20.4	436.5	608.8	250.0	250.0	15.0	1.000098
32000.0	299.6	-30.1	-45.7	20.1	429.3	607.4	254.6	254.6	14.5	1.000096
32500.0	293.1	-31.4	-46.4	21.0	422.3	605.7	263.7	263.7	13.8	1.000095
33000.0	286.8	-32.7	-47.1	22.0	415.5	604.1	269.0	269.0	13.6	1.000093

UPPER AIR DATA
 2360050073
 APACHE
 TABLE VIII. (CONT)

STATION ALTITUDE 3951.40 FEET MSL
 24 AUG. 77
 ASCENSION NO. 73
 0915 HRS MDT

GEOMETRIC COORDINATES
 32.62700 LAT DEG
 106.39352 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE				DIRECTION DEGREES(TN)	SPEED KNOTS	
33500.0	280.6	-34.1	-47.9	22.9	408.8	602.4	271.9	13.5	1.000092
34000.0	274.5	-35.4	-48.7	23.9	402.2	600.7	269.5	13.6	1.000090
34500.0	268.6	-36.7	-49.5	24.8	395.7	599.0	269.1	14.0	1.000089
35000.0	262.8	-38.1	-50.4	25.8	389.4	597.4	270.5	14.7	1.000087
35500.0	257.0	-39.5	-55.5	16.2**	383.2	595.5	268.7	15.1	1.000086
36000.0	251.3	-41.0	-69.1	3.1**	377.2	593.5	265.3	15.6	1.000084
36500.0	245.6	-42.3			370.7	591.9	254.6	16.9	1.000083
37000.0	240.0	-43.6			364.2	590.3	249.4	18.2	1.000081
37500.0	234.5	-44.8			357.7	588.7	248.9	19.1	1.000080
38000.0	229.2	-46.0			351.4	587.1	252.5	19.3	1.000078
38500.0	223.9	-47.2			345.3	585.6	255.7	19.7	1.000077
39000.0	218.8	-48.4			339.2	584.0	256.9	20.2	1.000076
39500.0	213.8	-49.7			333.3	582.4	256.9	20.6	1.000074
40000.0	208.9	-50.9			327.5	580.8	256.0	20.9	1.000073
40500.0	204.2	-52.1			321.8	579.2	254.6	21.2	1.000072
41000.0	199.5	-53.3			316.1	577.6	254.9	21.3	1.000070
41500.0	194.6	-54.3			309.9	576.3	259.7	20.9	1.000069
42000.0	190.0	-55.4			303.8	574.9	263.5	20.9	1.000068
42500.0	185.4	-56.4			297.9	573.6	266.6	21.1	1.000066
43000.0	180.9	-57.4			292.1	572.2	265.3	21.3	1.000065
43500.0	176.5	-58.4			286.4	570.8	264.8	21.6	1.000064
44000.0	172.3	-59.5			280.9	569.5	265.7	22.2	1.000063
44500.0	168.1	-60.5			275.4	568.1	265.6	22.7	1.000061
45000.0	164.1	-61.5			270.1	566.7	265.0	23.2	1.000060
45500.0	160.1	-62.6			264.9	565.4	262.0	23.6	1.000059
46000.0	156.2	-63.6			259.7	564.0	258.8	24.1	1.000058
46500.0	152.5	-64.6			254.7	562.6	253.5	24.0	1.000057
47000.0	148.8	-65.7			249.8	561.1	248.1	24.1	1.000056
47500.0	145.0	-66.8			244.9	559.6	242.8	24.4	1.000055
48000.0	141.4	-68.0			240.1	558.0	237.6	24.8	1.000053

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

UPPER AIR DATA
 2360050073
 APACHE
 TABLE VIII. (CONT)

STATION ALTITUDE 3951.40 FEET MSL
 24 AUG. 77 0915 HRS MDT
 ASCENSION NO. 73

GEODETIC COORDINATES
 32.62700 LAT DEG
 106.39352 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	DEWPOINT CENTIGRADE	REF. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
							DIRECTION DEGREES(TN)	SPEED KNOTS	
48500.0	137.8	-69.1			235.4	556.5	241.2	25.5	1.000052
49000.0	134.3	-70.0			230.3	555.3	244.8	25.9	1.000051
49500.0	130.9	-70.9			225.4	554.0	249.8	22.5	1.000050
50000.0	127.5	-71.8			220.6	552.8	255.9	19.1	1.000049
50500.0	124.2	-72.7			215.9	551.6	262.9	14.8	1.000048
51000.0	121.1	-73.6			211.3	550.3			1.000047
51500.0	118.0	-74.5			206.9	549.1			1.000046

STATION ALTITUDE 3951.46 FEET MSL
 24 AUG. 77 0915 HRS MDT
 ASCENSION NO. 73

MANDATORY LEVELS
 2360050073
 APACHE
 TABLE IX.

GEODETTIC COORDINATES
 32.62700 LAT DEG
 106.39352 LON DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM.		WIND DATA	
MILLIBARS	FEET	AIR DEGREES CENTIGRADE	DEWPOINT	PERCENT	DIRECTION DEGREES(TN)	SPEED KNOTS	
850.0	4997.	23.0	13.5	55.	359.5	6.9	
800.0	6732.	22.3	9.5	44.	10.7	5.0	
750.0	8561.	18.3	7.0	48.	46.6	1.0	
700.0	10488.	13.9	4.2	52.	224.6	2.7	
650.0	12523.	8.9	1.0	58.	200.5	4.9	
600.0	14680.	3.6	-2.7	63.	198.5	8.8	
550.0	16976.	-2.2	-6.1	74.	229.1	8.8	
500.0	19441.	-6.7	-12.3	64.	287.3	11.5	
450.0	22122.	-10.5	-25.7	27.	275.8	18.1	
400.0	25071.	-15.0	-29.4	28.	260.5	13.8	
350.0	28339.	-22.2	-37.6	23.	252.3	11.7	
300.0	32000.	-30.0	-45.6	20.	255.4	14.4	
250.0	36162.	-41.4			260.3	16.1	
200.0	41005.	-53.2			255.7	21.2	
175.0	43792.	-58.8			265.5	22.1	
150.0	46919.	-65.3			247.4	24.1	
125.0	50493.	-72.5			265.2	13.8	

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 4126.59 FEET MSL
 24 AUG. 77
 ASCENSION NO. 591 1000 HRS MDT

SIGNIFICANT LEVEL DATA
 2360010591
 HOLLOMAN
 TABLE X.

GEODETIC COORDINATES
 32.88862 LAT DEG
 106.09965 LON DEG

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE		TEMPERATURE		REF. HUM. PERCENT
	MSL FEET	FEET	AIR DEGREES	DFWPOINT CENTIGRADE	
876.4	4126.6		25.5	11.7	42.0
866.9	4444.8		24.9	12.5	46.0
850.0	5012.5		25.3	11.5	42.0
794.4	6955.5		23.0	6.7	35.0
700.0	10521.1		14.9	3.4	46.0
609.4	14304.5		5.2	-2.4	58.0
589.8	15177.2		3.1	-7.4	46.0
524.4	18258.4		-4.3	-10.5	62.0
500.0	19485.2		-6.3	-16.0	46.0
491.2	19940.1		-6.6	-26.3	19.0
400.0	25111.2		-15.1	-28.4	31.0
341.0	28997.2		-23.5	-42.2	16.0
300.0	32019.1		-30.7	-45.0	23.0
273.6	34138.5		-35.5	-50.8	19.0
250.0	36168.9		-41.0		
215.4	39426.0		-48.6		
200.0	41008.4		-52.0		
163.0	45234.2		-62.6		
150.0	46900.1		-64.7		
119.2	51399.8		-72.4		
114.8	52119.7		-73.7		
107.5	53384.2		-70.2		
100.0	54773.2		-74.5		

UPPER AIR DATA
 2360010591
 HOLLONAN
 TABLE XI.

STATION ALTITUDE 4126.59 FEET MSL
 24 AUG. 77
 ASCENSION NO. 591

GEODETIC COORDINATES
 32.88865 LAT DEG
 106.09965 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	TEMPERATURE DEWPOINT DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DIRECTION DEGREES (TN)	SPEED KNOTS	INDEX OF REFRACTION
4126.6	676.4	25.5	11.7	42.0	1016.2	675.3	180.0	5.1	1.000285
4500.0	665.2	24.9	12.4	45.6	1004.8	674.7			1.000285
5000.0	650.4	25.3	11.5	42.1	986.6	675.1			1.000278
5500.0	635.7	24.7	10.3	40.2	971.8	674.3			1.000270
6000.0	621.3	24.1	9.1	38.4	957.3	673.5			1.000263
6500.0	607.1	23.5	7.9	36.6	942.9	672.7			1.000256
7000.0	593.1	22.9	6.7	35.1	928.9	671.9			1.000249
7500.0	579.2	21.8	6.3	36.7	916.2	670.6	182.2	3.2	1.000246
8000.0	565.5	20.6	5.9	38.2	903.6	669.3	190.7	1.7	1.000242
8500.0	552.0	19.5	5.5	39.8	891.2	668.0	228.9	.7	1.000239
9000.0	538.8	18.4	5.0	41.3	879.0	666.6	286.4	.8	1.000235
9500.0	525.6	17.2	4.5	42.8	867.0	665.3	295.8	.9	1.000231
10000.0	513.1	16.1	4.0	44.4	855.1	664.0	270.1	.7	1.000227
10500.0	500.5	14.9	3.4	45.9	843.5	662.6	225.1	1.1	1.000224
11000.0	487.8	13.7	2.7	47.5	832.0	661.1	206.3	2.4	1.000220
11500.0	475.3	12.4	2.0	49.1	820.7	659.6	202.4	3.6	1.000216
12000.0	463.1	11.1	1.3	50.7	809.5	658.1	202.3	4.7	1.000212
12500.0	451.1	9.8	.5	52.3	798.5	656.6	201.3	5.9	1.000206
13000.0	439.2	8.5	-.3	53.9	787.7	655.0	199.7	7.0	1.000204
13500.0	427.6	7.3	-1.1	55.4	777.1	653.5	199.9	8.2	1.000200
14000.0	416.2	6.0	-1.9	57.0	766.6	651.9	201.4	9.5	1.000197
14500.0	405.0	4.7	-3.4	55.3	756.2	650.4	204.8	10.1	1.000192
15000.0	393.7	3.5	-6.3	48.4	745.8	648.8	211.4	9.9	1.000185
15500.0	382.6	2.3	-7.6	47.7	735.1	647.3	217.9	9.5	1.000181
16000.0	371.6	1.1	-8.0	50.3	724.4	645.9	224.9	8.8	1.000176
16500.0	360.8	-.1	-8.5	52.9	713.8	644.5	233.6	8.5	1.000175
17000.0	350.2	-1.3	-9.0	55.5	703.5	643.0	243.6	8.7	1.000173
17500.0	339.8	-2.5	-9.6	58.1	693.3	641.6	253.7	9.4	1.000170
18000.0	329.6	-3.7	-10.2	60.7	683.3	640.2	262.2	10.6	1.000167
18500.0	319.5	-4.7	-11.5	58.8	672.9	638.9	268.6	12.0	1.000163

XX WIND DATA INVALID DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.

UPPER AIR DATA
 2360010591
 HOLLAMAN
 TABLE XI. (CONT)

STATION ALTITUDE 4126.59 FEET MSL
 24 AUG. 77
 ASCENSION NO. 591

1000 HRS MDT

GEODETIC COORDINATES
 32.88865 LAT DEG
 106.09965 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE				DIRECTION DEGRES(TN)	SPEED KNOTS	
19000.0	504.5	-5.5	-13.7	52.3	662.1	637.0	273.6	13.4	1.000159
14500.0	495.7	-6.3	-16.2	45.1	651.5	636.6	279.6	14.5	1.000154
20000.0	490.0	-6.7	-26.3	19.1	640.3	636.1	285.0	15.7	1.000146
20500.0	480.4	-7.5	-26.4	20.3	625.7	635.1	287.6	16.2	1.000144
21000.0	471.0	-8.3	-26.5	21.5	619.2	634.1	289.7	16.7	1.000142
21500.0	461.7	-9.2	-26.6	22.6	608.9	633.2	286.8	17.8	1.000139
22000.0	452.6	-10.0	-26.8	23.8	598.8	632.2	283.6	19.0	1.000137
22500.0	443.7	-10.8	-27.0	24.9	588.9	631.2	279.0	19.6	1.000135
23000.0	435.0	-11.6	-27.2	26.1	579.1	630.2	274.7	19.6	1.000133
23500.0	426.4	-12.5	-27.4	27.3	565.5	629.2	270.3	17.7	1.000130
24000.0	418.0	-13.3	-27.7	28.4	560.1	628.2	266.3	15.9	1.000128
24500.0	409.6	-14.1	-28.0	29.6	550.8	627.2	266.5	14.6	1.000126
25000.0	401.8	-14.9	-28.3	30.7	541.7	626.2	266.8	13.5	1.000124
25500.0	393.7	-15.9	-29.6	25.5	532.9	625.0	267.3	13.6	1.000122
26000.0	385.7	-17.0	-31.3	27.6	524.3	623.6	266.7	13.6	1.000119
26500.0	377.8	-18.1	-33.0	25.6	515.9	622.3	263.3	13.2	1.000117
27000.0	370.1	-19.2	-34.7	23.7	507.6	620.9	261.3	12.8	1.000115
27500.0	362.6	-20.3	-36.5	21.8	499.4	619.6	262.6	12.6	1.000112
28000.0	355.3	-21.3	-38.3	19.8	491.4	618.3	264.6	12.5	1.000111
28500.0	348.0	-22.4	-40.2	17.9	483.5	616.9	267.6	13.0	1.000109
29000.0	341.0	-23.5	-42.2	16.0	475.7	615.6	268.4	13.4	1.000107
29500.0	333.8	-24.7	-42.5	17.2	468.0	614.1	261.2	13.2	1.000105
30000.0	326.8	-25.9	-42.9	18.3	460.4	612.6	254.4	13.4	1.000103
30500.0	320.0	-27.1	-43.4	19.5	452.9	611.2	250.3	14.0	1.000102
31000.0	313.2	-28.3	-43.8	20.6	445.6	609.7	246.6	14.6	1.000100
31500.0	306.7	-29.5	-44.4	21.8	438.3	608.2	250.5	15.0	1.000096
32000.0	300.2	-30.7	-44.9	23.0	431.3	606.7	254.4	15.4	1.000097
32500.0	293.8	-31.8	-46.3	22.1	424.0	605.3	256.5	15.8	1.000095
33000.0	287.5	-32.9	-47.6	21.1	416.8	603.9	258.3	16.1	1.000093
33500.0	281.3	-34.1	-49.0	20.2	409.8	602.4	262.4	16.0	1.000092

UPPER AIR DATA
 2360010591
 HULLOMAN
 TABLE XI. (CONT)

STATION ALTITUDE 4126.59 FEET MSL
 24 AUG. 77
 ASCENSION NO. 591

GEOMETRIC ALTITUDE 4126.59 FEET MSL
 1000 HRS NDT

GEOPETIC COORDINATES
 32.88865 LAT DEG
 106.09965 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CURIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE				DIRECTION DEGREES(TN)	SPEED KNOTS	
34000.0	275.3	-35.2	-50.4	19.3	402.9	611.0	267.4	15.8	1.000093
34500.0	269.2	-36.5	-53.2	15.6**	396.3	599.3	269.6	15.8	1.000089
35000.0	263.3	-37.8	-57.2	10.9**	389.8	597.6	270.7	15.9	1.000087
35500.0	257.5	-39.2	-62.6	6.3**	383.5	595.9	268.4	17.1	1.000085
36000.0	251.9	-40.5	-73.2	1.6**	377.2	594.2	265.5	18.6	1.000084
36500.0	246.2	-41.8			370.8	592.6	263.3	20.5	1.000083
37000.0	240.7	-43.0			364.3	591.0	261.5	22.6	1.000081
37500.0	235.2	-44.2			357.9	589.5	259.8	23.9	1.000080
38000.0	229.9	-45.4			351.7	587.9	258.1	24.9	1.000078
38500.0	224.7	-46.6			345.5	586.4	256.6	25.1	1.000077
39000.0	219.6	-47.8			339.5	584.8	255.2	24.9	1.000076
39500.0	214.7	-48.9			333.5	583.3	256.2	24.7	1.000074
40000.0	209.7	-50.0			327.3	582.0	258.2	24.4	1.000073
40500.0	204.8	-51.0			321.2	580.7	260.9	24.2	1.000072
41000.0	200.1	-52.0			315.1	579.4	264.1	24.1	1.000070
41500.0	195.3	-53.3			309.4	577.7	265.5	24.3	1.000069
42000.0	190.6	-54.5			303.8	576.0	264.9	24.6	1.000068
42500.0	186.1	-55.8			298.2	574.5	264.6	25.0	1.000066
43000.0	181.6	-57.1			292.8	572.6	265.4	25.4	1.000065
43500.0	177.3	-58.4			287.5	570.9	266.0	25.9	1.000064
44000.0	173.0	-59.6			282.3	569.2	267.5	26.0	1.000063
44500.0	168.9	-60.9			277.2	567.5	268.9	26.2	1.000062
45000.0	164.9	-62.2			272.2	565.8	268.6	26.0	1.000061
45500.0	160.9	-63.1			266.8	564.6	265.3	25.4	1.000059
46000.0	156.9	-63.7			260.9	563.8	261.9	24.9	1.000058
46500.0	153.0	-64.2			255.2	563.1	255.7	25.3	1.000057
47000.0	149.2	-64.9			249.6	562.2	249.4	26.1	1.000056
47500.0	145.5	-65.7			244.3	561.1	243.6	27.2	1.000054
48000.0	141.8	-66.6			239.1	559.9	244.0	27.4	1.000053
48500.0	138.2	-67.4			234.1	558.8	244.5	27.6	1.000052

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

UPPER AIR DATA
 2360010591
 HOLLoman
 TABLE XI. (CONT)

STATION ALTITUDE 4126.59 FEET MSL
 24 AUG 77
 ASCENSION NO. 591
 1000 HRS MDT

GEOMETRIC COORDINATES
 32.86865 LAT DEG
 106.07965 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
4900.0	134.7	-68.0	225.1	557.6	245.4	27.6	1.000051	
4950.0	131.3	-69.1	224.3	556.4	249.7	24.9	1.000050	
5000.0	128.0	-70.0	219.6	555.3	255.2	22.3	1.000049	
5050.0	124.6	-70.9	214.9	554.1	260.4	20.0	1.000048	
5100.0	121.7	-71.7	210.4	552.9	260.9	17.5	1.000047	
5150.0	118.6	-72.6	206.0	551.7	261.5	14.9	1.000046	
5200.0	115.5	-73.5	201.6	550.5	264.2	11.8	1.000045	
5250.0	112.6	-72.6	195.6	551.6	272.3	8.1	1.000044	
5300.0	109.7	-71.3	189.2	553.5			1.000042	
5350.0	106.9	-70.6	183.7	554.2			1.000041	
5400.0	104.1	-72.1	180.4	552.4			1.000040	
5450.0	101.4	-73.7	177.1	550.3			1.000039	

STATION ALTITUDE 4126.59 FEET MSL
 24 AUG. 77
 ASCENSION NO. 591

MANDATORY LEVELS
 2360010591
 HULLOMAN
 TABLE XII.

GEOMETRIC COORDINATES
 32.88865 LAT DEG
 106.09965 LON DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM.	WIND DATA	
MILLIBARS	FEET	AIR DEGREES	DEWPOINT CENTIGRADE	PERCENT	DIRECTION DEGREES(TN)	SPEED KNOTS
850.0	5011.	25.3	11.5	42.	9999.0	9999.0XX
800.0	6754.	23.2	7.2	36.	9999.0	9999.0XX
750.0	8589.	19.3	5.4	40.	235.5	.6
700.0	10522.	14.9	3.4	46.	223.1	1.2
650.0	12563.	9.7	.5	52.	201.1	6.0
600.0	14724.	4.2	-4.7	52.	207.9	10.0
550.0	17025.	-1.3	-9.0	56.	244.4	8.7
500.0	19495.	-6.3	-16.0	46.	279.8	14.5
450.0	22180.	-10.2	-26.8	24.	261.7	19.2
400.0	25130.	-15.1	-28.4	31.	267.0	13.6
350.0	28396.	-22.1	-39.7	18.	267.2	13.0
300.0	32054.	-30.7	-45.0	23.	255.1	15.5
250.0	36215.	-41.0			264.1	19.6
200.0	41071.	-52.0			265.1	24.1
175.0	43863.	-59.0			267.3	26.0
150.0	46985.	-64.7			246.3	26.3
125.0	50583.	-70.8			260.6	18.9
100.0	54893.	-74.5				

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

XX WIND DATA INVALID DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.