AD-A051 911 UNCLASSIFIED	MISSIL AUG 77	RESEARC E-X PRO A N V W77-195	GRAM L	OGISTIC	A ANA CA	ALIF NT MANA	GEMENT	PLAN FO	OR MAIN	F/G 15 TAINE -0087 NL	/5 TC(U)	
ог   АД АОБІЭТІ			-	11 co 1		Tanan -				And a second sec		
						gan waxan gan waxan				ngerensen. Seiterstellen Seiterstellen Beiterstellen		
								a station and stat			END DATE FILMED 5 - 78	
										1 0 100 ° 2		
							G					
												7

Library Annap **TECHNICAL NOTE** AD A 0 5 1 9 1 1 **MISSILE-X PROGRAM** LOGISTIC ELEMENT MANAGEMENT PLAN FOR MAINTAINABILITY INTERFACE LEM DC RORMAR 15 August 1977 29 19 Prepared for DEPARTMENT OF THE AIR FORCE SPACE AND MISSILE SYSTEMS ORGANIZATION (AFSC) **ICBM Program Office** Under Contract F04606-76-A-0087-R901 DISTRIBUTION STATEMENT Approved for public release Distribution Untimi Publication W77-1953-TN03 RINC RESEARCH CORPORATION P.O. Box 1375/Santa Ana, Calif.

(b)

MISSILE-X PROGRAM LOGISTIC ELEMENT MANAGEMENT PLAN FOR MAINTAINABILITY INTERFACE LEM

#### 15 August 1977

#### One of 12 LEM Plans Prepared for

#### DEPARTMENT OF THE AIR FORCE SPACE AND MISSILE SYSTEMS ORGANIZATION (AFSC) ICBM Program Office

Under Contract F04606-76-A-0087-R901

LE COLECTE DE 1978

Prepared by

A.N. Winter A.J. Fremer

RINC RESEARCH CORPORATION

CORPORATE HEADQUARTERS 2551 Riva Road Annapolis, MD 21401

-----

Country of Country

Contraction of the local division of the loc

SANTA ANA BRANCH 1222 E. Normandy Place Santa Ana, CA 92702

Publication W77-1953-TN03

DISTRIBUTION STATEMENT A Approved for public release; Distribution Unlimited

# MISSILE-X PROGRAM LOGISTIC ELEMENT MANAGEMENT PLAN FOR

[]

# MAINTAINABILITY INTERFACE LEM

15 August 1977



SPACE AND MISSILE SYSTEMS ORGANIZATION AIR FORCE SYSTEMS COMMAND

Prepared by

Logistics (MNL) Deputy for Intercontinental Ballistic Missiles MISSILE-X PROGRAM LOGISTIC ELEMENT MANAGEMENT PLAN FOR MAINTAINABILITY INTERFACE LEM

15 August 1977



i

ACCESSION for NTIS	White Section
DDC UNAMMOUNCED	Buff Section
ESTE CATION	
· · · · · · · · · · · · · · · · · · ·	
·	AH ABILITY CODES
DISTRIBUTION/AV	Al'ABLITY CODES Zer special
DISTRIBUTION/AV	
BY DISTRIBUTION/AV	

#### Approved\_

Lester E. Eklund, Colonel, USAF Director, Logistics Deputy for Intercontinental Ballistic Missiles

Approved \_\_

Aloysius G. Casey, Colonel, USAF Assistant Deputy, Missile-X

Date			
Date	 	 	

Date \_\_\_\_

### FOREWORD

Concernance of the local distribution of the

Į,

This Maintainability Interface Logistic Element Management Plan is one of twelve plans supplementing the guidance and direction for the Integrated Logistic Support (ILS) program as delineated in the Missile-X Integrated Logistic Support Plan (ILSP). Whereas the ILSP provides general guidance and direction for integrating all logistic elements into the overall program requirements, this plan treats the specific actions, milestones, and coordination efforts of the Logistic Element Manager for the Maintainability Interface. It has been written to assist him in fulfilling his responsibilities toward achieving the ILS objectives of the MX Program.

The majority of information contained in Sections 1 through 4 herein is common to all plans. Sections 5 and 6 present information pertinent to the M-LEM's efforts.

## CONTENTS

FO	REWC	ORD						ii
1.	INTI	RODUCTION						1-1
	1,1	Background						1-1
	1.2	Purpose						1-2
	1.3	MX Program	•	•	•		•	1-2
2.	SCO	PE						2-1
3.	REF	ERENCE DOCUMENTS			•			3-1
4.	PRO	GRAM MANAGEMENT						4-1
	4.1	ILS Program Organization						4-1
		4.1.1 Deputy Program Manager for Logistics						4-1
		4.1.2 Logistic Element Managers						4-2
	4.2	ILS Management Information System	•		•		•	4-4
5.	GEN	ERAL REQUIREMENTS						5-1
	5.1	Integrated Logistic Support Program						5-1
	5.2	Maintainability Interface Logistic Element			•	•		5-3
6.	M-L	EM MANAGEMENT RESPONSIBILITIES AND TASKS .						6-1
	6.1	Responsibilities						6-1
	6.2	Management Tasks						6-2
	6.3	Preface to Task Table	•		•	•		6-6
AP	PEND	IXES						
	A	Missile-X Program Logistic Element Manager Directory	••					A-1
	В	Acronyms and Abbreviations			•			B-1
	С	Logistic Element Schedule for Maintainability Interface	•					C-1

I

Ţ

Π

Û

0

Û

Û

Û

0

B

Ù

[]

0

Ù

0

0

Π

# INTRODUCTION

#### 1.1 BACKGROUND

In accordance with DoD Directive 4100.35, the promulgating authority of AFR 800-8, and the guidance provided by AFP 800-7, the MX Program Office has implemented an Integrated Logistic Support program for the MX Weapon System. The ILS program, as delineated in the Integrated Logistic Support Plan (ILSP), is intended to ensure that the weapon system is designed with due consideration given to its supportability and that the required support will be attained within an affordable, minimum life cycle cost.

For the MX System, logistic elements – areas of support activity that collectively comprise the management concept of ILS – have been defined. These are:

Maintainability Interface (M)

Reliability Interface (R)

Nuclear Hardness and Survivability Interface (NH&S)

Maintenance Planning (MP)

Support and Test Equipment (SE)

Supply Support (SS)

Transportation and Packaging (T&P)

Technical Data (TD)

Support Facilities (SF)

Personnel and Training (P&T)

Logistic Support Management Information (LSMI)

Logistic Support Resource Funds (LSRF)

For each area of support activity, the MX Program Office has designated a Logistic Element Manager (LEM) responsible for managing the accomplishment of the tasks associated with his element.

### 1.2 PURPOSE

This document is a Logistic Element Management Plan for the Maintainability Interface element. It has been written to provide the M-LEM with guidance in managing the Maintainability Interface element and ensuring the integration of ILS maintainability requirements into the system design process. This plan, and those developed for the other eleven logistic elements, will become supplementary documents to the ILSP.

#### 1.3 MX PROGRAM

1

The MX Program has been implemented to provide the technology base for the development of an improved land-based strategic missile weapon system. Efforts are being directed toward the design, development, and deployment of an ICBM system within one of two nuclear hardened, multiple aim point (MAP) basing alternatives. The two currently favored basing options are the buried-trench and shelter-based weapon systems.

Full scale development (FSD) of the MX Weapon System is divided into two major efforts: missile development, including the missile and canister; and weapon system development, which includes the MAP basing hardware, software, and facilities, and the integration of the missile/canister with these equipments and facilities.

### 2 SCOPE

This Logistic Element Management Plan structures the Maintainability Interface logistic requirements of the ILSP into identifiable responsibilities of the M-LEM, and delineates the tasks associated with these responsibilities. The plan is applicable to the FSD phase of the MX Weapon System, with overlap to the preceding validation and system definition phases and succeeding production/deployment phases. The plan applies to all elements of the weapon system, including the air vehicle, support functions, and the selected basing option. In addition, this plan:

- a. Provides an overview of the MX program management concept, and the LEMs' position in the management structure.
- b. Describes the ILS program and the function of the M-LEM within that program.
- c. Describes the participation of the M-LEM in the ILS Management Information System.

N.

- d. Indicates the interdependencies among tasks and the coordination among all members of the Integrated Logistic Support Management Team (ILSMT), the project element officers (PEOs), and systems engineering.
- e. Presents a basic schedule for the performance of tasks by relating each task to the time frame of major program events.
- f. Indicates the interrelationships of the M-LEM with the remaining logistic elements.

### 3 REFERENCE DOCUMENTS

The following document listing is provided as a reference source relating to the implementation of an ILS program and the Maintainability Interface logistic element.

The second

[]

1

I

I

Π

T

0

IJ

[]

I

-

DoD Directive 4100.35	Development of Integrated Logistic Support for Systems/Equipment, 1 October 1970
DoD 4100.35G	Integrated Logistic Support Planning Guide for DoD Systems and Equipment, 15 October 1968
AFR 800-8	Integrated Logistic Support (ILS) Program for Systems and Equipment, 27 July 1972
AFP 800-7	Integrated Logistic Support Implementation Guide for DoD Systems and Equipments, March 1972
MIL-STD-470	Maintainability Requirements (for Systems and Equipments), 21 March 1966
SAMSO Supplement to AFR 800-8	Integrated Logistic Support (ILS) Program for Systems and Equipment, 7 September 1976
ICBM PO ED 77-6	System Requirements Analysis Programs for the MX Weapon System, 24 May 1977
ICBM PO ED 77-3	ICBM Program Office Engineering Directive for the Integrated Test Plan for MX Weapon System, 22 June 1977
ILSP	Missile-X Integrated Logistic Support Plan, June 1977
PO Manual	ICBM PO Project Officers' Manual, 1 July 1976
SAMSO/MNL Publication	ILS Management Information System Report, 31 August 1977
AFR 80-5	Reliability and Maintainability Programs for Systems, Subsystems, Equipment and Munitions, 2 July 1973
AFSC Supplement to AFR 80-5	(Same title), 20 December 1974
SAMSO Supplement to AFR 80-5	(Same title), 30 September 1976

# PROGRAM MANAGEMENT

Management of the MX Weapon System Program is the responsibility of the ICBM Program Office. The Program Manager has the overall responsibility for acquisition and integration management of the program, and is supported by the following Directorates within the ICBM Program Office:

Logistics

Engineering

System Acquisition Management Support

**Procurement and Production** 

Deployment

Program Control

The ICBM Program Office comprises a team of Air Force and contractor personnel. That office operates with a functionally decentralized organizational structure, which has resulted in the implementation of the Project Element Management System. In this system, the program is divided into a series of discrete, functional elements, each managed as an entity by a designated Project Element Officer responsible for monitoring the technical, cost, and schedule performance of one or more MX associate contractors. No prime contractor will be designated for the MX Program. Rather, the ICBM Program Office will function as the system integrator.

#### 4.1 ILS PROGRAM ORGANIZATION

#### 4.1.1 Deputy Program Manager for Logistics

The Deputy Program Manager for Logistics (DPML) was assigned from HQ AFLC with the concurrence of the MX Program Manager, and serves as the focal point for MX logistics management. The DPML and his organization are an integral part of the ICBM Program Office and form the Directorate of Logistics (MNL). Within the MX Program, it is the responsibility of the DPML to assure that:

- a. Continuous attention is given to logistic support posture and costs throughout the acquisition process.
- b. Tradeoff studies affecting system design are evaluated to determine their impact on supportability, life cycle cost, and operational requirements.
- c. All objectives of ILS are achieved for the MX Weapon System.


The DPML will draw upon the support of the designated logistic element managers to obtain timely contributions to those system design and support decisions which affect logistic support costs and effectiveness throughout the life of the system.

#### 4.1.2 Logistic Element Managers

As discussed in paragraph 4, the Program Office operates with a functionally decentralized organization structure. This decentralization has positioned ILS elements (as defined by AFR 800-8) outside of the Logistics Directorate, in company with those engineering design elements (e.g., Reliability) normally external to the logistics organization. Logistic element managers have been designated within each functional logistic-related area. In addition, the Technical Data and Supply Support elements are further separated into subelements to gain maximum benefits from the decentralized organizational structure. The elements, by Directorate, are shown in Figure 4-1.

The manager for each element is the single point of contact for the DPML in the management of all logistic integration aspects of the assigned element. The LEM assures that the tasks associated with his element, as defined within this Logistic Element Management Plan, are accomplished. He provides liaison and coordination among the other logistic element managers as required for the achievement of integrated logistic support. He further assures that all relevant ILS data are collected, analyzed, reported, and disseminated, as appropriate, for his element.

Each LEM also plays a key role in supporting the Program Office's function as integrating agency of all associate contractor activities. The M-LEM supports systems engineering and the PEOs by providing the management assistance needed to identify the contractual requirements relative to his element. In so doing,



he assures that a system integration approach is used in determining the requirements for each associate contractor. Due to the large number of associates involved, a significant coordination effort will be required by the LEM within his logistic element to maintain cognizance of the activities that impact on logistics.

Each LEM is a member of the Integrated Logistic Support Management Team, and through active participation as a team member he supports the DPML in managing the accomplishment of the Program Office's acquisition logistics tasks.

It is through the exchange of information at ILSMT meetings and the interrelationships of LEMs that the DPML will acquire the program information necessary to assure the integration of logistic support elements into the total program requirements.


#### 4.2 ILS MANAGEMENT INFORMATION SYSTEM

The ILS Management Information System was developed to assist the DPML and all logistic element managers in their efforts to achieve the logistic objectives of the MX Weapon System. Management and direction of the information system's activities are the responsibility of the DPML. This responsibility is discharged primarily through his position as chairman of the ILSMT and of technical interchange meetings.

Successful implementation of the ILS MIS depends on each LEM's accomplishment. of the tasks delineated in his LEM plan, through fulfilling his reporting responsibilities, and through active participation in the ILSMT.

The ILS Management Information System Report dated 31 August 1977 provides a complete description of the ILS MIS and the LEMs' role in implementing the system. Figure 4-2 depicts the information flow of the ILS MIS, and will serve as an aid in understanding the data input/output and coordination activities of the M-LEM as defined in Sections 5 and 6 of this plan.

In general, much of the management information will involve estimates, or other planning data in which the quality of the data used will vary over some acceptable range. The criteria provided for use by the LEMs in describing the relative quality of MIS data are presented in tables within the Integrated Logistic Support Management Information System Report. Assistance to the LEMs for participating in the ILS MIS, as both contributor and user, will be provided by the Logistic Support Management Information LEM.



A typical schedule showing program events for the logistic element addressed in this plan is shown in Appendix C. This schedule depicts the general type of information required as input to the management information system for tracking the progress of each associate contractor in fulfilling the requirements for a specific logistic element. This type of information is also a prerequisite to the LEM's effort of tailoring the task schedule shown in Table 6-1 to each associate contractor's unique development activities.

## **GENERAL REQUIREMENTS**

5


#### 5.1 INTEGRATED LOGISTIC SUPPORT PROGRAM

Integrated Logistic Support is a concept that encompasses the total and timely support of a system/equipment, within acceptable life cycle cost criteria, for the duration of its useful life. Realization of this concept is achieved through planning and analysis tasks for the subsequent procurement of all required support as part of the total acquisition process.

An Integrated Logistic Support program has been implemented for the MX Weapon System to assure that the ILS concept impacts the system design process in a manner that will improve supportability and control O&S costs. Within the ILS program, logistic elements have been identified (see paragraph 1.1). These elements are areas of support activity which, when collectively considered, provide the basis for the acquisition of the human, material, and financial resources required to maintain a system in an acceptable state of operational readiness within affordable cost criteria.

Essentials of the ILS program include the analysis and definition of quantitative and qualitative logistic support requirements; the prediction of logistic support costs; and the performance of tradeoff studies and evaluations. The responsibility for performance of these efforts rests with the ICBM Program Office and its supporting directorates. However, the responsibility for monitoring and assuring the accomplishment of these efforts has been assigned to the logistic element managers. Each Logistic Element Management Plan delineates the detailed areas of responsibility for a specific LEM.

Figure 5-1 depicts the information flow among the various LEMs during the performance of their ILS efforts. While the information flow will primarily be in the direction indicated by the arrows in that diagram, situations will arise where information must be passed in both directions. Additionally, the information flow might be influenced by variations in logistic information requirements among the configuration end items. Figure 5-1a (inset in Figure 5-1) indicates that the impact of the ILS concept on the system design is achieved through the logistic support analysis efforts.



#### 5.2 MAINTAINABILITY INTERFACE LOGISTIC ELEMENT

Maintainability is both a system effectiveness parameter and an engineering design discipline. The Maintainability Interface LEM is primarily concerned with the impact on system effectiveness caused by a requirement to perform preventive and restorative maintenance actions. He must assure that the design process (i.e., the engineering discipline aspect of maintainability) gives careful consideration to system design features that will enable maintenance actions to be performed within specified time limits and with minimum demand for support resources. Thus, maintainability is expressed in terms of both quantitative parameters (e.g., MTTR) and qualitative design features (e.g., design for minimum complexity). The impact of quantitative parameters on system effectiveness is reflected in such terms as operational availability and life cycle cost to maintain a specified level of effectiveness.

The Maintainability Interface logistic element encompasses those activities involved in assuring that the impact of maintainability on ILS is identified, evaluated, and documented for subsequent feedback into the design process. The M-LEM will perform a number of tasks to assure that system/equipment maintainability data are utilized in the development of support requirements. These data are primarily the output of maintainability analysis, which influences maintenance requirements analysis. The maintainability analysis provides source data for the maintenance task analyses which provide the basis for determining the support resources required to accomplish the maintenance tasks.

Early in the design stage, the primary interface of maintainability is with the discipline of reliability. The algorithms for computing operational availability and LCC use the quantitative parameters of these two elements. Design and performance tradeoffs are performed between maintainability and reliability to achieve a preferred design for satisfying the system availability requirements and minimizing life cycle costs. Thus, a significant coordination effort between M- and R-LEMs and their respective engineering groups will ensue from the tradeoff analyses.

Similarly, maintainability tradeoffs are conducted with nuclear hardness and survivability. The M-LEM interfaces with the NH&S-LEM and the MP-LEM on matters where maintenance requirements and/or the methods of performing maintenance tasks could compromise the nuclear hardness integrity of the system. Secondary relationships exist among the M-LEM and other LEMs to the extent that they are concerned with the compatibility between support resources (personnel, test equipment, technical orders, etc.) and the maintainability design features of the system.

In the performance of his assurance functions the M-LEM will coordinate, as necessary, with PEOs, OPRs, and maintainability engineers. Additionally, in areas such as test and evaluation and software support that do not have LEM representation, coordination may be required with POs. His membership in the ILSMT will require the preparation of status reports, the initiation of problem/impact statements, the development of schedule information for the MIS, and the resolution of assigned action items.

I

### M-LEM MANAGEMENT RESPONSIBILITIES AND TASKS

#### 6.1 **RESPONSIBILITIES**

11

The Maintainability Interface LEM assists the Deputy Program Manager for Logistics in establishing and achieving the system maintainability goals that are integral to the overall ILS goals for the MX Weapon System Program. The M-LEM assures that maintainability is an integral part of the system/equipment design process by:

- a. Coordinating the Maintainability Interface element of logistics for the MX Program.
- b. Assuring that quantitative parameters and qualitative design features identified during SRA/LSA efforts are compatible with the maintainability program.
- c. Acting as the focal point for the DPML in the coordination of all maintainability matters and apprising the DPML, through active participation at ILSMT and TI meetings, of any actual or potential maintainability problems that could impact logistic support capability.
- d. Establishing lines of communication with each PEO and assisting him in all matters pertaining to the logistic aspects of maintainability.
- e. Providing maintainability data input to the ILS Management Information System through close liaison with the LSMI-LEM.

#### 6.2 MANAGEMENT TASKS

The scope of each task identified in this plan must be tailored by the M-LEM for each specific procurement. Consequently, the applicable data items and the degree of coordination activities will vary with the scope of the task.

While the tasks identified below are intended to be comprehensive relative to the scope of the M-LEM's responsibilities, additional tasks may become apparent during the implementation of this plan. The LEM is responsible for assuring that these new tasks are planned and scheduled for each applicable procurement. The new tasks should be documented, this plan updated as applicable, and the appropriate information provided to the LSMI-LEM for updating the MIS and its information displays.

The following paragraphs describe the tasks to be performed. Table 6-1 (see paragraph 6.3) presents a task summary and indicates by the respective columns of the table the applicable data items, expected coordination required for the tasks, and a schedule relating tasks to major program events.

#### • Task 1

Assure that a Maintainability Program Plan (MPP) is prepared for each configuration end item (CEI). This plan may be required as part of the response to a request for proposal (RFP), or it may be submitted in accordance with a specific CDRL item after contract award. In either case the M-LEM coordinates with the PEO, and maintainability engineering to verify that MPP requirements have been established; that the delivery requirements for the plan have been identified; that review criteria have been established, and that implementation of the plan conforms with the timeframe for major MX Program milestones and CEI design reviews. Appropriate documentation such as AFSC Form 40 and data item descriptions must be prepared/ reviewed/approved for the hardware procurement package. Each MPP must be reviewed/approved prior to implementation by the contractor. The M-LEM may assist in developing in-house review criteria for MPP evaluation.

#### • Task 2

Assure that each associate contractor's maintainability program is implemented in accordance with the approved MPP and schedule. Through close liaison with the PEO and familiarity with the requirements of both the SOW task and the approved MPP, the M-LEM tracks the implementation of the program and provides the LSMI-LEM with schedule updates/revisions to reflect program changes. This task includes evaluating the MPP to assure that its scheduled implementation is consistent with the requirements of the ILSP and the conduct of logistic support analyses.

#### • Task 3

Assure that the contractors' methods and models for performing maintainability analyses are valid with respect to providing realistic results. Assist the PEO and the Maintainability Engineer, as requested, in developing the in-house evaluation criteria to assure that each contractor's technical approach to maintainability analysis is evaluated from a standard set of criteria.

#### • Task 4

Assure that system-level quantitative maintainability requirements are developed in consonance with system specifications for availability and reliability, with due consideration given to hardness maintenance requirements, qualitative maintainability design features, and the maintenance concept. This task requires the combined efforts of the M-, R-, MP-, P&T-, and NH&S-LEMs and the respective engineering groups. Examine the results of tradeoff studies performed by the engineering groups and assist as necessary in providing inputs to the tradeoff studies that reflect the logistic support and cost goals for the MX Program. Assist the engineering groups in developing a set of evaluation criteria upon which decisions will be based concerning the compatibility of the separate disciplines. Use the resultant maintainability requirements in preparing the maintainability sections of the system-level LSAR data sheets A.

#### • Task 5

Assure that subsystem/equipment maintainability predictions and allocations are consistent with system level operational requirements for availability, the established maintenance concept, and qualitative design features. Assure that the Maintainability Allocation, Assessment, and Analysis Report is reviewed in consonance with the design analysis, tradeoff study, and specification data items delineated in Table 6-1. Conduct this task concurrently with tasks 6, 7, and 8. Assure that coordination

meetings are arranged with the appropriate LEMs and/or engineering personnel to facilitate the review of applicable documentation and resolution of inconsistencies between configuration end item and system level maintainability requirements. Establish coordination with the MP-LEM to verify that maintenance requirement analysis data have been accurately translated into discrete maintenance tasks consistent with the MTTR criteria.

#### • Task 6

Assure that tradeoffs between maintainability and performance, reliability, nuclear hardness and survivability, and human factors engineering disciplines are consistent with the system LCC/DTC goals. This task requires coordination with the LCC/DTC Manager in MNNX and MNPC through the LSMI-LEM for providing updated maintainability parameter inputs to the LCC/DTC models. Joint coordination with the R-, NH&S-, and P&T-LEMs should be arranged to assure the simultaneous revision of all input parameters and thus avoid multiple iterations of the model. Evaluate LCC/ DTC model runs to assure that the impact of the updated maintainability parameters has attained the desired results within the LCC/DTC goals.

#### • Task 7

Assure that system level maintainability analyses are compatible with the overall zero indenture LSA and that these analyses include an assessment of the impact on reliability and hardness maintenance aspects of NH&S. This effort requires a coordinated review by the M-, NH&S-, and R-LEMs of the critical fault ambiguities documented in fault matrices during failure mode analysis. The results of the effort verify that the total failure rate of all contributing failures does not exceed a threshold value established by SAMSO. Assist the reliability and maintainability engineering groups and the PEOs in developing the guidelines for specifying types of ambiguities requiring additional analysis.

#### • Task 8

Assure that LSAR data sheets A and B pertaining to maintainability parameters are prepared, evaluated, and approved. Selectively review LSAR sheets A and B prepared by associated contractors to assure that the quality of information is consistent with the requirements for use by other LEMs and for establishing realistic estimates of other support elements. Assure the timeliness of the review and evaluation cycle within the maintainability engineering group, and that the LSAR data sheets are forwarded to the LSMI-LEM for input to the LSA data bank.

#### • Task 9

Assure that maintainability test and test data requirements are adequately identified during the system-level test planning analysis (TPA) process and that these requirements are adequately reflected in the Integrated Test Plan (ITP) and FSD contractual provisions. Coordinate with the T&E Project Officer to jointly identify maintainability test and demonstration planning requirements during the system-level TPA process. At the subsystem/equipment level, assure that the associate contractors' TPAs adequately identify maintainability tests and test data and that these requirements are incorporated into the detailed test plans.

Joint efforts by the LEMs and PEOs will be aimed at cost effective testing schedules to accommodate the requirements of several disciplines simultaneously. This effort assures that subsystem and system level tests provide adequate testing without duplication.

#### • Task 10

Assure that maintainability demonstration test reports and data are reviewed and evaluated for any indicated impact on logistic supportability and life cycle costs. Review the results of the engineering evaluations of test reports and data to assure that maintainability parameters demonstrated during test are consistent with system level requirements and specifications. This will require simultaneous review of test reports and data for interfacing subsystems/equipments to ensure that all zero indenture level ambiguities previously identified have been adequately resolved. Assure that the requirements of the approved Verification, Demonstration and Evaluation Plan are satisfied.

#### • Task 11

Assure that demonstration test data are provided as input to update LSAR data sheets A and B. Review updated LSAR sheets A and B to assure that they reflect the most current quantitative maintainability data. Coordinate these reviews through the respective PEO and assure that the updated LSAR data sheets are forwarded to the LSMI-LEM for input to the LSAR data bank.

#### • Task 12

Develop and provide inputs and updates to the ILSP. This task is shared by all LEMs and is accomplished through guidance provided by MNLM. Participate in the update of this Logistic Element Management Plan, which is considered a supplementary document to the ILSP. Participate in the review cycle of the updated ILSP.

#### • Task 13

Assure that contractor-generated ECPs are reviewed and evaluated with respect to maintainability and their impact on logistic supportability and life cycle cost. Through coordination with the PEO and maintainability engineers, assure that the ECPs are evaluated in terms of effects on the overall MX System in addition to the CEI for which they are written. Brief the DPML and the ILSMT on the results of any ECP evaluations that indicate a potential change to maintainability parameters affecting supportability or life cycle cost. Track the implementation of the ECP, assure that LSAR data sheets are updated to reflect changes in maintainability parameters, and assure that updated cost factors are coordinated with the LCC/DTC Manager through the LSMI LEM.

#### 6.3 PREFACE TO TASK TABLE


Table 6-1 lists the tasks discussed in Section 6.2, together with the corresponding data items and coordination required in the performance of the tasks. The schedule shown in the table indicates the availability dates of data items relative to major program milestones. The M-LEM will prepare a schedule for the completion of the tasks applicable to each hardware end item, using contract award dates as the basis for assigning calendar dates to each schedule.


	Production				
	T&E Proc				
	FCA T				
	CDR F		snonu	15D CDR 21D CDR 15 CDR CDR 60D	
	VI 0/ Milestone Schedule PDR CI		Continuous		
	Mileston R PI			150 PDR 210 PDR 150 PDR	
	ADLE 1311661 ract SDR	CA 30D	CA 6UD CA 30D	21D SDR	
	P Contract Ase Award	3	Ö		
	Release				
NTANNADU ITV NUTTOFACE TACK TADIF (61.44 1.46 2)	tion			PEO,	
1	Coord	Maint. Engr. PEOs	PEO PEO, MP-LEM PEO, MP-LEM	Maint, Engr. Maint, Engr. Maint, Engr., PEO, MP-L,EM	
	Applicable Data Items	<ol> <li>AFSC Form 40</li> <li>AIPP</li> <li>In-house evaluation criteria</li> <li>CDRL (DD Form 1423)</li> </ol>	MPP schedule ISP LSA Plan	Maintainability Analysis (SRA data) Maint. Allocations, Assessment and Analysis Report ORLA Reports	
	Applic		(1) (2) (3)	(1) (2) (3)	
		a program ity program	Assure that the main- tainability program is implemented in accord- ance with the approved MPP and schedule and is consistent with the ISP.	Assure that the end results achievable from the associate contractors methods and models for performing maintain- polity analyses are valid.	Assure that system level quantitative maintain- ability requirements are developed in consonance with system specifica- tions for availability, thardness maintenance requirements, and quali- tative maintainability design features.
	Tasks	Assure that a maintainability program plan (AIPP) is prepared for each CEL.	Assure that tainability pi implemented ance with the MPP and sch consistent wi	Assure that Assure that the association methods and performing i ability analy valid,	Assure that quantitative ability requi developed in with system tions for ave hardness ma requirement tative mainit design featur
		4	 ~	r;	÷


6-7

-----T -- 20 Release 40 TLE CDR 150D FCA -15D PDR 15D CDR CDR 60D CDR 30D CDR The second R Milestone Schedule PDR 30D PDR ◀ TABLE 6-1. MAINTAINABILITY INTERFACE TASK TABLE (Sheet 2 of 6) + Quarterly SDR 30D SDR 30D SDR -Contract Award -RFP Release -----NH&S LEM, Maint. Engr. Maint. Engr., PEO, MP-LEM Maint. Engr., PEO Maint. Engr., PEO Coordination P&T LEM (HFE) Maint. Engr. R-LEM Maint. Engr. P&T LEM Maint. Engr. NH&S LEM Maint. Engr. Maint. Engr. Maint. Engr. Maint. Engr. R-LEM (10) NH&S Design Analysis and Trade Study Reports Maint. Allocations, Assessments, and Analysis Report Configuration Item Prod. Fab. Spec (E-3103A) (4) Reliability Allocations, Assessment and Analysis Report **Maintainability Analysis OIS/FTOS Trade Studies** (3) System Design Analysis Human Engr. Design Approach Document (H-3261A) Applicable Data Items (7) Producibility Studies Configuration Item Development Spec (E-3102A) System level LSAR sheet A (1) Tradeoff study results Tradeoff study results (1) Tradeoff study results (2) (2) (9) (8) (1) 3 (2) (6) Assure that subsystem/ equipment level main-equipment level main-and allocations are con-sistem with system level operational requirements for availability, mainte-ior availability, mainte-mance concept, qualitative ( design features and hard-ness maintenance require-ments. (See also tasks 6, 4, 7, 5.) c. Assure that system level HFE/maintain-ability design tradeoffs are performed. a. Assure that system level reliability/ maintanability design tradeoffs are performed. b. Assure that system level maintainability/ hardness maintenance design tradeoffs are performed. 18 P. Tasks -'n 1


-







Π



## APPENDIXES

[]

Π

Appendix A:	Missile-X Program Logistic Element Manager Directory	A-1
Appendix B:	Acronyms and Abbreviations	B-1
Appendix C:	Logistic Element Schedule for Maintainability Interface	C-1

A PPENDIX A

47

40

[]

[]

[]

[]

[]

[]

[]

1

MISSILE-X PROGRAM LOGISTIC ELEMENT MANAGER DIRECTORY Col. L.E. Eklund, DPML

Logistic Element	Manager	Code	Ext.	Room
Reliability Interface	Capt. T.M. Palmer	MNBR	5359	421
Maintainability Interface	Capt. A.D. Wadsworth	MNLE	4523	619
Nuclear Hardness and Survivability Interface	Capt. W.R. Jacobs	HNNM	7843	111
Maintenance Planning	Lt. Col. R.W. Ayars	MNLE	4523	619
Support Equipment	Lt. Col. B.W. Woolverton	MNNX	7005	138
Supply Support (Preoperational)	Mr. F.C. O'Connor	MNTD	6481	600
Supply Support (Operational)	Mr. J.A. Davidson	WINW	5321	621
Transportation and Packaging	Mr. R.W. Riggs	MNTD	5474	600
Technical Data (Engineering)	Mr. L.E. Onstott	WINW	5321	621
Technical Data (Technical Orders)	Maj. L.W. Cooper	MNTP	6684	609
Support Facilities	Mr. F.E. Longan	GNNM	6891	408
Personnel and Training	Maj. L. W. Cooper	ATNM	6684	609
Logistic Support Resource Funds	Capt. H.B. Robbins	MNLA	5395	623
Logistic Support Management Information	Mr. J.L. Peterson	WINT	5386	623

#### APPENDIX B

#### ACRONYMS AND ABBREVIATIONS

I

I

I

I

I

I

A&CO	- Assembly and Checkout
ADP	<ul> <li>Automatic Data Processing</li> </ul>
AFALD	- Air Force Acquisition Logistics Division
AFLC	- Air Force Logistics Command
AFSC	- Air Force Systems Command
AFTEC	- Air Force Test and Evaluation Center
BTWS	- Buried Trench Weapon System
C/A	- Contract Award
CDR	- Critical Design Review
CDRL	- Contract Data Requirements List
CDRS	- Contract Data Requirements Substantiation
CDSR	- Cost Data Summary Report
CEI	- Configuration End Item
CFSR	- Contract Funds Status Report
CPR	- Cost Performance Report
DPML	- Deputy Program Manager for Logistics
DT&E	- Development Test and Evaluation
FCA	- Functional Configuration Audit
FCHR	- Functional Cost Hour Report
FMA	- Failure Mode Analysis
FSD	- Full Scale Development
ICBM	- Intercontinental Ballistic Missile
IOT&E	- Initial Operational Test and Evaluation
ILS	- Integrated Logistic Support
ILSMT	- Integrated Logistic Support Management Team
ILSP	- Integrated Logistic Support Plan
ISP	- Integrated Support Plan
ITP	- Integrated Test Plan
LEM	- Logistic Element Manager

LSA	<ul> <li>Logistic Support Analysis</li> </ul>
LSAR	- Logistic Support Analysis Record
MDR	- Missile Design Review
MIC	- Management Information Center
MIS	- Management Information System
MPP	- Maintainability Program Plan
MTBF	- Mean Time Between Failures
MTTR	- Mean Time to Repair
MX	- Missile-X
OPR	- Office of Primary Responsibility
OT&E	- Operational Test and Evaluation
PCA	- Physical Configuration Audit
PDR	- Preliminary Design Review
PEO	- Project Element Officer
PMP	- Program Management Plan
РО	- Project Officer
RPP	- Reliability Program Plan
SAMSO	- Space and Missile Systems Organization
SBWS	- Shelter Based Weapon System
SDR	- System Design Review
SOW	- Statement of Work
SRA	- System Requirements Analysis
T&E	- Test and Evaluation
TI	- Technical Interchange
TPA	- Test Planning Analysis

1

1

-----

[]

[]

10 M

[]

[]

[]

[]

1

-

Ţ

I

B-2

APPENDIX C

MAINTAINABILITY INTERFACE ELEMENT SCHEDULE

a second

Π

[]

0

[]

Π

[]

[]

[]

[]

[]

1

	Valid	Validation /							Γ
	System 1	System Definition		Full Scale Development	evelopmen			Production/Deployment	lent
Major Subsystem Milestones	C/A	MDR	SDR ∆	PDR	CDR	FCA	Flight tests	MAP Tests	§⊲
P/O 1. M Program Plan	Prop. Updates $\triangle \ \triangle \ \triangle$		Final Revisions as required	s required					
2. M Alloc. Assess. and Analysis Reports		Q	Q	Ø	4				
3. SRA/LSA/Des. Rev. Data			Initial		Update				
4. M Assess. and Demonstration			△ Contractor TPA	Plan	Assess./Demo.	Report			
5. System Level Tests							M	M Demo.	
) , 2									
	•3								
*									

C-1

.

UNCLASSIFIED ASSIFICATION OF THIS PAGE (When Date Entered) SECURITY CL **READ INSTRUCTIONS REPORT DOCUMENTATION PAGE** BEFORE COMPLETING FORM 2. GOVT ACCESSION NO. 3. RECIPIENT'S CATALOG NUMBER W77-1953-TN03 5. TYPE OF REPORT & PERIOD COVERED MISSILE X PROGRAM LOGISTIC ELEMENT MANAGEMENT PERFORMING ORG. REPORT NUMBER 6. W77-1953-TN03 CONTRACT OR GRANT NUMBER(.) A.N. Winter A.J. Fremer 04606-76-A-0087 R901 PERFORMING ORGANIZATION NAME AND ADDRESS 10. PROGRAM ELEMENT. PROJECT, TASK AREA & WORK UNIT NUMBERS ARINC Research Corp. 2551 Riva Road Annapolis; Maryland 21401 11. CONTROLLING OFFICE NAME AND ADDRESS DEPARTMENT OF THE AIR FORCE Aug SPACE AND MISSILE SYSTEMS ORGANIZATION (AFSC) ICBM Program Office MONITORING AGENCY NAME & ADDRESS(11 dillerons from Controlling Office) 36 15. SECURITY CLASS. DEPARTMENT OF THE AIR. FORCE UNCLASSIFIED SPACE AND MISSILE SYSTEMS ORGANIZATION (AFSC) 154. DECLASSIFICATION/DOWNGRADING ICBM Program Office 3. . : 16. DISTRIBUTION STATEMENT (of this Report) echnicah note, UNCLASSIFIED/UNLIMITED 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) 20. ABSTRACT (Continue on reverse side if necessary and identity by block number) DD 1 JAN 73 1473. EDITION OF I NOV 65 IS OBSOLETE SECURITY CLASSIFICATION OF THIS PAGE (When Date Enter-Concert Allino