

AD-A051 996

NATIONAL AVIATION FACILITIES EXPERIMENTAL CENTER ATL--ETC F/G 5/8
DEVELOPMENT OF VOCABULARY FOR DEMONSTRATION OF SPEECH CONCATENATION--ETC(U)
MAR 78 E SHOCHET

UNCLASSIFIED

FAA-NA-77-43

FAA-RD-77-164

NL

| of |
AD
A051996



END
DATE
FILMED
5 - 78
DDC

Report No. FAA-RD-77-164

12
5c

AD A 051 996

DEVELOPMENT OF VOCABULARY FOR DEMONSTRATION OF SPEECH CONCATENATION SYSTEM

Ephraim Shochet

AD No. _____
DDC FILE COPY



MARCH 1978

DDC
MAR 27 1978
RECEIVED
F

INTERIM REPORT

Document is available to the public through the
National Technical Information Service
Springfield, Virginia 22151

Prepared for



U. S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION
Systems Research & Development Service
Washington, D.C. 20590

NOTICE

The United States Government does not endorse products or manufacturers. Trade or manufacturer's names appear herein solely because they are considered essential to the object of this report.

METRIC CONVERSION FACTORS

Approximate Conversions to Metric Measures				Approximate Conversions from Metric Measures			
Symbol	When You Know	Multiply by	To Find	Symbol	When You Know	Multiply by	To Find
LENGTH							
in	inches	2.5	centimeters	mm	millimeters	0.04	inches
ft	feet	30	centimeters	cm	centimeters	0.4	inches
yd	yards	0.9	meters	m	meters	3.3	feet
mi	miles	1.6	kilometers	km	kilometers	0.6	miles
AREA							
in ²	square inches	6.5	square centimeters	cm ²	square centimeters	0.16	square inches
ft ²	square feet	0.09	square meters	m ²	square meters	1.2	square yards
yd ²	square yards	0.8	square meters	km ²	square kilometers	0.4	square miles
mi ²	square miles	2.6	square kilometers	ha	hectares (10,000 m ²)	2.5	acres
MASS (weight)							
oz	ounces	28	grams	g	grams	0.035	ounces
lb	pounds (2000 lb)	0.45	kilograms	kg	kilograms	2.2	pounds
		0.9	tonnes	t	tonnes (1000 kg)	1.1	short tons
VOLUME							
teaspoon	teaspoons	5	milliliters	ml	milliliters	0.03	fluid ounces
fl oz	fluid ounces	30	milliliters	l	liters	2.1	pints
c	cups	0.24	liters	l	liters	1.06	quarts
pt	pints	0.47	liters	m ³	cubic meters	35	gallons
qt	quarts	0.96	liters	m ³	cubic meters	1.3	cubic feet
gal	gallons	3.8	cubic meters	m ³	cubic meters		cubic yards
ft ³	cubic feet	0.03					
yd ³	cubic yards	0.76					
TEMPERATURE (exact)							
°F	Fahrenheit temperature	5/9 (after subtracting 32)	Celsius temperature	°C	Celsius temperature	9/5 (then add 32)	Fahrenheit temperature



*1 in = 2.54 exactly. For other exact conversions and more detailed tables, see NBS Misc. Publ. 286, Units of Weight and Measure, Price \$2.25, SD Catalog No. C13.0-286.

Technical Report Documentation Page

1. Report No. 18 19 FAA-RD-77-164	2. Government Accession No.	3. Recipient's Catalog No. 11 12 54p.	
4. Title and Subtitle 6 DEVELOPMENT OF VOCABULARY FOR DEMONSTRATION OF SPEECH CONCATENATION SYSTEM,		5. Report Date March 1978	6. Performing Organization Code
7. Author(s) 10 Ephraim/Shochet	8. Performing Organization Report No. 14 FAA-NA-77-43	9. Performing Organization Name and Address Federal Aviation Administration National Aviation Facilities Experimental Center Atlantic City, New Jersey 08405	
12. Sponsoring Agency Name and Address U.S. Department of Transportation Federal Aviation Administration Systems Research and Development Service Washington, D.C. 20590	10. Work Unit No. (TRAIS)	11. Contract or Grant No. 131-401-234	13. Type of Report and Period Covered 9 Interim rept. January 1976-November 1977.
14. Sponsoring Agency Code			
15. Supplementary Notes			
16. Abstract <p>The purpose of this report is to document the development of a full and comprehensive vocabulary of words and phrases (predominately phrases), derived by message analysis of a large sample of verbal output from the New York City Pilots Automatic Telephone Weather Answering Service (PATWAS). This vocabulary is developed to test and evaluate the capability of disseminating PATWAS messages by a prototype speech concatenation system being developed at the National Aviation Facilities Experimental Center (NAFEC). One of the key objectives of the prototype model is to demonstrate the capability of disseminating PATWAS messages by the method of automatic message composition. It is apparent that recently developed digital techniques can enhance the achievement and acceptability of word-concatenated speech, and thus present a future possibility of producing spoken weather reports, and other valuable communication services. A necessary step in the vocabulary preparation phase is the development of a corpus of utterances that represent the linguistic domain for PATWAS messages. This corpus of utterances, entitled "Vocabulary for Demonstration of Speech Concatenation System" is contained in this report. In general, the aim is to provide a full and comprehensive vocabulary designed to include: (1) a message introduction, (2) a winds aloft forecast, (3) hourly observations, (4) flight precautions, (5) synopsis reports, (6) terminal forecasts, (7) route forecasts, and (8) Notices to Airmen (NOTAM's) on a route-oriented basis. The vocabulary as contained in this report will be subject to test and evaluation with the objective of reducing the vocabulary size to the point where it is neither greater than nor less than what is required.</p>			
17. Key Words PATWAS FSS Concatenation	18. Distribution Statement Document is available to the U.S. public through the National Technical Information Service, Springfield, Virginia 22161		
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 49	22. Price

PREFACE

Acknowledgement is given to Mary Mancuso, Doris Westervelt, and other members of the Data Preparation Section, ANA-245, for their valuable assistance in developing frequency distributions of words and phrases from a large sample of verbal output.

Acknowledgement is given to Florence Champion, ANA-230, for her outstanding assistance in compiling the vocabulary included in this report, and to Arthur Deola and Edwards Hicks, ANA-764B, for assistance rendered in sorting and tabulating the vocabulary. Acknowledgement is also given to David Mark of the Millville Flight Service Station and Adele Stahley of the Philadelphia Flight Service Station for their valuable assistance in improving the vocabulary documented in this report.

We were helped in the preparation of the vocabulary for this report by being able to use the information contained in the position paper, "Recommendations and Options for Reorganizing the Domestic Aviation Forecast Program within the NWS," provided to us by Edward Gross of the National Weather Service Headquarters. We hereby thank Mr. Gross for his assistance. A special thanks to Charles Archambault of the National Weather Service Forecast Office for providing us with formats for synopsis reports which we utilized in this report.

Acknowledgement is given to Edward Boucher who wrote the Program Specification.

ACCESSION for	
IS	White Section <input checked="" type="checkbox"/>
TS	Buff Section <input type="checkbox"/>
ANNOUNCED	<input type="checkbox"/>
SPECIFICATION	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AIL and/or SP/CL
A	

TABLE OF CONTENTS

	Page
INTRODUCTION	1
Purpose	1
Background	1
PROTOTYPE MODEL	2
Functional Description of Prototype Model	2
System Description	3
Advantages	4
AUTOMATIC MESSAGE COMPOSITION	5
Required Characteristics of the Product	5
Voice Output	5
Constraint	6
Introductory Segment	6
Winds Aloft	6
Hourly Observation	7
Terminal Forecast	7
Synopsis	7
Selected NOTAM's	8
Flight Precautions	8
Route Forecast	9
Wind Shear	9
Vocabulary	9
Vocabulary Preparation	10
Consistency of Output	11
Encoding the Message	12
Program Specification	12
VOCABULARY FOR DEMONSTRATION OF SPEECH CONCATENATION SYSTEM	14
Wind Direction	14
Visibility Range	14
Visibility Values	14

PRECEDING PAGE NOT FILMED
BLANK

TABLE OF CONTENTS (Continued)

	Page
Visibility Remarks	15
Weather	15
Lightning	17
Obstructions to Vision	17
Weather and Obstructions to Vision	18
Height Values for Surface Observations	18
Turbulence Intensity and Range	18
Pressure System for Synopsis	19
Pressure Tendencies	19
Sky Condition Remarks	19
VFR/IFR Condition Remarks	20
Conditions	20
Base of Cloud Deck	21
Cloud Bases - Remarks	21
Range of Tops	21
Cloud Top - Remarks	22
Range of Ceilings	23
Ceilings and Visibilities Concurrently	23
Icing Intensity and Type	23
Freezing Level	24
Front	24
Runway Numbers	25
Runway Surface	26
Braking Action	26
Runway Conditions	26
Lights	26
Navigational Aids	27
Introductory Segment	27
Route	27
Area for Winds Aloft Forecast	27
Time for Winds Aloft Forecast	27
Height for Winds Aloft Forecast	27
Date-Time Group	27
Direction	29
Location and Geography	30
Corpus of Numbers	32
Undifferentiated Words and Phrases	37
REFERENCES	44

INTRODUCTION

PURPOSE.

The purpose of this report is to document the development of a full and comprehensive vocabulary of words and phrases (predominantly phrases) derived by message analysis of a large sample of verbal output from the New York City Pilots Automatic Telephone Weather Answering Service (PATWAS). This vocabulary was developed to test and evaluate the capability of disseminating PATWAS messages by a prototype speech concatenation system being developed at the National Aviation Facilities Experimental Center (NAFEC).

BACKGROUND.

The Flight Service Station Modernization Program is directed at an increase in productivity through automation. This program is designed to meet the increasing demand for services (and improved services) to the general aviation fleet without a large expansion of staff. The program will thus largely depend on automation where feasible. The Federal Aviation Administration (FAA) has demonstrated, in more than one trial field installation, that an improved PATWAS will be heavily used by the pilot. In conducting the New York City PATWAS experiment (reference 1), it was demonstrated that an improved PATWAS did transfer workload from the specialist to hardware.

The master plan for the Flight Service Station Modernization Program proposes that a significant share of pilot briefing services be provided by mass dissemination processes.

Provision of aviation weather information to the pilot through mass dissemination provides an acceptable, low-cost alternative to one-on-one briefings much of the time. A specialist can retrieve, assemble, and prepare for dissemination information which will more than adequately serve the needs of a large number of users (with little or no intervention by the specialist) and he is thereby freed to perform other important tasks, without interruption. If the mass weather dissemination system is intelligently designed and properly deployed, user needs can be better met and there can also be greater productivity at a given staffing level.

The Systems Research and Development Service (SRDS) has asked NAFEC to develop and test the application of digital technology to the mass dissemination of aviation weather and aeronautical information. The end product of this effort will be a prototype model compatible with Flight Service Station (FSS) modernization and capable of (1) providing the reliability of modern-day solid-state equipment, (2) transferring specialist workload to system equipment, (3) providing natural-sounding speech messages, (4) providing synchronous access to multiple messages, (5) assigning any message to any one of the telephone lines.

The application of digital techniques is primarily aimed at providing a natural-sounding voice audio output. The primary reason for this is that telephone and radio are the two most easily accessible devices to the aviation users. The pilot should not be required to purchase, make available, or carry with him any other device in order to obtain necessary weather information. From the FSS specialist viewpoint, the application of digital techniques can provide him with the capability to record, update, and retrieve weather data much quicker and easier than with magnetic tape/drum. Weather data, being in digital form, will be available for fast-time updating and handling.

PROTOTYPE MODEL

FUNCTIONAL DESCRIPTION OF PROTOTYPE MODEL.

The prototype model being developed at NAFEC will demonstrate the following capability. The system will be designed to:

1. Provide one number access to each of five messages (maximum of 10 minutes each) through any 1 of 20 telephone lines.
2. Provide message selection by way of an utterance recognition device capable of handling eight callers simultaneously.
3. Provide noninterfering rapid message update.
4. Service 20 telephone lines simultaneously, with any mix of message to line, and with no discontinuity of message presentation.
5. Provide for manual and automatic message composition and update.
6. Provide for the delivery of a message from its beginning every time that message is requested.
7. Provide natural-sounding speech.

The design objective of the system is to provide the pilot with one call service. The engineering model will provide each of five briefings to any of 20 telephone lines in any mix of briefing to line. The major system components are: (a) a digital computer, (b) a disc message storage unit, (c) an encoder for converting the spoken word to a digital representation, (d) a decoder for reconstructing the spoken word from the digital representation, (e) a system switching unit which connects the pilot to the recorded briefing, a flight plan recorder, or an FSS specialist, and (f) an utterance recognition device (URD) programmed to recognize each of 25 separate words on eight telephone lines simultaneously.

SYSTEM DESCRIPTION.

It is envisioned that the prototype system to be demonstrated will function in the following manner:

Upon being connected to the system, the pilot is presented with an introductory message and is offered three options; namely, to be presented with a weather briefing, to file a flight plan, or to speak to a specialist.

Upon completing the introduction, the computer tells the URD to issue a cue tone and to listen for the subset of utterances, "briefing," "file," and "specialist."

If the pilot says "briefing," the URD recognizes this utterance and sends a unique code to the computer. The computer starts a message telling the pilot he can select from a North, South, East, or West route oriented briefing or a general local area briefing by saying the appropriate word at the cue tone. The computer then tells the URD to issue a cue tone and to listen for the subset of utterances North, South, East, West, or local.

If the pilot says "North," the URD recognizes this utterance and sends a "North" code to the computer. The computer then causes the north route oriented briefing to be read to the pilot.

At the completion of the briefing, the system asks the pilot if he wishes to file a flight plan or speak to a specialist. The computer then tells the URD to issue a cue tone and to listen for the subset "briefing," "file," and "specialist." If the pilot says "specialist," the URD will recognize the word and send the "specialist" code to the computer. The computer will then direct the connection of the pilot to an FSS specialist. It is expected that the informed pilot will occupy very little of the specialist's time.

Upon completion of the transaction, the specialist asks the pilot if he wishes to file a flight plan. If the pilot says "Yes," the specialist asks the pilot to speak his flight plan following the cue tone and reconnects the pilot to the system.

A cue tone is issued and the pilot records his flight plan. At the completion of the flight plan filing, the system recognizes silence and then asks the pilot if he wishes the flight plan read back to him. The computer tells the URD to issue a cue tone and to listen for the subset "Yes" and "No."

If the pilot says "Yes," the URD sends the "Yes" code to the computer which tells the flight plan recorder to rewind and play the last recording. The system then asks the pilot if he wants to file as read. The computer tells the URD to issue a cue tone and to listen for the subset "Yes" and "No." If the pilot says "Yes" the URD recognizes this utterance and sends the "Yes" code to the computer which then completes the pilot's transaction with, "Thank you, have a good flight" (figure 1).




FIGURE 1. PROTOTYPE MASS DISSEMINATION SYSTEM

ADVANTAGES.

The important advantages to be gained through the development of the prototype system are as follows:

- (1) Multiple message storage, (2) Message composition at the smallest reporting entity (i.e., terminal forecast (FT) for Washington, D.C. (DCA) or surface observation report (SA) for Philadelphia (PHL), (3) Rapid, noninterfering message update, (4) Natural-sounding voice, (5) Automatic message composition via phrase and qualifier/quantifier inserts, (6) Elimination of message-dedicated telephone lines, (7) Acquisition of message at the beginning, (8) Line use is caller determined, (9) One telephone number access, (10) Economical message preparation, (11) Maximum utilization of telephone lines, (12) Significant decrease in data communication load through automatic message composition, (13) Capability of expansion to include other functions as flight plan filing (fast file), (14) Greater consistency and control over the format, organization, terminology, sentence structure, and delivery of PATWAS messages.

AUTOMATIC MESSAGE COMPOSITION

One of the key objectives of the prototype model is to demonstrate the capability of disseminating PATWAS messages by the method of automatic message composition. It is apparent that recently developed digital techniques can enhance the achievement and acceptability of word-concatenated speech, and thus present a future possibility of producing spoken weather reports and other valuable communication services.

The system is based on the concatenation of natural speech. A digitized voice system will be used to represent and process PATWAS vocabulary elements by automatic message composition. An analog-to-digital converter will change the PATWAS vocabulary elements to digital form. Vocabulary elements will be stored in digital memory. The digital representation of the desired output message will be formed by the message composition system which locates the required vocabulary elements and concatenates them in the proper sequence. The digital-to-analog converter will then change the digital representation to an analog signal.

The Interdata 7/32 procured for the FSS laboratory will also be used as a central processing unit for the automatic message composition system. Additional hardware has been procured specifically for the automatic message composition effort. The major items for this effort include the disk units and controllers.

REQUIRED CHARACTERISTICS OF THE PRODUCT.

There is a difference between speech that is intelligible and speech that sounds natural. Natural-sounding speech contains distinctive rhythmic and melodic patterns. Virtually every sentence that is spoken in English contains a succession of distinctive pitch contours and intonation patterns (prosody). All PATWAS weather reports are spoken with prosodic cues; the absence of prosody gives speech an unnatural quality. While speech may be intelligible without sounding natural, natural-sounding speech can foster semantic reception of sentence-length utterances. It is apparent that stress and tone phenomena affect acoustic decoding by providing suggestive cues to the listener. Olive and Nakatani have pointed out that "lack of continuity and prosody make all the words in the sentence sound equally prominent, and thus places the entire burden of assessing the relative importance of the individual words on the listener" (reference 2). In addition, the quality and naturalness of speech utterances have a significant effect on both the usefulness and user acceptability (reference 3). Therefore, the required characteristics of the product will be speech that is both highly intelligible and natural sounding.

VOICE OUTPUT.

The PATWAS message, although replete with short, choppy phrases, is nevertheless highly contextual. If the message is composed by concatenating isolated word-length utterances with no adjustment for rhythm, timing, and intonation, the voice output will not be highly intelligible or natural sounding. The basic

reason for this is that the prosodic features of individual words are not invariant under transformation of context, but vary according to their relation to other words in the sentence and to the sentence as a whole. "Features of a sound which are distinctive in one position may not be distinctive when the same sound is in another position" (reference 4).

Prosody is an important characteristic of natural speech. When sentences are composed entirely of concatenated isolated words, the speech has a disjointed, expressionless sound. Prosody is therefore an important consideration in the development of speech concatenation systems. The problem is to discover how to join isolated speech segments together so that the result is intelligible and natural sounding. One practical way of gaining a foothold is to go around the problem by very carefully developing a vocabulary of phrases rather than words. In this way it is possible to improve the voice output without getting bogged down in prosodic complications of concatenating isolated words. It is for this reason that a PATWAS vocabulary comprised mostly of phrases rather than isolated words has been developed for test and evaluation of automatic message composition.

The concatenation of whole phrases takes advantage of inherent prosodic features that are lost in the concatenation of isolated words. It is clearly advisable to retain as much inherent prosody as possible rather than dissect a phrase into individual word units and then try to impose the necessary prosodic features from without.

CONSTRAINT.

Another strategy that has been employed in the system design is the reduction in the number of unconstrained inputs. An imposed format for PATWAS messages has been developed for each segment. These formats will be used in the demonstration of automatic message composition. Like the vocabulary, the formats are subject to change or modification. The formats developed are indicated below. It should be noted that patterning of message material helps the receiver to comprehend or decode the message.

INTRODUCTORY SEGMENT

THIS IS THE NATIONAL WEATHER SERVICE OFFICE AT LAGUARDIA AIRPORT WITH A RECORDING OF AVIATION WEATHER FOR ROUTE. ALL TIMES ARE GREENWICH MEAN TIME.

WINDS ALOFT

THE WINDS ALOFT FORECAST FOR AREA, TIME, HEIGHT, DIRECTION, SPEED.

HOURLY OBSERVATION

THE FOLLOWING ARE THE OBSERVATIONS TAKEN AT ____ GREENWICH MEAN TIME WHICH IS ____ LOCAL TIME, STATION, SKY CONDITION AND CEILING, VISIBILITY ____, WEATHER AND OBSTRUCTIONS TO VISION, TEMPERATURE ____, DEW POINT ____, WIND ____, ALTIMETER SETTING ____, REMARKS.

TERMINAL FORECAST

STATION, UNTIL TIME SKY AND CEILING, VISIBILITY ____, WEATHER AND OBSTRUCTIONS TO VISION, WIND ____, REMARKS, FROM TIME UNTIL TIME, SKY AND CEILING, VISIBILITY ____, WEATHER AND OBSTRUCTION TO VISION, WIND ____, REMARKS. FROM TIME UNTIL TIME, SKY AND CEILING, VISIBILITY ____, WEATHER AND OBSTRUCTION TO VISION, WIND ____, REMARKS. SIX HOUR OUTLOOK AFTER TIME ____.

SYNOPSIS

(COLD/WARM/OCCLUDED FRONT) FRONT ALONG A LINE FROM LOCATION TO LOCATION, MOVING DIRECTION ABOUT SPEED TO A POSITION ALONG A LINE FROM LOCATION TO LOCATION BY TIME.

(DISSIPATING FRONT) FRONT FROM LOCATION TO LOCATION WILL DISSIPATE BY TIME.

(FRONT BECOMING STATIONARY) FRONT LOCATION TO LOCATION WILL BECOME STATIONARY BY TIME.

(STATIONARY FRONT) FRONT FROM LOCATION TO LOCATION WILL DRIFT TO A POSITION NEAR LOCATION TO LOCATION BY TIME.

(WEAKENING FRONT-BECOMING STATIONARY) FRONT FROM LOCATION TO LOCATION WILL CONTINUE MOVING SLOWLY DIRECTION AND BECOME STATIONARY ALONG A LINE FROM LOCATION TO LOCATION BY TIME.

(WEAKENING FRONT-DECREASING) FRONT FROM LOCATION TO LOCATION WILL CONTINUE TO DECELERATE AND WEAKEN BECOMING STATIONARY ALONG A LINE FROM LOCATION TO LOCATION BY TIME.

(HIGH AND LOW PRESSURE) PRESSURE SYSTEM CENTERED OVER LOCATION WILL MOVE DIRECTION ABOUT SPEED TO A POSITION NEAR LOCATION TO LOCATION BY TIME.

(RIDGE AND TROUGH) RIDGE/TROUGH, POSITION FROM LOCATION TO LOCATION MOVING DIRECTION ABOUT SPEED TO NEAR LOCATION TO LOCATION BY TIME.

(CIRCULATION FLOW) DIRECTION OF FLOW, OF TYPE OVER THE FORECAST AREA UNTIL TIME.

SELECTED NOTAM'S

STATION, NAVIGATION/LIGHTING AID, CONDITION.

(OBSTRUCTION LIGHTS) STATION, TYPE, HEIGHT, DISTANCE/DIRECTION, CONDITION.

(BRAKING ACTION) STATION, RUNWAY BRAKING ACTION IS NIL.

(COMMISSIONING OR DECOMMISSIONING OF LANDING AREA) STATION, RUNWAY, STATUS, SURFACE, LIGHTING, LENGTH, BY WIDTH.

(SNOW/SLUSH/WATER CONDITIONS) STATION, RUNWAY IS COVERED BY CONDITION TO A DEPTH OF INCHES/FEET, STATUS.

(RUNWAY RESTRICTIONS) STATION, RUNWAY, RESTRICTION, FROM TIME TO TIME.

(HOURS OF OPERATION) STATION CONTROL ZONE FROM TIME TO TIME ON DAYS OF WEEK.

STATION AIR TRAFFIC CONTROL TOWER IN OPERATION FROM TIME TO TIME ON DAYS OF WEEK, FREQUENCY THROUGH DATE.

FLIGHT PRECAUTIONS

TYPE, NUMBER, FLIGHT PRECAUTIONS ARE RECOMMENDED FOR LOCATION FOR WEATHER CONDITION. CONTINUE ADVISORY BEYOND TIME.

ROUTE FORECAST

THE FORECAST OVER THE ROUTE FROM ROUTE, TIME, CLOUD COVER AMOUNT, BASES
REMARKS PERTAINING TO BASES, TOPS, REMARKS PERTAINING TO TOPS, IN-FLIGHT
VISIBILITY, IN-FLIGHT WEATHER, CONVECTIVE ACTIVITY, FREEZING LEVEL, ICING,
TYPE TURBULENCE, HEIGHT OF TURBULENCE.

WIND SHEAR

LOW-LEVEL WIND SHEAR IS EXPECTED AT ____ FROM ____ GREENWICH MEAN TIME TO ____
GREENWICH MEAN TIME. WINDS BELOW SHEAR ZONE FROM ____ DEGREES AT ____ KNOTS,
AND WINDS ABOVE SHEAR ZONE FROM ____ DEGREES AT ____ KNOTS.

The practical usefulness of a digital automatic message composition system is a function of a number of important variables. For instance, it will depend in a very large measure on the existence of linguistic and contextual constraints in the message to be communicated. Too much variety or diversity in the message will make the task unmanageable and the outcome ineffective.

One useful way of coping with message variety is through the utilization of constraint. As Ashby noted, "when a constraint exists, advantage can usually be taken of it" (reference 5). There are several types of constraints that are inherent in the PATWAS message system. The existence of a large number of repetitive phrases constitutes one kind of constraint that has been exploited. The finite set of utterances that constitutes the PATWAS vocabulary is another. The predetermined format for various message segments and the relative stability or invariableness of the basic vocabulary are also important constraints. In addition, there are discernible phonetic and syntactic patterns which further constrain the message. It should be noted, however, that despite the existence of these constraints and others that will be imposed, there is enough variety in the message, especially in the route forecast segment, to pose a formidable challenge to the construction of a fully automatic system.

VOCABULARY. A necessary step in the vocabulary preparation phase was the development of a corpus of utterances that represents the linguistic domain for PATWAS messages. This corpus of utterances, entitled Vocabulary for Demonstration of Speech Concatenation System is contained in this report. In general, the aim was to provide a full and comprehensive vocabulary designed to include (1) a message introduction, (2) a winds aloft forecast, (3) hourly observations, (4) flight precautions, (5) synopsis reports, (6) terminal forecasts, (7) route forecasts, and (8) Notices to Airmen (NOTAM's) on a route-oriented basis. The vocabulary used to demonstrate the capability of

disseminating PATWAS messages by automatic message composition was derived from an analysis of messages disseminated by the improved PATWAS located at La Guardia Airport. It should be noted, however, that with the exception of geographical nomenclature, the vocabulary is applicable to any PATWAS location.

The vocabulary was developed by using content analysis procedures of PATWAS messages. Content analysis is defined as "a method of studying and analyzing communications in a systematic, objective, and quantitative manner for the purpose of measuring variables" (reference 6). Content categories were used to determine not only the domain of utterances but a frequency distribution of words and phrases. The major unit of analysis was the phrase, for reasons discussed earlier. The message sample types subjected to content analysis study included the following:

Winds Aloft	150 messages
Hourly Observations	1,950 messages
Terminal Forecast	825 messages
Synopsis	200 messages
Selected NOTAM's	3,520 messages
Flight Precautions	750 messages
Route Forecast	550 messages

These message types encompass seasonal variation and an appreciable amount of weather phenomena. The words and phrases chosen from these message types for the vocabulary exhibit a marked degree of stability. Phrase detection was based largely on frequency of occurrence. All high-frequency words and phrases were included in the vocabulary.

It should be noted that the vocabulary as contained in this report will be tested and evaluated with the objective of reducing the vocabulary size to the point where it is neither greater than nor less than what is required. Economy of language is an important factor in the development of the vocabulary. The objective is to achieve the result with a minimum of words and phrases.

VOCABULARY PREPARATION.

Many variable entries in the message formats will be prerecorded in context to help achieve natural cadence, stress, and inflection. This will be accomplished by the use of an electronic editing system capable of abstracting a single word occurring within a spoken phrase. In addition, The stress and inflectional characteristics of the output speech will be carefully studied for needed improvements. Heuristic probing (trial and error) will be used to arrive at optimal timing between utterances and to find the appropriate stress and pitch assignments in the final product. (Not all problems can be solved algorithmically. Sometimes it is more feasible to obtain a solution by means of heuristic procedures.) In spoken English, words frequently flow or blend into one another with no discernible boundary separating a given word from its

context. A spectrogram of an utterance will often fail to reveal a visible break between words. It appears that a word boundary is determined as much by the context as by the word itself.

CONSISTENCY OF OUTPUT. A recurring criticism of PATWAS is the lack of (1) a standard format and organization of the information, and (2) consistency and control over terminology, sentence structure, and speaking rate or delivery of the message. The effects of this inconsistency and lack of control has been pointed out by K. Hayes in FAA report entitled, "Evaluation of a Sampling of Pilot Automatic Telephone Weather Answering Service (PATWAS)" (reference 7) as follows:

"One of the most serious communication difficulties for pilots is the inaccurate or at least ill-considered placement of transition words or phrases in the sentence. Seemingly a minor detail, yet the existence of the problem makes it very difficult for the pilot to catch the meaning of the sentence until most of its content has already passed. This problem is further complicated by lack of adequate pausing to separate sentence or phrase elements to indicate when a new thought or aspect of a thought is introduced. Stringing phrases together without prepositions, conjunction, or verb cannot help but confuse. A long example, but not the most difficult to interpret by far, is that of a Minneapolis, July 26, at 562, broadcast: virtually without pause--'occasionally below VFR especially over northern half scattered light rain showers improving with scattered light rain showers or thunderstorms after dark becoming 2000 to 4000 scattered above ground level.' The phrase 'over northern half' refers ambiguously to either 'below VFR especially' or to 'scattered light rain showers improving;' similarly 'after dark' does not clearly relate to the 'improving' conditions, particularly not until one has heard the complete idea. Both problems could be corrected by placing operative phrases, which condition the pilot's thinking about what is to follow them, at the beginning of all information to which they refer and pausing to differentiate the two elements: pause after 'northern half' and restructure sentence to read, 'improving after dark' to precede the conditions that are improving. The principle to be applied to these situations is to place words or phrases that indicate a change of the location or time under discussion before the discussion of those conditions. Similarly, in the 'winds aloft' section, the height of measurement should precede the velocity or, alternatively, parallel sentence structure which always puts the height of measurement after the velocity could be used, making the meaning clear although still not as effectively as the first construction."

It should also be noted that long compound sentences make a message difficult to comprehend. For example, the following geographical description, spoken without adequate pause, can make it difficult for the pilot to assimilate all of the information transmitted. "Cold front extending from Eastern Maine southwestward over Central Massachusetts, Central Connecticut, Southeastern New York, Eastern New Jersey, Eastern Maryland, and over Central Virginia."

To correct this problem, the prototype system will be designed with built-in pausal characteristics, and with encoding rules for the preparation of shorter units of geographic description. Inconsistent use of adjectives is another characteristic of the manual system. Automatic message composition of weather messages can ensure the consistent use of adjectives and other parts of speech. In general, the prototype system will be designed to bring more structure to the encoding process without loss of essential variety or information.

ENCODING THE MESSAGE.

The encoding process will be accomplished manually only for the purpose of demonstrating the capability and feasibility of disseminating PATWAS messages through an automatic message composition system. If the prototype system is approved for operational use at PATWAS locations around the country, then the encoding operation would be accomplished by an automatic input system. The encoding operation will be accomplished as follows: An operator will enter a unique code on the keyboard that will display, on a cathode ray tube, the internal structure of a message segment; i.e., "The winds aloft forecast for _____ is at _____ thousand feet, _____ degrees at _____ knots."

The appropriate numeric and descriptive values are then selected, entered, and displayed in context so that the operator can inspect the complete message segment; i.e., "The winds aloft forecast for New York City and a radius of 50 miles is at 12 thousand feet two three zero degrees at one five knots."

If the message segment is free from error, the operator places it in temporary storage. When all of the message segments are complete, the operator issues the command to enter the message for dissemination.

The encoding operation will be accomplished using a system of mnemonics rather than long menu lists that would be cumbersome and time-consuming.

PROGRAM SPECIFICATION.

Associated with each of the utterances and phrases will be a discrete item tag. The item tag will be identified with the data base having the start location within the data base and the number of blocks (or number of characters). All of the item tags will be contained in one file called the Communications Tag Pool. To differentiate between the fixed phrases and the changing data, a \$ will be used as the first character of the fixed phrases.

Two data bases and Communications Tag Pools will be established to facilitate ease of use and flexibility, the first being a voice representation of the utterances, the second, a ASCII file of utterances. This would allow a print out of the briefing as well as the voice files.

The entire ASCII vocabulary will be prepared on cards with the item tag punched in columns 1 through 8 and the vocabulary punched in columns 10 through 80 with continuation on the next card if punched in column 9. After the vocabulary has been read in, the voice data will then be entered by inputting the item tag and then the voice representation. This would establish the voice data base and ASCII data base to be used in the concatenation phase.

Five different briefing file (NORTH, SOUTH, EAST, WEST, AND LOCAL) with eight elements within each file may be addressed and changed. The operator must first indicate the file and element desired and then enter the fixed phrases with eight character blanks representing the inserts for the concatenation. This may also be prepared on cards and read in by the card reader.

The concatenation would be accomplished by addressing the file and element that contains all of the item tags for the fixed phrases with blanks indicating an insert. The file will be displayed on the CRT showing the blank for the insert. The operator would then enter the item tag of the utterance desired and the tag will be placed in with the fixed phrases. When operational changes are needed, the program would differentiate the fixed phrases from the variable utterances by a \$ as the first character in the item tag. This allows continuous changing of the utterance item tags as the weather changes. When the files are satisfactory they are released to the Mass Weather Briefing program that allows pilots to hear the updated briefing.

VOCABULARY FOR DEMONSTRATION OF SPEECH CONCATENATION SYSTEM

WIND DIRECTION

ZERO ONE ZERO DEGREES AT
ZERO TWO ZERO DEGREES AT
ZERO THREE ZERO DEGREES AT
ZERO FOUR ZERO DEGREES AT
ZERO FIVE ZERO DEGREES AT
ZERO SIX ZERO DEGREES AT
ZERO SEVEN ZERO DEGREES AT
ZERO EIGHT ZERO DEGREES AT
ZERO NINER ZERO DEGREES AT
ONE ZERO ZERO DEGREES AT
ONE ONE ZERO DEGREES AT
ONE TWO ZERO DEGREES AT
ONE THREE ZERO DEGREES AT
ONE FOUR ZERO DEGREES AT
ONE FIVE ZERO DEGREES AT
ONE SIX ZERO DEGREES AT
ONE SEVEN ZERO DEGREES AT
ONE EIGHT ZERO DEGREES AT
ONE NINER ZERO DEGREES AT
TWO ZERO ZERO DEGREES AT
TWO ONE ZERO DEGREES AT
TWO TWO ZERO DEGREES AT
TWO THREE ZERO DEGREES AT
TWO FOUR ZERO DEGREES AT
TWO FIVE ZERO DEGREES AT
TWO SIX ZERO DEGREES AT
TWO SEVEN ZERO DEGREES AT
TWO EIGHT ZERO DEGREES AT
TWO NINER ZERO DEGREES AT
THREE ZERO ZERO DEGREES AT
THREE ONE ZERO DEGREES AT
THREE TWO ZERO DEGREES AT
THREE THREE ZERO DEGREES AT
THREE FOUR ZERO DEGREES AT
THREE FIVE ZERO DEGREES AT
THREE SIX ZERO DEGREES AT

VISIBILITY RANGE

VISIBILITY BELOW ONE MILE
VISIBILITY BELOW THREE MILES
VISIBILITY THREE TO FIVE MILES
VISIBILITY FOUR TO SIX MILES
VISIBILITY FIVE TO SEVEN MILES
VISIBILITY MORE THAN SEVEN MILES
VISIBILITY LESS THAN FIVE MILES AND RESTRICTED BELOW THREE THOUSAND FEET
VISIBILITY LESS THAN FIVE MILES AND RESTRICTED BELOW FIVE THOUSAND FEET
VISIBILITY LESS THAN FIVE MILES AND RESTRICTED BELOW TEN THOUSAND FEET
VISIBILITY GREATER THAN FIVE MILES BUT RESTRICTED BELOW THREE THOUSAND FEET
VISIBILITY GREATER THAN FIVE MILES BUT RESTRICTED BELOW FIVE THOUSAND FEET
VISIBILITY GREATER THAN FIVE MILES BUT RESTRICTED BELOW TEN THOUSAND FEET

VISIBILITY VALUES

VISIBILITY ZERO
VISIBILITY ONE SIXTEENTH
VISIBILITY ONE EIGHTH
VISIBILITY THREE SIXTEENTHS
VISIBILITY ONE QUARTER
VISIBILITY FIVE SIXTEENTHS
VISIBILITY THREE EIGHTHS
VISIBILITY ONE HALF
VISIBILITY FIVE EIGHTHS

VISIBILITY THREE QUARTERS
 VISIBILITY SEVEN EIGHTHS
 VISIBILITY ONE
 VISIBILITY ONE AND ONE EIGHTH
 VISIBILITY ONE AND ONE QUARTER
 VISIBILITY ONE AND THREE EIGHTHS
 VISIBILITY ONE AND ONE HALF
 VISIBILITY ONE AND FIVE EIGHTHS
 VISIBILITY ONE AND THREE QUARTERS
 VISIBILITY ONE AND SEVEN EIGHTHS
 VISIBILITY TWO
 VISIBILITY TWO AND ONE QUARTER
 VISIBILITY TWO AND ONE HALF
 VISIBILITY THREE
 VISIBILITY FOUR
 VISIBILITY FIVE
 VISIBILITY SIX
 VISIBILITY SEVEN
 VISIBILITY EIGHT
 VISIBILITY NINER
 VISIBILITY ONE ZERO
 VISIBILITY ONE ONE
 VISIBILITY ONE TWO
 VISIBILITY ONE THREE
 VISIBILITY ONE FOUR
 VISIBILITY ONE FIVE
 VISIBILITY ONE FIVE PLUS
 VISIBILITY TWO ZERO
 VISIBILITY TWO FIVE
 VISIBILITY THREE ZERO
 VISIBILITY THREE FIVE
 VISIBILITY FOUR ZERO
 VISIBILITY FOUR FIVE
 VISIBILITY FIVE ZERO
 VISIBILITY FIVE FIVE
 VISIBILITY SIX ZERO
 VISIBILITY SIX FIVE
 VISIBILITY SEVEN ZERO
 VISIBILITY SEVEN FIVE
 VISIBILITY EIGHT ZERO
 VISIBILITY EIGHT FIVE
 VISIBILITY NINER ZERO

VISIBILITY REMARKS

GROUND VISIBILITY
 VISIBILITY AT OR BELOW
 VISIBILITY BELOW
 VISIBILITY BETWEEN
 VISIBILITY DECREASING
 VISIBILITY DECREASING RAPIDLY
 VISIBILITY FREQUENTLY
 VISIBILITY GENERALLY UNRESTRICTED
 VISIBILITY IMPROVING TO
 VISIBILITY INCREASING
 VISIBILITY INCREASING RAPIDLY
 VISIBILITY LOWERING TO NEAR
 VISIBILITY NEAR
 VISIBILITY OCCASIONALLY NEAR
 VISIBILITY OVER
 VISIBILITY UNRESTRICTED
 VISIBILITY VARIABLE

WEATHER

A LINE OF THUNDERSTORMS
 BECOMING ALL RAIN
 BECOMING MIXED WITH RAIN
 BECOMING MIXED WITH SNOW
 BEGINNING OF PRECIPITATION
 BLIZZARD
 CELLS DISSIPATING
 CELLS MOVING
 CELLS NEARING SEVERE LIMITS
 CHANCE LOCALLY OF EMBEDDED THUNDERSTORMS
 CHANCE LOCALLY OF SEVERE THUNDERSTORMS
 CHANCE OF A BRIEF SHOWER
 CHANCE OF A THUNDERSTORM
 CHANCE OF BRIEF SNOW SHOWERS
 CHANCE OF FREEZING RAIN OR SLEET
 CHANCE OF HEAVY RAIN SHOWERS
 CHANCE OF HEAVY SNOW SHOWERS
 CHANCE OF ISOLATED THUNDERSTORMS
 CHANCE OF LIGHT RAIN SHOWERS
 CHANCE OF LIGHT SNOW OR SNOW FLURRIES
 CHANCE OF LIGHT SNOW SHOWERS
 CHANCE OF OCCASIONAL HEAVY RAIN SHOWERS
 CHANCE OF OCCASIONAL HEAVY SNOW SHOWERS
 CHANCE OF OCCASIONAL LIGHT RAIN SHOWERS
 CHANCE OF OCCASIONAL LIGHT SNOW SHOWERS
 CHANCE OF OCCASIONAL RAIN OR SNOW SHOWERS
 CHANCE OF OCCASIONAL RAIN SHOWERS
 CHANCE OF OCCASIONAL SNOW FLURRIES
 CHANCE OF OCCASIONAL SNOW SHOWERS
 CHANCE OF RAIN DEVELOPING
 CHANCE OF RAIN SHOWERS
 CHANCE OF SNOW SHOWERS
 CHANCE OF THUNDERSHOWERS
 CHANCE OF THUNDERSTORMS
 CHANCE OF THUNDERSTORMS AND RAIN SHOWERS
 CHANGING TO RAIN
 CHANGING TO SNOW SHOWERS
 CYCLONE
 DEVELOPING SNOW SHOWERS
 DRIZZLE
 EMBEDDED SEVERE THUNDERSTORMS
 EMBEDDED THUNDERSTORMS
 ENDING OF PRECIPITATION
 FEW SHOWERS
 FEW THUNDERSTORMS
 FLURRY
 FLURRIES
 FREEZING DRIZZLE
 FREEZING PRECIPITATION
 FREEZING RAIN
 FREQUENT THUNDERSTORMS
 FROST
 FUNNEL CLOUD
 HAIL
 HAILSTONES
 HEAVY DRIZZLE
 HEAVY FREEZING DRIZZLE
 HEAVY FREEZING RAIN
 HEAVY ICE PELLET SHOWERS
 HEAVY ICE PELLETS
 HEAVY RAIN
 HEAVY RAIN SHOWERS
 HEAVY SNOW
 HEAVY SNOW SHOWERS
 HURRICANE

ICE CRYSTALS
 ICE PELLET SHOWERS
 ICE PELLETS
 IN DRIZZLE
 IN FEW SHOWERS
 IN FEW THUNDERSTORMS
 IN FREEZING DRIZZLE
 IN FREEZING PRECIPITATION
 IN FREEZING RAIN
 IN HAIL
 IN HEAVIER PRECIPITATION
 IN HEAVY DRIZZLE
 IN HEAVY FREEZING RAIN
 IN HEAVY ICE PELLET SHOWERS
 IN HEAVY ICE PELLETS
 IN HEAVY RAIN
 IN HEAVY RAIN SHOWERS
 IN HEAVY SNOW
 IN HEAVY SNOW SHOWERS
 IN ICE PELLETS
 IN INTERMITTENT RAIN
 IN INTERMITTENT RAIN SHOWERS
 IN INTERMITTENT SHOWERS
 IN INTERMITTENT SNOW
 IN INTERMITTENT SNOW FLURRIES
 IN LIGHT DRIZZLE
 IN LIGHT FREEZING RAIN
 IN LIGHT ICE PELLET SHOWERS
 IN LIGHT ICE PELLETS
 IN LIGHT PRECIPITATION
 IN LIGHT RAIN
 IN LIGHT RAIN AND LIGHT SNOW
 IN LIGHT RAIN, LIGHT SNOW AND ICE PELLETS
 IN LIGHT RAIN SHOWERS
 IN LIGHT RAIN SHOWERS AND SNOW SHOWERS
 IN LIGHT SNOW
 IN LIGHT SNOW AND ICE PELLETS
 IN LIGHT SNOW FLURRIES
 IN LIGHT SNOW SHOWERS
 IN NUMEROUS SHOWERS
 IN NUMEROUS THUNDERSTORMS
 IN OCCASIONAL RAIN
 IN OCCASIONAL RAIN SHOWERS
 IN OCCASIONAL SNOW
 IN PRECIPITATION
 IN RAIN
 IN RAIN AND SNOW
 IN RAIN CHANGING TO SNOW
 IN RAIN MIXED WITH FREEZING RAIN
 IN RAIN OR SNOW
 IN RAIN SHOWERS
 IN RAIN SHOWERS AND THUNDERSTORMS
 IN RAIN SHOWERS OR THUNDERSTORMS
 IN SCATTERED SHOWERS
 IN SCATTERED SNOW SHOWERS
 IN SCATTERED THUNDERSTORMS
 IN SHOWERS
 IN SHOWERS AND THUNDERSTORMS
 IN SHOWERS OR THUNDERSTORMS
 IN SNOW
 IN SNOW FLURRIES
 IN SNOW SHOWERS
 IN THE VICINITY OF THUNDERSTORMS
 IN THUNDERSTORMS
 INTERMITTENT PRECIPITATION
 INTERMITTENT RAIN
 INTERMITTENT RAIN SHOWERS
 INTERMITTENT SNOW

INTERMITTENT SNOW FLURRIES
 ISOLATED EMBEDDED THUNDERSTORMS
 ISOLATED SEVERE THUNDERSTORMS
 ISOLATED THUNDERSTORMS
 LIGHT DRIZZLE
 LIGHT FREEZING RAIN
 LIGHT ICE PELLET SHOWERS
 LIGHT ICE PELLETS
 LIGHT PRECIPITATION
 LIGHT RAIN
 LIGHT RAIN AND LIGHT SNOW
 LIGHT RAIN, LIGHT SNOW AND ICE PELLETS
 LIGHT RAIN SHOWERS
 LIGHT RAIN SHOWERS AND SNOW SHOWERS
 LIGHT SNOW
 LIGHT SNOW AND ICE PELLETS
 LIGHT SNOW FLURRIES
 LIGHT SNOW SHOWERS
 MIXED PRECIPITATION
 MIXED PRECIPITATION - RAIN SNOW SLEET
 NUMEROUS SHOWERS
 NUMEROUS THUNDERSTORMS
 OCCASIONAL DRIZZLE
 OCCASIONAL EMBEDDED THUNDERSTORMS
 OCCASIONAL LIGHT RAIN
 OCCASIONAL LIGHT RAIN SHOWERS
 OCCASIONAL LIGHT RAIN SHOWERS AND SNOW SHOWERS
 OCCASIONAL LIGHT SNOW
 OCCASIONAL PRECIPITATION
 OCCASIONAL RAIN
 OCCASIONAL RAIN SHOWERS
 OCCASIONAL SEVERE THUNDERSTORMS
 OCCASIONAL SNOW
 OCCASIONAL SNOW FLURRIES
 OCCASIONAL THUNDERSTORMS
 POSSIBLE THUNDERSTORMS
 POSSIBLE TORNADOS
 POSSIBLY FORMING IN LINES AND CLUSTERS
 PRECIPITATION
 RAIN
 RAIN AND SNOW
 RAIN BEGAN
 RAIN CHANGING TO SNOW
 RAIN ENDED
 RAIN MIXED WITH FREEZING RAIN
 RAIN OR SNOW
 RAIN SHOWER
 RAIN SHOWERS
 RAIN SHOWERS AND THUNDERSTORMS
 RAIN SHOWERS OR THUNDERSTORMS
 RAINFALL
 SCATTERED EMBEDDED THUNDERSTORMS
 SCATTERED RAIN SHOWERS
 SCATTERED SEVERE THUNDERSTORMS
 SCATTERED SHOWERS
 SCATTERED SNOW SHOWERS
 SCATTERED THUNDERSTORMS
 SEVERE LOCAL STORMS
 SEVERE THUNDERSTORM
 SEVERE THUNDERSTORMS
 SHOWER
 SHOWERS
 SHOWERS CHANGING TO FLURRIES
 SHOWERS DEVELOPING
 SLEET
 SLEET SHOWERS
 SLIGHT CHANCE OF HEAVY SNOW SHOWERS
 SLIGHT CHANCE OF LIGHT SNOW SHOWERS
 SLIGHT CHANCE OF SNOW SHOWERS

SMALL HAIL
 SNOW
 SNOW BEGAN
 SNOW CHANGING TO RAIN
 SNOW DEVELOPING
 SNOW ENDED
 SNOW FLURRIES
 SNOW GRAINS
 SNOW PELLETS
 SNOW SHOWERS
 SNOWFALL
 SNOWFLAKE
 SNOWING
 SQUALL
 SQUALL LINE
 SQUALLS
 STORM
 STORMS
 SUNSHINE
 THUNDER
 THUNDERHEAD
 THUNDERSQUALLS
 THUNDERSHOWER
 THUNDERSHOWERS
 THUNDERSTORM
 THUNDERSTORM ACTIVITY SPREADING
 THUNDERSTORM AND RAIN SHOWER
 THUNDERSTORM DIMINISHING
 THUNDERSTORM EXTENDING FROM
 THUNDERSTORM POSSIBLY FORMING
 THUNDERSTORMS
 THUNDERSTORMS AND POSSIBLE TORNADOS
 THUNDERSTORMS AND RAIN
 THUNDERSTORMS AND RAIN SHOWERS
 THUNDERSTORMS DEVELOPING
 THUNDERSTORMS DIMINISHING
 THUNDERSTORMS EXTENDING FROM
 THUNDERSTORMS IN LINES AND CLUSTERS
 THUNDERSTORMS POSSIBLY FORMING
 TORNADO
 TORNADOS
 TROPICAL CYCLONE
 TYPHOON
 VERY LIGHT RAIN
 VERY LIGHT RAIN SHOWERS
 VERY LIGHT SNOW
 VERY LIGHT SNOW SHOWERS
 WATERSPOUT

 LIGHTNING

 LIGHTNING
 LIGHTNING CLOUD-TO-CLOUD
 LIGHTNING CLOUD-TO-CLOUD, CLOUD-TO-GROUND
 LIGHTNING CLOUD-TO-GROUND
 LIGHTNING CLOUD-TO-WATER
 LIGHTNING IN CLOUDS

OBSTRUCTIONS TO VISION

 BLOWING DUST
 BLOWING SAND
 BLOWING SNOW
 BLOWING SPRAY
 CHANCE OF EARLY MORNING FOG
 CHANCE OF GROUND FOG AND SMOKE
 CHANCE OF LOCAL MORNING GROUND FOG
 CHANCE OF SOME HAZE
 DENSE FOG
 DUST
 DUSTSTORM
 DUSTSTORMS
 EXTENSIVE FOG
 FOG
 FOG AND HAZE
 FOG AND SMOKE
 FOG BANK
 FOG OFFSHORE
 FREEZING FOG
 GROUND FOG
 GROUND FOG AND HAZE
 GROUND FOG AND SMOKE
 GROUND FOG ESTIMATED
 HAZE
 HAZE AND SMOKE
 HAZE LAYER
 HAZE LAYER ALOFT
 HAZE LAYER ESTIMATED
 HAZY
 IN DUSTSTORM
 IN DUSTSTORMS
 IN FOG
 IN GROUND FOG
 IN HAZE
 IN HAZE AND FOG
 IN HAZE AND SMOKE
 IN LOCAL MORNING FOG
 IN MORNING HAZE
 IN MORNING HAZE AND GROUND FOG
 IN PATCHY FOG
 IN RAIN AND FOG
 IN SANDSTORMS
 IN SMOKE
 IN THICK HAZE
 LIGHT FOG
 LIGHT HAZE
 OCCASIONAL FOG
 OCCASIONAL GROUND FOG
 PATCHES OF SHALLOW FOG NOT DEEPER THAN
 TWO METERS
 PATCHY FOG
 SANDSTORM
 SMOKE
 SMOKE LAYER ALOFT
 SMOKE LAYER ESTIMATED
 SMOKE OVER CITY
 SMOKY
 THICK HAZE
 VARIABLE HAZE AND SMOKE
 WIDESPREAD FOG
 WIDESPREAD HAZE

WEATHER AND OBSTRUCTIONS TO VISION

DRIZZLE AND FOG
EMBEDDED IN HAZE
HEAVY RAIN AND FOG
HEAVY RAIN AND HAZE
HEAVY RAIN SHOWERS AND FOG
HEAVY RAIN SHOWERS AND HAZE
HEAVY SNOW AND BLOWING SNOW
HEAVY SNOW AND FOG
HEAVY SNOW SHOWERS AND BLOWING SNOW
ICE AND FOG
LIGHT RAIN AND FOG
LIGHT RAIN AND HAZE
LIGHT RAIN SHOWERS AND HAZE
LIGHT RAIN SHOWERS AND FOG
LIGHT SNOW AND BLOWING SNOW
LIGHT SNOW AND FOG
LIGHT SNOW AND HAZE
LIGHT SNOW SHOWERS AND BLOWING SNOW
RAIN AND FOG
RAIN AND HAZE
RAIN AND LIGHT FOG
RAIN SHOWERS AND HAZE
SNOW AND BLOWING SNOW
SNOW AND FOG
SNOW SHOWERS AND BLOWING SNOW

THREE THOUSAND NINE HUNDRED
FOUR THOUSAND
FOUR THOUSAND ONE HUNDRED
FOUR THOUSAND TWO HUNDRED
FOUR THOUSAND THREE HUNDRED
FOUR THOUSAND FOUR HUNDRED
FOUR THOUSAND FIVE HUNDRED
FOUR THOUSAND SIX HUNDRED
FOUR THOUSAND SEVEN HUNDRED
FOUR THOUSAND EIGHT HUNDRED
FOUR THOUSAND NINE HUNDRED
FIVE THOUSAND
FIVE THOUSAND FIVE HUNDRED
SIX THOUSAND
SIX THOUSAND FIVE HUNDRED
SEVEN THOUSAND
SEVEN THOUSAND FIVE HUNDRED
EIGHT THOUSAND
EIGHT THOUSAND FIVE HUNDRED
NINER THOUSAND
NINER THOUSAND FIVE HUNDRED
ONE ZERO THOUSAND
ONE ONE THOUSAND
ONE TWO THOUSAND
ONE THREE THOUSAND
ONE FOUR THOUSAND
ONE FIVE THOUSAND
ONE SIX THOUSAND
ONE SEVEN THOUSAND
ONE EIGHT THOUSAND
ONE NINER THOUSAND
TWO ZERO THOUSAND
TWO ONE THOUSAND
TWO TWO THOUSAND
TWO THREE THOUSAND
TWO FOUR THOUSAND
TWO FIVE THOUSAND
TWO SIX THOUSAND
TWO SEVEN THOUSAND
TWO EIGHT THOUSAND
TWO NINER THOUSAND
THREE ZERO THOUSAND
THREE FIVE THOUSAND
FOUR ZERO THOUSAND

HEIGHT VALUES FOR SURFACE OBSERVATIONS

ONE HUNDRED
TWO HUNDRED
THREE HUNDRED
FOUR HUNDRED
FIVE HUNDRED
SIX HUNDRED
SEVEN HUNDRED
EIGHT HUNDRED
NINER HUNDRED
ONE THOUSAND
ONE THOUSAND ONE HUNDRED
ONE THOUSAND TWO HUNDRED
ONE THOUSAND THREE HUNDRED
ONE THOUSAND FOUR HUNDRED
ONE THOUSAND FIVE HUNDRED
ONE THOUSAND SIX HUNDRED
ONE THOUSAND SEVEN HUNDRED
ONE THOUSAND EIGHT HUNDRED
ONE THOUSAND NINE HUNDRED
TWO THOUSAND
TWO THOUSAND ONE HUNDRED
TWO THOUSAND TWO HUNDRED
TWO THOUSAND THREE HUNDRED
TWO THOUSAND FOUR HUNDRED
TWO THOUSAND FIVE HUNDRED
TWO THOUSAND SIX HUNDRED
TWO THOUSAND SEVEN HUNDRED
TWO THOUSAND EIGHT HUNDRED
TWO THOUSAND NINE HUNDRED
THREE THOUSAND
THREE THOUSAND ONE HUNDRED
THREE THOUSAND TWO HUNDRED
THREE THOUSAND THREE HUNDRED
THREE THOUSAND FOUR HUNDRED
THREE THOUSAND FIVE HUNDRED
THREE THOUSAND SIX HUNDRED
THREE THOUSAND SEVEN HUNDRED
THREE THOUSAND EIGHT HUNDRED

TURBULENCE INTENSITY AND RANGE

BELOW ONE THOUSAND FEET
BETWEEN ONE THOUSAND AND TWO THOUSAND FEET
BETWEEN ONE THOUSAND AND THREE THOUSAND FEET
BETWEEN TWO THOUSAND AND THREE THOUSAND FEET
BETWEEN THREE THOUSAND AND FOUR THOUSAND FEET
BETWEEN THREE THOUSAND AND FIVE THOUSAND FEET
BETWEEN FOUR THOUSAND AND FIVE THOUSAND FEET
BETWEEN FIVE THOUSAND AND SIX THOUSAND FEET
BETWEEN FIVE THOUSAND AND SEVEN THOUSAND FEET
BETWEEN SIX THOUSAND AND SEVEN THOUSAND FEET
BETWEEN SEVEN THOUSAND AND EIGHT THOUSAND FEET
BETWEEN SEVEN THOUSAND AND NINER THOUSAND
BETWEEN EIGHT THOUSAND AND NINER THOUSAND
BETWEEN NINER THOUSAND AND TEN THOUSAND
BETWEEN NINER THOUSAND AND TWELVE THOUSAND
BETWEEN TEN THOUSAND AND ELEVEN THOUSAND FEET
BETWEEN ELEVEN THOUSAND AND TWELVE THOUSAND
FEET
ABOVE TWELVE THOUSAND FEET

CLEAR AIR TURBULENCE
EXTREME TURBULENCE
LIGHT TURBULENCE
LIGHT TO MODERATE TURBULENCE
MODERATE TO SEVERE TURBULENCE
MODERATE TURBULENCE
OCCASIONAL EXTREME TURBULENCE
OCCASIONAL LIGHT TURBULENCE
OCCASIONAL MODERATE TURBULENCE
RISK OF SEVERE TURBULENCE
SEVERE TURBULENCE
TURBULENCE
LOW LEVEL WIND SHEAR
WIND SHEAR

PRESSURE SYSTEM FOR SYNOPSIS

DEEPENING LOW
HIGH PRESSURE BUILDING
HIGH PRESSURE SYSTEM
INTENSE LOW
LOW PRESSURE SYSTEM
LOW PRESSURE TROUGH
MODERATE HIGH PRESSURE SYSTEM
MODERATE RIDGE OF HIGH PRESSURE
RIDGE OF HIGH PRESSURE
STRONG HIGH PRESSURE SYSTEM
STRONG LOW PRESSURE SYSTEM
STRONG RIDGE OF HIGH PRESSURE
WEAK HIGH PRESSURE SYSTEM
WEAK LOW PRESSURE SYSTEM
WEAK RIDGE OF HIGH PRESSURE

PRESSURE TENDENCIES

PRESSURE FALLING
PRESSURE FALLING RAPIDLY
PRESSURE RISING
PRESSURE RISING RAPIDLY
PRESSURE STEADY
PRESSURE UNSTEADY

SKY CONDITION REMARKS

A FEW CUMULUS
A FEW CUMULUS CLOUDS
ABOVE CLOUDS
ALTOCUMULUS
ALTOCUMULUS CASTELLANOS
ALTOCUMULUS CLOUDS
ALTOSTRATUS
ALTOSTRATUS CLOUDS
BECOMING BROKEN
BECOMING OBSCURED
BECOMING OVERCAST
BELOW ALL CLOUDS
BETWEEN LAYERS
BREAKS IN HIGHER OVERCAST
BREAKS IN OVERCAST
BRIEF CEILING
BROKEN

BROKEN CLOUDS AT
BROKEN CLOUDS AT OR ABOVE
BROKEN CLOUD LAYERS
BROKEN OCCASIONALLY SCATTERED
BROKEN TO OVERCAST
BROKEN TO OVERCAST CLOUDS
BROKEN TO SCATTERED CLOUDS
BROKEN VARIABLE OVERCAST
BROKEN VARIABLE SCATTERED
BROKEN VARIABLE TO SCATTERED CLOUDS
CEILING RAGGED
CEILINGS AT OR ABOVE
CEILINGS AT OR BELOW
CEILINGS BECOMING UNLIMITED
CEILINGS BELOW
CEILINGS BETWEEN
CEILINGS BROKEN AT
CEILINGS BROKEN TO OVERCAST
CEILINGS FREQUENTLY AT OR BELOW
CEILINGS FREQUENTLY BELOW
CEILINGS GENERALLY
CEILINGS IMPROVING
CEILINGS LOCALLY
CEILINGS LOWERING
CEILINGS LOWERING TO AT OR BELOW
CEILINGS NEAR
CEILINGS NEAR
CEILINGS OCCASIONALLY AT OR BELOW
CEILINGS OCCASIONALLY BELOW
CEILINGS OCCASIONALLY NEAR
CEILINGS OVERCAST
CEILINGS UNLIMITED
CEILINGS VARIABLE BETWEEN
CHANCE OF BRIEF CEILING
CHANCE OF CEILING
CHANCE OF INDEFINITE CEILING
CHANCE OF OCCASIONAL CEILING
CIRRO STRATUS
CIRRO STRATUS CLOUDS
CIRROCUMULUS
CIRROCUMULUS CLOUDS
CIRRUS
CIRRUS CLOUDS
CLEAR OF CLOUDS
CLEAR OR SCATTERED CLOUDS AND VISIBILITY
GREATER THAN TEN MILES
CLEAR SKIES
CLOUD
CLOUDIER
CLOUDINESS
CLOUDS
CUMULONIMBUS
CUMULONIMBUS MAMMATOS
CUMULONIMBUS TOPS
CUMULONIMBUS TOPS ABOVE
CUMULUS
CUMULUS CLOUDS
CUMULUS FRACTUS
CUMULUS FRACTUS CLOUDS
ESTIMATED CEILING
FEW ALTOCUMULUS
FEW CIRRUS
FEW CUMULUS
FEW SCATTERED
FLW STRATOCUMULUS
GRADUALLY CLEARING
HIGH CLOUDS VISIBLE
HIGHER BROKEN TO OVERCAST CLOUDS
HIGHER CLOUD LAYERS

HIGHER CLOUDS
 IN AND OUT OF CLOUDS
 IN CLOUD
 IN CLOUDS
 IN LOW STRATUS AND FOG
 INCREASING HIGH CLOUDS
 INDEFINITE CEILING
 IN OVERCAST
 IN THE OVERCAST
 ISOLATED TOPS
 LAYERS OCCASIONALLY BROKEN
 LAYERS SCATTERED OCCASIONALLY BROKEN
 LAYERS SCATTERED VARIABLE BROKEN
 LOW STRATUS
 LOWER BROKEN VARIABLE SCATTERED
 MEASURED CEILING
 MULTIPLE LAYERS WITH CEILINGS
 NIMBOSTRATUS
 OBSCURATION
 OCCASIONAL BROKEN
 OCCASIONAL CEILING
 OCCASIONALLY BROKEN
 OCCASIONALLY CEILING
 OCCASIONALLY CEILING OVERCAST
 OCCASIONALLY INDEFINITE CEILING
 OVERCAST
 PATCHY LOWER STRATUS
 RADAR CEILING
 SCATTERED CLOUDS
 SCATTERED CUMULUS CLOUDS
 SCATTERED OCCASIONALLY BROKEN
 SCATTERED TO BROKEN
 SCATTERED TO BROKEN CLOUDS
 SCATTERED VARIABLE
 SCATTERED VARIABLE BROKEN
 SCATTERED VARIABLE BROKEN CLOUDS
 SIGNIFICANT CLOUDS
 SKIES
 SKIES CLEARING
 SKY
 SKY CONDITIONS CLEAR
 SKY CLEAR
 SKY OBSCURED
 SKY PARTIALLY OBSCURED
 STANDING LENTICULAR ALTOCUMULUS CLOUDS
 STANDING LENTICULAR CIRROCUMULUS CLOUDS
 STANDING LENTICULAR STRATOCUMULUS CLOUDS
 STRATIFORM
 STRATOCUMULUS
 STRATOCUMULUS CLOUDS
 STRATUS
 STRATUS CLOUDS
 THIN BROKEN
 THIN OVERCAST
 THIN SCATTERED
 TOP OF OVERCAST
 TOWERING CUMULUS
 VARIABLE BROKEN
 VARIABLE CEILING
 VARIABLE CLOUDS
 VARIABLE OVERCAST
 VARIABLE TO
 VARIABLE TO CEILING

VFR/IFR CONDITION REMARKS

BECOMING IFR CEILING
 BECOMING LOW IFR CEILING
 BECOMING MARGINAL VFR
 BECOMING MARGINAL VFR CEILING
 BECOMING VFR
 BECOMING VFR CEILING
 BRIEF IFR CONDITION
 BRIEF IFR CONDITIONS
 IFR CEILING
 IFR CONDITIONS
 IFR VARIABLE
 ISOLATED IFR CONDITIONS
 LOW IFR CEILING
 MARGINAL VFR
 MARGINAL VFR BECOMING IFR CEILING
 MARGINAL VFR CEILING
 MARGINAL VFR CEILING BECOMING VFR
 MARGINAL VFR VARIABLE IFR CEILING
 SPREADING IFR CONDITIONS
 VARIABLE IFR
 VFR BECOMING CEILING
 VFR BECOMING MARGINAL
 VFR BECOMING MARGINAL VFR
 VFR BECOMING MARGINAL VFR CEILING
 VFR CEILING
 VFR NOT RECOMMENDED

CONDITIONS

CONDITIONS BECOMING
 CONDITIONS BRIEFLY LOWER
 CONDITIONS CONTINUING BEYOND
 CONDITIONS DEVELOPING
 CONDITIONS DIMINISHING
 CONDITIONS ENDING
 CONDITIONS GENERALLY LIMITED
 CONDITIONS GRADUALLY DEVELOPING
 CONDITIONS GRADUALLY DIMINISHING
 CONDITIONS GRADUALLY ENDING
 CONDITIONS GRADUALLY IMPROVING
 CONDITIONS GRADUALLY SPREADING
 CONDITIONS IMPROVING
 CONDITIONS MAINLY OVER
 CONDITIONS MOVING
 CONDITIONS OCCASIONALLY
 CONDITIONS RAPIDLY DEVELOPING
 CONDITIONS RAPIDLY DIMINISHING
 CONDITIONS RAPIDLY ENDING
 CONDITIONS RAPIDLY IMPROVING
 CONDITIONS RAPIDLY SPREADING
 CONDITIONS SLOWLY DEVELOPING
 CONDITIONS SLOWLY DIMINISHING
 CONDITIONS SLOWLY ENDING
 CONDITIONS SLOWLY IMPROVING
 CONDITIONS SLOWLY SPREADING
 CONDITIONS SPREADING
 CONDITIONS UNLIMITED
 CONDITIONS VARIABLE TO BELOW

BASE OF CLOUD DECK

BASES BELOW ONE THOUSAND
BASES AT OR BELOW ONE THOUSAND
BASES BETWEEN ONE THOUSAND AND TWO THOUSAND
BASES BETWEEN ONE THOUSAND AND THREE THOUSAND
BASES BETWEEN TWO THOUSAND AND THREE THOUSAND
BASES BETWEEN ONE THOUSAND FIVE HUNDRED AND TWO THOUSAND FIVE HUNDRED
BASES BETWEEN THREE THOUSAND AND FIVE THOUSAND
BASES BETWEEN FOUR THOUSAND AND SIX THOUSAND
BASES BETWEEN FIVE THOUSAND AND SEVEN THOUSAND
BASES BETWEEN SIX THOUSAND AND EIGHT THOUSAND
BASES BETWEEN SEVEN THOUSAND AND NINE THOUSAND
BASES BETWEEN EIGHT THOUSAND AND TEN THOUSAND
BASES BETWEEN TEN THOUSAND AND FIFTEEN THOUSAND
BASES BETWEEN ELEVEN THOUSAND AND SIXTEEN THOUSAND
BASES BETWEEN TWELVE THOUSAND AND SEVENTEEN THOUSAND
BASES BETWEEN THIRTEEN THOUSAND AND EIGHTEEN THOUSAND
BASES BETWEEN FOURTEEN THOUSAND AND NINETEEN THOUSAND
BASES BETWEEN FIFTEEN THOUSAND AND TWENTY THOUSAND
BASES BETWEEN SIXTEEN THOUSAND AND TWENTY-ONE THOUSAND
BASES BETWEEN SEVENTEEN THOUSAND AND TWENTY-TWO THOUSAND
BASES BETWEEN EIGHTEEN THOUSAND AND TWENTY-THREE THOUSAND
BASES BETWEEN NINETEEN THOUSAND AND TWENTY-FOUR THOUSAND
BASES BETWEEN TWENTY THOUSAND AND TWENTY-FIVE THOUSAND

CLOUD BASES - REMARKS

BASE OF OVERCAST
BROKEN BASES
BROKEN TO OVERCAST BASES
MOUNTAIN PASSES OBSCURED
MOUNTAIN RIDGES OBSCURED
MOUNTAIN TOPS OBSCURED
LOWER CLOUDS COASTAL REGIONS
LOWER COASTAL STRATUS
LOWER SCATTERED CLOUDS
OVERCAST BASES
SCATTERED BASES
SCATTERED TO BROKEN BASES

RANGE OF TOPS

TOPS BETWEEN ONE THOUSAND AND TWO THOUSAND
TOPS BETWEEN TWO THOUSAND AND THREE THOUSAND
TOPS BETWEEN ONE THOUSAND AND THREE THOUSAND
TOPS BETWEEN ONE THOUSAND FIVE HUNDRED AND TWO THOUSAND FIVE HUNDRED
TOPS BETWEEN THREE THOUSAND AND FIVE THOUSAND
TOPS BETWEEN FOUR THOUSAND AND SIX THOUSAND
TOPS BETWEEN FIVE THOUSAND AND SEVEN THOUSAND
TOPS BETWEEN SIX THOUSAND AND EIGHT THOUSAND
TOPS BETWEEN SEVEN THOUSAND AND NINE THOUSAND
TOPS BETWEEN EIGHT THOUSAND AND TEN THOUSAND
TOPS BETWEEN TEN THOUSAND AND TWELVE THOUSAND
TOPS BETWEEN TEN THOUSAND AND THIRTEEN THOUSAND
TOPS BETWEEN TEN THOUSAND AND FOURTEEN THOUSAND
TOPS BETWEEN TEN THOUSAND AND FIFTEEN THOUSAND
TOPS BETWEEN ELEVEN THOUSAND AND THIRTEEN THOUSAND
TOPS BETWEEN ELEVEN THOUSAND AND FOURTEEN THOUSAND
TOPS BETWEEN ELEVEN THOUSAND AND FIFTEEN THOUSAND
TOPS BETWEEN ELEVEN THOUSAND AND SIXTEEN THOUSAND
TOPS BETWEEN TWELVE THOUSAND AND FOURTEEN THOUSAND
TOPS BETWEEN TWELVE THOUSAND AND FIFTEEN THOUSAND

TOPS BETWEEN TWELVE THOUSAND AND SIXTEEN THOUSAND
TOPS BETWEEN TWELVE THOUSAND AND SEVENTEEN THOUSAND
TOPS BETWEEN THIRTEEN THOUSAND AND FIFTEEN THOUSAND
TOPS BETWEEN THIRTEEN THOUSAND AND SIXTEEN THOUSAND
TOPS BETWEEN THIRTEEN THOUSAND AND SEVENTEEN THOUSAND
TOPS BETWEEN THIRTEEN THOUSAND AND EIGHTEEN THOUSAND
TOPS BETWEEN FOURTEEN THOUSAND AND SIXTEEN THOUSAND
TOPS BETWEEN FOURTEEN THOUSAND AND SEVENTEEN THOUSAND
TOPS BETWEEN FOURTEEN THOUSAND AND EIGHTEEN THOUSAND
TOPS BETWEEN FOURTEEN THOUSAND AND NINETEEN THOUSAND
TOPS BETWEEN FIFTEEN THOUSAND AND SEVENTEEN THOUSAND
TOPS BETWEEN FIFTEEN THOUSAND AND EIGHTEEN THOUSAND
TOPS BETWEEN FIFTEEN THOUSAND AND NINETEEN THOUSAND
TOPS BETWEEN FIFTEEN THOUSAND AND TWENTY THOUSAND
TOPS BETWEEN SIXTEEN THOUSAND AND EIGHTEEN THOUSAND
TOPS BETWEEN SIXTEEN THOUSAND AND NINETEEN THOUSAND
TOPS BETWEEN SIXTEEN THOUSAND AND TWENTY THOUSAND
TOPS BETWEEN SIXTEEN THOUSAND AND TWENTY-ONE THOUSAND
TOPS BETWEEN SEVENTEEN THOUSAND AND NINETEEN THOUSAND
TOPS BETWEEN SEVENTEEN THOUSAND AND TWENTY THOUSAND
TOPS BETWEEN SEVENTEEN THOUSAND AND TWENTY-ONE THOUSAND
TOPS BETWEEN SEVENTEEN THOUSAND AND TWENTY-TWO THOUSAND
TOPS BETWEEN EIGHTEEN THOUSAND AND TWENTY THOUSAND
TOPS BETWEEN EIGHTEEN THOUSAND AND TWENTY-ONE THOUSAND
TOPS BETWEEN EIGHTEEN THOUSAND AND TWENTY-TWO THOUSAND
TOPS BETWEEN EIGHTEEN THOUSAND AND TWENTY-THREE THOUSAND
TOPS BETWEEN NINETEEN THOUSAND AND TWENTY-ONE THOUSAND
TOPS BETWEEN NINETEEN THOUSAND AND TWENTY-TWO THOUSAND
TOPS BETWEEN NINETEEN THOUSAND AND TWENTY-THREE THOUSAND
TOPS BETWEEN NINETEEN THOUSAND AND TWENTY-FOUR THOUSAND
TOPS BETWEEN TWENTY THOUSAND AND TWENTY-TWO THOUSAND
TOPS BETWEEN TWENTY THOUSAND AND TWENTY-THREE THOUSAND
TOPS BETWEEN TWENTY THOUSAND AND TWENTY-FOUR THOUSAND
TOPS BETWEEN TWENTY THOUSAND AND TWENTY-FIVE THOUSAND
TOPS BETWEEN TWENTY-ONE THOUSAND AND TWENTY-THREE THOUSAND
TOPS BETWEEN TWENTY-ONE THOUSAND AND TWENTY-FOUR THOUSAND
TOPS BETWEEN TWENTY-ONE THOUSAND AND TWENTY-FIVE THOUSAND
TOPS BETWEEN TWENTY-THREE THOUSAND AND TWENTY-FIVE THOUSAND
TOPS BETWEEN TWENTY-TWO THOUSAND AND TWENTY-FOUR THOUSAND
TOPS BETWEEN TWENTY-TWO THOUSAND AND TWENTY-FIVE THOUSAND
TOPS BETWEEN TWENTY-THREE THOUSAND AND TWENTY-FIVE THOUSAND

CLOUD TOP - REMARKS

LAYER
LAYERED
LAYERS
MERGING LAYERS
CONNECTIVE
MULTIPLE LAYERS
TOPS
TOPS BELOW
TOPS AT OR BELOW
MERGING LAYERS TO
MERGING LAYERS TO BETWEEN
TOPS BETWEEN
TOPS OVER
ISOLATED TOPS
MAXIMUM TOPS

RANGE OF CEILINGS

CEILINGS BELOW ONE THOUSAND
CEILINGS AT OR BELOW ONE THOUSAND
CEILINGS BETWEEN ONE THOUSAND AND TWO THOUSAND
CEILINGS BETWEEN ONE THOUSAND AND TWO THOUSAND FIVE HUNDRED
CEILINGS BETWEEN ONE THOUSAND FIVE HUNDRED AND TWO THOUSAND FIVE HUNDRED
CEILINGS BETWEEN ONE THOUSAND AND THREE THOUSAND
CEILINGS BETWEEN TWO THOUSAND AND THREE THOUSAND
CEILINGS BETWEEN THREE THOUSAND AND FIVE THOUSAND
CEILINGS BETWEEN FOUR THOUSAND AND SIX THOUSAND
CEILINGS BETWEEN FIVE THOUSAND AND SEVEN THOUSAND
CEILINGS BETWEEN SIX THOUSAND AND EIGHT THOUSAND
CEILINGS BETWEEN SEVEN THOUSAND AND NINE THOUSAND
CEILINGS BETWEEN EIGHT THOUSAND AND TEN THOUSAND
CEILINGS BETWEEN TEN THOUSAND AND FIFTEEN THOUSAND
CEILINGS BETWEEN ELEVEN THOUSAND AND SIXTEEN THOUSAND
CEILINGS BETWEEN TWELVE THOUSAND AND SEVENTEEN THOUSAND
CEILINGS BETWEEN THIRTEEN THOUSAND AND EIGHTEEN THOUSAND
CEILINGS BETWEEN FOURTEEN THOUSAND AND NINETEEN THOUSAND
CEILINGS BETWEEN FIFTEEN THOUSAND AND TWENTY THOUSAND
CEILINGS BETWEEN SIXTEEN THOUSAND AND TWENTY-ONE THOUSAND
CEILINGS BETWEEN SEVENTEEN THOUSAND AND TWENTY-TWO THOUSAND
CEILINGS BETWEEN EIGHTEEN THOUSAND AND TWENTY-THREE THOUSAND
CEILINGS BETWEEN NINETEEN THOUSAND AND TWENTY-FOUR THOUSAND
CEILINGS BETWEEN TWENTY THOUSAND AND TWENTY-FIVE THOUSAND

CEILINGS AND VISIBILITIES CONCURRENTLY

CEILINGS AND VISIBILITIES
CEILINGS AND VISIBILITIES AT OR BELOW
CEILINGS AND VISIBILITIES BELOW
CEILINGS AND VISIBILITIES FREQUENTLY BELOW
CEILINGS AND VISIBILITIES FREQUENTLY VARIABLE AT OR BELOW
CEILINGS AND VISIBILITIES LOCALLY
CEILINGS AND VISIBILITIES LOWERING
CEILINGS AND VISIBILITIES NEAR
CEILINGS AND VISIBILITIES OCCASIONALLY BELOW
CEILINGS AND VISIBILITIES OCCASIONALLY VARIABLE AT OR BELOW
CEILINGS UNLIMITED
CEILINGS AND VISIBILITIES VARIABLE TO BELOW
LOWERING CEILINGS AND VISIBILITIES TO AT OR ABOUT
VISIBILITIES UNRESTRICTED

ICING INTENSITY AND TYPE

CLEAR ICING
MIXED ICING
RIME ICING
LIGHT CLEAR ICING
LIGHT MIXED ICING
LIGHT RIME ICING
LIGHT TO MODERATE CLEAR ICING
LIGHT TO MODERATE MIXED ICING
LIGHT TO MODERATE RIME ICING
MODERATE CLEAR ICING
MODERATE MIXED ICING
MODERATE RIME ICING
MODERATE TO SEVERE CLEAR ICING
MODERATE TO SEVERE MIXED ICING
MODERATE TO SEVERE RIME ICING
SEVERE CLEAR ICING
SEVERE MIXED ICING
SEVERE RIME ICING

TRACE OF CLEAR ICING
TRACE OF MIXED ICING
TRACE OF RIME ICING

ICE FOG
ICING IN CLOUDS
ICING IN CLOUDS AND IN PRECIPITATION
ICING IN PRECIPITATION
RIME

FREEZING LEVEL

FREEZING LEVEL AT OR NEAR SURFACE
FREEZING LEVEL BELOW ONE THOUSAND FEET
FREEZING LEVEL BETWEEN ONE THOUSAND AND TWO THOUSAND FEET
FREEZING LEVEL BETWEEN TWO THOUSAND AND THREE THOUSAND FEET
FREEZING LEVEL BETWEEN THREE THOUSAND AND FOUR THOUSAND FEET
FREEZING LEVEL BETWEEN FOUR THOUSAND AND FIVE THOUSAND FEET
FREEZING LEVEL BETWEEN FIVE THOUSAND AND SIX THOUSAND FEET
FREEZING LEVEL BETWEEN SIX THOUSAND AND SEVEN THOUSAND FEET
FREEZING LEVEL BETWEEN SEVEN THOUSAND AND EIGHT THOUSAND FEET
FREEZING LEVEL BETWEEN EIGHT THOUSAND AND NINE THOUSAND FEET
FREEZING LEVEL BETWEEN NINE THOUSAND AND TEN THOUSAND FEET
FREEZING LEVEL BETWEEN TEN THOUSAND AND ELEVEN THOUSAND FEET
FREEZING LEVEL BETWEEN ELEVEN THOUSAND AND TWELVE THOUSAND FEET
FREEZING LEVEL ABOVE TWELVE THOUSAND FEET

FRONT

AHEAD OF THE FRONT
BEHIND THE FRONT
BEHIND THE COLD FRONT
COLD FRONT
COLD FRONTAL PASSAGE
COLD OCCLUDED FRONT
FRONT
FRONTS
FRONTAL
FRONTAL PASSAGE
FRONTAL SURFACE
MODERATE COLD FRONT
MODERATE OCCLUDED FRONT
MODERATE WARM FRONT
NEAR COLD FRONT
OCCLUDED FRONT
OCCLUDED FRONTAL PASSAGE
QUASISTATIONARY
STATIONARY FRONT
STRONG COLD FRONT
STRONG OCCLUDED FRONT
STRONG WARM FRONT
WARM FRONT
WARM FRONTAL PASSAGE
WARM OCCLUDED FRONT
WEAK COLD FRONT
WEAK OCCLUDED FRONT
WEAK STATIONARY FRONT
WEAK WARM FRONT

RUNWAY NUMBERS

RUNWAY ONE
 RUNWAY ONE LEFT
 RUNWAY ONE RIGHT
 RUNWAY ONE CENTER
 RUNWAY TWO
 RUNWAY TWO LEFT
 RUNWAY TWO RIGHT
 RUNWAY TWO CENTER
 RUNWAY THREE
 RUNWAY THREE LEFT
 RUNWAY THREE RIGHT
 RUNWAY THREE CENTER
 RUNWAY FOUR
 RUNWAY FOUR LEFT
 RUNWAY FOUR RIGHT
 RUNWAY FOUR CENTER
 RUNWAY FIVE
 RUNWAY FIVE LEFT
 RUNWAY FIVE RIGHT
 RUNWAY FIVE CENTER
 RUNWAY SIX
 RUNWAY SIX LEFT
 RUNWAY SIX RIGHT
 RUNWAY SIX CENTER
 RUNWAY SEVEN
 RUNWAY SEVEN LEFT
 RUNWAY SEVEN RIGHT
 RUNWAY SEVEN CENTER
 RUNWAY EIGHT
 RUNWAY EIGHT LEFT
 RUNWAY EIGHT RIGHT
 RUNWAY EIGHT CENTER
 RUNWAY NINER
 RUNWAY NINER LEFT
 RUNWAY NINER RIGHT
 RUNWAY NINER CENTER
 RUNWAY ONE ZERO
 RUNWAY ONE ZERO LEFT
 RUNWAY ONE ZERO RIGHT
 RUNWAY ONE ZERO CENTER
 RUNWAY ONE ONE
 RUNWAY ONE ONE LEFT
 RUNWAY ONE ONE RIGHT
 RUNWAY ONE ONE CENTER
 RUNWAY ONE TWO
 RUNWAY ONE TWO LEFT
 RUNWAY ONE TWO RIGHT
 RUNWAY ONE TWO CENTER
 RUNWAY ONE THREE
 RUNWAY ONE THREE LEFT
 RUNWAY ONE THREE RIGHT
 RUNWAY ONE THREE CENTER
 RUNWAY ONE FOUR
 RUNWAY ONE FOUR LEFT
 RUNWAY ONE FOUR RIGHT
 RUNWAY ONE FOUR CENTER
 RUNWAY ONE FIVE
 RUNWAY ONE FIVE LEFT
 RUNWAY ONE FIVE RIGHT
 RUNWAY ONE FIVE CENTER
 RUNWAY ONE SIX
 RUNWAY ONE SIX LEFT
 RUNWAY ONE SIX RIGHT
 RUNWAY ONE SIX CENTER
 RUNWAY ONE SEVEN
 RUNWAY ONE SEVEN LEFT
 RUNWAY ONE SEVEN RIGHT

RUNWAY ONE SEVEN CENTER
 RUNWAY ONE EIGHT
 RUNWAY ONE EIGHT LEFT
 RUNWAY ONE EIGHT RIGHT
 RUNWAY ONE EIGHT CENTER
 RUNWAY ONE NINER
 RUNWAY ONE NINER LEFT
 RUNWAY ONE NINER RIGHT
 RUNWAY ONE NINER CENTER
 RUNWAY TWO ZERO
 RUNWAY TWO ZERO LEFT
 RUNWAY TWO ZERO RIGHT
 RUNWAY TWO ZERO CENTER
 RUNWAY TWO ONE
 RUNWAY TWO ONE LEFT
 RUNWAY TWO ONE RIGHT
 RUNWAY TWO ONE CENTER
 RUNWAY TWO TWO
 RUNWAY TWO TWO LEFT
 RUNWAY TWO TWO RIGHT
 RUNWAY TWO TWO CENTER
 RUNWAY TWO THREE
 RUNWAY TWO THREE LEFT
 RUNWAY TWO THREE RIGHT
 RUNWAY TWO THREE CENTER
 RUNWAY TWO FOUR
 RUNWAY TWO FOUR LEFT
 RUNWAY TWO FOUR RIGHT
 RUNWAY TWO FOUR CENTER
 RUNWAY TWO FIVE
 RUNWAY TWO FIVE LEFT
 RUNWAY TWO FIVE RIGHT
 RUNWAY TWO FIVE CENTER
 RUNWAY TWO SIX
 RUNWAY TWO SIX LEFT
 RUNWAY TWO SIX RIGHT
 RUNWAY TWO SIX CENTER
 RUNWAY TWO SEVEN
 RUNWAY TWO SEVEN LEFT
 RUNWAY TWO SEVEN RIGHT
 RUNWAY TWO SEVEN CENTER
 RUNWAY TWO EIGHT
 RUNWAY TWO EIGHT LEFT
 RUNWAY TWO EIGHT RIGHT
 RUNWAY TWO EIGHT CENTER
 RUNWAY TWO NINER
 RUNWAY TWO NINER LEFT
 RUNWAY TWO NINER RIGHT
 RUNWAY TWO NINER CENTER
 RUNWAY THREE ZERO
 RUNWAY THREE ZERO LEFT
 RUNWAY THREE ZERO RIGHT
 RUNWAY THREE ZERO CENTER
 RUNWAY THREE ONE
 RUNWAY THREE ONE LEFT
 RUNWAY THREE ONE RIGHT
 RUNWAY THREE ONE CENTER
 RUNWAY THREE TWO
 RUNWAY THREE TWO LEFT
 RUNWAY THREE TWO RIGHT
 RUNWAY THREE TWO CENTER
 RUNWAY THREE THREE
 RUNWAY THREE THREE LEFT
 RUNWAY THREE THREE RIGHT
 RUNWAY THREE THREE CENTER
 RUNWAY THREE FOUR
 RUNWAY THREE FOUR LEFT
 RUNWAY THREE FOUR RIGHT
 RUNWAY THREE FOUR CENTER

RUNWAY THREE FIVE
RUNWAY THREE FIVE LEFT
RUNWAY THREE FIVE RIGHT
RUNWAY THREE FIVE CENTER
RUNWAY THREE SIX
RUNWAY THREE SIX LEFT
RUNWAY THREE SIX RIGHT
RUNWAY THREE SIX CENTER

RUNWAY SURFACE

ASPHALT
CONCRETE
DIRT
GRAVEL
SOD

BRAKING ACTION

BRAKING ACTION FAIR
BRAKING ACTION GOOD
BRAKING ACTION NIL
BRAKING ACTION POOR

RUNWAY CONDITIONS

CLEARED AND DRY
CLEARED OF SOFT SNOW
COMPACTED SNOW
DRIFTING SNOW
DRY SNOW
FROZEN RIDGES
FROZEN RUTS
ICE ON RUNWAY
ICE ON RUNWAYS
LOOSE SNOW ON RUNWAY
LOOSE SNOW ON RUNWAYS
PACKED SNOW ON RUNWAY
PACKED SNOW ON RUNWAYS
PARTIALLY CLEARED
PARTIALLY CLEARED DRY SNOW
PARTIALLY CLEARED ICE
PARTIALLY CLEARED SLUSH
PARTIALLY CLEARED WET SNOW
PATCHES OF DRY SNOW
PATCHES OF ICE
PATCHES OF SLUSH
PATCHES OF WET SNOW
PLOW
PLOWED
PLOWING
ROLLED SNOW
RUNWAY SANDED
RUNWAYS SANDED
SANDED
SANDING
SANDING IS IN PROGRESS
SLUSH
SLUSH ON RUNWAY
SLUSH ON RUNWAYS

SNOW AND ICE ON RUNWAY
SNOW AND ICE ON RUNWAYS
SNOW CLEARANCE COMPLETED
SNOW CLEARANCE IN PROGRESS
SNOW ON RUNWAY
SNOW ON RUNWAYS
SNOWBANK
STANDING WATER
THIN ICE
WET RUNWAY
WET RUNWAYS
WET SNOW
WET SNOW ON RUNWAY
WET SNOW ON RUNWAYS

LIGHTS

AIRPORT BEACON
AIRPORT LIGHTING SYSTEM
AIRPORT LIGHTS
ALL LANDING AREA LIGHTING FACILITIES
APPROACH LIGHTING SYSTEM
BOUNDARY LIGHTS
CENTERLINE
GREEN
HAZARD BEACON
HIGH INTENSITY RUNWAY LIGHTS
IDENTIFICATION BEACON
LEAD IN LIGHTS
LIGHT INTENSITY HIGH
LIGHT INTENSITY LOW
LIGHT INTENSITY MEDIUM
LIGHTED
LIGHTED AT NIGHT
LIGHTING
LIGHTS
LIT
LOW INTENSITY RUNWAY EDGE LIGHTS
MARINE LIGHT BEACON
MEDIUM INTENSITY APPROACH LIGHT SYSTEM
MEDIUM INTENSITY APPROACH LIGHT SYSTEM WITH
THREE SEQUENCED FLASHERS
MEDIUM INTENSITY RUNWAY EDGE LIGHTS
OBSTRUCTION LIGHTS
PILOT CONTROLLED LIGHTING
RANGE LIGHTS
RUNWAY ALIGNMENT INDICATOR LIGHTS
RUNWAY CENTERLINE LIGHTS
RUNWAY EDGE LIGHTS
RUNWAY END IDENTIFIER LIGHT
RUNWAY END IDENTIFIER LIGHTS
RUNWAY LIGHTS
RUNWAY REMAINING LIGHTS
SEQUENCE FLASHING LIGHTS
SHORT APPROACH LIGHTING SYSTEM
STOPWAY LIGHTS
TAXIING GUIDANCE SYSTEM
TAXIWAY CENTERLINE LIGHTS
TAXIWAY EDGE LIGHTS
THRESHOLD LIGHTS
TOUCHDOWN ZONE LIGHTS
TURNOFF LIGHTS
UNLIGHTED
VISUAL APPROACH SLOPE INDICATOR

NAVIGATIONAL AIDS

AIR ROUTE SURVEILLANCE RADAR
AIRPORT SURVEILLANCE RADAR
AUTOMATIC DIRECTION FINDER
BACK COURSE
BACK COURSE MARKER
BALLOON
BAROMETER
BEACON
COMPASS LOCATOR
COMPASS LOCATOR AT MIDDLE MARKER
DIRECTION FINDER
DISTANCE MEASURING EQUIPMENT
GLIDE PATH
GLIDE SLOPE
GROUND CONTROLLED APPROACH SYSTEM
INNER MARKER
INSTRUMENT LANDING SYSTEM
LANDING DIRECTION INDICATOR
LOCALIZER
LOCATOR
MICROWAVE LANDING SYSTEM
MIDDLE MARKER
NAVIGATIONAL AID
NON-DIRECTIONAL RADIO BEACON
OUTER MARKER
PLAN POSITION INDICATOR
PRECISION APPROACH RADAR
PRECISION INSTRUMENT RUNWAY
SECONDARY SURVEILLANCE RADAR
STATION LOCATION MARKER VHF
SURFACE MOVEMENT RADAR
TACAN
TERMINAL AREA SURVEILLANCE RADAR
UHF DIRECTION FINDER
VOR
VOR/DME
VOR RECEIVER TESTING FACILITY
VORTAC

INTRODUCTORY SEGMENT

THIS IS THE NATIONAL WEATHER SERVICE OFFICE
AT LA GUARDIA AIRPORT WITH A RECORDING OF
AVIATION WEATHER FOR

ROUTE

NEW YORK CITY AND A RADIUS OF FIFTY MILES
ROUTES EAST FROM NEW YORK CITY
ROUTES NORTH FROM NEW YORK CITY
ROUTES SOUTH FROM NEW YORK CITY
ROUTES WEST FROM NEW YORK CITY
NEW YORK CITY TO ALBANY TO BURLINGTON
NEW YORK CITY TO BLOCK ISLAND TO NANTUCKET
NEW YORK CITY TO BRADLEY TO BOSTON
NEW YORK CITY TO ELMIRA TO BUFFALO
NEW YORK CITY TO PHILADELPHIA TO WASHINGTON

AREA FOR WINDS ALOFT FORECAST

THE ALBANY AREA
THE BOSTON AREA
WESTMINSTER

TIME FOR WINDS ALOFT FORECAST

FOR THIS AFTERNOON IS
FOR THIS MORNING IS
FOR TOMORROW MORNING IS
FOR TONIGHT IS

HEIGHT FOR WINDS ALOFT FORECAST

AT THREE THOUSAND FEET
AT SIX THOUSAND FEET
AT NINE THOUSAND FEET
AT TWELVE THOUSAND FEET

DATE-TIME GROUP

ZERO ZERO ZERO ZERO
ZERO ONE ZERO ZERO
ZERO TWO ZERO ZERO
ZERO THREE ZERO ZERO
ZERO FOUR ZERO ZERO
ZERO FIVE ZERO ZERO
ZERO SIX ZERO ZERO
ZERO SEVEN ZERO ZERO
ZERO EIGHT ZERO ZERO
ZERO NINE ZERO ZERO
ONE ZERO ZERO ZERO
ONE ONE ZERO ZERO
ONE TWO ZERO ZERO
ONE THREE ZERO ZERO
ONE FOUR ZERO ZERO
ONE FIVE ZERO ZERO
ONE SIX ZERO ZERO
ONE SEVEN ZERO ZERO
ONE EIGHT ZERO ZERO
ONE NINE ZERO ZERO
TWO ZERO ZERO ZERO
TWO ONE ZERO ZERO
TWO TWO ZERO ZERO
TWO THREE ZERO ZERO

MIDNIGHT
ONE AM
TWO AM
THREE AM
FOUR AM
FIVE AM
SIX AM
SEVEN AM

EIGHT AM
NINE AM
TEN AM
ELEVEN AM
TWELVE NOON
ONE PM
TWO PM
THREE PM
FOUR PM
FIVE PM
SIX PM
SEVEN PM
EIGHT PM
NINE PM
TEN PM
ELEVEN PM

AFTER DARK
AFTER MIDNIGHT
AFTERNOON
ALL DAY
AM
BEFORE DARK
BEFORE MIDNIGHT
BY AFTERNOON
BY DAYBREAK
BY DAYLIGHT
BY EARLY AFTERNOON
BY EARLY EVENING
BY EARLY MORNING
BY EVENING
BY LATE AFTERNOON
BY LATE EVENING
BY LATE MORNING
BY LATE TONIGHT
BY MID AFTERNOON
BY MID MORNING
BY MIDNIGHT
BY MORNING
BY NIGHT
BY NOON
BY SUNRISE
BY SUNSET
BY THIS AFTERNOON
BY THIS EVENING
BY THIS MORNING
BY TOMORROW
BY TONIGHT
DARK
DATE
DAY
DAYBREAK
DAYLIGHT
DURING THE AFTERNOON;
DURING THE DAY
DURING THE EVENING
DURING THE MORNING
EARLY AFTERNOON
EARLY EVENING
EARLY MORNING
EVENING
FORENOON
GREENWICH MEAN TIME
HOUR
HOURS
HOURS AFTER SUNRISE
LATE AFTERNOON
LATE EVENING

LATE MORNING
LATE TONIGHT
LOCAL TIME
MID AFTERNOON
MID MORNING
MINUTE
MINUTES
MONTH
MORNING
NEAR SUNRISE
NIGHT
NOON
OVERNIGHT
PM
SUNRISE
SUNSET
THIS AFTERNOON
THIS AFTERNOON AND EVENING
THIS MORNING
THROUGH THE DAY
TIME
TODAY
TOMORROW
TONIGHT
TWILIGHT
UNTIL MIDNIGHT
WEEK
WEEKDAYS
WEEKEND

JANUARY
FEBRUARY
MARCH
APRIL
MAY
JUNE
JULY
AUGUST
SEPTEMBER
OCTOBER
NOVEMBER
DECEMBER
FIRST
SECOND
THIRD
FOURTH
FIFTH
SIXTH
SEVENTH
EIGHTH
NINTH
TENTH
ELEVENTH
TWELFTH
THIRTEENTH
FOURTEENTH
FIFTEENTH
SIXTEENTH
SEVENTEENTH
EIGHTEENTH
NINETEENTH
TWENTIETH
TWENTY-FIRST
TWENTY-SECOND
TWENTY-THIRD
TWENTY-FOURTH
TWENTY-FIFTH
TWENTY-SIXTH

TWENTY-SEVENTH
TWENTY-EIGHTH
TWENTY-NINTH
THIRTIETH
THIRTY-FIRST

SUNDAY
MONDAY
TUESDAY
WEDNESDAY
THURSDAY
FRIDAY
SATURDAY

ZERO ONE HUNDRED
ZERO TWO HUNDRED
ZERO THREE HUNDRED
ZERO FOUR HUNDRED
ZERO FIVE HUNDRED
ZERO SIX HUNDRED
ZERO SEVEN HUNDRED
ZERO EIGHT HUNDRED
ZERO NINE HUNDRED
TEN HUNDRED
ELEVEN HUNDRED
TWELVE HUNDRED
THIRTEEN HUNDRED
FOURTEEN HUNDRED
FIFTEEN HUNDRED
SIXTEEN HUNDRED
SEVENTEEN HUNDRED
EIGHTEEN HUNDRED
NINETEEN HUNDRED
TWENTY HUNDRED
TWENTY ONE HUNDRED
TWENTY TWO HUNDRED
TWENTY THREE HUNDRED
TWENTY FOUR HUNDRED

DIRECTION

EAST
EAST NORTHEAST
EAST NORTHEASTERLY
EAST NORTHEASTERN
EAST NORTHEASTWARD
EAST SOUTHEAST
EAST SOUTHEASTERLY
EAST SOUTHEASTERN
EAST SOUTHEASTWARD
EAST TO NORTH
EAST TO NORTHEAST
EAST TO NORTHWEST
EAST TO SOUTH
EAST TO SOUTHEAST
EAST TO SOUTHWEST
EAST TO WEST
EASTBOUND
EASTERLY
EASTERN
EASTWARD
NORTH
NORTH NORTHEAST
NORTH NORTHEASTERLY

NORTH NORTHEASTERN
NORTH NORTHEASTWARD
NORTH NORTHWEST
NORTH NORTHWESTERLY
NORTH NORTHWESTERN
NORTH NORTHWESTWARD
NORTH TO EAST
NORTH TO NORTHEAST
NORTH TO NORTHWEST
NORTH TO SOUTHWEST
NORTH TO SOUTH
NORTH TO SOUTHEAST
NORTH TO WEST
NORTHBOUND
NORTHEAST
NORTHEAST TO EAST
NORTHEAST TO NORTH
NORTHEAST TO NORTHWEST
NORTHEAST TO SOUTH
NORTHEAST TO SOUTHEAST
NORTHEAST TO SOUTHWEST
NORTHEAST TO WEST
NORTHEASTERLY
NORTHEASTERN
NORTHEASTWARD
NORTHERLY
NORTHERN
NORTHWARD
NORTHWEST
NORTHWEST TO EAST
NORTHWEST TO NORTHEAST
NORTHWEST TO NORTH
NORTHWEST TO SOUTH
NORTHWEST TO SOUTHEAST
NORTHWEST TO SOUTHWEST
NORTHWEST TO WEST
NORTHWESTERLY
NORTHWESTERN
NORTHWESTWARD
SOUTH
SOUTH SOUTHEAST
SOUTH SOUTHEASTERLY
SOUTH SOUTHEASTERN
SOUTH SOUTHEASTWARD
SOUTH SOUTHWEST
SOUTH SOUTHWESTERLY
SOUTH SOUTHWESTERN
SOUTH SOUTHWESTWARD
SOUTH TO EAST
SOUTH TO NORTH
SOUTH TO NORTHEAST
SOUTH TO NORTHWEST
SOUTH TO SOUTHEAST
SOUTH TO SOUTHWEST
SOUTH TO WEST
SOUTHBOUND
SOUTHEAST
SOUTHEAST TO EAST
SOUTHEAST TO NORTH
SOUTHEAST TO NORTHEAST
SOUTHEAST TO NORTHWEST
SOUTHEAST TO SOUTH
SOUTHEAST TO SOUTHWEST
SOUTHEAST TO WEST
SOUTHEASTERLY
SOUTHEASTERN
SOUTHEASTWARD
SOUTHERLY
SOUTHERN

SOUTHWARD
SOUTHWEST
SOUTHWEST TO EAST
SOUTHWEST TO NORTH
SOUTHWEST TO NORTHEAST
SOUTHWEST TO NORTHWEST
SOUTHWEST TO SOUTH
SOUTHWEST TO SOUTHEAST
SOUTHWEST TO WEST
SOUTHWESTERLY
SOUTHWESTERN
SOUTHWESTWARD
WEST
WEST NORTHWEST
WEST NORTHWESTERN
WEST NORTHWESTERLY
WEST NORTHWESTWARD
WEST SOUTHWEST
WEST SOUTHWESTERLY
WEST SOUTHWESTERN
WEST SOUTHWESTWARD
WEST TO EAST
WEST TO NORTH
WEST TO NORTHEAST
WEST TO NORTHWEST
WEST TO SOUTH
WEST TO SOUTHEAST
WEST TO SOUTHWEST
WESTBOUND
WESTERLY
WESTERN
WESTWARD

LOCATION AND GEOGRAPHY

ADIRONDACK
ADIRONDACK MOUNTAINS
ALABAMA
ALASKA
ALBANY
ALLEGHENY
ALLEGHENY MOUNTAINS
ALLENTOWN
ALTOONA
APPALACHIAN
APPALACHIAN MOUNTAINS
ARIZONA
ARKANSAS
ATLANTIC
BALTIMORE
BINGHAMTON
BLOCK ISLAND
BOSTON
BRADLEY
BRIDGEPORT
BUFFALO
BURLINGTON
CALIFORNIA
CANADA
CAPE COD
CATSKILL MOUNTAINS
CENTRAL CONNECTICUT
CENTRAL MAINE
CENTRAL MASSACHUSETTS
CENTRAL NEW HAMPSHIRE
CENTRAL NEW YORK
CENTRAL SOUTH CAROLINA

CENTRAL VERMONT
CHAMPLAIN VALLEY
CHESAPEAKE
COASTAL SECTION OF MAINE
COLORADO
COLTS NECK
CONNECTICUT
CONTINENTAL DIVIDE
DEER PARK
DELAWARE
EAST CENTRAL OHIO
EASTERN CONNECTICUT
EASTERN DELAWARE
EASTERN MAINE
EASTERN MARYLAND
EASTERN MASSACHUSETTS
EASTERN NEW HAMPSHIRE
EASTERN NEW JERSEY
EASTERN NEW YORK
EASTERN NORTH CAROLINA
EASTERN OHIO
EASTERN PART OF WESTERN NEW YORK
EASTERN PENNSYLVANIA
EASTERN RHODE ISLAND
EASTERN SHORE OF MARYLAND
EASTERN SOUTH CAROLINA
EASTERN VERMONT
EASTERN VIRGINIA
EASTERN WEST VIRGINIA
ELMIRA
ERIE
EXTREME NORTHWEST OHIO
EXTREME NORTHWESTERN PENNSYLVANIA
EXTREME SOUTHEASTERN PENNSYLVANIA
EXTREME WESTERN NEW YORK
FLORIDA
GEORGIA
GREAT LAKES
GULF OF ALASKA
GULF OF MEXICO
GULF OF ST. LAWRENCE
GULF STATES
HARRISBURG
HUDSON VALLEY
HYANNIS PORT
IDAHO
ILLINOIS
INDIANA
IOWA
ISLIP
ITHACA
JAMES BAY
KANSAS
KENNEDY
KENTUCKY
KINGSTON
LA GUARDIA
LAKE ERIE
LAKE HURON
LAKE MICHIGAN
LAKE ONTARIO
LAKE SUPERIOR
LEE OF LAKE ERIE
LEE OF LAKE ONTARIO
LONG ISLAND
LOUISIANA
LOWER HUDSON VALLEY
MAINE
MARYLAND

MASSACHUSETTS
MICHIGAN
MID ATLANTIC STATES
MIDDLETOWN
MINNESOTA
MISSISSIPPI
MISSISSIPPI VALLEY
MISSOURI
MOHAWK VALLEY
MONTANA
MORRISTOWN
NANTUCKET
NEBRASKA
NEVADA
NEW ENGLAND
NEW HAMPSHIRE
NEW JERSEY
NEW MEXICO
NEW YORK
NEW YORK CITY
NEW YORK CITY AND VICINITY
NEWARK
NEWBURGH
NORTH CAROLINA
NORTH CENTRAL PENNSYLVANIA
NORTH DAKOTA
NORTHEASTERN MAINE
NORTHEASTERN MARYLAND
NORTHEASTERN NORTH CAROLINA
NORTHEASTERN PENNSYLVANIA
NORTHEASTERN SOUTH CAROLINA
NORTHEASTERN VIRGINIA
NORTHEASTERN WEST VIRGINIA
NORTHERN CONNECTICUT
NORTHERN DELAWARE
NORTHERN HUDSON VALLEY
NORTHERN MAINE
NORTHERN MARYLAND
NORTHERN MASSACHUSETTS
NORTHERN NEW HAMPSHIRE
NORTHERN NEW JERSEY
NORTHERN NEW YORK
NORTHERN NORTH CAROLINA
NORTHERN OHIO
NORTHERN PENNSYLVANIA
NORTHERN RHODE ISLAND
NORTHERN SOUTH CAROLINA
NORTHERN VERMONT
NORTHERN VIRGINIA
NORTHERN WEST VIRGINIA
NORTHWESTERN MAINE
NORTHWESTERN NEW JERSEY
NORTHWESTERN PENNSYLVANIA
NORTHWESTERN SOUTH CAROLINA
NORTHWESTERN VIRGINIA
NORTHWESTERN WEST VIRGINIA
NOVA SCOTIA
OHIO
OHIO VALLEY
OKLAHOMA
ONTARIO
OREGON
PENNSYLVANIA
PHILADELPHIA
PITTSBURGH
PLAINS
PLAINS STATES
POUGHKEEPSIE
QUÉBEC

RHODE ISLAND
SOUTH CAROLINA
SOUTH CENTRAL PENNSYLVANIA
SOUTH DAKOTA
SOUTH PLAINS
SOUTHEASTERN MAINE
SOUTHEASTERN NEW YORK
SOUTHEASTERN NORTH CAROLINA
SOUTHEASTERN PENNSYLVANIA
SOUTHEASTERN VIRGINIA
SOUTHEASTERN WEST VIRGINIA
SOUTHERN CONNECTICUT
SOUTHERN DELAWARE
SOUTHERN MAINE
SOUTHERN MARYLAND
SOUTHERN MASSACHUSETTS
SOUTHERN NEW HAMPSHIRE
SOUTHERN NEW JERSEY
SOUTHERN NEW YORK
SOUTHERN NORTH CAROLINA
SOUTHERN OHIO
SOUTHERN PENNSYLVANIA
SOUTHERN RHODE ISLAND
SOUTHERN SOUTH CAROLINA
SOUTHERN THIRD OF OHIO
SOUTHERN VERMONT
SOUTHERN VIRGINIA
SOUTHERN WEST VIRGINIA
SOUTHWESTERN MAINE
SOUTHWESTERN OHIO
SOUTHWESTERN PENNSYLVANIA
SOUTHWESTERN VIRGINIA
SOUTHWESTERN WEST VIRGINIA
ST LAWRENCE VALLEY
TENNESSEE
TETERBORO
TEXAS
UPPER HUDSON VALLEY
UNITED STATES
UTAH
VERMONT
VIRGINIA
WASATCH RANGE
WASHINGTON
WASHINGTON DC
WASHINGTON NATIONAL
WEST CHESTER
WEST CENTRAL OHIO
WEST VIRGINIA
WESTERN CONNECTICUT
WESTERN DELAWARE
WESTERN MAINE
WESTERN MARYLAND
WESTERN MASSACHUSETTS
WESTERN NEW HAMPSHIRE
WESTERN NEW JERSEY
WESTERN NEW YORK
WESTERN NORTH CAROLINA
WESTERN OHIO
WESTERN PART OF WESTERN NEW YORK
WESTERN PENNSYLVANIA
WESTERN RHODE ISLAND
WESTERN SOUTH CAROLINA
WESTERN VERMONT
WESTERN VIRGINIA
WESTERN WEST VIRGINIA
WHITE PLAINS
WILKES BARRE
WILLIAMSPORT

WINDSOR LOCKS
WISCONSIN
WRIGHTSTOWN
WYOMING

EASTERN ONE THIRD OF
EASTERN HALF OF
EASTERN TWO THIRDS OF
NORTHERN ONE THIRD OF
NORTHERN HALF OF
NORTHERN TWO THIRDS OF
SOUTHERN ONE THIRD OF
SOUTHERN HALF OF
SOUTHERN TWO THIRDS OF
WESTERN ONE THIRD OF
WESTERN HALF OF
WESTERN TWO THIRDS OF

ACROSS HIGH GROUND
ACROSS HIGHER TERRAIN
ACROSS MOUNTAINS
ACROSS RIDGES
ACROSS ROUGH TERRAIN
ADJACENT COASTAL WATERS
ALL SECTORS
ALONG SHORE
ALONG THE COAST
AT THE COAST
BORDER
BOUNDARY
CITY
COAST
COASTAL
COASTAL PLAINS
COASTAL WATERS
COASTLINE
DISTRICT
FIELD
GULF
HIGH PLAINS
HIGH PLATEAU
HILL
HILLS
HILLTOP
IN THE HILLS
IN THE VICINITY OF
IN THE VICINITY OF INDUSTRIAL AREAS
IN VALLEYS
IN VICINITY
INDUSTRIAL
INLAND
INTERCONTINENTAL
INTERIOR
INTERIOR VALLEYS
INTER-MOUNTAIN REGION
LAKE
LOWLANDS
MAINLAND
MOUNTAIN
MOUNTAINOUS
MOUNTAINS

NEAR COAST
NEAR MOUNTAINS
OCEAN
OFFSHORE
ON SHORE
OVER INTERIOR
OVER INTERIOR SECTIONS
OVER MOUNTAINS
PANHANDLE
PENINSULA
REGION
REGIONS
RIDGE
RIDGES
RIVER
SEA
SHORE
SHORELINE
TERRAIN
VALLEY
VALLEYS
VICINITY
WATER
WATERS

CORPUS OF NUMBERS

MINUS ONE FIVE
MINUS ONE FOUR
MINUS ONE THREE
MINUS ONE TWO
MINUS ONE ONE
MINUS ONE ZERO
MINUS NINER
MINUS EIGHT
MINUS SEVEN
MINUS SIX
MINUS FIVE
MINUS FOUR
MINUS THREE
MINUS TWO
MINUS ONE
ZERO
ONE
TWO
THREE
FOUR
FIVE
SIX
SEVEN
EIGHT
NINER
TEN
ELEVEN
TWELVE
THIRTEEN
FOURTEEN
FIFTEEN
SIXTEEN
SEVENTEEN
EIGHTEEN
NINETEEN
TWENTY
TWENTY ONE
TWENTY TWO
TWENTY THREE

TWENTY FOUR
TWENTY FIVE
TWENTY SIX
TWENTY SEVEN
TWENTY EIGHT
TWENTY NINE
THIRTY
THIRTY ONE
THIRTY TWO
THIRTY THREE
THIRTY FOUR
THIRTY FIVE
THIRTY SIX
THIRTY SEVEN
THIRTY EIGHT
THIRTY NINE
FORTY
FORTY ONE
FORTY TWO
FORTY THREE
FORTY FOUR
FORTY FIVE
FORTY SIX
FORTY SEVEN
FORTY EIGHT
FORTY NINE
FIFTY
FIFTY ONE
FIFTY TWO
FIFTY THREE
FIFTY FOUR
FIFTY FIVE
FIFTY SIX
FIFTY SEVEN
FIFTY EIGHT
FIFTY NINE
SIXTY
SIXTY ONE
SIXTY TWO
SIXTY THREE
SIXTY FOUR
SIXTY FIVE
SIXTY SIX
SIXTY SEVEN
SIXTY EIGHT
SIXTY NINE
SEVENTY
SEVENTY ONE
SEVENTY TWO
SEVENTY THREE
SEVENTY FOUR
SEVENTY FIVE
SEVENTY SIX
SEVENTY SEVEN
SEVENTY EIGHT
SEVENTY NINE
EIGHTY
EIGHTY ONE
EIGHTY TWO
EIGHTY THREE
EIGHTY FOUR
EIGHTY FIVE
EIGHTY SIX
EIGHTY SEVEN
EIGHTY EIGHT
EIGHTY NINE
NINETY
NINETY ONE
NINETY TWO

NINETY THREE
NINETY FOUR
NINETY FIVE
NINETY SIX
NINETY SEVEN
NINETY EIGHT
NINETY NINE
ZERO ZERO
ZERO ONE
ZERO TWO
ZERO THREE
ZERO FOUR
ZERO FIVE
ZERO SIX
ZERO SEVEN
ZERO EIGHT
ZERO NINER
ONE ZERO
ONE ONE
ONE TWO
ONE THREE
ONE FOUR
ONE FIVE
ONE SIX
ONE SEVEN
ONE EIGHT
ONE NINER
TWO ZERO
TWO ONE
TWO TWO
TWO THREE
TWO FOUR
TWO FIVE
TWO SIX
TWO SEVEN
TWO EIGHT
TWO NINER
THREE ZERO
THREE ONE
THREE TWO
THREE THREE
THREE FOUR
THREE FIVE
THREE SIX
THREE SEVEN
THREE EIGHT
THREE NINER
FOUR ZERO
FOUR ONE
FOUR TWO
FOUR THREE
FOUR FOUR
FOUR FIVE
FOUR SIX
FOUR SEVEN
FOUR EIGHT
FOUR NINER
FIVE ZERO
FIVE ONE
FIVE TWO
FIVE THREE
FIVE FOUR
FIVE FIVE
FIVE SIX
FIVE SEVEN
FIVE EIGHT
FIVE NINER
SIX ZERO
SIX ONE

SIX TWO
SIX THREE
SIX FOUR
SIX FIVE
SIX SIX
SIX SEVEN
SIX EIGHT
SIX NINER
SEVEN ZERO
SEVEN ONE
SEVEN TWO
SEVEN THREE
SEVEN FOUR
SEVEN FIVE
SEVEN SIX
SEVEN SEVEN
SEVEN EIGHT
SEVEN NINER
EIGHT ZERO
EIGHT ONE
EIGHT TWO
EIGHT THREE
EIGHT FOUR
EIGHT FIVE
EIGHT SIX
EIGHT SEVEN
EIGHT EIGHT
EIGHT NINER
NINER ZERO
NINER ONE
NINER TWO
NINER THREE
NINER FOUR
NINER FIVE
NINER SIX
NINER SEVEN
NINER EIGHT
NINER NINER
ONE ZERO ZERO
ONE ZERO ONE
ONE ZERO TWO
ONE ZERO THREE
ONE ZERO FOUR
ONE ZERO FIVE
ONE ZERO SIX
ONE ZERO SEVEN
ONE ZERO EIGHT
ONE ZERO NINE
ONE ONE ZERO
ONE ONE ONE
ONE ONE TWO
ONE ONE THREE
ONE ONE FOUR
ONE ONE FIVE
ONE ONE SIX
ONE ONE SEVEN
ONE ONE EIGHT
ONE ONE NINE
ONE TWO ZERO
ONE TWO ONE
ONE TWO TWO
ONE TWO THREE
ONE TWO FOUR
ONE TWO FIVE
ONE TWO SIX
ONE TWO SEVEN
ONE TWO EIGHT
ONE TWO NINE
ONE THREE ZERO

ONE THREE ONE
ONE THREE TWO
ONE THREE THREE
ONE THREE FOUR
ONE THREE FIVE
ONE THREE SIX
ONE THREE SEVEN
ONE THREE EIGHT
ONE THREE NINE
ONE FOUR ZERO
ONE FOUR ONE
ONE FOUR TWO
ONE FOUR THREE
ONE FOUR FOUR
ONE FOUR FIVE
ONE FOUR SIX
ONE FOUR SEVEN
ONE FOUR EIGHT
ONE FOUR NINE
ONE FIVE ZERO
ONE FIVE ONE
ONE FIVE TWO
ONE FIVE THREE
ONE FIVE FOUR
ONE FIVE FIVE

TWO EIGHT ZERO ZERO
TWO EIGHT ZERO ONE
TWO EIGHT ZERO TWO
TWO EIGHT ZERO THREE
TWO EIGHT ZERO FOUR
TWO EIGHT ZERO FIVE
TWO EIGHT ZERO SIX
TWO EIGHT ZERO SEVEN
TWO EIGHT ZERO EIGHT
TWO EIGHT ZERO NINER
TWO EIGHT ONE ZERO
TWO EIGHT ONE ONE
TWO EIGHT ONE TWO
TWO EIGHT ONE THREE
TWO EIGHT ONE FOUR
TWO EIGHT ONE FIVE
TWO EIGHT ONE SIX
TWO EIGHT ONE SEVEN
TWO EIGHT ONE EIGHT
TWO EIGHT ONE NINER
TWO EIGHT TWO ZERO
TWO EIGHT TWO ONE
TWO EIGHT TWO TWO
TWO EIGHT TWO THREE
TWO EIGHT TWO FOUR
TWO EIGHT TWO FIVE
TWO EIGHT TWO SIX
TWO EIGHT TWO SEVEN
TWO EIGHT TWO EIGHT
TWO EIGHT TWO NINER
TWO EIGHT THREE ZERO
TWO EIGHT THREE ONE
TWO EIGHT THREE TWO
TWO EIGHT THREE THREE
TWO EIGHT THREE FOUR
TWO EIGHT THREE FIVE
TWO EIGHT THREE SIX
TWO EIGHT THREE SEVEN
TWO EIGHT THREE EIGHT
TWO EIGHT THREE NINER
TWO EIGHT FOUR ZERO

TWO EIGHT FOUR ONE
TWO EIGHT FOUR TWO
TWO EIGHT FOUR THREE
TWO EIGHT FOUR FOUR
TWO EIGHT FOUR FIVE
TWO EIGHT FOUR SIX
TWO EIGHT FOUR SEVEN
TWO EIGHT FOUR EIGHT
TWO EIGHT FOUR NINER
TWO EIGHT FIVE ZERO
TWO EIGHT FIVE ONE
TWO EIGHT FIVE TWO
TWO EIGHT FIVE THREE
TWO EIGHT FIVE FOUR
TWO EIGHT FIVE FIVE
TWO EIGHT FIVE SIX
TWO EIGHT FIVE SEVEN
TWO EIGHT FIVE EIGHT
TWO EIGHT FIVE NINER
TWO EIGHT SIX ZERO
TWO EIGHT SIX ONE
TWO EIGHT SIX TWO
TWO EIGHT SIX THREE
TWO EIGHT SIX FOUR
TWO EIGHT SIX FIVE
TWO EIGHT SIX SIX
TWO EIGHT SIX SEVEN
TWO EIGHT SIX EIGHT
TWO EIGHT SIX NINER
TWO EIGHT SEVEN ZERO
TWO EIGHT SEVEN ONE
TWO EIGHT SEVEN TWO
TWO EIGHT SEVEN THREE
TWO EIGHT SEVEN FOUR
TWO EIGHT SEVEN FIVE
TWO EIGHT SEVEN SIX
TWO EIGHT SEVEN SEVEN
TWO EIGHT SEVEN EIGHT
TWO EIGHT SEVEN NINER
TWO EIGHT EIGHT ZERO
TWO EIGHT EIGHT ONE
TWO EIGHT EIGHT TWO
TWO EIGHT EIGHT THREE
TWO EIGHT EIGHT FOUR
TWO EIGHT EIGHT FIVE
TWO EIGHT EIGHT SIX
TWO EIGHT EIGHT SEVEN
TWO EIGHT EIGHT EIGHT
TWO EIGHT EIGHT NINER
TWO EIGHT NINER ZERO
TWO EIGHT NINER ONE
TWO EIGHT NINER TWO
TWO EIGHT NINER THREE
TWO EIGHT NINER FOUR
TWO EIGHT NINER FIVE
TWO EIGHT NINER SIX
TWO EIGHT NINER SEVEN
TWO EIGHT NINER EIGHT
TWO EIGHT NINER NINER
TWO NINER ZERO ZERO
TWO NINER ZERO ONE
TWO NINER ZERO TWO
TWO NINER ZERO THREE
TWO NINER ZERO FOUR
TWO NINER ZERO FIVE
TWO NINER ZERO SIX
TWO NINER ZERO SEVEN
TWO NINER ZERO EIGHT
TWO NINER ZERO NINER

TWO NINER ONE ZERO
TWO NINER ONE ONE
TWO NINER ONE TWO
TWO NINER ONE THREE
TWO NINER ONE FOUR
TWO NINER ONE FIVE
TWO NINER ONE SIX
TWO NINER ONE SEVEN
TWO NINER ONE EIGHT
TWO NINER ONE NINER
TWO NINER TWO ZERO
TWO NINER TWO ONE
TWO NINER TWO TWO
TWO NINER TWO THREE
TWO NINER TWO FOUR
TWO NINER TWO FIVE
TWO NINER TWO SIX
TWO NINER TWO SEVEN
TWO NINER TWO EIGHT
TWO NINER TWO NINER
TWO NINER THREE ZERO
TWO NINER THREE ONE
TWO NINER THREE TWO
TWO NINER THREE THREE
TWO NINER THREE FOUR
TWO NINER THREE FIVE
TWO NINER THREE SIX
TWO NINER THREE SEVEN
TWO NINER THREE EIGHT
TWO NINER THREE NINER
TWO NINER FOUR ZERO
TWO NINER FOUR ONE
TWO NINER FOUR TWO
TWO NINER FOUR THREE
TWO NINER FOUR FOUR
TWO NINER FOUR FIVE
TWO NINER FOUR SIX
TWO NINER FOUR SEVEN
TWO NINER FOUR EIGHT
TWO NINER FOUR NINER
TWO NINER FIVE ZERO
TWO NINER FIVE ONE
TWO NINER FIVE TWO
TWO NINER FIVE THREE
TWO NINER FIVE FOUR
TWO NINER FIVE FIVE
TWO NINER FIVE SIX
TWO NINER FIVE SEVEN
TWO NINER FIVE EIGHT
TWO NINER FIVE NINER
TWO NINER SIX ZERO
TWO NINER SIX ONE
TWO NINER SIX TWO
TWO NINER SIX THREE
TWO NINER SIX FOUR
TWO NINER SIX FIVE
TWO NINER SIX SIX
TWO NINER SIX SEVEN
TWO NINER SIX EIGHT
TWO NINER SIX NINER
TWO NINER SEVEN ZERO
TWO NINER SEVEN ONE
TWO NINER SEVEN TWO
TWO NINER SEVEN THREE
TWO NINER SEVEN FOUR
TWO NINER SEVEN FIVE
TWO NINER SEVEN SIX
TWO NINER SEVEN SEVEN
TWO NINER SEVEN EIGHT

TWO NINER SEVEN NINER
 TWO NINER EIGHT ZERO
 TWO NINER EIGHT ONE
 TWO NINER EIGHT TWO
 TWO NINER EIGHT THREE
 TWO NINER EIGHT FOUR
 TWO NINER EIGHT FIVE
 TWO NINER EIGHT SIX
 TWO NINER EIGHT SEVEN
 TWO NINER EIGHT EIGHT
 TWO NINER EIGHT NINER
 TWO NINER NINER ZERO
 TWO NINER NINER ONE
 TWO NINER NINER TWO
 TWO NINER NINER THREE
 TWO NINER NINER FOUR
 TWO NINER NINER FIVE
 TWO NINER NINER SIX
 TWO NINER NINER SEVEN
 TWO NINER NINER EIGHT
 TWO NINER NINER NINER
 THREE ZERO ZERO ZERO
 THREE ZERO ZERO ONE
 THREE ZERO ZERO TWO
 THREE ZERO ZERO THREE
 THREE ZERO ZERO FOUR
 THREE ZERO ZERO FIVE
 THREE ZERO ZERO SIX
 THREE ZERO ZERO SEVEN
 THREE ZERO ZERO EIGHT
 THREE ZERO ZERO NINER
 THREE ZERO ONE ZERO
 THREE ZERO ONE ONE
 THREE ZERO ONE TWO
 THREE ZERO ONE THREE
 THREE ZERO ONE FOUR
 THREE ZERO ONE FIVE
 THREE ZERO ONE SIX
 THREE ZERO ONE SEVEN
 THREE ZERO ONE EIGHT
 THREE ZERO ONE NINER
 THREE ZERO TWO ZERO
 THREE ZERO TWO ONE
 THREE ZERO TWO TWO
 THREE ZERO TWO THREE
 THREE ZERO TWO FOUR
 THREE ZERO TWO FIVE
 THREE ZERO TWO SIX
 THREE ZERO TWO SEVEN
 THREE ZERO TWO EIGHT
 THREE ZERO TWO NINER
 THREE ZERO THREE ZERO
 THREE ZERO THREE ONE
 THREE ZERO THREE TWO
 THREE ZERO THREE THREE
 THREE ZERO THREE FOUR
 THREE ZERO THREE FIVE
 THREE ZERO THREE SIX
 THREE ZERO THREE SEVEN
 THREE ZERO THREE EIGHT
 THREE ZERO THREE NINER
 THREE ZERO FOUR ZERO
 THREE ZERO FOUR ONE
 THREE ZERO FOUR TWO
 THREE ZERO FOUR THREE
 THREE ZERO FOUR FOUR
 THREE ZERO FOUR FIVE
 THREE ZERO FOUR SIX
 THREE ZERO FOUR SEVEN

THREE ZERO FOUR EIGHT
 THREE ZERO FOUR NINER
 THREE ZERO FIVE ZERO
 THREE ZERO FIVE ONE
 THREE ZERO FIVE TWO
 THREE ZERO FIVE THREE
 THREE ZERO FIVE FOUR
 THREE ZERO FIVE FIVE
 THREE ZERO FIVE SIX
 THREE ZERO FIVE SEVEN
 THREE ZERO FIVE EIGHT
 THREE ZERO FIVE NINER
 THREE ZERO SIX ZERO
 THREE ZERO SIX ONE
 THREE ZERO SIX TWO
 THREE ZERO SIX THREE
 THREE ZERO SIX FOUR
 THREE ZERO SIX FIVE
 THREE ZERO SIX SIX
 THREE ZERO SIX SEVEN
 THREE ZERO SIX EIGHT
 THREE ZERO SIX NINER
 THREE ZERO SEVEN ZERO
 THREE ZERO SEVEN ONE
 THREE ZERO SEVEN TWO
 THREE ZERO SEVEN THREE
 THREE ZERO SEVEN FOUR
 THREE ZERO SEVEN FIVE
 THREE ZERO SEVEN SIX
 THREE ZERO SEVEN SEVEN
 THREE ZERO SEVEN EIGHT
 THREE ZERO SEVEN NINER
 THREE ZERO EIGHT ZERO
 THREE ZERO EIGHT ONE
 THREE ZERO EIGHT TWO
 THREE ZERO EIGHT THREE
 THREE ZERO EIGHT FOUR
 THREE ZERO EIGHT FIVE
 THREE ZERO EIGHT SIX
 THREE ZERO EIGHT SEVEN
 THREE ZERO EIGHT EIGHT
 THREE ZERO EIGHT NINER
 THREE ZERO NINER ZERO
 THREE ZERO NINER ONE
 THREE ZERO NINER TWO
 THREE ZERO NINER THREE
 THREE ZERO NINER FOUR
 THREE ZERO NINER FIVE
 THREE ZERO NINER SIX
 THREE ZERO NINER SEVEN
 THREE ZERO NINER EIGHT
 THREE ZERO NINER NINER
 THREE ONE ZERO ZERO

ONE TENTH
 TWO TENTHS
 THREE TENTHS
 FOUR TENTHS
 FIVE TENTHS
 SIX TENTHS
 SEVEN TENTHS
 EIGHT TENTHS
 NINE TENTHS

UNDIFFERENTIATED WORDS AND PHRASES

A FEW
 ABOUT
 ABOVE
 ABOVE FREEZING LEVEL
 ABOVE GROUND
 ABOVE GROUND LEVEL
 ABOVE SEA LEVEL
 ABUNDANT
 ACCELERATE
 ACCOMPANIED
 ACCOMPANY
 ACCUMULATE
 ACCUMULATION
 ACROSS
 ACTIVE
 ACTIVITY
 ADDITIONAL
 ADDITIONALLY
 ADJACENT
 ADVECTION
 ADVISORY
 AFFECT
 AFFECTING
 AFTER
 AFTER PASSING
 AFTER THE HOUR
 AGAIN
 AHEAD
 AIR
 AIR MASS
 AIR ROUTE TRAFFIC CONTROL
 AIR ROUTE TRAFFIC CONTROL CENTER
 AIR TRAFFIC CONTROL
 AIR TRAFFIC CONTROL TOWER IN OPERATION FROM
 AIR TRAFFIC CONTROL BEACON INTERROGATOR
 AIR TRAFFIC CONTROL FACILITY
 AIR-TO-GROUND
 AIRCRAFT
 AIRMEN'S METEOROLOGICAL INFORMATION
 AIRMET
 AIRPORT
 AIRPORT ADVISORY SERVICE
 AIRPORT OF ENTRY
 AIRPORT SURFACE DETECTION EQUIPMENT
 AIRPORT TRAFFIC CONTROL TOWER
 AIRWAY
 ALL
 ALL AREAS
 ALL QUADRANTS
 ALL RIGHT
 ALL TIMES ARE GREENWICH MEAN TIME
 ALOFT
 ALONG
 ALONG A LINE FROM
 ALSO
 ALTERNATE
 ALTIMETER
 ALTIMETER SETTING
 ALTITUDE
 AMENDED
 AMENDMENT
 AMOUNT
 AN
 AND
 AND BECOME
 AND BECOME STATIONARY ALONG A LINE FROM

AND CONTINUING BEYOND
 ANOTHER
 ANTICYCLONIC FLOW
 APPARENT
 APPEAR
 APPROACH
 APPROACH CONTROL
 APPROACHES
 APPROACHING
 APPROXIMATE
 APPROXIMATELY
 ARCTIC
 ARE
 AREA
 AREA FORECAST
 AREAS
 AROUND
 AS
 AS IT MOVES
 ASCEND
 ASCENDING
 AT
 AT OR ABOVE
 AT OR BELOW
 AT OR NEAR SURFACE
 AT SURFACE
 AT TIMES
 AURORA BOREALIS
 AUTOMATIC INSTRUMENT LANDING SYSTEM
 AUTOMATIC TERMINAL INFORMATION SERVICE
 AVAILABLE
 AVERAGE
 BACKING
 BAROMETER
 BARRIER
 BASE
 BASES
 BE
 BEACH
 BEARING
 BECOME
 BECOMES
 BECOMING
 BECOMING MIXED
 BECOMING MORE WIDESPREAD
 BECOMING MOSTLY
 BECOMING OBSCURED
 BEFORE
 BEGAN
 BEGIN
 BEGINNING
 BEHIND
 BEING
 BELOW
 BENEATH
 BETTER
 BETWEEN
 BEYOND
 BOTH
 BREAK
 BREAKS
 BRIEF
 BRIEFLY
 BRISK
 BUILD
 BUILDING
 BUILDS
 BUILDUP
 BUILT

BUILDUPS
BUT
BY
BY WAY OF
CALM
CANCEL
CANCEL ADVISORY AT
CANCEL AT
CAPE
CAUTION
CAUTION ADVISED UNTIL FURTHER NOTICE
CEILING
CEILINGS
CELLS
CENTER
CENTERED
CENTERED OVER
CENTRAL
CHANCE
CHANCE LOCALLY OF
CHANCE OF
CHANCE OF A
CHANCE OF INDEFINITE
CHANCE OF OCCASIONAL
CHANGE
CHANGED
CHANGING
CHANGING TO
CIRCULATE
CIRCULATION
CLEAR
CLEARANCE
CLEARED
CLEARING
CLOSED
CLOSED PERMANENTLY
CLUSTERS
COLD
COLDER
COLDER AIR
COMBINE
COMMENCE
COMMISSIONED
COMMUNICATIONS
COMPLETE
COMPLETED
CONDITION
CONDITIONS
CONFINED
CONSIDERABLE
CONSTRUCTION
CONTINENTAL
CONTINUE
CONTINUE ADVISORY BEYOND
CONTINUE BEYOND
CONTINUED
CONTINUES
CONTINUING
CONTINUOUS
CONTINUOUSLY
CONTROL ZONE
CONTROL ZONE FROM
CONVERGE
CONVERGING
COOL
COOL AIR
COOLER
COOLER AIR
CORNER
COULD

COUPLED
COVER
COVERED
CRANE
CROSS
CYCLOGENESIS
CYCLONIC FLOW
DAILY
DANGER
DAY OPERATIONS
DECELERATE
DECELERATING
DECOMMISSION
DECOMMISSIONED
DECREASE
DECREASED
DECREASES
DECREASING
DEEP
DEEPENING
DEEPER
DEGREES
DEGREES AT
DEGREES CENTIGRADE
DEGREES FAHRENHEIT
DENSE
DEPTH
DETERIORATE
DETERIORATING
DEVELOP
DEVELOPING
DEVELOPING BY
DEVELOPS
DEW POINT
DIAMETER
DIFFUSE
DIMINISH
DIMINISHED
DIMINISHING
DIMINISHING BY
DIMINISHING TO
DIMLY
DIRECTION
DIRECTIONAL
DISABLED
DISPLACED
DISSIPATE
DISSIPATED
DISSIPATING
DISTANCE
DISTANT
DIVIDING
DOMINANT
DOUBTFUL
DOWN
DOWNDRAFTS
DOWNSLOPE
DOWNWARD VERTICAL VELOCITY
DRAFTS
DRIER
DRIER AIR
DRIFT
DRIFTING
DRIFTS
DROPPING
DRY
DRY AIR
DRYING
DUE

DURATION
DURING
EARLY
ECHO
ECHOES
EDGE
EFFECTIVE
EITHER
ELEVATION
ELSEWHERE
EMBEDDED
END
END OF MESSAGE
END OF PERIOD
ENDED
ENDING
ENDING BY
ENROUTE FLIGHT ADVISORY SERVICE
ENTIRE
EQUATORIAL
EQUIPMENT
ESPECIALLY
ESPECIALLY OVER
ESTIMATE
ESTIMATED
EXCEPT
EXCESS
EXPECT
EXPECTED
EXPECTED TO BECOME
EXPIRED
EXTEND
EXTENDS
EXTENDING
EXTENDING FROM
EXTENSIVE
EXTREME
FACILITY
FALLING
FARTHER
FEET
FEET DEEP
FEET PER MINUTE
FEW
FIRST
FLIGHT
FLIGHT PLAN
FLIGHT PRECAUTIONS ARE RECOMMENDED FOR
FLIGHT SERVICE STATION
FLOOD
FLOODED
FLOW
FLUCTUATING
FOG DISPERSAL OPERATIONS
FOLLOW
FOLLOWED
FOLLOWED BY
FOLLOWING
FOLLOWS
FOOT
FOR
FORECAST
FORM
FORMING
FORWARD
FREEZE
FREEZING
FREEZING LEVEL
FREQUENCY

FREQUENT
FREQUENTLY
FREQUENTLY ABOVE
FREQUENTLY BECOMING
FREQUENTLY BELOW
FROM
FROM THE
FRONTOGENESIS
FRONTOLYSIS
FROZEN
FULL
FULL LENGTH AND WIDTH
FURTHER
GENERAL
GENERALLY
GENERATE
GENERATING
GOING
GRADIENT
GRADUAL
GRADUALLY
GRADUALLY BECOMING
GRADUALLY ENDING
GRADUALLY ENDING BY
GRADUALLY ENDING FROM
GRADUALLY IMPROVING
GRADUALLY IMPROVING AFTER
GRADUALLY IMPROVING BY
GREATER
GREATER THAN
GREENWICH MEAN TIME WHICH IS
GREENWICH MEAN TIME TO
GROUND
GROUND-TO-AIR
GROUND-TO-AIR AND AIR-TO-GROUND
GUSTING
GUSTING TO
GUSTS
GUSTS REACHING
GUSTY
GUSTY WIND
HALF
HARD
HAS
HAZARD
HEADING
HEADWIND
HEADWINDS
HEAVIER
HEAVY
HEIGHT
HEIGHT ABOVE
HEIGHTS
HERE
HIGH
HIGH FREQUENCY
HIGH FREQUENCY DIRECTION-FINDING STATION
HIGH GROUND
HIGH LEVEL FORECAST
HIGHER
HIGHER LAYER
HIGHER TERRAIN
HIGHER TERRAIN FREQUENTLY OBSCURED
HIGHER TERRAIN OBSCURED
HIGHER TERRAIN OCCASIONALLY OBSCURED
HIGHEST
HIGHEST TEMPERATURE
HORIZON
HOT

HOT AIR	LEAD
HOTTER	LEE
HOTTER AIR	LEFT
HOWEVER	LENGTH
HUMID	LESS
HUNDRED	LESS THAN
ICE	LEVEL
ICING	LEVELS
IDENTIFICATION	LIE
IDENTIFIED	LIFTING
IDENTIFIER	LIGHT
IDENTIFY	LIGHT AND VARIABLE
IF	LIGHT TO MODERATE
IF NOT POSSIBLE	LIKELY
IFR	LIMIT
IFR OPERATIONS	LIMITED
ILS APPROACH	LIMITED AVIATION WEATHER REPORTING STATION
IMMEDIATE	LIMITS
IMMEDIATELY	LINE
IMPROVE	LINES
IMPROVEMENT THEREAFTER	LITTLE
IMPROVING	LITTLE CHANGE
IMPROVING TO	LITTLE CHANGE IN TEMPERATURE
IN	LOCAL
IN ALL AREAS EXCEPT	LOCAL MEAN TIME
IN INTERMITTENT	LOCAL STANDARD TIME
IN OCCASIONAL	LOCALLY
IN SCATTERED	LOCATED
INCH	LONGITUDE
INCH IN DIAMETER	LOW
INCHES	LOW FREQUENCY
INCHES IN DIAMETER	LOW IFR
INCOMING	LOW LEVEL
INCREASE	LOW LEVEL WIND SHEAR IS EXPECTED AT
INCREASING	LOWER
INCREASINGLY	LOWERING
INDEFINITE	LOWERING TO
INOPERATIVE	LOWEST TEMPERATURE
INSTRUMENT FLIGHT RULES	MAGNETIC BEARING
INTENSE	MAGNETIC HEADING
INTENSIFY	MAINLY
INTENSIFYING	MARGINAL
INTENSITY	MARITIME
INTENSITY UNKNOWN	MARKED
INTERMITTENT	MARKED DURING DAY
INTERSECTION	MARKER
INTO	MAXIMUM
INVERSION	MEAN SEA LEVEL
IRREGULAR	MEDIUM FREQUENCY
IS	MEDIUM RANGE
IS COVERED BY	MEGAHERTZ
ISOLATED	MERGING
IT	MIDDLE
ITS	MIDPOINT
JET	MILD
JET RUNWAY BARRIER	MILD AIR
JET STREAM	MILE
JUST	MILES
KILO HERTZ	MILES OR LESS
KNOT	MILES OR MORE
KNOTS	MILLIBARS
LAND	MINIMUM
LANDING	MINUS
LARGE	MINUTES AFTER THE HOUR
LAST	MIXED
LATE	MIXED WITH
LATER	MODERATE
LATEST METEOROLOGICAL OBSERVATION	MODERATE FLOW
LATITUDE	MODERATE OR GREATER

MODERATE TO STRONG WINDS
MODERATE TO SEVERE
MOIST
MOIST AIR
MOISTURE
MONITOR
MORE
MORE FREQUENT OVER
MORE WIDESPREAD
MOST
MOSTLY
MOUNTAIN WAVES
MOVE
MOVEMENT
MOVES
MOVING
MUCH
MULTIPLE
NARROW
NAUTICAL MILE
NAUTICAL MILES
NEAR
NEAREST
NEARING
NEARLY
NEEDED
NEXT
NIGHT OPERATIONS
NO
NO AMENDMENTS WILL BE ISSUED
NO CHANGE
NO CHANGE IN WEATHER
NO ECHOES
NO PILOT BALLOON OBSERVATION AVAILABLE
NO RAWIN OBSERVATION AVAILABLE
NO REPORT WILL BE FILED NEXT COLLECTION
NO RESTRICTIONS
NO SIGNIFICANT CHANGE
NONE
NOT
NOTICE TO AIRMEN
NOW
NUMBER
NUMEROUS
OBSCURE
OBSCURED
OBSCURING
OBSCURING HIGHER TERRAIN
OBSERVATION
OBSERVED
OBSTRUCT
OBSTRUCTION
OBSTRUCTIONS
OCCASIONAL
OCCASIONALLY
OCCLUDE
OCCLUDED
OCCLUSION
OCCUR
OF
OF THE SKY
OFF
ON
ON TOP
ONLY
OPEN
OPERATIONS
OR
OR GREATER
OTHER

OTHERWISE
OUT
OUT OF SERVICE
OUT OF THE AREA
OUTER
OUTLET
OUTLOOK
OVER
OVER THE FORECAST AREA
OVERHEAD
PACKED
PARACHUTE JUMPING ACTIVITIES
PARALLEL
PARTIAL
PARTIALLY
PARTLY
PASS
PASSAGE
PASSING
PATCHES
PATCHES OF
PATCHY
PATTERN
PATTERNS
PEAK
PEAK WIND
PER
PERIOD
PERMANENTLY
PERMISSION
PILOT BALLOON OBSERVATION
PILOT REPORTS
PLUS
POINT
POLAR
POLE
POOR
PORTION
PORTIONS
POSITION
POSSIBILITY
POSSIBLE
POSSIBLY
POSSIBLY BECOMING SEVERE
POSSIBLY REACHING SEVERE LIMITS
PRECAUTION
PRECEDE
PRECEDED BY
PRESENT
PRESENT INDICATIONS ARE
PRESSURE
PREVAIL
PREVAILING
PREVAILS
PRIMARILY
PRIMARILY OVER
PRINCIPALLY
PRIOR
PRIOR PERMISSION ONLY
PROBABILITY
PROBABLE
PROCEEDED
PROGRESS
QUADRANT
QUADRANTS
QUARTER
QUARTERS
RADAR
RADAR AIR TRAFFIC CONTROL FACILITY

RADAR APPROACH CONTROL	SHORTLY
RADAR WEATHER REPORT	SHOULD
RADAR WEATHER REPORT EQUIPMENT INOPERATIVE DUE TO BREAKDOWN	SIDE
RADAR WEATHER REPORT NO ECHOS OBSERVED	SIGMET
RADAR WEATHER REPORT NOT AVAILABLE, OR OMITTED	SIGNIFICANT
RADIALS	SIGNIFICANT WEATHER
RADIO	SIGNIFICANT METEOROLOGICAL INFORMATION
RADIUS	SIX HOUR OUTLOOK AFTER
RAGGED	SLIGHT
RAILS	SLIGHTLY
RAPID	SLOPE
RAPIDLY	SLOPING
REACH	SLOW
REACHING	SLOWLY
RECOMMEND	SMALL
RECOMMENDED	SMOOTH
RELATIVE	SOFT
REMAIN	SOLID
REMAINDER	SOME
REMAINING	SOMETIME
REMOTE COMMUNICATIONS OUTLET	SOMEWHAT
REPLACED	SPECIAL
RESUMED OPERATION	SPEED
RETURNED TO SERVICE	SPEEDS
RIDGES OBSCURED	SPREAD
RIDGES OCCASIONALLY OBSCURED	SPREADING
RIGHT	SPREADING ACROSS AREA
RISING	STABLE
RISING TO	STABLE AIR
RISK	STACK
ROUGH	STAGNATION
ROUGH TERRAIN	STATIONARY
ROUTE	STATION
ROUTES	STEADY
RUNWAY	STRONG
RUNWAY CONDITION READING	STRONG AND GUSTY LOW LEVEL WINDS
RUNWAY VISIBILITY	STRONG FLOW
RUNWAY VISIBILITY BY OBSERVER	STRONG GUSTY SURFACE WINDS
RUNWAY VISIBILITY NOT AVAILABLE	STRONG LOW LEVEL WIND SHEAR
RUNWAY VISIBILITY VALUE	SUBSIDE
RUNWAY VISUAL RANGE	SUBSIDING
RUNWAY VISUAL RANGE CENTER	SUN
RUNWAY VISUAL RANGE MIDPOINT	SUPPLEMENTARY AVIATION WEATHER REPORTS
RUNWAY VISUAL RANGE MIDPOINT NOT AVAILABLE	SURFACE
RUNWAY VISUAL RANGE NOT AVAILABLE	SURFACE AND ALOFT
RUNWAY VISUAL RANGE ROLLOUT	SURFACE OBSERVATIONS
RUNWAY VISUAL RANGE ROLLOUT NOT AVAILABLE	SURFACE WIND GUSTS TO
RUNWAY VISUAL RANGE TOUCHDOWN	SURFACE WINDS
RUNWAY VISUAL RANGE TOUCHDOWN NOT AVAILABLE	SURFACE WINDS IN EXCESS OF
SAME	SWELLING
SCATTERED	SYNOPSIS
SEA LEVEL	SYNOPTIC
SECOND	SYSTEM
SECTION	TAKEN
SECTIONS	TEMPERATURE
SECTOR	TEMPORARILY
SECTORS	TEMPORARY
SEVERAL	TEN MINUTE MEAN RUNWAY VISUAL RANGE
SEVERE	TEN MINUTE MEAN RUNWAY VISUAL RANGE NOT AVAILABLE
SEVERE WEATHER FORECAST	TENDENCY
SHALLOW	TERMINAL FORECAST
SHARP	THAN
SHIFT	THE
SHIFTING	THE FOLLOWING ARE THE OBSERVATIONS TAKEN AT
SHIFTING TO	THE FORECAST OVER THE ROUTE FROM
SHORT	THE NEXT FORECAST WILL BE
	THE NEXT FORECAST WILL BE ISSUED AT
	THE WINDS ALOFT FORECAST FOR

THEN
THEREAFTER
THICK
THICKENING
THIN
THIS
THIS FORECAST WILL NOT BE AMENDED
THOUSAND
THOUSAND FEET
THRESHOLD
THRESHOLD DISPLACED
THROUGH
THROUGHOUT
TIME
TIMES
TIP
TO
TO A DEPTH OF
TO A POSITION ALONG A LINE FROM
TO A POSITION NEAR
TO NEAR
TOP
TOPPING
TOUCHDOWN
TOUCHDOWN ZONE
TOWARD
TOWARDS
TOWER
TOWERING
TRACE
TRACON
TROPICAL
TROUGH
TRUE
TURBULENT
TWENTY-FOUR HOUR AIRMET
ULTRA HIGH FREQUENCY
ULTRA-HIGH FREQUENCY COMMUNICATION
UNABLE
UNAVAILABLE
UNCONTROLLED
UNDER
UNFAVORABLE
UNKNOWN
UNLESS
UNLIMITED
UNMARKED
UNMONITORED
UNRESTRICTED
UNSEASONABLE
UNSTABLE
UNSTABLE AIR
UNTIL
UNTIL FURTHER ADVISED
UNTIL FURTHER NOTICE
UNUSABLE
UP
UP AND DOWN DRAFTS
UP DRAFTS
UPPER
UPPER WINDS
UPSLOPE
UPWARD VERTICAL VELOCITY
USABLE
VARIABLE
VEER
VELOCITY
VERTICAL MOTION
VERY

VERY HEAVY
VERY HIGH FREQUENCY
VERY HIGH FREQUENCY DIRECTION-FINDING
STATION
VFR
VFR OPERATIONS
VIOLENT
VISIBLE
VISIBILITIES
VISIBILITY
VISUAL
VISUAL FLIGHT RULES
WARM
WARM AIR
WARMER
WARMER AIR
WARNING
WAVE
WEAK
WEAK FLOW
WEAKEN
WEAKENING
WEAKER
WEATHER
WELL
WET
WHICH
WHILE
WIDE
WIDELY
WIDELY SCATTERED
WIDESPREAD
WIDTH
WILL
WILL BE ISSUED
WILL BECOME STATIONARY
WILL CONTINUE MOVING SLOWLY
WILL CONTINUE TO DECELERATE AND WEAKEN
BECOMING STATIONARY ALONG A LINE FROM
WILL DEVELOP
WILL DISSIPATE
WILL DRIFT
WILL MOVE
WILL MOVE RAPIDLY THROUGH THE AREA
WIND
WIND CALM
WIND SHEAR
WIND SHIFT
WIND SHIFTED
WIND SHIFTING
WINDS
WINDS BELOW SHEAR ZONE FROM
WINDS IN EXCESS OF
WINDS OCCASIONALLY
WINDS OCCASIONALLY BECOMING
WINDY
WITH
WITH A CHANCE OF
WITH INCREASING
WITH OCCASIONAL
WITH THE POSSIBILITY OF
WITHIN
WITHOUT
WORK
WORK IN PROGRESS
WORSE
YARDS
ZONE

REFERENCES

1. Staiano, F. and Shochet, E., New York City PATWAS Test, Volume I, Federal Aviation Administration, FAA-RD-77-80, I, July 1977.
2. Olive, J. P. and Nakatani, L. H., Rule-Synthesis of Speech by Word Concatenation: A First Step, Acoustical Society of America Journal, 55 (1974).
3. Rabiner, L. R. and Schafer, R. W., Digital Techniques for Computer Voice Response: Implementation and Application, Proceedings of the IEEE, April 1976.
4. Fudge, E. C., New Horizons in Linguistics, ed. by J. Lyon, Baltimore, Penguin Books, 1970, p. 85.
5. Ashby, R., Introduction to Cybernetics, London, Chapman and Hall, 1956, p. 130.
6. Kerlinger, F. N., Foundation of Behavioral Research, Holt, Rinehart, and Winston, Inc., 1964.
7. Hayes, K., Evaluation of a Sampling of Pilot Automatic Telephone Weather Answering Service (PATWAS), Federal Aviation Administration, August 1973.
8. Jacoby, B. and Bronstein, A., Your Speech and Voice, New York, Random House, 1967.
9. Miller, G., Language and Communication, New York, McGraw-Hill, 1951.
10. Rabiner, L. R., Schafer, R. W., and Flanagan, J. L., Computer Synthesis of Speech by Concatenation of Format-Coded Words, Bell System Technical Journal, 50 (1971), pp.1541-1558.