

INCLASS		APR 78	R J P	IEHAUS	D NIT	TERHOUS	OCP-RR-		N0001	4-76-C-	0932 NL	
	OF   AD A065214						<ul> <li>An and a set of the set of the</li></ul>	A second				<ul> <li>And Andream State State</li></ul>
				<text><text><text><text><text></text></text></text></text></text>		<b>þ</b>			A second		A subscription of the subs	
		international Martinetta Martinet									END DATE FILMED 7-78 DDC	
		(*)						÷				
29												
							_					



UNCLASSIFIED SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered) READ INSTRUCTIONS BEFORE COMPLETING FORM REPORT DOCUMENTATION PAGE 2. GOVT ACCESSION NO A RECIPIENT'S CATALOG NUMBER REPORT NUMBER PCPI YPE OF REPORT ERED 4. TITLE (and Subtitle) Technical Report. Manpower Goals Planning and Accountability, 6 April 1978 PERFORMING ORG. REPORT NUMBER 6. OCP Report No. 34 V NDDD14-76-C-093: AUTHOR(+) 10 R. J. Niehaus 15 NPRDC WR N68221 78 WR80035 D./Nitterhouse 9. PERFORMING ORGANIZATION NAME AND ADDRESS 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Office of Civilian Personnel V D Navy Department Washington. D. C. 203 20390 12. REPORT DATE /// April 178 Navy Personnel Research & Development NUMBER OF PAGES Center, Code 303 33 15. SECURITY CLASS. (of this report) San Diego, CA 92152 14. MONITORING AGENCY NAME & ADDRESS(II dillorent from Controlling Office) UNCLASSIFIED 15. DECLASSIFICATION/DOWNGRADING 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release and sale; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Manpower Planning Accountability Goal Programming Promotion Policy Model 20. ABSTRACT (Continue on reverse side if necessary and identify by block number see reverse side 78 06 15 003 403 586 15 003

UNCLASSIFIED



SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

OCP Research Report No. 34

### MANPOWER GOALS PLANNING AND ACCOUNTABILITY

by

#### R. J. Niehaus\*

D. Nitterhouse\*\*

\*U. S. Navy Office of Civilian Personnel \*\*Harvard University

# April 1978

This report was prepared as part of the Shore Activity Manpower Planning (SAMPS) advanced development project sponsored by the Navy Personnel Research and Development Center. It was accomplished under NPRDC Work Request N68221 78 WR80035 and ONR Contract No. N00014-76-C-0932 with Carnegie-Mellon University. Reproduction in whole or in part is permitted for any purpose of the U. S. Government.

Carnegie Mellon Univ Pittsburg, PA Office of Civilian Personnel Navy Department Washington, D. C. 20390

#### Introduction

1

Extensive work has been done on the application of goal pro-1 gramming models to manpower goals planning for large organizations. The purpose of this paper is to structure the extensions from the planning process to the operations and control aspects of the management cycle. Emphasis is on the accountability necessary to make this type of system an effective management control system. In order to develop this extension, this paper will briefly explain the system and progress to date, develop some theoretical constructs of goals, planning and accountability, discuss general issues of management control system design, and apply these to manpower planning. The issues are illustrated by means of a series of graphical and numerical examples.

Definitions of the terms used throughout the paper are in the particular sense made widespread by W. W. Cooper in his many applications on many fields with A. Charnes and others. They revolve around the plans-operations-control cycle of management. Although it is thought of as a sequential process, with planning at period 0, operations at period 1, and control at period 2, in reality all three take place continuously at all levels of an organization. However, either planning or operations can occur without the other. Plans can be further broken into two parts, that of developing "goals" which are ideals, and that of developing "plans" which take into consideration constraints and/or conflicting goals. This is particularly true if a

See Charnes, Cooper, and Niehaus [6] and Niehaus [17] for summaries and histories of the development of the model mathematics.

technique such as goal programming is to be integrated in and used to control the plans-operations-control cycle. Accountability takes on an additional meaning when supported by a model since the dynamic interrelated nature of the goals-plans pair can explicitly be taken into account when measuring the actions.

Another consideration is the rapid changes being made by mathematical and information technology in the decision environment <sup>3</sup> itself. Goals developed in one part of the organization may require plans in another part and actions in yet a third. This is particularly true for large organizations such as the U. S. Navy where manpower 4 models are being institutionalized to fit the multi-level structure. Additionally, with integrated systems of models and related reporting mechanisms, these multi-level systems may be tied together with a data communications network. This is particularly true for such applications as equal employment opportunity (EEO) planning and accountability.

For a summary of goal programming methodologies, see Charnes and Cooper [3].

3

2

See H. A. Simon [19] for an extended discussion on new directions of the decision sciences. Important earlier discussions can also be found in Cooper, Leavitt, and Shelly [9]; Rappaport [18], and Bonini, Jaedicke, and Wagner [2].

#### 4

See Niehaus [16], and Cooper, Niehaus, and Nitterhouse [9].

#### 5

See Charnes, Cooper, Lewis, and Niehaus [5], and Lewis [14].

#### Manpower Analyses and Planning

Preliminary to control and accountability is the need for an 6 analysis of the underlying manpower statistics. This analysis in turn can be used to shape the planning process.

The model computer support system was originally designed to 7 be used for exception reporting. The current system has a wide variety of features. In addition to special data analyses and impact studies, the system called the Computer-Assisted Manpower Analysis System (CAMAS) is used for recurring reports. It is also tied to other major Navy reporting systems such as those for equal employment opportunity planning and for military-civilian planning. The control system is tied into an advanced development research project examining local and intermediate command manpower planning. This system is called the Shore Activity Manpower Planning System (SAMPS). Extensive experimental work has been done on adaptation of the models for organizations of the size of 2,000-10,000 employees.

The initial U. S. Navy models developed by Charnes, Cooper and Niehaus [6] deal (at least formally) only with the planning process. They take as inputs, <u>goals</u> for various categories of personnel at various times in the future, the <u>existing workforce</u> configuration, historical or modified historical <u>transition rates</u> from category to category or out of the organization other goals (e.g., total workforce),

See Chapter II of Niehaus [15].

See Chapter VII of [15].

the manager's set of relative "costs" for various personnel actions (hiring, firing, missing goals), average salaries and budget constraints. The output is that mix of personnel actions which will get as close as possible to the goals, given the assumptions, objectives, and constraints used.

For planning purposes, this use of the model facilitates management's assessment of the repercussions of considered actions, the sensitivity of outcomes to assumptions used, the impact of a changing environment, and the relative costs of some goals in terms of others. These uses, in turn, can lead to a better basis for planning as they improve management's understanding of the interactions of the world they are trying to manage. This type of planning can be useful even if the plans are never referred to once they are complete. The process of planning itself is a learning tool for management to improve the organization's operations, and possibly to prepare them for contingencies or opportunities not otherwise anticipated.


An example of the use of a goal programming model for promo-9 tion planning is shown in Figure 1. In this example, the impact of controls on the highest civil service pay grades (GS 13-18) was assessed. These controls, imposed by Congress in the 1978 Defense Appropriations Act, call for a reduction of the high grades of two percent each year for

9

For an example of such an application, see Charnes, Cooper and Niehaus [6].

This model is an adaptation of the "flexibility" model for EEO reported in Charnes, Cooper, Lewis and Niehaus [4].





FY 78, 79, and 80. The data in Figure 1 show both historical promotions and hires for two other alternatives, which were calculated. Both alternatives favored promotions over hires, but one permitted entries at all grades while the other had a freeze on outside hires at the high grades (GS-13-18). This study was used for guidance in setting promotion policies, particularly at the GS-12 level where a build-up of personnel was occurring due to previous controls on the high grades. An interesting and somewhat unexpected result was the fact that with a freeze, more high-grade entry opportunities were possible. This is a result of the dynamic interrelationships between internal promotion rates and external loss rates (i.e., a change of the constraints on the high grade also results in different hiring and promotion patterns at the mid-level grades). Goal programming models of this type are particularly useful to the highest level officials in the organization. They also provide a way to inform employees of the impacts of all the constraints on the organization which are understandable. This in turn allows them to make their own career decisions and set their expectations at a level consistent with what is possible.

Interweaved throughout the manpower goals planning process are the transition rates used in the calculations. One possible use of transition rates is as an analytic tool to measure the effects of a given management or personnel policy. In the case of the high-grade controls of the Navy, concern was expressed that strict high-grade controls would result in larger than normal losses at the mid and lower grades. However, as shown in Figure 2, the controls had little or no effect on the Navy's losses of scientists and engineers. Probably, the

DEPARTMENT OF THE NAVY LOSS RATES

17 SEP 1 SEP 71

	SEP 71-	SEP 72-	SEP 73-	SEP 74-	SEP 75-	SEP 76-
	SEP 72	<b>SEP 73</b>	SEP 74	<b>SEP 75</b>	SEP 76	<b>SEP 77</b>
Scientists & Engineers GS 5	.197	.248	.182	.119	.131	.153
2	.155	.146	.155	.088	.104	.145
6	.121	.111	.106	.071	.070	.097
11	.100	.081	.079	.063	.056	.065
12	.065	.071	.066	.054	.047	.056
13	.072	.069	.064	.049	.050	.041
14	.085	060.	.075	.061	.060	.044
15	.085	060.	.098	.107	.095	.066
16	.151	.132	.154	.202	.107	.050
17	.461	060.	.153		1	1

7 FIGURE

more important factor during the 1971-1977 period was the slack labor market in almost all occupations. This is not to say that these transition rates should not be watched since the labor market for scientists and engineers is now becoming more competitive following the decline in enrollments in the engineering schools in the early 1970's coupled with increased demand.

Most of the model inputs discussed above are internally determined or generated. Conditions external to the organization may also be incorporated to improve planning and goal setting. The primary area in which this has been done is in the use of national, regional and/or local labor market data (as available) for determining EEO goals. Although goals are an input to the model, setting of these goals is an important part of the manpower management system. External factors can have a very strong impact, especially in the EEO area, on the feasibility or cost of meeting goals. For example, if EEO goals are set as proportional to the national ethno-sexual (race-sex) population alone, without consideration of either the regional or local population or the availability of particular ethno-sexual and skill combinations in the workforce, the goals may well be set at unreasonable levels, leading to 10 discouragement and skepticism form the very beginning.

#### Accountability and Control

10

Accountability is "the obligation for an employee, agent, or other person to supply a satisfactory report, often periodic, of action

See Atwater, Niehaus and Sheridan [1] for a discussion of labor market analysis for EEO.

or failure to act following delegate authority." This can refer to an employee's accountability to a direct superior, or a corporation's accountability to stockholders for its financial performance or to the Federal Government or general public for its EEO cfforts, etc. It may involve a direct two-party relationship, e.g., typically that between employee and supervisor, or a third-party reporting on a first party to a second party, e.g., che General Accounting Office reports on a Federal agency to the Congress. In practice, discussions of accountability usually concern formal (i.e., documented) reporting systems. Accountability is receiving increasing attention as a tool for control, especially in terms of public agencies being accountable to the public for their actions.

Control is the ability to influence events toward \_ preferred 12 outcome. Therefore, in considering accountability for control, it follows that the entity being reported to should have some mechanism for influencing the entity being reported on. It is also hypothesized that the very fact of being required to report acts as a signal to the person reporting that the activities being reported on are important. This would have to be empirically tested, along with different lines of reporting and report contents, before further statements could be made on the efficacy of merely requiring a report as a tool for control. Certainly, with the proliferation of reports which has accompanied the communication revolution, the reporting (or report reading) burden

11

12

For a particularly good discussion of W. W. Cooper's views on the subject, see [8].

See Kohler [12].

should not be added without a good reason. However, where there is a direct superior/subordinate relationship, accountability is vital to control.

Since nothing ever goes quite "according to plan," it is important to examine the repercussions of different outcomes materializing. The importance of accountability arises immediately, for if a manager does not have to report the actual outcome, no one will ever know if the planned target were achieved or not. Conversely, if one never accounts for one's plans, it is difficult to evaluate the actual outcome, especially in the absence of some external criteria. Thus, at a minimum, there should be accountability for plans and actual outcomes.

Accountability for goals, as separate from plans, also becomes relevant when goal programming techniques such as those in the manpower modeling system are used. The example mentioned above, of making EEO goals proportional to the labor force mix rather than the total population mix, is an illustration of two very different goals which could be used in EEO planning. Unless which one is used is accounted for, internal managers and external parties alike will have difficulty understanding and evaluating plans.

Given that a set of goals is chosen, the modeling system is then used to determine "how close to goals we can plan to get" considering existing conditions, constraints, and priorities. If the results of initial efforts are not acceptable, model inputs are modified until results are acceptable to those responsible for plans, and this set of outcomes is then adopted as the plan. Accountability for one's plans is thus viewed as including accountability for underlying assumptions and

priorities as well as the final numbers. Accountability for actual results then involves reporting outcomes of operation after the fact.

Consideration of the impact of external factors can be particularly relevant to evaluating a manager's performance. Since plans are made with an expectation of particular conditions being present during the operating cycle, different actual conditions affect the feasibility of meeting plans. A postmortem assessment of plan assumptions versus actual conditions might involve, e.g., running the model with actual transition rates but with all other data the same as when planning was originally done. This would give "how close to goals one should have expected to get if one had known exactly what the transition rates would be." This is similar to the concept of flexible budgeting, which has been used in cost accounting for many years. Of course, since transition rates are affected by managerial action as well as by possible external influences, the assessment must still be made as to how much should be attributed to each.

Accountability during the course of operations can indicate where something is going well or badly, and an analysis of the underlying causes (i.e., were planning assumptions wrong or are plans not being followed?) can help find where corrections can be made or additional advantage can be taken of good circumstances. In some cases, planned targets may have to be changed, while in others corrective action may be able to be taken. Goals may also be found to be inconsistent with external criteria (e.g., actual labor force mix) because of poor initial estimates, which could lead to a revision of goals, plans and actions.,

Uses of accountability in the U. S. Navy civilian personnel context will be illustrated by EEO applications which are now being implemented. An integral part of an EEO information system must be concerned with accountability and control. To be effective, EEO planning must be part of the management and reward structure of the organization and hence of the information structure. EEO should be similar to other management-by-objectives systems where the managers correct idiosyncracies and "buy-in" to the goals or targets for which they become responsible. Both the local and corporate points of reference must be included. The geographic labor market is different depending on the occupations involved. Part of this labor market, particularly for the non-exempt clerical and blue collar occupations, is local. This implies that a "bottom up" process is required to develop the corporate EEO goals. At the same time, there is a need to take a "top down" or corporate point of view when overall impact studies are accomplished. In many cases, there is not the time nor the reason for readjusting all the detailed EEO goals of the organization when an analysis is being made. An example of such a use would be to include evaluations of EEO considerations in the case of capital budgeting planning. What is needed is a system that will keep the goals, plans, and actions in reasonable agreement with one another. Further, the system must fix accountability to reward successes and manage deficiencies.

EEO goals should be included with other management indicators such as profit targets or program milestone accomplishments. It is

13 See Chapter III and IV of [15] as well as [5]. clear that EEO affects the economic livelihood of the organization just as much as productivity or mission accomplishment measures might indicate. This is true not only from the negative concerns of avoiding litigation but also from the positive point of view of possibly improved employee motivation and productivity. In any event, EEO should be an integral part of the line business decisions.

From a system framework, the procedure is to first develop EEO goals for the local installations of the organization using the tools of labor market analysis and models. These data, in turn, are presented for review by the corporate headquarters. Modifications may be made to reflect capital or mission plans which are unknown to the local organization. After the necessary revisions at the different levels within the organization and review by the EEO and legal stalls, the goals become the targets for control purposes.

Models are useful at both the local and headquarters levels. At the local level, models can be used to assist in developing alternative action plans for those parts of the workforce which are recruited and developed locally. At the headquarters level, beyond career planning, the goals can be used to complete the analyses on acquisitions, headquarters promotion policies, etc. In this case, the models are used for impact analyses rather than detailed şkills balancing.

The goals systems which finally evolved for the Navy civilian workforce is based on a combination of regional and national calculations. These calculations are accomplished hierarchically by major command to fix accountability. First, for each command, in each labor market the relevant labor market coefficients are used to calculate the goals for

all the large installations with 500 or more civilian personnel. Then, the remaining installations in a given labor market for that command are added together and if there are 500 or more total employees, the regional labor market coefficients are used to compute the goals. If there are fewer than 500 employees, this residual is added to the residuals from other labor markets. This sum of residuals is used with the national labor market coefficients to complete the coverage of the workforce.

Several reports are necessary for accountability and control purposes. The first is an accountability report such as is shown in Figure 3. This report shows how well an organization did in relation to its goals and also provides planning information. The data columns or the reports indicate:

- The actual on-board in each ethno-sexual category at the beginning of the five-year accounting period.
  - The actual on-board in each ethno-sexual category in each job category at the most current time period.
- The EEO goal in each ethno-sexual category in each job category for the current fiscal year.
- The discrepancies between the EEO goals and the current on-board population. (This version of the report is developed annually at the end of each fiscal year. At other times during the year, these data are omitted.)
- The EEO goal in each ethno-sexual category in each job category at the end of the five-year period.
- The desired changes from the current on-board population at the end of the accounting period both in numbers and percentages.

EEO ACCOUNTABILITY REPORT SAMPLE REPORT BLACK MALE

DESIRED CHANGE

IFVL         SEP         7         1         1         1 </th <th></th> <th></th> <th>ABOARD</th> <th>ABOARD</th> <th>GOAL</th> <th></th> <th>GOAL</th> <th>BY SEP 81</th> <th></th>			ABOARD	ABOARD	GOAL		GOAL	BY SEP 81	
GS:13         25 <th2< th=""><th>OCCUPATION</th><th>LEVEL</th><th>SEP &amp;</th><th>SEP 7</th><th>SEP 7</th><th>SEP 7</th><th>SEP 81</th><th>¥ </th><th>PERCENT</th></th2<>	OCCUPATION	LEVEL	SEP &	SEP 7	SEP 7	SEP 7	SEP 81	¥	PERCENT
GS 9:1         30         345         346         3         346         3         346         3         346         3         346         3         346         3         346         3         346         3         346         3         346         3         346         3         346         3         347         346         3         347         346         3         347         346         3         347         346         3         347         346         3         347         346         346         3         347 <th< td=""><td>ENG</td><td>GS 5-8</td><td>8</td><td>8</td><td>19</td><td>•</td><td>¥</td><td></td><td>28.5</td></th<>	ENG	GS 5-8	8	8	19	•	¥		28.5
GS 13-15         280         281         284         -3         281         384         -3         281         384         -3         281         384         -3         281         384         -3         281         381 <td></td> <td>GS 9-12</td> <td>38</td> <td>348</td> <td>346</td> <td></td> <td>340</td> <td>4</td> <td>-24</td>		GS 9-12	38	348	346		340	4	-24
GS 16-16         2         2         2         2         2         2         2         2         3         1<		GS 13-15	260	261	22	7	162	*	12.1
GS58         23         24         25         24         25         24         25         24         25         24         25         24         25         24         25         24         25         24         25         25         24         25         2		GS 16-18	8	2	8	Ö	P.	Ŧ	33.3
653-12         62         64         64         64         64         64         64         64         64         65         65         64         64         64         64         65         65         64         64         64         64         64         64         64         64         64         64         64         64         64         64         64         64         64         70         764         64         710         764         64         710         764         64         710         764         64         710         764         64         710         764         64         710         764         76         764         76         764 <th76< td="" th<=""><td>ROF</td><td>GS 5-8</td><td>8</td><td>24</td><td>18.</td><td>•</td><td>8</td><td>6</td><td>27.2</td></th76<>	ROF	GS 5-8	8	24	18.	•	8	6	27.2
GS 13-15         13         13         13         13         14         13         14         13         1		GS 3-12	8	2	2	•	R	12	15.8
(63:14)         2 </td <td></td> <td>GS 13-15</td> <td>13</td> <td>13</td> <td>13</td> <td>0</td> <td>#</td> <td></td> <td>13.3</td>		GS 13-15	13	13	13	0	#		13.3
GS 5-8       151       174       189       -15       340       166         GS 3-12       776       770       764       6       1,107       301         GS 13-15       113       112       112       112       0       114       2         GS 16-18       1       1       1       1       1       1       1       2         GS 16-18       1       1       1       1       1       1       1       2         GS 16-18       1       1       1       1       1       1       1       2         GS 16-18       146       144       144       1       1       0       1       2         GS 14       853       857       851       6       6       4       1       2         GS 14       913       972       1,068       4       1       2       2       2         GS 14       603       612       10       1       2       2       2       2         GS 14       603       612       616       4       1       2       2       2         GS 14       603       615       616       3 </td <td></td> <td>GS 14</td> <td>3</td> <td>2</td> <td>2</td> <td>0</td> <td>2</td> <td>.0</td> <td>0.0</td>		GS 14	3	2	2	0	2	.0	0.0
GS 3-12         776         770         784         6         1,101         397           GS 13-15         113         112         112         112         112         113         2           GS 13-15         113         112         112         112         112         113         2           GS 13-15         113         112         112         112         112         112         2           GS 13-15         13         146         144         144         0         144         2           GS 13-15         637         657         657         656         654         1         2           GS 13-15         53         637         656         654         1         2         2         2           GS 13-15         53         637         655         656         654         1         2 <td></td> <td>GS 5-8</td> <td>151</td> <td>174</td> <td>189</td> <td>97</td> <td>340</td> <td>166</td> <td>48.8</td>		GS 5-8	151	174	189	97	340	166	48.8
GS 13-15       113       112       112       112       113       112       114       2         GS 16-18       1       1       1       1       1       1       1       1       1       2         GS 16-18       1       146       144       1       1       1       1       0       1       0         GS 14       146       144       1       1       1       0       1       0       1       0       1       0       1       0       1       0       1       0       1       0       1       1       1       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       0       0       1       0       0       1       0       0       1       1       0       0       1       0       0       1       0       0       1       0       0       1       0       0       0       0       0       0       0       0       0       0       0		GS 3-12	22	22	764		1,167	337	34.0
GS 16-18       1       1       1       1       1       1       1       1       0       1       1       0       1       1       0       1       0       1       0       1       0       1       0       1       0       1       0       1       0       1       0       1       0       1       0       1       0       1       0       1       0       0       1       0       0       1       0       0       1       0       0       1       0       0       1       0       0       1       0       0       0       1<		GS 13-15	113	112	112	0.	114	2,	1.8
N         65:14         146         144         144         0         144         1         0         144         0         144         0         144         1         0         144         0         144         1         0         144         1         0         144         0         144         1		GS 16-18	-	-	T	•	-	•	0.0
GS 5-8         6-5         657         651         6         683         41           GS 9-12         697         695         696         695         696         1         6         863         41           GS 13-15         3         4         7         3         4         7         3         4         7           GS 13-15         31         972         1,066         -84         1,039         669         41         20           GS 1-4         913         972         1,066         -84         1,039         666         41         20         24         24           GS 1-4         913         972         1,066         -84         1,039         666         41         20           GS 5-8         635         616         616         -1         26         24         26           GS 5-8         4         163         8         23         24         26         24           GS 5-8         4         163         3         634         26         24           GS 5-8         4         1         1         26         24         26         24           GS 5-8 <t< td=""><td>IICIAN</td><td>GS 1-4</td><td>145</td><td>141</td><td>1</td><td>0</td><td>Ŧ</td><td>0</td><td>0.0</td></t<>	IICIAN	GS 1-4	145	141	1	0	Ŧ	0	0.0
GS 9-12       697       695       694       1       637       69       94       1       637       6         GS 13-15       3       4       7       -3       24       20       20       20       20         GS 1-4       913       872       1,056       -84       1,638       666       -67       913       22         GS 1-4       55       15       18       17       1       25       -7       2         GS 5-12       15       18       17       1       25       -7       2       3       2       3       2       3       2       3       2       3       2       3       2       3       2       3       2       3       2       3       3       3       3       3       3       3       3       3       3		GS 5-8	845	657	851	•	833	.14	4.6
GS 13-15       3       4       7       -3       24       20         GS 1-4       913       972       1,056       -84       1,633       666         GS 5-5       EE3       E39       656       -67       913       224         GS 5-3       E53       E39       656       -67       913       224         GS 5-12       15       18       17       1       255       7         GS 1-4       609       612       616       -3       634       22         GS 5-8       442       471       463       8       497       28         GS 5-12       5       7       8       -1       22       7         GS 1-4       6.004       6.165       6.317       -152       7       7	•	GS 9-12	697	969	634	-	637	9	-1.2
GS 1-4     913     972     1,056     -84     1,638     666       GS 5-8     E23     E339     656     -67     913     324       GS 5-12     15     18     17     1     25     7       GS 5-12     15     18     17     1     25     7       GS 1-4     609     612     616     -3     634     22       GS 5-8     442     471     463     8     497     26       GS 5-12     5     7     8     -1     25     16       GS 5-8     442     471     463     8     497     26       GS 5-12     5     7     8     -1     22     16		GS 13-15	e	•	7	~	8	8	83.3
GS 5-8     E23     E39     E58     -67     913     324       GS 9-12     15     18     17     1     25     7       GS 1-4     609     612     615     -3     634     22       GS 5-8     442     471     463     8     497     28       GS 5-12     5     7     8     -1     25     7       GS 5-12     6.04     6.15     6.317     -152     7,904     1,739	AL	GS 1-4	913	218	1,058		1,638	39	40.1
GS 9-12     15     18     17     1     25     7       GS 1-4     609     612     615     -3     634     22       GS 5-8     442     471     463     8     497     28       GS 9-12     6     7     8     -1     22       GS 9-12     6     7     8     -1     23       ACK MALE     6.004     6.165     6.317     -152     7.904     1.739		GS 5-8	653	623	656	-67	913	525	35.5
GS 1-4 609 612 615 -3 634 22 GS 5-8 442 471 463 8 497 25 GS 9-12 5 7 8 -1 22 15 ACK MALE 6.004 6.165 6.317 -152 7.904 1.739		GS 9-12	15	18	11	-	19	1	28.0
GS 5-8 442 471 463 8 497 26 GS 9-12 5 7 8 -1 22 15 6,004 6,165 6,317 -152 7,904 1,739	GS	GS 1-4	609	612	615	7	634	a	3.5
GS 9-12 6 7 8 -1 22 15 6,004 6,165 6,317 -152 7,904 1,739		GS 5-8	442	14	463	60	164	8	5.2
6,004 6,165 6,317 -152 7,904 1,739		GS 9-12	6	1	•		ส	12	66.2
	BLACK M	ALE	6,004	6,165	6,317	-152	7,904	1.739	22.0

FIGURE 3

Another factor which needs to be measured is the opportunities an organization had to meet the goals. For instance, after the goals were set, there may be constraints from higher headquarters which make it difficult to reach the goals. Also, a measurement may be made of how many opportunities for personnel actions were distributed among the various, ethno-sexual categories. Figure 4 uses the transition rate program of the CAMAS system to develop the needed data. The data is sorted by ethno-sexual category within occupation-level. It shows for each ethno-sexual category in each occupation level:

- population at the start of the accounting period
- bires
- promotions
- other gains (i.e., lateral transfers from another occupation within the organization)
  - total opportunities
- losses
- population at the end of the accounting period.

The percentage opportunity statistics are stated in terms of the totals for each occupational-level. A quick scan of the data can provide (1) which ethno-sexual groups are having personnel actions and of what kinds and (2) the percentage of the total that each ethno-sexual group is having of each personnel action. The percentages alone are not enough to measure the relative changes in the ethno-sexual groups. Goal information such as provided in Figure 3 is necessary to measure accountability since labor market statistics are relevant. The purpose of the opportunity report is to surface potential areas for further management

EEO OPPORTUNITIES REPORT

NAVYWIDE - FY77

ADMIN GS 9-12

17

	SEPT 76	N	*	NO	%	N	%	N	%	N	*	SEPT 77
BLACK MALE	776	38	.030	99	.043	56	660.	130	.036	8	.029	820
HISP MALE	259	56	.020	2	900.	œ	010	4	.012	15	300.	286
OTHER MALE	273	3	.016	œ	.005	2	.012	39	.010	15	.005	297
WHITE MALE	14,994	1,023	808	778	.517	621	197.	2,422	.682	2,257	.785	15,159
BLACK FEMALE	263	2	600	86	.065	18	.023	128	.036	45	.015	646
HISP FEMALE	8	-	(far)	41	600.	i lo <del>r</del> ioa	100.	16	.004	•	.002	25
OTHER FEMALE	49	N	100.	F	.007		100.	4	£00.	ō	.003	5
WHITE FEMALE	3986	142	.112	519	.345	ş	.120	755	.212	439	.152	4302
TOTAL	20,947	1,265		1,504		977		3,548		2,874		21,623

attention. It can also be used to "account for" how often managers take advantage of personnel action opportunities to attain EEO objectives.

The transition data are also shown on an EEO dynamic report such as indicated by Figure 5. On this report, the data are shown sorted by occupation-levels within each ethno-sexual category. In this case, all the losses and gains for each ethno-sexual group are shown with the internal losses in one occupational-level becoming internal gains in one or more other occupation-level(s).

Comparisons of current period transition rates with planned or prior period actual transition rates can be used by superiors to assess whether managers are using available personnel action opportunities to increase the rate of transition of minorities into job categories in which they are presently underrepresented (as evidenced by discrepancies from goals). Appropriate rewards or punishment meted as a result of these reports should influence managers to take desired actions. Of course, normal rules of statistical inference must be applied to support 14 statistical conclusions taken from the data. However, even in the absence of "statistically significant" inferences, these reports serve as a basis for comparisons between managers and discussion of areas and methods of improvement.

#### Integrated Systems

14

The EEO applications are but one kind of integrated system which can be supported by a system of relating manpower goals, plans,

For an indepth discussion of statistical inference in relation to EEO, see J. Ledvinka [13].

EEO DYNAMICS FOR THE PERIOD MAR 75 TO MAR 76 ALL NAVY

OCCUPATION         GRADE         OW BDD         LOSSES         CAINS         MAINS												
MANUAL NATIONALY ALTIMATY         MANUAL NATIONALY ALTIMATY         MANUAL NATIONALY           24         11         45.8         4         16.7         7         29.2         8         4           273         12         4.3         16         6.7         1         20.2         8         4         6           273         12         4.3         16         6.7         1         4         9.1         4         4         9.1         4         4         4         9.1         4         9.1         4         9.1         4         9.1         4         9.1         4         9.1         4         9.1         4         9.1         4         9.1         6.0         9.1         6.0         9.1         6.0         4.0         9.1         6.0         9.1         9.1         6.0         9.1         9.1         6.0         9.1         9.1         6.0         10.	OCCUPATION	GRADE	ON BRD	NITCON.		S	2		GAI	NS		ON BRD
24       11       45.8       4       16.7       7       29.2       6       33.3         21       11       3.2       25       7.2       16       6.7       1       4.8         273       12       4.3       16       5.7       16       6.7       1       4.8         21       11       3.2       25       7.2       16       6.7       1       4.8         21       11       16       6.7       1       4.8       3       14.3       11       4.8         21       11       15       1       8.8       11       8.3       1       1       8.3       1       1       1       1       1       1       1       1       1       1       1       1       1	CALEGORI					YIEN	21%	INIERN	*	EXIEN	AL %	WAN /
GS59         24         11         46.8         4         16.7         7         29.2         6         30.3           GS1316         273         12         4.3         16         6.7         1         4.3         16         4.4         4.4         4.6           GS1316         273         12         4.3         16         6.7         1         4.3         16         4.6           GS1316         12         1         8.2         1         4.6         5         4.5         5         4.5         1         4.6         4.1         4.8 <th>OCIAL CATEGORY: BLAC</th> <th>CK MALE</th> <th></th>	OCIAL CATEGORY: BLAC	CK MALE										
GS9-12       J45       11       3.2       Z5       7.2       15       4.3       16       6.7       1       4         GS16-18       2.7       1       6.2       1       6.2       1       6.4       4.6         GS16-18       2.7       1       6.2       1       6.5       16       6.7       1       4         GS12-15       44       1       1       8.3       6.8       11       2.5       4       9.1       2.6       4       9.1       2.6       4       9.1       2.6       4       9.1       2.6       4       9.1       2.6       1       8.3       1       1       1       1       1       1       1       1       1       1	SCI AND ENG	G25-9	24	=	45.8	•	16.7	2	29.2	•	33.3	2
GS13-16         Z79         12         4.3         16         5.7         16         5.7         1         4.3         11         22.4           GS16-18         2         1         1         8.6         1         4.8         3         14.3         11         82.4           GS13-16         12         1         8.3         1         8.3         14.3         11         82.4           GS13-16         12         1         8.3         1         8.3         1.4         8.3         1.4         8.1           GS13-16         12         1         8.3         1         8.3         1.8         8.1         8.1         8.3         1.1         8.3         1.1         8.3         1.2         4.4         8.3         1.2         4.4         8.5         8.4         1.1         8.3         1.2         4.4         8.3         1.2         4.3         1.1         1.2         4.3         1.1         1.2         4.3         1.1         1.2         4.3         1.1         1.3         1.1         1.3         1.1         1.3         1.1         1.3         1.1         1.3         1.1         1.3         1.1         1.3         1.		GS9-12	345	Ħ	3.2	8	7.2	15	4.3	16	4.6	340
GS16-18       2       1       60         GS5-8       21       11       62.4       1       4.8       3       14.3       11       62.4         GS5-8       21       11       62.4       1       4.8       3       14.3       11       62.4         GS13-15       12       1       8.1       3       1       8.3       1       8.3       1       8.3         GS13-15       12       1       6       45.5       6       4.5       3       14.3       11       8.3         GS13-15       114       1       8.1       8.6       3.6       14.4       1       8.3         GS13-15       114       4       3.5       13       11.4       12       10.5       3       2.6         GS13-15       11       4       3.5       13       11.4       12       10.5       3       2.6       4.6       7       7         GS13-15       11       4       3.5       13       11.4       12       10.5       3       2.6       4.6       7       7       6       6       7       7       6       6       7       7       6       6		GS13-15	279	12	4.3	16	5.7	16	6.7	-	•	261
GS-8         21         11         E24         1         4.8         3         14.3         11         E24         1         4.8         3         14.3         11         E24         1         4.8         3         14.3         11         E24         3         6.8         11         20         4         9.1         3         6.8         11         20         4         9.1         8.3         6.8         11         20         4         9.1         8.3         6.8         11         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1         8.3         1 <th1< th=""> <th1< th=""> <th1< th=""></th1<></th1<></th1<>		GS16-18	2			-	60.0					-
GS9-12       44       4       9.1       3       6.8       11       25.0       4       9.1         GS13-15       12       1       8.3       1       8.3       1       8.3       1       8.3         GS14       11       6       45.5       5       45.5       5       45.5       5       45.5         GS14       11       6       4.5       5       6.5       5       45.5       5       45.5       5       4.5       5 <td>THER PROFESSIONALS</td> <td>GS5-8</td> <td>31</td> <td>H</td> <td>52.4</td> <td>-</td> <td>4.8</td> <td>m</td> <td>14.3</td> <td>F</td> <td>62.4</td> <td>8</td>	THER PROFESSIONALS	GS5-8	31	H	52.4	-	4.8	m	14.3	F	62.4	8
GS13-15       12       1       8.3       1       8.3       1       8.3       1       8.3       1       8.3       1       8.3         GS14       11       5       45.5       5       45.5       35       18.6       23       12.2       1       8.3         GS543       GS543       6       6.5       5       45.5       5       45.5       35       18.6       23       12.2       1       1.3         GS5315       114       1       2       10       8.1       12       10.5       3       2.6       1		GS9-12	4	•	9.1	e	6.8	F	25.0	•	9.1	3
GS14         11         6         45.6         6         45.5           GS5-8         188         6         31.9         16         8.6         35         13         12           GS5-12         690         29         4.2         60         8.7         106         15.7         23         122           GS13-15         114         4         3.5         13         11.4         12         105         3         26         4.6           GS13-15         114         4         3.5         13         11.4         12         105         23         122           GS13-15         143         46         33.6         22         15.4         13         11.4         12         105         23         26           GS13-15         19         13.8         175         108         13.6         69         8.7           GS13-15         63         17         13.6         175         108         13.6         8.7         14.1         34         6.4           GS13-15         1         1         23         1         6.3         14.1         34         6.4           GS13-15         1         1<		GS13-15	12	-	8.3	-	8.3	•	8.3	-	8.3	12
G55-8         188         60         31.3         16         8.6         36         16         27         122         122           G53-15         11.4         -         -         35         13         11.4         12         106         57         22         4.6           G51-15         11.4         -         -         35         13         11.4         12         106         57         22         4.6           G51-16         11         -         -         35         23         13         11.4         12         106         57         22         4.6           G51-12         651         756         110         13.8         17         108         13.1         41         34         54           G51-15         63         1         1         26         13.7         13.8         176         13.9         14         14.1         34         54           G51-15         1         1         1         23         1         1         1         1         53         1         54         1         55         55         55         55         55         56         1         53         5	MANAGERS AND ADMIN		H	6	45.5	10	45.5					-
GS9-12         690         29         4.2         60         8.7         106         15.7         32         4.6           GS13-15         114         4         3.5         13         11.4         12         105         33         26           GS13-15         114         1         4         3.5         13         11.4         12         105         33         26           GS14-16         GS1-4         143         46         3.6         22         15.4         13         9.1         43         26         44         46         26 <td></td> <td>GS5-8</td> <td>188</td> <td>8</td> <td>31.9</td> <td>16</td> <td>8.6</td> <td>8</td> <td>18.6</td> <td>ន</td> <td>12.2</td> <td><b>8</b>1.</td>		GS5-8	188	8	31.9	16	8.6	8	18.6	ន	12.2	<b>8</b> 1.
GS13-15         114         4         3.5         13         11.4         12         10.5         3         2.6           GS16-18         1         1         -         3.5         13         11.4         12         10.5         3         2.6           GS16-18         11.8         143         24         33.5         22         15.4         13         9.1         43         30.1           GS5-8         7755         110         13.8         61         7.7         106         13.6         69         8.7           GS5-12         623         37         5.9         37         5.9         37         5.9         37         5.9         37         5.9         37         5.9         37         5.9         37         5.9		GS9-12	690	8	4.2	8	8.7	108	16.7	R	4.6	142
GSI6-18         1           FAND TECH         GS1-4         143         48         33.6         22         15.4         13         9.1         43         30.1           GS5-3         736         110         13.8         61         7.7         108         13.6         68         8.7           GS3-12         623-12         623         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         37         6.3         100         37         6.4         38         4.4         56         6.3         10         72         123         38         4.4         6.4           GS31-15         1         1         1         6.3         1         6.3         1         6.3         1         6.4           GS31-15         1         1         1         6.3		GS13-15	114	*	3.5	13	11.4	12	10.5	6	2.6	112
F AND TECH         GS14         143         48         33.6         22         15.4         13         9.1         43         80           GS5-8         795         110         13.8         61         7.7         108         13.6         69         8.7           GS3-12         623-12         623         37         5.9         37         5.9         13.6         13.6         8.9         14.1         34         5.4           GS3-13         6         7         1         2.3         5.9         14.1         34         5.4           GS3-13         6         1         2.5.0         1         2.5.0         5.9         5.9         5.4         5.4           GS3-13         1         1         2.0         5.9         1         6.3         2.1         5.6         4.4           GS9-12         1         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         6.4           GS9-12         1         1         6.3         1         6.3         1         6.3         1         6.4           GS9-13         1         1		GS16-18	-									-
G55-8         795         110         13         61         77         108         13.6         69         87           G53-12         623         37         5.9         37         5.9         37         5.9         14.1         34         5.4           G53-15         6         37         5.9         37         5.9         37         5.9         14.1         34         5.4           G53-15         4         1         25.0         59         121         13.8         175         197         56         6.3         50	SUB PROF AND TECH	GS1-4	143	84	33.6	ន	15.4	ũ	9.1	4	30.1	121
G53-12         G23         37         5.9         37         5.9         37         5.9         14.1         34         5.4           G513-15         4         1         25.0         1         1         25.0         1         34         54           G513-15         4         1         25.0         1         1         25.0         26         6.3         180         20.2           G513-15         16         1         6.3         10.7         50         8.6         7.2         12.3         26         4.4           G53:1-15         1         1         10.0         50         8.6         7.2         12.3         26         4.4           G53:1-15         1         1         1         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         6.3         1         1         6.3         1         1         6		GS5-8	795	110	13.8	61	1.1	103	13.6	69	8.7	108
GS13-15       4       1       25.0         L       GS1-4       890       121       13.8       175       19.7       56       6.3       180       20.2         GS5-8       587       687       683       10.7       50       8.5       72       12.3       26       4.4         GS5-12       16       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       6.3       1       1       6.3       1       1       6.3       1       1       6.3       1       1       6.3       1       1       6.3       1       1       6.3       1		GS3-12	629	37	6.3	37	5.9	8	14.1	2	5.4	678
L       GS1-4       690       121       13.6       175       19.7       56       6.3       180       20.2         GS5-8       567       66       10.7       50       8.5       72       12.3       28       4.4         GS5-15       1       1       6.3       10.7       50       8.5       72       12.3       28       4.4         GS1-15       1       1       10.00       1       6.3       17       4.6       18       2.10       8       1.4         GS1-4       505       84       16.6       116       23.0       8       1.6       217       4.30         GS1-4       505       84       16.6       116       23.0       8       1.6       217       4.30         GS1-4       505       84       16.6       116       23.0       8       1.6       217       4.30         GS5-12       3       7       4.6       33       8.8       74       19.8       12       3.2         GS5-12       3       6.57       11.1       6.00       11.3       6.1       1       3.3       3.2         AL       BLACK MALE       5.67		GS13-15	•	-	25.0							m
GS5-8     567     63     10.7     50     8.6     7.2     12.3     26     4.4       GS3-12     16     1     6.3     1     6.3     1     6.3     1     6.3       GS3-15     1     1     10.0     1     1     100.0     1     6.3     1     6.3       GS1-4     505     84     16.6     116     23.0     8     1.6     217     43.0       GS5-8     373     17     4.6     33     8.8     74     19.8     12     3.2       GS5-12     3     655.4     5.17     651     631     11.1     640     11.3     631     13.33       AL     BLACK MALE     5.677     631     11.1     640     11.3     631     11.1     682     12.0       AL     BLACK MALE     5.677     631     11.1     640     11.3     631     11.1     682     12.0	CLERICAL	GS1-4	890	121	13.6	175	19.7	8	6.3	180	20.2	833
GS9-12     16     1     6.3     1     6.3     1     6.3       GS13-15     1     1     100.0     1     1     100.0       GS14     505     84     16.6     116     23.0     8     1.6     217     43.0       GS14     505     84     16.6     116     23.0     8     1.6     217     43.0       GS5-8     373     17     4.6     33     8.8     74     19.8     12     32.3       GS9-12     3     3     11.1     640     11.3     65.7     1     33.3       AL     BLACK MALE     5.677     631     11.1     640     11.3     631     11.1     682     12.0       SAMPLE REPORT     SAMPLE REPORT     SAMPLE REPORT     SAMPLE REPORT     SAMPLE REPORT     SAMPLE REPORT		GS5-8	683	8	10.7	8	8.5	2	12.3	26	4.4	213
GS13-15 1 1 100.0 GS1-4 605 84 16.6 116 23.0 8 1.6 217 43.0 GS5-8 373 17 4.6 33 8.8 74 19.8 12 3.2 GS9-12 3 2 66.7 1 33.3 AL BLACK MALE 5.677 631 11.1 640 11.3 631 11.1 682 12.0 SAMPLE REPORT		GS9-12	16		6.3	-	6.3	1	6.3	-	6.3	\$
GS1-4 605 84 16.6 116 23.0 8 1.6 217 43.0 GS5-8 373 17 4.6 33 8.8 74 19.8 12 3.2 GS9-12 3 2 66.7 1 33.3 AL BLACK MALE 5.677 631 11.1 640 11.3 631 11.1 682 12.0 SAMPLE REPORT		G313-15	-	-	100.0							
CS5-8 373 17 4.6 33 8.8 74 19.8 12 3.2 GS9-12 3 2 66.7 1 33.3 BLACK MALE 5,677 631 11.1 640 11.3 631 11.1 682 12.0 SAMPLE REPORT	SERVICE	GS1-4	805	2	16.6	116	23.0	.00	1.6	217	43.0	630
GS9-12 3 2 66.7 1 33.3 BLACK MALE 5.677 631 11.1 640 11.3 631 11.1 682 12.0 SAMPLE REPORT		GS5-8	373	11	4.6	8	8.8	74	19.8	12	3.2	<b>604</b>
BLACK MALE 5,877 631 11.1 640 11.3 631 11.1 682 12.0 SAMPLE REPORT		GS9-12						2	66.7	-	33.3	
SAMPLE REPORT		ALE	6,677	153	1.11	640	11.3	12	FI	682	12.0	5.719
				SA	MPLE R	PORT						

and actions. There are multi-linked systems which tie together organization elements at the same level. There are also multi-level systems which tie together different levels of decision-making. These kinds of systems are particularly relevant to large local installations (2,000 or more employees) and higher headquarters.

Top managers of individual installations may be concerned with the details of the workforce beyond those currently supplied by the system. This necessitates cross-checking or linkage with a more detailed personnel system. Specific questions about training, shifting skill mix needs, and workload projections are relevant at this level and lower. At the level of the next higher manager, who has several of these installation heads reporting to him the types of questions change. In at least one case, the interest at this headquarters level is in evaluating and controlling the performance of those installation heads in managing their workforces, rather than in directly planning for workforce management. Aggregate workforce data is also useful at this headquarters level in policy discussions with closely related managers at the same hierarchical level. Detailed data is not generally appropriate. Thus, the management task of the position dictates, to some extent, the appropriate information.

The situation mentioned also involves a highly decentralized management in the headquarters position. If, because of individual management style, organization tradition or the characteristics of the specific position, there was a more centralized manager, the information needs (or at least requests) might be very different. No matter how centralized, however, it is not likely that the higher level manager

could use all the information in the same detail as could the installation managers below him. In general, as information flows up the organizational hierarchy, it becomes more summarized or aggregated and thus less detailed, but covers a much broader base. Thus, information needs may vary with hierarchical level (i.e., the position in the organization structure), with the degree of centralization/decentralization and the type of organization structure, and with the management style of a particular incumbent.

The issues of goal congruence between different organization levels also need to be addressed. In many cases, information about lower levels, which was not easily accessible in the past, is now available to higher levels of management. This may eliminate some of lower management's opportunities to build in slack or to build power on the basis of exclusive possession of information. As such, this wider dissemination of information may be perceived as detracting from lower management's prerogatives. This jealousy of information will probably be increased insofar as goal congruence between two contingent levels decreases. If manager A, who is subordinate to manager B, has goals which are not congruent with B's goals, A is likely to want to keep information about these goals and their accomplishment from B. This statement is made on the premise that B, as A's superior, is likely to punish A for pursuing goals which are incongruent with B's own. If A's pursuit of such incongruent goals is disclosed by a new information system, A's own goal accomplishment may be expected to be decreased. This type of problem could well lead to system sabotage if not anticipated and handled properly, even when overall benefits would have been positive to the organization.

If manpower models are to be used, they must be built into the management structure so that judgemental information is integral to the 15 decision system. Many of the earlier research applications of the Navy's Civilian Manpower Modeling Programs involved systems of this type. In this paper, discussion will be limited to a test of a multilinked model in the cost centers of the Naval Air Rework Facility (NARF) 16 in San Diego. The purpose of this test was to see (1) a technical evaluation of the consistency between the two models; and (2) the management significance of the data.

Inside a large installation, much of the planning is accomplished by departments or cost centers. In this case, there are a number of organizations linked by the common fabric of the total installation. The cost center manager either makes or substantially influences the critical decisions of hiring, firing, and promotions. Considerable borrowing and loaning of personnel between cost centers may also take place. Structural rigidities such as a minimum number of personnel of a given kind needed in a cost center to perform its job or mission also should be considered. At the same time, these sub-unit levels plans need to fold into and be consistent with the total installation plan. Finally, it is desirable that planning models at the total installation level can be run without including all the cost center detail and be reasonably consistent with the sum of all the detail.

For a discussion of a system of this type proposed for the Naval Laboratory System, see Cooper, Niehaus, and Nitterhouse [10].

See Chapter V of [15] and [11].

15

16

As might be expected, there is an explosion of detail when the cost center model is used. To show the comparison between the cost center and the NARF-wide models, only one occupation, aircraft electrician will be used. These data are given in Figure 6. Comparisons are provided of total strengths, hires and fires, goal deviations, and multi-period effects. Inter-occupation transfers which may account for some of the differences are not included in the comparisons.

From a consistency point of view, the differences are the key comparisons. Looking at the projected popularion data, one can see that the cost center model with the exception of the December 1976 period ends up with more personnel in each period. This is due in part to the fact that the model does not explicitly make inter-cost transfers. However, these numbers are most likely more realistic since the workload and hence structural requirements would not permit wide-scale transfers in any case. The hires and fires data has to be examined together since the single installation model will only reflect the net amount. In this example, the net amounts are always greater in the cost center model again for structural reasons. The greatest difference between the two models is in the goal deviations. Most of this can be accounted for by the need in the cost center model to make considerable adjustments because of the wide swings in workload in the cost centers.

A comparison of the total man-quarter data is shown in Figure 7. Both models overshot the total workload requirement when summed up for all four quarters. The cost center model overshot by 1.05% while the single installation model overshot by 0.15%. The comparison between the two models show them to be highly consistent, coming very close to the workload requirements, and each useful in its own right.

# NAVAL AIR REWORK FACILITY, SAN DIEGO AIRCRAFT ELECTRICIANS

MODELS RUN AS OF JUNE 1976

	Initial Population June 1976	Projected Population	Hires	Fires	Workload	Workload Deviations
					EPTEMBER 1976	Deviations
Cost Center Model			The second second			11.71 (J 10)
920	72	70			70	
930	22	24	3		24	
940	215	244	3 35	1.	245	-1
950	188	173		,	173	
960	5	5			5	
TOTAL	502	516	38	9	517	-1
NARF-W DE MODEL	502	513	26		517	-4
Difference		3	12	9		-3
	and the second second	dill , Willy 14		13 13 80/00	DECEMBER 1976	
Cost Center Model						
920	And Shannah	70	2	a state of the second	70	
930		23			24	-1
940		240			241	-1
950	Con and and	159		8	152	-17
960	a second and the second second	5			152	'
TOTAL		497	2	8	.492	5
NARF-WIDE MODEL		499			492	
Difference		-2	2	8	472	-2
					MARCH 1977	
Cost Center Model		1711 1938 19 73 74		and the second		
920		78	9		78	
930	and the second	23		and they are been	24	-1
940	a second second second	238			230	-1 8
950		156			156	•
960	The second have the	5		The second second	5 .	
TOTAL		500	9		493	7
		493	· · · · · · · · · · · · · · · · · · ·		493	
Difference	and the second second	7	9		473	7
				1	JUNE 1977	
Cost Center Model	man and sold	and the set of	The second	1	a hard a family	
920	and the second se	76			90	-14
930		25		1 States and	24	1
940	A marked and a factor	241	9	and the second	241	-
950		153	and the second second		130	23
960		5			130	23
TOTAL		500	9		490	10
MARF-WIDE MODEL		490	6	1	490	10
Difference		10			430	10

KEY: 920 No 2 Division
930 Hydraulic/Nechanical Division
940 Avionics Division
950 No 1 Division
960 Power Plant Division

DETAILED COMPARISONS OF COST CENTER AND SINGLE INSTALLATION MODELS

FIGURE 6

# NAVAL AIR REWORK FACILITY, SAN DIEGO

### AIRCRAFT ELECTRICIANS

MAN-QUARTERS MODELS RUN AS OF JUNE 1976

an respiration report top	SEP 76	DEC 76	MAR 77	JUN 77	YEAR TOTAL
Workload	a this activity	475 I EI(16)	na sina unin	is in part has	1.00.000
Requirements	517	492	493	490	1992
Population					
Projections:					
Cost Center Model	516	497	500	500	2013
NARF Wide Model	513	499	493	490	1995

at at an end the set of a set of the second second

# DIFFERENCES:

Cost Center Model 21 or 1.05% NARF Wide Model 3 or 0.15%

TOTAL MANPOWER COMPARISONS OF COST CENTER AND SINGLE INSTALLATION MODELS

# FIGURE 7

The management uses of the data are considerable. If Figure 6 is re-examined, it can be seen that the workload of the No. 2 Division has increased from 70 to 90 aircraft electricians with the increase coming in the last two periods. At the same time, the workload of the No. 1 Division had declined from 173 to 130 aircraft electricians. The Avionics Division remained pretty much the same except for a dip in the March 1977 quarter. The other two cost centers which are small did not have much of a workload change. These data are all inputs to the model.

It is worthwhile to examine the cost center model outputs as far as hiring, firing and internal transfers are concerned. In the September 1976 period, the logical management action is to transfer the 9 redundant aircraft electricians in the No. 1 Division permanently to the Avionics Division. A total of 27 new personnel would need to be hired leaving a shortfall of only man-quarter in the Avionics Division. In the December 1976 quarter, two of the redundant eight personnel in No. 1 Division should be permanently transferred to the No. 2 Division and six laid off. In addition, from the No. 1 Division, one person should be temporarily loaned to the Hydraulic/Mechanical Division and one loaned to the Avionics Division.

Similar kinds of actions should be taken in the final two quarters. In the March 1977 quarter, the eight aircraft electricians over requirements in the Avionics Division should be temporarily loaned to the No. 2 Division. This leaves at this iteration, one person to be hired in the No. 2 Division and a shortfall of one in the Hydraulic/ Mechanical Division. In the final June 1977 quarter, care has to be taken to make sure the numbers are correct. The projected population is

492 as of March 1977 rather than 500, since only one rather than nine aircraft electricians were hired. Also, the remaining one extra person in the No. 1 Division cost center and one extra person in the Hydraulic/ Mechanical Division should be loaned to the Avionics Division. In addition, seven a raft electricians should be hired in the Avionics Division.

An installation summary of all the suggested actions is shown in Figure 8. December 1976 is the troublesome quarter. A suggested solution with no layoff would be to work overtime to carry out 12 manquarters of the workload in the September 1976 quarter. This would smooth the workload with an overtime rate of a little over two percent. The model should be rerun with this decision in mind to fine-tune the required actions.

The cost center model is particularly useful in skills balancing. It not only addresses the issues of attrition and hires but also of borrows and loans. Further, the relationships of overtime scheduling and contracting out can be easily included.

In summary, the cost center model is particularly suited for:

- a. Negotiating for rescheduling of assignments
- b. Negotiating for additional or less workload
- c. Establishing future employment levels compatible with the forecasted workload
- d. Arranging for temporary hires or loans
- e. Revising future training requirements including input levels.

### NAVAL AIR REWORK FACILITY, SAN DIEGO

### AIRCRAFT ELECTRICIANS MODELS RUN AS OF JUNE 1976

ensur of this end	Projected Population	Hires	Fires	Workload	Workload Deviations
SEPTEMBER 1976	516	27		517	-1
DECEMBER 1976	497		6	492	5
MARCH 1977	492	1.00		493	-1
JUNE 1977	490	7		490	

INSTALLATION SUMMARY OF SUGGESTED WORKLOAD AND PERSONNEL ACTIONS

#### FIGURE 8


#### Conclusion

The EEO model and the multi-linked cost center model are two examples of integrated systems which extend well into the areas of control and accountability. These model developments are being parallelled by developments in computer technology using telecommunications arrangements. Also, the model solution methodologies are at a stage where the computational aspects of the models are becoming almost transparent to the user. All of these developments are subjects of continuing projects of the U. S. Navy civilian modeling project which had its beginnings in 1967. It is fitting to close this paper with a restatement of the initial objectives of the project as an accountability check on the original modeling research.

As reflected in a memo by A. Charnes, W. W. Cooper and R. Niehaus on the minutes of the original kick-off meeting with Mr. Willey, then the Director of the U. S. Navy Office of Civilian Manpower Management, the manpower planning system concept on Figure 9 was proposed. This concept envisioned a large, integrated system involving (1) current inventory of personnel, (2) future requirements, forecasts, and projections, and (3) environmental factors. The purpose of the system characterizations was:

> ...to make it possible to develop a vehicle for manpower planning in order thereby to facilitate study of forecasts, exploration of alternatives and a resultant development of strategies for meeting possible contingencies in advance of their occurrence as well as for exploiting opportunities that might otherwise go unnoticed. This would involve a development of suitable models in order to execute such studies in terms of interactions between and among the system components in an efficient, convenient, and economical manner.

	Professional Technical Other	1. 3. 4.	Where located Current activities Experience and age vita	<ol> <li>Force structure and job mix</li> <li>Skills required</li> <li>Disciplines</li> </ol>
2.		3. 4.	Current activities Experience and age vita	
	Other	а. 4.	Experience and age vita	
		4.	age vita	
		4.		
			Keassignapility	
			Environmental Factors	
			1. General labor supply	
			a. County	
			b. Regions	



Economic conditions and competitive situations

3.

Education and training facilities

2.

FIGURE 9

Major management systems either exist (many in their second or third generation) or are in large-scale development in all the areas envisioned in 1967. Some of these applications were described in this paper. Perhaps the more interesting fact is the original team is still together using the system, now in place as a springboard for still further extensions. These extensions such as those into control and accountability represent the bringing together of yet other areas of management with the integrated system coming into place.

#### REFERENCES

- Atwater, D. M., R. J. Niehaus, and J. A. Sheridan, "Externa! Labor Market Analysis and EEO Goals Planning", OCP Research Report No. 33. (Washington, D. C.: U. S. Navy Office of Civilian Personnel, 1978)
- [2] Bonini, C. P., R. K. Jaedicke, and H. M. Wagner, <u>Management</u> <u>Controls: New Directions in Basic Research</u> (New York: McGraw Hill, 1964)
- [3] Charnes, A. and W. W. Cooper, "Goal Programming and Multiple Objective Optimizations", <u>European Journal of Operational Research</u>, Vol. 1, No. 1, January 1977, pp 33-54.
- [4] , K. A. Lewis and
   R. J. Niehaus, "A Multi-Objective Model for Planning Equal Employment Opportunities" in M. Zeleny, ed., <u>Multiple Criteria Decision</u> <u>Making: Kyoto 1975</u> (New York: Springer Verlag, 1976).
- [6] Charnes, A., W. W. Cooper, and R. J. Niehaus, <u>Studies in Manpower</u> <u>Planning</u> (Washington, D. C.: U. S. Navy Office of Civilian Manpower Management, 1972)
- [7] \_\_\_\_\_, "A Prototype Test of a Multi-Level Model for Military-Civilian Planning", OCMM Research Report No. 19 (Washington, D. C.: U. S. Navy Office of Civilian Manpower Management, 1974)
- [8] Cooper, W. W., "Understanding Prediction and Control -- and Other Matters for Scientific Research", (Pittsburgh, Pa.: School of Urban and Public Affairs, Carnegie-Mellon University)
- [9] Cooper, W. W., H. J. Leavitt, and M. W. Shelly, II, eds., New <u>Perspectives in Organization Research</u> (New York: John Wiley and Sons, Inc., 1964)
- [10] Cooper, W. W., R. J. Niehaus, and D. Nitterhouse, "Workforce Goals Planning for the Naval Laboratory System", OCP Research Report No. 31, in <u>Proceedings of the 12th DoD Cost Analysis Symposium</u>, Colorado Springs, Colorado, 27-29 October 1977.
- [11] Gewirtz, M., S. Korn, and R. J. Niehaus, "Application of Civilian Manpower Models to the Naval Facilities Engineering Command", OCMM Research Report No. 16 (Washington, D. C.: U. S. Navy Office of Civilian Manpower Management, 1974)

- [12] Kohler, E., <u>A Dictionary for Accountants</u>, 5th Ed., (Englewood Cliffs, N. J.: Prentice-Hall, 1975)
- [13] Ledvinka, J., "Technical Implications of Equal Employment Law for Manpower Planning", <u>Personnel Psychology</u>, 28, 299-323, 1975.
- [14] Lewis, K. A., <u>Manpower Planning for Equal Employment Opportunities</u> <u>As Applied to the U.S. Navy Civilian Workforce</u>, unpublished Ph.D. dissertation (Pittsburgh, Pa.: School of Urban and Public Affairs, Carnegie-Mellon University, 1977)
- [15] Niehaus, R. J., <u>Computer-Assisted Human Resources Planning</u> (New York: Wiley-Interscience) (in press)
- [16] \_\_\_\_\_\_, "Conversational Manpower Models in a Telecommunications Environment", in D. Bryant and R. J. Niehaus, eds., <u>Manpower Planning and Organization Design</u> (New York: Plenum Publishing Co., 1977)
- [17] , "Computer-Assisted Manpower Models Using Goal Programming", OCP Research Report No. 32 (Washington, D. C.: U. S. Navy Office of Civilian Personnel, 1977)
- [18] Rappaport, A., ed., Information for Decision Making (Englewood Cliffs, N. J.: Prentice-Hall, Inc., 1970)
- [19] Simon, H. A., <u>The New Science of Management Decision</u>, Revised Edition (Englewood Cliffs, N. J.: Prentice-Hall, Inc., 1977)