

ADA055709

CONTRACT REPORT ARBRL-CR-00370

INFRARED BACKGROUND MEASUREMENTS

Prepared by

University of Denver
Department of Physics
Denver, Colorado 80208

April 1978



US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND
BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

Approved for public release; distribution unlimited.

Destroy this report when it is no longer needed.
Do not return it to the originator.

Secondary distribution of this report by originating
or sponsoring activity is prohibited.

Additional copies of this report may be obtained
from the National Technical Information Service,
U.S. Department of Commerce, Springfield, Virginia
22161.

The findings in this report are not to be construed as
an official Department of the Army position, unless
so designated by other authorized documents.

*The use of trade names or manufacturers' names in this report
does not constitute indorsement of any commercial product.*

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER CONTRACT REPORT ARBRL-CR-00370	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) INFRARED BACKGROUND MEASUREMENTS		5. TYPE OF REPORT & PERIOD COVERED Scientific Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) David G. Murcray Frank H. Murcray Walter J. Williams		8. CONTRACT OR GRANT NUMBER(s) DAAD05-76-C-0740
9. PERFORMING ORGANIZATION NAME AND ADDRESS University of Denver Department of Physics Denver, Colorado 80208		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research and Development Command US Army Ballistic Research Laboratory (ATTN: DRDAR-BL) Aberdeen Proving Ground, MD 21005		12. REPORT DATE APRIL 1978
		13. NUMBER OF PAGES 20
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Spectral Radiometry Atmospheric Constituent Profiles Atmospheric Emission Spectroscopy		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report contains the findings of balloon flights in 1977 which studied enhanced infrared emissions which have been observed at high altitudes in the Fairbanks, Alaska area. Very weak fluctuations were observed for very short periods of time.		





TABLE OF CONTENTS

	Page
I. INTRODUCTION.	5
II. BALLOON FLIGHT PROGRAM (1977)	6
A. Preparations.	6
B. The Alaskan Measurements.	7
III. SUMMARY OF RESULTS.	10
IV. REFERENCES.	13
DISTRIBUTION LIST ,	15



I. INTRODUCTION

This program is a continuation of a study of enhanced infrared emissions which have been observed at high altitudes in the Fairbanks, Alaska area. Data from 1975-1976 are presented elsewhere⁽¹⁾ while this contract covers flights in 1977. These enhancements have been shown to originate at altitudes in excess of 40 km. Information concerning the altitude at which the phenomena originate is of importance in understanding the observations. One method for obtaining altitude information is by triangulation if the phenomena can be observed from points widely separated in space. The accuracy of such a technique depends on its spatial extent. Measurements indicate that the gross structure of the phenomena probably extends over more than twenty degrees in azimuth; however, it has not been established that an exact temporal correlation exists over such a large angle. Therefore, it might be possible to identify a sufficiently narrow region for triangulation experiments by searching for temporal correlations in measurements from platforms separated in space.

The objective of the 1977 Alaskan flight program was to determine the angular extent of close temporal correlations in the fluctuations. Previous data taken with the four-field filter radiometer with a square detector array exhibited good correlations between detectors with 4° of angular separation. Calculations showed that useful altitude information can be derived if angular spreads of at least twice this size are used. The 1977 measurement was to determine the degree of temporal correlation exhibited at various angular spreads up to 60° .

II. BALLOON FLIGHT PROGRAM (1977)

A. Preparations.

The nitrogen-cooled filter radiometer, with a four-field linear detector array, was the only instrument available for the measurements, but its optical system limited the field-of-view of the detectors to a 9° extreme spread. It was necessary, therefore, to design and construct additional single-channel radiometers to obtain simultaneous measurements for separations greater than 9° .

The single-channel radiometers were to be small and light enough to permit one of them to be rotated in azimuth upon command, thereby permitting correlation measurements at a variety of angular separations with an identical fixed instrument. Two were constructed: each weighed approximately 35 pounds and was approximately 30" in length by 9" in diameter. The cryostat hold-time was in excess of 25 hours and the N.E.R. was $10^{-10} \text{ w cm}^{-2} \text{ sr}^{-1} \mu^{-1}$ when filtered for a 12 c.p.s. cut-off frequency. The systems were to operate in the D.C. mode with an internal calibration blackbody designed to be thrown into the field at 70-second intervals. A broad band output was provided to permit frequency measured up to $\sim 2 \text{ kHz}$.

The performance of the four-field radiometer with a linear detector array during the 1976 Alaskan series was quite disappointing. Consequently, extensive modifications were performed on the unit in preparation for the 1977 Alaskan flights. The chopper and chopper drive assembly were modified and tested to assure stable frequency and amplitude operation from room temperature down to 77° K . The wiring internal to the detector dewar was changed and re-routed. These modifications materially reduced the microphonic noise from the detectors.

The preamplifiers also were changed. Those used with the detectors for the 1976 series were originally installed for the square array utilized on previous flights. They performed well with the Cu:Ge

detectors of the square array but exhibited a tendency towards parasitic oscillations and electronic cross-talk with the higher impedances of the Ge:Hg detectors in the linear array. New preamplifiers were constructed utilizing newly developed electrometer amplifiers not available in 1976. These devices proved more stable for the high impedance operation and their configuration. Low power requirements made it practical to utilize separate faraday shields and individual power supplies for each detector preamp, thereby minimizing electrical interaction among detector channels and external interference.

Together, these modifications served to reduce the N.E.S.R. of the instrument detectors to the $10^{-8} \text{ w cm}^{-2} \text{ sr}^{-1} \mu\text{m}^{-1}$ level, adequate to measure the normal background levels which had been observed at 30 km.

B. The Alaskan Measurements

The Alaskan operation in 1977 was performed in conjunction with the project Ashcan flight series, and scheduling was determined by the Ashcan operation. Assembly of the single-channel radiometer systems was completed just in time for shipment to Alaska. This restricted time frame permitted practically no testing of the radiometers beyond their calibration with an external blackbody to establish sensitivity levels.

In Alaskan tests it was found that the drive system for the internal calibration source would not operate reliably when the radiometers were cooled. Since time did not permit modifications internal to the dewar, the drive system was disabled to insure that the calibration source remain out of the field-of-view.

Final assembly and testing of a payload consisting of the four-field filter radiometer, two single-channel radiometers, the Barcus x-ray package and the Tufts University azimuth stabilization system was completed on 3 June.

The three radiometers were installed in the gondola with their optical axes as nearly coincident as could be determined without optical measurements. One of the single-channel radiometers was placed such that its axis could be rotated through sequenced steps of 3° , 6° , 12° , 30° and 60° by command from the ground. Data recording was done on-board via two digital tape decks and via S-band telemetry recorded at Poker Flats. Real-time monitoring was attempted at Eielson AFB, but was only partially useful due to the lack of a suitable tracking antenna.

After a delay due to problems with the command system check-out, the package was launched at 0602 ADT on 15 June 1977 and reached a float altitude of 29.3 km at 0743. The balloon stayed at float until 1302 when the flight was terminated over a suitable recovery area. The gondola was recovered the same evening in good condition.

The project Ashcan flight series started before the second of our two scheduled flights could be prepared and launched. It was necessary, therefore, to wait until completion of the Ashcan series before attempting the final flight. In the interim modifications indicated by the results of the 15 June flight were performed and some additional testing was done.

The project Ashcan series was completed on 25 June and preparations were started for an infrared flight to be launched the morning of 26 June. The liquid helium dewar of the four-field radiometer was filled on 25 June for some preliminary checks. All outputs appeared normal. Preflight cooling of the radiometer with LN_2 was started. All went well until a refill of the LHe dewar during which outputs were normal, but the boil-off rate of LHe was much greater than normal, indicating poor vacuum in the dewar. An attempt was made to repump the dewar when the LHe was exhausted, but the leak rate increased as the detector face-plate cooled, forcing cancellation of the flight.

The leak resealed as the radiometer warmed, making it apparent that the problem was associated with the external cooling of the dewar. Since a full temperature cycle on the total radiometer system required at least 24 hours, the detector module was removed from the instrument and a test fixture constructed to permit more rapid temperature cycling. The areas most susceptible to temperature-induced leaking in the dewar shell were the gold "O" ring seal between the dewar body and face-plate and the seal of the window to the face-plate. The gold "O" ring was changed and all windows seal seams were covered with a bead of epoxy. The repaired dewar maintained vacuum through one temperature cycle but failed on the next. Several "O" ring changes and additional epoxying failed to repair a dewar which would hold a vacuum through more than one temperature cycle. The time available before the cutoff data (1 July) was almost exhausted, so a new gold "O" ring was installed in the radiometer to be flown without a pre-flight temperature cycle.

Pre-flight cooling was started on 29 June for a flight scheduled the next morning. A vacuum leak developed before the radiometer was fully cooled, but the leak rate was not as great as before, so an attempt was made to cryopump the dewar with LHe. The resulting LHe hold time (30-40 minutes) was much too short for a useful flight with the four-field radiometer.

The flight of 15 June had raised some serious questions as to the validity of the data from at least one of the single-channel radiometers. The decision was made, with the concurrence of the sponsor representative, that the information gained by flying the single-channel radiometers without the four-field radiometer as a control would probably not justify the expense of the flight. The flight was, therefore, cancelled with the intention of performing a control flight at Holloman AFB at a later date.

III. SUMMARY OF RESULTS

During the 15 June flight all instrumentation functions appeared normal during the ascent to float altitude. The four-field radiometer functioned normally until approximately 1125 ADT (~3 1/2 hours at float altitude), when the coolant supply apparently ran out. The single-channel radiometers continued to generate outputs until the power was shut off prior to termination at 1302 ADT.

The validity of the outputs from the single-channel radiometers is questionable, particularly from unit #1 which began to exhibit large excursions in output level after a short period at float. These excursions differ from the fluctuation phenomena in several respects. They are predominantly repetitive, with a period of approximately two minutes, although the period changes slowly with time. They always exhibit a gradual build-up to a high level and a gradual decrease. A higher frequency (period 1 sec) is frequently superimposed on the long-period excursion. None of these characteristics are present in the four-field filter radiometer data from this flight or any fluctuation data previously obtained. These characteristics are more strongly suggestive of an electrical oscillation than an optical effect. The most likely explanation for the observed output is a gain variation in the detector preamp arising from a high frequency oscillation of the operational amplifier, possibly a result of the cooling of the preamplifier during flight. Such oscillations and high output level would cause a warming of the operational amplifier until the oscillations ceased, at which point it would cool again.

For the reasons outlined above, most of the float data from the fixed single-channel radiometer is suspect, although there is some evidence that it was functioning somewhat as a radiometer at the end of the flight.

The rotatable single-channel radiometer exhibited similar symptoms but only for short periods and with much less amplitude. Signals more characteristic of infrared activity appear on its output, but are difficult to interpret since later testing showed it badly out of focus with a resulting field-of-view limited only by the cold baffle system. In addition the time frame for comparison with the four-field radiometer is limited since the axis of the single-channel unit was rotated out of coincidence with the four-field unit at about the time the higher levels of activity began.

Weak fluctuations were observed with the four-field filter instrument starting shortly after reaching float altitude. The activity was infrequent and weak until 0830 when somewhat higher levels were observed. The activity levels were never very large and the periods of activity were short.

Three of the four detectors of the four-field instrument had excellent sensitivity, from top to bottom in the vertical plane these were #1, #2 and #4. Correlation can be tested from this data at separations of 3° , 6° and 9° . Correlation calculations have yet to be performed on this data but inspection of the analog data shows the correlation to be less rigid than on previous flights. Previous correlation computations have been done on much stronger, longer-lasting phenomena, and appear to be different from those with a lesser degree of activity.

In summary, correlation information was obtained for fields separated at 3° , 6° and 9° in the vertical plane, but due to the low levels of activity, it may not be representational of the stronger phases of the activity. Where feasible the data will be checked out for correlation between activity level and angular extent. Data tapes are being prepared for such purposes.

The single-channel radiometer results show the need for further testing of these units, both in the laboratory and on balloon flights. Since these radiometers are useful for other measurements, tests are being done under various other programs.

IV. REFERENCES

1. R. C. Amme, F. H. Murcray, D. G. Murcray, J. R. Olson, and W. J. Williams, "Stratospheric Measurements," Final Report on Contract DAAD05-74-C-0795 to Ballistic Research Laboratories by the Department of Physics, University of Denver, February 1978.



DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
12	Commander Defense Documentation Center ATTN: DDC-TCA Cameron Station Alexandria, VA 22314	1	Commander US Army Materiel Development and Readiness Command ATTN: DRCDMA-ST 5001 Eisenhower Avenue Alexandria, VA 22333
1	Director Institute for Defense Analyses ATTN: Dr. E. Bauer 400 Army-Navy Drive Arlington, VA 22202	1	Commander US Army Aviation Research and Development Command ATTN: DRSAV-E 12th and Spruce Streets St. Louis, MO 63166
2	Director Defense Advanced Research Projects Agency ATTN: STO, Mr. J. Justice Dr. S. Zakanyca 1400 Wilson Boulevard Arlington, VA 22209	1	Director US Army Air Mobility Research and Development Laboratory Ames Research Center Moffett Field, CA 94035
1	Director of Defense Research and Engineering ATTN: Mr. D. Brockway Washington, DC 20305	1	Commander US Army Electronics Command ATTN: DRSEL-RD Fort Monmouth, NJ 07703
5	Director Defense Nuclear Agency ATTN: STAP (APTL) STRA (RAAE) Dr. C. Blank Dr. G. Soper Mr. J. Mayo DDST, Dr. M. Peek Washington, DC 20305	5	Commander/Director US Army Electronics Command Atmospheric Sciences Laboratory ATTN: Dr. D. E. Snider Dr. E. H. Holt Mr. F. Horning Mr. R. Olsen Dr. F. E. Niles White Sands Missile Range NM 88002
5	DASIAC/DOD Nuclear Information and Analysis Center General Electric Company-TEMPO ATTN: Mr. A. Feryok Mr. W. Knapp Dr. T. Stevens Dr. M. Stanton Mr. T. Barrett 816 State Street P. O. Drawer QQ Santa Barbara, CA 93102	5	Commander/Director US Army Electronics Command Atmospheric Sciences Laboratory ATTN: Mr. B. Kennedy Dr. J. Randhawa Mr. H. Ballard Dr. H. Rachele Dr. M. Heaps White Sands Missile Range NM 88002

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commander US Army Missile Research and Development Command ATTN: DRDMI-R Redstone Arsenal, AL 35809	1	Commander US Army Nuclear and Chemical Agency ATTN: Dr. J. Berberet 7500 Backlick Road Springfield, VA 22150
1	Commander US Army Tank Automotive Research & Development Cmd ATTN: DRDTA-RWL Warren, MI 48090	3	Commander US Army Research Office ATTN: Dr. A. Dodd Dr. R. Mace Dr. R. Lontz P. O. Box 12211 Research Triangle Park NC 27709
1	Commander US Army Mobility Equipment Research & Development Cmd ATTN: DRDME-WC, Tech Lib Fort Belvoir, VA 22060	2	Director US Army BMD Advanced Technology Center ATTN: Mr. W. Davies Mr. M. Capps P. O. Box 1500 Huntsville, AL 35807
1	Commander US Army Armament Materiel Readiness Command ATTN: DRSAR-LEP-L, Tech Lib Rock Island, IL 61299	1	HQDA (DAEN-RDM, Dr. F. dePercin) Washington, DC 20310
2	Commander US Army Armament Research and Development Command ATTN: DRDAR-TSS (2 cys) Dover, NJ 07801	1	Commander US Army Research and Standardization Gp (Europe) ATTN: Dr. H. Lemons P. O. Box 15 FPO New York 09510
1	Commander US Army Harry Diamond Labs ATTN: DRXDO-TI 2800 Powder Mill Road Adelphi, MD 20783	1	Chief of Naval Research ATTN: Code 418, Dr. J. Dardis Department of the Navy Washington, DC 20360
1	Director US Army TRADOC Systems Analysis Activity ATTN: ATAA-SL, Tech Lib White Sands Missile Range NM 88002	1	Commander Naval Surface Weapons Center ATTN: Dr. L. Rutland Silver Spring, MD 20910

DISTRIBUTION LIST

<u>No. of</u> <u>Copies</u>	<u>Organization</u>	<u>No. of</u> <u>Copies</u>	<u>Organization</u>
1	Commander Naval Electronics Laboratory ATTN: M. W. Moler San Diego, CA 92152	1	Director Transportation System Center US Department of Transportation ATTN: Dr. T. Hard 55 Broadway Cambridge, MA 02142
4	Commander Naval Research Laboratory ATTN: Dr. W. Ali Dr. D. Strobel Code 7700, Mr. J. Brown Code 2020, Tech Lib Washington, DC 20375	1	Director Air Pollution Technical Information Center US Environmental Protection Agency ATTN: P. Halpin Research Triangle Park NC 27709
4	HQ USAF (AFNIN; AFRD; AFRDQ; ARTAC, COL C. Anderson) Washington, DC 20330	1	National Center for Atmospheric Research ATTN: Dr. J. Gille P. O. Box 3000 Boulder, CO 80303
2	AFSC (DLCAW, LTC R. Linkous; SCS) Andrews AFB Washington, DC 20334	1	Director Lawrence Livermore Laboratory ATTN: Dr. H. Ellsaesser, L-71 P. O. Box 808 Livermore, CA 94550
5	AFGL (Dr. R. McClatchey; Dr. J. Garing; Dr. H. Gardiner; Mr. D. Smith; Dr. A.T. Stair) Hanscom AFB, MA 01730	3	Director Los Alamos Scientific Lab ATTN: Dr. W. Maier (Gp J-10) Dr. J. Zinn (MS 664) Dr. W. Myers P. O. Box 1663 Los Alamos, NM 84544
5	AFGL (Dr. J. Kennealy; Dr. K. Champion; Dr. W. Swider; Dr. T. Keneshea; Dr. R. Narcisi) Hanscom AFB, MA 01730	2	Director Jet Propulsion Laboratory ATTN: Dr. C. Farmer Dr. R. Toth 4800 Oak Grove Drive Pasadena, CA 91103
1	Director National Oceanic and Atmospheric Administration ATTN: Dr. L. Machta US Department of Commerce 8060 13th Street Silver Spring, MD 20910	1	Director National Oceanic and Atmospheric Administration US Department of Commerce ATTN: Dr. E. Ferguson Boulder, CO 80302

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
4	Director National Aeronautics and Space Administration Goddard Space Flight Center ATTN: Dr. E. Hilsenrath Dr. V. Kunde Dr. A. Aikin Dr. R. Goldberg Greenbelt, MD 20771	2	General Electric Company Valley Forge Space Technology Center ATTN: Dr. M. Bortner Dr. T. Baurer P. O. Box 8555 Philadelphia, PA 19101
1	Director National Aeronautics and Space Administration Langley Research Center ATTN: Dr. J. Russell Hampton, VA 23365	1	General Research Corporation ATTN: Dr. R. Zirkind 1501 Wilson Boulevard Arlington, VA 22209
2	Director National Science Foundation ATTN: Dr. F. Eden Dr. G. Adams 1800 G Street, NW Washington, DC 20550	1	General Research Corporation ATTN: J. Fowler 307 Wynn Drive Huntsville, AL 35807
1	Boeing Aerospace Company ATTN: J. Nelson P. O. Box 3999 Seattle, WA 98124	1	General Research Corporation ATTN: T. Zakrzewski 7655 Old Springhouse Road McLean, VA 22101
1	Brown Engineering Company ATTN: N. Passino 300 Sparkman Drive Huntsville, AL 46807	1	Grumann Aerospace Corporation Research Division 35/588 ATTN: Dr. J. Selby Bethpage, NY 11714
1	Ford Aerospace and Communications Corporation ATTN: N. Cowden Ford & Jamboree Roads Newport Beach, CA 92663	1	Honeywell Radiation Center ATTN: H. Robinson No. 2 Forbes Road Lexington, MA 02173
1	General Electric Company Missile and Space Division ATTN: J. Burns P. O. Box 9555 Philadelphia, PA 19101	1	Hughes Aircraft Company ATTN: J. Steffes Centinela & Teale Streets Culver City, CA 90230
		1	L'Garde, Inc. ATTN: M. Thomas 1555 Placentia Avenue Newport Beach, CA 92663

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Lockheed Aircraft Corporation Lockheed Missiles and Space Company ATTN: R. Daniels 3251 Hanover Street Palo Alto, CA 94304	1	Photon Research Assoc, Inc. ATTN: D. Anding P. O. Box 1318 2223 Avenida de la Playa La Jolla, CA 92037
3	Lockheed Palo Alto Research Laboratory ATTN: Dr. B. McCormack Dr. J. Reagan Mr. R. Sears 3251 Hanover Street Palo Alto, CA 94304	1	R&D Associates ATTN: Dr. F. Gilmore P. O. Box 9695 Marina del Rey, CA 90291
1	McDonnell Douglas Astronautics Company ATTN: H. Herdman 3322 S. Memorial Parkway Huntsville, AL 35804	1	Rockwell International ATTN: Bob Fleming P. O. Box 4182 3370 Miraloma Avenue Anaheim, CA 92803
1	Mission Research Corporation ATTN: Dr. R. Hendrick 735 State Street P. O. Drawer 719 Santa Barbara, CA 93101	1	Sandia Laboratories ATTN: Dr. R. O. Woods Albuquerque, NM 87115
1	MIT Lincoln Laboratory ATTN: P. Longaker/R.Espinola P. O. Box 73 Lexington, MA 02173	1	The Ohio State University Department of Physics ATTN: Dr. J. Shaw Columbus, OH 43210
1	MITRE Corporation ATTN: Tech Lib P. O. Box 208 Bedford, MA 01730	1	Stanford Research Institute ATTN: Dr. J. Peterson 333 Ravenswood Avenue Menlo Park, CA 94025
1	Nichols Research Corporation ATTN: R. Nichols 7910 South Memorial Parkway Suite A Huntsville, AL 35802	6	University of Denver Denver Research Institute ATTN: Dr. R. Amme Dr. D. Murcray Dr. A. Goldman Dr. J. Williams Dr. F. Murcray Mr. J. Kosters P. O. Box 10127 Denver, CO 80210

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>
1	University of Illinois Dept of Electrical Engineering ATTN: Dr. C. Sechrist, Jr. Urbana-Champaign Campus Urbana, IL 61801
2	University of Michigan High Altitude Engineering Lab ATTN: Dr. F. Bartman Dr. S. Drayson Rsch Activities Building Ann Arbor, MI 48105
1	University of Minnesota, Morris Div of Science and Mathematics ATTN: Dr. M. N. Hirsh Morris, MN 56267
1	University of Wyoming Dept of Physics and Astronomy ATTN: Dr. T. Pepin Laramie, WY 82070
4	Utah State University Center for Research in Aeronomy ATTN: Dr. L. Megill Dr. P. Williamson Dr. K. Baker Dr. D. Baker Logan, UT 84321

Aberdeen Proving Ground

Marine Corps Ln Ofc
Dir, USAMSAA