

AD-A058 234

ARMY ELECTRONICS COMMAND WHITE SANDS MISSILE RANGE N--ETC F/G 4/2
17901A HONEST JOHN, MISSILE NUMBERS 197 (AD), 217 (AK) AND 241 --ETC(U)
JUN 78

UNCLASSIFIED

ECOM-DR-972

NL

| OF |

AD
A068234

No
of
pages

END
DATE
FILMED
10-78
DDC

DR-972
June 1978

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

AD

ADA 058234

12

LEVEL #

METEOROLOGICAL DATA REPORT

17901A HONEST JOHN
MISSILE NOS. 197 (AD), 217 (AK), & 241 (BC)
ROUND NOS. UNKNOWN
(23 MAY 1978)

BY

WSMR METEOROLOGICAL TEAM

AD No. []
DDC FILE COPY

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

DDC
RECEIVED
AUG 31 1978
A

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return to the originator.

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DR-972	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 17901A Honest John Missile Numbers 197 (AD), 217 (AK) and 241 (BC), Round Numbers UNKNOWN (23 May 1978)		5. TYPE OF REPORT & PERIOD COVERED
7. AUTHOR(s) WSMR Meteorological Team data rept.		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS		8. CONTRACT OR GRANT NUMBER(s) DA Task 1T665702D127/02
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Command Atmospheric Sciences Laboratory White Sands Missile Range, NM 88002		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Command Ft. Monmouth, NJ		12. REPORT DATE June 1978
		13. NUMBER OF PAGES 39
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) 1. Ballistics 2. Meteorology 3. Wind		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of 17901A Honest John, Missile Numbers 197 (AD), 217 (AK) and 241 (BC), Round Numbers Unknown, are presented in tabular form.		

LB

CONTENTS

	PAGE
INTRODUCTION -----	1
DISCUSSION -----	1
TABLES	
I. Surface Observations taken at 1150 MDT -----	1
II. Surface Observations taken at 1140 MDT -----	2
III. Surface Observations taken at 1530 MDT -----	3
IV. Pilot-Balloon-Measured Wind Data at 1156 MDT -----	4
V. Pilot-Balloon-Measured Wind Data at 1140 MDT -----	7
VI. Pilot-Balloon-Measured Wind Data at 1530 MDT -----	9
VII. Anemometer-Measured Wind Data at 1156 MDT -----	12
VIII. Anemometer-Measured Wind Data at 1140 MDT -----	13
IX. Anemometer-Measured Wind Data at 1530 MDT -----	14
X. WSD Significant Level Data at 0900 MDT -----	15
XI. WSD Upper Air Data at 0900 MDT -----	17
XII. WSD Mandatory Levels at 0900 MDT -----	24
XIII. WSD Significant Level Data at 1130 MDT -----	25
XIV. WSD Upper Air Data at 1130 MDT -----	26
XV. WSD Mandatory Levels at 1130 MDT -----	28
XVI. WSD Significant Level Data at 1530 MDT -----	29
XVII. WSD Upper Air Data at 1530 MDT -----	30
XVIII. WSD Mandatory Levels at 1530 MDT -----	32

ACCESSION for	
RTIS	White Section <input checked="" type="checkbox"/>
BDC	Butt Section <input type="checkbox"/>
UNANNOUNCED <input type="checkbox"/>	
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. and/or SPECIAL
A	

INTRODUCTION

17901A Honest John, Missile Numbers 197 (AD), 217 (AK), and 241 (BC), Round Numbers UNKNOWN, were launched from LC-33, White Sands Missile Range (WSMR), New Mexico, at 1155 (AD), 1140 (AK), and 1530 (BC) HRS MDT, 23 May 1978. The scheduled launch times were 0900 (AD), 1130 (AK), and 1530 (BC) HRS MDT.

DISCUSSION

Meteorological data were recorded and reduced by the WSMR Meteorological Team, Atmospheric Sciences Laboratory (ASL), WSMR, New Mexico. The data are presented in the following tabulations.

ELEVATION	3,987	FEET/MSL
PRESSURE	876.0	MBS
TEMPERATURE	31.5	°C
RELATIVE HUMIDITY	15	%
DEW POINT	1.2	°C
DENSITY	995.4	GM/M ³
WIND SPEED	06	MPH
WIND DIRECTION	150	DEGREES
CLOUD COVER	1 1	Ac Cs

TABLE I. SURFACE OBSERVATIONS TAKEN AT LC-33,
1150 HRS MDT/23 MAY 1978
MISSILE NUMBER 197 (AD)

ELEVATION	3,987	FEET/MSL
PRESSURE	876.1	MBS
TEMPERATURE	30.5	°C
RELATIVE HUMIDITY	15	%
DEW POINT	1.4	°C
DENSITY	998.8	GM/M ³
WIND SPEED	08	MPH
WIND DIRECTION	150	DEGREES
CLOUD COVER	1 1	Ac Cs

TABLE II. SURFACE OBSERVATIONS TAKEN AT LC-33
 1140 HRS MDT/23 MAY 1978
 MISSILE NUMBER 217 (AK)

ELEVATION	3,987	FEET/MSL
PRESSURE	873.5	MBS
TEMPERATURE	33.1	°C
RELATIVE HUMIDITY	12	%
DEW POINT	-0.3	°C
DENSITY	987.4	GM/M ³
WIND SPEED	10	MPH
WIND DIRECTION	240	DEGREES
CLOUD COVER	1 1	Cb Cc

TABLE III. SURFACE OBSERVATIONS TAKEN AT LC-33,
1530 HRS MDT/23 MAY 1978
MISSILE NUMBER 241 (BC)

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)	HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
SUR	170	8.0	2100	165	18.5
100	177	9.5	2200	164	20.0
200	183	10.5	2300	170	17.5
300	193	12.0	2400	175	15.0
400	202	13.5	2500	177	15.0
500	196	14.5	2600	178	15.0
600	190	15.5	2700	174	16.0
700	197	13.5	2800	169	17.0
800	204	11.0	2900	176	16.5
900	200	12.5	3000	182	16.0
1000	195	14.0	3100	188	14.0
1100	188	15.0	3200	193	12.0
1200	180	15.5	3300	190	12.5
1300	177	15.0	3400	186	13.0
1400	174	14.0	3500	184	12.0
1500	167	15.0	3600	181	11.0
1600	159	16.0	3700	184	9.5
1700	158	16.5	3800	187	8.0
1800	156	17.0	3900	183	7.0
1900	161	17.0	4000	179	6.0
2000	165	17.0	4100	183	5.5

TABLE IV. PILOT-BALLOON-MEASURED WIND DATA, RELEASED FROM LC-33
1156 HRS MDT/23 MAY 1978
17901A HONEST JOHN, MISSILE NUMBER 197 (AD), ROUND NUMBER UNK

PIBAL RELEASE POINT WSTM COORDINATES:

X = 486,302.67 Y = 185,283.13 Z = 3,989.47

APPROXIMATELY: 0.5 MILES SOUTH OF LAUNCHER.

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
4200	187	5.0
4300	202	4.5
4400	216	4.0
4500	209	4.0
4600	201	4.0
4700	217	4.5
4800	232	5.0
4900	226	5.5
5000	220	5.5
5100	230	5.0
5200	239	4.5
5300	240	5.0
5400	241	5.0
5500	240	5.0
5600	239	5.0
5700	229	6.0
5800	219	6.5
5900	219	6.5
6000	219	6.5
6100	205	6.5
6200	191	6.5
6300	194	7.5
6400	196	8.0
6500	196	8.5

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
6600	196	9.0
6700	196	9.5
6800	195	9.5
6900	199	9.5
7000	203	9.0
7100	198	9.0
7200	193	8.5
7300	187	9.0
7400	181	9.5
7500	174	11.0
7600	167	12.0
7700	165	13.0
7800	162	14.0
7900	162	14.5
8000	161	15.0
8100	161	15.0
8200	160	15.0
8300	162	16.0
8400	164	16.5
8500	164	17.0
8600	164	17.0
8700	164	18.5
8800	163	19.5
8900	163	21.5

TABLE IV. (CONT)

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
9000	163	23.0
9100	167	24.0
9200	170	24.5
9300	170	25.5
9400	169	26.0
9500	173	26.5
9600	176	26.5
9700	180	26.5
9800	183	26.5
9900	185	26.5

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
10000	187	26.0
10100	190	26.0
10200	192	26.0
10300	192	25.5
10400	192	25.5
10500	191	24.5
10600	190	23.5
10700	190	24.0
10800	189	24.0

TABLE IV. (CONT)

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)	HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
SUR	150	8.0	1800	175	17.5
100	159	9.5	1900	173	18.0
200	167	10.5	2000	170	18.5
300	090	11.5	2100	175	18.5
400	012	12.0	2200	179	18.5
500	094	15.5	2300	180	19.0
600	175	18.5	2400	181	19.5
700	173	17.0	2500	186	18.5
800	171	15.5	2600	191	17.0
900	177	14.0	2700	193	15.5
1000	182	12.5	2800	195	14.0
1100	189	13.5	2900	196	16.0
1200	195	14.5	3000	196	18.0
1300	193	15.5	3100	196	18.0
1400	190	16.5	3200	196	17.5
1500	189	17.5	3300	200	17.0
1600	188	18.0	3400	203	16.5
1700	182	18.0	3500	201	17.0

TABLE V. PILOT-BALLOON-MEASURED WIND DATA, RELEASED FROM LC-33
 1140 HRS MDT/23 MAY 1978
 17901A HONEST JOHN, MISSILE NO. 217 (AK), ROUND NO. UNK

PIBAL RELEASE POINT WSTM COORDINATES:

X = 486,802.67 Y = 185,283.13 Z = 3,989.47

APPROXIMATELY: 0.5 MILES SOUTH OF LAUNCHER.

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
3600	199	17.0
3700	197	16.0
3800	195	14.5
3900	187	15.5
4000	179	16.5
4100	178	15.5
4200	176	14.5
4300	183	12.0
4400	189	9.5
4500	203	7.0
4600	217	4.5

TABLE V. (CONT)

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)	HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
SUR	240	10.0	2100	189	21.0
100	324	8.5	2200	187	19.0
200	048	6.5	2300	188	19.0
300	118	9.5	2400	189	19.0
400	188	12.0	2500	194	21.0
500	193	14.0	2600	198	23.0
600	197	16.0	2700	194	22.0
700	194	16.5	2800	189	21.0
800	191	17.0	2900	195	21.5
900	192	20.0	3000	200	21.5
1000	192	22.5	3100	196	21.0
1100	191	22.5	3200	192	20.0
1200	189	22.5	3300	187	18.0
1300	184	23.0	3400	182	15.5
1400	179	23.5	3500	186	16.0
1500	184	22.5	3600	189	16.5
1600	189	21.0	3700	190	18.5
1700	187	21.0	3800	190	20.5
1800	185	21.0	3900	191	21.5
1900	188	22.0	4000	192	22.5
2000	191	23.0	4100	194	22.5

TABLE VI. PILOT-BALLOON-MEASURED WIND DATA, RELEASED FROM LC-33
1530 HRS MDT/23 MAY 1978
17901A HONEST JOHN, MISSILE NO. 241 (BG), ROUND NO. UNK

PIBAL RELEASE POINT WSTM COORDINATES:

X = 486,302.67 Y = 185,283.13 Z = 3,989.47

APPROXIMATELY: 1 MILE SOUTH OF LAUNCHER.

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
4200	196	22.0
4300	193	21.5
4400	189	21.0
4500	196	20.5
4600	203	20.0
4700	202	21.0
4800	200	21.5
4900	195	21.0
5000	190	20.0
5100	197	21.0
5200	204	21.5
5300	202	22.0
5400	199	22.5
5500	197	22.5
5600	195	22.5
5700	201	22.0
5800	207	21.5
5900	203	20.5
6000	199	19.5
6100	205	20.5
6200	210	21.0
6300	198	22.5
6400	186	23.5
6500	195	21.5

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
6600	197	19.0
6700	198	24.0
6800	199	28.5
6900	201	31.0
7000	203	33.0
7100	207	32.0
7200	210	31.0
7300	207	26.5
7400	204	21.5
7500	204	20.5
7600	204	19.5
7700	197	22.0
7800	190	24.0
7900	188	23.5
8000	186	23.0
8100	190	20.5
8200	194	17.5
8300	201	22.0
8400	208	26.0
8500	202	25.5
8600	195	25.0
8700	195	25.5
8800	194	26.0
8900	204	25.0

TABLE VI. (CONT)

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
9000	204	24.0
9100	209	25.5
9200	204	27.0
9300	201	27.5
9400	198	28.0
9500	197	28.5
9600	195	28.5
9700	199	31.0

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
9800	202	33.0
9900	206	33.0
10000	209	33.0
10100	209	33.5
10200	208	34.0
10300	208	34.5
10400	207	34.5
10500	209	35.5

TABLE VI. (CONT)

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

T-TIME (SEC)	DIR DEG	SPEED (MPH)
-120	155	16.0
-110	168	16.0
-100	162	16.5
-90	151	16.0
-80	165	17.5
-70	152	20.5
-60	152	17.5
-50	172	17.5
-40	165	13.0
-30	165	17.0
-20	182	14.0
-10	176	15.5
-00	182	12.0
+10	176	14.5
+20	161	13.5
+30	177	12.0

TABLE VII. ANEMOMETER-MEASURED WIND SPEED AND DIRECTION, LEVEL NO. 1
 LAUNCHED FROM LC-33, 1156 HRS MDT/23 MAY 1978
 17901A HONEST JOHN, MISSILE NO. 197 (AD), ROUND NO. UNK

WSTM COORDINATES: X = 484,982.64 Y = 185,957.73 Z = 3,983.00

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

T-TIME (SEC)	DIR DEG	SPEED (MPH)	T-TIME (SEC)	DIR DEG	SPEED (MPH)
-300	149	13.0	-130	165	15.0
-290	150	13.5	-120	160	17.0
-280	136	16.0	-110	165	16.5
-270	137	13.0	-100	150	14.0
-260	150	15.0	-90	163	12.0
-250	150	16.5	-80	175	16.0
-240	141	12.0	-70	148	16.0
-230	143	12.0	-60	160	15.5
-220	154	14.0	-50	167	15.0
-210	165	15.5	-40	165	16.5
-200	153	19.0	-30	165	16.5
-190	165	18.5	-20	163	17.0
-180	180	19.5	-10	165	19.0
-170	178	16.0	-00	164	16.0
-160	165	18.5	+10	172	17.0
-150	177	21.0	+20	174	16.0
-140	164	18.0	+30	180	14.5

TABLE VIII. ANEMOMETER-MEASURED WIND SPEED AND DIRECTION, LEVEL NO. 1
LAUNCHED FROM LC-33, 1140 HRS MDT/23 MAY 1978
17901A HONEST JOHN, MISSILE NO. 217 (AK), ROUND NO. UNK

WSTM COORDINATES: X = 484,982.64 Y = 185,957.73 Z = 3,983.00

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

T-TIME (SEC)	DIR DEG	SPEED (MPH)	T-TIME (SEC)	DIR DEG	SPEED (MPH)
-300	193	5.0	-130	198	4.0
-290	204	6.0	-120	184	7.0
-280	193	6.0	-110	180	9.5
-270	195	4.0	-100	193	12.0
-260	220	4.0	-90	180	8.0
-250	178	5.5	-80	194	4.5
-240	188	5.5	-70	222	4.0
-230	199	3.0	-60	242	6.5
-220	227	8.0	-50	223	12.5
-210	239	13.0	-40	221	8.5
-200	215	11.5	-30	213	8.5
-190	198	9.5	-20	197	7.0
-180	180	10.0	-10	199	6.5
-170	193	7.0	-00	197	6.0
-160	195	7.0	+10	188	5.5
-150	200	9.0	+20	180	10.0
-140	195	8.0	+30	199	8.0

TABLE IX. ANEMOMETER-MEASURED WIND SPEED AND DIRECTION, LEVEL NO. 1
 LAUNCHED FROM LC-33, 1530 HRS MDT/23 MAY 1978
 17901A HONEST JOHN, MISSILE NO. 241 (BC), ROUND NO. UNK

WSTM COORDINATES: X = 484,982.64 Y = 185,957.73 Z = 3,983.00

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

STATION: ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 321

SIGNIFICANT LEVEL DATA
 1430020321
 WHITE SANDS
 TABLE X.

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT
877.0	3969.0	24.6	36.0
850.0	4884.6	22.0	34.0
833.3	5449.1	20.9	33.0
823.3	5791.7	20.9	21.0
763.8	7901.6	16.3	19.0
700.0	10310.6	10.5	20.0
626.3	13312.3	3.0	34.0
623.1	13448.6	2.8	45.0
609.8	14021.9	1.7	50.0
-544.3	16992.3	-6.0	53.0
541.3	17134.6	-6.6	49.0
519.8	18170.8	-9.4	52.0
500.0	19133.7	-11.9	47.0
490.8	19620.7	-12.6	16.0
469.3	20745.3	-12.6	17.0
446.8	21973.8	-14.8	16.0
400.0	24690.6	-22.0	24.0
367.3	26731.7	-27.8	33.0
341.8	28418.9	-32.1	25.0
317.3	30131.3	-36.7	31.0
311.8	30529.1	-37.7	27.0
300.0	31400.6	-40.1	
284.3	32602.3	-42.6	
274.3	33397.7	-43.1	
250.0	35435.6	-47.7	
200.0	40173.8	-58.5	
179.9	42344.9	-63.1	
173.2	43104.3	-62.3	
169.3	43504.1	-58.3	
165.3	44001.1	-57.3	

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 321

SIGNIFICANT LEVEL DATA
 1430020321
 WHITE SANDS
 TABLE X. (CONT)

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. DEWPOINT PERCENT
157.3	45122.7	-53.9	
153.3	45608.4	-53.6	
150.0	46132.1	-51.4	
146.3	46670.6	-48.4	
123.8	50234.6	-56.0	
116.3	51545.5	-56.1	
100.0	54657.3	-63.7	
91.3	56462.9	-67.6	
74.9	60400.7	-69.4	
70.0	61741.7	-67.0	
62.8	63923.9	-63.6	
50.0	68570.8	-61.3	
45.8	70378.8	-59.2	
39.3	73560.2	-55.0	
30.0	79306.5	-53.4	
20.0	88054.2	-47.7	
16.3	92571.6	-43.2	
11.2	100959.8	-42.4	
10.0	103512.6	-39.9	

UPPER AIR DATA
 1430020321
 WHITE SANDS
 TABLE XI.

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 321
 0900 HRS MDT

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	AIR TEMPERATURE DEGREES CENTIGRADE	DEWPOINT DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DIRECTION DEGREES(TN)	WIND SPEED KNOTS	INDEX OF REFRACTION
3989.0	877.0	24.6	8.5	36.0	1021.2	673.9	180.0	12.0	1.000275
4000.0	876.7	24.6	8.5	36.0	1020.9	673.8	180.2	12.1	1.000275
4500.0	861.5	23.1	6.8	34.9	1008.6	672.0	189.4	13.3	1.000267
5000.0	846.6	21.8	5.1	33.8	996.0	670.4	196.8	14.9	1.000260
5500.0	831.8	20.9	3.3	31.2	982.0	669.2	202.6	16.6	1.000253
6000.0	817.2	20.4	-2.7	20.8	967.4	668.3	207.6	18.2	1.000238
6500.0	802.8	19.4	-3.9	20.3	954.1	667.0	212.5	15.4	1.000233
7000.0	788.7	18.3	-5.1	19.9	940.9	665.7	219.3	12.8	1.000228
7500.0	774.8	17.2	-6.4	19.4	928.0	664.4	223.6	10.8	1.000224
8000.0	761.1	16.1	-7.5	19.0	915.2	663.1	231.6	9.7	1.000216
8500.0	747.4	14.9	-8.4	19.2	902.6	661.7	229.5	9.6	1.000212
9000.0	734.0	13.7	-9.2	19.5	890.2	660.3	226.2	8.9	1.000209
9500.0	720.8	12.5	-10.1	19.7	876.0	658.9	219.4	8.2	1.000205
10000.0	707.9	11.2	-10.9	19.9	865.9	657.5	202.5	8.2	1.000202
10500.0	695.1	10.0	-11.3	20.9	853.9	656.0	186.5	8.9	1.000200
11000.0	682.3	8.8	-11.1	23.2	841.9	654.6	172.4	11.0	1.000198
11500.0	669.8	7.5	-10.9	25.5	830.1	653.2	163.3	13.7	1.000195
12000.0	657.5	6.3	-10.9	27.9	818.5	651.7	157.3	15.4	1.000193
12500.0	645.4	5.0	-11.0	30.2	807.0	650.3	152.5	17.1	1.000190
13000.0	633.6	3.8	-11.2	32.5	795.8	648.8	152.1	17.8	1.000191
13500.0	621.9	2.7	-7.9	45.4	783.8	647.7	154.2	17.6	1.000189
14000.0	610.3	1.7	-7.6	49.8	771.8	646.6	158.1	17.1	1.000186
14500.0	598.7	.5	-8.6	50.5	760.8	645.1	164.2	16.4	1.000182
15000.0	587.4	-.8	-9.7	51.0	750.0	643.5	169.0	16.4	1.000179
15500.0	576.3	-2.1	-10.8	51.5	739.4	641.9	172.4	16.8	1.000175
16000.0	565.4	-3.4	-11.8	52.0	729.0	640.3	178.3	17.0	1.000172
16500.0	554.6	-4.7	-12.9	52.5	718.7	638.8	185.9	17.2	1.000169
17000.0	544.1	-6.0	-14.1	52.8	708.6	637.2	196.3	17.9	1.000165
17500.0	533.6	-7.6	-16.2	50.1	699.1	635.2	206.8	19.2	1.000162
18000.0	523.3	-8.9	-17.1	51.5	689.2	633.6			

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78 0900 HRS MDT
 ASCENSION NO. 321

UPPER AIR DATA
 1430020321
 WHITE SANDS
 TABLE XI. (CONT)

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		DEGREES	DEWPOINT CENTIGRADE				DIRECTION DEGREES(TN)	SPEED KNOTS	
18500.0	513.1	-10.2	-19.6	50.3	679.1	632.0	216.7	21.9	1.000159
19000.0	503.0	-11.5	-20.3	47.8	669.2	630.4	224.4	25.3	1.000156
19500.0	493.2	-12.4	-28.7	24.0	656.6	629.2	230.0	25.8	1.000150
20000.0	483.4	-12.6	-32.9	16.3	646.2	628.9	235.0	25.9	1.000146
20500.0	473.9	-12.6	-32.6	16.8	633.4	628.9	238.0	22.6	1.000143
21000.0	464.5	-13.1	-33.0	16.8	622.0	628.4	240.0	20.1	1.000141
21500.0	455.3	-14.0	-34.0	16.4	611.8	627.3	238.0	19.3	1.000138
22000.0	446.3	-14.9	-34.9	16.1	601.8	626.2	236.5	19.3	1.000136
22500.0	437.3	-16.2	-35.2	17.5	592.7	624.6	236.4	20.6	1.000134
23000.0	428.5	-17.5	-35.5	19.0	583.8	623.0	236.6	21.4	1.000132
23500.0	419.9	-18.8	-35.9	20.5	575.0	621.3	237.5	21.2	1.000130
24000.0	411.4	-20.2	-36.3	22.0	566.4	619.7	237.5	20.8	1.000128
24500.0	403.1	-21.5	-36.8	23.4	557.9	618.4	234.9	20.0	1.000126
25000.0	394.9	-22.9	-37.2	25.4	549.5	616.4	232.2	19.2	1.000124
25500.0	386.7	-24.3	-37.7	27.6	541.2	614.6	229.7	18.1	1.000122
26000.0	378.7	-25.7	-38.2	29.8	533.1	612.9	226.8	17.2	1.000120
26500.0	370.9	-27.1	-38.8	32.0	525.1	611.1	223.5	17.2	1.000118
27000.0	363.1	-28.5	-40.0	31.7	516.9	609.4	220.2	17.5	1.000116
27500.0	355.5	-29.8	-41.9	29.4	508.7	607.8	217.6	18.7	1.000114
28000.0	348.0	-31.0	-43.8	27.0	500.6	606.2	215.5	19.9	1.000112
28500.0	340.6	-32.3	-45.5	25.3	492.6	604.6	215.8	20.3	1.000110
29000.0	333.3	-33.7	-46.1	27.0	484.7	602.9	216.0	20.7	1.000109
29500.0	326.1	-35.0	-46.7	28.8	477.0	601.2	215.1	21.2	1.000107
30000.0	319.1	-36.3	-47.4	30.5	469.4	599.5	214.3	21.8	1.000105
30500.0	312.2	-37.6	-49.5	27.3	461.7	597.9	213.1	23.0	1.000103
31000.0	305.4	-39.0	-57.2	12.4**	454.3	596.1	211.9	24.2	1.000101
31500.0	298.7	-40.3			446.9	594.5	214.0	25.8	1.000100
32000.0	292.1	-41.3			438.9	593.1	216.7	27.5	1.000098
32500.0	285.6	-42.4			431.2	591.8	219.5	29.3	1.000096
33000.0	279.3	-42.9			422.4	591.2	222.2	31.0	1.000094

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

UPPER AIR DATA
 1430020321
 WHITE SANDS
 TABLE XI. (CONT)

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 321 0900 HRS MDT

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INJEX OF REFRACTION
						DIRECTION DEGREES (TN)	SPEED KNOTS	
3350.0	273.0	-43.3		413.9	590.6	223.1	34.0	1.000092
3400.0	266.9	-44.5		406.5	589.1	223.1	37.6	1.000091
3450.0	260.9	-45.6		399.4	587.7	222.6	39.2	1.000089
3500.0	255.0	-46.7		392.3	586.2	221.7	39.5	1.000087
3550.0	249.2	-47.8		385.4	584.8	220.8	38.4	1.000086
3600.0	243.4	-49.0		378.3	583.3	219.8	36.3	1.000084
3650.0	237.8	-50.1		371.4	581.8	217.7	35.8	1.000083
3700.0	232.2	-51.3		364.6	580.3	215.2	36.5	1.000081
3750.0	226.8	-52.4		358.0	578.8	214.1	36.6	1.000080
3800.0	221.6	-53.5		351.5	577.3	213.6	36.3	1.000078
3850.0	216.4	-54.7		345.1	575.8	214.6	37.8	1.000077
3900.0	211.4	-55.8		338.8	574.3	215.8	39.7	1.000075
3950.0	206.4	-57.0		332.7	572.8	215.9	41.0	1.000074
4000.0	201.6	-58.1		326.7	571.3	215.3	41.9	1.000073
4050.0	196.8	-59.2		320.5	569.9	215.5	41.1	1.000071
4100.0	192.1	-60.3		314.3	568.4	216.5	38.6	1.000070
4150.0	187.5	-61.3		308.3	567.0	218.3	36.8	1.000069
4200.0	183.0	-62.4		302.4	565.6	221.7	36.5	1.000067
4250.0	178.5	-62.9		295.9	564.8	225.9	36.7	1.000066
4300.0	174.2	-62.4		287.9	563.5	233.4	39.0	1.000064
4350.0	170.0	-59.0		276.5	570.1	239.7	41.5	1.000062
4400.0	165.9	-57.6		268.2	571.9	244.4	43.2	1.000060
4450.0	162.0	-56.1		260.0	574.0	247.9	44.9	1.000058
4500.0	158.2	-54.3		251.9	570.3	247.8	45.4	1.000056
4550.0	154.5	-53.7		245.3	577.1	247.7	45.9	1.000055
4600.0	150.9	-52.0		237.8	579.3	247.7	46.1	1.000053
4650.0	147.5	-49.4		229.5	582.8	247.6	46.4	1.000051
4700.0	144.1	-49.1		224.0	583.1	248.5	43.6	1.000050
4750.0	140.7	-50.2		219.9	581.7	249.6	40.3	1.000049
4800.0	137.5	-51.2		215.8	580.3	251.0	38.3	1.000048

UPPER AIR DATA
 1430020321
 WHITE SANDS
 TABLE XI. (CONT)

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION 140. 321
 0900 HRS MDT

GEOMETRIC ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION 140. 321
 0900 HRS MDT

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DIRECTION DEGREES (TN)	WIND SPEED KNOTS	INDEX OF REFRACTION
48500.0	134.3	-52.3		211.8	579.0	252.5	37.0	1.000047
49000.0	131.2	-53.4		207.9	577.6	253.5	35.9	1.000046
49500.0	128.1	-54.4		204.1	576.2	252.7	35.3	1.000045
50000.0	125.2	-55.5		200.3	574.7	251.8	34.7	1.000045
50500.0	122.2	-56.0		196.1	574.1	250.0	32.3	1.000044
51000.0	119.4	-56.1		191.5	574.0	247.6	29.5	1.000043
51500.0	116.6	-56.1		187.1	574.0	245.0	25.8	1.000042
52000.0	113.8	-57.2		183.5	572.5	242.3	20.0	1.000041
52500.0	111.0	-58.4		180.1	570.9	237.5	14.3	1.000040
53000.0	108.4	-59.7		176.8	569.2	234.2	12.1	1.000039
53500.0	105.8	-60.9		173.6	567.6	231.3	10.6	1.000039
54000.0	103.2	-62.1		170.4	566.0	229.5	10.8	1.000038
54500.0	100.8	-63.3		167.3	564.3	230.8	14.6	1.000037
55000.0	98.3	-64.4		164.1	562.8	231.6	18.4	1.000037
55500.0	95.9	-65.5		160.9	561.4	230.0	19.2	1.000036
56000.0	93.5	-66.6		157.7	559.9	228.1	19.6	1.000035
56500.0	91.2	-67.6		154.6	558.5	226.1	19.6	1.000034
57000.0	88.9	-67.8		150.9	558.2	223.8	19.2	1.000034
57500.0	86.7	-68.1		147.3	557.9	221.5	19.0	1.000033
58000.0	84.6	-68.3		143.8	557.6	219.6	20.1	1.000032
58500.0	82.5	-68.5		140.4	557.3	217.9	21.2	1.000031
59000.0	80.4	-68.8		137.0	557.0	217.1	20.5	1.000031
59500.0	78.4	-69.0		133.8	556.7	216.9	18.8	1.000030
60000.0	76.4	-69.2		130.6	556.3	216.7	16.9	1.000029
60500.0	74.5	-69.2		127.3	556.3	217.6	14.0	1.000028
61000.0	72.7	-68.3		123.6	557.6	218.8	11.0	1.000028
61500.0	70.9	-67.4		120.0	558.8	214.9	8.2	1.000027
62000.0	69.1	-66.6		116.6	559.9	204.6	5.6	1.000026
62500.0	67.4	-65.8		113.3	561.0	175.3	3.3	1.000025
63000.0	65.8	-65.0		110.1	562.0	112.6	3.5	1.000025

UPPER AIR DATA
 1430020321
 WHITE SANDS
 TABLE XI. (CONT)

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 321

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
03500.0	64.1	-64.3		107.0	563.1	84.9	6.3	1.000024
64000.0	62.6	-63.6		104.0	564.0	91.6	8.1	1.000023
04500.0	61.1	-63.3		101.4	564.3	99.6	9.8	1.000023
65000.0	59.6	-63.1		98.8	564.7	108.0	11.0	1.000022
65500.0	58.1	-62.8		96.3	565.0	124.9	10.9	1.000021
66000.0	56.7	-62.6		93.8	565.3	140.6	11.8	1.000021
66500.0	55.3	-62.3		91.5	565.7	151.7	11.7	1.000020
67000.0	54.0	-62.1		89.1	566.0	162.2	11.3	1.000020
67500.0	52.7	-61.8		86.9	566.3	172.1	11.3	1.000019
68000.0	51.4	-61.6		84.7	566.7	174.7	11.1	1.000019
68500.0	50.2	-61.3		82.5	567.0	177.4	10.9	1.000018
69000.0	49.0	-60.8		80.3	567.7	170.6	9.6	1.000018
69500.0	47.8	-60.2		78.2	568.5	149.4	7.9	1.000017
70000.0	46.6	-59.6		76.1	569.3	122.8	7.7	1.000017
70500.0	45.5	-59.0		74.1	570.1	111.8	8.2	1.000016
71000.0	44.5	-58.4		72.1	570.9	106.1	8.6	1.000016
71500.0	43.4	-57.7		70.2	571.8	101.0	9.2	1.000016
72000.0	42.4	-57.1		68.3	572.7	112.5	9.1	1.000015
72500.0	41.4	-56.4		66.5	573.5	125.0	9.5	1.000015
73000.0	40.4	-55.8		64.7	574.4	132.5	10.2	1.000014
73500.0	39.5	-55.1		63.0	575.3	103.2	11.7	1.000014
74000.0	38.5	-54.9		61.5	575.6	84.2	15.3	1.000014
74500.0	37.6	-54.7		60.0	575.7	74.7	18.7	1.000013
75000.0	36.8	-54.6		58.6	575.9	72.4	17.9	1.000013
75500.0	35.9	-54.5		57.2	576.1	69.9	17.2	1.000013
76000.0	35.1	-54.3		55.8	576.3	71.0	15.1	1.000012
76500.0	34.2	-54.2		54.5	576.5	84.1	10.9	1.000012
77000.0	33.4	-54.0		53.2	576.7	109.9	7.9	1.000012
77500.0	32.7	-53.9		51.9	576.8	133.3	7.3	1.000012
78000.0	31.9	-53.8		50.7	577.0	139.5	7.2	1.000011

UPPER AIR DATA
 1430020321
 WHITE SANDS
 TABLE XI. (CONT)

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 321

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE				DIRECTION DEGREES(TN)	SPEED KNOTS	
78500.0	31.2	-53.6		49.5	577.2	145.7	7.2	1.000011	
79000.0	30.4	-53.5		48.3	577.4	150.0	7.1	1.000011	
79500.0	29.7	-53.3		47.1	577.7	148.9	6.6	1.000010	
80000.0	29.1	-52.9		46.0	578.1	147.7	6.1	1.000010	
80500.0	28.4	-52.6		44.8	578.5	146.2	5.7	1.000010	
81000.0	27.7	-52.3		43.7	579.0	151.4	5.8	1.000010	
81500.0	27.1	-52.0		42.7	579.4	156.2	6.1	1.000010	
82000.0	26.5	-51.6		41.6	579.8	160.7	6.3	1.000009	
82500.0	25.9	-51.3		40.6	580.2	171.0	6.7	1.000009	
83000.0	25.3	-51.0		39.6	580.7	182.1	7.4	1.000009	
83500.0	24.7	-50.7		38.7	581.1	191.1	8.3	1.000009	
84000.0	24.1	-50.3		37.7	581.5	197.7	8.5	1.000008	
84500.0	23.6	-50.0		36.8	581.9	204.0	7.9	1.000008	
85000.0	23.0	-49.7		35.9	582.4	211.3	7.4	1.000008	
85500.0	22.5	-49.4		35.0	582.8	219.1	7.0	1.000008	
86000.0	22.0	-49.0		34.2	583.2	225.7	6.5	1.000008	
86500.0	21.5	-48.7		33.4	583.6	233.1	6.2	1.000007	
87000.0	21.0	-48.4		32.6	584.1	241.2	6.0	1.000007	
87500.0	20.5	-48.1		31.8	584.5	243.8	6.1	1.000007	
88000.0	20.1	-47.7		31.0	584.9	245.4	6.4	1.000007	
88500.0	19.6	-47.3		30.2	585.5	247.0	6.6	1.000007	
89000.0	19.2	-46.8		29.5	586.2	248.9	6.8	1.000007	
89500.0	18.7	-46.3		28.8	586.8	251.1	7.0	1.000006	
90000.0	18.3	-45.8		28.1	587.5	253.1	7.3	1.000006	
90500.0	17.9	-45.3		27.4	588.1	255.2	7.7	1.000006	
91000.0	17.5	-44.8		26.7	588.7	257.4	8.9	1.000006	
91500.0	17.1	-44.3		26.0	589.4	259.1	10.2	1.000006	
92000.0	16.7	-43.8		25.4	590.0	260.5	11.4	1.000006	
92500.0	16.4	-43.3		24.8	590.7	253.2	11.0	1.000006	
93000.0	16.0	-43.2		24.2	590.8	243.8	10.6	1.000005	

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 321
 0900 HRS MDT

UPPER AIR DATA
 1430020321
 WHITE SANDS
 TABLE XI. (CONT)

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
93500.0	15.6	-43.1		23.7	590.9	233.8	10.5	1.000005
94000.0	15.3	-43.1		23.2	590.9	224.8	10.7	1.000005
94500.0	15.0	-43.0		22.6	591.0	226.0	11.5	1.000005
95000.0	14.6	-43.0		22.1	591.1	227.1	12.2	1.000005
95500.0	14.3	-42.9		21.6	591.1	228.0	12.9	1.000005
96000.0	14.0	-42.9		21.2	591.2	229.9	13.6	1.000005
96500.0	13.7	-42.8		20.7	591.2	241.7	13.3	1.000005
97000.0	13.4	-42.8		20.2	591.3	253.5	13.6	1.000005
97500.0	13.1	-42.7		19.8	591.4	264.3	14.4	1.000004
98000.0	12.8	-42.7		19.3	591.4	273.4	15.5	1.000004
98500.0	12.5	-42.6		18.9	591.5	280.3	15.4	1.000004
99000.0	12.2	-42.6		18.5	591.5	287.2	15.5	1.000004
99500.0	12.0	-42.5		18.1	591.6	294.0	15.8	1.000004
100000.0	11.7	-42.5		17.7	591.7			1.000004
100500.0	11.4	-42.4		17.3	591.7			1.000004
101000.0	11.2	-42.4		16.9	591.8			1.000004
101500.0	10.9	-41.9		16.5	592.5			1.000004
102000.0	10.7	-41.4		16.1	593.1			1.000004
102500.0	10.5	-40.9		15.7	593.7			1.000003
103000.0	10.2	-40.4		15.3	594.3			1.000003
103500.0	10.0	-39.9		14.9	595.0			1.000003

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 321

MANDATORY LEVELS
 1430020321
 WHITE SANDS
 TABLE XII.

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM.		WIND DATA	
MILLIBARS	FEET	AIR DEGREES	DEWPOINT CENTIGRADE	PERCENT	DIRECTION DEGREES(TN)	SPEED KNOTS	
850.0	4981.0	22.0	5.4	34.	195.2	14.5	
800.0	6598.0	19.1	-4.2	20.	213.7	14.8	
750.0	8402.0	15.1	-8.2	19.	232.0	9.7	
700.0	10300.0	10.5	-11.5	20.	209.1	8.1	
650.0	12300.0	5.5	-10.9	29.	159.4	14.7	
600.0	14434.0	.6	-8.5	50.	157.4	17.2	
550.0	16702.0	-5.3	-13.4	53.	181.6	17.0	
500.0	19127.0	-11.9	-20.9	47.	226.0	25.4	
450.0	21762.0	-14.5	-34.6	16.	236.7	18.9	
400.0	24649.0	-22.0	-37.0	24.	234.0	19.8	
350.0	27815.0	-30.7	-43.3	28.	216.0	19.6	
300.0	31338.0	-40.1			213.3	25.4	
250.0	35358.0	-47.7			221.0	38.8	
200.0	40077.0	-58.5			215.1	42.2	
175.0	42790.0	-62.5			231.7	38.4	
150.0	46007.0	-51.4			247.7	46.2	
125.0	49887.0	-55.6			251.8	34.7	
100.0	54487.0	-63.7			231.1	15.6	
80.0	58905.0	-68.8			217.1	20.3	
70.0	61529.0	-67.0			211.5	7.1	
60.0	64610.0	-63.1			103.3	10.9	
50.0	68312.0	-61.3			177.6	10.9	
40.0	72915.0	-55.5			121.7	10.4	
30.0	78967.0	-53.4			149.4	6.8	
25.0	82839.0	-50.8			185.4	7.7	
20.0	87640.0	-47.7			245.5	6.4	
15.0	93954.0	-43.0			225.7	11.3	
10.0	102950.0	-39.9					

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 3989.00 FEET MSI
 23 MAY 78
 ASCENSION NO. 322

SIGNIFICANT LEVEL DATA
 1430020322
 WHITE SANDS
 TABLE XIII.

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	TEMPERATURE AIR DEGREES	DEWPOINT CENTIGRADE	REL. HUM. PERCENT
876.1	3989.0	29.5	-1.6	14.0
847.1	4961.4	24.4	-.7	19.0
800.3	6580.3	20.0	-2.3	22.0
788.3	7006.7	19.1	-3.7	21.0
700.0	10303.6	10.3	-9.4	24.0
660.3	11888.8	6.5	-6.4	39.0
649.3	12341.6	5.9	-5.1	45.0
637.7	12826.9	5.8	-6.1	42.0
574.8	15585.3	-1.4	-11.5	46.0
500.0	19172.7	-11.2	-21.3	43.0
488.3	19799.9	-11.7	-32.4	16.0
460.3	21253.7	-13.1	-33.5	16.0
438.3	22474.8	-15.8	-35.2	17.0
400.0	24718.3	-21.4	-37.4	22.0
359.8	27253.2	-28.4	-37.7	40.0

UPPER AIR DATA
 1430020322
 WHITE SANDS
 TABLE XIV.

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 322
 1130 HRS MDT

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	TEMPERATURE DEWPOINT DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED SOUND KNOTS	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
								DIRECTION DEGREES(TN)	SPEED KNOTS	
3989.0	876.1	28.5	-1.6	14.0	1009.4	677.4	677.4	180.0	9.9	1.000248
4000.0	875.8	28.5	-1.5	14.1	1009.2	677.4	677.4	180.1	9.9	1.000248
4500.0	860.7	26.3	-0.9	16.6	998.7	675.0	675.0	184.9	10.9	1.000247
5000.0	846.0	24.3	-0.7	19.1	988.2	672.8	672.8	188.9	12.0	1.000245
5500.0	831.2	22.9	-1.2	20.0	975.5	671.2	671.2	192.2	13.1	1.000242
6000.0	816.8	21.6	-1.7	20.9	963.0	669.6	669.6	195.4	13.3	1.000238
6500.0	802.6	20.2	-2.2	21.9	950.7	668.1	668.1	199.7	11.6	1.000235
7000.0	788.5	19.1	-3.7	21.0	937.7	666.8	666.8	204.6	9.6	1.000230
7500.0	774.4	17.8	-4.5	21.4	925.3	665.2	665.2	211.3	7.0	1.000226
8000.0	760.6	16.4	-5.4	21.9	913.1	663.6	663.6	216.3	5.2	1.000222
8500.0	747.0	15.1	-6.2	22.4	901.0	662.1	662.1	217.9	3.8	1.000218
9000.0	733.7	13.8	-7.1	22.8	889.1	660.5	660.5	215.6	3.6	1.000215
9500.0	720.6	12.4	-7.9	23.3	877.4	659.0	659.0	212.0	3.9	1.000211
10000.0	707.7	11.1	-8.8	23.7	865.8	657.4	657.4	200.5	5.1	1.000208
10500.0	695.0	9.8	-8.8	25.9	854.1	655.9	655.9	192.7	6.8	1.000205
11000.0	682.3	8.6	-7.7	30.6	841.9	654.6	654.6	180.4	9.0	1.000204
11500.0	669.8	7.4	-6.9	35.3	829.9	653.2	653.2	172.5	11.6	1.000202
12000.0	657.6	6.4	-6.1	40.5	817.8	652.0	652.0	168.8	14.6	1.000201
12500.0	645.5	5.9	-5.4	44.0	804.0	651.5	651.5	167.0	17.6	1.000199
13000.0	633.6	5.3	-6.4	42.3	790.7	650.9	650.9	169.5	19.6	1.000195
13500.0	621.7	4.0	-7.4	43.0	779.7	649.3	649.3	172.1	21.0	1.000191
14000.0	610.1	2.7	-8.4	43.7	768.9	647.7	647.7	175.7	21.1	1.000187
14500.0	598.6	1.4	-9.3	44.4	758.2	646.2	646.2	179.4	21.2	1.000184
15000.0	587.6	.1	-10.3	45.2	747.7	644.6	644.6	183.4	21.2	1.000181
15500.0	576.6	-1.2	-11.3	45.9	737.4	643.0	643.0	187.7	21.5	1.000177
16000.0	565.6	-2.5	-12.6	45.7	727.0	641.4	641.4	192.5	22.1	1.000174
16500.0	554.7	-3.9	-14.0	45.2	716.7	639.7	639.7	196.9	23.0	1.000170
17000.0	544.1	-5.3	-15.4	44.8	706.6	638.0	638.0	200.9	24.7	1.000167
17500.0	533.6	-6.6	-16.7	44.4	696.6	636.4	636.4	204.9	26.7	1.000164
18000.0	523.3	-6.0	-18.1	44.0	686.8	634.7	634.7	209.5	29.5	1.000161

UPPER AIR DATA
 1430020322
 WHITE SANDS
 TABLE XIV. (CONT)

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 322
 1130 HRS MDT

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
18500.0	513.2	-9.4	43.6	677.2	633.0	214.2	31.3	1.00015A
19000.0	503.4	-10.7	43.1	667.6	631.4	219.8	31.7	1.000155
19500.0	493.6	-11.5	28.2	656.7	630.4	224.9	30.8	1.000150
20000.0	483.8	-11.9	16.0	645.0	629.8	230.3	28.9	1.000146
20500.0	474.3	-12.4	16.0	633.5	629.2	234.7	27.5	1.000143
21000.0	465.0	-12.9	16.0	622.1	628.6	239.0	26.4	1.000141
21500.0	455.8	-13.6	16.2	611.7	627.7	240.0	24.9	1.000138
22000.0	446.7	-14.8	16.6	602.1	626.3	240.8	23.4	1.000136
22500.0	437.8	-15.9	17.1	592.7	625.0	238.7	22.2	1.000134
23000.0	429.0	-17.1	18.2	583.6	623.5	236.0	21.2	1.000132
23500.0	420.4	-18.4	19.3	574.6	621.9	231.1	21.5	1.000130
24000.0	411.9	-19.6	20.4	565.8	620.4	226.5	22.1	1.000128
24500.0	403.6	-20.9	21.5	557.1	618.9	222.0	23.6	1.000126
25000.0	395.3	-22.2	24.0	548.6	617.2	218.1	25.2	1.000124
25500.0	387.1	-23.6	27.6	540.2	615.5	216.9	25.9	1.000122
26000.0	379.1	-24.9	31.1	532.0	613.8			1.000120
26500.0	371.3	-26.3	34.7	523.9	612.1			1.000118
27000.0	363.6	-27.7	38.2	516.0	610.4			1.000116

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78 1130 HRS MDT
 ASCENSION NO. 322

MANDATORY LEVELS
 143002032z
 WHITE SANDS
 TABLE XV.

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM.	WIND DATA	
MILLIBARS	FEET	AIR	DEWPOINT	PERCENT	DIRECTION	SPEED
		DEGREES	CENTIGRADE		(TN)	KNOTS
850.0	4860.	24.8	-7	18.	187.9	11.7
800.0	6586.	20.0	-2.4	22.	200.6	11.4
750.0	8394.	15.4	-6.0	22.	217.5	4.1
700.0	10293.	10.3	-9.4	24.	195.3	0.1
650.0	12299.	5.9	-5.2	45.	167.2	16.5
600.0	14437.	1.6	-9.2	44.	179.0	21.2
550.0	16713.	-4.5	-14.6	45.	198.8	23.8
500.0	19146.	-11.2	-21.3	43.	221.6	32.0
450.0	21780.	-14.3	-34.3	10.	240.7	25.9
400.0	24677.	-21.4	-37.4	22.	220.3	24.2

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 324

SIGNIFICANT LEVEL DATA
 1430020324
 WHITE SANDS
 TABLE XVI.

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT
873.3	3989.0	32.5	14.0
850.0	4780.9	28.2	19.0
832.3	5391.1	26.5	20.0
700.0	10261.8	12.8	30.0
612.8	13885.5	2.6	33.0
555.8	16452.9	-3.3	26.0
531.3	17619.2	-6.2	31.0
500.0	19170.2	-10.0	21.0
422.3	23392.7	-17.5	23.0
400.0	24717.7	-22.1	30.0
372.3	26442.8	-25.5	24.0

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 324
 1530 HRS MDT

UPPER AIR DATA
 1430020324
 WHITE SANDS
 TABLE XVII.

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	DIRECTION DEGREES (TN)	WIND DATA SPEED KNOTS	INDEX OF REFRACTION
3989.0	873.3	32.5	14.0	992.4	682.1	210.0	18.1	1.000249
4000.0	873.0	32.4	14.1	992.2	682.0	209.9	18.1	1.000249
4500.0	858.2	29.7	17.2	984.0	679.1	206.6	17.3	1.000249
5000.0	843.6	27.6	19.4	974.1	676.7	203.0	16.7	1.000247
5500.0	829.1	26.2	20.2	961.8	675.1	199.1	16.1	1.000243
6000.0	814.6	24.8	21.2	949.5	673.5	195.0	15.6	1.000240
6500.0	800.3	23.4	22.3	937.3	671.9	192.8	14.6	1.000236
7000.0	786.2	22.0	23.3	925.3	670.3	190.7	13.6	1.000233
7500.0	772.4	20.6	24.3	913.4	668.7	189.1	14.1	1.000229
8000.0	758.9	19.2	25.3	901.8	667.0	187.6	14.9	1.000226
8500.0	745.6	17.8	26.4	890.3	665.4	186.2	16.4	1.000222
9000.0	732.5	16.4	27.4	879.0	663.8	186.6	17.1	1.000219
9500.0	719.6	15.0	28.4	867.8	662.1	188.6	17.2	1.000215
10000.0	707.0	13.6	29.4	856.9	660.5	192.9	16.9	1.000212
10500.0	694.4	12.2	30.2	845.8	658.8	198.9	16.5	1.000208
11000.0	681.7	10.8	30.6	834.6	657.2	202.1	17.4	1.000205
11500.0	669.2	9.4	31.0	823.5	655.5	203.8	18.8	1.000201
12000.0	657.0	7.9	31.4	812.7	653.8	203.7	20.9	1.000197
12500.0	645.0	6.5	31.8	801.9	652.1	203.4	23.2	1.000194
13000.0	633.2	5.1	32.3	791.4	650.4	204.8	24.6	1.000190
13500.0	621.6	3.7	32.7	780.9	648.7	207.0	25.6	1.000187
14000.0	610.1	2.3	32.7	770.4	647.1	209.2	26.4	1.000183
14500.0	598.6	1.2	31.3	759.2	645.7	211.6	27.1	1.000180
15000.0	587.4	.0	30.0	748.1	644.3	214.1	28.1	1.000176
15500.0	576.3	-1.1	28.6	737.2	642.9	217.0	29.5	1.000172
16000.0	565.5	-2.3	27.2	726.5	641.5	219.5	31.1	1.000169
16500.0	554.8	-3.4	26.2	715.9	640.1	220.7	34.0	1.000166
17000.0	544.2	-4.7	28.3	705.5	638.6	221.8	36.9	1.000164
17500.0	533.8	-5.9	30.5	695.2	637.1	223.3	37.0	1.000161
18000.0	523.4	-7.1	28.5	685.0	635.6	225.0	36.6	1.000158

UPPER AIR DATA
 1430020324
 WHITE SANDS
 TABLE XVII. (CONT)

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 78
 ASCENSION NO. 324
 1530 HRS MDT

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES(TN)	SPEED KNOTS	INDEX OF REFRACTION
16500.0	513.3	-8.4	25.3	674.9	634.1	226.9	34.1	1.000155
19000.0	503.3	-9.6	22.1	665.0	632.6	229.4	30.4	1.000152
19500.0	493.4	-10.6	21.2	654.4	631.4	231.1	28.1	1.000149
20000.0	483.7	-11.5	21.4	643.6	630.3	230.8	27.7	1.000146
20500.0	474.1	-12.4	21.6	633.1	629.3	230.4	27.3	1.000144
21000.0	464.7	-13.3	21.9	622.7	628.2	229.8	27.0	1.000141
21500.0	455.5	-14.1	22.1	612.4	627.1	228.5	26.4	1.000139
22000.0	446.5	-15.0	22.3	602.4	626.0	226.1	25.5	1.000137
22500.0	437.7	-15.9	22.6	592.5	624.9	222.7	26.7	1.000134
23000.0	429.0	-16.8	22.8	582.8	623.9	219.2	29.8	1.000132
23500.0	420.4	-17.9	23.6	573.6	622.5	217.1	31.1	1.000130
24000.0	411.9	-19.6	26.2	565.8	620.4	215.4	31.3	1.000128
24500.0	403.6	-21.3	28.9	558.2	618.3	213.5	30.4	1.000126
25000.0	395.3	-22.7	29.0	549.6	616.7	211.3	29.3	1.000124
25500.0	387.2	-23.6	27.3	540.5	615.4			1.000122
26000.0	379.2	-24.6	25.5	531.5	614.2			1.000120

STATION ALTITUDE 3989.00 FEET MSL
 23 MAY 76
 ASCENSION NO. 324

MANDATORY LEVELS
 1430020324
 WHITE SANDS
 TABLE XVIII.

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM.		WIND DATA	
MILLIBARS	FEET	AIR DEGREES	DEWPOINT CENTIGRADE	PERCENT	WIND DIRECTION DEGREES(TN)	SPEED KNOTS	
850.0	4777.	28.2	2.4	19.	204.6	17.0	
800.0	6524.	23.4	.6	24.	192.7	14.6	
750.0	8353.	18.3	-1.5	26.	180.5	16.0	
700.0	10272.	12.8	-4.3	30.	196.2	16.6	
650.0	12292.	7.1	-8.6	32.	203.5	22.2	
600.0	14428.	1.3	-13.7	31.	211.3	27.1	
550.0	16704.	-4.0	-20.1	27.	221.2	35.3	
500.0	19143.	-10.0	-28.1	21.	230.4	29.2	
450.0	21785.	-14.7	-31.5	24.	227.0	25.8	
400.0	24670.	-22.1	-34.9	30.	212.6	30.0	