

AD-A058 541

CENTER FOR NAVAL ANALYSES ARLINGTON VA

F/G 20/13

DIFFUSION THEORY OF REACTION RATES. I. FORMULATION AND EINSTEIN--ETC(U)


JAN 78 M MANGEL


CNA-PP-229

NL

UNCLASSIFIED

1 OF 1
ADA
058541





NATIONAL BUREAU OF STANDARDS
MICROCOPY RESOLUTION TEST CHART

(2) NW

AD A058541

AD No. _____
DDC FILE COPY

(6) DIFFUSION THEORY OF REACTION RATES. I.
FORMULATION AND EINSTEIN - SMOLUCHOWSKI APPROXIMATION.

(10) Marc Mangel

(9) Professional Paper No. 229

(11) Jan 1978

(14) CNA-PP-229

(12) 57p.

The ideas expressed in this paper are those of the author. The paper does not necessarily represent the views of the Center for Naval Analyses.

DDC
RECEIVED
SEP 13 1978
A

CENTER FOR NAVAL ANALYSES
1401 Wilson Boulevard
Arlington, Virginia 22209

DISTRIBUTION STATEMENT A
Approved for public release
Distribution Unlimited

78 09 12 021

077270

Jmcc

DIFFUSION THEORY OF REACTION RATES, I:
FORMULATION AND EINSTEIN-SMOLUCHOWSKI APPROXIMATION

Marc Mangel*

January 1978

*Center for Naval Analyses of the University of Rochester,
1401 Wilson Boulevard, Arlington, Virginia 22209

ABSTRACT

The diffusion model of reaction rates, originally due to H. Kramers, is rederived and extended. The derivation follows the work of Il'in and Khasminskii and is based on a clear physical picture of the molecular events. The origin of the stochastic forces is also clearly treated. Classical mechanics is used throughout. In this paper, we use the Einstein-Smoluchowski approximation and, thus, consider a diffusion model in position space only. ~~We non-dimensionalize the diffusion equations and obtain a number of singular perturbation problems.~~ ^{are obtained} By using the diffusion model, one can treat a number of problems involving reaction rate theory. ~~We derive a new form of transition state theory.~~ ^{is derived} We calculate reaction rate constants, transmission coefficients and the lifetime of the activated complex. ^{are calculated} Kramers' result is the leading term in the asymptotic expansion of the rate constant that we calculate. We show how absorption spectra can also be derived by use of the diffusion model.

* is non-dimensionalized

ACCESSION NO.	
NTIS	White Section <input checked="" type="checkbox"/>
DDC	Ext. Section <input type="checkbox"/>
EXAMINED	<input type="checkbox"/>
IDENTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. AND. OR SPECIAL
A	

INTRODUCTION

Almost forty years ago, H.A. Kramers (1) introduced a Brownian motion model for the calculation of reaction rate constants. The picture involved in this formulation is one in which the molecules undergo a diffusion process in reaction space while moving in physical space. Kramers' theory is particularly applicable to reactions in solution, and reactions of relatively large molecule. Kramers compared his theory with the then new transition state theory (TST) or activated rate theory associated with the names Wigner, Eyring, and Polayni. The Kramers theory has been relatively unnoticed by the chemical and physical community, while TST and other, more complex theories have developed (2).

As a consequence, there are excellent classical, semi-classical, and quantum mechanical methods available to calculate rate constants for the reactions of small molecules in the gaseous phase. On the other hand, when large molecules or polymers react in solution a complete theory is lacking. The Kramers diffusion model can fill this gap(an example is in (3)). In this paper and the following one (4), we extend Kramers theory and show how the diffusion model can be used to calculate many properties connected with reaction phenomena, not just reaction rates.

The diffusion approach is based on a Brownian motion model in the reaction phase space of the molecule. The use of such

phase space distributions was initiated by Wigner in 1932 (5). By the use of Wigner's technique coefficients in the differential equations describing the evolution of the phase space distribution function can be given approximate quantum interpretations (6). Our interest here, however, is the solution and application of the diffusion equations, rather than derivation of the equations. Consequently, we use classical mechanics throughout. The extension to Wigner equivalent formalism is straightforward and will be considered in a later paper (7). By using classical mechanics, we also use an implicit Born-Oppenheimer assumption about the potential energy surface.

Kramers was motivated by a desire to develop an alternative to transition state theory (1). In TST, one obtains a reaction rate constant of the form:

$$k = \kappa(f \cdot f') e^{-Q/k_B T} \quad (1.1)$$

In (1.1), $Q/k_B T$ is the "activation energy" divided by Boltzmann's constant times temperature, $(f \cdot f')$ is a frequency factor and κ is the transmission coefficient. Usually, the frequency factor is calculated by a quantum mechanical argument. The diffusion model provides a purely classical method of treating the frequency factor. Hence, we obtain CTST, classical transition state theory. CTST and TST agree, when the partition functions in TST are calculated explicitly (8).

The transmission coefficient is usually treated as an empirical parameter. TST provides no method of calculating κ . The diffusion model provides a direct way to calculate κ . We will show that TST and CTST arise as special cases, of the diffusion model (in the equilibrium limit and vanishing viscosity).

Previous work on the calculation of κ was done by Hirschfelder, Wigner and Hulburt (24) using quantum mechanical techniques. Here a complementary, stochastic approach is given.

Kramers constructed a stochastic model and used the forward or Fokker-Planck diffusion equation. He managed to construct solutions of the Fokker-Planck equation in certain special cases. The deviation between TST and the diffusion theory was about 10-15 percent for reactions with high energy barriers. The difference was considerable for lower barriers. We will calculate reaction rate constants, transmission coefficients and lifetimes of activated complexes, for all sizes of energy barrier.

In section 2, we introduce the diffusion model. Our analysis closely follows that in (9). We are led to a system of stochastic differential equations in the reaction phase space. Under a second limit, the Einstein-Smoluchowski (ES) approximation, the structure of the stochastic differential equation is simplified considerably. We give the forward and backward equations corresponding to both systems of stochastic differential equations. In section 3, the equations derived in section 2 are non-dimensionalized. A singular perturbation problem arises. In section

4, classical transition state theory is derived. In section 5, we use the ES equations to calculate reaction rates, transmission coefficients, and lifetimes of the activated complex. In section 6, we show how spectra can be calculated using the diffusion model. Not all of our results are new; however, we are unifying many old results and questions with a simple conceptual framework.

SECTION 2

DIFFUSION MODEL AND EINSTEIN-SMOLUCHOWSKI (ES) APPROXIMATION

In this section, we introduce the diffusion model and derive the diffusion equations of interest. Our approach follows Il'in and Khasminski (9). The physical assumptions are clearly delineated and the introduction of stochastic effects is also obvious. Since the model is based on dynamics, one could use the projector operator approach (10). However, when the projection operator is used, the stochastic assumption is introduced in a hidden fashion, usually, by assuming that (e.g., (11))

$$\langle A(t) e^{iL_0 t} B(t) \rangle = \langle A(t) \rangle \langle B(t) \rangle \quad (2.1)$$

if $t > \tau_c$, for some cut off time τ_c . In (2.1) L_0 is the Liouville operator, and brackets indicate ensemble averages. For the very complicated systems of interest here, it is not possible to use dynamics completely. Namely, it is not yet possible to derive the stochastic properties from the dynamics alone. Hence, it is reasonable to introduce the stochastic assumptions at the beginning. The work of Il'in and Khasminskii (9) is such a model. Since their paper has gone unnoticed by the physical and chemical community, we repeat part of their analysis here (equations 2.4 to 2.16).

THE DIFFUSION MODEL

Let x denote the generic reaction coordinate of interest in a molecule of mass m . If no collisions with bath molecules, of mass μ , occur then classical mechanics is obeyed, so that*

$$\dot{x} = v \quad (2.2)$$

$$m\dot{v} = F(x) = -\nabla V(x) \quad (2.3)$$

In (2.3), $V(x)$ is the potential function. In figure 1, we sketch $V(x)$ for dissociation reactions and for tautomerizations.

Let $\xi(t)$ be a stochastic process that counts collisions of the large molecule with the bath molecules and let F_ξ be the distribution function of ξ :

$$\Pr\{\xi(t) \leq N\} = F_\xi(N) \quad (2.4)$$

Let $\{\tau_i\}$ $i = 1, 2, \dots$ be the jump points of the process $\xi(t)$. We represent the bath molecules by a family of identically distributed random variables $\{\Sigma_k\}$, $k = 1, 2, \dots$ with distribution function

$$R(y) = \Pr\{\Sigma_k \leq y\} \quad (2.5)$$

* For the purposes of conceptual simplicity, we will treat x as a scalar. The results of this paper immediately generalize to the vector case; by replacing integrals by line integrals.

Introduce a stochastic process $(\tilde{x}_\mu(t), \tilde{v}_\mu(t))$, which except at the points τ_k , coincides with (2.2, 2.3). We assume that $\tilde{x}_\mu(t)$ is continuous and $\tilde{v}_\mu(t)$ is continuous at the right at τ_k , with the jump at τ_k given by

$$\frac{2\mu}{m+\mu} \left[\Sigma_k - \tilde{v}_\mu(\tau_k^-) \right]. \quad (2.6)$$

Hence, we are assuming elastic collisions. If we consider more than one space dimension, then (2.6) must be modified by the introduction of a factor taking into account the spatial distribution of the collisions (4). Define the transition probability

$$\begin{aligned} P_\mu(x, \mu, t, x_1, v_1) dx_1 dv_1 &\equiv P_\mu(x, v, t, dx_1, dv_1) \\ &\equiv \Pr\{\tilde{x}_\mu(t) \in (x_1, x_1 + dx_1), \tilde{v}_\mu(t) \in (v_1, v_1 + dv_1) | \tilde{x}_\mu(0) = x, \tilde{v}_\mu(0) = v\} \end{aligned} \quad (2.7)$$

Now let $\bar{x}(x, v, t)$, $\bar{v}(x, v, t)$ be solutions of (2.2, 2.3) with initial conditions $\bar{x}(0) = x$, $\bar{v}(0) = v$. Consider an integrable function $f(x, y)$ and define

$$\begin{aligned} u(x, y, t) &= E_{x,v} \left(f(\tilde{x}_\mu(t), \tilde{v}_\mu(t)) \right) \\ &= \Pr\{\tau_1 > t\} E_{x,v} [f(\tilde{x}_\mu(t), \tilde{v}_\mu(t)) | \tau_1 > t] \\ &\quad + \int_0^t d\Pr\{\tau_1 < s\} \int_{-\infty}^{\infty} dR(z) E_{x,v} [f(\tilde{x}_\mu, \tilde{v}_\mu) | \tau_1 = s, \Sigma_1 = z] \end{aligned} \quad (2.8)$$

For the special case that $\xi(t)$ is a Poisson process (the case treated by Il'in and Khasminskii) we obtain

$$u(x, y, t) = e^{-at} f(\bar{x}(x, v, t), \bar{v}(x, v, t)) + \int_0^t a e^{-as} ds \int_{-\infty}^{\infty} dR(z) u\{\bar{x}(x, v, s), \bar{v}(x, v, s) + v(z - \bar{v}), t - s\} \quad (2.9)$$

In (2.9), a is the parameter of the Poisson process and $v = 2\mu/(m+\mu)$ is the reduced mass. We note that $\bar{x}(x, v, t)$ and $\bar{v}(x, v, t)$ satisfy

$$y_t - v y_x - \frac{F}{m} y_v = 0 \quad (2.10)$$

$$\frac{dy}{dt} = \frac{dx}{dt} y_x + \frac{dv}{dt} y_v \quad (2.11)$$

where $y = \bar{x}$ or $y = \bar{v}$. Thus, if $f(x, v)$, $F(x)$ are three times differentiable (2.9) becomes:

$$\frac{\partial u}{\partial t} = v \frac{\partial u}{\partial x} + F(x) \frac{\partial u}{\partial v} + a \int_{-\infty}^{\infty} u(x, v + v(z - y), t) dR(z); \text{ with } u(x, y, 0) = f(x, y) \quad (2.12)$$

Equation (2.12) was derived by Il'in and Khasminskii. Now consider the limit $a \gg 1$ (i.e., many collisions per second). Then we set

$$a\mu = \frac{\eta}{2} \quad E_{\Sigma}[\mu \Sigma_k^2] = k_B T \quad (2.13)$$

where η , T have the interpretations of the viscosity of the medium and the absolute temperature, respectively (where Boltzmann's constant is k_B). We assume that

$$E_R(z) = 0 \quad \text{and} \quad \lim_{\mu \rightarrow 0} \mu^2 \int |z|^3 dR_{\mu}(z) = 0 \quad (2.14)$$

The assumptions in (2.14) are satisfied, for example, by the Maxwell Boltzmann distribution, for which

$$R_{\mu}(z) = \sqrt{\frac{\mu}{2\pi k_B T}} e^{-\mu z^2 / 2k_B T} \quad (2.15)$$

Il'in and Khasminskii prove that as $\mu \rightarrow 0$ (2.12) converges to

$$\frac{\partial u}{\partial t} = v \frac{\partial u}{\partial x} + \frac{F}{m} \frac{\partial u}{\partial v} + \frac{\eta T k_B}{m^2} \frac{\partial^2 u}{\partial v^2} - \frac{\eta}{m} v \frac{\partial u}{\partial v} \quad (2.16)$$

Equation (2.16) is exact and rigorous (compare with (12)). It corresponds to a stochastic differential equation

$$d\tilde{x} = \tilde{v} dt \quad (2.17)$$

$$m d\tilde{v} = (F(\tilde{x}) - \eta \tilde{v}) dt + \sqrt{2k_B T \eta} dW \quad (2.18)$$

where $W(t)$ is the Wiener process. We call 2.16 - 2.18 the Ornstein-Uhlenbeck (OU) equations. We have obtained them by introducing two stochastic assumptions: 1) a Poisson process for the collisions; 2) the Maxwell Boltzmann distribution for the bath molecules. No other assumptions are needed.

We now consider a second limit of (2.16), the Einstein-Smoluchowski or ES limit. In the limit that $m/\eta \rightarrow 0$ (high viscosity) with F/η non-zero, (2.16) becomes an equation for $u(x, t)$; independent of v :

$$\frac{\partial u(x, t)}{\partial t} = \frac{k_B T}{\eta} \frac{\partial^2 u}{\partial x^2} + \frac{F(x)}{\eta} \frac{\partial u}{\partial x} \quad (2.19)$$

Equation (2.19) corresponds to the stochastic differential equation

$$d\tilde{x} = \frac{F(\tilde{x})}{\eta} dt + \sqrt{\frac{2k_B T}{\eta}} dW \quad (2.20)$$

For molecules of molecular weight 50, $m/\eta \sim 10^{-12} \text{ sec}^{-1}$ (13) and for polymers $m/\eta \sim 10^{-13} \text{ sec}^{-1}$ (10). Hence, if the reactions of interest have rates that are much greater than $10^{-12} \text{ sec}^{-1}$, the

ES limit will be a good approximation. Physically, this will often be the case.

Il'in and Khasminskii construct asymptotic solutions of (2.16) and (2.17) for $\epsilon = m/\eta$ small. Here we shall be interested in a different type of scaling and will construct different asymptotic solutions.

FOKKER-PLANCK AND EXPECTED TIME EQUATIONS

Denote the right hand sides of (2.16, 19) by Lu and L_{ES}^*u respectively. These operators have formal adjoints L^* and L_{ES}^* . Let p be a function such that

$$pLu - uL^*p = \text{divergence} \quad (2.21)$$

or

$$pL_{ES}^*u - uL_{ES}^*p = \text{divergence} \quad (2.22)$$

Then p will satisfy, at least weakly, the Fokker-Planck equations:

$$p_t(x, v, t) = -vp_x + \frac{\eta k_B T}{m^2} p_{vv} - \left[\left(\frac{F}{m} - \frac{\eta v}{m} \right) p \right]_v \quad (2.23)$$

$$\equiv L^*p$$

in the OU case, and

$$\frac{\partial p}{\partial t}(x, t) = \frac{k_B T}{\eta} \frac{\partial^2 p}{\partial x^2} - \frac{\partial}{\partial x} \left(\frac{F(x)p}{\eta} \right) \quad (2.24)$$

$$\equiv L_{ES}^*p$$

In (2.23) a subscript indicates differentiation.

in the ES approximation. Equations (2.23, 24) are the Fokker-Planck equations and hold if certain boundary conditions are met (e.g., $p \rightarrow 0$ as $x^2 + v^2 \rightarrow \infty$, $u \rightarrow 0$ as $x^2 + v^2 \rightarrow \infty$). No expansion of the master equation is needed (12,13). Since (2.16,19) are rigorous, (2.23,24) are also rigorous, provided that the boundary conditions are satisfied (14,15,16).

Now consider the following definitions

$$\bar{t}(x,v) = \int_0^{\infty} t u_t(x,v,t) dt \quad (2.25)$$

or

$$\bar{t}(x) = \int_0^{\infty} t u_t(x,t) dt \quad (2.26)$$

Then it is easy to show that

$$-u(x,v,\infty) = \frac{k_B T \eta}{m^2} \frac{\partial^2 \bar{t}}{\partial v^2} + \frac{v \partial \bar{t}}{\partial x} + \left(\frac{F(x) - \eta v}{m} \right) \frac{\partial \bar{t}}{\partial v} \quad (2.28)$$

or

$$-u(x,\infty) = \frac{k_B T}{\eta} \frac{\partial^2 \bar{t}}{\partial x^2} + \frac{F(x)}{\eta} \frac{\partial \bar{t}}{\partial x} \quad (2.29)$$

Equations (2.28,29) were derived by Klein (17) and Weiss (18) by different means and solved in some particular cases. None of the problems solved here were treated by Klein or Weiss (19).

INTERPRETATIONS AND REMARKS

We have not specified $f(x,v)$ or boundary conditions for any of the equations derived in section 2.2. By a judicious

choice of f and boundary conditions, we can solve many problems by using (2.16-2.25). For example, with reference to figure 1, $u(x,v,t)$ could be the probability that a particle has $\tilde{x}(t) \geq \hat{x}$, conditioned on $\tilde{x}(0) = x, \tilde{v}(0) = v$. Then $p(x,v,t)$ would be the density for the particle:

$$p(x,v,t)dx dv = \Pr\{\tilde{x}(t) \in (x, x+dx), \tilde{v}(t) \in (v, v+dv)\} \quad (2.30)$$

Finally, $\bar{t}(x,v)$ would be the expected time to reach $\tilde{x}(t) \geq \hat{x}$, conditioned on $\tilde{x}(0) = x, \tilde{v}(0) = v$:

$$\bar{t}(x,v) = E \min\{t: \tilde{x}(t) = \hat{x} | \tilde{x}(0) = x, \tilde{v}(0) = v\} \quad (2.31)$$

In this case, appropriate boundary conditions are for (2.16):

$$u(x,v,t) = 1, \quad \lim_{x \rightarrow -\infty} u(x,v,t) = 0 \quad (2.32)$$

$$u(x,v,0) = 0 \quad \text{unless} \quad x = \hat{x}$$

for (2.23):

$$\iint p(x,v,t) dx dv = 1 \quad \lim_{x^2 + v^2 \rightarrow \infty} p(x,v,t) = 0 \quad (2.33)$$

for (2.28):

$$\bar{t}(x,v) = 0 \quad \lim_{x \rightarrow -\infty} \frac{\partial \bar{t}}{\partial x}(x,v) = 0 \quad (2.34)$$

Analogous interpretations hold for the ES limit equations, and will be discussed in later sections.

SECTION 3

NON-DIMENSIONALIZATION - THE SINGULAR PERTURBATION PROBLEM

We will now introduce scaled variables and derive the non-dimensional versions of the equations in the previous section. First consider the OU equations (2.16,23,28). Let Q denote an energy (for example the height of the barrier from \hat{x}_0 to x in figure 1) and let

$$\begin{aligned} v &= \sqrt{\frac{Q}{m}} v' & x &= \sqrt{\frac{Qm}{\eta}} x' & t &= \frac{m}{\eta} t' \\ F &= \sqrt{\frac{\gamma^2 Q}{m}} F' & W &= \sqrt{\frac{m}{\gamma}} W' \end{aligned} \quad (3.1)$$

Then the OU equations become

$$\frac{\partial u}{\partial t'} = v' \frac{\partial u}{\partial x'} + F' \frac{\partial u}{\partial v'} + \frac{k_B T}{Q} \frac{\partial^2 u}{\partial (v')^2} - v' \frac{\partial u}{\partial v'} \quad (3.2)$$

$$\frac{\partial p}{\partial t'} = \frac{k_B T}{Q} \frac{\partial^2 p}{\partial (v')^2} - v' \frac{\partial p}{\partial x'} - \frac{\partial}{\partial v'} [(F' - v') p] \quad (3.3)$$

$$-u(x', v', \infty) = \frac{k_B T}{Q} \frac{\partial^2 \bar{t}'}{\partial (v')^2} + F' \frac{\partial \bar{t}'}{\partial v'} + v' \frac{\partial \bar{t}'}{\partial x'} - v' \frac{\partial \bar{t}'}{\partial v'} \quad (3.4)$$

We let $\epsilon = k_B T/Q$ and drop the primes in (3.2-4). The final non-dimensional OU equations are

$$\frac{\partial u}{\partial t} = \epsilon \frac{\partial^2 u}{\partial v^2} + F \frac{\partial u}{\partial v} + v \frac{\partial u}{\partial x} - v \frac{\partial u}{\partial v} \quad (3.5)$$

$$\frac{\partial p}{\partial t} = \epsilon \frac{\partial^2 p}{\partial v^2} - v \frac{\partial p}{\partial x} - \frac{\partial}{\partial v} [(F - v)p] \quad (3.6)$$

$$-u(x, v, \infty) = \epsilon \frac{\partial^2 \bar{t}}{\partial v^2} + F \frac{\partial \bar{t}}{\partial v} + v \frac{\partial \bar{t}}{\partial x} - v \frac{\partial \bar{t}}{\partial v} \quad (3.7)$$

Next, consider the ES equations (2.19,24,29). The scalings in (3.1) lead to

$$\frac{\partial u(x, t)}{\partial t} = \epsilon \frac{\partial^2 u}{\partial x^2} + F(x) \frac{\partial u}{\partial x} \quad (3.8)$$

$$\frac{\partial p}{\partial t} = \epsilon \frac{\partial^2 p}{\partial x^2} - \frac{\partial}{\partial x} (F(x)p) \quad (3.9)$$

$$-u(x, \infty) = \epsilon \frac{\partial^2 \bar{t}}{\partial x^2} + F(x) \frac{\partial \bar{t}}{\partial x} \quad (3.10)$$

Other choices of scaling are possible.

Equations (3.5-10) are singular perturbation problems. We assume that

$$F(x) = -V(x), \quad (3.11)$$

where $V(x)$ is a non-dimensional potential function. The physical potential is $V(x) \cdot Q$.

SECTION 4

CLASSICAL TRANSITION STATE THEORY (CTST)

In this section, we show how TST fits into the above framework. Since our results are derived without recourse to partition functions, Planck's constant never appears. Hence, we call these results purely classical transition state theory.

The major assumption is that equilibrium prevails. The equilibrium solution of (3.6) is

$$p(x,v) = c \exp\left[-\frac{1}{\epsilon}\left(\frac{v^2}{2} + V(x)\right)\right] \quad (4.1)$$

where c is chosen so that

$$\iint p(x,v) dx dv = 1 \quad (4.2)$$

Note that $H = \frac{v^2}{2} + V(x)$ is the Hamiltonian of the classical deterministic equations (2.2,3).

Our goal is to calculate the rate at which particles leave the well around x_0 and pass over the barrier at x^\wedge , going towards the right in figure 1. Call this rate j . The reaction rate constant is then

$$k = j\kappa \quad (4.3)$$

where κ is the transmission coefficient, which will be calculated in later sections.

The flux across \hat{x} is

$$J = \int_0^{\infty} v p(\hat{x}, v) dv = \epsilon c e^{-V(\hat{x})/\epsilon} \quad (4.4)$$

To obtain j , we must divide this flux by the number of particles in the well at x_0, N_0 . Since $p(x, v)$ also gives the particle density, the number N_0 is

$$N_0 = \iint_{\text{WELL}} p(x, v) dv = \iint_{\text{WELL}} e^{-\frac{1}{\epsilon}(v^2/2 + V(x))} dx dv \quad (4.5)$$

We now replace $V(x)$ by a Taylor expansion

$$V(x) = V(x_0) + \frac{1}{2} V''(x_0) (x - x_0)^2 \quad (4.6)$$

and let the limits in (4.5) tend to $\pm\infty$. We obtain

$$N_0 = \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} e^{-\frac{1}{\epsilon}(v^2/2 + V(x_0) + \frac{1}{2} V''(x_0) (x - x_0)^2)} dv dx \quad (4.7)$$

$$= \sqrt{\frac{2\pi\epsilon}{V''(x_0)}} \sqrt{\frac{2\pi\epsilon}{V''(x_0)}} e^{-V(x_0)/\epsilon} = \frac{2\pi\epsilon}{\sqrt{V''(x_0)}} e^{-V(x_0)/\epsilon} \quad (4.8)$$

Hence, we obtain

$$j = \frac{\sqrt{V''(x_0)}}{2\pi} e^{-V(\hat{x})/\epsilon} e^{V(x_0)/\epsilon} \quad (4.9)$$

In (4.9), we recognize $V(\hat{x}) - V(x_0)$ as the "activation energy"

of the reaction. If we set $V(x_0) = 0$, then the reaction rate is:

$$k = \kappa \sqrt{\frac{V''(x_0)}{2\pi}} e^{-V(x)/\epsilon} \quad (4.10)$$

It can be verified that the usual TST (8) gives this result, if the partition functions are evaluated explicitly. Often $\sqrt{V''(x_0)}/2\pi$ is identified with the "frequency of vibration" in the well about x_0 .

SECTION 5

ES EQUATIONS: REACTION RATES, TRANSMISSION COEFFICIENTS, LIFETIMES OF ACTIVATED COMPLEXES*

In this section, we show how the ES equation (3.8-3.10) can be used to calculate much of the desired information about a chemical reaction.

RATE CONSTANT BY MODIFIED KRAMERS METHOD

In this section, we calculate the rate at which particles pass from the well at x_0 to the barrier peak x^\wedge . Our method follows that of Miller (21) and Ludwig (16); it is more accurate than Kramers approach. In addition, Kramers derivation is based on difficult, somewhat obscure physical arguments.

We seek a solution of (3.9) of the form

$$p(x,t) = \sum_{n=0} \sigma_n(x) e^{-\lambda_n t} \quad (5.1)$$

Then each $\sigma_n(x)$ satisfies

$$-\lambda_n \sigma_n = \epsilon \frac{\partial^2 \sigma_n}{\partial x^2} - \frac{\partial}{\partial x} (F(x) \sigma_n) \quad (5.2)$$

*The results in this section generalize to the multi-dimensional case immediately if the integrals are replaced by multiple integrals. This generalization is possible because the ES approximation yields a gradient deterministic system. Also see (19).

We shall calculate the lowest eigen value, λ_0 , with boundary conditions:

$$\sigma_0^\wedge(x) = 0 \quad \frac{\partial}{\partial x} \sigma_0(x_0) = 0 \quad (5.3)$$

The first boundary condition corresponds to absorption of particles at x . The second insures a constant number of particles at x_0 . (Kramers assumed this also, in a disguised form.) The rate at which particles reach x from x_0 is then

$$j(x) = \iint_t p_t(x,t) dx dt = \lambda_0, \quad (5.4)$$

if $\sigma_0(x)$ is properly normalized (as it must be).

We integrate (5.2) once and use the fact that $\sigma_x(x_0) = 0$:

$$-\lambda_0 \int_{x_0}^x \sigma_0(y) dy = \epsilon \frac{\partial}{\partial x} \sigma_0(x) + V_x \sigma_0 \quad (5.5)$$

Since $e^{V(x)/\epsilon}$ is an integrating factor for the right hand side, (5.5) can be rewritten as:

$$-\frac{\lambda_0}{\epsilon} \int_{x_0}^x e^{V(S)/\epsilon} \int_{x_0}^S \sigma_0(y) dy dS = \sigma_0 e^{V(x)/\epsilon} \Big|_{x_0}^x \quad (5.6)$$

Now consider the integral $I(S)$, defined by

$$I(S) = \int_{x_0}^S \sigma_0(y) dy \quad (5.7)$$

In the vicinity of x_0 , we expand $\sigma(y)$ as

$$\sigma_0(y) = \sigma_0(x_0) e^{-V(y)/\epsilon} [1 + \epsilon g_1(y) + \epsilon^2 g_2(y) + \dots] \quad (5.8)$$

where $g_k(y)$ is the k^{th} order correction to the equilibrium distribution. The density in (5.8) does not vanish at \hat{x} , as it must to satisfy $\sigma_0(\hat{x}) = 0$ (it does satisfy $\frac{\partial}{\partial x} \sigma_0(x_0) = 0$). Let $\theta(y)$ be a neutralizer: θ is a C^∞ function, $\theta(\hat{x}) = 0$ and $\theta(y) = 1$ if y is far from \hat{x} , e.g.,

$$\theta(y) = \begin{cases} 0 & \text{if } y = \hat{x} \\ 1 & \text{if } y < \hat{x} - \epsilon^n \end{cases} \quad (5.9)$$

for some n , and is smooth in between $\hat{x} - \epsilon^n$ and \hat{x} . Instead of (5.8), we use

$$\sigma_0(y) = \sigma_0(x_0) e^{-V(y)/\epsilon} \theta(y) + O(\epsilon) \quad (5.10)$$

Then

$$I(S) = \int_{x_0}^S \sigma_0(x_0) \theta(y) e^{-V(y)/\epsilon} dy + O(\epsilon) \quad (5.11)$$

If the integral is evaluated by Laplace's method, we obtain

$$I(S) \sim \sigma(x_0) e^{-V(x_0)/\epsilon} \frac{1}{2} \sqrt{\frac{2\pi\epsilon}{V''(x_0)}} + O(\sqrt{\epsilon}). \quad (5.12)$$

Using the result (5.12) in the integral equation (5.6), we obtain, for $x = \hat{x}$

$$-\frac{\lambda_0}{\epsilon} \int_{x_0}^{\hat{x}} e^{V(s)/\epsilon} ds \cdot \sigma_0(x_0) \sqrt{\frac{\pi \epsilon}{2V''(x_0)}} e^{-V(x_0)/\epsilon} = -\sigma_0(x_0), \quad (5.13)$$

since $\sigma_0(\hat{x}) = 0$. Hence,

$$\lambda = \frac{\epsilon \sqrt{2V''(x_0)}}{\pi \epsilon} e^{V(x_0)/\epsilon} / \int_{x_0}^{\hat{x}} e^{V(s)/\epsilon} ds \quad (5.14)$$

Using Laplace's method to evaluate the integral in the denominator yields

$$\lambda_0 \sim \epsilon \sqrt{\frac{2V''(x_0)}{\pi \epsilon}} e^{V(x_0)/\epsilon} e^{-V(\hat{x})/\epsilon} \sqrt{\frac{2|V''(\hat{x})|}{\pi \epsilon}} \quad (5.15)$$

$$= \frac{2}{\pi} \sqrt{V''(x_0) |V''(\hat{x})|} e^{-V(\hat{x})/\epsilon} e^{V(x_0)/\epsilon} \quad (5.16)$$

when comparing (5.16) and (4.10), we see that the second "frequency factor" $|V''(\hat{x})|$ does not appear in (4.10). Equation (5.16) is also Kramers result (but derived in a different fashion).

The reaction rate constant is then given by

$$k = \kappa \lambda_0 \quad (5.17)$$

REACTION RATE CONSTANT BY EXPECTED TIME FORMULATION

In this section, we present an alternative formulation for the rate constant. It has the advantage that we avoid having to use the asymptotic analysis which assumed $\epsilon = k_B T/Q$ is small. Consequently, the technique of this section works for moderate or large ϵ (low barriers) as well as small ϵ (high barriers). Let

$$\bar{t}(x) = E\{t: \tilde{x}(t) = \hat{x}, \tilde{x}(s) < \hat{x}, s < t | \tilde{x}(0) = x, \tilde{x}(t) \text{ eventually crosses } \hat{x}\} \quad (5.18)$$

The $\bar{t}(x)$ is the average time that a particle takes to reach \hat{x} , starting at x . Then, $\bar{t}(x)$ will satisfy equation (3.10) with the left hand side equal to -1:

$$-1 = \epsilon \frac{\partial^2 \bar{t}}{\partial x^2} + F(x) \frac{\partial \bar{t}}{\partial x} \quad (5.19)$$

and boundary conditions

$$\bar{t}(\hat{x}) = 0 \quad \lim_{x \rightarrow -\infty} \frac{\partial \bar{t}}{\partial x} = 0 \quad (5.20)$$

The solution of (5.19) is

$$t(x) = \frac{1}{\epsilon} \int_x^{\hat{x}} e^{V(S)/\epsilon} \int_{-\infty}^S e^{-V(y)/\epsilon} dy ds \quad (5.21)$$

Following the analysis in section 5.1, we could identify the rate

at which molecules reach \hat{x} from x_0 as

$$\lambda = \frac{1}{\bar{t}(x_0)} \quad (5.22)$$

where,

$$\bar{t}(x_0) = \frac{1}{\epsilon} \int_{x_0}^{\hat{x}} e^{V(S)/\epsilon} \int_{-\infty}^S e^{-V(y)/\epsilon} dy dS \quad (5.23)$$

To see that (5.22) is equivalent to (5.16), we assume $\epsilon \ll 1$ and use Laplace's method twice. We obtain

$$\bar{t}(x_0) \sim \frac{1}{\epsilon} \left[\sqrt{\frac{\pi \epsilon}{2|V''(\hat{x})|}} \right] \left[\sqrt{\frac{\pi \epsilon}{2|V''(x_0)|}} \right] e^{V(\hat{x})/\epsilon} e^{-V(x_0)/\epsilon} \quad (5.24)$$

so that

$$\lambda_0 = \frac{1}{\bar{t}(x_0)} = e^{-V(\hat{x})/\epsilon} e^{V(x_0)/\epsilon} \frac{2}{\pi} \sqrt{|V''(\hat{x})| |V''(x_0)|} \quad (5.25)$$

in agreement with (5.16). On the other hand, the result (5.21) is much more versatile than the eigenfunction calculation.

First, ϵ need not be small, so that (5.21) can be used to describe catalysis reactions (an application would be to the system considered in (6)). Second, we can allow for the experimentally true fact that when the system is prepared, not all the molecules are exactly at x_0 . Instead, there is a distribution of molecules,

$$G(x)dx = \Pr\{\tilde{x}(0) \in (x, x+dx)\} \quad (5.26)$$

Then, instead of $1/\bar{t}(x_0)$ we should define the rate constant as

$$\lambda_0 = 1/\langle \bar{t}(x) \rangle$$

where

$$\langle \bar{t}(x) \rangle = \int \bar{t}(x) G(x) dx \quad (5.27)$$

is the ensemble average of $\bar{t}(x)$.

The expected time formalism is much more versatile than the Kramers-Miller-Ludwig approach. In figures 2 and 3, we compare the CTST, modified Kramers (eigenvalue) and expected time formulations for the rate constant. The potential used for the calculations was

$$V(x) = -\frac{1}{3} x^3 + \alpha x \quad (5.28)$$

for which $Q = \frac{4}{3} x^{3/2}$

As ϵ decreases, the Kramers and expected time formulations converge, as is expected from the asymptotic analysis. The CTST provides a reasonable estimate of the rate constant, which is remarkable in light of the assumptions used to derive CTST.

In figure 3, we compare the three theoretical forms of the rate constant with Monte Carlo experiments (500 trials).

THE TRANSMISSION COEFFICIENT

Up to this point, the transmission coefficient κ is unspecified. We now will provide an exact definition of the transmission coefficient and will show how to calculate it. Let $u(x)$ be defined as

$$u(x) = \Pr\{\tilde{x}(t) \text{ crosses } x=x_1 \text{ before } x=x_0 | \tilde{x}(0)=x\} \quad (5.29)$$

Then $u(x)$ satisfies a stationary version of (3.8):

$$0 = \epsilon \frac{\partial^2 u}{\partial x^2} + F(x) \frac{\partial u}{\partial x} \quad (5.30)$$

with boundary conditions

$$u(x_0) = 0 \quad u(x_1) = 1 \quad (5.31)$$

The transmission coefficient is defined as

$$\kappa = u(x)^\wedge \quad (5.32)$$

Namely, κ is the probability that an activated complex becomes a product before returning to the reactant state.

The solution of (5.30) is

$$u(x) = \frac{\int_{x_0}^x e^{V(s)/\epsilon} ds}{\int_{x_0}^{x_1} e^{V(s)/\epsilon} ds} \quad (5.33)$$

The structure of the potential energy surface around \hat{x} will completely determine the transmission coefficient. If the potential is symmetric about \hat{x} and $|V''(\hat{x})|$ is bounded away from zero, then Laplace's method yields (figure 4a), as expected

$$\kappa \sim \frac{1}{2} + o(\epsilon) \quad (5.34)$$

On the other hand, it is possible that κ is close to zero (figure 4b) or much close to 1 (figure 4c), depending upon the shape of the potential surface (figure 4). However, since detailed knowledge of the potential surface around \hat{x} is only needed, it should be possible to calculate κ for many cases of interest.

The diffusion model thus provides a way to calculate the transmission coefficient, which was previously (in TST) treated as an empirical parameter. In table 1, we compare the theoretical transmission coefficient with Monte Carlo experiments, for the potential (5.28).

LIFETIME OF THE ACTIVATED COMPLEX

Many reactions proceed according to a mechanism in which a true reactant complex is formed, e.g.,



In such a case, the potential energy surface will have a double minimum structure as shown in figure 5. The complex is formed in the well at \hat{x} . The lifetime is the time that the complex remains in the well. We pick two points a, b with $a < \hat{x}_-$, $b > \hat{x}_+$ (figure 5). The mean lifetime of the complex will satisfy

$$-1 = \epsilon \frac{\partial^2 \bar{t}}{\partial x^2} + F(x) \frac{\partial \bar{t}}{\partial x} \quad (5.36)$$

$$\bar{t}(a) = \bar{t}(b) = 0 \quad (5.37)$$

In (5.36), $\bar{t}(x)$ is the expected time to hit a or b , given that $\tilde{x}(0) = x$.

The solution of (5.36,37) is

$$\begin{aligned} \bar{t}(x) = & \frac{1}{\epsilon} \int_a^x e^{V(S)/\epsilon} \int_a^S e^{-V(y)/\epsilon} dy dS \\ & - \frac{1}{\epsilon} \left\{ \frac{\int_a^x e^{V(S)/\epsilon} dS}{\int_a^b e^{V(S)/\epsilon} dS} \right\} \int_a^b e^{V(S)/\epsilon} \int_a^S e^{-V(y)/\epsilon} dy dS \end{aligned} \quad (5.38)$$

A definition of the lifetime of the activated complex is then

$$\tau_{ac} = \bar{t}(\hat{x}) \quad (5.39)$$

On the other hand, when experiments are performed, activated complexes are produced according to some distribution $H(x)$. Thus, a better definition of the lifetime of the activated complex is

$$\tau_{ac} = E_H(\bar{t}(x)) \quad (5.40)$$

$$= \int_{x_-}^{x_+} \bar{t}(x) dH(x) \quad (5.41)$$

AN APPLICATION: BIPROTONIC PHOTOTAUTOMERISM

The phenomenon of biprotonic phototautomerism is discussed in (22). A double potential well is present (figure 6)*. In this case, x represents the length of the H - N hydrogen bond (figure 6b) in 7-azaindole or the H - O bond in the formic acid dimer. The UV and green fluorescences in figure 6a correspond to 7-azaindole.

The well at x_0 corresponds to the 7-azaindole dimer, at x_1 to the tautomer. The excitation of the molecule in the ground state will produce a distribution $\phi(x)dx$ of molecules in the first excited state. We assume that when the excited molecule reaches $x_0(x_1)$, it fluoresces with probability $p_0(p_1)$ or decays radiationlessly with probability $1 - p_0(1 - p_1)$.

*Another problem involving a double potential well, which can be treated by these methods is discussed by D. Chandler in J. Chem. Phys. 68:2959(1978).

Let

$$u(x) = \Pr\{\text{molecule reaches } x_0 \text{ before } x_1 | \text{starts at } x\} \quad (5.42)$$

then $u(x)$ satisfies the backward equation

$$u = \epsilon u_{xx} + F(x)u \quad (5.43)$$

$$u(x_0) = 1 \quad u(x_1) = 0 \quad (5.44)$$

Assume that the events $\{\text{reaching } x_0(x_1)\}$ and $\{\text{fluorescing from } x_0(x_1)\}$ are independent. Also, we assume that all molecules with $x \leq x_0$ ($\geq x_1$) reach $x_0(x_1)$ and fluoresce with probability $p_0(p_1)$.

Let

$$I(x) = \frac{p_0 u(x)}{p_1(1 - u(x))} \quad x_0 < x < x_1 \quad (5.45)$$

Then $I(x)$ will represent a conditional ratio of UV/green fluorescence intensities. The total fluorescence intensity is

$$I = \int_{x_0}^{x_1} I(x) \phi(x) dx + \frac{p_0 \int_{-\infty}^{x_0} \phi(x) dx}{p_1 \int_{x_1}^{\infty} \phi(x) dx} \quad (5.46)$$

The first term in (5.41) is the contribution to the fluorescence of excited molecules initially in $[x_0, x_1]$. The second term is the contribution from molecules with $x \geq x_1$ or $x \leq x_0$.

SECTION 6

CALCULATION OF SPECTRA

Very often, we are interested in the shape of the "absorption" spectrum of a bond, $I(\omega)$. Let $\phi(\tau)$ be the correlation function of $\tilde{x}(t)$:

$$\phi(\tau) = E\{\tilde{x}(t + \tau)\tilde{x}(t)\}. \quad (6.1)$$

The correlation function and spectrum are related by

$$I(\omega) = \int e^{-i\omega\tau} \phi(\tau) d\tau \quad (6.2)$$

In this section, we show how the spectrum can be approximately calculated by using the diffusion model. First, consider the conditional correlation function

$$\phi(\tau)_{\bar{x}} = E\{\tilde{x}(t + \tau)\tilde{x}(t) | \tilde{x}(t) = \bar{x}\} \quad (6.3)$$

If $\ell(\bar{x})$ is the density for \bar{x} , then

$$\phi(\tau) = \int \phi(\tau)_{\bar{x}} \ell(\bar{x}) d\bar{x} \quad (6.4)$$

Consequently, we shall calculate $\phi(\tau)_{\bar{x}}$. We use equation (3.9) with initial and boundary conditions

$$p(x, 0) = \delta(x - \bar{x}) \quad (6.5)$$

$$\int p(x, t) dx = 1, \quad \lim_{x \rightarrow \infty} p(x, t) = 0$$

Following Ludwig (16), we seek a solution of (6.5) in the form

$$p(x, t) = e^{-\psi(x, t)/\varepsilon} \sum_{k=0}^{\infty} z_k \varepsilon^k \quad (6.6)$$

with $\psi(x, t)$ and $z_k(x, t)$ $k = 0, 1, 2, \dots$ to be determined. In many cases, it is sufficient to use only the first term, which will be accurate to order ε :

$$p(x, t) \sim z_0 e^{-\psi(x, t)/\varepsilon}, \quad (6.7)$$

i.e., z_0 is a "normalization" factor. After derivatives are evaluated and substituted into (3.9), terms are collected according to powers of ε . The leading term is $O(e^{-\psi/\varepsilon}/\varepsilon)$ and vanishes if

$$\psi_t + F(x) \psi_x + \psi_x^2 = 0 \quad (6.8)$$

Ludwig (16) has shown how this equation can be solved by the method of characteristics. We will not repeat his argument here. We note that (6.8) corresponds to a "Hamiltonian"

$$H = F(x)p + p^2 \quad (6.9)$$

and to "rays" (where $p = \psi_x$)

$$\frac{dx}{ds} = F(x) + 2p, \quad \frac{dp}{ds} = -F_x(x)p, \quad \frac{dt}{ds} = 1 \quad (6.10)$$

Along these rays

$$\frac{d\psi}{ds} = p^2 \quad (6.11)$$

The rays cover the phase plane. Hence, by following a sufficient number of rays from \bar{x} for a time τ , it is possible to construct (see figure 7):

$$p_{\bar{x}}^-(x, \tau) dx = \Pr\{\tilde{x}(\tau) \in (x, x + dx) | \tilde{x}(0) = \bar{x}\} \quad (6.12)$$

The conditional correlation function is then

$$\phi_{\bar{x}}^-(\tau) = \int x p_{\bar{x}}^-(x, \tau) dx \quad (6.13)$$

Finally, the correlation function is

$$\phi(\tau) = \int \ell(\bar{x}) \left[\int x p_{\bar{x}}^-(x, \tau) dx \right] d\bar{x} \quad (6.14)$$

and the spectrum is

$$I(\omega) = \int e^{-i\omega\tau} \int \ell(\bar{x}) \left[\int x p_{\bar{x}}^-(x, \tau) dx \right] d\bar{x} d\tau \quad (6.15)$$

ACKNOWLEDGEMENT: Professor R. E. Burgess, now deceased, encouraged me to investigate this problem. Professors Donald Ludwig and Robert Snider had many discussions with me about it and read a previous draft of the manuscript. For other useful discussions, I thank Mr. Davis Cope and Professor Charles Lamb.

REFERENCES

1. Kramers, H.A. (1940), "Brownian Motion in a Field of Force and the Diffusion Model of Chemical Reactions," *Pysica* 7(4): 284-304.
2. Robinson and Holbrook (1971), "Unimolecular Reactions," New York.
3. DeGennes, p.6 (1975), "Brownian Motion of a Classical Particle Through Potential Barriers," Application to the Helix-Coil Transitions of Heteropolymers, *J. Stat. Phy.* 12:463-481.
4. Mangel, M. (1978), "Diffusion Theory of Reaction Rates II," Ornstein-Uhlenbeck Formulation, Manuscript in preparation.
5. Wigner, E.P. (1932), *Phys. Rev.* 40:749.
6. Schaich, W.L. (1974), "Brownian Motion Model of Surface Chemical Reactions," Derivation in the Large Mass Limit, *J. Chem. Phys.* 60:1087-1093.
7. Mangel, M. (1978), "Diffusion Theory of Reaction Rates, III," Use of Wigner Equivalent Formalism, in preparation.
8. Hill, T.L. (1960), "Statistical Thermodynamics," Addison-Wesley, Reading, Mass.
9. Il'in, A.M. and R.Z. Khasminskii (1964), "On Equations of Brownian Motion," *Theor. Prob. Appli.* 9:421-444.
10. Zwanzig, R. (1961), "Statistical Mechanics of Irreversibility," in *Lectures in Theor. Phys.*, Vol 3.
11. Mazur, P. and I. Oppenheim (1970), "Molecular Theory of Brownian Motion," *Physica* 50:241-258.
12. Van Kampen, N.G. (1976). *Adv. Chem. Phys.* 34:245-309.
13. Kubo, R., K. Matsuo and K. Kitahara, (1973). *J. Stat. Phys.* 9:51-96.
14. Feller, W. (1971), "An Introduction to Probability Theory and Its Applications, Vol 2", Wiley, N.Y.
15. Ludwig, D. (1975) *SIAM Review* 17:605-640.

16. Papanicolaou, G.C. (1975) Bull Amer. Math. Soc. 81:330-392.
17. Klein, G. (1952), "Mean First Passage Times of Brownian Motion and Related Problems," Proc. Roy Soc., A211:431-443.
18. Weiss, G. (1976), "First Passage Time Problems in Chemical Physics," Adv. Chem. Phys. 13:1-18.
19. Z. Schuss and B. Matkowsky have recently investigated the diffusion model of reaction rates (preprint). The author became aware of their work after the completion of this one. They use a multidimensional E-S model.
20. Miller, G.F. (1962), "The Evaluation of Eigenvalues of a Differential Equation Arising in a Problem in Genetics," Proc. Comb. Phil. Soc. 58:588-593.
21. Kasha, M. (1974), "Multiple Excitation in Composite Molecules: Biprotic Phototautomerism, in Excited States of Matter," Texas Tech. Symposium, F. Schoppe, ed.; pages 5-16.
22. Vischer, P.B. (1976), "Escape Rate for a Brownian Particle in a Potential Well," Phys. Rev. B. (13):3272-75.
23. Stratonovich, R.L. (1963), "Topics in the Theory of Random Noise" Vols. 1, 2; Gordon and Breach, New York.
24. a) Hirschfelder, J.O. and E. Wigner (1939), "Some Quantum Mechanical Considerations in the Theory of Reactions Involving and Activation Energy," J. Chem Phys 7:616-628.
b) Hulbert, H.M. and J.O. Hirschfelder (1943), "The Transmission Coefficient in the Theory of Absolute Reaction Rates," J. Chem. Phys 11:276-290.

APPENDIX A
THE ENERGY METHOD

In this appendix, we briefly describe an alternative formulation of the problem based on the position-energy phase space rather than the position-velocity phase space. A special case of this approach was used by Kramers (1) and Visscher (23). Our approach follows Stratonovich (24). Consider equations (2.17, 2.18). The total energy of the system is

$$E = \frac{1}{2}mv^2 + V(x) \quad (A-1)$$

Hence

$$dE = mvdv + v_x dx \quad (A-2)$$

Since $F(x) = -v_x$, (A-2) and (2.17), (2.18) imply that

$$dx = \sqrt{2/m(E - V(x))} dt \quad (A-3)$$

$$dE = 2\eta \sqrt{\frac{2}{m}(E - V(x))} dt + \sqrt{\frac{4k_B T\eta}{m}} (E - V(x)) dW \quad (A-4)$$

The Fokker-Planck equation corresponding to (A-3, A-4) is

$$\begin{aligned} p_t(t, x, E) = & -\frac{\partial}{\partial x} \left[\sqrt{\frac{2}{m}} (E - V(x)) p \right] - 2\eta \frac{\partial}{\partial E} \left[\sqrt{\frac{2}{m}} (E - V(x)) p \right] \\ & + \frac{2k_B T\eta}{m} \frac{\partial^2}{\partial E^2} \left[(E - V(x)) p \right] \end{aligned} \quad (A-5)$$

In order to obtain the results in (1) and (23), we assume that the conditional density $p(x|E)$ is

$$p(x|E) = \begin{cases} \text{const} \sqrt{E - V(x)} & V(x) < E \\ 0 & \text{otherwise} \end{cases}$$

Then a simple averaging (as in (23), page 117-119) yields an equation for the density $\bar{p}(t, E)$ in E-space only:

$$\bar{p}_t(t, E) = 2\eta \frac{\partial}{\partial E} \left[\frac{\gamma(E)}{\gamma'(E)} \bar{p} \right] + \frac{2k_B T \eta}{m} \frac{\partial^2}{\partial E^2} \left[\frac{\gamma(E)}{\gamma'(E)} \bar{p} \right] \quad (\text{A-6})$$

In equation (A-6)

$$\begin{aligned} \gamma(E) &= \frac{1}{2} \sqrt{\frac{2}{m}} \int_{R(E)} \sqrt{E - V(x)} \, dx \\ \gamma'(E) &= \frac{1}{2} \sqrt{\frac{2}{m}} \int_{R(E)} (E - V(x))^{-\frac{1}{2}} dx \end{aligned} \quad (\text{A-7})$$

where $R(E) = \{x: V(x) < E\}$. Equation (A-6) is the equation of diffusion in energy space used in (1) and (23).

APPENDIX B

MULTIPLE BARRIERS

In the body of the paper, we did not consider the possibility that more than one energy barrier must be crossed. The results, however, generalize immediately. For example, we consider the expected time result (5.23), where $V(x)$ now has k maxima x_{oj}^{\wedge} $j = 1, \dots, k$ and minima x_{oj} , $j = 1, \dots, k$. Then the asymptotic evaluation of (5.23) is

$$t(x_o) \sim \frac{1}{\epsilon} \sum_j^k \left(\frac{\pi \epsilon}{2 |V''(x_j^{\wedge})|} \right)^{\frac{1}{2}} \left(\frac{\pi \epsilon}{2 V''(x_{oj})} \right)^{\frac{1}{2}} e^{V(x_j^{\wedge})/\epsilon} e^{-V(x_{oj})/\epsilon} \quad (B-1)$$

where $x_o \equiv x_{o1}$. The other asymptotic results are also replaced by expressions involving sums over various contributions.

CAPTIONS

- Figure 1: Typical potentials of interest in this paper: a) a Lennard-Jones like potential; b) a double-minimum potential (e.g., hydrogen bonded tautomers).
- Figure 2: A comparison of numerical results using CTST, the eigenvalue formulation and the expected time formulation for the reaction rate constant.
- Figure 3: Comparison of CTST, the eigenvalue formulation and expected time formulations for the reaction rate constant with Monte Carlo experiments.
- Figure 4: Transmission coefficient in the ES formulation. A steeped barrier, for which $\kappa = \frac{1}{2} + O(\epsilon)$; b) a flat barrier, for which κ is close to 0; c) an almost discontinuous barrier, for which κ is close to 1.
- Figure 5: Potential energy surface for a reaction proceeding by complex formulation.
- Figure 6: Potential energy surface for biprotonic phototautomerism.
- Figure 7: A schematic illustration of how the ray method can be used to numerically construct correlation functions. Rays emanate from the point \bar{x} . The intersection of the line $t = \tau$ and the rays determine those points that can be reached from \bar{x} in time. The density on these points is $p_{\bar{x}}(x, \tau)$ and is calculated along the rays.
- Table 1: A comparison of the theoretical transmission coefficient with Monte Carlo experiments.





FIGURE 1




FIGURE 2




FIGURE 2 Continued




FIGURE 3




FIGURE 4





FIGURE 5






FIGURE 6



b.

7 azaindol dimer



c.

Formic acid dimer

FIGURE 6 Continued




FIGURE 7

TABLE 1

A COMPARISON OF THE THEORETICAL TRANSMISSION COEFFICIENT
WITH MONTE CARLO EXPERIMENTS.

<u>Q(in units of $k_B T$)</u>	<u>\hat{x}</u>	<u>κ (Theory)</u>	<u>κ (MC) *</u>
3	1.31	.58	.58
13	2.14	.53	.53
23	2.58	.52	.52

*2500 Monte Carlo simulations were performed.

CNA Professional Papers — 1973 to Present*

- PP 103
Friedheim, Robert L., "Political Aspects of Ocean Ecology" 48 pp., Feb 1973, published in *Who Protects the Oceans*, John Lawrence Hargrove (ed.) (St. Paul: West Publ'g. Co., 1974), published by the American Society of International Law AD 757 936
- PP 104
Schick, Jack M., "A Review of James Cable, Gunboat Diplomacy Political Applications of Limited Naval Forces," 5 pp., Feb 1973, (Reviewed in the *American Political Science Review*, Vol. LXVI, Dec 1972)
- PP 105
Corn, Robert J. and Phillips, Gary R., "On Optimal Correction of Gunfire Errors," 22 pp., Mar 1973, AD 761 674
- PP 106
Stoloff, Peter H., "User's Guide for Generalized Factor Analysis Program (FACTAN)," 35 pp., Feb 1973, (Includes an addendum published Aug 1974) AD 758 824
- PP 107
Stoloff, Peter H., "Relating Factor Analytically Derived Measures to Exogenous Variables," 17 pp., Mar 1973, AD 758 820
- PP 108
McConnell, James M. and Kelly, Anne M., "Superpower Naval Diplomacy in the Indo-Pakistani Crisis," 14 pp., 5 Feb 1973, (Published, with revisions, in *Survival*, Nov/Dec 1973) AD 761 675
- PP 109
Berghoefer, Fred G., "Salaries—A Framework for the Study of Trend," 8 pp., Dec 1973, (Published in *Review of Income and Wealth*, Series 18, No. 4, Dec 1972)
- PP 110
Augusta, Joseph, "A Critique of Cost Analysis," 9 pp., Jul 1973, AD 766 376
- PP 111
Herrick, Robert W., "The USSR's 'Blue Belt of Defense' Concept: A Unified Military Plan for Defense Against Seaborne Nuclear Attack by Strike Carriers and Polaris/Poseidon SSBNs," 18 pp., May 1973, AD 766 375
- PP 112
Ginsberg, Lawrence H., "ELF Atmosphere Noise Level Statistics for Project SANGUINE," 29 pp., Apr 1974, AD 786 969
- PP 113
Ginsberg, Lawrence H., "Propagation Anomalies During Project SANGUINE Experiments," 5 pp., Apr 1974, AD 786 968
- PP 114
Maloney, Arthur P., "Job Satisfaction and Job Turnover," 41 pp., Jul 1973, AD 768 410
- PP 115
Silverman, Lester P., "The Determinants of Emergency and Elective Admissions to Hospitals," 145 pp., 18 Jul 1973, AD 766 377
- PP 116
Rehm, Allan S., "An Assessment of Military Operations Research in the USSR," 19 pp., Sep 1973, (Reprinted from *Proceedings, 30th Military Operations Research Symposium* (U), Secret Dec 1972) AD 770 116
- PP 117
McWhite, Peter B. and Ratliff, H. Donald,* "Defending a Logistics System Under Mining Attack,"** 24 pp., Aug 1976 (to be submitted for publication in *Naval Research Logistics Quarterly*), presented at 44th National Meeting, Operations Research Society of America, November 1973, AD A030 454
*University of Florida.
**Research supported in part under Office of Naval Research Contract N00014-68-0273-0017
- PP 118
Barfoot, C. Bernard, "Markov Duels," 18 pp., Apr 1973, (Reprinted from *Operations Research*, Vol. 22, No. 2, Mar-Apr 1974)
- PP 119
Stoloff, Peter and Lockman, Robert F., "Development of Navy Human Relations Questionnaire," 2 pp., May 1974, (Published in *American Psychological Association Proceedings, 81st Annual Convention*, 1973) AD 779 240
- PP 120
Smith, Michael W. and Schrimper, Ronald A., "Economic Analysis of the Intracity Dispersion of Criminal Activity," 30 pp., Jun 1974, (Presented at the *Econometric Society Meetings*, 30 Dec 1973) AD 780 538
*Economics, North Carolina State University.
- PP 121
Devine, Eugene J., "Procurement and Retention of Navy Physicians," 21 pp., Jun 1974, (Presented at the 49th Annual Conference, Western Economic Association, Las Vegas, Nev., 10 Jun 1974) AD 780 539
- PP 122
Kelly, Anne M., "The Soviet Naval Presence During the Iraq Kuwait Border Dispute: March-April 1973," 34 pp., Jun 1974, (Published in *Soviet Naval Policy*, ed. Michael McGwire; New York: Praeger) AD 780 592
- PP 123
Petersen, Charles C., "The Soviet Port-Clearing Operation in Bangladesh, March 1972-December 1973," 35 pp., Jun 1974, (Published in Michael McGwire, et al. (eds) *Soviet Naval Policy: Objectives and Constraints*, (New York: Praeger Publishers, 1974) AD 780 540
- PP 124
Friedheim, Robert L. and Jehn, Mary E., "Anticipating Soviet Behavior at the Third U.N. Law of the Sea Conference: USSR Positions and Dilemmas," 37 pp., 10 Apr 1974, (Published in *Soviet Naval Policy*, ed. Michael McGwire; New York: Praeger) AD 783 701
- PP 125
Weinland, Robert G., "Soviet Naval Operations—Ten Years of Change," 17 pp., Aug 1974, (Published in *Soviet Naval Policy*, ed. Michael McGwire; New York: Praeger) AD 783 962
- PP 126 — Classified.
- PP 127
Dragnich, George S., "The Soviet Union's Quest for Access to Naval Facilities in Egypt Prior to the June War of 1967," 64 pp., Jul 1974, AD 786 318
- PP 128
Stoloff, Peter and Lockman, Robert F., "Evaluation of Naval Officer Performance," 11 pp., (Presented at the 82nd Annual Convention of the American Psychological Association, 1974) Aug 1974, AD 784 012
- PP 129
Holen, Arlene and Horowitz, Stanley, "Partial Unemployment Insurance Benefits and the Extent of Partial Unemployment," 4 pp., Aug 1974, (Published in the *Journal of Human Resources*, Vol. IX, No. 3, Summer 1974) AD 784 010
- PP 130
Dismukes, Bradford, "Roles and Missions of Soviet Naval General Purpose Forces in Wartime: PROSSBN Operation," 20 pp., Aug 1974, AD 786 320
- PP 131
Weinland, Robert G., "Analysis of Gorshkov's *Navies in War and Peace*," 45 pp., Aug 1974, (Published in *Soviet Naval Policy*, ed. Michael McGwire; New York: Praeger) AD 786 319
- PP 132
Kleinman, Samuel D., "Racial Differences in Hours Worked in the Market: A Preliminary Report," 77 pp., Feb 1975, (Paper read on 26 Oct 1974 at Eastern Economic Association Convention in Albany, N.Y.) AD A 005 517
- PP 133
Squires, Michael L., "A Stochastic Model of Regime Change in Latin America," 42 pp., Feb 1975, AD A 007 912
- PP 134
Root, R. M. and Cuniff, P. F.,* "A Study of the Shock Spectrum of a Two-Degree-of-Freedom Non-linear Vibratory System," 39 pp., Dec 1975, (Published in the condensed version of *The Journal of the Acoustic Society*, Vol 60, No. 6, Dec 1976, pp. 1314
*Department of Mechanical Engineering, University of Maryland.
- PP 135
Goudreau, Kenneth A.; Kuzmack, Richard A.; Wiedemann, Karen, "Analysis of Closure Alternatives for Naval Stations and Naval Air Stations," 47 pp., 3 Jun 1975 (Reprinted from "Hearing before the Subcommittee on Military Construction of the Committee on Armed Service," U.S. Senate, 93rd Congress, 1st Session, Part 2, 22 Jun 1973)
- PP 136
Stallings, William, "Cybernetics and Behavior Therapy," 13 pp., Jun 1975
- PP 137
Petersen, Charles C., "The Soviet Union and the Reopening of the Suez Canal: Mineclearing Operations in the Gulf of Suez," 30 pp., Aug 1975, AD A 015 376

*CNA Professional Papers with an AD number may be obtained from the National Technical Information Service, U.S. Department of Commerce, Springfield, Virginia 22151. Other papers are available from the author at the Center for Naval Analyses, 1401 Wilson Boulevard, Arlington, Virginia 22209.

- PP 138
Stallings, William, "BRIDGE: An Interactive Dialogue-Generation Facility," 5 pp., Aug 1975 (Reprinted from IEEE Transactions on Systems, Man, and Cybernetics, Vol. 5, No. 3, May 1975)
- PP 139
Morgan, William F., Jr., "Beyond Folklore and Fables in Forestry to Positive Economics," 14 pp., (Presented at Southern Economic Association Meetings November, 1974) Aug 1975, AD A 015 293
- PP 140
Mahoney, Robert and Druckman, Daniel*, "Simulation, Experimentation, and Context," 36 pp., 1 Sep 1975, (Published in Simulation & Games, Vol. 6, No. 3, Sep 1975)
*Mathematica, Inc.
- PP 141
Mizrahi, Maurice M., "Generalized Hermite Polynomials,"* 5 pp., Feb 1976 (Reprinted from the Journal of Computational and Applied Mathematics, Vol. 1, No. 4 (1975), 273-277).
*Research supported by the National Science Foundation
- PP 142
Lockman, Robert F., Jehn, Christopher, and Shughart, William F. II, "Models for Estimating Premature Losses and Recruiting District Performance," 36 pp., Dec 1975 (Presented at the RAND Conference on Defense Manpower, Feb 1976; to be published in the conference proceedings) AD A 020 443
- PP 143
Horowitz, Stanley and Sherman, Allan (LCdr., USN), "Maintenance Personnel Effectiveness in the Navy," 33 pp., Jan 1976 (Presented at the RAND Conference on Defense Manpower, Feb 1976; to be published in the conference proceedings) AD A021 581
- PP 144
Durch, William J., "The Navy of the Republic of China - History, Problems, and Prospects," 66 pp., Aug 1976 (To be published in "A Guide to Asiatic Fleets," ed. by Barry M. Blechman; Naval Institute Press) AD A030 460
- PP 145
Kelly, Anne M., "Port Visits and the "Internationalist Mission" of the Soviet Navy," 36 pp., Apr 1976 AD A023 436
- PP 146
Palmour, Vernon E., "Alternatives for Increasing Access to Scientific Journals," 6 pp., Apr 1975 (Presented at the 1975 IEEE Conference on Scientific Journals, Cherry Hill, N.C., Apr 28-30; published in IEEE Transactions on Professional Communication, Vol. PC-18, No. 3, Sep 1975) AD A021 798
- PP 147
Kessler, J. Christian, "Legal Issues in Protecting Offshore Structures," 33 pp., Jun 1976 (Prepared under task order N00014-68-A-0091-0023 for ONR) AD A028 389
- PP 148
McConnell, James M., "Military-Political Tasks of the Soviet Navy in War and Peace," 62 pp., Dec 1975 (Published in Soviet Oceans Development Study of Senate Commerce Committee October 1976) AD A022 590
- PP 149
Squires, Michael L., "Counterforce Effectiveness: A Comparison of the Tsipis "K" Measure and a Computer Simulation," 24 pp., Mar 1976 (Presented at the International Study Association Meetings, 27 Feb 1976) AD A022 591
- PP 150
Kelly, Anne M. and Petersen, Charles, "Recent Changes in Soviet Naval Policy: Prospects for Arms Limitations in the Mediterranean and Indian Ocean," 28 pp., Apr 1976, AD A 023 723
- PP 151
Horowitz, Stanley A., "The Economic Consequences of Political Philosophy," 8 pp., Apr 1976 (Reprinted from Economic Inquiry, Vol. XIV, No. 1, Mar 1976)
- PP 152
Mizrahi, Maurice M., "On Path Integral Solutions of the Schrodinger Equation, Without Limiting Procedure,"* 10 pp., Apr 1976 (Reprinted from Journal of Mathematical Physics, Vol. 17, No. 4 (Apr 1976), 566-575).
*Research supported by the National Science Foundation
- PP 153
Mizrahi, Maurice M., "WKB Expansions by Path Integrals, With Applications to the Anharmonic Oscillator,"* 137 pp., May 1976, AD A025 440
*Research supported by the National Science Foundation
- PP 154
Mizrahi, Maurice M., "On the Semi-Classical Expansion in Quantum Mechanics for Arbitrary Hamiltonians," 19 pp., May 1976 (Published in Journal of Mathematical Physics, Vol. 18, No. 4, p. 786, Apr 1977), AD A025 441
- PP 155
Squires, Michael L., "Soviet Foreign Policy and Third World Nations," 26 pp., Jun 1976 (Prepared for presentation at the Midwest Political Science Association meetings, Apr 30, 1976) AD A028 388
- PP 156
Stallings, William, "Approaches to Chinese Character Recognition," 12 pp., Jun 1976 (Reprinted from Pattern Recognition (Pergamon Press), Vol. 8, pp. 87-98, 1976) AD A028 632
- PP 157
Morgan, William F., "Unemployment and the Pentagon Budget: Is There Anything in the Empty Pork Barrel?" 20 pp., Aug 1976 AD A030 455
- PP 158
Haskell, LCdr. Richard D. (USN), "Experimental Validation of Probability Predictions," 25 pp., Aug 1976 (Presented at the Military Operations Research Society Meeting, Fall 1976) AD A030 458
- PP 159
McConnell, James M., "The Gorshkov Articles, The New Gorshkov Book and Their Relation to Policy," 93 pp., Jul 1976 (Published in Soviet Naval Influence: Domestic and Foreign Dimensions, ed. by M. McGwire and J. McDonnell: New York: Praeger, 1977) AD A029 227
- PP 160
Wilson, Desmond P., Jr., "The U.S. Sixth Fleet and the Conventional Defense of Europe," 50 pp., Sep 1976 (Submitted for publication in Adelphi Papers, I.I.S.S., London) AD A030 457
- PP 161
Melich, Michael E. and Peet, Vice Adm. Ray (USN, Retired), "Fleet Commanders: Afloat or Ashore?" 9 pp., Aug 1976 (Reprinted from U.S. Naval Institute Proceedings, Jun 1976) AD A030 456
- PP 162
Friedheim, Robert L., "Parliamentary Diplomacy," 106 pp., Sep 1976 AD A033 306
- PP 163
Lockman, Robert F., "A Model for Predicting Recruit Losses," 9 pp., Sep 1976 (Presented at the 84th annual convention of the American Psychological Association, Washington, D.C., 4 Sep 1976) AD A030 459
- PP 164
Mahoney, Robert B., Jr., "An Assessment of Public and Elite Perceptions in France, The United Kingdom, and the Federal Republic of Germany," 31 pp., Feb 1977 (Presented at Conference "Perception of the U.S. - Soviet Balance and the Political Uses of Military Power" sponsored by Director, Advanced Research Projects Agency, April 1976) AD A036 599
- PP 165
Jondrow, James M., "Effects of Trade Restrictions on Imports of Steel," 67 pp., November 1976, (Delivered at ILAB Conference in Dec 1976)
- PP 166
Feldman, Paul, "Impediments to the Implementation of Desirable Changes in the Regulation of Urban Public Transportation," 12 pp., Oct 1976, AD A033 322
- PP 166 - Revised
Feldman, Paul, "Why It's Difficult to Change Regulation," Oct 1976
- PP 167
Kleinman, Samuel, "ROTC Service Commitments: a Comment," 4 pp., Nov 1976, (To be published in Public Choice, Vol. XXIV, Fall 1976) AD A033 305
- PP 168
Lockman, Robert F., "Revalidation of CNA Support Personnel Selection Measures," 36 pp., Nov 1976
- PP 169
Jacobson, Louis S., "Earnings Losses of Workers Displaced from Manufacturing Industries," 38 pp., Nov 1976, (Delivered at ILAB Conference in Dec 1976), AD A039 809
- PP 170
Brachling, Frank P., "A Time Series Analysis of Labor Turnover," Nov 1976, (Delivered at ILAB Conference in Dec 1976)
- PP 171
Ralston, James M., "A Diffusion Model for GaP Red LED Degradation," 10 pp., Nov 1976, (Published in Journal of Applied Physics, Vol. 47, pp. 4518-4527, Oct 1976)

- PP 172
Classen, Kathleen P., "Unemployment Insurance and the Length of Unemployment," Dec 1976, (Presented at the University of Rochester Labor Workshop on 16 Nov 1976)
- PP 173
Kleinman, Samuel D., "A Note on Racial Differences in the Added-Worker/Discouraged-Worker Controversy," 2 pp., Dec 1976, (Published in the American Economist, Vol. XX, No. 1, Spring 1976)
- PP 174
Mahoney, Robert B., Jr., "A Comparison of the Brookings and International Incidents Projects," 12 pp., Feb 1977 AD 037 206
- PP 175
Levine, Daniel; Stoloff, Peter and Spruill, Nancy, "Public Drug Treatment and Addict Crime," June 1976, (Published in Journal of Legal Studies, Vol. 5, No. 2)
- PP 176
Felix, Wendi, "Correlates of Retention and Promotion for USNA Graduates," 38 pp., Mar 1977, AD A039 040
- PP 177
Lockman, Robert F. and Warner, John T., "Predicting Attrition: A Test of Alternative Approaches," 33 pp., Mar 1977, (Presented at the OSD/ONR Conference on Enlisted Attrition Xerox International Training Center, Leesburg, Virginia, 4-7 April 1977), AD A039 047
- PP 178
Kleinman, Samuel D., "An Evaluation of Navy Unrestricted Line Officer Accession Programs," 23 pp., April 1977, (To be presented at the NATO Conference on Manpower Planning and Organization Design, Stresa, Italy, 20 June 1977), AD A039 048
- PP 179
Stoloff, Peter H. and Balut, Stephen J., "Vacate: A Model for Personnel Inventory Planning Under Changing Management Policy," 14 pp., April 1977, (Presented at the NATO Conference on Manpower Planning and Organization Design, Stresa, Italy, 20 June 1977), AD A039 049
- PP 180
Horowitz, Stanley A. and Sherman, Allan, "The Characteristics of Naval Personnel and Personnel Performance," 16 pp., April 1977, (Presented at the NATO Conference on Manpower Planning and Organization Design, Stresa, Italy, 20 June 1977), AD A039 050
- PP 181
Balut, Stephen J. and Stoloff, Peter, "An Inventory Planning Model for Navy Enlisted Personnel," 35 pp., May 1977, (Prepared for presentation at the Joint National Meeting of the Operations Research Society of America and The Institute for Management Science, 9 May 1977, San Francisco, California), AD A042 221
- PP 182
Murray, Russell, 2nd, "The Quest for the Perfect Study or My First 1138 Days at CNA," 57 pp., April 1977
- PP 183
Kassing, David, "Changes in Soviet Naval Forces," 33 pp., November, 1976, (Published as part of Chapter 3, "General Purpose Forces: Navy and Marine Corps," in Arms, Men, and Military Budgets, Francis F. Hoerber and William Schneider, Jr. (eds.), (Crane, Russak & Company, Inc.: New York), 1977), AD A040 106
- PP 184
Lockman, Robert F., "An Overview of the OSD/ONR Conference on First Term Enlisted Attrition," 22 pp., June 1977, (Presented to the 39th MORS Working Group on Manpower and Personnel Planning, Annapolis, Md., 28-30 June 1977), AD A043 618
- PP 185
Kassing, David, "New Technology and Naval Forces in the South Atlantic," 22 pp. (This paper was the basis for a presentation made at the Institute for Foreign Policy Analyses, Cambridge, Mass., 28 April 1977), AD A043 619
- PP 186
Mizrahi, Maurice M., "Phase Space Integrals, Without Limiting Procedure," 31 pp., May 1977, (Invited paper presented at the 1977 NATO Institute on Path Integrals and Their Application in Quantum Statistical, and Solid State Physics, Antwerp, Belgium, July 17-30, 1977) (Published in Journal of Mathematical Physics 19(1), p. 298, Jan 1978), AD A040 107
- PP 187
Coile, Russell C., "Nemography for Operations Research," 35 pp., April 1977, (Presented at the Joint National Meeting of the Operations Research Society of America and The Institute for Management Science, San Francisco, California, 9 May 1977), AD A043 620
- PP 188
Durch, William J., "Information Processing and Outcome Forecasting for Multilateral Negotiations: Testing One Approach," 53 pp., May 1977 (Prepared for presentation to the 18th Annual Convention of the International Studies Association, Chase-Park Plaza Hotel, St. Louis, Missouri, March 16-20, 1977), AD A042 222
- PP 189
Coile, Russell C., "Error Detection in Computerized Information Retrieval Data Bases," July, 1977, 13 pp. Presented at the Sixth Cranfield International Conference on Mechanized Information Storage and Retrieval Systems, Cranfield Institute of Technology, Cranfield, Bedford, England, 26-29 July 1977, AD A043 580
- PP 190
Mahoney, Robert B., Jr., "European Perceptions and East-West Competition," 96 pp., July 1977 (Prepared for presentation at the annual meeting of the International Studies Association, St. Louis, Mo., March, 1977), AD A043 561
- PP 191
Sewyer, Ronald, "The Independent Field Assignment: One Man's View," August 1977, 26 pp.
- PP 192
Holen, Arlene, "Effects of Unemployment Insurance Entitlement on Duration and Job Search Outcome," August 1977, 6 pp., (Reprinted from Industrial and Labor Relations Review, Vol. 30, No. 4, Jul 1977)
- PP 193
Horowitz, Stanley A., "A Model of Unemployment Insurance and the Work Test," August 1977, 7 pp. (Reprinted from Industrial and Labor Relations Review, Vol. 30, No. 40, Jul 1977)
- PP 194
Classen, Kathleen P., "The Effects of Unemployment Insurance on the Duration of Unemployment and Subsequent Earnings," August 1977, 7 pp. (Reprinted from Industrial and Labor Relations Review, Vol. 30, No. 40, Jul 1977)
- PP 195
Brechling, Frank, "Unemployment Insurance Taxes and Labor Turnover: Summary of Theoretical Findings," 12 pp. (Reprinted from Industrial and Labor Relations Review, Vol. 30, No. 40, Jul 1977)
- PP 196
Ralston, J. M. and Lorimer, O. G., "Degradation of Bulk Electroluminescent Efficiency in Zn, O-Doped GaP LED's," July 1977, 3 pp. (Reprinted from IEEE Transactions on Electron Devices, Vol. ED-24, No. 7, July 1977)
- PP 197
Wells, Anthony R., "The Centre for Naval Analysis," 14 pp., Dec 1977, AD A049 107
- PP 198
Classen, Kathleen P., "The Distributional Effects of Unemployment Insurance," 25 pp., Sept. 1977 (Presented at a Hoover Institution Conference on Income Distribution, Oct 7-8, 1977)
- PP 199
Durch, William J., "Revolution From A F.A.R. - The Cuban Armed Forces in Africa and the Middle East," Sep 1977, 16 pp., AD A046 268
- PP 200
Powers, Bruce F., "The United States Navy," 40 pp., Dec 1977. (To be published as a chapter in The U.S. War Machine by Salamander Books in England during 1978), AD A049 108
- PP 201
Durch, William J., "The Cuban Military in Africa and The Middle East: From Algeria to Angola," Sep 1977, 67 pp., AD A046 675
- PP 202
Feldman, Paul, "Why Regulation Doesn't Work," (Reprinted from Technological Change and Welfare in the Regulated Industries and Review of Social Economy, Vol. XXIX, March, 1971, No. 1.) Sep 1977, 8 pp.
- PP 203
Feldman, Paul, "Efficiency, Distribution, and the Role of Government in a Market Economy," (Reprinted from The Journal of Political Economy, Vol. 79, No. 3, May/June 1971.) Sep 1977, 19 pp., AD A045 675

PP 204

Wells, Anthony R., "The 1967 June War: Soviet Naval Diplomacy and The Sixth Fleet - A Re-appraisal," Oct 1977, 36 pp., AD A047 236

PP 205

Coile, Russell C., "A Bibliometric Examination of the Square Root Theory of Scientific Publication Productivity," (Presented at the annual meeting of the American Society for Information Science, Chicago, Illinois, 29 September 1977.) Oct 1977, 6 pp., AD A047 237

PP 206

McConnell, James M., "Strategy and Missions of the Soviet Navy in the Year 2000," 48 pp., Nov 1977, (Presented at a Conference on Problems of Sea Power as we Approach the 21st Century, sponsored by the American Enterprise Institute for Public Policy Research, 6 October 1977, and subsequently published in a collection of papers by the Institute), AD A047 244

PP 207

Goldberg, Lawrence, "Cost Effectiveness of Potential Federal Policies Affecting Research & Development Expenditures in the Auto, Steel and Food Industries," 36 pp., Oct 1977, (Presented at Southern Economic Association Meetings beginning 2 November 1977)

PP 208

Roberts, Stephen S., "The Decline of the Overseas Station Fleets: The United States Asiatic Fleet and the Shanghai Crisis, 1932," 18 pp., Nov 1977, (Reprinted from The American Neptune, Vol. XXXVII, No. 3, July 1977), AD A047 245

PP 209 - Classified.

PP 210

Kassing, David, "Protecting The Fleet," 40 pp., Dec 1977 (Prepared for the American Enterprise Institute Conference on Problems of Sea Power as We Approach the 21st Century, October 6-7, 1977), AD A049 109

PP 211

Mizrahi, Maurice M., "On Approximating the Circular Coverage Function," 14 pp., Feb 1978

PP 212

Mangel, Marc, "On Singular Characteristic Initial Value Problems with Unique Solutions," 20 pp., Jun 1978 (To be submitted for publication in Journal of Mathematical Analysis and Its Applications)

PP 213

Mangel, Marc, "Fluctuations in Systems with Multiple Steady States. Application to Lanchester Equations," 12 pp., Feb 78, (Presented at the First Annual Workshop on the Information Linkage Between Applied Mathematics and Industry, Naval PG School, Feb 23-25, 1978)

PP 214

Weinland, Robert G., "A Somewhat Different View of The Optimal Naval Posture," 37 pp., Jun 1978 (Presented at the 1976 Convention of the American Political Science Association (APSA/IUS Panel on "Changing Strategic Requirements and Military Posture"), Chicago, Ill., September 2, 1976)

PP 215

Coile, Russell C., "Comments on: Principles of Information Retrieval by Manfred Kochen, 10 pp., Mar 78, (Published as a Letter to the Editor, Journal of Documentation, Vol. 31, No. 4, pages 298-301, December 1975)

PP 216

Coile, Russell C., "Lotka's Frequency Distribution of Scientific Productivity," 18 pp., Feb 1978, (Published in the Journal of the American Society for Information Science, Vol. 28, No. 6, pp. 366-370, November 1977)

PP 217

Coile, Russell C., "Bibliometric Studies of Scientific Productivity," 17 pp., Mar 78, (Presented at the Annual meeting of the American Society for Information Science held in San Francisco, California, October 1976.)

PP 218 - Classified.

PP 219

Huntzinger, R. LaVar, "Market Analysis with Rational Expectations: Theory and Estimation," 60 pp., Apr 78 (To be submitted for publication in Journal of Econometrics)

PP 220

Maurer, Donald E., "Diagonalization by Group Matrices," 26 pp., Apr 78

PP 221

Weinland, Robert G., "Superpower Naval Diplomacy in the October 1973 Arab-Israeli War," 76 pp., Jun 1978

PP 222

Mizrahi, Maurice M., "Correspondence Rules and Path Integrals," 30 pp., Jun 1978 (Invited paper presented at the CNRS meeting on "Mathematical Problems in Feynman's Path Integrals," Marseille, France, May 22-26, 1978)

PP 223

Mangel, Marc, "Stochastic Mechanics of Molecule-Molecule Reactions," 21 pp., Jun 1978 (To be submitted for publication in Journal of Mathematical Physics)

PP 224

Mangel, Marc, "Aggregation, Bifurcation, and Extinction in Exploited Animal Populations," 48 pp., Mar 1978 (To be submitted for publication in American Naturalist)
"Portions of this work were started at the Institute of Applied Mathematics and Statistics, University of British Columbia, Vancouver, B.C., Canada

PP 225

Mangel, Marc, "Oscillations, Fluctuations, and the Hopf Bifurcation," 43 pp., Jun 1978
"Portions of this work were completed at the Institute of Applied Mathematics and Statistics, University of British Columbia, Vancouver, Canada.

PP 226

Rafston, J. M. and J. W. Mann*, "Temperature and Current Dependence of Degradation in Red-Emitting GaP LEDs," 34 pp., Jun 1978

PP 227

Mangel, Marc, "Uniform Treatment of Fluctuations at Critical Points," 50 pp., May 1978 (To be submitted for publication in Journal of Statistical Physics)

PP 228

Mangel, Marc, "Relaxation at Critical Points: Deterministic and Stochastic Theory," 54 pp., Jun 1978 (To be submitted for publication in Journal of Mathematical Physics)

PP 229

Mangel, Marc, "Diffusion Theory of Reaction Rates, I: Formulation and Einstein-Smoluchowski Approximation," 50 pp., Jan 1978

PP 230

Mangel, Marc, "Diffusion Theory of Reaction Rates, II Ornstein-Uhlenbeck Approximation, 34 pp., Feb 1978