

AD-A058 748

WASHINGTON UNIV SEATTLE DEPT OF CHEMISTRY  
HIGH TEMPERATURE GAS ENERGY TRANSFER. (U)  
AUG 78 B S RABINOVITCH

F/G 7/4

N00014-75-C-0690


UNCLASSIFIED

NL

| OF |  
AD  
A058748



END  
DATE  
FILMED  
11-78  
DDC



**LEVEL**

12  
SC

ANNUAL SUMMARY REPORT, 1 March 1977 - 31 July 1978

AD A0 58748

6 High Temperature Gas Energy Transfer

10 B. S. Rabinovitch, Principal Investigator  
Department of Chemistry, 86-10  
University of Washington  
Seattle, Washington 98195

9 Annual Summary rept. 1 Mar  
77-31 Jul 78

DDC  
SEP 18 1978  
F

DDC FILE COPY

Office of Naval Research

15  
Contract N00014-75-C-0690

Project NR 092-549

This document has been approved for public release; its distribution is unlimited. Reproduction in whole or in part is permitted for any purpose of the United States Government. This research was sponsored by the Office of Naval Research.

11 15 August 1978

12 I φ p.

78 09 11 065

370 274

Gen

This report bridges a longer period in which the anniversary date of the contract was extended to 31 July.

I. Complete listing of technical reports:

1. Technical Report TR01, 7 January 1976.  
Vibrational Energy Transfer in Reaction Systems at Elevated Temperatures by B. S. Rabinovitch, D. G. Keil, J. F. Burkhalter and G. B. Skinner.

In this report a theoretical analysis was given of shock tube data for high temperature gas reactions. The data were analysed to show that collisional energy transfer efficiency appears to decrease at high temperatures.

2. Technical Report TR02, 20 April 1976  
Temperature Dependence of the Arrhenius Activation Energy. High Temperature Limit by J. F. Burkhalter and B. S. Rabinovitch.

In this report a conventional approximation to the high temperature vibrational partition function is shown to be defective, and the usual high temperature expression for the Arrhenius activation is in error. The variation of the activation energy for unimolecular reactions as a function of temperature is calculated for various representative systems.

3. Technical Report TR03, 15 October 1976  
Intermolecular Vibrational Energy Transfer in Thermal Unimolecular Systems by D. C. Tardy and B. S. Rabinovitch.

This report gives a comprehensive and detailed survey and analysis of energy transfer in thermal gaseous systems. The present status of the field is delineated and future areas of work indicated.

The following were submitted in the period covered by the present report:

4. Technical Report TR04, 15 April 1977  
On the Use of Exact Vibrational State Counting Methods in RRKM Rate Calculations by S. E. Stein and B. S. Rabinovitch

This report describes an algorithm for accurate state sum and density calculations and refutes an error in the literature.

5. Technical Report TR05, 15 August 1977  
Vibrational Translational Energy Transfer in Atom-Polyatomic Molecule Collisions in Thermal Reaction Systems by I. Oref and B. S. Rabinovitch.

In this report a simple theoretical model describing energy transfer probabilities is given. Conservation of angular momentum was imposed. The importance of completeness and detailed balance conditions and correction of an earlier model in the literature are illustrated. The model is applied to experimental data.

78 09 11 065

6. Technical Report TR06, 1 September 1977  
Problems of Diffusion in a Low Pressure Gas Stream as Related to the Polanyi Diffusion Flame (Cloud) Method by D. G. Keil, J. F. Burkhalter and B. S. Rabinovitch.

A theoretical and experimental study was made of flow and diffusion of a reactant in a low pressure gas stream. Connection is made with earlier theoretical analysis.

7. Technical Report TR07, in preparation  
Do Highly Excited Reactive Polyatomic Molecules Behave Ergodically?  
by I. Oref and B. S. Rabinovitch.

The literature is surveyed and analysed. A variety of excitation techniques including crossed molecular beam, laser, chemical activation, photochemical and thermal are considered. The answer to the title question is "yes." The relationship to the present work on intermolecular transfer is the following: multiphoton laser experiments frequently involve collisional heating of the gas. In order to understand the results, one must have a good basis for interpretation of data. In this survey, some suggested models for energy relaxation by molecular collisions are criticized and data reinterpreted in light of results obtained in this laboratory.

## II. Listing of publications.

1. Vibrational Energy Transfer in Reaction Systems at Elevated Temperatures, Proceed. Tenth Internat. Shock Tube Sympos. ed. G. Kamimoto, Kyoto, 1976.
2. Intermolecular Vibrational Energy Transfer in Thermal Unimolecular Systems. D. C. Tardy and B. S. Rabinovitch, Chem. Revs., 77, 369 (1977).
3. On the Use of Exact Vibrational State Counting Methods in RRKM Rate Calculations by S. E. Stein and B. S. Rabinovitch, Chem. Phys. Lett., 49, 183 (1977).
4. Vibrational Translational Energy Transfer in Atom-Polyatomic Molecule Collisions in Thermal Reaction Systems, I. Oref and B. S. Rabinovitch, Chem. Phys., 26, 385 (1977).
5. Problems of Diffusion in a Low Pressure Gas Stream as Related to the Polanyi Diffusion Flame (Cloud) Method, D. G. Keil, J. F. Burkhalter and B. S. Rabinovitch, J. Phys. Chem., 82, 355 (1978).

ACCESSION FOR	Write Section <input type="checkbox"/>	Buff Section <input type="checkbox"/>	<input type="checkbox"/>
NTIS	DDC	UNAVAIL'D	REPLICATION
BY	DISTRIBUTION AVAILABILITY CODES		SPECIAL
	A		

### III. Current Work

The following additional accomplishment, not covered in the current Technical Reports, has been made:

#### A. Theoretical

##### 1. Analysis of flow, diffusion and reaction

The analysis of the diffusion cloud system has been being extended to consideration of laminar flow with wall reflection. In our experiments on the diffusion of mercury (see Technical Report TR06) the diffusant concentration could be calculated using an infinite space flat velocity model as long as  $\frac{u}{2D}$  is sufficiently large. In thermal cyclopropane experiments, this is no longer possible. The higher diffusion coefficients at high temperatures mean that the reactant moves out from the axis significantly. Reflection at the wall begins to change the concentration profile. For these experiments, a model suggested by Nevrovskii was used<sup>1</sup> which gives a more precise model with a laminar flow field. A general solution was not given by him. Programs are currently being written to calculate these concentrations. The problem resolves itself into the solution of hypergeometric equations. So far we have been able to calculate 10 eigenvalues for the series. It appears the reactant actually experiences a velocity approximately equal to the average velocity  $\bar{u}$ .

##### 2. Stochastic Calculations.

New computer programs have been written for the process of collisional activation deactivation for single and multiple reaction channel systems — including termination of reaction after any assigned number of collisions as occurs in the gas-surface activation systems. Matrix multiplication for almost any size matrix are handled — order 600 have been the largest necessary so far.

#### B. Experimental Work

##### 1. Diffusion Cloud Method

Experiments have been completed at 975K and 1175K with inert gases He, H<sub>2</sub>, N<sub>2</sub> and CO<sub>2</sub> in the cyclopropane reaction system.

---

<sup>1</sup> Nevrovskii, V.A., Kinétique Kataliz, 16, 823-832 (1975).

a) Relative efficiencies and absolute rates were measured in great detail at 975K. The range of pressures in the reactor were 0.53, 1.0 and 2.0 torr. The relative efficiencies ( $\text{CO}_2 \equiv 1$ ) are as follows:

<u>p(torr)</u>	<u>CO<sub>2</sub></u>	<u>N<sub>2</sub></u>	<u>H<sub>2</sub></u>	<u>He</u>
0.5	1	0.4	0.17	0.17
1.0	1	0.70	0.35	0.40
2.0	1	0.67	0.50	0.50

Good general agreement exists. Analysis of the data is continuing. The relative efficiency of weaker colliders tends to decrease at lower pressures. This accords with theoretical predictions on the relative efficiency quantity defined by Tardy and Rabinovitch as  $\bar{\beta}'(\infty)$ . The values of  $\bar{\beta}'$  yield tentative results for the average down jump size  $\langle \Delta E \rangle_d$  on collisions between the bath gas and hot (reactive) cyclopropane molecules as follows (step ladder model):

<u>Bath Gas</u>	<u><math>\langle \Delta E \rangle_d</math> (cm<sup>-1</sup>)</u>
He	300
H <sub>2</sub>	200
N <sub>2</sub>	800
CO <sub>2</sub>	1200

These values make good general sense. They illustrate the greatly reduced values of collision efficiency that occur at temperatures of 1000K (and higher) and which invalidate most earlier treatments of high temperature shock tube and laser systems.

We exempt our own report TR01 from this criticism!

b) Temperature dependence of collisional energy transfer efficiencies were measured between 975K and 1175K. They are presented in the form of Arrhenius activation energies,  $E_a$ . These are not necessarily final values.

<u>p, torr</u>	<u>E<sub>a</sub> (kcal mole<sup>-1</sup>)</u>			
	<u>CO<sub>2</sub></u>	<u>N<sub>2</sub></u>	<u>H<sub>2</sub></u>	<u>He</u>
0.53	47	--	--	43
1.0	42	44	--	--
2.1	40	42	45	48
7.2	--	--	42	--

Despite apparent scatter in the data which makes us unhappy and which is still being analysed in terms of more sophisticated hydrodynamic models, the low values of  $E_a$  bring out clearly beyond experimental error that a significant decrease in  $\langle \Delta E \rangle_d$  (i.e., collisional efficiency) occurs with temperature rise. The Arrhenius  $E_a$  values are approximately 7-15 kcal lower than would exist for a strong collider at the region of fall off involved (a factor of 2 decrease in efficiency causes a decrease in Arrhenius  $E_a$  of  $\sim 5$  kcal).

## 2. Gas-Surface Energy Transfer. Variable Encounter Method

Work by our simple beam-less pseudo-molecular beam method has progressed excellently. Two separate groups are working on this technique which we are stressing heavily because I believe that we have made a real advance in the study of energy transfer in the transient region of behavior.

a) Cyclopropane. Measurements have been made over the range of temperatures from 770K to 1150K in reactors of encounter number 1, 2 and 8. The effect of the transient behavior is clearly evident. The work is continuing. Reproducibility is excellent.

b) Cyclopropane-d<sub>2</sub>. Measurements have been made over the temperature range 800K to 1170K in reactors of encounter number 2 and 40. Competitive channel as well as total reaction are monitored. Again the effect of transients is clearly demonstrated.

It is now established that the wall is a more efficient collider than the parent gas molecules. The value of  $\langle \Delta E \rangle_d$  at 1000K is  $\sim 3500 \text{ cm}^{-1}$ . The corresponding value for the parent molecule is only  $\sim 1700 \text{ cm}^{-1}$ .

We are currently constructing a new apparatus to permit controlled variation of the initial temperature.



#### IV. Personnel

The following graduate students and fellows have been involved on this project in the period.

Barrie Barton


John Burkhalter

David Kelley

Dr. Efstathios Kamaratos

Dr. Lajos Zalotai (Visiting Assist. Professor from Zeged, Hungary  
on U.N. Fellowship)

- V. Work under this project was reported in lectures at five universities in Israel and at the Laser Conference, Jerusalem, Jan. 1978; at 12 universities in U.K. and at a mini-symposium on Unimolecular Reactions at Leeds University, Feb.-July, 1978; and at the University of Göttingen and Max Planck Institute für Stromungsforschung.



B. S. Rabinovitch  
Principal Investigator

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) High Temperature Gas Energy Transfer		5. TYPE OF REPORT & PERIOD COVERED Annual Summary 1 Mar 77- 31 July 78
7. AUTHOR(s) B. S. Rabinovitch		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Professor B. S. Rabinovitch Department of Chemistry University of Washington, Seattle, WA 98195		8. CONTRACT OR GRANT NUMBER(s) N00014-75-C-0690 ✓ NR 092 549
11. CONTROLLING OFFICE NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE 15 August 78
		13. NUMBER OF PAGES 6
		15. SECURITY CLASS. (of this report)
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public release; its distribution is unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Diffusion                                      Thermal Systems Energy Transfer                                Transients Gases    Vibrational Energy High Temperature                                Wall Activation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Work under this contract is summarized. Results on vibrational energy transfer and temperature dependence by the Diffusion Cloud method are described; also, results by a novel and simple Variable Encounter Method for the study of vibrational energy transfer between gas molecules and a wall at high temperatures and levels of activation in the transient region.		

DISTRIBUTION LIST

Contractor University of Washington

NR 092-549

Contract Number N00014-75-C-0690

Date August 15, 1978

	<u>No. Copies</u>
Office of Naval Research Code 473 Arlington, VA 22217 Attn: Dr. Miller	10
Office of Naval Research Branch Office 1030 East Green Street Pasadena, CA 91106 Attn: Dr. R. Marcus	1
Office of Naval Research Branch Office 536 S. Clark Street Chicago, IL 60605 Attn: Dr. J. Smith	1
Defense Documentation Center Bldg. 5 Cameron Station Alexandria, VA 22314	12
Office of Naval Research Branch Office 495 Summer Street Boston, MA 02210 Attn: Dr. L. H. Peables	1
Office of Naval Research Resident Representative University of Washington 3710 Brooklyn Avenue NE, Unit 2 Seattle, WA 98195	1
U. S. Naval Research Laboratory Code 2627 Washington, D.C. 20375	6
U. S. Naval Research Laboratory Code 2629 Washington, D.C. 20375	6
Naval Research Laboratory Code 6100 Washington, D.C. 20375	1
Naval Air Systems Command Code 440 Washington, D.C. 20360 Attn: Dr. H. Rosenwasser	1

	<u>No. Copies</u>
Naval Sea Systems Command SEA-0331 Washington, D.C. 20362 Attn: Mr. J. Murrin	1
Naval Sea Systems Command SEA-0332 Washington, D.C. 20362 Attn: Dr. A. Amster	1
Naval Surface Weapons Center Research and Technology Dept.-WR Silver Spring, MD 20910	1
Naval Weapons Center Research Department Code 60 China Lake, CA 93555	1
Naval Weapons Center Code 608 China Lake, CA 93555 Attn: Ronald L. Derr	3
Air Force Office of Scientific Research Directorate of Aerospace Sciences Bolling Air Force Base Washington, D.C. 20332	1
Air Force Office of Scientific Research Directorate of Chemical Sciences Bolling Air Force Base Washington, D.C. 20332	1
Air Force Office of Scientific Research Directorate of Physics Bolling Air Force Base Washington, D.C. 20332	1
U.S. Army Research Office Chemistry Division P.O. Box 12211 Research Triangle Park, N.C. 27709	1
U.S. Army Research Office Physics Division P.O. Box 12211 Research Triangle Park, N.C. 27709	1
Professor S.N.B. Murthy Technical Director, Project SQID Purdue University Lafayette, IN 47907	5