

AD-A059472

# OCCUPATIONAL SURVEY REPORT ELECTRONIC PRINCIPLES

1

LEVEL II



DDC  
RECEIVED  
10 OCT 1978  
E

MISSILE ELECTRONIC MAINTENANCE SPECIALIST  
AFSC 31653

AFPT 90-316-222  
2 September 1977

OCCUPATIONAL SURVEY BRANCH  
USAF OCCUPATIONAL MEASUREMENT CENTER  
LACKLAND AFB TEXAS 78236

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

78 10 05 134

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM											
1. REPORT NUMBER AFPT 90-316-222	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER											
4. TITLE (and Subtitle) Missile Electronic Maintenance Specialist AFSC 31653	5. TYPE OF REPORT & PERIOD COVERED FINAL April 77 - June 77												
	6. PERFORMING ORG. REPORT NUMBER												
7. AUTHOR(s) Thomas J. O'Connor Harold T. Welch	8. CONTRACT OR GRANT NUMBER(s)												
9. PERFORMING ORGANIZATION NAME AND ADDRESS Occupational Survey Branch USAF Occupational Measurement Center Lackland AFB TX 78236	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS N/A												
11. CONTROLLING OFFICE NAME AND ADDRESS SAME AS ITEM 9	12. REPORT DATE 2 September 1977												
	13. NUMBER OF PAGES 44												
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. (of this report) UNCLASSIFIED												
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE												
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		<table border="1"> <tr><td colspan="2">ACCESSION for</td></tr> <tr><td>NTIS</td><td>White Section <input checked="" type="checkbox"/></td></tr> <tr><td>DDC</td><td>Buff Section <input type="checkbox"/></td></tr> <tr><td>UNANNOUNCED</td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">JUSTIFICATION _____</td></tr> </table>	ACCESSION for		NTIS	White Section <input checked="" type="checkbox"/>	DDC	Buff Section <input type="checkbox"/>	UNANNOUNCED	<input type="checkbox"/>	JUSTIFICATION _____		
ACCESSION for													
NTIS	White Section <input checked="" type="checkbox"/>												
DDC	Buff Section <input type="checkbox"/>												
UNANNOUNCED	<input type="checkbox"/>												
JUSTIFICATION _____													
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		<table border="1"> <tr><td>BY</td><td>_____</td></tr> <tr><td colspan="2">DISTRIBUTION AVAILABILITY CODES</td></tr> <tr><td>ONE</td><td>TWO</td><td>THREE</td><td>FOUR</td><td>FIVE</td><td>SIX</td><td>SPECIAL</td></tr> </table>	BY	_____	DISTRIBUTION AVAILABILITY CODES		ONE	TWO	THREE	FOUR	FIVE	SIX	SPECIAL
BY	_____												
DISTRIBUTION AVAILABILITY CODES													
ONE	TWO	THREE	FOUR	FIVE	SIX	SPECIAL							
18. SUPPLEMENTARY NOTES  A													
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)													
<table> <tr> <td>Electronic principles</td> <td>Electronic Technicians</td> </tr> <tr> <td>Basic electronics</td> <td>Electronics</td> </tr> <tr> <td>Avionics</td> <td>Air Force Training</td> </tr> <tr> <td>Electronic Equipment</td> <td>Teaching Methods</td> </tr> <tr> <td></td> <td>Training</td> </tr> </table>			Electronic principles	Electronic Technicians	Basic electronics	Electronics	Avionics	Air Force Training	Electronic Equipment	Teaching Methods		Training	
Electronic principles	Electronic Technicians												
Basic electronics	Electronics												
Avionics	Air Force Training												
Electronic Equipment	Teaching Methods												
	Training												
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)													
<p>This report summarizes the results of the administration of the Electronic Principles Inventory to airmen assigned as Missile Electronics Maintenance Specialist (AFSC 31653). The report gives a detailed listing of the technical tasks and knowledge needed to perform the jobs within the specialty or career ladder.</p> <p style="text-align: center;">CONTINUED (OVER)</p>													

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

This specialty has the following functions:

Assembles, installs, calibrates, operates, and maintains instrumental equipment. Assembles, installs, and operates instrumentation and telemetry equipment. Repairs, overhauls, and maintains instrumentation systems. Tests and modifies instrumentation components. Supervises instrumentation personnel.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

TABLE OF CONTENTS

	<u>PAGE NUMBER</u>
PREFACE -----	2
INTRODUCTION -----	3
DEVELOPMENT OF THE ELECTRONIC PRINCIPLES INVENTORY (EPI) -----	3
ADMINISTRATION -----	3
PRESENTATION OF RESULTS -----	6
APPENDIX -----	7

78

16

134

## PREFACE

This report presents a summary of the results of a detailed Air Force Electronic Principles Survey of the Missile Electronic Maintenance Specialist, AFSC 31653.

The Electronic Principles Inventory (EPI) was developed by Major Thomas J. O'Connor and Mr. Hendrick W. Ruck and the survey data were analyzed by Captain Harold T. Welch. All are members of the Occupational Survey Branch, USAF Occupational Measurement Center, Lackland AFB, Texas.

Computer programs for analyzing the data were designed by Dr. Raymond E. Christal, Occupational and Manpower Research Division, Air Force Human Resources Laboratory (AFHRL), and were written by the Project Analysis and Programming Branch, Computational Sciences Division, AFHRL.

Distribution of this report is made upon request to the USAF Occupational Measurement Center, attention of the Chief, Occupational Survey Branch (OMY), Lackland AFB, Texas 78236.

This report has been reviewed and is approved.

JAMES A. TURNER, JR., Colonel, USAF  
Commander  
USAF Occupational Measurement Center

WALTER E. DRISKILL, Ph.D.  
Chief, Occupational Survey Branch  
USAF Occupational Measurement Center

ELECTRONIC PRINCIPLES OCCUPATIONAL SURVEY REPORT  
MISSILE ELECTRONIC MAINTENANCE SPECIALIST  
AFSC 31653

INTRODUCTION

This report summarizes the results of the administration of the Electronic Principles Inventory to airmen assigned as Missile Electronics Maintenance Specialist (AFSC 31653). The data for this report were collected during the period April through June 1977.

This report describes: (1) development and administration of the survey instrument; and (2) electronic principles used by DAFSC 5-skill level personnel both CONUS and overseas and assigned to selected major commands.

DEVELOPMENT OF THE ELECTRONIC PRINCIPLES INVENTORY (EPI)

The EPI was developed by personnel from the Occupational Survey Branch who were well qualified in theoretical physics and electronics, as well as in task analysis and survey development. Over 300 maintenance personnel from SAC, TAC, ADC, MAC, and AFCS participated in the development of the inventory. Representing the five ATC training centers, electronics experts who averaged 12 years of maintenance experience and four years of electronic principles instruction experience spent several weeks refining the EPI. In addition, personnel at the Electrical Engineering Department of the USAF Academy and the Air Force Human Resources Laboratory were consulted during the development of the inventory.

The final version of the EPI used in this survey contained 1,257 items in 62 subject matter areas covering all electronic principles training given at the five ATC technical training centers. Table 1 lists the 62 subject areas.

ADMINISTRATION

The Electronic Principles Inventory was administered by mail to AFSC 31653 airmen worldwide. Responses from 321 individuals represented 57 percent of the total of all AFSC 31653 personnel. Table 2 shows the percentage distribution by major command of the survey incumbents.

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

TABLE 1  
EPI SUBJECT AREAS

SEQUENCE OF SUBJECT AREAS	SUBJECT AREA TITLE	BEGINNING ITEM NUMBER	GPSUM PAGE NUMBER
1	MATHEMATICS	A1	2
2	DIRECT CURRENT AND VOLTAGE	A15	2
3	RESISTANCE	A24	2
4	MULTIMETER USES	B52	3
5	ALTERNATING CURRENT	B61	4
6	INDUCTORS AND INDUCTIVE REACTANCE	B67	4
7	CAPACITORS AND CAPACITIVE REACTANCE	C92	5
8	TRANSFORMERS	C128	6
9	MAGNETISM	C171	7
10	RCL CIRCUITS	D185	8
11	SERIES AND PARALLEL RESONANCE (TIME CONSTANTS)	D229	10
12	FILTERS	D239	10
13	COUPLING	E261	11
14	SOLDERING	E273	11
15	RELAYS	E295	12
16	MICROPHONES	F314	12
17	SPEAKERS	F327	13
18	OSCILLOSCOPES	F342	13
19	SEMICONDUCTOR DIODES	G354	13
20	TRANSISTORS	G404	15
21	TRANSISTOR AMPLIFIERS	G428	16
22	SOLID-STATE SPECIAL PURPOSE DEVICES	H477	19
23	POWER SUPPLIES	H483	19
24	OSCILLATORS	H512	19
25	MULTIVIBRATORS	I539	20
26	LIMITERS AND CLAMPERS	I555	21
27	ELECTRON TUBES	I565	21
28	ELECTRON TUBE AMPLIFIERS AND CIRCUITS	J609	22
29	SPECIAL PURPOSE ELECTRON TUBES	J616	23
30	HETERODYNING, MODULATION, AND DEMODULATION	J632	23
31	AM SYSTEMS	K638	23
32	FM SYSTEMS	K666	24

TABLE 1 (CONTINUED)

## EPI SUBJECT AREAS

<u>SEQUENCE OF SUBJECT AREAS</u>	<u>SUBJECT AREA TITLE</u>	<u>BEGINNING ITEM NUMBER</u>	<u>GPSUM PAGE NUMBER</u>
33	NUMBERING SYSTEMS	K685	25
34	LOGIC FUNCTIONS	L695	25
35	BOOLEAN EQUATIONS	L708	26
36	COUNTERS	L733	27
37	TIMING CIRCUITS	M757	27
38	USE OF SIGNAL GENERATORS	M769	28
39	MOTORS AND GENERATORS	M779	28
40	METER MOVEMENTS	N808	29
41	SATURABLE REACTORS AND MAGNETIC AMPLIFIERS	N818	29
42	WAVESHAPING CIRCUITS	N834	30
43	SINGLE SIDEBAND SYSTEMS	O845	30
44	PULSE MODULATION SYSTEMS	O875	31
45	ANTENNAS	O914	32
46	TRANSMISSION LINES	P953	34
47	WAVEGUIDES AND CAVITY RESONATORS	P984	35
48	MICROWAVE AMPLIFIERS AND OSCILLATORS	P1034	37
49	REGISTERS	Q1110	39
50	STORAGE DEVICES	Q1117	40
51	DIGITAL TO ANALOG CONVERTERS	Q1126	40
52	PHANTASTRONS	Q1140	41
53	SCHMITT TRIGGERS	R1141	41
54	CABLE FABRICATION	R1144	41
55	INPUT/OUTPUT DEVICES	S1146	41
56	PHOTO SENSITIVE DEVICES	S1149	41
57	SYNCHRONOUS VIBRATIONS (CHOPPER CIRCUITS)	S1150	41
58	INFRARED	T1159	41
59	LASERS	T1136	42
60	DISPLAY TUBES	T1220	43
61	PROGRAMMING	U1234	43
62	DB AND POWER RATIOS	U1255	44



TABLE 2  
COMMAND REPRESENTATION OF SURVEY SAMPLE

COMMAND	31653	
	PERCENT ASSIGNED	PERCENT OF SAMPLE
AFSC	76	76
SAC	6	8
AFCS	6	7
ATC	4	6
OTHERS	8	3
TOTAL	100	100

Total Assigned - 500  
Total Sampled - 321  
Percent Sampled - 57%

#### PRESENTATION OF RESULTS

Personnel responded "yes" or "no" to the 1,257 electronic principles questions as related to their present job. A Group Summary (GPSUM) computer printout is provided in the Appendix portion of this report. Page 1 of the GPSUM lists the three selected groups identified for this report. Pages 2-44 show the percentage of the incumbents responding to the EPI items. The computer program results display the percent members answering "yes" to the subject area questions. The reader can locate a specific subject area by referring to the Appendix page number as listed in Table 1. For example, the Transformers area results are given on page 6 of the GPSUM. The percentage of survey respondents indicating use of specific electronic principles ranged from high in areas such as Multimeter Uses (p. 3) and Soldering (p. 11) to low in areas such as Waveguides and Cavity Resonators (pp. 35-37) and Display Tubes (p. 43). Additional AFSC 31653 data can be obtained upon request to the Chief, Occupational Survey Branch (OMY).

APPENDIX

PCT NBR RESPONDING 'YES' BY SELECTED GRPS

GPSM74 PAGE 1

TABULATION OF ELECTRONIC PRINCIPLES UTILIZATION DATA FOR SELECTED GROUPS  
IN THE 31653 CAREER FIELD.

REPORTS ON THE FOLLOWING GROUPS WERE REQUESTED

GROUP IDENTITY =	SPC076	ALL AIRMEN DAFSC 31653	CONTAINING	321 MEMBERS.
GROUP IDENTITY =	SPC077	ALL AIRMEN DAFSC 31653 ASSIGNED AFSC	CONTAINING	245 MEMBERS.
GROUP IDENTITY =	SPC078	ALL AIRMEN DAFSC 31653 NOT ASSIGNED TO AFSC	CONTAINING	76 MEMBERS.

PCT MEMS RESPONDING \*YES\* BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

3Y-TSK

SPC SPC SPC  
076 077 078

79 81 75

30 30 30

MATHEMATICS

- A 1 A1-01 DO YOU USE PUBLICATIONS, SUCH AS A TECHNICAL ORDERS OR MAINTENANCE MANUALS, IN WHICH IT IS NECESSARY FOR YOU TO MULTIPLY OR DIVIDE BY A POWER OF 10 BEFORE YOU CAN APPLY THE INFORMATION FROM THE PUBLICATION IN A USEFUL WAY ON THE JOB.
- A 2 A1-02 DO YOU REARRANGE AND SOLVE FORMULAS OR EQUATIONS.
- A 3 A1-03 DO YOU CALCULATE THE SQUARE ROOT OF A QUANTITY.
- A 4 A1-04 DO YOU SOLVE FOR UNKNOWN QUANTITIES.
- A 5 A1-05 DO YOU CONVERT NUMBERS TO LOGARITHMS.
- A 6 A1-06 DO YOU USE LOGARITHM TABLES IN ANY TYPE OF CALCULATIONS.
- A 7 A1-07 DO YOU SOLVE QUADRATIC EQUATIONS.
- A 8 A1-08 DO YOU USE THE NATURAL SYSTEM OF LOGARITHMS.
- A 9 A1-09 DO YOU PERFORM CALCULATIONS ON VECTOR QUANTITIES.
- A 10 A1-10 DO YOU WORK WITH TRIGONOMETRIC FUNCTIONS SUCH AS SINE, COSINE, OR TANGENT.
- A 11 A1-11 DO YOU DETERMINE AREAS OF PLANE FIGURES.
- A 12 A1-12 DO YOU SOLVE OR USE SIMULTANEOUS EQUATIONS.
- A 13 A1-13 DO YOU SOLVE OR USE PROPORTIONS.
- A 14 A1-14 DO YOU USE THE TERM VOLTAGE OR VOLT (V).
- A 15 A2-01 DO YOU USE THE TERM ELECTROMOTIVE FORCE (EMF).
- A 16 A2-02 DO YOU USE THE TERM OHM.
- A 17 A2-03 DO YOU USE THE TERM DYNE.
- A 18 A2-04 DO YOU USE THE TERM AMPERE.
- A 19 A2-05 DO YOU USE THE TERM NEUTRON.
- A 20 A2-06 DO YOU USE THE TERM COULOMB.
- A 21 A2-07 DO YOU USE THE TERM PROTON.
- A 22 A2-08 DO YOU WORK WITH RESISTORS IN YOUR PRESENT JOB.
- A 23 A2-09 DO YOU INSPECT RESISTORS.
- A 24 A3-01 DO YOU CLEAN RESISTORS.
- A 25 A3-02 DO YOU ADJUST RESISTORS.
- A 26 A3-03 DO YOU CHECK OHMIC VALUE OR RESISTORS.
- A 27 A3-04 DO YOU REMOVE OR REPLACE RESISTORS.
- A 28 A3-05 DO YOU REFER TO TEMPERATURE COEFFICIENTS FOR RESISTORS ON ANY TASKS YOU PERFORM.
- A 29 A3-06 DO YOU REFER TO RESISTOR SYMBOLS SUCH AS FIXED RESISTOR SYMBOLS OR TAPPED RESISTOR SYMBOLS.
- A 30 A3-07 DO YOU IDENTIFY OR CLASSIFY THE RESISTORS YOU WORK WITH AS CARBON, FIXED WIRE, SLIDE TAP, WHELOSTAT, OR POTENTIOMETER.
- A 31 A3-08 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE OHMIC VALUE OF RESISTANCE.
- A 32 A3-09 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE OHMIC VALUE OF RESISTANCE.
- A 33 A3-10 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE OHMIC VALUE OF RESISTANCE.

DIRECT CURRENT  
AND VOLTAGE

RESISTANCE

37 37 36  
17 18 13  
37 36 36  
8 8 9  
11 10 14  
10 9 12  
7 8 5  
14 11 26  
9 10 5  
10 10 7  
25 26 22  
96 96 95  
37 36 41  
94 94 93  
16 16 14  
8 7 13  
94 94 92  
14 13 17  
18 19 17  
15 12 21  
77 78 76  
73 77 59  
46 51 33  
72 74 66  
79 82 70  
75 82 50  
29 31 22  
75 77 68  
74 75 68  
76 83 61

PCT MBRS RESPONDING 'YES' BY SELECTED GRPS.

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DI-TSK	SPC	SPC	SPC
	076	077	070
A 34 A3-11 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE TOLERANCE.	73	80	53
A 35 A3-12 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE FAILURE RATE.	19	21	13
A 36 A3-13 DO YOU MAKE DECISIONS IN WHICH YOU MUST DETERMINE HOW TWO OR MORE BATTERIES MUST BE CONNECTED TOGETHER TO ACHIEVE A SPECIFIC VOLTAGE.	36	36	33
A 37 A3-14 DO YOU USE OR REFER TO THE SCHEMATIC SYMBOLS WHICH REPRESENT BATTERIES, FUSES, CONDUCTORS, LAMPS, OR SWITCHES	80	82	75
A 38 A3-15 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES RESISTIVE CIRCUITS.	54	55	53
A 39 A3-16 DO YOU CALCULATE TOTAL CURRENT FOR SERIES RESISTIVE CIRCUITS.	48	49	43
A 40 A3-17 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES RESISTIVE CIRCUITS.	52	54	47
A 41 A3-18 DO YOU CALCULATE POWER DISSIPATION FOR SERIES RESISTIVE CIRCUITS.	40	41	36
A 42 A3-19 DO YOU CALCULATE TOTAL RESISTANCE FOR SERIES PARALLEL RESISTIVE CIRCUITS.	51	52	49
A 43 A3-20 DO YOU CALCULATE TOTAL CURRENT FOR SERIES PARALLEL RESISTIVE CIRCUITS.	48	49	42
A 44 A3-21 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES PARALLEL RESISTIVE CIRCUITS.	48	49	45
A 45 A3-22 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR SERIES PARALLEL RESISTIVE CIRCUITS.	41	43	34
A 46 A3-23 DO YOU CALCULATE POWER DISSIPATION FOR SERIES PARALLEL RESISTIVE CIRCUITS.	38	40	34
A 47 A3-24 DO YOU CALCULATE TOTAL RESISTANCE FOR PARALLEL RESISTIVE CIRCUITS.	50	52	43
A 48 A3-25 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RESISTIVE CIRCUITS.	46	47	39
A 49 A3-26 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR PARALLEL RESISTIVE CIRCUITS.	45	48	36
A 50 A3-27 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR PARALLEL RESISTIVE CIRCUITS.	41	44	33
A 51 A3-28 DO YOU CALCULATE POWER DISSIPATION FOR PARALLEL RESISTIVE CIRCUITS.	37	39	32
B 52 B1-01 DO YOU MEASURE RESISTANCE.	88	87	89
B 53 B1-02 DO YOU REPAIR OHMMETERS.	4	5	9
B 54 B1-03 DO YOU MEASURE VOLTAGE.	92	92	91
B 55 B1-04 DO YOU REPAIR VOLTMETERS.	5	4	7
B 56 B1-05 DO YOU REPAIR AMMETERS.	5	4	7
B 57 B1-06 DO YOU MEASURE CURRENT.	79	80	74
B 58 B1-07 DO YOU USE MULTIMETERS.	92	92	93
B 59 B1-08 DO YOU DIRECTLY USE A QUANTITY OF CHARGE CALLED A COULOMB.	7	7	5
B 60 B1-09 DO YOU READ SCHEMATICS.	87	85	92

MULTIMETER USES

PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

SPSMZ4 PAGE 4

UY-TSK	SPC	SPC	SPC	ALTERNATING CURRENT
	076	077	078	
61 82-01 DO YOU USE OR REFER TO THE TERM EFFECTIVE VOLTAGE (RMS).	71	73	66	
62 82-02 DO YOU USE OR REFER TO THE TERM PEAK TO PEAK VOLTAGE.	80	80	78	
63 82-03 DO YOU USE OR REFER TO THE TERM AVERAGE VOLTAGE (DC).	64	66	59	
64 82-04 DO YOU USE OR REFER TO THE TERM WAVE LENGTH.	55	56	54	
65 82-05 DO YOU USE OR REFER TO THE TERM FREQUENCY.	86	88	87	
66 82-06 DO YOU USE OR REFER TO THE TERM INSTANTANEOUS VALUE.	30	30	30	
67 83-01 DO YOU WORK WITH INDUCTORS OR CIRCUITS CONTAINING INDUCTORS, CHOKES, OR CHOKO COILS IN YOUR PRESENT JOB.	38	38	36	
68 83-02 DO YOU INSPECT INDUCTORS.	35	39	24	INDUCTORS AND INDUCTIVE REACTANCE
69 83-03 DO YOU CLEAN INDUCTORS.	21	25	11	
70 83-04 DO YOU ADJUST INDUCTORS.	29	32	14	
71 83-05 DO YOU REMOVE OR REPLACE INDUCTORS.	35	40	20	
72 83-06 DO YOU USE OR REFER TO INDUCTANCE.	37	39	32	
73 83-07 DO YOU USE OR REFER TO HENRIES.	30	31	28	
74 83-08 DO YOU USE OR REFER TO INDUCTIVE REACTANCE.	27	28	26	
75 83-09 DO YOU USE OR REFER TO COPPER LOSS IN INDUCTORS.	7	7	13	
76 83-10 DO YOU USE OR REFER TO HYSTERESIS LOSS IN INDUCTORS.	11	10	16	
77 83-11 DO YOU USE OR REFER TO EDDY CURRENT LOSS IN INDUCTORS.	4	4	8	
78 83-12 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE IS PROPORTIONAL TO THE SQUARE OF THE NUMBER OF TURNS OF THE COIL.	6	6	7	
79 83-13 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE CROSS SECTIONAL AREA OF THE CORE.	6	5	9	
80 83-14 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE OF A COIL IS INVERSELY PROPORTIONAL TO ITS LENGTH.	7	7	9	
81 83-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE INDUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE PERMEABILITY OF THE CORE MATERIAL.	9	8	12	
82 83-16 DO YOU CALCULATE INDUCTANCE FOR PARTICULAR INDUCTORS USING FORMULAS.	9	8	12	
83 83-17 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTANCE IN SERIES.	12	10	17	
84 83-18 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS IN PARALLEL.	11	10	16	
85 83-19 DO YOU CALCULATE THE TOTAL INDUCTANCE FOR INDUCTORS IN SERIES-PARALLEL CIRCUITS.	10	9	14	
86 83-20 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT LAGS VOLTAGE IN AC INDUCTOR CIRCUITS.	22	21	26	
87 83-21 DO YOU CALCULATE INDUCTIVE REACTANCE.	13	11	18	
88 83-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT INDUCTIVE REACTANCE IS DIRECTLY PROPORTIONAL TO FREQUENCY.	17	17	18	
89 83-23 DO YOU WORK WITH POWER INDUCTORS.	16	18	9	
90 83-24 DO YOU WORK WITH AUDIO FREQUENCY INDUCTORS.	23	25	18	
91 83-25 DO YOU WORK WITH RADIO FREQUENCY INDUCTORS.	27	29	18	

PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task Description	SPC 076	SPC 077	SPC 078	SPC 079	SPC 080
0Y-15K					
C 92 C1-01 DO YOU WORK WITH CAPACITORS OR CIRCUITS CONTAINING CAPACITORS IN YOUR PRESENT JOB?	66	67	63		CAPACITORS AND CAPACITIVE REACTANCE
C 93 C1-02 DO YOU INSPECT CAPACITORS.	40	47	39		
C 94 C1-03 DO YOU CLEAN CAPACITORS.	38	44	18		
C 95 C1-04 DO YOU ADJUST CAPACITORS.	43	48	29		
C 96 C1-05 DO YOU TEST CAPACITORS.	55	60	42		
C 97 C1-06 DO YOU DISCHARGE CAPACITORS.	50	56	34		
C 98 C1-07 DO YOU REMOVE OR REPLACE CAPACITORS.	63	68	45		
C 99 C1-08 DO YOU USE OR REFER TO DISTRIBUTED CAPACITANCE.	14	13	14		
C 100 C1-09 DO YOU USE OR REFER TO ORBITAL STRESS OF DIELECTRICS IN A DIELECTRIC.	5	3	11		
C 101 C1-10 DO YOU USE OR REFER TO FARADS, MICROFARADS, OR PICOFARADS.	64	67	55		
C 102 C1-11 DO YOU USE OR REFER TO CAPACITANCE.	63	67	50		
C 103 C1-12 DO YOU USE OR REFER TO DIELECTRIC CONSTANT	14	13	17		
C 104 C1-13 DO YOU USE OR REFER TO WORKING VOLTAGE RATING OF CAPACITORS	52	57	36		
C 105 C1-14 DO YOU USE OR REFER TO CAPACITIVE REACTANCE	35	35	36		
C 106 C1-15 DO YOU USE OR REFER TO CAPACITOR COLOR CODES	24	27	14		
C 107 C1-16 DO YOU WORK WITH CAPACITORS IN DC CIRCUITS	64	69	49		
C 108 C1-17 DO YOU WORK WITH CAPACITORS IN AC CIRCUITS	61	64	50		
C 109 C1-18 DO YOU WORK WITH CAPACITORS IN CIRCUITS WITH BOTH DC AND AC CIRCUITS	60	63	50		
C 110 C1-19 DO YOU WORK WITH CAPACITORS IN DON'T REMEMBER WHICH CAPACITORS	8	9	5		
C 111 C1-20 DO YOU CALCULATE CAPACITANCE FOR PARTICULAR CAPACITORS USING FORMULAS	13	14	12		
C 112 C1-21 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITANCE OF A CAPACITOR IS DIRECTLY PROPORTIONAL TO THE DIELECTRIC CONSTANT	8	7	13		
C 113 C1-22 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITANCE OF A CAPACITOR IS INVERSELY PROPORTIONAL TO THE DIELECTRIC THICKNESS	11	9	16		
C 114 C1-23 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN SERIES	24	28	20		
C 115 C1-24 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN PARALLEL	27	29	20		
C 116 C1-25 DO YOU CALCULATE THE TOTAL CAPACITANCE OF CAPACITORS IN SERIES-PARALLEL CIRCUITS	19	21	13		
C 117 C1-26 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT DOES NOT FLOW THROUGH CAPACITORS, IT ONLY APPEARS TO DO SO	30	29	32		
C 118 C1-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT LEADS VOLTAGE IN AC CAPACITOR CIRCUITS	27	27	29		
C 119 C1-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT CAPACITIVE REACTANCE IS INVERSELY PROPORTIONAL TO FREQUENCY	23	22	26		
C 120 C1-29 DO YOU CALCULATE CAPACITIVE REACTANCE	15	15	13		

PCT MBRS RESPONDING +YES+ BY SELECTED GRPS.

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

0Y-TSK

SPC SPC SPC  
074 077 078

C 121 C1-30 DO YOU WORK WITH MOTOR-STATION (VARIABLE) CAPACITORS  
C 122 C1-31 DO YOU WORK WITH COMPRESSION (TRIMMER) CAPACITORS  
C 123 C1-32 DO YOU WORK WITH ELECTROLYTIC (FIXED) CAPACITORS  
C 124 C1-33 DO YOU WORK WITH PAPER (FIXED) CAPACITORS  
C 125 C1-34 DO YOU WORK WITH MICA (FIXED) CAPACITORS  
C 126 C1-35 DO YOU WORK WITH CERAMIC (FIXED) CAPACITORS  
C 127 C1-36 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF CAPACITORS

C 128 C2-01 DO YOU WORK WITH TRANSFORMERS IN YOUR PRESENT JOB  
C 129 C2-02 DO YOU INSPECT TRANSFORMERS  
C 130 C2-03 DO YOU CLEAN TRANSFORMERS  
C 131 C2-04 DO YOU ADJUST TRANSFORMERS  
C 132 C2-05 DO YOU TROUBLESHOOT TRANSFORMERS  
C 133 C2-06 DO YOU REMOVE OR REPLACE COMPLETE TRANSFORMERS  
C 134 C2-07 DO YOU REMOVE OR REPLACE TRANSFORMER PARTS, SUCH AS THE PRIMARY WINDING

C 135 C2-06 DO YOU MAKE A DISTINCTION BETWEEN MUTUAL INDUCTANCE AND MUTUAL INDUCTANCE (M)  
C 136 C2-09 DO YOU USE THE SYMBOL FOR MUTUAL INDUCTANCE, M  
C 137 C2-10 DO YOU REFER TO OR USE THE COEFFICIENT OF COUPLING WHEN WORKING WITH TRANSFORMERS  
C 138 C2-11 DO YOU CALCULATE TURNS RATIOS FOR TRANSFORMERS USING CURRENT OR VOLTAGE RATIOS  
C 139 C2-12 DO YOU REFER TO REFLECTED IMPEDANCE WHEN WORKING WITH TRANSFORMERS

C 140 C2-13 DO YOU CALCULATE IMPEDANCE INTERACTIONS FOR TRANSFORMERS  
C 141 C2-14 DO YOU WORK WITH AUTOTRANSFORMERS  
C 142 C2-15 DO YOU WORK WITH POWER TRANSFORMERS  
C 143 C2-16 DO YOU WORK WITH AUDIO TRANSFORMERS  
C 144 C2-17 DO YOU WORK WITH RADIO FREQUENCY TRANSFORMERS  
C 145 C2-18 DO YOU WORK WITH DON'T REMEMBER WHAT TYPE OF TRANSFORMERS

C 146 C2-19 DO YOU CHECK TRANSFORMERS FOR OPEN WINDINGS BY MEASURING RESISTANCE  
C 147 C2-20 DO YOU CHECK TRANSFORMERS FOR SHORTED WINDINGS BY MEASURING RESISTANCE  
C 148 C2-21 DO YOU CHECK TRANSFORMERS FOR SHORTED WINDINGS BY MEASURING OUTPUT VOLTAGES  
C 149 C2-22 DO YOU MEASURE RESISTANCE OF TRANSFORMER WINDINGS TO DETERMINE WHETHER A TRANSFORMER HAS A STEP-UP OR STEP-DOWN TURNS RATIO

C 150 C2-23 DO YOU MEASURE OUTPUT VOLTAGE OF TRANSFORMERS TO DETERMINE WHETHER A TRANSFORMER HAS A STEP-UP OR STEP-DOWN TURNS RATIO  
C 151 C2-24 DO YOU REFER TO BASIC TRANSFORMER SCHEMATIC SYMBOLS FOR TRANSFORMERS

TRANSFORMERS

48 50 41  
39 49 24  
45 30 11  
21 22 16  
36 40 24  
43 49 22  
4 6 0  
6 6 7  
6 6 7  
9 8 12  
11 10 12  
6 7 9  
6 6 4  
11 11 11  
45 50 30  
28 30 41  
26 27 21  
6 6 5  
37 40 28  
33 37 20  
32 35 25  
14 16 9  
23 25 14  
48 49 42



PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

SPC SPC SPC  
076 077 078

C 152	C2-25	DO YOU REFER TO MULTIPLE SECONDARY-WINDINGS SCHEMATIC SYMBOLS FOR TRANSFORMERS	38	41	30
C 153	C2-26	DO YOU REFER TO MULTIPLE TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS	42	45	33
C 154	C2-27	DO YOU REFER TO CENTER TAP SCHEMATIC SYMBOLS FOR TRANSFORMERS	46	48	38
C 155	C2-28	DO YOU REFER TO AIR CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS	30	30	30
C 156	C2-29	DO YOU REFER TO IRON CORE SCHEMATIC SYMBOLS FOR TRANSFORMERS	35	35	34
C 157	C2-30	DO YOU REFER TO COMBINATIONS OF THE ABOVE SCHEMATIC SYMBOLS FOR TRANSFORMERS	37	37	37
C 158	C2-31	DO YOU DETERMINE PHASE RELATIONSHIPS BETWEEN SECONDARY AND PRIMARY VOLTAGES OF TRANSFORMERS USING SCHEMATIC SYMBOLS	17	18	14
C 159	C2-32	DO YOU DETERMINE OR REFER TO THE TYPE OF CORE IN TRANSFORMERS YOU WORK WITH	14	16	9
C 160	C2-33	DO YOU REFER TO OR USE THE GENERAL RULE THAT THE TURNS RATIO OF A TRANSFORMER IS EQUAL TO THE VOLTAGE RATIO	12	12	12
C 161	C2-34	DO YOU USE OR REFER TO STEP-UP OR STEP-DOWN RATIOS FOR TRANSFORMERS	23	24	18
C 162	C2-35	DO YOU CALCULATE VOLTAGE RATIOS FOR TRANSFORMERS USING TURNS RATIOS	10	10	8
C 163	C2-36	DO YOU CALCULATE CURRENT RATIOS FOR TRANSFORMERS USING TURNS RATIOS	8	8	8
C 164	C2-37	DOES YOUR JOB INVOLVE ANY TASKS DEALING WITH THREE PHASE TRANSFORMERS	15	16	11
C 165	C2-38	DO YOU INSPECT THREE PHASE TRANSFORMERS	8	8	7
C 166	C2-39	DO YOU CLEAN OR LUBRICATE THREE PHASE TRANSFORMERS	3	4	1
C 167	C2-40	DO YOU ADJUST THREE PHASE TRANSFORMERS	3	3	3
C 168	C2-41	DO YOU TROUBLESHOOT THREE PHASE TRANSFORMERS	6	7	5
C 169	C2-42	DO YOU REMOVE OR REPLACE COMPLETE THREE PHASE TRANSFORMERS	9	10	7
C 170	C2-43	DO YOU REMOVE OR REPLACE THREE PHASE TRANSFORMER PARTS SUCH AS WINDINGS	2	2	1
C 171	C3-01	DO YOU USE OR REFER TO PERMANENT MAGNETS	30	29	32
C 172	C3-02	DO YOU USE OR REFER TO TEMPORARY MAGNETS	26	24	30
C 173	C3-03	DO YOU USE OR REFER TO RETENTIVITY OF MAGNETIC MATERIALS	17	15	22
C 174	C3-04	DO YOU USE OR REFER TO RELUCTANCE OF MAGNETIC MATERIALS	13	11	18
C 175	C3-05	DO YOU USE OR REFER TO PERMEABILITY OF MAGNETIC MATERIALS	17	15	24
C 176	C3-06	DO YOU USE OR REFER TO RESIDUAL MAGNETISM	26	25	28
C 177	C3-07	DO YOU USE OR REFER TO MAGNETIC LINES OF FORCE OR FLUX	29	26	37
C 178	C3-08	DO YOU USE OR REFER TO WEBER'S THEORY OF MAGNETISM	4	4	3

MAGNETISM

PCT MBS RESPONDING 'YES' BY SELECTED GNPS

GPSM74 PAGE 4

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task ID	Description	SPC 076	SPC 077	SPC 078
C 179	C3-09 DO YOU USE OR REFER TO DOMAIN THEORY OF MAGNETISM	5	4	7
C 180	C3-10 DO YOU USE OR REFER TO MAGNETIC INDUCTION	26	25	28
C 181	C3-11 DO YOU USE OR REFER TO FLUX DENSITY	22	21	25
C 182	C3-12 DO YOU USE OR REFER TO THE GENERAL RULE THAT FOR MAGNETIC POLES, LIKE POLES REPEL AND UNLIKE POLES ATTRACT	34	34	34
C 183	C3-13 DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE DIRECTION OF MAGNETIC FIELDS ABOUT STRAIGHT WIRES	23	21	28
C 184	C3-14 DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE NORTH POLE OF A CURRENT CARRYING COIL	16	16	18
D 185	D1-01 DO YOU WORK WITH RC, LR, RCL CIRCUITS IN YOUR PRESENT JOB OR REFER TO VECTORS WHEN WORKING WITH RCL CIRCUITS	33	33	33
D 186	D1-02 DO YOU USE OR REFER TO PYTHAGOREAN THEOREM WHEN WORKING WITH RCL CIRCUITS	10	9	13
D 187	D1-03 DO YOU USE OR REFER TO SINE WHEN WORKING WITH RCL CIRCUITS	8	7	12
D 188	D1-04 DO YOU USE OR REFER TO COSINE WHEN WORKING WITH RCL CIRCUITS	8	9	3
D 189	D1-05 DO YOU USE OR REFER TO TANGENT WHEN WORKING WITH RCL CIRCUITS	7	9	3
D 190	D1-06 DO YOU USE OR REFER TO TRUE POWER (PT) WHEN WORKING WITH RCL CIRCUITS	6	7	3
D 191	D1-07 DO YOU USE OR REFER TO APPARENT POWER (PA) WHEN WORKING WITH RCL CIRCUITS	23	23	22
D 192	D1-08 DO YOU USE OR REFER TO AVERAGE POWER (PAVE) WHEN WORKING WITH RCL CIRCUITS	11	10	12
D 193	D1-09 DO YOU USE OR REFER TO MAXIMUM POWER (PM) WHEN WORKING WITH RCL CIRCUITS	12	13	9
D 194	D1-10 DO YOU USE OR REFER TO BANDWIDTH WHEN WORKING WITH RCL CIRCUITS	15	14	17
D 195	D1-11 DO YOU USE OR REFER TO SELECTIVITY WHEN WORKING WITH RCL CIRCUITS	9	9	8
D 196	D1-12 DO YOU USE OR REFER TO RESONANT FREQUENCY WHEN WORKING WITH RCL CIRCUITS	9	9	9
D 197	D1-13 DO YOU USE OR REFER TO BANDPASS REGION WHEN WORKING WITH RCL CIRCUITS	30	30	29
D 198	D1-14 DO YOU USE OR REFER TO HALF POWER POINTS WHEN WORKING WITH RCL CIRCUITS	31	31	32
D 199	D1-15 DO YOU USE OR REFER TO BANDWIDTH WHEN WORKING WITH RCL CIRCUITS	27	26	32
D 200	D1-16 DO YOU USE OR REFER TO SELECTIVITY WHEN WORKING WITH RCL CIRCUITS	29	29	29
D 201	D1-17 DO YOU USE OR REFER TO TRUE POWER (PT) WHEN WORKING WITH RCL CIRCUITS	8	8	11
D 202	D1-18 DO YOU USE OR REFER TO APPARENT POWER (PA) WHEN WORKING WITH RCL CIRCUITS	24	24	25
D 203	D1-19 DO YOU USE OR REFER TO AVERAGE POWER (PAVE) WHEN WORKING WITH RCL CIRCUITS	20	18	24

PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

	SPC	SPC	SPC
	076	077	079
0 204 01-20 DO YOU USE OR REFER TO TANK CIRCUITS WHEN WORKING WITH RCL CIRCUITS	20	26	25
0 205 01-21 DO YOU DETERMINE VALUES OF TRIGONOMETRIC FUNCTIONS USING FORMULAS	7	8	5
0 206 01-22 DO YOU DRAW VOLTAGE, CURRENT, OR IMPEDANCE VECTOR DIAGRAMS FOR CIRCUITS	7	7	11
0 207 01-23 DO YOU CALCULATE TOTAL IMPEDANCE FOR CAPACITIVE CIRCUITS	11	11	11
0 208 01-24 DO YOU CALCULATE PHASE ANGLES BETWEEN IMPEDANCE AND RESISTANCE IN CAPACITIVE CIRCUITS	6	5	0
0 209 01-25 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL CIRCUITS	11	10	13
0 210 01-26 DO YOU CALCULATE IMPEDANCE ANGLES FOR SERIES RCL CIRCUITS	4	4	5
0 211 01-27 DO YOU CALCULATE APPARENT POWER (PA) FOR SERIES RCL CIRCUITS	6	6	5
0 212 01-28 DO YOU CALCULATE TRUE POWER (PT) FOR SERIES RCL CIRCUITS	0	7	9
0 213 01-29 DO YOU CALCULATE POWER FACTORS (PF) FOR SERIES RCL CIRCUITS	7	7	7
0 214 01-30 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RCL CIRCUITS	11	11	0
0 215 01-31 DO YOU CALCULATE IMPEDANCE ANGLES FOR PARALLEL RCL CIRCUITS	4	4	3
0 216 01-32 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING THE ASSUMED VOLTAGE METHOD	7	7	9
0 217 01-33 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL CIRCUITS USING OHM'S LAW	11	10	14
0 218 01-34 DO YOU CHECK CAPACITORS USING OHMMETERS	30	32	24
0 219 01-35 DO YOU CHECK CAPACITORS USING SUBSTITUTION	22	24	14
0 220 01-36 DO YOU CHECK INDUCTORS USING OHMMETERS	26	28	18
0 221 01-37 DO YOU CHECK INDUCTORS USING SUBSTITUTION	16	19	8
0 222 01-38 DO YOU USE OR REFER TO THE GENERAL RULE THAT THETA = 0, PF = 1, AND PA = PT FOR RESONANT CIRCUITS	3	3	1
0 223 01-39 DO YOU CALCULATE RESONANT FREQUENCIES FOR RCL CIRCUITS	11	11	12
0 224 01-40 DO YOU USE OR REFER TO THE GENERAL RULE THAT IMPEDANCE IS MINIMUM AND CURRENT MAXIMUM AT THE RESONANT FREQUENCY FOR SERIES RCL CIRCUITS	15	13	18
0 225 01-41 DO YOU USE OR REFER TO THE GENERAL RULE THAT LINE CURRENT IS MINIMUM AND IMPEDANCE MAXIMUM AT RESONANT FREQUENCY FOR PARALLEL RCL CIRCUITS	14	13	17
0 226 01-42 DO YOU USE OR REFER TO THE GENERAL RULE THAT HALF POWER POINTS ARE AT 70.7 PERCENT OF THE PEAK CURRENT VALUE	11	12	9
0 227 01-43 DO YOU USE OR REFER TO THE GENERAL RULE THAT BANDWIDTH IS INVERSELY PROPORTIONAL TO Q	13	12	10
0 228 01-44 DO YOU DETERMINE HOW CHANGES IN FREQUENCY, RESISTANCE, CAPACITANCE, OR INDUCTANCE WILL AFFECT CURRENT OR PHASE ANGLES FOR RCL CIRCUITS	9	9	11

07-TSK

PCT MBRS RESPONDING \*YES\* BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task ID	Description	SPC 076	SPC 077	SPC 078	Series and Parallel Resonance (Time Constants)
U 229	02-01 IN YOUR PRESENT JOB, DO YOU WORK WITH, USE, OR REFER TO SERIES OR PARALLEL RESONANT CIRCUITS OR TIME CONSTANTS	25	26	24	
U 230	02-02 DO YOU WORK WITH, USE, OR REFER TO TIME CONSTANTS	24	24	25	
U 231	02-03 DO YOU WORK WITH, USE, OR REFER TO AVAILABLE VOLTAGE	14	14	12	
U 232	03-04 DO YOU WORK WITH, USE, OR REFER TO TRANSIENT INTERVALS	11	12	7	
U 233	02-05 DO YOU USE OR REFER TO THE GENERAL RULE THAT A CAPACITOR IS FULLY CHARGED (OR DISCHARGED) AFTER FIVE (5) TIME CONSTANTS (TC)	17	16	21	
U 234	02-06 DO YOU USE OR REFER TO UNIVERSAL TIME CONSTANT CHARTS	7	8	4	
U 235	02-07 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE CIRCUIT CURRENT OR COMPONENT VOLTAGES AFTER A SPECIFIC TIME FOR RC OR LR CIRCUITS	11	10	12	
U 236	02-08 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE THE TIME REQUIRED FOR CIRCUIT CURRENT OR COMPONENT VOLTAGES TO REACH SPECIFIC VALUES FOR RC OR LR CIRCUITS	11	11	11	
U 237	02-09 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE COMPONENT VALUES REQUIRED FOR CIRCUIT CURRENT AND COMPONENT VOLTAGES TO REACH SPECIFIC VALUES IN SPECIFIC TIMES	11	11	11	
U 238	02-10 DO YOU USE OR REFER TO THE GENERAL RULE THAT CURRENT IN LR CIRCUITS REACHES ITS MINIMUM VALUE (OR ZERO) AFTER FIVE (5) TIME CONSTANTS	10	9	14	
U 239	03-01 DO YOU WORK WITH CIRCUITS USED AS FILTERS IN YOUR PRESENT JOB	49	50	46	
U 240	03-02 DO YOU INSPECT FILTER CIRCUITS	35	39	22	
U 241	03-03 DO YOU CLEAN FILTER CIRCUITS	22	27	9	FILTERS
U 242	03-04 DO YOU ALIGN OR ADJUST FILTER CIRCUITS	30	35	13	
U 243	03-05 DO YOU TROUBLESHOOT TO THE FILTER CIRCUIT LEVEL	33	38	20	
U 244	03-06 DO YOU TROUBLESHOOT TO COMPONENT PARTS	31	37	21	
U 245	03-07 DO YOU REMOVE OR REPLACE THE COMPLETE FILTER CIRCUIT	40	44	26	
U 246	03-08 DO YOU REMOVE OR REPLACE FILTER CIRCUIT COMPONENT PARTS	31	34	18	
U 247	03-09 DO YOU WORK WITH LOW PASS FILTERS	44	47	36	
U 248	03-10 DO YOU WORK WITH HIGH PASS FILTERS	38	41	26	
U 249	03-11 DO YOU WORK WITH BANDPASS FILTERS	42	46	29	
U 250	03-12 DO YOU WORK WITH BAND-REJECT FILTERS	24	27	17	
U 251	03-13 DON'T REMEMBER WHICH TYPE OF FILTER YOU WORK WITH	7	8	5	
U 252	03-14 DO YOU WORK WITH L-SECTION FILTER CONFIGURATION	18	18	20	
U 253	03-15 DO YOU WORK WITH T-SECTION FILTER CONFIGURATION	14	18	20	
U 254	03-16 DO YOU WORK WITH PI-SECTION FILTER CONFIGURATION	14	13	17	
U 255	03-17 DON'T REMEMBER WHICH TYPE FILTER CONFIGURATION	22	23	17	
U 256	03-18 DO THE FILTERS YOU WORK WITH USE PARALLEL RESONANT CIRCUITS	21	21	20	
U 257	03-19 DO THE FILTERS YOU WORK WITH USE SERIES-PARALLEL CIRCUITS	22	22	21	
U 258	03-20 DO THE FILTERS YOU WORK WITH USE SERIES RESONANT CIRCUITS	21	21	21	

PCT MBS RESPONDING 'YES' BY SELECTED GRPS  
 TASK GROUP SUMMARY  
 PERCENT MEMBERS PERFORMING

SPC SPC SPC  
 076 077 076

UY-TSK

Task ID	Description	SPC 076	SPC 077	SPC 076
U 259	03-21 DON'T REMEMBER WHICH TYPE OF BASIC CIRCUIT	20	23	11
U 240	03-22 DO YOU USE EQUATIONS OR FORMULAS TO DETERMINE CAPACITANCE OR INDUCTANCE VALUES REQUIRED FOR SPECIFIC FILTERS	6	9	5
E 261	E1-01 DO YOU WORK WITH COUPLING DEVICES IN YOUR PRESENT JOB	32	33	29
E 262	E1-02 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH RC COUPLING	26	26	26
E 263	E1-03 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH IMPEDANCE COUPLING	26	26	26
E 264	E1-04 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH TRANSFORMER COUPLING	31	30	34
E 265	E1-05 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM RC COUPLING	22	23	20
E 266	E1-06 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM IMPEDANCE COUPLING	22	24	16
E 267	E1-07 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM TRANSFORMER COUPLING	26	26	25
E 268	E1-08 DO YOU WORK WITH DIRECTLY COUPLED CIRCUITS	28	28	29
E 269	E1-09 DO YOU WORK WITH CAPACITIVE-RESISTIVE COUPLED CIRCUITS	26	26	25
E 270	E1-10 DO YOU WORK WITH CAPACITIVE-INDUCTIVE COUPLED CIRCUITS	23	22	24
E 271	E1-11 DO YOU WORK WITH TRANSFORMER COUPLED CIRCUITS	27	24	30
E 272	E1-12 DON'T REMEMBER WHICH TYPE OF COUPLING CIRCUITS	7	7	7
E 273	E2-01 IN YOUR PRESENT JOB, DO YOU PERFORM SOLDERING TECHNIQUES OR INSPECT OR EVALUATE SOLDERED CONNECTIONS	79	85	57
E 274	E2-02 DO YOU SELECT TYPE OF SOLDER TO USE	62	66	47
E 275	E2-03 DO YOU ADD FLUX TO CONNECTIONS	60	63	51
E 276	E2-04 DO YOU CLEAN CONNECTIONS USING SOLVENTS	63	67	49
E 277	E2-05 DO YOU STRIP INSULATION FROM WIRES	79	85	57
E 278	E2-06 DO YOU CONNECT OR DISCONNECT HEAT SINKS	70	76	51
E 279	E2-07 DO YOU BEND OR SHAPE WIRES OR LEADS	79	86	55
E 280	E2-08 DO YOU CUT WIRES	80	87	58
E 281	E2-09 DO YOU FILE OR SHAPE SOLDERING IRON TIPS	56	59	49
E 282	E2-10 DO YOU TIE SOLDERING IRON TIPS	78	84	57
E 283	E2-11 DO YOU CLEAN SOLDERING IRON TIPS	79	84	57
E 284	E2-12 DO YOU CLEAN ELECTRICAL SURFACES USING ERASERS	64	67	55
E 285	E2-13 DO YOU TIE OR PRE-TIE CONDUCTORS	74	82	55
E 286	E2-14 DO YOU INSPECT SOLDERED CONNECTIONS	77	82	59
E 287	E2-15 DO YOU DESOLDER CONNECTIONS BY WICKING	51	53	45
E 288	E2-16 DO YOU DESOLDER CONNECTIONS USING VACUUM DESOLDERING TOOLS	69	75	47
E 289	E2-17 DO YOU CUT COMPONENT LEADS TO REMOVE COMPONENTS	56	62	38
E 290	E2-18 DO YOU CRUSH COMPONENTS FOR REMOVAL	14	14	13

COUPLING

SOLDERING

PCT MMS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

UY-TSK

SPC SPC SPC  
074 077 078

E 291 E2-19 DO YOU MAKE HARDWIRE CONNECTIONS. 74 82 57  
 E 292 E2-20 DO YOU MAKE PRINTED CIRCUIT BOARD CONNECTIONS 67 74 45  
 E 293 E2-21 DO YOU SOLDER PASSIVE COMPONENTS SUCH AS RESISTORS OR 48 76 43  
 CAPACITORS ON PRINTED CIRCUIT BOARDS  
 E 294 E2-22 DO YOU SOLDER ACTIVE COMPONENTS SUCH AS SOLID-STATE 66 73 42  
 DIODES OR TRANSISTORS ON PRINTED CIRCUIT BOARDS

RELAYS

E 295 E3-01 DO YOU WORK WITH RELAYS ON YOUR PRESENT JOB 57 61 45  
 E 296 E3-02 DO YOU ADJUST RELAYS 14 15 12  
 E 297 E3-03 DO YOU CLEAN RELAYS 30 34 18  
 E 298 E3-04 DO YOU INSPECT RELAYS 42 47 28  
 E 299 E3-05 DO YOU REMOVE OR REPLACE COMPLETE RELAYS 52 56 32  
 E 300 E3-06 DO YOU REMOVE OR REPLACE PARTS OR RELAYS 8 9 5  
 E 301 E3-07 DO YOU TROUBLESHOOT RELAYS 40 43 32  
 E 302 E3-08 DO YOU STRAIGHTEN RELAY CONTACTS 24 28 13  
 E 303 E3-09 DO YOU PERFORM TASKS ON RELAY CONTACTS 21 24 13  
 E 304 E3-10 DO YOU PERFORM TASKS ON RELAY CORES 4 4 3  
 E 305 E3-11 DO YOU PERFORM TASKS ON RELAY COILS 6 7 3  
 E 306 E3-12 DO YOU PERFORM TASKS ON RELAY ARMATURES 9 10 5  
 E 307 E3-13 DO YOU PERFORM TASKS ON RELAY SPRINGS 11 12 5  
 E 308 E3-14 DO YOU USE OR REFER TO SINGLE POLE, SINGLE THROW 50 53 41  
 (SPST), NORMALLY OPEN (NO) SCHEMATIC SYMBOLS FOR RELAYS  
 E 309 E3-15 DO YOU USE OR REFER TO SINGLE POLE, DOUBLE THROW 50 52 42  
 (SPST), NORMALLY CLOSED (NC) SCHEMATIC SYMBOLS FOR RELAYS  
 E 310 E3-16 DO YOU USE OR REFER TO SINGLE POLE, DOUBLE THROW 48 51 41  
 (DPST) SCHEMATIC SYMBOLS FOR RELAYS  
 E 311 E3-17 DO YOU USE OR REFER TO DOUBLE POLE, DOUBLE THROW 48 51 37  
 (DPDT) SCHEMATIC SYMBOLS FOR RELAYS  
 E 312 E3-18 DO YOU USE OR REFER TO OTHER RELAY SYMBOLS SCHEMATIC 42 44 37  
 SYMBOLS FOR RELAYS  
 E 313 E3-19 DO YOU CHECK ELECTRICAL CONTINUITY OF COILS BY 40 44 28  
 MEASURING RESISTANCE

F 314 F1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING 21 24 12  
 WITH MICROPHONES  
 F 315 F1-02 DO YOU INSPECT MICROPHONES 10 11 5  
 F 316 F1-03 DO YOU CLEAN MICROPHONES 8 9 5  
 F 317 F1-04 DO YOU OPERATE MICROPHONES 22 25 14  
 F 318 F1-05 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE 13 15 5  
 CONNECTIONS BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT  
 PARTS OR MICROPHONES  
 F 319 F1-06 DO YOU TROUBLESHOOT DOWN TO MICROPHONE PARTS 5 4 5  
 F 320 F1-07 DO YOU REMOVE OR REPLACE COMPLETE MICROPHONES 12 14 5  
 F 321 F1-08 DO YOU REMOVE OR REPLACE MICROPHONE PARTS 5 5 4  
 F 322 F1-09 DO YOU PERFORM TASKS ON CARBON MICROPHONES 6 9 5  
 F 323 F1-10 DO YOU PERFORM TASKS ON CAPACITOR MICROPHONES 3 3 3  
 F 324 F1-11 DO YOU PERFORM TASKS ON CRYSTAL MICROPHONES 4 4 3  
 F 325 F1-12 DO YOU PERFORM TASKS ON DYNAMIC MICROPHONES 7 4 5  
 F 326 F1-13 DO YOU PERFORM TASKS ON VELOCITY RIBBON MICROPHONES 2 2 1

MICROPHONES

PCT MBRs RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task ID	Description	SPC 076	SPC 077	SPC 079
327	IN YOUR PRESENT JOB: DO YOU PERFORM ANY TASKS DEALING WITH SPEAKERS	21	24	13
328	DO YOU INSPECT SPEAKERS	15	16	4
329	DO YOU CLEAN SPEAKERS	10	13	3
330	DO YOU OPERATE SPEAKERS	19	22	12
331	DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS BUT DO NOT TROUBLESHOOT DOWN TO COMPONENT PARTS OF SPEAKERS	15	14	5
332	DO YOU TROUBLESHOOT DOWN TO SPEAKER PARTS	7	6	3
333	DO YOU REMOVE OR REPLACE COMPLETE SPEAKERS	16	20	5
334	DO YOU REMOVE OR REPLACE SPEAKER PARTS	3	3	1
335	DO YOU PERFORM ANY TASKS ON SPEAKER CONES	2	2	1
336	DO YOU PERFORM ANY TASKS ON SPEAKER SPIDERS	1	1	0
337	DO YOU PERFORM ANY TASKS ON SPEAKER FIELD COILS	2	3	1
338	DO YOU PERFORM ANY TASKS ON SPEAKER VOICE COILS	2	2	1
339	DO YOU PERFORM ANY TASKS ON SPEAKER PERMANENT MAGNETS	2	2	1
340	DO YOU PERFORM ANY TASKS ON SPEAKER ELECTROMAGNETS	2	3	1
341	DO YOU PERFORM ANY TASKS ON SPEAKER SOFT IRON CORES	2	2	1
342	DO YOU USE OSCILLOSCOPES IN YOUR PRESENT JOB	83	92	84
343	DO YOU USE OSCILLOSCOPES TO PERFORM OPERATIONAL CHECKS	81	80	62
344	DO YOU USE OSCILLOSCOPES TO PERFORM ALIGNMENTS OR ADJUSTMENTS	75	73	83
345	DO YOU USE OSCILLOSCOPES TO TROUBLESHOOT ELECTRONIC CIRCUITS	69	71	61
346	DO YOU USE OSCILLOSCOPES TO MEASURE FREQUENCY	75	72	84
347	DO YOU USE OSCILLOSCOPES TO MEASURE TIME	64	60	75
348	DO YOU USE OSCILLOSCOPES TO OBSERVE LISAJOUS PATTERNS	20	18	26
349	DO YOU USE OSCILLOSCOPES TO OBSERVE SIGNALS WHILE UTILIZING ATTENUATOR PROBES	63	64	61
350	DO YOU USE OSCILLOSCOPES TO MAKE FREQUENCY OR TIME MEASUREMENTS USING DELAY TIME MULTIPLIERS	95	92	55
351	DO YOU USE OSCILLOSCOPES TO MEASURE AC VOLTAGE	75	74	71
352	DO YOU USE OSCILLOSCOPES TO MEASURE OR OBSERVE SIGNALS AFTER FIRST ADJUSTING THE GAIN AND DC BAL CONTROL	66	67	64
353	DO YOU USE OSCILLOSCOPES TO MEASURE DC VOLTAGE	79	80	79
354	DO YOU WORK WITH SEMICONDUCTOR DIODES IN YOUR PRESENT JOB	60	63	49
355	DO YOU INSPECT DIODES	52	58	36
356	DO YOU REMOVE OR REPLACE DIODES	56	61	34
357	DO YOU CHECK DIODES USING AN INSTRUMENT	54	59	39
358	DO YOU USE ENERGY LEVEL DIAGRAMS IN YOUR WORK WITH DIODES	7	8	3
359	DO YOU USE PN JUNCTION DIODE CHARACTERISTIC CURVES, TOGETHER WITH VALUES OF FORWARD AND REVERSE BIAS VOLTAGE, TO COMPUTE FORWARD OR REVERSE LIAS RESISTANCE	8	9	5
360	DO YOU COMPUTE FORWARD OR REVERSE BIAS RESISTANCE FOR DIODES	11	10	13

OSCILLOSCOPES

SEMICONDUCTOR DIODES

PCT MBS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task ID	Description	SPC 076	SPC 077	SPC 078
6 361	61-08 DO YOU USE OR REFER TO THE GENERAL RULE THAT TEMPERATURE CAN AFFECT THE OPERATION OF DIODES	37	40	33
6 362	61-09 DO YOU IDENTIFY SEMICONDUCTOR DIODES AS OPPOSED TO OTHER ELECTRONIC COMPONENTS, SUCH AS RESISTORS, BASED ON THEIR PHYSICAL APPEARANCE	53	56	41
6 363	61-10 DO YOU REFER TO OR DO YOU DETERMINE THE GENERAL EFFECTS OF DOPING ON CURRENT FLOW	9	10	7
6 364	61-11 DO YOU USE OR REFER TO MEASUREMENTS OF FORWARD BIAS RESISTANCE	37	40	30
6 365	61-12 DO YOU USE OR REFER TO DIODE COLOR CODING	24	29	16
6 366	61-13 DO YOU USE OR REFER TO CENTRIFUGAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS	2	1	4
6 367	61-14 DO YOU USE OR REFER TO CENTRIPETAL FORCE OF AN ELECTRON IN ORBIT AROUND A NUCLEUS	2	2	4
6 368	61-15 DO YOU USE OR REFER TO DIODE NUMBERING SYSTEM, SUCH AS IN 538	47	53	29
6 369	61-16 DO YOU USE OR REFER TO KINETIC ENERGY OF AN ELECTRON MOVING IN ORBIT	3	2	5
6 370	61-17 DO YOU USE OR REFER TO POTENTIAL ENERGY OF AN ELECTRON MOVING IN ORBIT	3	2	5
6 371	61-18 DO YOU USE OR REFER TO MEASUREMENTS OF REVERSE BIAS RESISTANCE	36	38	32
6 372	61-19 DO YOU USE OR REFER TO NUMBER OF ELECTRONS IN A PARTICULAR SHELL OR ORBIT	3	2	5
6 373	61-20 DO YOU USE OR REFER TO PERMISSIBLE ENERGY LEVELS OF AN ORBITING ELECTRON	3	2	5
6 374	61-21 DO YOU USE OR REFER TO FORBIDDEN ENERGY LEVELS OF AN ORBITING ELECTRON	3	2	4
6 375	61-22 DO YOU USE OR REFER TO VALENCE ELECTRONS (THOSE IN THE OUTERMOST SHELL)	4	2	8
6 376	61-23 DO YOU USE OR REFER TO ATOMIC NUMBER (TOTAL NUMBER OF ELECTRONS IN ATOM)	3	2	4
6 377	61-24 DO YOU USE OR REFER TO SYMBOLS ON THE DIODE WHICH INDICATE THE CATHODE END	55	58	45
6 378	61-25 DO YOU NEED TO KNOW WHICH MATERIALS ARE USED IN THE CONSTRUCTION OF DIODES SUCH AS GERMANIUM OR SILICON	23	24	21
6 379	61-26 DO YOU NEED TO KNOW THAT SEMICONDUCTORS HAVE NEGATIVE TEMPERATURE COEFFICIENTS OF RESISTANCE (AS TEMPERATURE INCREASES RESISTANCE DECREASES)	26	25	28
6 380	61-27 DO YOU USE OR REFER TO PN JUNCTION DIODE CHARACTERISTIC CURVES, SUCH AS VOLTAGE - CURRENT CHARACTERISTIC CURVES (PERHAPS YOU DO THIS TO IDENTIFY POINTS OF STRUCTURAL BREAKDOWN OR OPERATING REGIONS)	19	21	13
6 381	61-28 DO YOU DETERMINE WHETHER PN JUNCTION DIODES ARE FORWARD BIASED OR REVERSE BIASED WHEN YOU READ OR INTERPRET CIRCUIT DIAGRAMS	42	42	39
6 382	61-29 DO YOU USE OR REFER TO VALENCE BAND IN SEMICONDUCTOR MATERIALS	3	3	4

UY-TSK



PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

U-Y-TSK

SPC SPC SPC  
076 077 078

6 383	61-30 DO YOU USE OR REFER TO FORBIDDEN BAND IN SEMICONDUCTOR MATERIALS	3	2	4
6 384	61-31 DO YOU USE OR REFER TO CONDUCTION BAND IN SEMICONDUCTOR MATERIALS	3	3	4
6 385	61-32 DO YOU USE OR REFER TO COVALENT BONDING IN SEMICONDUCTOR MATERIALS	3	3	4
6 386	61-33 DO YOU USE OR REFER TO ELECTRON-HOLE PAIR CREATED IN SEMICONDUCTORS	6	4	11
6 387	61-34 DO YOU USE OR REFER TO ELECTRON FLOW OR HOLE FLOW IN SEMICONDUCTORS	13	11	21
6 388	61-35 DO YOU USE OR REFER TO DONOR IMPURITY IN SEMICONDUCTORS	7	6	13
6 389	61-36 DO YOU USE OR REFER TO ACCEPTOR IMPURITY IN SEMICONDUCTORS	7	6	13
6 390	61-37 DO YOU USE OR REFER TO P-TYPE SEMICONDUCTOR MATERIAL	20	20	22
6 391	61-38 DO YOU USE OR REFER TO N-TYPE SEMICONDUCTOR MATERIAL	21	20	22
6 392	61-39 DO YOU USE OR REFER TO MAJORITY CARRIERS IN SEMICONDUCTORS	7	5	12
6 393	61-40 DO YOU USE OR REFER TO MINORITY CARRIERS IN SEMICONDUCTORS	7	6	12
6 394	61-41 DO YOU USE OR REFER TO JUNCTION RECOMBINATION IN SEMICONDUCTORS	6	5	11
6 395	61-42 DO YOU USE OR REFER TO DEPLETION REGION IN SEMICONDUCTORS	11	10	14
6 396	61-43 DO YOU USE OR REFER TO RELATIONSHIP BETWEEN BARRIER WIDTH AND DIFFERENCE OF POTENTIAL	7	6	12
6 397	61-44 DO YOU USE OR REFER TO TME 10:1 BACK TO FRONT RESISTANCE RATIO FOR DIODES	26	25	28
6 398	61-45 DO YOU USE OR REFER TO BARRIER HEIGHT IN SEMICONDUCTORS	2	2	4
6 399	61-46 DO YOU USE OR REFER TO DIODE SUBSTITUTION INFORMATION	32	38	13
6 400	61-47 DO YOU USE OR REFER TO MAXIMUM AVERAGE FORWARD CURRENT DIODE RATINGS	27	31	14
6 401	61-48 DO YOU USE OR REFER TO PEAK RECURRENT FORWARD CURRENT DIODE RATINGS	20	22	12
6 402	61-49 DO YOU USE OR REFER TO MAXIMUM SURGE CURRENT DIODE RATINGS	25	28	16
6 403	61-50 DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE DIODE RATINGS	29	33	16
6 404	62-01 DO YOU WORK WITH TRANSISTORS IN YOUR PRESENT JOB	63	67	50
6 405	62-02 DO YOU INSPECT TRANSISTORS	55	62	33
6 406	62-03 DO YOU REMOVE OR REPLACE TRANSISTORS	58	64	33
6 407	62-04 DO YOU CHECK TRANSISTORS USING AN INSTRUMENT	56	61	39
6 408	62-05 DO YOU USE OR REFER TO EMITTER - BASE (EB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS	52	55	42
6 409	62-06 DO YOU USE OR REFER TO COLLECTOR - BASE (CB) FORWARD AND REVERSE RESISTANCE MEASUREMENTS	50	53	41

TRANSISTORS

ACT WORKS RESPONDING 'YES' BY SELECTED GMPs

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task ID	Description	%PC	SPC	SPC	SPC
G 410	DO YOU USE OR REFER TO EMITTER - COLLECTOR (EC) RESISTANCE MEASUREMENTS	51	54	42	
G 411	DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PHYSICAL BARRIER WIDTH OF THE EMITTER - BASE JUNCTION	21	20	26	
G 412	DO YOU USE OR REFER TO HOW BIASING AFFECTS THE PHYSICAL BARRIER WIDTH OF THE COLLECTOR - BASE JUNCTION	21	20	25	
G 413	DO YOU USE OR REFER TO THE PHYSICAL SIZE OF THE TRANSISTOR STRUCTURE (COLLECTOR, BASE AND EMITTER)	35	38	24	
G 414	DO YOU USE OR REFER TO LEAKAGE CURRENT (ICBO) IN A TRANSISTOR	25	25	25	
G 415	DO YOU USE OR REFER TO TRANSISTOR SCHEMATIC SYMBOLS	61	64	50	
G 416	DO YOU USE OR REFER TO TRANSISTOR NOTATION SUCH AS Q1, Q2, Q3, ETC	61	64	51	
G 417	DO YOU USE OR REFER TO TRANSISTOR SUBSTITUTION INFORMATION	46	51	32	
G 418	DO YOU USE OR REFER TO THE GENERAL RULE THAT THE TRANSISTOR BASE CURRENT IS NORMALLY SIGNIFICANTLY SMALLER THAN THE EMITTER CURRENT IE (USUALLY IS BEING 2 TO 8 PERCENT OF IE)	26	25	29	
G 419	DO YOU USE THE INFORMATION THAT THE EFFECT OF EMITTER BASE VOLTAGE ON BASE CURRENT IS THE CONTROLLING FACTOR FOR TRANSISTORS	40	41	34	
G 420	DO YOU USE THE GENERAL RULE THAT LEAKAGE CURRENT (ICBO) IN A TRANSISTOR INCREASES AS TEMPERATURE INCREASES	20	21	18	
G 421	DO YOU USE OR REFER TO TRANSISTOR CHARACTERISTIC CURVES	26	29	14	
G 422	DO YOU USE OR REFER TO BETA TRANSISTOR GAINS	22	22	21	
G 423	DO YOU USE OR REFER TO ALPHA TRANSISTOR GAINS	13	14	12	
G 424	DO YOU USE OR REFER TO GAMMA TRANSISTOR GAINS	11	11	11	
G 425	DO YOU CALCULATE BETA TRANSISTOR GAINS	11	12	7	
G 426	DO YOU CALCULATE BETA TRANSISTOR GAINS	7	8	3	
G 427	DO YOU CALCULATE ALPHA TRANSISTOR GAINS	5	5	3	
G 428	DO YOU WORK WITH TRANSISTOR AMPLIFIERS IN YOUR PRESENT JOB	45	48	37	
G 429	DO YOU INSPECT TRANSISTOR AMPLIFIERS	39	44	22	TRANSISTOR
G 430	DO YOU ALIGN OR ADJUST TRANSISTOR AMPLIFIERS	32	36	20	AMPLIFIERS
G 431	DO YOU TROUBLESHOOT TO THE AMPLIFIER CIRCUIT LEVEL	38	42	24	
G 432	DO YOU TROUBLESHOOT TO AMPLIFIER COMPONENTS	36	40	21	
G 433	DO YOU REMOVE OR REPLACE THE COMPLETE AMPLIFIER	37	42	20	
G 434	DO YOU REMOVE OR REPLACE AMPLIFIER COMPONENTS	34	40	17	
G 435	DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN COLLECTOR CURRENT WHICH RESULTS FROM A CHANGE IN BASE CURRENT	22	22	22	
G 436	DO YOU USE OR REFER TO (COMMON EMITTER) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN COLLECTOR CURRENT WHICH RESULTS FROM A SPECIFIC CHANGE IN BASE CURRENT	10	12	5	

PCT MBS RESPONDING (YES) BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task ID	Description	SPC 076	SPC 077	SPC 078
6 437	DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN COLLECTOR VOLTAGE WHICH RESULTS FROM A CHANGE IN BASE CURRENT	21	21	21
6 438	DO YOU USE OR REFER TO (COMMON EMITTER) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN COLLECTOR VOLTAGE WHICH RESULTS FROM A SPECIFIC CHANGE IN BASE CURRENT	10	11	7
6 439	DO YOU USE OR REFER TO (COMMON EMITTER) THE CHANGE IN BASE CURRENT WHICH RESULTS FROM AN INPUT SIGNAL	21	20	21
6 440	DO YOU USE OR REFER TO (COMMON EMITTER) THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN BASE CURRENT WHICH RESULTS FROM A SPECIFIC INPUT SIGNAL	12	13	7
6 441	DO YOU USE THE LOAD-LINE METHOD OF ANALYSIS IN YOUR CIRCUIT ANALYSIS (THIS METHOD REQUIRES YOU TO PLOT A LOAD-LINE ON A TRANSISTOR CHARACTERISTIC CURVE)	4	4	4
6 442	DO YOU USE OR REFER TO THE OPERATING POINT (QUILSCENT POINT) FOR A TRANSISTOR	13	12	16
6 443	DO YOU CALCULATE THE SPECIFIC QUIESCENT POINT FOR A PARTICULAR TRANSISTOR	3	4	3
6 444	DO YOU MEASURE VOLTAGE GAIN USED IN THE COMMON EMITTER CONFIGURATION	31	33	28
6 445	DO YOU MEASURE CURRENT GAIN USED IN THE COMMON EMITTER CONFIGURATION	24	24	22
6 446	DO YOU MEASURE POWER GAIN USED IN THE COMMON EMITTER CONFIGURATION	21	22	20
6 447	DO YOU CALCULATE THE VOLTAGE GAIN FOR SPECIFIC TRANSISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE VOLTAGE TO DETERMINE THE VOLTAGE GAIN	8	10	4
6 448	DO YOU CALCULATE THE CURRENT GAIN FOR SPECIFIC TRANSISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE CHANGE IN BASE CURRENT INTO THE CHANGE IN COLLECTOR CURRENT TO DETERMINE THE CURRENT GAIN	9	10	4
6 449	DO YOU CALCULATE THE POWER GAIN FOR A SPECIFIC TRANSISTOR USING A FORMULA THAT IS, DO YOU MULTIPLY THE CURRENT GAIN TIMES THE VOLTAGE GAIN TO DETERMINE THE POWER GAIN	6	6	4
6 450	DO YOU NEED TO KNOW THAT MORE COLLECTOR CURRENT IS GENERATED WITH LESS COLLECTOR VOLTAGE AS TEMPERATURE INCREASES (THIS AFFECTS THE STATIC OPERATING POINT (Q) OF THE TRANSISTOR)	7	6	7
6 451	DO YOU COMPUTE THE STATIC OPERATING POINT (Q) OF A TRANSISTOR AT DIFFERENT TEMPERATURES	3	3	3
6 452	DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH BIAS STABILIZATION	17	16	21
6 453	DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH SELF-BIAS STABILIZATION	17	16	18

DY-TSK

PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

BY-TSK	SPC 076	SPC 077	SPC 078
6 454 G3-27 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH THERMISTOR STABILIZATION	15	14	16
6 455 G3-28 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH FORWARD BIAS DIODE STABILIZATION	17	17	14
6 456 G3-29 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH REVERSE BIAS DIODE STABILIZATION	17	17	14
6 457 G3-30 DO YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH DOUBLE DIODE STABILIZATION	12	12	12
6 458 G3-31 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM EMITTER (SWAMPING) RESISTOR STABILIZATION	16	17	13
6 459 G3-32 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM SELF-BIAS STABILIZATION	17	19	11
6 460 G3-33 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM THERMISTOR STABILIZATION	13	15	8
6 461 G3-34 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM FORWARD BIAS DIODE STABILIZATION	16	18	9
6 462 G3-35 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM REVERSE BIAS DIODE STABILIZATION	16	18	9
6 463 G3-36 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS WHICH PERFORM DOUBLE DIODE STABILIZATION	14	15	9
6 464 G3-37 DO YOU IDENTIFY AMPLITUDE DISTORTION FOR TRANSISTOR CIRCUITS	26	30	14
6 465 G3-38 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF AMPLITUDE DISTORTION	25	29	11
6 466 G3-39 DO YOU IDENTIFY FREQUENCY DISTORTION FOR TRANSISTOR CIRCUITS	25	29	13
6 467 G3-40 DO YOU IDENTIFY PHASE DISTORTION FOR TRANSISTOR CIRCUITS	19	22	8
6 468 G3-41 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF PHASE DISTORTION	17	20	8
6 469 G3-42 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND THE CAUSES OF FREQUENCY DISTORTION	23	24	9
6 470 G3-43 DO YOU NEED TO KNOW THE DEGENERATIVE EFFECTS ON THE CIRCUIT CAUSED BY CHANGING EMITTER RESISTANCE FOR TRANSISTOR AMPLIFIERS IN THE COMMON COLLECTOR CONFIGURATION	13	14	12
6 471 G3-44 DO YOU DETERMINE THE CLASS OF OPERATION FOR AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER CIRCUITS	17	16	18
6 472 G3-45 DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS	7	8	5
6 473 G3-46 DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS	31	33	25
6 474 G3-47 DO YOU TROUBLESHOOT OR REPAIR COMPLEMENTARY SYMMETRY CIRCUITS	17	18	13
6 475 G3-48 DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED AMPLIFIERS	15	17	11

PCT MORS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task ID	Description	SPC 076	SPC 077	SPC 078	SPC 41
6 476	63-99 DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED AMPLIFIERS	23	23	23	41
M 477	M1-01 DO YOU USE OR REFER TO VARACTORS	14	14	14	13
M 478	M1-02 DO YOU USE OR REFER TO TUNNEL DIODES	23	21	21	26
M 479	M1-03 DO YOU USE OR REFER TO FIELD EFFECT TRANSISTORS (FET)	40	41	41	34
M 480	M1-04 DO YOU USE OR REFER TO UNIJUNCTION TRANSISTORS	26	27	27	24
M 481	M1-05 DO YOU USE OR REFER TO ZENER DIODES	42	46	46	49
M 482	M1-06 DO YOU USE OR REFER TO INTEGRATED CIRCUITS	84	71	71	45
M 483	M2-01 IN YOUR PRESENT JOB, DO YOU WORK WITH POWER SUPPLIES	76	76	76	74
M 484	M2-02 DO YOU INSPECT POWER SUPPLIES	57	60	60	47
M 485	M2-03 DO YOU CLEAN POWER SUPPLIES	42	44	44	33
M 486	M2-04 DO YOU ALIGN OR ADJUST POWER SUPPLIES	60	62	62	53
M 487	M2-05 DO YOU TROUBLESHOOT TO POWER SUPPLY COMPONENTS	50	53	53	41
M 488	M2-06 DO YOU TROUBLESHOOT TO POWER SUPPLY CIRCUIT LEVEL	42	45	45	33
M 489	M2-07 DO YOU REMOVE OR REPLACE COMPLETE POWER SUPPLIES	61	65	65	49
M 490	M2-08 DO YOU REMOVE OR REPLACE POWER SUPPLY COMPONENTS	42	47	47	28
M 491	M2-09 DO YOU WORK WITH HALF-WAVE RECTIFIERS	38	41	41	28
M 492	M2-10 DO YOU WORK WITH FULL-WAVE RECTIFIERS OTHER THAN BRIDGE RECTIFIERS	40	43	43	29
M 493	M2-11 DO YOU WORK WITH BRIDGE RECTIFIERS	45	49	49	32
M 494	M2-12 DO YOU WORK WITH THREE-PHASE RECTIFIERS	14	14	14	9
M 495	M2-13 DO YOU USE OR REFER TO INPUT VOLTAGE	51	52	52	46
M 496	M2-14 DO YOU USE OR REFER TO INPUT FREQUENCY	39	40	40	34
M 497	M2-15 DO YOU USE OR REFER TO PEAK OUTPUT VOLTAGE	44	49	49	39
M 498	M2-16 DO YOU USE OR REFER TO AVERAGE OUTPUT VOLTAGE	41	42	42	36
M 499	M2-17 DO YOU USE OR REFER TO RIPPLE AMPLITUDE	34	36	36	24
M 500	M2-18 DO YOU USE OR REFER TO RIPPLE FREQUENCY	24	24	24	24
M 501	M2-19 DO YOU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE	22	23	23	17
M 502	M2-20 DO YOU USE OR REFER TO SHAPE OF OUTPUT WAVEFORMS	45	47	47	42
M 503	M2-21 DO YOU USE OR REFER TO EFFECTIVE OUTPUT VOLTAGE	45	48	48	38
M 504	M2-22 DO YOU WORK WITH CIRCUITS WHICH EMPLOY CAPACITIVE FILTERS	41	44	44	29
M 505	M2-23 DO YOU WORK WITH CIRCUITS WHICH EMPLOY INDUCTIVE FILTERS	31	34	34	21
M 506	M2-24 DO YOU WORK WITH CIRCUITS WHICH EMPLOY CAPACITIVE INPUT L-TYPE FILTERS	28	29	29	24
M 507	M2-25 DO YOU WORK WITH CIRCUITS WHICH EMPLOY INDUCTIVE INPUT L-TYPE FILTERS	24	26	26	17
M 508	M2-26 DO YOU WORK WITH CIRCUITS WHICH EMPLOY LC PI-TYPE FILTERS	21	22	22	18
M 509	M2-27 DO YOU WORK WITH CIRCUITS WHICH EMPLOY RC PI-TYPE FILTERS	24	24	24	24
M 510	M2-28 DO YOU WORK WITH CIRCUITS WHICH EMPLOY ODNIT	22	23	23	17
M 511	M2-29 DO YOU HAVE THE OPTION OF REPLACING ONE TYPE OF FILTER WITH A DIFFERENT TYPE FILTER	7	6	6	3
M 512	M3-01 DO YOU WORK WITH OSCILLATORS IN YOUR PRESENT JOB	50	52	52	43

OSCILLATORS

PCT MORS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task ID	Task Description	SPC	SPC	SPC
		076	077	078
	0Y-TSK			
H 513	M3-02 DO YOU INSPECT OSCILLATORS	36	40	22
H 514	M3-03 DO YOU ALIGN OR ADJUST OSCILLATORS	39	43	26
H 515	M3-04 DO YOU REMOVE OR REPLACE COMPLETE OSCILLATORS	37	41	22
H 516	M3-05 DO YOU REMOVE OR REPLACE OSCILLATOR COMPONENTS	24	27	13
H 517	M3-06 DO YOU TROUBLESHOOT TO OSCILLATOR CIRCUIT LEVEL	31	33	24
H 518	M3-07 DO YOU TROUBLESHOOT TO OSCILLATOR COMPONENTS	26	29	17
H 519	M3-08 DO YOU USE OR REFER TO FEEDBACK	31	32	30
H 520	M3-09 DO YOU USE OR REFER TO FREQUENCY DETERMINING DEVICES (FDD)	32	31	36
H 521	M3-10 DO YOU USE OR REFER TO AMPLITUDE STABILITY	29	30	26
H 522	M3-11 DO YOU USE OR REFER TO FREQUENCY STABILITY	39	40	37
H 523	M3-12 DO YOU USE OR REFER TO DAMPING	18	18	18
H 524	M3-13 DO YOU USE OR REFER TO REGENERATIVE FEEDBACK	31	30	33
H 525	M3-14 DO YOU USE OR REFER TO PIEZOELECTRIC EFFECT	22	21	28
H 526	M3-15 DO YOU USE OR REFER TO CRITICAL DAMPING	7	8	7
H 527	M3-16 DO YOU USE OR REFER TO UNDER DAMPING	8	9	9
H 528	M3-17 DO YOU USE OR REFER TO OVER DAMPING	8	7	9
H 529	M3-18 DO YOU WORK WITH OSCILLATORS WHICH USE LC TANK CIRCUITS AS FDD	22	21	24
H 530	M3-19 DO YOU WORK WITH OSCILLATORS WHICH USE RC NETWORKS AS FDD	27	27	29
H 531	M3-20 DO YOU WORK WITH OSCILLATORS WHICH USE CRYSTALS AS FDD	33	33	30
H 532	M3-21 DO YOU WORK WITH OSCILLATORS WHICH USE DON'T REMEMBER WHICH TYPE OF FDD	12	13	9
H 533	M3-22 DO YOU WORK WITH SERIES HARTLEY SINUSOIDAL OSCILLATORS	16	12	26
H 534	M3-23 DO YOU WORK WITH SHUNT HARTLEY SINUSOIDAL OSCILLATORS	14	11	24
H 535	M3-24 DO YOU WORK WITH COLPITTS SINUSOIDAL OSCILLATORS	19	16	26
H 536	M3-25 DO YOU WORK WITH CLAPP SINUSOIDAL OSCILLATORS	5	4	8
H 537	M3-26 DO YOU WORK WITH BUTLER SINUSOIDAL OSCILLATORS	4	4	5
H 538	M3-27 DO YOU WORK WITH DON'T REMEMBER WHICH TYPE OF OSCILLATORS	20	22	11
I 539	I1-01 DO YOU WORK WITH MULTIVIBRATORS IN YOUR PRESENT JOB	29	28	32
I 540	I1-02 DO YOU INSPECT WAVE GENERATING OR SHAPING CIRCUITS	23	26	16
I 541	I1-03 DO YOU ALIGN OR ADJUST WAVE GENERATING OR SHAPING CIRCUITS	22	23	17
I 542	I1-04 DO YOU CALIBRATE WAVE GENERATING OR SHAPING CIRCUITS	18	19	14
I 543	I1-05 DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING CIRCUITS	23	25	16
I 544	I1-06 DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING CIRCUIT COMPONENTS	20	21	14
I 545	I1-07 DO YOU REMOVE OR REPLACE COMPLETE WAVE GENERATING OR SHAPING CIRCUITS	21	23	12
I 546	I1-08 DO YOU REMOVE OR REPLACE WAVE GENERATING OR SHAPING COMPONENTS	19	22	11
I 547	I1-09 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN LC TANK CIRCUITS	15	15	17

MULTIVIBRATORS

PCT 'IBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

0Y-TSC

SPC SPC SPC  
076 077 078

23 20 20 30

19 18 24

6 6 0

26 24 30

27 25 32

24 25 32

4 5 0

26 27 24

LIMITERS AND  
CLAMPERS

1 548 11-10 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN RC NETWORKS  
1 549 11-11 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN CRYSTALS  
1 550 11-12 DO YOU WORK WITH MULTIVIBRATORS WHICH CONTAIN DIODES  
1 551 11-13 DO YOU WORK WITH UNSTABLE MULTIVIBRATORS  
1 552 11-14 DO YOU WORK WITH MONOSTABLE MULTIVIBRATORS  
1 553 11-15 DO YOU WORK WITH BISTABLE MULTIVIBRATORS  
1 554 11-16 DO YOU WORK WITH DIODE MULTIVIBRATORS WHICH TYPE MULTIVIBRATORS

1 555 12-01 DO YOU WORK WITH LIMITERS OR CLAMPERS IN YOUR PRESENT JOB  
1 556 12-02 DO YOU WORK WITH SERIES DIODE LIMITERS  
1 557 12-03 DO YOU WORK WITH SHUNT DIODE LIMITERS  
1 558 12-04 DO YOU WORK WITH LIMITERS WITH BIAS  
1 559 12-05 DO YOU WORK WITH ZENER DIODE LIMITERS  
1 560 12-06 DO YOU WORK WITH TRANSISTOR LIMITERS  
1 561 12-07 DO YOU WORK WITH DIODE WHICH TYPE OF LIMITERS  
1 562 12-08 DO YOU WORK WITH BASIC DIODE CLAMPING CIRCUITS  
1 563 12-09 DO YOU WORK WITH DIODE CLAMPING CIRCUITS WITH BIAS  
1 564 12-10 DO YOU WORK WITH DIODE WHICH TYPE OF CLAMPING CIRCUIT

1 565 13-01 IN YOUR PRESENT JOB, DO YOU WORK ON EQUIPMENT WHICH CONTAINS ELECTRON TUBES  
1 566 13-02 DO YOU CHECK ELECTRON TUBES TO SEE IF THEY ARE GOOD  
1 567 13-03 DO YOU USE TUBE TESTERS TO CHECK ELECTRON TUBES  
1 568 13-04 DO YOU USE MULTIMETERS TO CHECK ELECTRON TUBES  
1 569 13-05 DO YOU USE SCOPES TO CHECK ELECTRON TUBES  
1 570 13-06 DO YOU USE SUBSTITUTION TO CHECK ELECTRON TUBES  
1 571 13-07 DO YOU USE OR REFER TO CUTOFF  
1 572 13-08 DO YOU USE OR REFER TO PEAK INVERSE VOLTAGE RATING  
1 573 13-09 DO YOU USE OR REFER TO PEAK CURRENT RATING  
1 574 13-10 DO YOU USE OR REFER TO TRANSIT TIME  
1 575 13-11 DO YOU USE OR REFER TO PLATE DISSIPATION RATING  
1 576 13-12 DO YOU USE OR REFER TO SATURATION  
1 577 13-13 DO YOU USE OR REFER TO DC PLATE RESISTANCE  
1 578 13-14 DO YOU COMPUTE ACTUAL VALUES OF THE DC PLATE RESISTANCE FOR ELECTRON TUBES

1 579 13-15 DO YOU USE OR REFER TO PLATE VOLTAGE  
1 580 13-16 DO YOU USE OR REFER TO PLATE CURRENT  
1 581 13-17 DO YOU USE OR REFER TO GRID VOLTAGE  
1 582 13-18 DO YOU USE OR REFER TO GRID CURRENT  
1 583 13-19 DO YOU USE OR REFER TO CATHODE VOLTAGE  
1 584 13-20 DO YOU USE OR REFER TO CATHODE CURRENT  
1 585 13-21 DO YOU USE OR REFER TO THE TRIODE AMPLIFICATION FACTOR (THE AMPLIFICATION FACTOR FOR TRIODES IS DEFINED AS THE RATIO OF CHANGE IN PLATE VOLTAGE TO A CHANGE IN GRID VOLTAGE)

ELECTRON TUBES

23 22 26

21 20 22

19 14 24

10 8 16

10 9 13

15 14 13

10 7 18

6 6 8

7 8 7

7 4 17

5 5 4

12 9 20

8 7 12

2 2 4

16 14 24

15 12 22

16 14 24

14 14 24

15 12 22

6 4 12

PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

		SPC 076	SPC 077	SPC 078
1 584	13-22 DO YOU CALCULATE ACTUAL VALUES OF TRIODE AMPLIFICATION FACTORS	2	4	3
1 587	13-23 DO YOU USE OR REFER TO MULTIGRID (TETRODE, PENTODE, ETC) AMPLIFICATION FACTORS	7	5	13
1 588	13-24 DO YOU USE OR REFER TO ELECTRON TUBE TRANSCONDUCTANCE (G <sub>m</sub> WHICH IS MEASURED IN MMOS)	6	4	11
1 589	13-25 DO YOU CALCULATE ACTUAL VALUES OF ELECTRON TUBE TRANSCONDUCTANCES	2	2	1
1 590	13-26 DO YOU USE OR REFER TO THE ELECTRON TUBE PARAMETER CALLED AC PLATE RESISTANCE	3	2	5
1 591	13-27 DO YOU CALCULATE ACTUAL VALUES OF AC PLATE RESISTANCE	2	2	1
1 592	13-28 DO YOU USE OR REFER TO ELECTRON TUBE INTERELECTRODE CAPACITANCE	7	4	16
1 593	13-29 DO YOU USE OR REFER TO CHARACTERISTIC CURVES IN YOUR WORK WITH ELECTRON TUBES	7	6	11
1 594	13-30 DO YOU USE CHARACTERISTIC CURVES TO SELECT PLATE VOLTAGE FOR A SPECIFIED BIAS	5	4	7
1 595	13-31 DO YOU USE CHARACTERISTIC CURVES TO SELECT PLATE CURRENT FOR A SPECIFIED BIAS	6	5	8
1 596	13-32 DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS REQUIRED FOR CUTOFF	6	5	9
1 597	13-33 DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS REQUIRED FOR SATURATION	6	5	9
1 598	13-34 DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER GAIN EFFICIENCY	14	12	20
1 599	13-35 DO YOU USE OR REFER TO ELECTRON TUBE AMPLIFIER EFFICIENCY	9	7	14
1 600	13-36 DO YOU USE TEST TUBE CHECKERS TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	11	10	14
1 601	13-37 DO YOU USE MULTIMETERS TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	8	7	13
1 602	13-38 DO YOU USE OSCILLOSCOPES TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	8	8	9
1 603	13-39 DO YOU USE CHARACTERISTIC CURVES TO DETERMINE ELECTRON TUBE AMPLIFIER GAIN	5	6	1
1 604	13-40 DO YOU CALCULATE ANY ELECTRON TUBE CAPACITANCES SUCH AS INPUT CAPACITANCE	1	1	0
1 605	13-41 DO YOU USE OR REFER TO TUBE SOCKET NOTATION	15	16	14
1 606	13-42 DO YOU USE OR REFER TO PIN NUMBERING SYSTEMS	17	17	17
1 607	13-43 DO YOU USE OR REFER TO THE TYPE OF MATERIAL ON THE OPERATING TEMPERATURE OF THE EMITTING SURFACE IN THE ELECTRON TUBES YOU WORK ON	2	2	1
1 608	13-44 DO YOU USE OR REFER TO TUBE SUBSTITUTION MATERIAL SUCH AS MANUALS OR CHARTS	11	12	8
J 609	J1-01 DO YOU WORK WITH ELECTRON TUBE AMPLIFIERS OR CIRCUITS IN YOUR PRESENT JOB	13	12	18
J 610	J1-02 DO YOU DETERMINE THE CLASS IF OPERATION FOR ELECTRON TUBE AMPLIFIERS IN ORDER TO TROUBLESHOOT AMPLIFIER CIRCUITS	6	4	8

ELECTRON TUBE  
AMPLIFIERS  
AND CIRCUITS



TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

SPC SPC SPC  
074 077 078

UY-TSK

J 611	J1-03	DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS	2	1	4
J 612	J1-04	DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS	9	9	12
J 613	J1-05	DO YOU TROUBLESHOOT OR REPAIR COMPOUND-CONNECTED AMPLIFIERS	3	2	5
J 614	J1-06	DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED AMPLIFIERS	7	4	14
J 615	J1-07	DO YOU TROUBLESHOOT OR REPAIR DON'T KNOW WHICH TYPE OF AMPLIFIER	4	4	3
J 616	J2-01	DO YOU WORK WITH GAS TUBES (HOT CATHODE OR COLD CATHODE)	10	7	20
J 617	J2-02	DO YOU WORK WITH CATHODE-RAY TUBES	21	20	28
J 618	J2-03	DO YOU USE OR REFER TO THE CHARACTERISTICS OF HEAT POWER TUBES	5	2	14
J 619	J2-04	DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH BEAM POWER TUBES ARE USED	4	2	6
J 620	J2-05	DO YOU USE OR REFER TO THE CHARACTERISTICS OF THYRATONS	6	2	16
J 621	J2-06	DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH THYRATONS ARE USED	3	2	7
J 622	J2-07	DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTRON GUNS OF CATHODE-RAY TUBES (CRT)	14	11	25
J 623	J2-08	DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTROMAGNETIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES (CRT)	13	11	18
J 624	J2-09	DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTROSTATIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES (CRT)	12	10	21
J 625	J2-10	DO YOU USE OR REFER TO PHOSPHOR SCREENS	19	16	29
J 626	J2-11	DO YOU USE OR REFER TO AQUADAG COATINGS	8	6	14
J 627	J2-12	DO YOU USE OR REFER TO ELECTRON OPTICS	8	7	13
J 628	J2-13	DO YOU USE OR REFER TO PERSISTENCE	8	7	14
J 629	J2-14	DO YOU USE OR REFER TO DECAY TIMES	9	7	13
J 630	J2-15	DO YOU USE OR REFER TO FLUORESCENCE	9	7	16
J 631	J2-16	DO YOU USE OR REFER TO PHOSPHORESCENCE	12	11	16
J 632	J3-01	DO YOU WORK ON TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB	36	35	41
J 633	J3-02	DO YOU PERFORM TASKS ON FREQUENCY CONVERTERS	25	24	28
J 634	J3-03	DO YOU PERFORM TASKS ON FREQUENCY MIXERS	25	24	29
J 635	J3-04	DO YOU USE OR REFER TO THE HETERODYNING OF SIGNALS IN YOUR WORK WITH TRANSMIT OR RECEIVE SYSTEMS	25	24	20
J 636	J3-05	DO YOU PERFORM TASKS ON REACTANCE MODULATORS	13	11	18
J 637	J3-06	DO YOU PERFORM TASKS ON MODULATED OSCILLATORS	19	18	21
K 638	K1-01	DO YOU WORK ON AM TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB	10	9	13
K 639	K1-02	DO YOU INSPECT AM TRANSMIT OR RECEIVE SYSTEMS	7	6	7
K 640	K1-03	DO YOU CLEAN AM TRANSMIT OR RECEIVE SYSTEMS	7	7	7
K 641	K1-04	DO YOU ALIGN OR ADJUST AM TRANSMIT OR RECEIVE SYSTEMS	9	9	11

HETERODYNING,  
MODULATION, AND  
DEMODULATION

AM SYSTEMS

PCT MEMS RESPONDING YES BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

UY-TSK

SPC SPC SPC  
076 077 079

K 642	K1-05	DO YOU TROUBLESHOOT TO AM TRANSMIT OR RECEIVE SYSTEMS	9	9	9
K 643	K1-06	DO YOU TROUBLESHOOT TO AM TRANSMIT OR RECEIVE COMPONENTS	6	8	8
K 644	K1-07	DO YOU REMOVE OR REPLACE AM TRANSMIT OR RECEIVE SYSTEMS	9	9	9
K 645	K1-08	DO YOU REMOVE OR REPLACE AM TRANSMIT OR RECEIVE COMPONENTS	8	8	7
K 646	K1-09	DO YOU PERFORM TASKS ON RF OSCILLATORS	7	7	9
K 647	K1-10	DO YOU PERFORM TASKS ON RF AMPLIFIERS	6	6	9
K 648	K1-11	DO YOU PERFORM TASKS ON AUDIO AMPLIFIERS	6	6	8
K 649	K1-12	DO YOU PERFORM TASKS ON POWER AMPLIFIERS	7	7	5
K 650	K1-13	DO YOU PERFORM TASKS ON LOCAL OSCILLATORS	8	7	11
K 651	K1-14	DO YOU PERFORM TASKS ON IF AMPLIFIERS	7	7	8
K 652	K1-15	DO YOU PERFORM TASKS ON DETECTORS	8	7	11
K 653	K1-16	DO YOU PERFORM TASKS ON DON'T REMEMBER WHICH AM STAGE TRANSMITTERS	2	1	3
K 654	K1-17	DO YOU USE OR REFER TO AMPLITUDE STABILIZATION IN TRANSMITTERS	4	4	1
K 655	K1-18	DO YOU USE OR REFER TO FREQUENCY STABILIZATION IN TRANSMITTERS	6	6	4
K 656	K1-19	DO YOU USE OR REFER TO SENSITIVITY OF RECEIVERS	8	8	9
K 657	K1-20	DO YOU USE OR REFER TO SELECTIVITY OF RECEIVERS	8	7	9
K 658	K1-21	DO YOU USE OR REFER TO 2ND HARMONIC DISTORTION	5	6	3
K 659	K1-22	DO YOU USE OR REFER TO BANDPASS DISTORTION	6	7	3
K 660	K1-23	DO YOU USE OR REFER TO SQUARE LAW DISTORTION	2	2	1
K 661	K1-24	DO YOU USE OR REFER TO CO-CHANNEL INTERFERENCE	4	4	4
K 662	K1-25	DO YOU USE OR REFER TO IMAGE FREQUENCIES IN RECEIVERS	4	4	4
K 663	K1-26	DO YOU USE OR REFER TO SIGNAL TO IMAGE RATIOS OR IMAGE REJECTION RATIOS	3	3	4
K 664	K1-27	DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AM TRANSMITTER SCHEMATIC DIAGRAMS	3	4	3
K 665	K1-28	DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH AM RECEIVER SCHEMATIC DIAGRAMS	8	8	7
K 666	K2-01	DO YOU WORK WITH FM TRANSMIT OR RECEIVE SYSTEMS IN YOUR PRESENT JOB	33	31	39
K 667	K2-02	DO YOU INSPECT FM TRANSMIT OR RECEIVE SYSTEMS	28	28	28
K 668	K2-03	DO YOU CLEAN FM TRANSMIT OR RECEIVE SYSTEMS	23	24	18
K 669	K2-04	DO YOU ALIGN FM TRANSMIT OR RECEIVE SYSTEMS	28	27	30
K 670	K2-05	DO YOU TROUBLESHOOT TO FM TRANSMIT OR RECEIVE SYSTEMS	25	25	24
K 671	K2-06	DO YOU TROUBLESHOOT TO FM TRANSMIT OR RECEIVE COMPONENTS	23	24	21
K 672	K2-07	DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE SYSTEMS	24	26	17
K 673	K2-08	DO YOU REMOVE OR REPLACE FM TRANSMIT OR RECEIVE COMPONENTS	21	23	14
K 674	K2-09	DO YOU PERFORM TASKS ON AUDIO AMPLIFIERS	19	20	16
K 675	K2-10	DO YOU PERFORM TASKS ON FREQUENCY MULTIPLIERS	20	20	19

FM SYSTEMS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

GT-TSK	SPC	SPC	SPC
	076	077	078
K 676 K2-11 DO YOU PERFORM TASKS ON DRIVERS (INTERMEDIATE AMPLIFIERS)	17	18	16
A 677 K2-12 DO YOU PERFORM TASKS ON POWER AMPLIFIERS	19	19	16
K 678 K2-13 DO YOU PERFORM TASKS ON RF AMPLIFIERS	21	21	16
K 679 K2-14 DO YOU PERFORM TASKS ON FREQUENCY CONVERTERS	19	20	17
K 680 K2-15 DO YOU PERFORM TASKS ON IF AMPLIFIERS	20	20	16
A 681 K2-16 DO YOU PERFORM TASKS ON LIMITERS	18	18	16
K 682 K2-17 DO YOU PERFORM TASKS ON FREQUENCY DISCRIMINATORS	24	24	22
K 683 K2-18 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SCHEMATIC DIAGRAMS OF FM TRANSMITTERS	18	16	24
K 684 K2-19 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SCHEMATIC DIAGRAMS OF FM RECEIVERS	26	24	30
K 685 K3-01 DO YOU CONVERT DECIMAL (BASE 10) NUMBERS TO OCTAL (BASE 8) NUMBERS	31	30	33
K 686 K3-02 DO YOU CONVERT DECIMAL NUMBERS TO BINARY (BASE 2) NUMBERS	36	34	37
K 687 K3-03 DO YOU CONVERT OCTAL NUMBERS TO DECIMAL NUMBERS	31	31	29
K 688 K3-04 DO YOU CONVERT OCTAL NUMBERS TO BINARY NUMBERS	27	27	29
K 689 K3-05 DO YOU CONVERT BINARY NUMBERS TO DECIMAL NUMBERS	37	38	34
K 690 K3-06 DO YOU CONVERT BINARY NUMBERS TO OCTAL NUMBERS	24	26	29
K 691 K3-07 DO YOU ADD BINARY NUMBERS TO GET A SUM	26	26	28
K 692 K3-08 DO YOU SUBTRACT BINARY NUMBERS USING THE END-AROUND-CARRY METHOD	17	16	24
K 693 K3-09 DO YOU SUBTRACT BINARY NUMBERS USING THE DIRECT SUBTRACTION METHOD	20	18	26
K 694 K3-10 DO YOU ADD OCTAL NUMBERS TO GET A SUM	19	17	25
L 695 L1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS RELATING TO LOGIC FUNCTIONS	31	32	26
L 696 L1-02 DO YOU CONSTRUCT TRUTH TABLES FOR AND LOGIC SYMBOLS OR GATES	19	18	22
L 697 L1-03 DO YOU CONSTRUCT TRUTH TABLES FOR OR LOGIC SYMBOLS OR GATES	19	18	22
L 698 L1-04 DO YOU CONSTRUCT TRUTH TABLES FOR AND OR OR LOGIC SYMBOLS WITH STATE INDICATORS	19	18	22
L 699 L1-05 DO YOU CONSTRUCT TRUTH TABLES FOR EXCLUSIVE OR LOGIC SYMBOLS OR GATES	19	18	22
L 700 L1-06 DO YOU USE OR REFER TO TRUTH TABLES FOR AND LOGIC SYMBOLS OR GATES	24	24	24
L 701 L1-07 DO YOU USE OR REFER TO TRUTH TABLES FOR OR LOGIC SYMBOLS OR GATES	24	24	24
L 702 L1-08 DO YOU USE OR REFER TO TRUTH TABLES FOR AND OR OR LOGIC SYMBOLS WITH STATE INDICATORS	23	24	21
L 703 L1-09 DO YOU USE OR REFER TO TRUTH TABLES FOR EXCLUSIVE OR LOGIC SYMBOLS	23	23	25
L 704 L1-10 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR AND GATES	29	29	28
L 705 L1-11 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR OR GATES	29	30	28
L 706 L1-12 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR NAND OR NOR GATES	30	30	28

NUMBERING SYSTEMS

LOGIC FUNCTIONS

PCT MEMS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

0Y-TSK

	SPC	SPC	SPC	SPC
	076	077	078	078
L 707 L1-13 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR EXCLUSIVE OR GATES	20	28	24	
L 708 L2-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS RELATING TO BOOLEAN EQUATIONS, LOGIC DIAGRAMS, OR LOGIC CIRCUITS	21	21	24	BOOLEAN EQUATIONS
L 709 L2-02 DO YOU DRAW LOGIC SYMBOLS FOR DIRECT COUPLED TRANSISTOR LOGIC (DCTL) CIRCUITS	7	5	11	
L 710 L2-03 DO YOU CONSTRUCT TRUTH TABLES FOR CURRENT MODE LOGIC (CML) CIRCUITS	4	2	8	
L 711 L2-04 DO YOU DRAW LOGIC DIAGRAMS FROM GIVEN BOOLEAN EQUATIONS	10	6	24	
L 712 L2-05 DO YOU MEASURE INPUTS OR OUTPUTS OF LOGIC GATES	17	19	13	
L 713 L2-06 DO YOU DEVELOP OR ANALYZE BOOLEAN EQUATIONS IN THE PROCESS OF TROUBLESHOOTING DIGITAL CIRCUITS	9	9	9	
L 714 L2-07 DO YOU ANALYZE LOGIC CIRCUITS BY USING BOOLEAN ALGEBRA	12	10	20	
L 715 L2-08 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR DIRECT COUPLED TRANSISTOR LOGIC (DCTL) CIRCUIT GATES	7	7	8	
L 716 L2-09 DO YOU USE OR REFER TO TRUTH TABLES FOR CURRENT MODE LOGIC (CML) CIRCUITS	3	3	5	
L 717 L2-10 DO YOU USE OR REFER TO LOGIC DIAGRAMS CONSISTING OF MORE THAN ONE GATE	20	19	25	
L 718 L2-11 DO YOU COMPUTE SUM AND CARRY EXPRESSIONS FOR SERIAL HALF OR FULL ADDER LOGIC DIAGRAMS	9	6	21	
L 719 L2-12 DO YOU TRACE DATA FLOW THROUGH PARALLEL FULL ADDER LOGIC DIAGRAMS	12	8	22	
L 720 L2-13 DO YOU WORK WITH ASTABLE (FREE RUNNING) MULTIVIBRATORS	18	16	24	
L 721 L2-14 DO YOU WORK WITH BISTABLE (FLIP-FLOP) MULTIVIBRATORS	20	19	24	
L 722 L2-15 DO YOU WORK WITH MONOSTABLE (ONE-SHOT) MULTIVIBRATORS	21	19	25	
L 723 L2-16 DO YOU USE OR REFER TO FLIP-FLOP MULTIVIBRATOR SYMBOLS	18	17	24	
L 724 L2-17 DO YOU USE OR REFER TO SINGLE-SHOT MULTIVIBRATOR SYMBOLS	18	17	22	
L 725 L2-18 DO YOU USE OR REFER TO FLIP-FLOP CIRCUIT DIAGRAMS	19	18	24	
L 726 L2-19 DO YOU USE OR REFER TO FLIP-FLOP TRUTH TABLES	15	14	16	
L 727 L2-20 DO YOU USE OR REFER TO COMPLEMENTED FLIP-FLOP LOGIC SYMBOLS	16	13	24	
L 728 L2-21 DO YOU USE OR REFER TO COMPLEMENTING FLIP-FLOP LOGIC SYMBOLS	15	13	22	
L 729 L2-22 DO YOU MEASURE OUTPUT WAVESHAPES OF LOGIC CIRCUITS	17	18	12	
L 730 L2-23 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTED FLIP-FLOP SCHEMATIC DIAGRAMS	15	13	21	
L 731 L2-24 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTING FLIP-FLOP SCHEMATIC DIAGRAMS	15	13	20	
L 732 L2-25 DO YOU CONSTRUCT TRUTH TABLES FOR J-K FLIP-FLOP LOGIC SYMBOLS	9	9	11	

PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

BY-TSK	SPC 076	SPC 077	SPC 078	COUNTERS
L 733 L3-01 DO YOU WORK WITH DIGITAL COUNTERS IN YOUR PRESENT JOB	41	43	36	
L 734 L3-02 DO YOU USE OR REFER TO UP-COUNTERS	24	29	29	
L 735 L3-03 DO YOU USE OR REFER TO DOWN-COUNTERS	26	27	24	
L 736 L3-04 DO YOU USE OR REFER TO SERIAL COUNTERS	28	29	28	
L 737 L3-05 DO YOU USE OR REFER TO PARALLEL COUNTERS	24	25	22	
L 738 L3-06 DO YOU USE OR REFER TO RING COUNTERS	15	13	21	
L 739 L3-07 DO YOU USE OR REFER TO DECADE COUNTERS	24	23	28	
L 740 L3-08 DO YOU USE OR REFER TO COUNT DETECT CIRCUITS	19	22	11	
L 741 L3-09 DO YOU USE OR REFER TO DOWN CLOCKS	19	21	11	
L 742 L3-10 DO YOU USE OR REFER TO UP CLOCKS	21	24	14	
L 743 L3-11 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS	18	18	20	
L 744 L3-12 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENTING FLIP-FLOPS	16	16	17	
L 745 L3-13 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF DECADE COUNTERS	19	18	22	
L 746 L3-14 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF RING COUNTERS	14	12	20	
L 747 L3-15 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE REGISTER	18	17	21	
L 748 L3-16 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF SHIFT REGISTERS	22	22	25	
L 749 L3-17 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF COUNTERS	21	21	22	
L 750 L3-18 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR UP-COUNTERS HAVING COMPLEMENTED FLIP-FLOPS	14	12	20	
L 751 L3-19 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP- OR DOWN-COUNTERS HAVING COMPLEMENTING FLIP-FLOPS	13	12	17	
L 752 L3-20 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE REGISTER	12	11	17	
L 753 L3-21 DO YOU COMPUTE THE BINARY COUNT AFTER SPECIFIC INPUT PULSES FOR OTHER TYPES OF COUNTERS	14	13	17	
L 754 L3-22 DO YOU CONSTRUCT TRUTH TABLES FROM LOGIC DIAGRAMS OF DECADE COUNTERS	7	8	5	
L 755 L3-23 DO YOU DETERMINE THE STATE OF EACH FLIP-FLOP IN RING COUNTERS FOR SPECIFIC INPUT PULSES	13	11	20	
L 756 L3-24 DO YOU DETERMINE THE APPROPRIATE AND GATE NECESSARY IN COUNT DETECT CIRCUITS TO INDICATE A REQUIRED COUNT	14	13	14	
M 757 MI-01 DO YOU WORK WITH SAWTOOTH WAVE GENERATORS	31	29	34	
M 758 MI-02 DO YOU WORK WITH TRAPEZOIDAL WAVE GENERATORS	11	12	7	
M 759 MI-03 DO YOU WORK WITH PULSED OSCILLATORS WITH REGENERATIVE FEEDBACK	17	16	20	TIMING CIRCUITS
M 760 MI-04 DO YOU WORK WITH PULSED OSCILLATORS WITHOUT REGENERATIVE FEEDBACK	14	13	14	

PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

UY-TSK	SPC	SPC	SPC
	076	077	078
M 761 M1-05 DO YOU WORK WITH BLOCKING OSCILLATORS	17	11	21
M 762 M1-06 DO YOU USE OR REFER TO RISE TIME	43	43	43
M 763 M1-07 DO YOU USE OR REFER TO FALL OR FLYBACK TIME	36	34	42
M 764 M1-08 DO YOU USE OR REFER TO SWEEP TIME	43	42	47
M 765 M1-09 DO YOU USE OR REFER TO ELECTRICAL LENGTH OF SAWTOOTH WAVEFORMS	17	15	22
M 766 M1-10 DO YOU USE OR REFER TO PHYSICAL LENGTH OF SAWTOOTH WAVEFORMS	17	15	22
M 767 M1-11 DO YOU USE OR REFER TO LINEAR SLOPE OF SAWTOOTH WAVEFORMS	20	17	29
M 768 M1-12 DO YOU USE OR REFER TO GATE LENGTH OF SAWTOOTH WAVEFORMS	12	12	14
M 769 M2-01 DO YOU USE SIGNAL GENERATORS IN YOUR PRESENT JOB	66	62	78
M 770 M2-02 DO YOU PERFORM OPERATIONAL CHECKS WHILE USING SIGNAL GENERATORS	58	56	67
M 771 M2-03 DO YOU PERFORM PERIODIC MAINTENANCE SUCH AS ADJUSTING, ALIGNING, OR CALIBRATING WHILE USING SIGNAL GENERATORS	35	34	38
M 772 M2-04 DO YOU TROUBLESHOOT TO AN ASSEMBLY OR DISASSEMBLY WHILE USING SIGNAL GENERATORS	31	31	32
M 773 M2-05 DO YOU TROUBLESHOOT TO THE SMALLEST REPLACEABLE COMPONENT WHILE USING SIGNAL GENERATORS	22	22	20
M 774 M2-06 DO YOU USE AUDIO SINE-WAVE GENERATORS	46	45	50
M 775 M2-07 DO YOU USE AUDIO NON-SINUSOIDAL WAVE GENERATORS SUCH AS SQUARE WAVE, TRIANGLE, PULSE, OR SPIKE	41	42	50
M 776 M2-08 DO YOU USE RF GENERATORS LESS THAN 1,000 MH	43	39	55
M 777 M2-09 DO YOU USE RF GENERATORS GREATER THAN 1,000 MH	36	31	55
M 778 M2-10 DO YOU USE OTHER SPECIAL PURPOSE OR MULTI-FUNCTION GENERATORS	45	46	42
M 779 M3-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING WITH ALTERNATING CURRENT OR DIRECT CURRENT MOTORS OR GENERATORS	25	29	9
M 780 M3-02 DO YOU INSPECT MOTORS	21	25	6
M 781 M3-03 DO YOU CLEAN OR LUBRICATE MOTORS	20	24	8
M 782 M3-04 DO YOU OPERATE MOTORS	23	28	4
M 783 M3-05 DO YOU REMOVE OR REPLACE COMPLETE MOTORS	21	26	7
M 784 M3-06 DO YOU REMOVE OR REPLACE MOTOR PARTS	11	13	4
M 785 M3-07 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF MOTORS	21	25	8
M 786 M3-08 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF MOTORS	10	13	0
M 787 M3-09 DO YOU PERFORM ANY TASKS ON FIELD COILS	7	9	0
M 788 M3-10 DO YOU PERFORM ANY TASKS ON ARMATURES	7	9	1
M 789 M3-11 DO YOU PERFORM ANY TASKS ON ROTORS	6	10	1
M 790 M3-12 DO YOU PERFORM ANY TASKS ON BRUSHES	11	13	4
M 791 M3-13 DO YOU PERFORM ANY TASKS ON SLIP RINGS	8	10	1
M 792 M3-14 DO YOU PERFORM ANY TASKS ON COMMUTATORS	7	9	1
M 793 M3-15 DO YOU PERFORM ANY TASKS ON POLE PIECES	5	7	0

USE OF SIGNAL GENERATORS

MOTORS AND GENERATORS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

SPC SPC SPC  
076 077 078

OY-TSK

M 794	M3-16 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OF THE FORCE OR TORQUE CREATED BY A MOTOR	3	4	0
M 795	M3-17 DO YOU DETERMINE OR MEASURE THE DIRECTION OF THE MECHANICAL FORCE OR TORQUE CREATED BY A MOTOR	4	0	0
M 796	M3-18 DO YOU DETERMINE OR MEASURE THE MAGNITUDE OR DIRECTION OF THE INDUCED VOLTAGE IN MOTORS	3	4	0
M 797	M3-19 DO YOU WORK WITH SYNCHRONOUS MOTORS	13	15	7
M 798	M3-20 DO YOU WORK WITH INDUCTION MOTORS	12	14	5
M 799	M3-21 DO YOU WORK WITH SPLIT-PHASE MOTORS	6	7	4
M 800	M3-22 DO YOU WORK WITH SOME COMBINATION OF THE ABOVE MOTORS	14	14	8
M 801	M3-23 DO YOU INSPECT GENERATORS	9	9	9
M 802	M3-24 DO YOU CLEAN OR LUBRICATE GENERATORS	7	7	8
M 803	M3-25 DO YOU OPERATE GENERATORS	12	13	8
M 804	M3-26 DO YOU REMOVE OR REPLACE COMPLETE GENERATORS	7	9	3
M 805	M3-27 DO YOU REMOVE OR REPLACE GENERATOR PARTS	3	4	3
M 806	M3-28 DO YOU TROUBLESHOOT AS FAR AS CHECKING WIRE CONNECTIONS OF GENERATORS	7	8	4
M 807	M3-29 DO YOU TROUBLESHOOT DOWN TO COMPONENT PARTS OF GENERATORS	3	3	3
M 808	NI-01 DO YOU WORK WITH METERS IN YOUR PRESENT JOB	78	79	75
M 809	NI-02 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF PERMANENT MAGNETS	22	20	29
M 810	NI-03 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF MOVING COILS	27	25	34
M 811	NI-04 DO YOU CONCEPTUALIZE OR CONSIDER THE FUNCTIONS OF SPIRAL SPRINGS	16	15	18
M 812	NI-05 DO YOU READ METER SCALES	40	81	76
M 813	NI-06 DO YOU EXTEND THE RANGE OF AMMETERS	31	32	24
M 814	NI-07 DO YOU ZERO OHMMETERS	79	80	74
M 815	NI-08 DO YOU ZERO VOLTMETERS	41	41	41
M 816	NI-09 DO YOU EXTEND THE RANGE OF VOLTMETERS	38	40	34
M 817	NI-10 DO YOU USE OR REFER TO VOLTMETER SENSITIVITY (EXPRESSED IN UNITS OF OHMS PER VOLT)	35	32	43
M 818	M2-01 DO YOU WORK WITH SATURABLE REACTORS OR MAGNETIC AMPLIFIERS IN YOUR PRESENT JOB	2	1	7
M 819	M2-02 DO YOU INSPECT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	1	0	4
M 820	M2-03 DO YOU CLEAN MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	1	0	1
M 821	M2-04 DO YOU ADJUST MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	1	0	1
M 822	M2-05 DO YOU TROUBLESHOOT MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	1	0	3
M 823	M2-06 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIERS OR SATURABLE REACTORS	1	1	3
M 824	M2-07 DO YOU REMOVE OR REPLACE MAGNETIC AMPLIFIER OR SATURABLE REACTOR COMPONENTS	1	1	1

METER MOVEMENTS

SATURABLE REACTORS  
AND MAGNETIC  
AMPLIFIERS

PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task Description	SPC 076	SPC 077	SPC 078
025 M2-08 DO YOU USE OR REFER TO HYSTERESIS CURVES OR LOOPS	1	0	5
026 M2-09 DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT WAVEFORMS ACROSS REACTOR WINDINGS ON LOAD RESISTORS OF SINGLE WINDING SATURABLE REACTORS	1	0	4
027 M2-10 DO YOU MEASURE OUTPUT WAVEFORMS ACROSS REACTOR WINDINGS OR LOAD RESISTORS OF SINGLE WINDING SATURABLE REACTORS	1	0	3
028 M2-11 DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT WAVEFORMS FOR MAGNETIC AMPLIFIERS	1	0	5
029 M2-12 DO YOU USE OR REFER TO COERCIVE FORCE IN SATURABLE REACTORS	2	0	5
030 M2-13 DO YOU USE OR REFER TO RESIDUAL MAGNETISM IN SATURABLE REACTORS	2	1	7
031 M2-14 DO YOU USE OR REFER TO FLUX DENSITY IN SATURABLE REACTORS	2	1	7
032 M2-15 DO YOU USE OR REFER TO POINT OF SATURATION IN SATURABLE REACTORS	2	1	7
033 M2-16 DO YOU USE OR REFER TO SATURABLE REACTOR SCHEMATIC SYMBOLS	2	1	5
034 M3-01 DO YOU WORK WITH WAVESHAPING CIRCUITS IN YOUR PRESENT JOB	32	30	38
035 M3-02 DO YOU USE OR REFER TO TRANSIENT INTERVALS	15	13	18
036 M3-03 DO YOU USE OR REFER TO PULSE WIDTH (PW)	27	24	24
037 M3-04 DO YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT)	19	18	24
038 M3-05 DO YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY (PRF)	19	18	22
039 M3-06 DO YOU USE OR REFER TO DIFFERENTIATING CIRCUITS	22	21	24
040 M3-07 DO YOU USE OR REFER TO INTEGRATING CIRCUITS	26	24	24
041 M3-08 DO YOU USE OR REFER TO THE CLASSIFICATION OF TIME CONSTANTS (TC) AS LONG, MEDIUM, OR SHORT	18	17	22
042 M3-09 DO YOU DETERMINE WHETHER AN LR OR RC CIRCUIT IS DIFFERENTIATING OR INTEGRATING BASED ON THE TIME CONSTANT AND OUTPUT CONFIGURATION	11	9	16
043 M3-10 DO YOU WORK WITH SQUARE WAVE GENERATORS	27	27	29
044 M3-11 DO YOU WORK WITH RECTANGULAR WAVE GENERATORS	16	15	20
045 01-01 DO YOU WORK ON SINGLE SIDEBAND SYSTEMS IN YOUR PRESENT JOB	2	3	1
046 01-02 DO YOU INSPECT SSB TRANSMIT OR RECEIVE SYSTEMS	2	2	1
047 01-03 DO YOU CLEAN SSB TRANSMIT OR RECEIVE SYSTEMS	1	2	0
048 01-04 DO YOU ALIGN SSB TRANSMIT OR RECEIVE SYSTEMS	2	2	0
049 01-05 DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE SYSTEMS	1	2	0
050 01-06 DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE COMPONENTS	1	1	0
051 01-07 DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE SYSTEMS	1	1	0
052 01-08 DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE COMPONENTS	1	2	0

WAVESHAPING  
CIRCUITS

SINGLE SIDEBAND  
SYSTEMS



PCT MBRS RESPONDING (YES) BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

SPC SPC SPC  
076 077 078

QY-TSK

0 853 01-09 DC	YOU PERFORM TASKS ON SSB AUDIO AMPLIFIERS	2	2	1
0 854 01-10 DC	YOU PERFORM TASKS ON SSB BALANCED MODULATORS	2	2	1
0 855 01-11 DC	YOU PERFORM TASKS ON SSB CARRIER OSCILLATORS	2	2	3
0 856 01-12 DC	YOU PERFORM TASKS ON SSB LC FILTERS	2	1	3
0 857 01-13 DC	YOU PERFORM TASKS ON SSB CRYSTAL FILTERS	2	2	3
0 858 01-14 DC	YOU PERFORM TASKS ON SSB MECHANICAL FILTERS	2	2	1
0 859 01-15 DC	YOU PERFORM TASKS ON SSB OSCILLATORS	2	2	3
0 860 01-16 DC	YOU PERFORM TASKS ON SSB MIXERS	2	2	3
0 861 01-17 DC	YOU PERFORM TASKS ON SSB DRIVERS	1	1	3
0 862 01-18 DC	YOU PERFORM TASKS ON SSB POWER AMPLIFIERS	2	2	3
0 863 01-19 DC	YOU PERFORM TASKS ON SSB HF AMPLIFIERS	2	1	3
0 864 01-20 DC	YOU PERFORM TASKS ON SSB FREQUENCY CONVERTERS	2	2	3
0 865 01-21 DC	YOU PERFORM TASKS ON SSB IF AMPLIFIERS	2	2	3
0 866 01-22 DC	YOU PERFORM TASKS ON SSB DEMODULATORS	2	2	3
0 867 01-23 DC	YOU PERFORM TASKS ON SSB DON'T REMEMBER WHICH SSB SYSTEM STAGES	1	1	1
0 868 01-24 DC	YOU USE OR REFER TO SELECTIVE FADING	1	0	1
0 869 01-25 DC	YOU USE OR REFER TO PEAK POWER	2	1	3
0 870 01-26 DC	YOU USE OR REFER TO FREQUENCY STABILITY	2	2	3
0 871 01-27 DC	YOU USE OR REFER TO RESPONSE CURVES FOR BANDWIDTH FILTERS	2	1	3
0 872 01-28 DC	YOU CALCULATE PEAK POWER OR EFFECTIVE POWER OF SSB TRANSMITTERS	1	1	3
0 873 01-29 DC	YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SSB TRANSMITTER SCHEMATIC DIAGRAMS	2	2	3
0 874 01-30 DC	YOU TRACE SIGNALS OR CURRENT PATHS THROUGH SSB RECEIVER SCHEMATIC DIAGRAMS	2	2	3
0 875 02-01 DC	YOU WORK ON PULSE MODULATION SYSTEMS IN YOUR PRESENT JOB	23	20	33
0 876 02-02 DC	YOU INSPECT PULSE MODULATION SYSTEMS	18	18	20
0 877 02-03 DC	YOU CLEAN PULSE MODULATION SYSTEMS	15	16	14
0 878 02-04 DC	YOU ALIGN PULSE MODULATION SYSTEMS	16	16	20
0 879 02-05 DC	YOU TROUBLESHOOT TO PULSE MODULATION SYSTEMS COMPONENTS	17	17	17
0 880 02-06 DC	YOU TROUBLESHOOT TO PULSE MODULATION SYSTEMS COMPONENTS	16	16	16
0 881 02-07 DC	YOU REMOVE OR REPLACE PULSE MODULATION SYSTEM COMPONENTS	14	14	14
0 882 02-08 DC	YOU REMOVE OR REPLACE PULSE MODULATION SYSTEM COMPONENTS	14	16	11
0 883 02-09 DC	YOU WORK ON PULSE-AMPLITUDE MODULATION (PAM) SYSTEMS	13	10	25
0 884 02-10 DC	YOU WORK ON PULSE-DURATION MODULATION (PDM) SYSTEMS	11	7	24
0 885 02-11 DC	YOU WORK ON PULSE-POSITION MODULATION (PPM) SYSTEMS	2	2	3
0 886 02-12 DC	YOU WORK ON PULSE-CODE MODULATION (PCM) SYSTEMS	20	17	29
0 887 02-13 DC	YOU WORK ON LINE PULSING MODULATION SYSTEMS	2	2	0
0 888 02-14 DC	YOU WORK ON DON'T REMEMBER WHICH TYPE OF MODULATION SYSTEM	2	3	0

PULSE MODULATION  
SYSTEMS

PCT MBRs RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

BY-TSK	SPC 076	SPC 077	SPC 078
0 887 02-15 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM POWER SUPPLIES	15	16	11
0 890 02-16 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM CHARGING CHOKES AND CHARGING DIODES	4	4	3
0 891 02-17 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM PULSE FORMING NETWORKS	9	9	9
0 892 02-18 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM TIMERS	10	10	9
0 893 02-19 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM SWITCHES SUCH AS GAS THYRATRONS	1	1	3
0 894 02-20 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM PULSE TRANSFORMERS	4	3	7
0 895 02-21 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM TRANSMITTER TUBES	1	0	4
0 896 02-22 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM RF AMPLIFIERS	9	8	12
0 897 02-23 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM FREQUENCY CONVERTERS	12	12	13
0 898 02-24 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM IF AMPLIFIERS	10	10	11
0 899 02-25 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM DETECTORS	12	12	11
0 900 02-26 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM VIDEO AMPLIFIERS	10	9	13
0 901 02-27 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM POWER VIDEO AMPLIFIERS	6	5	9
0 902 02-28 DO YOU PERFORM TASKS ON PULSE MODULATION SYSTEM COM'T REMEMBER WHICH PULSE MODULATION SYSTEM STAGES	3	3	3
0 903 02-29 DO YOU USE OR REFER TO PULSE RECURRENCE FREQUENCY (PRF)	10	9	13
0 904 02-30 DO YOU USE OR REFER TO PULSE RECURRENCE TIME (PRT)	10	9	16
0 905 02-31 DO YOU USE OR REFER TO PULSE WIDTH (PW)	18	15	29
0 906 02-32 DO YOU USE OR REFER TO PULSE SHAPE	17	13	24
0 907 02-33 DO YOU USE OR REFER TO PEAK POWER	7	7	9
0 908 02-34 DO YOU USE OR REFER TO AVERAGE POWER	7	7	9
0 909 02-35 DO YOU CALCULATE PULSE RECURRENCE TIME (PRT) OR PULSE RECURRENCE FREQUENCY (PRF)	9	4	5
0 910 02-36 DO YOU MEASURE PULSE RECURRENCE TIME (PRT) OR PULSE RECURRENCE FREQUENCY (PRF)	7	6	9
0 911 02-37 DO YOU USE FORMULAS TO CALCULATE AVERAGE POWER OR PEAK POWER OF PULSE MODULATION TRANSMIT SYSTEMS	2	2	5
0 912 02-38 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE MODULATION TRANSMITTER SCHEMATIC DIAGRAMS	7	5	12
0 913 02-39 DO YOU TRACE SIGNALS OR CURRENT PATHS THROUGH PULSE MODULATION RECEIVER SCHEMATIC DIAGRAMS	13	12	16
0 914 03-01 DO YOU WORK WITH ANTENNAS IN YOUR PRESENT JOB	28	24	39
0 915 03-02 DO YOU INSPECT ANTENNAS	22	21	24

ANTENNAS

PCT MBS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task Description	SPC 076	SPC 077	SPC 078
0 916 03-03 DO YOU CLEAN ANTENNAS	18	19	14
0 917 03-04 DO YOU PHYSICALLY ALIGN ANTENNAS	13	14	11
0 918 03-05 DO YOU ELECTRICALLY ALIGN ANTENNAS	11	12	8
0 919 03-06 DO YOU TROUBLESHOOT TO ANTENNAS	16	18	11
0 920 03-07 DO YOU TROUBLESHOOT TO ANTENNA COMPONENTS	12	13	5
0 921 03-08 DO YOU REMOVE OR INSTALL ANTENNAS	19	18	21
0 922 03-09 DO YOU REMOVE OR REPLACE COMPONENTS OF ANTENNAS	13	13	11
0 923 03-10 DO YOU USE OR REFER TO TECHNICAL DATA CONTAINING REPRESENTATIONS OF E OR ELECTRIC FIELD LINES	8	7	12
0 924 03-11 DO YOU USE OR REFER TO TECHNICAL DATA CONTAINING REPRESENTATIONS OF M OR MAGNETIC FIELD LINES	7	5	12
0 925 03-12 DO YOU DETERMINE THE DIRECTION OF THE MAGNETIC LINES IN RELATION TO THE ELECTRIC LINES OF FORCE FOR ANTENNAS	6	4	12
0 926 03-13 DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS WHICH ARE LONGER THAN A HALF-WAVELENGTH (HALF-WAVE) ACT AS INDUCTIVE LOADS TO THE GENERATOR	6	4	13
0 927 03-14 DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS WHICH ARE LONGER THAN A HALF-WAVELENGTH ACT AS CAPACITIVE LOADS TO THE GENERATOR	6	4	13
0 928 03-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT ANTENNAS WHICH ARE SHORTER THAN A HALF-WAVELENGTH ACT AS CAPACITIVE LOADS TO THE GENERATOR	7	7	8
0 929 03-16 DO YOU WORK WITH HERTZ ANTENNAS	2	2	3
0 930 03-17 DO YOU WORK WITH MARCONI ANTENNAS	4	2	11
0 931 03-18 DO YOU WORK WITH BROADSIDE ARRAYS	4	2	11
0 932 03-19 DO YOU WORK WITH END-FIRE ARRAYS	1	0	4
0 933 03-20 DO YOU WORK WITH CARDIOID ARRAYS	4	1	12
0 934 03-21 DO YOU WORK WITH COLLINEAR ARRAYS	6	3	13
0 935 03-22 DO YOU USE OR REFER TO THE TERM ELECTROMAGNETIC INDUCTION FIELDS WHEN WORKING WITH ANTENNAS	1	1	1
0 936 03-23 DO YOU MEASURE ELECTROMAGNETIC INDUCTION FIELDS OF ANTENNAS	7	5	12
0 937 03-24 DO YOU USE OR REFER TO THE TERM ELECTROMAGNETIC RADIATION FIELDS WHEN WORKING WITH ANTENNAS	3	2	8
0 938 03-25 DO YOU MEASURE ELECTROMAGNETIC RADIATION FIELDS OF ANTENNAS	3	1	9
0 939 03-26 DO YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E) AND MAGNETIC (H) COMPONENTS IN ANTENNA RADIATION	2	1	8
0 940 03-27 DO YOU USE OR REFER TO THE TIME PHASE OF ELECTRIC (E) AND MAGNETIC (H) COMPONENTS IN ANTENNA INDUCTION FIELD	8	6	8
0 941 03-28 ARE ANY OF THE ANTENNAS YOU WORK ON LINEARLY POLARIZED	14	14	16
0 942 03-29 ARE ANY OF THE ANTENNAS YOU WORK ON CIRCULARLY POLARIZED	5	4	5
0 943 03-30 DO YOU MEASURE OR DETERMINE THE POLARITY OF ANTENNAS YOU WORK ON	7	6	8
0 944 03-31 DO YOU CONSTRUCT, OR MAKE THE CALCULATIONS NECESSARY TO CONSTRUCT, ANTENNAS OF CORRECT LENGTH FOR SPECIFIC WAVELENGTHS			

0Y-TSK

PC) MEMS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

0Y-TSK	SPC 076	SPC 077	SPC 078	TRANSMISSION LINES
0 945 03-32 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS	5	4	9	
0 946 03-33 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS SERVING AS DIRECTORS	4	2	9	
0 947 03-34 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN PARASITIC ELEMENTS SERVING AS REFLECTORS	5	4	9	
0 948 03-35 DO THE ANTENNA ARRAYS YOU WORK WITH CONTAIN DONUT REMEMBER WHAT KIND OF ELEMENTS	8	8	8	
0 949 03-36 DO YOU WORK ON UNIDIRECTIONAL ANTENNAS	10	17	24	
0 950 03-37 DO YOU WORK ON BIDIRECTIONAL ANTENNAS	7	5	12	
0 951 03-38 DO YOU WORK ON DONUT REMEMBER THE DIRECTIONALITY	5	3	9	
0 952 03-39 DO YOU WORK WITH ROTAR ANTENNA ARRAYS	4	5	1	
P 953 P1-01 IN YOUR PRESENT JOB DO YOU WORK WITH TRANSMISSION LINES (TRANSMISSION LINES ARE DEFINED TO INCLUDE LEADS BETWEEN RECEIVERS AND ANTENNAS, TELEPHONE LEADS, AS WELL AS HIGH VOLTAGE POWER LINES, ETC. DO NOT CONSIDER WAVEGUIDES AS TRANSMISSION LINES)	28	28	29	
P 954 P1-02 DO YOU REFER TO OR USE COPPER LOSS OR I <sup>2</sup> R LOSS IN TRANSMISSION LINES	6	4	13	
P 955 P1-03 DO YOU REFER TO OR USE SKIN EFFECTS OF HIGH FREQUENCY CURRENTS IN TRANSMISSION LINES	6	4	13	
P 956 P1-04 DO YOU REFER TO OR USE RADIATION LOSS IN TRANSMISSION LINES	11	9	16	
P 957 P1-05 DO YOU USE OR REFER TO DIELECTRIC LOSS IN TRANSMISSION LINES	6	4	13	
P 958 P1-06 DO YOU USE OR REFER TO LEAKAGE LOSSES IN TRANSMISSION LINES	11	10	14	
P 959 P1-07 DO YOU WORK WITH TWISTED PAIR TRANSMISSION LINES	10	10	11	
P 960 P1-08 DO YOU WORK WITH TWIN LEAD TRANSMISSION LINES	8	7	13	
P 961 P1-09 DO YOU WORK WITH OPEN TWO-WIRE TRANSMISSION LINES	6	4	9	
P 962 P1-10 DO YOU WORK WITH FLEXIBLE COAXIAL CABLE TRANSMISSION LINES	26	27	25	
P 963 P1-11 DO YOU WORK WITH RIGID COAXIAL CABLE TRANSMISSION LINES	12	11	16	
P 964 P1-12 DO YOU TROUBLESHOOT TRANSMISSION LINES	20	22	16	
P 965 P1-13 DO YOU ANALYZE VOLTAGE OR CURRENT WAVEFORMS IN TRANSMISSION LINES TO DETERMINE THE TYPE OF TERMINATION (OPEN, SHORTED, CAPACITIVE, INDUCTIVE)	7	4	16	
P 966 P1-14 DO YOU SELECT APPROPRIATE TRANSMISSION LINES TERMINATIONS TO ACHIEVE DESIRED WAVEFORMS	5	5	7	
P 967 P1-15 DO YOU USE OR REFER TO SCHEMATIC SYMBOLS FOR LINE TERMINATIONS IN TERMS OF CIRCUIT TERMINATIONS	10	9	13	
P 968 P1-16 DO YOU MEASURE STANDING WAVE RATIOS (SWR) OF TRANSMISSION LINES	8	8	11	
P 969 P1-17 DO YOU CALCULATE STANDING WAVE RATIOS (SWR) OF TRANSMISSION LINES	7	5	14	
P 970 P1-18 DO YOU PERFORM THE CALCULATIONS NECESSARY TO DETERMINE THE IMPEDANCE AND LENGTH OF QUARTER - WAVELENGTH MATCHING TRANSFORMERS TO MATCH TRANSMISSION LINES TO LOADS	3	2	5	

PCT MBRS RESPONDING 'YES' BY SELECTED CMPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

UY-TSK

SPC SPC SPC  
076 077 078

P 971	PI-19 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING MATCHING TRANSFORMERS	4	3	5
P 972	PI-20 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING DELTA MATCHING	2	2	4
P 973	PI-21 DO YOU SELECT THE TYPE OF TRANSMISSION LINE NEEDED FOR PARTICULAR JOBS WITHOUT REFERRING TO TECHNICAL DATA	5	4	7
P 974	PI-22 DO YOU USE OR REFER TO THE TERM CHARACTERISTIC IMPEDANCE (Z0) OF TRANSMISSION LINES	9	7	16
P 975	PI-23 DO YOU CALCULATE THE CHARACTERISTIC IMPEDANCE (Z0) OF TRANSMISSION LINES	3	1	9
P 976	PI-24 DO YOU USE OR REFER TO THE TERM CUTOFF FREQUENCY OF TRANSMISSION LINES	2	1	4
P 977	PI-25 DO YOU USE OR REFER TO THE TERM VELOCITY FACTOR (K) OF TRANSMISSION LINES	1	1	1
P 978	PI-26 DO YOU COMPUTE THE ELECTRICAL LENGTH OF TRANSMISSION LINES FOR PARTICULAR FREQUENCIES	4	2	9
P 979	PI-27 DO YOU CONSTRUCT TRANSMISSION LINES OF PARTICULAR ELECTRICAL LENGTH FOR GIVEN FREQUENCIES	3	4	0
P 980	PI-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT AS THE FREQUENCY INCREASES AND THE PHYSICAL LENGTH OF TRANSMISSION LINES REMAIN CONSTANT, THE ELECTRICAL LENGTH INCREASES	5	3	9
P 981	PI-29 DO YOU WORK WITH NONRESONANT (PLAT) TRANSMISSION LINES	4	4	3
P 982	PI-30 DO YOU WORK WITH RESONANT TRANSMISSION LINES	3	2	5
P 983	PI-31 DO YOU WORK WITH TRANSMISSION LINES WHICH ARE MATCHED TO LOADS USING STUB MATCHING	1	2	0
P 984	P2-01 DO YOU WORK WITH WAVEGUIDES OR CAVITY RESONATORS IN YOUR PRESENT JOB	6	5	17
P 985	P2-02 DO YOU INSPECT WAVEGUIDES OR CAVITY RESONATORS	5	4	8
P 986	P2-03 DO YOU CLEAN WAVEGUIDES OR CAVITY RESONATORS	4	3	7
P 987	P2-04 DO YOU BEND WAVEGUIDES OR CAVITY RESONATORS	1	2	0
P 988	P2-05 DO YOU TWIST WAVEGUIDES OR CAVITY RESONATORS	1	2	0
P 989	P2-06 DO YOU PRESSURIZE WAVEGUIDES OR CAVITY RESONATORS	1	1	0
P 990	P2-07 DO YOU PURGE WAVEGUIDES OR CAVITY RESONATORS	1	1	0
P 991	P2-08 DO YOU TROUBLESHOOT WAVEGUIDES OR CAVITY RESONATORS	2	2	3
P 992	P2-09 DO YOU REMOVE OR INSTALL COMPLETE WAVEGUIDES	4	3	9
P 993	P2-10 DO YOU REMOVE OR INSTALL WAVEGUIDE SECTIONS	4	3	9
P 994	P2-11 DO YOU REMOVE OR INSTALL DUMMY LOADS	4	3	9
P 995	P2-12 DO YOU REMOVE OR INSTALL E BENDS	2	1	4
P 996	P2-13 DO YOU REMOVE OR INSTALL H BENDS	2	1	4
P 997	P2-14 DO YOU REMOVE OR INSTALL OTHER BENDS	2	1	4
P 998	P2-15 DO YOU REMOVE OR INSTALL CHOKE JOINTS	2	2	5
P 999	P2-16 DO YOU REMOVE OR INSTALL ROTATING JOINTS	2	1	3
P1000	P2-17 DO YOU REMOVE OR INSTALL DIRECTIONAL COUPLERS	2	2	3
P1001	P2-18 DO YOU REMOVE OR INSTALL BIDIRECTIONAL COUPLERS	4	4	3
P1002	P2-19 DO YOU USE OR REFER TO "A" WALL OF WAVEGUIDES	4	2	8
		1	0	3

WAVEGUIDES AND  
CAVITY RESONATORS

PCT MBS RESPONDING \*YES\* BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DT-TSK	SPC 076	SPC 077	SPC 076	SPC 077	SPC 076
P1003 P2-20 DO YOU USE OR REFER TO "B" WALL OF WAVEGUIDES	1	0	3		
P1004 P2-21 DO YOU USE OR REFER TO CUTOFF FREQUENCY OF WAVEGUIDES	2	1	8		
P1005 P2-22 DO YOU USE OR REFER TO FREQUENCY-DETERMINING WALL OF WAVEGUIDES	2	1	7		
P1006 P2-23 DO YOU USE OR REFER TO POWER-DETERMINING WALL OF WAVEGUIDES	2	1	4		
P1007 P2-24 DO YOU USE OR REFER TO ELECTRIC FIELD BOUNDARY CONDITIONS	2	0	6		
P1008 P2-25 DO YOU USE OR REFER TO MAGNETIC FIELD BOUNDARY CONDITIONS	2	0	8		
P1009 P2-26 DO YOU USE OR REFER TO DUPLEXER FIELD BOUNDARY CONDITIONS	1	0	1		
P1010 P2-27 DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST WAVEGUIDES ARE MADE WITH A "B" WALL SIZE OF .7 WAVELENGTHS OF THE OPERATING FREQUENCY	1	0	3		
P1011 P2-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT MOST "A" WALLS RANGE FROM .2 TO .5 WAVELENGTHS IN SIZE, WITH .35 USED AS AN AVERAGE	1	0	1		
P1012 P2-29 ARE YOU CONCERNED WITH THE MATERIAL (SUCH AS BRASS) WHICH WAVEGUIDES ARE MADE OF	2	1	3		
P1013 P2-30 DO YOU COMPUTE THE LENGTH OF A WAVEGUIDE FOR SPECIFIC INSTALLATION	1	1	1		
P1014 P2-31 DO YOU USE THE RIGHT HAND RULE TO DETERMINE THE DIRECTION OF PROPAGATION, DIRECTION OF "E" FIELD, OR DIRECTION OF "H" FIELD IN WAVEGUIDES	2	0	8		
P1015 P2-32 DO YOU USE OR REFER TO THE TIME PHASE OF PEAK "E" OR "H" LINES IN WAVEGUIDES	2	0	9		
P1016 P2-33 DO YOU MEASURE THE TIME PHASE OF "E" OR "H" LINES IN WAVEGUIDES	1	0	4		
P1017 P2-34 DO YOU USE OR REFER TO THE SPACE QUADRATURE OF "E" OR "H" LINES IN WAVEGUIDES	2	0	8		
P1018 P2-35 ARE HIGH POWER PROBES USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	1	0	4		
P1019 P2-36 ARE LOW POWER PROBES USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	2	1	5		
P1020 P2-37 ARE LOOPS USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	2	1	7		
P1021 P2-38 ARE APERTURES (WINDOWS OR IRISES) USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	2	0	8		
P1022 P2-39 ARE DON'T REMEMBER THE KIND OF ENERGY COUPLING USED ON WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	2	2	1		
P1023 P2-40 DO YOU DETERMINE WHERE PROBES SHOULD BE MOUNTED IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO TECHNICAL DATA	1	0	3		
P1024 P2-41 DO YOU DETERMINE THE POSITIONING OF LOOPS IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO TECHNICAL DATA	1	0	3		

PCT MEMS RESPONDING \*YES\* BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

SPC SPC SPC  
076 077 078

DY-TSK

Task ID	Description	SPC 076	SPC 077	SPC 078
P1025	DO YOU DETERMINE THE POSITIONING OR SIZE OF APERTURES IN WAVEGUIDES OR CAVITY RESONATORS WITHOUT REFERRING TO TECHNICAL DATA	0	0	0
P1026	P2-93 ARE CHOKES USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	2	2	3
P1027	P2-94 ARE ROTATING JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	2	1	5
P1028	P2-95 ARE DONUTS REMEMBER THE KIND OF JOINTS USED IN WAVEGUIDES OR CAVITY RESONATORS YOU WORK WITH	2	1	3
P1029	P2-96 DO YOU TUNE CAVITY RESONATORS USING CAPACITIVE TUNING	2	2	4
P1030	P2-97 DO YOU TUNE CAVITY RESONATORS USING INDUCTIVE TUNING	2	1	3
P1031	P2-98 DO YOU TUNE CAVITY RESONATORS USING VOLUME TUNING	2	1	5
P1032	P2-99 DO YOU TUNE CAVITY RESONATORS USING DONUT REMEMBER THE METHOD OF TUNING	1	1	1
P1033	P2-50 DO YOU MEASURE THE FREQUENCY OF SIGNALS IN CAVITY RESONATORS	3	3	4
P1034	P3-01 IN YOUR PRESENT JOB DO YOU WORK WITH KLYSTRONS, TRAVELING WAVE TUBES (TWT), PARAMETRIC AMPLIFIERS, OR MAGNETRONS	10	8	14
P1035	P3-02 DO YOU USE OR REFER TO INTERELECTRODE CAPACITANCE	4	1	12
P1036	P3-03 DO YOU USE OR REFER TO ELECTRON TRANSIT TIME	3	0	12
P1037	P3-04 DO YOU USE OR REFER TO LEAD INDUCTANCE	3	0	11
P1038	P3-05 DO YOU USE OR REFER TO RF LOSSES IN EXTERNAL CIRCUITRY	7	5	13
P1039	P3-06 DO YOU USE OR REFER TO PRINCIPLE OF ELECTRON VELOCITY MODULATION	3	1	9
P1040	P3-07 DO YOU USE OR REFER TO ELECTRON BUNCHING	3	1	9
P1041	P3-08 DO YOU WORK WITH TWO-CAVITY KLYSTRONS	1	1	1
P1042	P3-09 DO YOU WORK WITH THREE-CAVITY KLYSTRONS	1	0	1
P1043	P3-10 DO YOU WORK WITH REFLEX KLYSTRONS	4	2	9
P1044	P3-11 DO YOU WORK WITH TRAVELING-WAVE TUBES (TWT)	6	4	7
P1045	P3-12 DO YOU WORK WITH NONDEGENERATIVE PARAMETRIC AMPLIFIERS	4	4	5
P1046	P3-13 DO YOU WORK WITH UP-CONVERTER PARAMETRIC AMPLIFIERS	3	2	4
P1047	P3-14 DO YOU WORK WITH MAGNETRONS	2	0	7
P1048	P3-15 DO YOU INSPECT KLYSTRONS OR TWT	3	2	5
P1049	P3-16 DO YOU CLEAN KLYSTRONS OR TWT	2	2	3
P1050	P3-17 DO YOU TUNE KLYSTRONS OR TWT ELECTRICALLY	1	1	3
P1051	P3-18 DO YOU TUNE KLYSTRONS OR TWT MECHANICALLY	2	1	5
P1052	P3-19 DO YOU PERFORM OPERATIONAL CHECKS OF KLYSTRONS OR TWT	5	5	4
P1053	P3-20 DO YOU TROUBLESHOOT KLYSTRONS OR TWT	2	2	1
P1054	P3-21 DO YOU REMOVE OR REPLACE COMPLETE KLYSTRON OR TWT	4	4	3
P1055	P3-22 DO YOU REMOVE OR REPLACE KLYSTRON OR TWT COMPONENTS	1	1	0
P1056	P3-23 DO YOU INSPECT PARAMETRIC AMPLIFIERS	4	4	3
P1057	P3-24 DO YOU CLEAN PARAMETRIC AMPLIFIERS	3	4	3
P1058	P3-25 DO YOU ADJUST PARAMETRIC AMPLIFIERS	3	3	4

MICROWAVE  
AMPLIFIERS AND  
OSCILLATORS

PCT MRS RESPONDING 'YES' BY SELECTED GAPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

DY-TSK

	SPC	SPC	SPC
	976	777	078
P1059 P3-26 DO YOU TUNE PARAMETRIC AMPLIFIERS	3	3	3
P1060 P3-27 DO YOU PERFORM OPERATIONAL CHECKS OF PARAMETRIC AMPLIFIERS	5	6	3
P1061 P3-28 DO YOU TROUBLESHOOT PARAMETRIC AMPLIFIERS	3	4	3
P1062 P3-29 DO YOU REMOVE OR REPLACE COMPLETE PARAMETRIC AMPLIFIER	4	4	4
P1063 P3-30 DO YOU REMOVE OR REPLACE PARAMETRIC AMPLIFIER COMPONENTS	3	3	3
P1064 P3-31 DO YOU INSPECT MAGNETRONS	1	0	3
P1065 P3-32 DO YOU CLEAN MAGNETRONS	1	0	1
P1066 P3-33 DO YOU ADJUST MAGNETRONS	1	0	3
P1067 P3-34 DO YOU TUNE MAGNETRONS	1	0	3
P1068 P3-35 DO YOU PERFORM OPERATIONAL CHECKS OF MAGNETRONS	1	0	1
P1069 P3-36 DO YOU TROUBLESHOOT MAGNETRONS	1	0	1
P1070 P3-37 DO YOU REMOVE OR REPLACE COMPLETE MAGNETRON	1	0	1
P1071 P3-38 DO YOU REMOVE OR REPLACE MAGNETRON COMPONENTS	1	0	1
P1072 P3-39 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS COLLECTOR PLATES	2	0	8
P1073 P3-40 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CATCHER CAVITIES	2	0	8
P1074 P3-41 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CATCHER GRIDS	2	0	8
P1075 P3-42 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS FEEDBACK LOOPS	1	0	5
P1076 P3-43 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS DRIFT SPACES	2	0	8
P1077 P3-44 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS BUNCHER GRIDS	2	0	8
P1078 P3-45 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS BUNCHER CAVITIES	1	0	4
P1079 P3-46 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CONTROL GRIDS	2	0	7
P1080 P3-47 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TWO-CAVITY KLYSTRONS CATHODES	2	0	8
P1081 P3-48 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON REPELLER (REFLECTOR) PLATES	3	1	12
P1082 P3-49 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON GRIDS	3	1	12
P1083 P3-50 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON GRID CAVITY GAPS	2	0	9
P1084 P3-51 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON RESONANT CAVITIES	3	1	12
P1085 P3-52 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON MAGNETIC COUPLING LOOPS	2	0	9
P1086 P3-53 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON FILAMENTS	2	1	7
P1087 P3-54 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON CATHODES	3	1	12



PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

SPC SPC SPC  
076 077 078

UY-TSK

P1088	P3-55 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF REFLEX KLYSTRON OUTPUT LEADS	2	1	7
P1089	P3-56 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES FILAMENTS	2	1	5
P1090	P3-57 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES CATHODES	3	1	9
P1091	P3-58 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MODULATOR GRIDS	2	1	7
P1092	P3-59 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES ANODES	3	1	9
P1093	P3-60 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES HELICES	3	2	9
P1094	P3-61 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES COLLECTORS	2	0	9
P1095	P3-62 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MAGNETS	2	1	8
P1096	P3-63 DO YOU USE OR REFER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES ATTENUATORS	3	2	7
P1097	P3-64 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE CIRCULATORS	1	1	1
P1098	P3-65 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER SIGNAL CAVITIES	2	2	1
P1099	P3-66 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER IDLER CAVITIES	2	2	1
P1100	P3-67 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER VARACTOR DIODES	2	2	1
P1101	P3-68 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE ISOLATORS	1	0	1
P1102	P3-69 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER REVERSE-BIAS BATTERIES	0	0	1
P1103	P3-70 DO YOU PERFORM TASKS ON ANODES	2	1	5
P1104	P3-71 DO YOU PERFORM TASKS ON ANODE COOLING PINS	1	0	4
P1105	P3-72 DO YOU PERFORM TASKS ON COUPLING LOOPS	2	0	5
P1106	P3-73 DO YOU PERFORM TASKS ON HEATER LEADS	1	0	3
P1107	P3-74 DO YOU PERFORM TASKS ON RESONANT CAVITIES	1	0	5
P1108	P3-75 DO YOU PERFORM TASKS ON CATHODES	2	0	5
P1109	P3-76 DO YOU PERFORM TASKS ON MAGNETS	2	0	5
Q1110	Q1-01 DO YOU USE OR REFER TO STORAGE REGISTERS	32	33	23
Q1111	Q1-02 DO YOU USE OR REFER TO SHIFT REGISTERS	32	34	26
Q1112	Q1-03 DO YOU USE OR REFER TO LOGIC SYMBOLS OF SHIFT REGISTERS	27	27	26
Q1113	Q1-04 DO YOU USE OR REFER TO LOGIC SYMBOLS OF STORAGE REGISTERS	27	27	26
Q1114	Q1-05 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF SHIFT REGISTERS	26	25	26
Q1115	Q1-06 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF REGISTERS	24	23	28

REGISTERS



PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

SPC SPC SPC  
076 077 078 PHANTASTRONS

U.Y. TSK

Task ID	Description	SPC 076	SPC 077	SPC 078	PHANTASTRONS
K1140	K1-01 DO YOU WORK WITH PHANTASTRON CIRCUITRY IN YOUR PRESENT JOB	3	0	11	
K1141	R2-01 IN YOUR PRESENT JOB DO YOU WORK WITH SCHMITT TRIGGER CIRCUITS	25	24	26	
K1142	R2-02 DO YOU TRACE DATA FLOW THROUGH SCHMITT TRIGGER SCHEMATIC DIAGRAMS	19	20	16	SCHMITT TRIGGERS
K1143	R2-03 DO YOU USE OR REFER TO SCHMITT TRIGGER LOGIC SYMBOLS	17	17	16	
K1144	R3-01 IN YOUR PRESENT JOB DO YOU FABRICATE MULTICONDUCTOR CABLES	52	50	29	CABLE FABRICATION
K1145	R3-02 DO YOU FABRICATE COAXIAL CABLES	56	62	37	
S1146	S1-01 IN YOUR PRESENT JOB DO YOU PERFORM ANY TASKS ON VISUAL READOUT SYSTEMS	47	49	41	INPUT/OUTPUT DEVICES
S1147	S1-02 DO YOU PERFORM ANY TASKS ON MIXIE LIGHTS OR MIXIE LIGHT DECODER SYSTEMS	27	30	20	
S1148	S1-03 DO YOU ANALYZE MIXIE LIGHT DECODER SYSTEMS USING BOOLEAN ALGEBRA	7	8	5	
S1149	S2-01 DO YOU WORK WITH PHOTO TUBES IN YOUR PRESENT JOB	19	14	12	PHOTO SENSITIVE DEVICES
S1150	S3-01 IN YOUR PRESENT JOB DO YOU WORK WITH CHOPPER CIRCUITS	12	11	4	
S1151	S3-02 DO YOU MEASURE EXCITATION FREQUENCIES	5	5	4	
S1152	S3-03 DO YOU MEASURE VOLTAGE-CURRENT PHASE RELATIONSHIPS	5	5	5	SYNCHRONOUS VIBRATIONS
S1153	S3-04 DO YOU USE OR REFER TO EXCITATION FREQUENCIES	4	4	3	(CHOPPER CIRCUITS)
S1154	S3-05 DO YOU USE OR REFER TO VOLTAGE-CURRENT PHASE RELATIONSHIPS	6	5	7	
S1155	S3-06 DO YOU USE SERVOS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	5	4	7	
S1156	S3-07 DO YOU USE DETECTORS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	5	5	7	
S1157	S3-08 DO YOU USE ERROR SIGNAL DEVICES IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	6	8	9	
S1158	S3-09 DO YOU USE COMPARISON CIRCUITS IN CONJUNCTION WITH CHOPPER CIRCUIT OPERATION	8	9	8	
T1159	T1-01 DOES YOUR PRESENT JOB INVOLVE ANY TASKS DEALING WITH INFRARED SYSTEMS	6	7	0	
T1160	T1-02 DO YOU INSPECT INFRARED SYSTEMS	5	7	0	INFRARED
T1161	T1-03 DO YOU CLEAN INFRARED SYSTEMS	4	5	0	
T1162	T1-04 DO YOU ADJUST OR CALIBRATE INFRARED SYSTEMS	5	6	0	
T1163	T1-05 DO YOU OPERATE INFRARED SYSTEMS	5	7	0	
T1164	T1-06 DO YOU TROUBLESHOOT WIRE CONNECTIONS OF INFRARED SYSTEMS	5	7	0	
T1165	T1-07 DO YOU TROUBLESHOOT MAJOR ASSEMBLIES OF INFRARED SYSTEMS	4	6	0	
T1166	T1-08 DO YOU TROUBLESHOOT DOWN TO INFRARED SYSTEM COMPONENT PARTS	4	5	0	
T1167	T1-09 DO YOU REMOVE OR REPLACE MAJOR ASSEMBLIES OF INFRARED SYSTEMS	5	7	1	
T1168	T1-10 DO YOU REMOVE OR REPLACE INFRARED SYSTEM COMPONENT PARTS	5	6	1	

PCT MBRs RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task ID	Description	SPC	SPC	SPC
		076	077	078
11169	11-11 DO YOU USE OR REFER TO FAR REGION	3	4	3
11170	11-12 DO YOU USE OR REFER TO INTERMEDIATE REGION	3	4	3
11171	11-13 DO YOU USE OR REFER TO NEAR REGION	3	4	3
11172	11-14 DO YOU USE OR REFER TO MICRON	4	4	3
11173	11-15 DO YOU USE OR REFER TO GRAY BODIES	2	3	1
11174	11-16 DO YOU USE OR REFER TO BLACK BODIES	3	4	1
11175	11-17 DO YOU USE OR REFER TO ABSORPTION	4	4	3
11176	11-18 DO YOU USE OR REFER TO SCATTERING	4	5	3
11177	11-19 DO YOU USE OR REFER TO ABSOLUTE ZERO	3	3	3
11178	11-20 DO YOU PERFORM TASKS ON BLITZ	1	0	1
11179	11-21 DO YOU PERFORM TASKS ON TARGET SWITCHES	1	0	1
11180	11-22 DO YOU PERFORM TASKS ON ERETION LENSES	2	2	1
11181	11-23 DO YOU PERFORM TASKS ON OCULAR LENSES	2	3	1
11182	11-24 DO YOU PERFORM TASKS ON CORRECTION LENSES	2	2	1
11183	11-25 DO YOU PERFORM TASKS ON FILTERS	3	4	3
11184	11-26 DO YOU PERFORM TASKS ON SPHERICAL MIRRORS	2	3	1
11185	11-27 DO YOU PERFORM TASKS ON PLANE MIRRORS	2	2	1
11186	12-01 DOES YOUR PRESENT JOB INVOLVE ANY TASKS DEALING WITH LASERS	13	11	18
11187	12-02 DO YOU INSPECT LASER SYSTEMS	8	10	3
11188	12-03 DO YOU CLEAN LASER SYSTEMS	7	9	3
11189	12-04 DO YOU OPERATE LASER SYSTEMS	10	11	5
11190	12-05 DO YOU OPERATE LASER SYSTEMS	10	11	5
11191	12-06 DO YOU TROUBLESHOOT WIRE CONNECTIONS OF LASER SYSTEMS	8	10	1
11192	12-07 DO YOU TROUBLESHOOT MAJOR ASSEMBLIES OF LASER SYSTEMS	6	6	1
11193	12-08 DO YOU TROUBLESHOOT TO COMPONENT PARTS OF LASER SYSTEMS	6	7	1
11194	12-09 DO YOU REMOVE OR REPLACE MAJOR ASSEMBLIES OF LASER SYSTEMS	7	8	1
11195	12-10 DO YOU REMOVE OR REPLACE COMPONENT PARTS OF LASER SYSTEMS	6	8	1
11196	12-11 DO YOU USE OR REFER TO ANGSTROMS (A)	8	7	11
11197	12-12 DO YOU USE OR REFER TO ELECTRON ENERGY LEVELS	8	6	14
11198	12-13 DO YOU USE OR REFER TO GROUND STATE	7	5	14
11199	12-14 DO YOU USE OR REFER TO EXCITED STATE	8	6	14
11200	12-15 DO YOU USE OR REFER TO PACKET OF RADIATION	4	2	11
11201	12-16 DO YOU USE OR REFER TO PHOTONS	7	7	14
11202	12-17 DO YOU USE OR REFER TO SPONTANEOUS EMISSION	8	6	14
11203	12-18 DO YOU USE OR REFER TO STIMULATED EMISSION	8	7	14
11204	12-19 DO YOU USE OR REFER TO COHERENCE OR INCOHERENCE	9	7	14
11205	12-20 DO YOU USE OR REFER TO INVERSION LEVEL	4	3	7
11206	12-21 DO YOU USE OR REFER TO MONOCHROMATIC	5	4	8
11207	12-22 DO YOU WORK WITH ACTIVE MATERIALS	5	4	5
11208	12-23 DO YOU WORK WITH PUMPING SOURCES	6	6	8
11209	12-24 DO YOU WORK WITH FULL SILVERED (100% REFLECTIVE) MIRRORS	8	9	7

PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

Task Description	SPC 076	SPC 077	SPC 078
11210 T2-25 DO YOU WORK WITH HALF SILVERED (928 REFLECTIVE) MIRRORS	7	8	5
11211 T2-24 DO YOU WORK WITH MELTICAL FLASHTUBES	4	3	7
11212 T2-27 DO YOU WORK WITH RUBY	4	4	4
11213 T2-28 DO YOU WORK WITH MELIUM-NLON	8	9	4
11214 T2-29 DO YOU WORK WITH MELIUM-XENON	2	2	1
11215 T2-30 DO YOU WORK WITH XENON	2	3	1
11216 T2-31 DO YOU WORK WITH CESIUM-MELIUM	2	2	1
11217 T2-32 DO YOU WORK WITH ARGON	6	7	3
11218 T2-33 DO YOU WORK WITH NEODYMIUM IN GLASS	2	2	1
11219 T2-34 DO YOU WORK WITH GALLIUM ARSENIIDE	3	3	1
11220 T3-01 IN YOUR PRESENT JOB DO YOU WORK WITH DISPLAY TUBES, SUCH AS DIRECT VIEW STORAGE (DVST) OR MULTIPLE MODE STORAGE TUBES (HMST)	3	3	4
11221 T3-02 DO YOU INSPECT DVST OR HMST	2	1	3
11222 T3-03 DO YOU CLEAN DVST OR HMST	2	2	3
11223 T3-04 DO YOU ADJUST OR CALIBRATE DVST OR HMST	2	2	1
11224 T3-05 DO YOU OPERATE SYSTEMS THAT CONTAIN DVST OR HMST	2	2	3
11225 T3-06 DO YOU TROUBLESHOOT DVST OR HMST CIRCUITS	1	1	1
11226 T3-07 DO YOU REMOVE OR REPLACE DVST OR HMST TUBES FROM MAJOR ASSEMBLIES OR UNITS	1	1	3
11227 T3-08 DO YOU PERFORM TASKS THAT MAKE IT NECESSARY TO NAME THE VARIOUS ELEMENTS OF DVST	1	1	3
11228 T3-09 DO YOU PERFORM TASKS THAT MAKE IT NECESSARY TO NAME THE VARIOUS ELEMENTS OF HMST	0	0	0
11229 T3-10 DO YOU PERFORM TASKS ON FLOOD GUNS	1	1	0
11230 T3-11 DO YOU PERFORM TASKS ON WHITE GUNS	1	1	0
11231 T3-12 DO YOU PERFORM TASKS ON ATTACK GUNS	0	0	0
11232 T3-13 DO YOU PERFORM TASKS ON ERASE GUNS	1	1	0
11233 T3-14 DO YOU PERFORM TASKS ON STORAGE GRIDS	2	1	3
11234 U1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY PROGRAMMING TASKS	23	23	24
11235 U1-02 DO YOU USE OR REFER TO DECIMAL SYSTEMS	20	20	21
11236 U1-03 DO YOU USE OR REFER TO PROGRAMS	22	22	22
11237 U1-04 DO YOU USE OR REFER TO HEXIDECIMAL SYSTEMS	4	5	11
11238 U1-05 DO YOU USE OR REFER TO 8-4-2-1 SYSTEMS	10	9	13
11239 U1-06 DO YOU USE OR REFER TO FOUR SYSTEMS	5	4	8
11240 U1-07 DO YOU USE OR REFER TO BINARY SYSTEMS	19	16	24
11241 U1-08 DO YOU USE OR REFER TO TIME-SHARING	12	10	17
11242 U1-09 DO YOU USE OR REFER TO DATA WORDS	19	19	21
11243 U1-10 DO YOU USE OR REFER TO ADDRESS WORDS	20	20	20
11244 U1-11 DO YOU USE OR REFER TO ADDRESS/SUBADDRESS	17	16	18
11245 U1-12 DO YOU USE OR REFER TO STEERING/INFORMATION	10	9	13
11246 U1-13 DO YOU USE OR REFER TO INFORMATION WORDS	17	16	21
11247 U1-14 DO YOU PERFORM TASKS ON SINGLE LEVEL PROGRAMMING	13	13	14
11248 U1-15 DO YOU PERFORM TASKS ON MULTI-LEVEL PROGRAMMING	8	6	8

PCT MBRS RESPONDING 'YES' BY SELECTED GRPS

TASK GROUP SUMMARY  
PERCENT MEMBERS PERFORMING

TASK	SPC	SPC	SPC	SPC	DB AND POWER RATIOS
	076	077	078		
0Y-TSK					
U1249 U1-16 DO YOU PERFORM TASKS ON INPUT DEVICES	16	15	17		
U1250 U1-17 DO YOU PERFORM TASKS ON STORAGE DEVICES	14	13	16		
U1251 U1-18 DO YOU PERFORM TASKS ON ARITHMETIC SECTIONS	11	9	17		
U1252 U1-19 DO YOU PERFORM TASKS ON CONTROL SECTIONS	14	13	17		
U1253 U1-20 DO YOU PERFORM TASKS ON OUTPUT DEVICES	14	13	16		
U1254 U1-21 DO YOU PERFORM TASKS ON POWER SUPPLIES	11	11	12		
U1255 U2-01 DO YOU USE DECIBELS TO EXPRESS AMPLIFICATION AND ATTENUATION	40	47	51		
U1256 U2-02 DO YOU USE LOGARITHMS TO COMPUTE OUTPUT POWER IN DECIBELS	12	12	13		
U1257 U2-03 DO YOU USE LOGARITHMS TO COMPUTE ATTENUATION IN DECIBELS	10	10	11		
U1258 U2-04 DUMMY TASK TO IDENTIFY INCUMBENTS WHO PERFORMED NO TASKS	1	1	1		