

construction engineering research laboratory

EVEL

TECHNICAL REPORT P-95 September 1978

MANAGEMENT SUMMARY: FACILITIES ENGINEERING EQUIPMENT MAINTENANCE SYSTEM (FEEMS)

by David W. Brown

11 08 031

Approved for public release; distribution unlimited.

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official indorsement or approval of the use of such commercial products. The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

DESTROY THIS REPORT WHEN IT IS NO LONGER NEEDED

DO NOT RETURN IT TO THE ORIGINATOR


SECOND I CEASSIFICATION OF THIS PAGE (When Date Entered)	
REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 2. GOVT ACCESSION NO	. 3. RECIPIENT'S CATALOG NUMBER
ÉCERL-TR-P-95	
MANACEMENT CHAMADY FACILITIES ENCYNEEDING	5. TYPE OF REPORT A PERIOD COVERE
MANAGEMENT SUMMARY FACILITIES ENGINEERING FOUL PMENT MAINTENANCE SYSTEM (FEEMS)	VI FINAL PEPTIS
TOTAL MANUEL STOTEM (TEENS)	G. PERFORMING ORG. REPORT NUMBER
David W. Brown	B. CONTRACT OR GRANT NUMBER(*)
David W. Brown	
9. PERFORMING ORGANIZATION NAME AND ADDRESS	PROGRAM ELEMENT, PROJECT, TASK
U.S. ARMY ECERL P.O. Box 4005	14A762719AT41-T9-030(17)7
Champaign, IL 61820	[4A702719A141719-030.77]
11. CONTROLLING OFFICE NAME AND ADDRESS	2. REPORT DATE
	September 1978
	49
14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)	15. SECURITY CLASS. (of this report)
	Unclassified
	150 DECLASSIFICATION/DOWNGRADING
	SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)	
Approved for public release; distribution unlimit	ed.
MUNE DO DON / MI	K45.
(14) CERL-TR-P-95 / (12)	217.6
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different fr	om Report)
DISTRIBUTION STATEMENT (OF the about an area in state 29, in anticion in	
18. SUPPLEMENTARY NOTES	
Copies are obtainable from National Technical Inf	ormation Service
Springfield, VA 22151	
19. KEY WORDS (Continue on reverse side if necessary and identify by block number	r)
recurring maintenance activities	
Integrated Facilities System	0000
FEEMS Q 1	7 08 03
	1 000
20. ABSTRACT (Continue on reverse side if necessary and identify by block number	
This report is a management summary of the capabiliti	es provided by the Facilities
Engineering Equipment Maintenance System (FEEMS). F	EEMS, a subsystem of the
Integrated Facilities System (IFS), was developed for use by torate of Facilities Engineering to support recurring main	
equipment and systems in Army facilities. FEEMS is design	ned to operate with IFS and
uses code structures common to IFS. The interface of FEEM	AS and IFS will eliminate the
The state of the s	and and an eminate the

## **FOREWORD**

This research was conducted for the Directorate of Facilities Engineering, Office of the Chief of Engineers (OCE), under Project 4A762719AT41, "Design, Construction, and Operation and Maintenance Technology for Military Facilities"; Task T9, "Facilities Operation and Maintenance"; Work Unit 030, "Facilities Engineer Equipment Maintenance System." The work was performed by the Facility Systems Division (FS), U.S. Army Construction Engineering Research Laboratory (CERL), Champaign, IL.

The study was conducted under the general supervision of Mr. D. W. Brown, Principal Investigator, and Mr. E. A. Lotz, Chief of FS. The OCE Technical Monitors were Mr. J. C. Malone and Mr. B. M. White (DAEN-FEM-F). COL J. E. Hays is Commander and Director of CERL, and Dr. L. R. Shaffer is Technical Director.

Appreciation is extended to R. Colver, L. Tietz, J. Nay, L. Lawrie, V. Conway, and E. Japel of CERL and to Howard Moore and Helen Attebery of the Hospital Support Division, Facilities Engineering, Fort Gordon, GA, for their contributions throughout the development of FEEMS. Appreciation is also extended to the Management Information System Offices at Fort Detrick, MD, and at Walter Reed Army Medical Center for the cooperation and computer time provided to test FEEMS.



# CONTENTS

	DD FORM 1473	
	FOREWORD	3
1	INTRODUCTION	•
	Purpose	
	Background	
	Outline of Report	
	Mode of Technology Transfer	
2	MANAGEMENT OVERVIEW	5
	Maintenance Management Support	
	Inventory Control	
	Maintenance Control	
	Resource Management—Scheduling/Processing	
	Resource Management—Planning	
	Historical Recordkeeping	
	IFS Interface	
	Responsibilities	
•	IMPLEMENTATION PROCEDURES	n
3	Implementation Requirements	•
	Establishing the Select Equipment List Inventory	
	Establishing Standard Maintenance Procedures	
	Establishing the FEEMS Coding Structure	
	Maintenance Management Initiatives	
	Defining FEEMS Workload	
	FEEMS Coordinator	
	Numbering Maintained System/Equipment	
	Controlling SMPs	
	Planning Maintenance	
	Scheduling FEEMS Maintenance	
4	FEEMS BENEFIT AND COSTS1	5
	Benefits	
	Costs	
5	SUMMARY AND CONCLUSIONS1	5
	APPENDIX A: Glossary	6
	APPENDIX B: Source Documents 1	9
	APPENDIX C: FEEMS Output Reports 2	9
	APPENDIX D: Standard SEID-NO Subfield Codes 4	3
	APPENDIX F. SMP Examples	6

# MANAGEMENT SUMMARY: FACILITIES ENGINEERING EQUIPMENT MAINTENANCE SYSTEM (FEEMS)

# **1** INTRODUCTION

#### **Purpose**

The purpose of this report is to give the Facilities Engineer (FE) an overview of the Facilities Engineering Equipment Maintenance System (FEEMS) in order to establish the degree to which the system will be useful to a specific installation. The report provides an overview of the FEEMS functions, implementation requirements, and benefits and costs related to the system.

#### **Background**

Because FEs do not have the resources to schedule and monitor all recurring maintenance activities of a critical nature (i.e., maintenance of equipment which will fail if not maintained at specified frequencies), augmentation of the Integrated Facilities System (IFS) was deemed necessary to improve the reliability and safety of equipment. In 1976, the Office of the Chief of Engineers (OCE) tasked the Construction Engineering Research Laboratory (CERL) with developing an automated system for scheduling and monitoring recurring maintenance activities. FEEMS was designed using the Hospital Equipment Maintenance System (HEMS) which CERL had already successfully prototype-tested at Fort Gordon, GA. FEEMS, which significantly increased the capabilities available in HEMS to schedule and monitor maintenance activities. was tested at Fort Detrick, MD, in March 1978. FEEMS was designed to be fully interfaced with IFS, and OCE will implement the system as an augmentation of IFS.

#### **Outline of Report**

Chapter 2 describes the components of FEEMS and their purpose and role within the system. Chapter 3 provides instructions for implementing FEEMS and describes ways to insure maximum use of the system's capabilities. Chapter 4 outlines how the FE will benefit by using FEEMS and lists the costs that will be incurred. Chapter 5 presents conclusions drawn from the study. Appendix A defines FEEMS terms used frequently throughout this report. Appendix B gives examples of source documents. Appendix C provides some sample FEEMS output reports. Appendix D shows the standard SEID-NO Subfield codes, and Appendix E gives examples of a Standard Maintenance Procedure format.

## Mode of Technology Transfer

CERL will provide the Department of the Army (DA) with the FEEMS system documentation, including a user's manual, operator and scheduling manual, system analysis, and program documentation. OCE will transfer FEEMS to installations using IFS through technical manuals and training courses. The Computer Systems Command (CSC) will be responsible for implementing FEEMS in the field and maintaining the FEEMS computer programs.

# 2 MANAGEMENT OVERVIEW

FEEMS, a subsystem of the Facilities Engineering Management System (FEMS) module, is a part of the first increment of IFS. FEEMS is designed to support the FE by providing an automated management tool for identifying, scheduling, monitoring, recording, and analyzing recurring maintenance activities for selected systems and equipment. FEEMS automatically produces monthly work orders and records a history of the work accomplished obtained from FEEMS feedback. The FE can use the information provided to analyze resource requirements and equipment performance. FEEMS may be used to define the recurring maintenance program which best fits the installation's facilities and maintenance resources. Through use of FEEMS, the FE can expect to reduce recurring maintenance planning time and increase the capability of monitoring and analyzing maintenance activities. Depending on how extensive the recurring maintenance program is, the FE should be able to provide safer and more reliable equipment/facilities while increasing productivity. FEEMS may be used as an automatic control to properly schedule the right maintenance at the right time. Emergency work and major repairs should be substantially reduced when equipment is serviced and repaired on a scheduled basis. The FEEMS History File also provides the capability of analyzing past equipment maintenance performance.

#### **Maintenance Management Support**

FEEMS supports five basic maintenance management functions: inventory control, maintenance control, resource management—scheduling/processing, resource management—planning, and historical recordkeeping (see Figure 1). Examples of FEEMS source documents and generated output are provided in Appendices B and C, respectively.




Figure 1. FEEMS maintenance management functions. (For installations which have interfaced IFS and SAILS, the FP3 and FP4 cards are redesignated ZM1 and D64, respectively.)

Inventory Control

Systems and equipment inventory are controlled by the Select Equipment List (SEL) master file, which contains classification, identification, location, costs, and reference data on all maintained systems/equipment. The FE may select all or any number of systems/ equipment to be included in the SEL. Data required for FEEMS operation are minimized to facilitate use of the system in an older facility where equipment identification and cost data may be difficult to obtain. Only the Select Equipment Identification Number (SEID-NO), Facility Number/Suffix, and certain critical categorization data are required for FEEMS operation. Reimbursable Code, and Other Fund Citation Code will be validated against records in the IFS files. Two SEL input data fields are edited by FEEMS in accordance with the edit tables supplied by the FE: System Type Code and Equipment Type Code. Additional identification (Manufacturer Name, Serial Number, etc.) and cost data may be added at the option and convenience of the FE. The FE controls the SEL inventory by adding to, deleting from, and updating it, using the FEEMS SEL and FEEMS SEL-Additional Data forms. The FE requests the SEL only when required for checking the inventory. Each report presents the inventory by sorting either by one of the SEID-NO subfields or by Facility Numbers. A current copy of each report should be obtained at least annually or whenever major revisions are made to the SEL. Maintained systems/equipment inventory contents may be reviewed on one or more of five SEL optional reports:

- 1. System Type List Report. This report controls the systems and the assigned System Type Codes used in FEEMS.
- 2. System Number List Report. This report is designed to control the installation-unique System Numbers and associated descriptions used in FEEMS to prevent duplication.
- Maintained Equipment Type List Report (Master 3FL). This report provides all the inventory data entered the SEL, thus establishing a complete inventory ce for FEEMS.
- 4. Maintained Equipment Number List Report. This report may be used to monitor the installation-unique Equipment Numbers assigned by the FE to avoid duplication.

5. Maintained System/Equipment List by Facility Report. This report contains the SEL records by SEID-NO for each Facility Number/Suffix and provides locational control for the FE.

Maintenance Control

FEEMS controls recurring maintenance activities through the Maintenance Requirement/Procedure (MRP) Master File. This file enables the FE to monitor the active recurring maintenance, Standard Maintenance Procedures (SMP). The MRP contains maintenance description, responsible shop, frequency, crew size, and labor hour standard data from the SMP. Input from the MRP comes from the first page of the SMP-the Maintenance Requirement/Procedure (MRP) Form. To insure complete control over the selected FEEMS Maintenance Requirement/Procedures, the FE must establish a policy whereby each SMP is entered into the MRP Master File and each MRP Form has an associated SMP. Each SMP (and subsequent MRP record) is uniquely identified by an MRP Number and a Sequence Number. The MRP Number identifies a specific SMP or set of SMPs to be performed serially (in sequential order) or concurrently by different shops. MRP input data fields for System Type Codes and Equipment Type Codes are edited using the tables established in the SEL. This insures appropriate matches between the SEL and the MRP. Each SMP is written for a specific shop and the Shop Code in the MRP record is validated automatically by FEEMS, using records in IFS files. The FE controls the selected MRP by adding to, deleting from, and updating it by completing the FEEMS Maintenance Requirement/Procedure Form. The MRP reports are requested as required by the FE to check the MRP inventory. Each report presents the MRP inventory through sorting by unique MRP number, Shop Code, or the associated SEID-NO. A current copy of each report should be obtained at least annually or whenever major revisions are made to the MRP. Contents of the MRP file may be reviewed in one of three optional MRP outputs:

- 1. Maintenance Requirement/Procedure List by Shop Report (Master MRP List). This report is the master control list for the MRP, since it is the complete list of all the MRP input data. The FE will be able to check the MRPs designated for each shop.
- 2. Maintenance Requirement/Procedure List by SEID-NO Report. This report facilitates checking the SMP input and the SEID-NO used to match the MRP with the SEL.

3. Maintenance Requirement/Procedure List by MRP-NO Report. This report may be used as an index to the SMPs and a reference guide to the MRP numbers currently in use. Careful review will insure that duplicate numbers are not assigned.

#### Resource Management Scheduling/Processing

FEEMS Resource Management - Scheduling/Processing is accomplished monthly through the Task Master File. FEEMS automatically produces IFS transactions (FA1, FA2, FB1, FC1, FD1, and FD2) in punchcard format to be entered with other IFS work orders. This insures that IFS contains a complete record of all maintenance to be performed by the FE. The task file contains all recurring maintenance tasks with their current due dates. When the SEL and MRP records are matched, the appropriate tasks are assembled into work order phases. The FEEMS work orders should be scheduled to the shops with the other non-FEEMS workload requirements. The FE assigns the priorities and determines which work orders will be accomplished based on available resources. Unlike other work orders, the FEEMS work order has a limited life. Each task on a work order must be accomplished in the allotted time interval or it is cancelled and rescheduled. This eliminates a backlog of FEEMS work. Cancellation is accomplished by phase (a grouping of tasks) depending on the Frequency Cycle of phased tasks. FE personnel report resource expenditures on IFS Labor and Equipment Utilization cards and Material Issue cards in the same manner as any individual job order. Resources are reported by work order phase and recorded in the IFS Job Master File (FMJ). FEEMS retrieves these data from IFS, matches them against their appropriate tasks in the task file, and prorates the expended resources on the basis of an individual task Labor Hour Standard for historical purposes. Based on the Labor and Equipment Utilization input records, FEEMS will automatically record work orders as either completed or deleted. Since FEEMS cancels phases which are not accomplished in the appropriate time frame, a FEEMS Work Order will be recorded in IFS as complete whenever any labor or material costs are recorded. However, if FEEMS cancels all phases within a work order in which no labor hours or costs were recorded, then FEEMS will delete the work order from IFS. This process of recording FEEMS work orders as completed or cancelled is based on the philosophy of not creating a backlog of recurring work by scheduling a task only once in a given month for a specific item of equipment. If a work order is recorded in IFS as complete, but not all tasks have been completed, FEEMS will prorate the hours only against the tasks actually completed and

automatically reschedule the unaccomplished tasks in the next monthly computer run.

## Resource Management - Planning

FEEMS supports Resource Management—Planning by providing three different presentations of FEEMS workload in the FEEMS Unaccomplished Task List Report, the FEEMS Work Order Status Report, and the FEEMS Yearly Workload Projection Report. These reports are influenced by changes in the SEL, MRP, and the resource expenditure information submitted against the work order phases.

The FEEMS Unaccomplished Task List Report. This report is generated monthly and lists all tasks scheduled by FEEMS for each shop which were not completed within the designated time interval, i.e., cancelled by FEEMS. This provides the FE with a review of actual performance against the established recurring maintenance workload. FEEMS records completion of tasks by phase. If FEEMS cancels a phase, all tasks within that phase will be listed as unaccomplished. However, FEEMS provides the FE with a tool to purge the Unaccomplished Tasks List of completed tasks which were included in cancelled phases. The FEEMS Work Order Report may be used as a Task Accomplished Turnaround Document to provide an up-to-date record of task completion within the system. In this manner, tasks may be recorded as complete whether the phase is completed or cancelled by IFS/FEEMS. The remaining unaccomplished tasks are the workload by shop which was not accomplished because of the lack of available resources. The FE should put special emphasis on accomplished tasks or on revising Maintenance Requirement/Procedures (especially Frequency of Maintenance) of tasks which consistently appear on the FEEMS Unaccomplished Tasks List Report. The workload which cannot be accomplished in each shop is documented on this report and will provide the FE with a tool to establish the requirements for additional resources.

FEEMS Work Order Status Report. This report provides the FE with a review of all FEEMS work currently scheduled to the shops. The FEEMS work is identified for each shop by appropriate Document Number, Phase Code, and Frequency Cycle (monthly, bi-monthly, etc.). The report divides the scheduled work into the following four categories for each shop:

1. The New Work Order Phases section lists the new work for a specific shop for the current month.

- 2. The In-Progress Work Order Phases section lists the work order phases which have been previously generated by FEEMS, but which have not yet been completed or cancelled.
- 3. The Completed Work Order Phases section lists the work order phases performed and completed during the past month by each shop.
- 4. The Cancelled Work Order Phases section lists the work order phases which were not completed in the allotted time interval.

FEEMS Yearly Workload Projection Report. This optional report provides the total projected FEEMS workload for a 12-month period. The FE should request this report quarterly or when the SEL or MRP is changed significantly. The FEEMS Yearly Workload Projection Report presents FEEMS workload in terms of estimated standard hours for each month during the year. The FE may examine this report to see how the FEEMS workload will be scheduled if all the work is accomplished during a scheduled month. The hours scheduled for each month can be compared to the manhours available to perform the work in each shop. The work overloads and underloads may be adjusted by shifting scheduled work to the following month for actual accomplishment. Because of the nature of the FEEMS rescheduling routine (Date Completed plus the Frequency Cycle), the shift in workload may be reflected in future projections.

#### Historical Recordkeeping

The History Master File provides historical records of FEEMS recurring maintenance, correction/repair maintenance, and operating hours for each item of maintained system/equipment. Inputs are provided internally by FEEMS and externally by the FE. FEEMS recurring maintenance records are generated by the FEEMS Resource Management-Process. The History File contains a record of each accomplishment of a FEEMS task. Correction/repair maintenance (not performed using FEEMS work orders) may be recorded for a maintained system/equipment on a FEEMS Correction/Repair Record form at the discretion of the FE. This input data is entered directly into the History File during a FEEMS monthly run. As an alternative, the FE can identify work orders (IJO or SO) at the time IFS transactions FC1, FD1, and FL1 are prepared; these transactions designate the work orders that will be recorded as correction/repair entries against specific maintained systems or equipment in the FEEMS History File. FEEMS will then automatically retrieve the labor and material data as it is recorded in IFS. The FE should record correction/repair maintenance records for only maintained systems or equipment where total maintenance costs are desired. The History File provides a total of the labor hours and costs for FEEMS recurring maintenance and correction/repair maintenance. Equipment operating hours (estimated and actual) are recorded for each maintained system/equipment. The estimated value is the Equipment Estimated Used Hours field recorded on the SEL master record and the actual value is the optional input from the FEEMS Operating Hour/Log for a given month. The operating hour input is also used to convert maintenance frequencies measured in hours to a monthly Frequency Cycle. Since the History File is not updated in the usual manner (add-change-delete), the FE can note changes and errors only by using the FEEMS Update Comment Form. Comments entered in this manner will also be retrieved with the appropriate maintained system/equipment information to inform the reader that changes have occurred. The History File records are available to the FE on either the FEEMS History Detail Report or the FEEMS History Summary Report. The FEEMS History Detail Report contains a complete list of all tasks and entries against the maintained system and equipment records. The History Summary Reports provide only bottom-line totals. The FE chooses from the following seven parameters (he/she may choose as many as needed at one time); these parameters indicate the system/equipment history records to be retrieved.

- 1. Parameter "1" indicates a request for all of the History File records.
- 2. Parameter "2" indicates a request for a specific EQUIP-NO.
- 3. Parameter "3" indicates a request for the records of all maintained systems having a particular System Type Code.
- 4. Parameter "4" indicates a request for all the history records for maintained systems having a specific System Number.
- 5. Parameter "5" indicates a request for all the history records having a specified Equipment Type Code.
- 6. Parameter "6" indicates a request for records having a specified System Type Code in combination with a specified Equipment Type Code.

7. Parameter "7" indicates a request for equipment records having a specified System Number in combination with a specified Equipment Type Code.

The FE may choose one or more of these parameters to obtain the History File records which are to be reported. The entire History File should be obtained at least once annually by requesting Parameter "1." However, since the entire History File can be quite large, the other parameters should be used throughout the year to obtain only those records will have required.

#### **IFS Interface**

FEEMS interacts on a monthly basis with FEMS and with the Assets Accounting (AA) module of IFS. FEEMS monthly processing automatically produces punchcard output to record work orders created by FEEMS (transactions FA1, FA2, FB1, FC1, FD1, and FD2). The labor and equipment hours and the cost associated with performing FEEMS Work Orders are recorded by phase directly into IFS, using the IFS Labor and Equipment Utilization cards and Material Issue cards. During the monthly FEEMS processing, FEEMS reads the IFS files and obtains the appropriate labor, equipment, and material data for the FEEMS Task File. FEEMS will continue to look for labor hours and costs associated with each FEEMS Work Order phase until 30 days after the phase has been accomplished. FEEMS will automatically provide punchcard output for IFS to record completion and deletion of FEEMS work orders. In addition, it will automatically obtain from IFS the data for IFS work orders designated by the FE as FEEMS correction/repair records. The system validates IFS codes used in the system against the appropriate IFS files.

#### Responsibilities

Establishment and maintenance of FEEMS at an installation is a responsibility of the Director of Facilities Engineering. The FE may wish to delegate authority for establishment and maintenance of the system to the IFS project officer and/or Division Chiefs. The FE is responsible for:

- 1. Maintaining the functional aspects of FEEMS
- 2. Establishing the SEL inventory
- 3. Establishing the Standard Maintenance Procedures
  - 4. Establishing the FEEMS coding structure

- 5. Preparing of all input records
- 6. Maintaining the flow of work processing
- 7. Evaluating output reports.

# 3 IMPLEMENTATION PROCEDURES

## Implementation Requirements

FEEMS has been designed as a subsystem to the FEMS module of IFS. FEMS establishes the precedent for all codes which are used in both FEEMS and FEMS; for example, Component Codes, Facility Number/Suffix Codes, Requestor Identification Codes, Reimbursable Codes, and Shop Codes. Figure 2 shows the initial implementation process.

#### Establishing the Select Equipment List Inventory

The FE must decide how FEEMS will be used. He/ she establishes the inventory for the FEEMS Select Equipment List by selecting the desired systems and equipment for which recurring maintenance activities should be monitored. FEEMS can be applied to either one complex facility, such as the hospital, or to an unlimited number of facilities. The FE must weigh the benefits and requirements for automating recurring maintenance activities resource management for each facility against what is considered to be a manageable and justifiable recurring maintenance workload. FEEMS has been designed as a tool for maintaining complex facilities that contain critical installed systems or equipment. However, it may be used for any systems or equipment requiring recurring maintenance. The FE should code the FEEMS data in accordance with IFS instructions and with consideration for all the equipment on the installation. FEEMS should be established for the most critical facilities first: other facilities can be added later after experience with FEEMS procedures is acquired. The SEL may be limited to only those critical items which must not fail or to all items requiring recurring maintenance. To establish the system/equipment inventory for each facility would require substantial effort. The level of effort required can be limited initially by including the system/equipment for a small number of facilities in FEEMS and establishing a phased program to add facilities. The systems/equipment within a given facility may also be added in phases, starting with the most critical and progressing to the least critical. The SEL may be used as a complete




Figure 2. FEEMS initial implementation flowchart.

system/ equipment inventory control by including all the systems/equipment for which the FE has responsibility; however, only the SEL records matching MRP records will result in FEEMS Work Orders. This could make the SEL very large, but will not necessarily affect the remainder of FEEMS processing, since the number of FEEMS Work Orders is a function of both the MRP and the SEL.

#### Establishing Standard Maintenance Procedures

The FE must prepare Standard Maintenance Procedures (SMPs) for the recurring maintenance activities to be monitored under FEEMS. The SMPs should be maintained in a three-ring notebook in each shop area and entered into FEEMS as MRP records. The FEEMS Work Orders are created by matching the MRP records with the appropriate SEL records. If maintenance requirements do not match specific records in the SEL, FEEMS cannot create tasks for the FEEMS Work Orders. FEEMS will produce an audit trail that will identify SEL and MRP records that are not matched.

Each SMP may be written for a specific system or equipment item, such as oiling a motor, or collectively for any number of systems or equipment, such as oiling all motors. This is accomplished by assigning the appropriate SEID-NO subfields to the MRP derived from the SMP; this number will match with the SEID-NO of the desired SEL record(s). Some SMPs may already exist; these will have to be modified in format and possibly in content to satisfy FEEMS input requirements. It is recommended that the FE obtain available SMPs from other installations already using FEEMS.\* FEEMS can be implemented with only a minimum of critical SMPs defined; additional SMPs can be added later.

## Establishing the FEEMS Coding Structure

Prior to establishing either the SEL or the MRP (SMP), the FE must consider the impact of the coding structure on the scheduling and reporting of the FEEMS workload. To schedule recurring maintenance for specific systems/equipment properly, it is necessary to establish the appropriate combinations of the Facility Number/Suffix Code, Location Key Code, Equipment Number, System Number, and Shop Code. The Facility Number identifies the appropriate facility, and the Suffix Number identifies sections, floors, or rooms within a given facility. The Facility Number and Suffix

Number are used together to identify the complete Facility Number and must be obtained from IFS records. The Facility Number/Suffix is the key to establishing the FEMS Work Order phase and will be used by the maintenance crew to locate the system or equipment to be maintained. If the appropriate Facility Number/Suffix obtained from IFS does not provide enough location information for the maintenance crew to find the maintained system or equipment, it is strongly recommended that a new Facility Number/ Suffix not be entered into IFS. Instead, the additional location information may be entered in the FEEMS Location Key Code field, FEEMS will use the Location Key Code Field, as well as the Facility Number/Suffix to establish the FEEMS Work Order phase. A Location Key Code Field is to be used only when absolutely necessary. The tasks assembled into a FEEMS Work Order phase will also be grouped by Shop Code, Component Code, Reimbursable Code, and Other Fund Citation. (The Accounting Processing Code [APC] is entered into the other fund citation field.) A set of FEEMS Work Orders will be established for each combination of Requestor Identification Code in the Document Number and the Functional Group Code. FEEMS will automatically retrieve the appropriate Functional Group Code from the Facility Numbers entered by the FE on the SEL records. A new work order will also be established for each change in the Frequency of Maintenance, i.e., monthly, bi-monthly, quarterly, and longer (Frequency Unit Code, M, H), and/or for specified frequencies (Frequency Unit Code R).

The Equipment Number is an installation-unique identification for the system's equipment. This number may also be used to identify a group of similar equipment, if desired. Aggregation of individual equipment items will affect the level of detail available in the FEEMS History File, i.e., the ease of entering such items as correction/repair maintenance (non-FEEMS work) and actual equipment operating hours. Locating each equipment item may also be hindered by this aggregation. An Equipment Number may only be used once in FEEMS and must be id ntified with an associated Equipment Type Code. The Equipment Type Code is a standard code assigned by the Office of the Chief of Engineers (DAEN-FEM) to be used by all FEEMS users (see Appendix D). The use of new Equipment Type Codes must be coordinated with DAEN-FEM.

The System Number is an installation-unique identification for maintained systems (for example, utility

<sup>\*</sup>SMPs are available from DAEN-FEM or from Fort Gordon, GA.

systems). These numbers may be used to define general types of systems within a given System Type Code, to indicate the location of a system within a facility, or a combination of both. Again the choice may affect the level of FEEMS history detail, the ease of scheduling, or the ease of the SMP preparation. The associated System Type Code is a standard code assigned by DAEN-FEM, and a request for additional codes must be coordinated with this office (see Appendix D).

These primary codes define the basic FEEMS coding structure and have the greatest impact on the degree to which FEEMS can provide a tool for scheduling, monitoring, and recording recurring maintenance activities. A change in the basic coding structure because of unforeseen identification problems, or because of a change in maintenance philosophy can cause numerous problems and many wasted manhours. FEEMS implementation will benefit greatly from good initial planning.

The Document Number on FEEMS Work Orders is automatically assigned and resembles all IFS Document Numbers, consisting of the Requestor Identification Code, Serial Number, Fiscal Year, and Type Code. The Requestor Identification Code is obtained from the SEL master record, which has been validated against the codes used in IFS. FEEMS automatically assigns the appropriate fiscal year designation, and assigns a "J" for Type Code, since all FEEMS Work Orders are individual job orders (IJO). The FE must assign a unique set of serial numbers which will only be used for FEEMS Work Order Document Numbers. To avoid duplication of Document Numbers assigned to other IJOs, the FE records desired Serial Number Range on the FEEMS Serial Number Range Form, which must also include the appropriate Installation Number. By recording the Installation Number, FEEMS will be able to run at multiple DPI installations and thus differentiate between the various installation records. Note that each FE using a multiple DPI must run a separate FEEMS program, i.e., a separate FEEMS program for each Installation Number.

## Maintenance Management Initiatives

The following sections discuss management initiatives which will insure maximum use of FEEMS capabilities.

## Defining FEEMS Workload

The FE should approach FEEMS workload definition with the idea of formally documenting recurring maintenance requirements. Recurring maintenance workload, which is critical to accomplishing the mission,

ensuring equipment reliability, or protecting the safety of personnel, should be considered first. FEEMS will provide IJO-type visibility to the defined workload and documentation of work performance against the defined schedule. The FE should identify and document the SMPs which will provide critical inspection, replacement, and service to the selected systems and equipment. Initial estimates of the Labor Hour Standards should be based on experience or performance standards, and can be updated from collected data as the system is used. The means of accomplishing the workload is extremely important. Once defined, the workload (SEL and MRP/SMP) should be reviewed and approved by the FE. Approval of individual FEEMS Work Orders will not be required, since their contents are completely controlled by the contents of the SEL and the MRP Master Files. When the workload is approved, the FE should commit resources to its performance. The workload may increase or decrease over time, but it should reflect the FE's definition of critical (and therefore high-priority) activities, if FEEMS is to be an effective tool.

#### FEEMS Coordinator

The key to effective use of FEEMS capabilities is the ongoing management of the FEEMS workload. The effort required for this job will vary according to the workload's size and nature. It is best if this task is performed by one individual who can monitor and coordinate the entire recurring maintenance program supported by FEEMS. This provides the decision-making and review process with the continuity and cohesion not attainable from a segmented group of individuals. Responsibilities of the FEEMS coordinator should include maintenance of the SEL and MRP Master Files. maintenance of the SMPs and the central records library, assignment of installation-unique identification numbers, review of planning and status reports, analysis of equipment and resource performance, and review of systems feedback from work crews and supply. These activities will help insure that FEEMS will continue to operate effectively and without problems. The FEEMS coordinator should be involved in the initial FEEMS workload definition activities. Once the FEEMS workload coding structure and SMPs are defined, the day-today workload of the FEEMS coordinator should be minimal. The IFS project officer may be designated as the FEEMS coordinator.

# Numbering Maintained System/Equipment

The FEEMS systems and equipment numbers are installation-unique identifiers which can be used to physically tag and identify installation systems and equipment. These will greatly facilitate location of specific equipment, familiarity with FEEMS coding requirements, and control of the equipment inventory.

#### Controlling SMPs

Effectiveness of FEEMS SMPs can be greatly increased by locating copies of pertinent SMPs at or near the maintenance activity. This will complicate updating the SMPs, but should increase work crew effectiveness. When changes are made to SMPs, the central (master) SMP book should include a list of locations of the distributed copies to facilitate recording changes in them. Care must be taken to insure that all MRP Forms have associated SMPs and vice versa. Lack of proper control can result in an incomplete FEEMS workload, the lack of a ready reference for work crews and the possibility of critical work remaining undone. If possible, the SMP should be cross-referenced to key manufacturing literature in a central library located near the master SMP and/or shop. This facilitates quick and direct reference to operating and assembling instructions, spare parts information, and detailed repair information not necessarily contained in the SMP. Examples of the SMP are provided in Appendix E.

## Planning Maintenance

Since FEEMS is a recurring maintenance system, SMPs and scheduled tasks do not cover correction/repair maintenance activities. However, FEEMS may periodically schedule maintenance tasks to inspect and assess the current condition of the maintained system/equipment. When deficiency or repair requirements are identified, there should be a procedure for generating a correction/repair work order (IJO or SO). If the work crew is properly equipped and skilled, and the requirement is an emergency, the correction/repair can be made immediately as an emergency service order. If the crew cannot make the correction or if it can be postponed, it should be scheduled in IFS as a plan correction action.

## Scheduling FEEMS Maintenance

Although monthly FEEMS Work Orders are produced automatically, the FE retains control over the basic schedule by controlling when the work is accomplished and when new requirements are added to the FEEMS workload. Because the FEEMS tasks are rescheduled by adding the Frequency Cycle to the month the work was accomplished, the FE can shift workloads by delaying accomplishment. However, note that delaying accomplishment for more than 1 or 2 months may cause task cancellation. In this case, FEEMS will then reschedule the work for the month following the cancellation and list the associated task on the FEEMS

Unaccomplished Task List report. Note that FEEMS tasks cannot be shifted individually; only the work order phase can be delayed, and this shifts the schedule on all tasks in that phase (unless tasks are listed as complete, using the FEEMS Task Accomplished Turnaround Record). New tasks added to the FEEMS workload will be scheduled for the month immediately following their addition (except tasks with frequencies in specified months). If their accomplishment must be delayed, their addition to the workload should also be delayed. For example, the newly installed item of equipment probably does not require a quarterly oiling the first month. The FE could use this task to just check the item of equipment for proper operation, or just record the task as complete on the FEEMS Task Accomplished Turnaround Record. Once a reasonable schedule of tasks has been established, the FE should strive to maintain it. FEEMS has built-in flexibility for up to 2 months of delay; however, such delay will affect the future schedule. To maintain the schedule, the FE must insure that the work is accomplished in the scheduled month by assigning it a sufficiently high priority so that resources, such as labor or materials, are received. If this cannot be done, the scheduler must insure that the work is accomplished in the allotted time interval, so that it will not be cancelled and reported on the FEEMS Unaccomplished Task List Report. To do this, the scheduler must insure that any monthly phase on the given month's work order, any bi-monthly phases on the previous month's work orders, and any quarterly phases on the work orders 2 months old receive sufficient priority to be accomplished in the current month. It should be noted that when FEEMS Work Orders are issued, they must be used until they are completed or cancelled, since FEEMS does not reissue work orders for work in progress. The FE should try to schedule and accomplish FEEMS tasks, especially monthly tasks, at approximately the same time each month; otherwise, the time between accomplishing the task may not be in accordance with the assigned Frequency of Maintenance. For example, accomplishing a task in the fourth week of January and again in the first week of February would not allow a month between performance of the tasks. Also, completion of a monthly task in the first week of January and then again the last week of February would result in almost 2 months between completion dates. The MRP Remarks field appears on the FEEMS Work Order and may be used to record the target day of the month established by the scheduler to accomplish the SMP. Review and coordination of FEEMS management-planning reports can greatly facilitate this process. Review and use of these reports insures that the FEEMS

coordinator and shop foreman can level workload, assure accurate estimates, and maintain direct control of the FEEMS workload.

# 4 FEEMS BENEFITS AND COSTS

#### **Benefits**

Most FEs do not have a viable recurring maintenance program. The primary benefit of FEEMS is to provide the FE with the capability to plan recurring maintenance activities to control and manage the maintenance workload, reduce equipment failure and downtime, decrease overtime requirements, and increase customer satisfaction.

The FE will realize a savings in terms of manhours dedicated to repetitive planning, estimating, and recording of recurring maintenance tasks; these freed manhours can be used to perform other maintenance tasks. It is estimated that FEEMS will save the FE at each installation an average of 6000 manhours per year, representing 55,000 labor dollars which can be spent on other tasks. These manhours are a summary of many partial manhours and do not represent one position that can be eliminated.

FEEMS is a formal system which provides the capability to plan and schedule critical recurring maintenance well in advance of need. Current procedures are not adequate to perform functions because the maintenance staff is kept too busy responding to emergencies to take time for routine planning, scheduling, and recordkeeping.

FEEMS provides feedback not previously available to the FE which will help estimate equipment service life and abandonment criteria and help make repair/replace decisions. The result is an increased capability to plan and document workload and increase work force productivity.

FEEMS will provide fully documented standard maintenance procedures; these include maintenance requirements by frequency, shop standard tools and parts required but not usually carried by the maintenance crew, and exact equipment location.

FEEMS will greatly reduce overlapping duties and responsibilities by requiring the identification of what,

where, when, how, and who will perform the maintenance.

Craftsmen's job satisfaction and productivity will increase because work will be scheduled rather than performed on a "hit or miss" basis; in addition, emergency work, which can be avoided with proper maintenance, will be reduced.

FEEMS automatically generates authorized work orders, thus eliminating the manual preparation of work order requests and estimates. FEEMS will automatically record and report the status of all FEEMS Work Orders as new, in-process, completed, or cancelled.

FEEMS will provide a standardized method for equipment identification.

The FE will be able to achieve a higher level of customer satisfaction.

#### Costs

The cost of operating FEEMS is minimal. It is estimated that the FE can implement the system for equipment identified as critical in approximately 1 month at a one-time cost of \$3200 (an estimated 160 hours × \$20/hr). Additional equipment items and SMPs can be added as desired with minimal impact on the system. FEEMS will have an average computer run time of between 1 to 1½ hours/month on a BASOPS, IBM 360-40. The computer costs are estimated to range from \$90 to \$135/month (computer time estimated at \$90/hr).

# 5 SUMMARY AND CONCLUSIONS

This report identifies five basic maintenance management functions: (1) inventory control, (2) maintenance control, (3) resource management—scheduling/processing, (4) resource management—planning, and (5) historical recordkeeping and implementation requirements to establish the FEEMS SEL inventory and SMPs. This overview of the system's functions and requirements will help the FE determine the need and degree to which the system will be useful to the installation.

The benefits and costs of using FEEMS indicate that the advantages of implementing the system more than outweigh the minimal costs. FEEMS is a tool to help the FE establish a viable recurring maintenance program.

# APPENDIX A: GLOSSARY

Correction/Repair Maintenance Activities are maintenance actions necessary to restore a system/equipment to operating condition. These maintenance actions are for repairing breakdowns or failures and cannot be routinely predicted and scheduled by FEEMS processing (i.e., this is non-FEEMS work).

Frequency Cycle is the time interval used by FEEMS to schedule and reschedule maintenance tasks. A specified frequency (R) has a Frequency Cycle code "0," monthly cycle code "1," bi-monthly cycle code "2," and quarterly or longer cycle "3." When a maintenance task is completed, it will be rescheduled in accordance with the Frequency Cycle code from the date of completion. If the maintenance task is not completed as scheduled in the allowable time frame, it will be cancelled and rescheduled until it is accomplished (specified frequencies are rescheduled only in the months designated).

Frequency of Maintenance specifies how often maintenance tasks will be scheduled and will establish the Frequency Cycle. This frequency may be specified as intervals in months or hours in which maintenance will be scheduled.

The History File records a complete history of recurring maintenance on each maintained system/equipment record in the Select Equipment List Inventory File. The FE has the option to record and store in the History File the Actual Equipment Operating Hours and Correction/Repair Maintenance Activities. The History File cannot be updated directly. However, the FE may enter comments to identify any changes or corrections that should be noted. When a history report is desired, it must be specifically requested, using the Select Equipment Identification Number.

Labor Hour Standard is the estimated number of labor hours required to accomplish the maintenance requirement. The Labor Hour Standard is multiplied by the Number of Items to be maintained to establish the estimated labor hours for the maintenance task. This estimate includes time for material handling, coordination, travel, job preparation, actual work, craft allowance, and for checking tools and parts in and out, if required.

Maintained System/Equipment is equipment designated by the FE to be monitored and recorded in the FEEMS Select Equipment List Inventory File. If the item is to be identified and maintained as a system, it will be recorded in the SEL, using a System Type Code and System Number for its Select Equipment Identification Number. If the item is to be identified and maintained as a piece of equipment within a system, it will be recorded in the SEL, using a System Type Code, System Number, Equipment Type Code, and Equipment Number for its Select Equipment Identification Number. This equipment must be selected carefully to include only systems and equipment which are critical to the FE mission and on which recurring maintenance cannot be ignored. A Standard Maintenance Procedure entered into FEEMS using a Maintenance Requirement/Procedure record may be written for each maintained system/equipment. FEEMS will match the maintained system/equipment record with the appropriate Maintenance Requirement/ Procedure record to automatically produce preapproved, estimated work orders for each shop.

The Maintenance Requirement/Procedure (MRP) File is a list of recurring MRP records established from the Standard Maintenance Procedures developed by the FE. FEEMS generates maintenance tasks for work order phases by matching the SEL records and the appropriate MRP records using the Select Equipment Identification Number in accordance with the specified Frequency of Maintenance. The MRP records identify the Maintenance Requirement Description, the appropriate shop, Frequency of Maintenance, Crew Size, and Labor Hour Standard.

Maintenance Requirement/Procedure Number/Sequence Number is a unique, two-part number assigned by the FE to each Standard Maintenance Procedure.

Operating Hour Log is an optional monthly record of the Actual Equipment Operating Hours. When the Actual Equipment Operating Hours are entered into FEEMS, this record overrides the Equipment Estimated Used Hours initially entered for an SEL record. The operating hours are used by FEEMS to determine when to schedule the maintenance task when the Frequency of Maintenance is measured in hours. The History File will maintain a record of the estimated and actual equipment operating hours.

Recurring Maintenance Activities include all schedulable maintenance not performed by dedicated operations personnel. They also encompass all activities involving inspection, preventive maintenance, lubrication, and replacement of consumable parts, e.g., belts or filters. Recurring maintenance must be predictable and documented as Standard Maintenance Procedures.

The Recurring Maintenance Task is a recurring maintenance activity for a specified maintained system or equipment (e.g., oiling the motor whose serial number is XYB11327). It is a task which can be documented as a Standard Maintenance Procedure processed by FEEMS at the appropriate frequency and assigned to a specific shop for completion at a given location and time.

The Select Equipment Identification Number (SEID-NO) is a unique identification number for maintained system and equipment records in the Select Equipment List. A maintained system is identified using the first two subfields of the SEID-NO: standard System Type Code, Installation-Unique System Number, Standard Equipment Type Code, and Installation-Unique Equipment Number. The SEID-NO is used whenever a maintained system or equipment needs to be accessed. The SEID-NO is used on the MRP records to assign SMPs to specific systems or equipment, or to all equipment in a specific equipment type.

The Select Equipment List (SEL) File is the FEEMS inventory of maintained systems and equipment. Each SEL record is identified by its appropriate SEID-NO. Other required data include Component Code, Facility Number/Suffix, FEEMS Facility Description, Requestor Identification Code, Equipment Estimated Used Hours, and Number of Items per Record. Other optional SEL data include Location Code, Reimbursable Code, Other Fund Citation, manufacturer data, Equipment Size, Specification Paragraph Number, Drawing Number, Equipment Acquisition cost, and dates related to installation testing, warranty, etc.

Standard Maintenance Procedures (SMP) are written guidance to maintenance crews concerning: (1) the step-by-step procedure to be followed in performing a given maintenance task; (2) special tools and equipment required; (3) spare parts or supplies to be

used; and (4) references to detailed manuals, drawings, designs, or instructions. The SMP also identifies the appropriate shop, Frequency of Maintenance, Labor Hour Standard, and the number of maintenance personnel required to perform the maintenance. The SMPs are maintained in a looseleaf, three-ring notebook and are entered into the FEEMS MRP File in an abbreviated format, using the MRP keypunch form.

The Task File is the FEEMS inventory of recurring maintenance tasks created by matching the SEL records with the appropriate MRP records. The FE controls the contents of this file by making appropriate updates to the SEL and/or the MRP. The Task File is the source of FEEMS Work Orders and the source of status information on the work orders. Maintenance tasks are scheduled from the Task File on the basis of the maintenance interval Frequency Cycle calculated in months (note that hourly frequencies are converted to monthly frequencies, using the Equipment Estimated Used Hour field on the SEL form). This value is used to assign an initial due date when the task enters the Task File. The due date is the month in which the task will be scheduled next. Tasks are initially scheduled in the month that they are input to FEEMS, i.e., the date due is set equal to the month of input to FEEMS. After the task is scheduled, the due date is updated in accordance with task completion: (a) if a task is completed in an allowed time interval (i.e., I month for a monthly task, 2 months for a bi-monthly task, and 3 months for a task with a Frequency Cycle of 3 months or more), the due date is set at a value equal to the number of months required for accomplishment plus the Frequency Cycle and is scheduled, or (b) if the task is not completed in the allowed time interval, the due date is augmented by the Frequency Cycle or 3 months (whichever is less), so that the task is rescheduled for the following month. The FE can use this scheduling methodology to control the accomplishment of monthly tasks so that they are rescheduled at the most convenient time. In this manner, the FE can modify the FEEMS assigned due date.

Unaccomplished Tasks in FEEMS are the tasks associated with the FEEMS Work Order phase which has been cancelled. Because some of the tasks within a cancelled phase may have actually been accomplished, FEEMS allows the FE to update the FEEMS Unaccomplished Task List report. The FEEMS

Work Order report is used as a Task Accomplished Turnaround Document which records all tasks accomplished, regardless of whether the FEEMS Work Order phase is completed or cancelled. In this manner, FEEMS purges the Unaccomplished Task List in order to list only the tasks which were actually accomplished.

FEEMS Work Orders are Individual Job Orders (IJO) and are produced automatically by FEEMS. All input data (FA1, FA2, FB1, etc.) required by IFS to establish a work order are automatically produced by FEEMS in punchcard format. The FEEMS Work Orders are produced once every month and contain all work due during the following month. One work order is produced for each recorded Requestor Identification Code, Functional Group Code, and

the appropriate Frequency Cycle. Within each work order a different phase is established for each recorded Facility Number/Suffix, Shop Code, Component Code, Reimbursable Code, Other Fund Citation, and Location Key Code. The FEEMS Work Order is considered approved when the FE approves the SEL and MRP inputs; then the work order is processed directly to the scheduler/shop foremen for completion as time becomes available in the appropriate shop. The labor, equipment, and material hours and costs for FEEMS Work Orders are recorded like all other IFS work orders, i.e., by completing the IFS Labor and Equipment Utilization card and the Material Issue card. FEEMS automatically reports completed FEEMS Work Orders to IFS and deletes work orders cancelled by FEEMS.

OTHER FUND CITATION REMUNSER OF ITEMS EQ.EST USED.HRS HEIMB-CD 03-01-03R LOCATION KEY FEEMS SELECT EQUIPMENT LIST MASTER RECORD FEEMS FACILITY DESCRIPTION FACILITY SELECT EQUIPMENT JOENT/FICATION
NUMBER
SYS SYS EQUIPMO
TYP EQUIPMO

FEEMS SELECT EQUIPMENT LIST - ADDITIONAL DATA

TRNS	70.70	SELECT EQUIPMENT	NUMBER	IDENTIFICATION R		MANUFACTURER NAME		MODEL NUMBER	ABER	MANUE	MANUFACTURER SERIAL	ERIAL	32E 03
	S ₹ S	SVS NO	8 × 8	EQUIP-NO							NUMBER		AMT-UM UM
1 2 1	• • •	10.01		relation to the feet of	21 22 24 24 25 26 27 26 74 36	بالمرامة الدراق العامدة عفاهه فطرد العائد اصارو افد الدراه الازاد إدرادد إفداد المراهد الدراهة المراهد إددادد إدرات إدراد	12 13 44 45 46 17	ALIO 10 32 52 53	19 39 80 90 20 mg . W.	160 51 62 63 64 62	10: 00:00 166103	. C. 12 12 07	00 0 0. 1 10. 10.
X H Z													
X H Z													
X H Z													
X H 2													
1 2 3		7 1 4 19 10 10 10 10 10	110	0114 12 12 12 14 14 20	21 22 22 25 25 25 25 25 27 28 29 36 2	27   1814 (2021   2022	2 13 44 45 46 47	48 49 50 5:152 53 5	55 56 57 56 59	02161 62163 04	6: 50 67 05 05	11 22 2	00 11 11 11 11 11
		ECT EQUIP	MENT I	SELECT EQUIPMENT IDENTIFICATION NUMBER	SPECIFICATION			DATE EQUIP	0.0	DATE	DATE	RANTY	MODIFICATION
3	TANG TANG	SYS	17.0	EQUIPING	NUMBER	DRAWING NUMBER		MANUF ACON		INSTED	TEST	DATE	DATE
	- 1		3				>	YR, MO	YR, MD	10, DA YR	MO , DA Y	YR, MO, DA	YR MO DA
X H 3													
X H 3													
X H			_										
X H 3													
- 2	2	0 7 6 9 120 1112	10	14 15 15 15 17 18 19 20 21	21,22,24,23,24,27,28,29,30	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 43 44 65 40 47	48 49 50 51 52 53 54	95 36 57 36 59	60/61/12/01/64	C.   60 ( 7) 68 60	10 71 17 7.974	3 w 1
TRNS		LECT EQUIP	PMENT! NUMBER	SELECT EQUIPMENT IDENTIFICATION NUMBER								-	
	SEB SEB	SYS	1 KB	EQUIPINO			SEL REMARKS	AARKS					
X H 4												E	
Y H X													
X H 4												E	
XX												E	
1	1	-	1				-	+	-	-	-	1	

# FEEMS OPERATING HOUR LOG

	RA		0		SE	LE	CT	E	Qυ				ID		TI	FII	CA	TII	ON			MO-OM	חסכ סברט	חברם	TNT		ACIO
			CHANGE-CD	1	SYS FYI			S	YS O		ECTY	/P			EQ	UI	P-N	10							FOIIPMENT		HOURSACTO
			さ	ľ	·u																Y			0			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
X	Н	Q	C																								
X	н	a	C																								
x	Н	a	C																								
x	н	a	C																	,							
x	н	a	c																								
x	Н	a	C																								
x	Н	a	C																								
x	н	a	C																								
x	н	a	C																								
x	н	a	c																								
x	н	a	C																								
x	н	a	C																								
x	н	a	C																								
x	Н	a	C																								
x	н	a	C																								
x	н	a	C																				-				
x	н	a	C																								П
x	н	a	C																								П
x	н	a	С																								
x	н	a	c																								П
1	2	3	•	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28

DA FORM 3 (EXAMPLE)

FEEMS SYSTEM TYPE TABLE

T	RACD		CHANGE-CD	7	SY:	•				SY	'ST	EN	1 0	DES	CF	RIP	TIC	N			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
X	н	W																			
x	Н	W																			
x	Н	W								-											
x	Н	W				-				-			-	-							
X	Н	W			-	-		-	-	-	-										
x	Н	w			-	-			-	-			-							-	
X	1	W				-	-	-	-	-			-	-	-	-	-				-
x	Н	-		-	-	-	-	-	-	-	-	-	-				-	-			
X	Н	-			-	-	-	-	-	-			-	-	-						-
-	-	-			-	-	-	-		-			-	-			_		_		-
X	H	-		_	-	-	-	-		_			_	-							
X	H	-			_			_					_								
X	H	W																			
X	Н	W																			
X	Н	W																			
X	Н	W																			
X	н	W																			
x	Н	W																			
x	н	W	1																		
x	Н	W																			
x	н	w	1	1														1			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22

DA FORM 4 (EXAMPLE)

# FEEMS EQUIPMENT TYPE TABLE

	RN CD		CHANGE-CD	T	Q YP D				ΕQ	UII	PM	EN	т	NA	ME	=		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	13	19
x	Н	X																
x	Н	x																
x	н	x				-												
X	Н	X										-		-	-			
X	Н	x				-	-					-	-	-	-	-		-
X	Н	X	H			-							-	-	-			
x	н	×	H		-							-			-			
-		-	H		-			-				-		_	-		_	
X	Н	X	Н												-		_	
X	Н	X																
X	Н	X																
X	Н	X																
X	н	X																
X	н	x																
X	Н	X																
X	Н	X											1111					
x	н	X																
x	Н	x																
x	н	X																
x	н	x																
x	н	X																
1	2	3	•	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

DA FORM 5 (EXAMPLE)

FEEMS MAINTENANCE REQUIREMENT/PROCEDURE

			5
			0
			6
-		-	8
0		-	4
1 6		-	16 47 48 49 50 51
=			10
1 2			4.5
) H			4
			43
2			42
M			4
3			40
1 5			39
d			38
8			27
u u			98
2		-	5
Y Y		-	4
MAINTENANCE REQUIREMENT DESCRIPTION			3
2		-	2
4		-	1 3
Σ			3
			33
			2
			128
			27
-0	SEQ.NO		26
MAINT REGRMT PROCED	UMBER		25
PAGO	18		24
PR M	S		23
	2		22
_			2.1
6			20
E	EQUIP-NO		19
2	P. P.		18
王	5		17
2	EO		16
JE .			15
= &			14
N 8	TYP CO		13
MENT II	a L o		12
SELECT EQUIPMENT IDENTIFICATION NUMBER			8 9 10 11 12 1314 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45
9	SYS		10
ш.	SN		6
5			œ
1.	Sd		-
SE	SYS		3 4 5 6
			9
03-39	CHAN		4
TRNS CD		х н 5	3
M 5		I	7
		×	-

£ 0	SHOP		FREQ.UNIT.CD	u 2	FREQUENCY  OF  MAINTENANCE	ao E	EN EN	A C	> 5		CREW-SIZE	 ST F	HR STD	 нлиряертня
		_[								-			7	

2 22		NUMBER  TYP  CD  CD  CD  11 12 13 14 15 16 17					18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 35 37 38 39 40 41 42 43 445 46 47 48 49 50	
------	--	---	--	--	--	--	--	--

# FEEMS SERIAL NUMBER RANGE

	CD		6E-C0		S	EF			NU IG E		BEF	3			R	E\$	EΤ				NO		
			CHAN		ı	۰0۱	N			H	116	H											
x	н	٧	C																				
1	2	3	4	5	6	7	•	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	2

DA FORM 7 (EXAMPLE)

# FEEMS HISTORY SELECTION

	RN		E-C0	D	TER.NO		SE	LE	ст	E			ME			DEI	VT.	IFI	CA	TI	ON	
			CHANGE	or S	PARAMETER-NO	1	SY: TY CD	P			YS		T	Q YP D			EC	וטו	IP-I	NO		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
X	Н	R	C																			
x	н	R	С																			
x	Н	R	C																			
X	Н	R	C																			
x	н	R	С																			
X	н	B	C																			
x	н	н	С																			
x	Н	R	C																			
X	н	R	C																			
X	н	R	C																			
X	Н	R	C																			
X	н	R	C																			
X	Н	R	C																			
X	Н	R	C																			
X	Н	R	С																			
x	Н	R	C																			
x	н	R	C																			
X	Н	R	C																			
X	H	R	C																			
X	Н	R	C																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23

DA FORM 8 (EXAMPLE)

FEEMS HISTORY UPDATE COMMENT

# FEEMS CORRECTION/REPAIR RECORD

	RN			E-CD						E				000	E-60	-	SEL	.E(	T	EO	UI				ID ER		TI	FIC	:A1	rio	N	
(	CD		1	CHANG				VU	ME	EF	1	PHASECO			LAUL		SY	P		SI				Q YP			EQ	UI	P-N	0		
X	Н	1	֚֚֚֡֝֟֝֟֝֟֝֟֝֟֝֟֝֟֟֝֟֟֟֝֟֟֓֓֓֓֟֟֓֓֓֓֟֟֜֟֓֓֟֟֓֓֓֟֟֓	C														Γ														
1	2	3	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	3

					J(	ЭB	D	ESC	CRI	IPT	10	N					Y	C	J(	TE DB MPL	A
_	_	_		_		_															
																-					

1	AB HR CT	S	TENTHS		CO AC	ST			C	MA OS	T			C	QU :05	T	
62	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	8

DA FORM 10 (EXAMPLE)

10			775												1						
PCN305	O XWE	214	214	321																	
	KEY	SNE 10	SNE10 214	TOWER	MS		MS	N H	MS	SE	MS	NE	N.E.	SE	MS	NE.	M	SE	NS		A.
				SYS			, i									-	-				
	FAC DESCR	FAC DESCR	FAC DESCR	BARRACKS 2 MAINT S		BLANK LOC-CD	BLANK NO-ITEMS	BLDG 101	BLDG 102	BLDG 103	BLDG 104	BLDG 105	BLDG 106	BLDG 107	BLDG 108	BLDG 109	BLDG 110	BLDG 111	8LDG 112	BLDG 102	BI DG 103
		FA	FA	BA		B.L	81	BL	BL	81	BL	BL	BL	B.	BL	9.	BL	18	B.	BL	ā
S +	SUF			æ	۵																
. L I	FACILITY NUMBER SUF	P00480	P00480	P01842	P02066	T00115	T00115	P00567	P00326	P00376	P00431	P00469	P00470	P00472	P00538	P00539	P00550	P00567	P00568	P00326	905000
٦ ٣		-	-		6	n	ю	9	9	9	9	9	9	9	9	9	9	9	9	9	4
<b>≻</b> <b>⊢</b>	EQUIP NAME	TEST EQUIP	EQUIP		EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	TEST FOUTD
S T	EQUI	TEST	TEST		TEST	TEST	TEST	TEST	TEST	TEST	TEST	TEST	TEST	TEST	TEST	TEST	TEST	TEST	TEST	TEST	1531
<b>≻</b> S	EQUIP NO	200F	2006		904	907	806	-		m	4	ĸ	φ	7	80	a	01	Ξ	12	13	14
	EQ TYPE CD	AA	AA		ខ	ខ	23	FF	7.	F.	F	FF	#	FF	FF	FF	7.	7.	7.7	ŭ.	14
		ო	ო	4	ß	ß	ស	60	00	00	80	ω	80	8	00	œ	æ	œ	æ	œ	α
	s DESCR	TEST SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM	SYSTEM
	SYS	TEST	TEST	TEST	TEST	TEST	TEST		TEST												
	SYS	222C	222C	331	441	441	106	777	717	777	777	777	777	777	777	777	777	777	777	777	777
NA IN	SYS TYPE CD	220	220	330	440	440	440	170	770	077	170	170	170	170	770	270	170	022	770	170	770
									29												×

			- 333									14	
						100			- 3777				
			6.00										
ш													
PAGE													
•			- 56										
0									9.73				
9	•												
Z													
PCN306													
									18.5				
-													
2 1													
-													
۔													
œ													
111													
E E													
Σ													
_													
> z													
Z													
Σ													
ш									8016			W.	
-			27	-		_	_		~	_	~	•	
S		_		4	u,	80	0	u,	0	10	.,	٠,	
· ·													
>.	œ	>	>	5	2	5	2	2	Σ	2	Σ	×	
v	Ü	W	W	w	ш	W	m	W	ш	m	W	ш	
1000	S	S	S	S	SYSTEM	S	S	S	S	S	SYSTEM	SYSTEM	
	0	>	>	>	>	>	>	>	>	-	>	>	
	un.	v	o	. 0	S	S	0)	u	U,	U,	01	0,	
	SYS DESCR	TEST SYSTEM	TEST SYSTEM	TEST SYSTEM	TEST	TEST SYSTEM	TEST	TEST					
	v	ES	S	S	S	S	S	S	S	S	S	S	
955		F	=	=	-	=	=	-	F	=	=	-	
										100			3
							1						
									100				
									- 100				
	0												
0	ν C	0	0	330	440	770	066	440	990	066	0	880	
~	> m	110	110	33	4	7	6	4	6	9	220	88	
7	× -	_	-	6.	4		0:	4	u,	0,		~	
JAN 78	SYS TYPE CD												
,													
w													
DATE		=	122	=	=	1	=	907	920	940	222C	6666	
0	SYS	121	2	331	44	111	901	90	6	9	22	6	
	v _			1 3		100	100				~	0	

RE- EQ EST. NO IMB USED ITEMS	DWG NO		100	871	1 002		100	001		100	A-14-200
EO E	I A		540	14-278	744	11-87	100	90	N 1-8484	744	A-1.A
RE-	8								•	×	
REG	CO SPEC PARA		ខ	282	¥	11-26	4	1		×	
0 ×	SPEC		321	XXX-	228	245-	2 4	214	1111		
LOC CD KEY RMK	<u>"</u> 3		OWER	3		01000 LB 245-11-26	SNE10 214	SNE10 214 FL	00003 GA 1777		
	EQ SIZE AMT/UM UM		BARRACKS 2 MAINT SYS TOWER 321	00400 GA XXX-282		01000	SNE1		0000	\$	
ESCR	₩₩		AINT							3	
COMP FACILITY FEEMS FAC DESCR	8		S 2 M	CL N 198	AA	2501	CR 8~101	<b>8</b>		EST DATA BLDG 88 DEFAULT 744	
EEMS	SERIA	REMARKS	RACK	24-72	BLDG AAAA	7943-	FAC DESCR	FAC DESCR	1	DG 88	
=	MANUF SERIAL NÖ	, a	BA	X250-24-72CL XREPLACEMENT IN 1981	BLI	CONWAY MANUF INC Y-275 2058-7943-2501	FAC DESCR 4992A-25538-101	FA	X2222NL	7611 \$-001122 771015 771015 781015 771112 771015TEST DATA 03 TEST EQUIP 1 TEST SYSTEM 10 10 \$01801 BLDG BB	47-780
TTY	3		0	XREPL		REBU				1110	
FACIL	MODEL NO	MOD	01842		01843	516	00480 A3	00480	44-2	01801	
COMP FACILITY	MODE	M O	4 08 P01842 B	x250	0	7-275 770	3 07 P00480 999-AA3	3 07 P00480	1666-44-2	10 10 501801	47.4
8-		WRNTY		30203	5	91116				1015	
SCR			STEM	93	STEM	7 23	rSTEM	STEW		STEM	
SYS DESCR	IAME	DATE	TEST SYSTEM	66020	TEST SYSTEM 10 10 P01843	INC 75112	ST S)	51 8		ST S	
	MANUF NAME	w S	7	2.	7	CONMAY MANUF INC. 4000 751114 751	TEST EQUIP 1 TEST SYSTEM	TEST EQUIP 1 TEST SYSTEM	LEC	\$001122 771015 771015 76	191
NAME	3	INST		C-L INC		MAY N	EQUIP 1	410	MILLER ELEC	dIP	MONEY AME
EQUIP NAME		ACON COST		C-L		CON 03400	ST EQ	ST E0	MIL	ST EQ	NOW
	OND	DATE EQUIP. DATE MANUF ACON INSTLD COST		11 C-L INC X250 6410 \$024000 660115 660203 680203 731125		511 \$	10000			3 TE	
EQ SYS SYS EQUIP NO	OTHER FUND	0.5		K291		<b>.</b>	AA 220 222C 200F	220 222C 200G	K134	3003	
EQU	6			.K291						277.53	
SYS			331		920		222C	222C	K134	940	
YS	•		30		066		8	2		\$1000 DOM: 2000	
- N	8	6/4/	6		0		2	8		AA 990	

ITEMS	001	010	010	001	001	010	001	001	001	010	010	010	010	001	100	100	100	100
SC CD					999 59	14 3			G1234 TOP	G1234 ZZZ	G1234 TOP	G1234 TOP	34 222					
KEY	114	MS.	N.S.	N	25255	84444			612	6123	6123	6123	G1234	SW	MS	MS	MS.	SW
FACILITY NUMBER SUF		9	9	9	9	9	0	0	0	0	0	0	0	9	9	-	6	0
FACI	P00567	P00326	P00326	P00326	P00326	P00326	P00480	P00480	P00480	P00480	P00480	P00480	P00480	P00326	P00376	P00431	P00469	P00470
	9	9	9	9	9	9	9	9	9	9	9	ဖ	9	9	ъ	9	9	9
EQUIP NAME	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP	EQUIP								
EQUIP	TEST	TEST	TEST	TEST	TEST	TEST	TEST	TEST	TEST	TEST								
, E	•			•			•			•	•	_	0				•	
SYS TYPE CD	770	770	770	770	770	770	770	077	770	770	770	770	770	770	770	770	770	770
SYS	222		111	111	111	777	177	111	111	111	111	777	777	777	777	777	777	777
	,		,	,	,		1		,		,	-			,	7	,	,
17 E	H.	1	H	4	2.	FF	7.	#	¥	4	4	Ŧ.	14	7.	#	FF	7.	77
S	23	24	25	56	27	28	59	30	31	32	33	34	35	36	37	38	39	40
EQUIP NO																		

P00472 BLDG 10		. LOC	CD	SYS TYPE CD	SYS	EQ TYPE CD	EQUIP NO	SYS/EQ DESCR	SCR
	107	SE		770	777	7.5	7	TEST EQUIP	9
		MS		770	777	Ŧ	14	TEST EQUIP	9
	113			077	777	9.6	29	TEST EQUIP	9
				770	777	ŧ	30	TEST EQUIP	8
		61234	401	770	777	Ħ	31	TEST EQUIP	9
		G1234	40T	770	777	FF	33	TEST EQUIP	9
, · .		61234	T0P	770	777	11	34	TEST EQUIP	
		61234	222	770	777	#	32	TEST EQUIP	•
		61234	222	770	777	FF	35	TEST EQUIP	9
•		SNE10	214	220	222C	AA	200F	TEST EQUIP	4
		SNE10	214	220	222C	AA	2000	TEST EQUIP	•
P00538 BLDG 10	108	MS		770	777	11	æ	TEST EQUIP	<b>9</b>
		MS		770	777	FF	42	TEST EQUIP	9
PO0539 BLDG	BLDG 109	Ä		770	777	FF.	o	TEST EQUIP	•
		MS		770	777	46	43	TEST EQUIP	
P00550 BLDG 1	110	MN		077	777	9.5	10	TEST EQUIP	
		MZ		770	777	a a	19	TEST EQUIP	•
		MS		770	777	ų. L	44	TEST EQUIP	
P00567 BLDG 10	101	N		770	777	n n	-	TEST EQUIP	•

PCN310	FREQ	H2000000	M0003000	M0006000	M0001000	H1000000	M0002000	M0001000	M0001000M	R1011120	R1011120	M0006000	M0001000	M0002000	M0002000	M0001000	M0002000	MO003000	M0012000	H2000000	0000
Ö	SHOP	51X	42×	62 X	51 X	52X	20x	¥1X	×14	53X	51 X	¥59	51 X	41X	20 X	¥14	×14	×14	¥1.	41X	,,,
MAINTENANCE REQUIREMENT/PROCEDURE LIST BY SEID-NO	MAINT REQRMT DESCR	GREASE	INSPECT	GREASE		CHANGE	СНЕСК	CLEAN	REPLACE	INSPECT ELEC PARTS	INSPECT MECH PARTS	REPLACE	_	INSPECT	INSPECT	INSPECT	INCREASE	DECREASE		REPLAC	
REQUIREMENT/P	MAINT REGRMT PROCED-NO	AA40 1 GR	AASO 1 IN	DD40 1 GR	GG10 1 DIL	HH10 1 CF	AA20 1 CH	PP20 1 CL	PP30 1 RE	AA30 1 IN	AA30 2 IN	. AASO 1 RE	AA10 1 DIL	PP10 1 IN	PP10 2 IN	FF10 1 1N	FF20 1 IN	FF30 1 DE	FF40 1 01L	FF50 1 RE	
MAINTENANCE	EQUIP NO												2006								
7	SYS		222C	331		888						222C	222C						ì		
77 VON	SYS	220	220	330	880	880				220	220	220	220	066	066						
DATE	2 E E						¥¥	AA	AA	AA	AA	AA	AA	AA	AA	#	FF	#	#	FF	1

PAGE

DATE	DATE NOV 77	11			MAINTENANCE REQUIREMENT/PROCEDURE	REQUI	REMENT/PROC	EDURE	LIST	BY MRP-NO		PCN311	PAGE	
	MAIN	MAINT REGRMT PROCED-NO		MAINT REGRMT DESCR	DESCR	SHOP	FREQ	SYS TYPE CD	SYS	77 E	EQUIP NO			
	AA	AA10 1	016			51X	M00010000	220	222C	AA	2000	ra, -0°		
	AA	AA20 1	CHECK			50X	M00020000			AA				
	AA	AA30 1	INSPECT	T ELEC PARTS	315	53X	R10111200	220		AA				
	AA	AA30 2	INSPECT	T MECH PARTS	2TS	51X	R10111200	220		AA				
	AA	AA40 1	GREASE			51X	H20000000	220						
	AA	AA50 1	INSPECT	11		42X	M00030000	220	222C					
	AA	AA50 1	REPLACE	ij.		65X	M00060000	220	222C	AA		1 240		
	Ò	DD40 1	GREASE			62X	M00060000	330	331					
	FF	FF10 1	INSPECT	;;		41X	M00010000			44				
	FF	FF20 1	INCREASE	SE		41X	M00020000			4		eresde)		
	F	FF30 1	DECREASE	ISE		41X	M00030000			7.				
		FF40 1	011			41X	M00120000			4				
	11	FF50 1	REPLAC			41X	Н20000000			77				
		FF50 1	GREASE			41X	R11120000			7				
	FF	FF70 1	011			41X	M00020000			4				
	FF	FF80 1	WASH			41X	Н0700000			4				
	FF	FF90 1	INSPECT	<b>.</b>		41X	H13000000			4				
	99	6610 1	011			S1X	M00010000	880						
	.9 <b>9</b>	GG20 1	GREASE			41x	M00010000	770		14				
	. 66	6630 1	CHANGE			41X	M00010000	770	777	#				
	99	6630 1	CHGE			41X	M00010000	770	171	4		٠		

DATE	77 VON			MAIN	MAINTENANCE RENUIREMENT/PROCEDURE (MASTER MRP LIST)	MAS	MENT/PR	OCEDURE LIST BY SHOP LIST)	ě.	PCN312		•	PAGE 1
SHO CO	MAINT REGRMT PROCED NO	RMT MAINT	REQRMT DESCR	CCORD	FREQ	SZ	LABOR HR STD	REMARKS	SYS TYPE CD	SYS	TYPE	EQUIP ND	DATE
¥14	FF10 1	INSPECT		-	M00010000	-	1.00	CHECK SMP BOOK			12		771115
41X	FF20 1	INCREASE		-	M0002000M	-	2.00	CHECK SPECIAL TOOL LIST			7.		771115
¥1.	FF30 1	DECREASE		-	M00030000	-	1.00	MANUAL M-420-6			11		771115
4 X	. FF40 1	OIL		-	M00120000	-	.50	SPARE PARTS MAY BE NEEDE			FF		771115
41X	FF50 1	REPLAC		-	H20000000	-	1.00	SYNTHETIC DIL REQUIRED			7.		771115
¥14	FF60 1	GREASE		-	R11120000	-	2.00	BRING GREASE GUN			t		771115
4 X	FF70 1	110		-	M00020000	-	1.00				1		771115
41X	FF80 1	WASH		-	но700000	-	1.00				1		771115
A1 X	FF90 1	INSPECT		-	H13000000	-	1.00				Ħ		771115
¥1 X	GG20 1	GREASE		-	M00010000	-	1.00	BRING GREASE GUN	770		#		771115
41X	0630	CHGE		-	M00010000	-	2.00		270	171	4		771115
4 X	6630 1	CHANGE		-	M00010000	-	2.00	FILTER 20 X 20	170	777	#		771115
¥1X	6640 1	REPLACE		-	M00010000	-	1.00		170		#		771115
41X	6650 1	CLEAN		-	M00010000	-	1.50	BRING BRUSH	770	777	3.5		771115
¥14	6650 1	CLEAM		-	M00010000	-	1.50		170	171	#		771115
41X	0999	011		-	M00010000	-	3.00		170	171	*	•	771115
¥14	6660 1	OIL		-	M0001000M	-	3.00		170	777	2	· Same	771115
41X	PP10 1	INSPECT		z	M00020000	7	1.00		066		A A		771115
41x	PP20 1	CLEAN		-	M00010000	-	1.00		170	777	2	8	771115
41X	PP20 1	CLEAN		-	M00010000	-	1.00				AA		771115
41X	PP30 1	REPLACE		-	M00010000	-	1.00	O-RING			*		771115
41X	1 0188	CHECK		-	R01020611	a	1.00	REMEMBER CHECK LIST			4		771115
NUMBE	NUMBER OF MRP RECORDS FOR		THIS SHOP:	22			0.0000000000000000000000000000000000000						

			g	L LIST			g	11157	ור רוצל			5	ור רוצל			5)	
			MRP REMARKS	CHECK SPECIAL TOOL LIST			MRP REMARKS	CHECK SPECIAL TOOL LIST	CHECK SPECIAL TOOL LIST			MRP REMARKS	CHECK SPECIAL TOOL LIST			MRP REMARKS	
			DATE LAST COMPLD	7712			DATE LAST COMPLD	0000	00000			DATE LAST COMPLD	7712			DATE LAST COMPLD	
	MAR 78		S2 C		MAR 78		SZ			MAR 78		SZ C		MAR 78		S S S	
			COORD				COORD					COORD				COORD	
	EO IN		FREQ C	00002 M 1300 H	ED IN		FREQ C	0002 M	130022 H	ED IN		FREQ C	00002 M 1300 H	ED IN		FREQ C	
	NCELL		A.	995	NCELL		F	000	2002	NCELL		a.	200	CANCELLED IN:		E .	
	PHASE CANCELLED IN:		SCR		PHASE CANCELLED IN:		SCR			PHASE CANCELLED IN:		SCR		PHASE CA		SCR	
	PHA		MAINT REGRMT DESCR		H		MAINT REGRMT DESCR			H		MAINT REGRMT DESCR		Hd		MAINT REQRMT DESCR	
	IST		IT REQ		ST		IT REQ			IST		IT REQ		IST		IT REQ	
	LBR COST EST	\$41	MAIN	INCREASE DIL INSPECT	LBR COST EST	\$446	MAIN	NCREASE	INSPECT INCREASE DIL INSPECT	LBR COST EST	\$41	MAIN	INCREASE 01L INSPECT	LBR COST EST	\$41	MAIN	
			ORMT	INC			NO	INC	INSTITUTE			ORMI	O I N			NO	
	LBR HR EST	4	MAINT REGRMT PROCED NO	FF20 1 FF70 1	LBR HR EST	44	MAINT REGRMT PROCED NO	FF20 1	FF90 1	LBR HR	4	MAINT REGRMT PROCED NO	FF20 1 FF70 1	LBR HR	4	MAINT REGRMT PROCED NO	
	RE IMB CD			222	RE IMB			==	= 5555	RE IMB CD			23 23	REIMB CD F			Market Street
30000	REIN		ROLLP		REIN		EQUIP NO			REIN		EQUIP NO		REI		EQUIP	
	FUND		TYPE CD	# # #	FUND		EQ TYPE CD	F 11		FUND		EQ TYPE CD	# # # #	FUND		17 PE 00	VS 00000
L GRP CD	OTHER FUND CIT		SYS	777	OTHER FUND CIT		SYS	777	7.7. 7.7. 7.7.	OTHER FUND		SYS	777	OTHER FUND	*	SYS NO	
FUNCT	COMP	90	SYS TYPE CD	770	COMP	90	SYS TYPE CD	770	7700	COMP	90	SYS TYPE CD	770 770 770	COMP	9	SYS	
	SUF		TEMS		***	T.	LEMS	00	2	TY SUF		NO		TY.		TEMS	
2480	FACILITY NUMBER SUF	1990	SERIK ITEMS		FACILITY NUMBER SUF	P00567	TI MM			FACILITY NUMBER SUF	1990	RMK ITEMS		FACILITY NUMBER SUF	195004	CD NO RMK ITEMS	
DOC NO EJ800248J		41X P00567	LOC CD KEY RI	WHU			LOC CD NO KEY RMK ITEMS	W. F	. W W W W		41X P00567	LOC CD	444		DOG 3	LOC CD KEY RN	
2	SHO 03		X ON	02 NE 03 NE	<b>5</b> 50	4 ×	*	01 SE	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	SHOP		¥ 8	932	8 8 8	41x	X ON	
ŏ	<b>E</b> 8	5			£8	8	¥ 8			<b>E</b> 8	69		000	£8	2		27.5

NEW WORK ORDER PHASES - SPECIFIED FROMENCY:   1.48.05												
CIFIED FREQUENCY:  7712  7712  7712  7712  7712  7712  7712  7712  7712  7712  7711		000 000	£ 8	DATE	TASKS SCHD	TASKS	LABOR HRS EST	LABOR HRS ACTU	MAT COS ACTU			SOS
77712 01 002 77712 01 002 77712 02 0004 77712 02 0006 77712 06 0008 77712 06 0008 77712 06 0008 77712 06 0008 77712 06 0008 77712 06 0008 77712 06 0008 77712 06 0008 77713 03 000 77711 03 000 0003 77711 03 000 0003 77711 03 000 0003 77711 03 000 0003 77711 03 000 0003 77711 03 000 0003 77711 03 000 0003 77711 03 000 0003 77711 03 000 0003 77711 02 000 0003 77711 02 000 0003 7771 02 0003 7771	NEW	WORK ORDER P			ENCY:							
7712 01 00 00 00 00 00 00 00 00 00 00 00 00		E 18001381	00	7712			005					
77712 02 000 0004  77712 06 0008  77712 06 0008  77712 06 0008  77712 06 0008  77712 06 0008  77713 06 0004  77711 03 00 0004  77711 03 00 0004  77711 03 00 0004  77711 03 00 0004  77711 03 00 0004  77711 03 00 0004  77711 03 00 0004  77711 03 00 0004  77711 03 00 0004  77711 03 00 0004  7771 02 00 0003  7771 00 0003  7771 000 0003	-	E 1800139J	03	7712	0.10		002					
7712 06 008 7712 06 008 7712 06 008 7712 06 008 7712 06 008 7712 06 008 7711 03 000 7711 02 00 002 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 02 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 04 04 06 006.0 8 00 8		E JR00138J	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2177	05		000					
77712 06 008 77712 06 008 77712 06 008 77712 06 008 77712 06 008 77713 06 008 77711 03 000 77711 02 00 003 0000 77711 04 04 05 003 0000 77711 05 00 003 0000 77711 05 00 003 00000 77711 05 00 003 0000 77711 05 00 003 00000 77711 05 00 003 00000 77711 05 00 003 00000 77711 05 00 003 00000 77711 05 00 003 00000 77711 05 00 003 00000 77711 05 00 003 00000 77711 05 00 003 00000 77711 05 00 003 00000 77711 05 00 003 00000 77711 05 00 003 000000 77711 05 00 003 000000 77711 05 00 003 000000 77711 05 00 003 000000 77711 05 00 003 000000 77711 05 00 003 000000 77711 05 00 003 000000 77711 05 00 003 0000000 77711 05 00 003 0000000 77711 05 00 003 000000000000000000000000000		YORK ORDER PH	1	THLY:								
7712 06 008 7712 06 008 7712 12 06 008 7712 06 008 7711 03 0004 7711 03 0003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 02 00 003 7711 04 05 00 003 7711 05 00 003 7711 06 00 003 7711 06 00 003 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 070 7711 070 070 7710 070 070 7710 070 7710 070 7710 070 7710 070 7710 070 7710 070 7710 070 7710 070 7710 070 7710 070 7710 070 7710 070 7710 070 7710 0		EU800158J	0	7712	. 90		800					
7712 12 12 12 008  MONTHLY: 03 004  7711 03 009  7711 03 009  7711 03 009  7711 02 00 004  7711 02 00 003 003.0  7711 02 00 003 003.0  7711 02 00 003 003.0  7711 02 02 003 003.0  7711 02 02 003 003.0  7711 02 02 003 003.0  7711 02 02 003 003.0  7711 02 02 003 003.0  7711 02 02 003 003.0  7711 02 02 003 003.0  7711 02 02 003 003.0  7711 02 02 03 03.0  7711 04 05 05 05 05 05 05 05 05 05 05 05 05 05		E 1600158J	4 4	7712	90		800					
### ### ### ### ### ### ### ### ### ##		EJ800158J	9	7712	120		008					
7711 03 004 7711 03 004 7711 03 004 7711 03 0004 7711 03 000 7711 02 00 002 7711 02 00 003 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 02 02 003 003.0 7711 04 04 05 05 05 05 05 05 05 05 05 05 05 05 05		EJ800168J	10	7712	90		800					
7711 03 09 009 009 009 009 009 009 009 009 0		MORK DROER PH	1	MONTHLY								
7711 06 0003  7711 03 0003  7711 03 0003  7711 03 000  7711 02 00 002  7711 02 00 003  7711 04 04 06 000.0  8 0 8 0 8		E 38001183	-	7711	03		, ,					
RTERLY:   03   003   003   003   003   003   003   003   003   003   003   003   003   003   003   003   003   003   003   004   004   004   004   004   004   004   004   004   004   004   005   003   003   003   003   003   003   003   003   003   003   003   004   005   0		EU800118J	05	7711	90		008					
FTERLY: 7711 03 003 7711 03 003 7711 03 000 002 7711 03 000 004 7711 03 000 004 7711 03 000 004 7711 03 000 003 003 005.0  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		20000	60	7711	0.3		004	The second second second				
7711 03 003 7711 03 003 7711 03 000 002 7711 02 00 002 7711 03 00 004 7711 03 00 003 7711 02 02 003 003.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 02 02 003 000.0 7711 03 05 05 05 05 05 05 05 05 05 05 05 05 05	NEW W	HORK GROER PH	1	RTERLY:								
5 - MONTHLY:     0.3       5 - MONTHLY:     0.2       7711     0.2       7711     0.2       7711     0.3       1 - MONTHLY:     0.0       2 - BI-MONTHLY:     0.0       3 - QUARTERLY:     0.0       3 - QUARTERLY:     0.0       4 - MONTHLY:     0.0       5 - QUARTERLY:     0.0       5 - QUARTERLY:     0.0       6 - QUARTERLY:     0.0       7 - 7711     0.0 <tr< td=""><td></td><td>EU8000780</td><td>= !</td><td>7711</td><td>03</td><td></td><td>003</td><td></td><td></td><td></td><td></td><td></td></tr<>		EU8000780	= !	7711	03		003					
S - MONTHLY:  7711 02 00 002  7711 03 00 004  7711 03 00 004  7711 02 02 003 003.0 \$ 84  7711 02 02 003 000.0  7711 02 02 003 000.0  7711 02 02 003 000.0  7711 02 02 003 000.0  7711 02 02 003 000.0  7711 02 02 003 000.0  7711 02 02 003 000.0  7711 02 02 003 000.0  7711 02 02 003 000.0  7711 02 02 003 000.0  7711 02 02 003 000.0  7711 02 02 003 000.0  7711 02 02 003 000.0  7711 04 05 003 000.0  7711 05 05 05 05 05 05 05 05 05 05 05 05 05		E18000783		7711	03		003					
S - BL-MONTHLY:  5 - BL-MONTHLY:  5 - BL-MONTHLY:  5 - GUARTERLY:  5 - GUARTERLY:  5 - GUARTERLY:  5 - GUARTERLY:  6 - GUARTERLY:  6 - GUARTERLY:  7711 02 02 003 003.0 \$ 50 \$ 50 \$ 50 \$ 50 \$ 50 \$ 50 \$ 50 \$	IN-DO											
S - BI-MONTHLY:  5 - BI-MONTHLY:  7711 02 00 004  7711 03 00 004  7711 03 00 004  7711 02 02 003 003.0 \$ 84  7711 02 02 003 000.0 \$ 55  7711 02 02 003 000.0 \$ 55  7711 02 02 003 000.0 \$ 55  7711 02 02 003 000.0 \$ 55  7711 02 02 003 000.0 \$ 55  7711 02 02 003 000.0 \$ 55  7711 02 02 000 003 000.0 \$ 55  7711 02 02 000 000 000.0 \$ 55  7711 02 02 000 000 000.0 \$ 55  7711 02 02 000 000 000.0 \$ 55  7711 02 02 000 000 000.0 \$ 55  7711 02 02 000 000 000.0 \$ 55  7711 04 05 000 000 000.0 \$ 55  7711 04 05 000 000 000 000.0 \$ 55  7711 04 05 000 000 000 000.0 \$ 55  7711 04 05 000 000 000 000.0 \$ 55  7711 04 05 000 000 000 000.0 \$ 55  7711 04 05 000 000 000 000.0 \$ 55  7711 04 05 000 000 000 000.0 \$ 55  7711 04 05 000 000 000.0 \$ 55  7711 04 05 000 000 000.0 \$ 55  7711 04 05 000 000 000.0 \$ 55  7711 04 05 000 000 000.0 \$ 55  7711 04 05 000 000 000.0 \$ 55  7711 05 05 000 000 000 000.0 \$ 55  7711 04 000 000 000 000.0 \$ 55  7711 05 05 000 000 000 000.0 \$ 55  7711 05 05 000 000 000 000 000.0 \$ 55  7711 05 05 000 000 000 000 000 000.0 \$ 55  7711 05 05 000 000 000 000 000 000 000 000				•								
S - BI-MONTHLY:  7711  03  00  004  7711  03  00  004  7711  03  00  0054  7711  03  00  003  003  003.0  \$ 84 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		FL800028J	05	7711		000	002					
7711 03 00 0004 7711 03 00 0004 7711 03 00 0004 7711 02 02 003 003.0 \$ 84 \$ \$ 5 \$ 12 7711 02 02 003 003.0 \$ 550 \$ 5 0 7711 02 02 003 003.0 \$ 550 \$ 5 0 7711 02 02 003 000.0 \$ 5 0 \$ 5 0 7711 02 00 003 000.0 \$ 5 0 \$ 5 0 7711 02 00 003 000.0 \$ 5 0 \$ 5 0 7711 02 00 003 000.0 \$ 5 0 \$ 5 0 7711 02 00 003 000.0 \$ 5 0 \$ 5 0 7711 04 05 00 009 000.0 \$ 5 0 \$ 5 0 7711 06 00 009 000.0 \$ 5 0 \$ 5 0	IN-PR	OCESS WORK D	PRDER PHASE	•	¥:							
7711 03 00 004 7711 03 00 004 7711 03 00 0094 7711 02 02 003 003.0 \$ 84 \$ 5 \$ \$ 12 7711 02 02 003 003.0 \$ 550 \$ 54 7711 02 02 003 000.0 \$ 550 \$ 54 7711 02 00 003 000.0 \$ 550 \$ 54 7711 02 00 003 000.0 \$ 550 \$ 54 7711 02 00 003 000.0 \$ 550 \$ 550 7711 02 00 003 000.0 \$ 550 \$ 550 7711 02 00 003 000.0 \$ 5 0 \$ 550 7711 02 00 003 000.0 \$ 5 0 \$ 550 7711 02 00 009 000.0 \$ 5 0 \$ 550 7711 04 00 009 009 000.0 \$ 5 0 \$ 550 7711 04 05 009 009 000.0 \$ 5 0 \$ 550 7711 05 05 009 009 000.0 \$ 5 0 \$ 550 7711 05 05 009 009 000.0 \$ 5 0 \$ 550 7711 05 05 009 009 000.0 \$ 5 0 \$ 550 7711 05 05 009 009 000.0 \$ 5 0 \$ 550 7711 05 05 009 009 000.0 \$ 5 0 \$ 550 7711 05 05 009 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000.0 \$ 5 0 \$ 500 7711 05 05 009 000.0 \$ 5 0 \$ 500 7711 05 05 000 000 7711 05 05 000		EJ800058J	01	7		00						
3 - QUARTERLY: 7711 03 00 003 7711 02 02 003 003.0 5711 02 02 003 003.0 5711 02 02 003 003.0 58 58 58 58 58 58 58 58 58 58 58 58 58		E 18000553	02	1177	03	800	4 4 4					
7711 02 00 003 000.0 <b>\$ 84 \$ 5 \$ 12</b> 7711 02 02 003 003.0 <b>\$ 65 \$ 5 \$ 7</b> 7711 02 00 003 000.0 <b>\$ 65 \$ 7</b> 7711 02 00 003 000.0 <b>\$ 6 \$ 6 \$ 7</b> 7711 02 00 003 000.0 <b>\$ 7</b> 7711 04 09 006 000 <b>\$ 7</b>	IN-PR	OCESS WORK D	RDER PHASE						The second secon			
7711 02 00 003 000.0 \$ 84 \$ 5 \$ 12 7711 02 02 003 003.0 \$ 650 \$ 50 \$ 50 \$ 50 \$ 50 \$ 50 \$ 50 \$		E J8000078J	01			00						
7711 02 00 003 003.0 \$ 84 \$ 5 \$ 12 7711 02 003 000.0 \$ 000.0 \$ 000.0 \$ 000.0 \$ 12 12 12 12 12 12 12 12 12 12 12 12 12		E10000873	0.5			00	003					
7711 02 00 003 000.0 \$ 84 \$ 5 \$ 12 7711 02 02 003 000.0 \$ 550 \$ 50 7711 02 00 003 000.0 \$ 550 \$ 54 7711 02 00 003 000.0 \$ 0 \$ 5 7711 02 00 003 000.0 \$ 0 \$ 5 7711 04 00 006 000.0 \$ 0 \$ 5 7711 04 00 006 000.0 \$ 0 \$ 5 7711 06 00 009 000.0 \$ 0 \$ 5 7711 06 00 009 000.0 \$ 0 \$ 5 7711 06 000 009 000.0 \$ 0 \$ 5 7711 06 000 009 000.0 \$ 0 \$ 5 7711 06 000 009 000.0 \$ 5 7711 06 000 009 000 \$ 5 7711 06 000 009 000 000 \$ 5 7711 06 000 000 000 000 \$ 5 7711 000 000 000 000 000 000 \$ 5 7711 000 000 000 000 000 000 \$ 7711 000 000 000 000 000 000 000 \$ 7711 000 000 000 000 000 000 000 000 000	COMPLI	ETED WORK OR	DER PHASES									
7711 02 00 003 000.0 \$ 0 \$ 0 \$ 5 0 \$ 7 7 1 1 02 00 003 000.0 \$ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		EJ800018J	0.1		02	0.5	003	0 500				
7711 02 00 003 000.0 \$ 050 \$ 0 \$ 5 0 \$ 7 11		E J800018J	05	7711	0.5	02	003	003.0				25
7711 02 00 003 000.0 S 0 S 0 S 7711 02 00 009 009 000.0 S 0 S 0 S 7711 04 00 006 006 000.0 S 0 S 0 S 7711 04 00 006 006 000.0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S 0 S		E 1800018J	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7711	0 0	000	003	003.0	\$ 550			581
7711 02 00 003 000.0 \$ 0 \$ 0 \$ 5 0 \$							900	0.000	2	0 5	•	46
EUB00028J 02 7711 04 00 006 000.0 \$ 0 \$ 0 \$ 0 \$ 0 \$ 0 \$ 0 \$ 000.0 \$ 0 \$	CANCE	EJ800013J EJ800013J EJ800028J	DER PHASES		000	000	0003	0.000		•	•	0
EJ800038J 01 7711 06 00 008 000.0 \$ 0 \$ 0		EJ800023J	0.5	7711	40	88	900	0000		9	<b>.</b>	0
		EJBOOOSS	01	7711	90	00	800	0.000			• •	0

STRUCT SHOP	T SHO	۵	41×											
SYS	SYS	TYPE	EQUIP	2	SYS/EQ DESC	U	FACILITY NUMBER SUF	LOC CO KEY RMK	MAINT REGRMT PROCED NO	IMT MAINT REQUEST DESCR	NO 1 TEM	NO LABOR	DATE	DATE
170	111	44		-	TEST EQUIP	9	P00567	NE	FF30 1	DECREASE	100	001.00	1111	0000
110	111	4		-	TEST EQUIP	9	P00567	NE	FF40 1	110	00	000.50	1111	0000
110	777	44	3.	-	TEST EQUIP	9	P00567	NE	FF50 1	REPLAC	001	001.00	1117	0000
170	111	4		-	TEST EQUIP	9	P00567	NE	RR10 1	CHECK	100	001.00	7801	0000
110	777	4	, a <sub>0</sub> ,	~	TEST EQUIP	9	P00326	NS.	FF10 1	INSPECT	100	001.00	1801	7801
170	111	FF		٨.	TEST EQUIP	9	P00326	MS	FF30 1	DECREASE	100	001.00	1111	7712
011	111	4	, , °	7	TEST EQUIP	9	P00326	Sw	FF40 1	01L	100	000.50	1111	7712
270	111	4	·o	~	TEST EQUIP	9	P00326	3.S	FF50 1	REPLAC	001	001.00	1111	7712
110	1111	44		ď	TEST EQUIP	ω	P00328	MS	FF80 1	WASH	001	001.00	1801	7801
022	777	4.4	, , .	N	TEST EQUIP	9	P00326	NS	1 0630	CHANGE	001	002.00	7801	7801
770	111	4	. 17	~	TEST EQUIP	9	P00326	MS	6640 1	REPLACE	100	001.00	7801	7801
170	111	44		8	TEST EQUIP	9	P00326	MS	6650 1	CLEAN	00	001.50	7801	7801
170	111	4	3:	N	TEST EQUIP	9	P00326	SW	PP20 1	CLEAN	000	001.00	7801	7801
011	111	4	· ·	N	TEST EQUIP	9	P00326	NS.	1 0188	CHECK	100	001.00	1801	77.12
170	111	44	.0	60	TEST EQUIP	9	P00376	SE	FF10 1	INSPECT	00	001.00	7801	7801
110	111	4	, .	C	TEST EQUIP	9	P00376	SE	FF80 1	WASH	001	001.00	7801	1801
110	111	1	• • •	•	TEST EQUIP	9	P00376	SE	6630 1	CHANGE	100	002.00	1801	7801
011	111	4		е	TEST EQUIP	9	P00376	SE	GG40 1	REPLACE	100	001.00	1801	7801
110	111		¥°-		TEST EQUIP	Ð	P00376	35	6650 1	CLEAN	000	001.50	1801	7801
110	111	7.	· ·	6	TEST EQUIP	9	P00376	SE	RR10 1	СНЕСК	100	001.00	1801	0000
170	111	1		s.	TEST EQUIP	9	P00469 F	NE	FF10 1	INSPECT	. 003	001.00	1801	7801
170	111	=		40	TEST EQUIP	9	P00469	34	FF30 1	DECREASE	900	001.00	1111	0000
170	777	4		s	TEST EQUIP	9	P00469	NE	FF40 1	. 110	900	000.50	1111	0000
170	777	u		u	4.1.01		STATE OF THE PARTY				STATE OF STREET	S. C. C. Contraction	1	

PAGE	TOTAL STO HRS	5.34		**	8		2	¥
	SEP	473		S	~	٥	~	9
	AUG	374	•	ıs	~	•	~	60
PCN313	100	483	-	Ξ	6	•	~	6
	N N	340	0		•	•	8	6
	MAY	551	-	S.	8	-	N	10
JECTION	APR	306	0	to.	6	0	~	ო
3AD PRO. 3S) 7901	MAR	473	-	s	7	.0	2	6
FEEMS YEARLY WORKLOAD PROJECTION (STD HRS) FROM 7802 TO 7901	FEB	418	0	. S	7	0	7	e
FROM 78	JAN	527	-	15	80		a	ო
FEEM	DEC	384	0	7	4	0	N	n
	NON NO	705	-	7	æ	-	N	2
	100	306	•	7	7	0	2	m
<b>©</b>	NAME	SHOP	ES OFC	40	ном	LANT	PLANT	CTC
FEB 78	SHOP NAM	41X STRUCT SHOP	UTILITIES OFC	MECH SHOP	ELECT SHOP	WATER PLAN	63X SEWAGE PLANT	65X ELECT ECTC
DATE	SHOP	41X	20x	51X	<b>23X</b>	62X	63x	65X

DATE	770512		£8	22222					
EQUIP ACON COST	\$7525		DOC NO	EJ800218J EJ800138J EJ800218J EJ800218J	EJ800218J				
EQ SIZE AMT UM	0200018		101AL COST	\$55 \$186 \$55 \$55 \$82 \$55		TOTAL	\$1100 \$989 \$1815 \$118	\$4022	
	ö	10.10.10	EQUIP COST	22222	55 <b>8</b>	EQUIP	\$ 202	\$164	
MODEL NO	48A345	D: 771115 D: 771215 D: 780115	MATERIAL	\$ 542 \$ 53 \$ 59 \$ 42	\$50 \$28 \$416	MATERIAL	\$552 \$1195 \$60	\$1807	TE SEP
		E ENTERED: E ENTERED: E ENTERED:	LABOR N	\$22 \$22 \$22 \$22	\$17 \$10 \$116	LABOR N	\$1100 \$375 \$520 \$56	\$2051	HAN ESTIMA
MANUF NAME		DATE DATE DATE	LABOR	00000	3.0 1.0 18.0	LABOR	105.0 30.5 45.1	181.0	RENT THA
1	BELL		TASKS COMP LD	99999	- ±	٥	ဝဝိလ်လ	TAL:	HOURS IF DIFFERENT THAN ESTIMATE MAR APR MAY JUN JUL ANG SI
ESCR	9		TASKS SCHD	40444	13	DATE	771130 771205 780115	TTD TOTALS	HOURS 1
SYS/EQ DESCR	TEST EQUIP		DATE	7802 7801 7802 7802 7802	801 7802 711 7712 YTD TOTAL:		S MOTOR CE	ATNT +	OPERATING P
NO S	001 TES	CHANGE	DATE			JOB DESCR	REPAIR COMPONENTS REPLACE DAMAGED MOTOR /FEEMS SERVICE	FERNS	EQ GP
11 CO CO N	•	TO NOTE CHA BREAKDOWNS	LBR HR STD	-4-4-	1.50		REPAIR CO REPLACE D	TALOF	ACTUAL T NOV
		RICAL COMMENT TO NOTE CHANGE HIGH RECORD OF BREAKDOWNS OR OPER HOURS	FREQ	M00010000 R11120000 H07000000 M00010000	M00010000 R01020611	IR MAINTENANCE: C NO PH CO	222	TOTAL OF FEEMS MAINT + C/D MAINT:	EST
FACILITY	P00326	HIGH RI	REGRMT			AIR MAII	FE890018J GM000458J CG200018		HRS:
DN 41	13	HISTO	MAINT ENANGE	FF10 FF60 FF80 GG30	GG50 RR10	TON/REP			PERATIN EQ AS
TYPE COUIP NO	*	COMMENT: COMMENT: COMMENT:	FEEMS MAINTENANCE: MAINT REGRAT PROCED NO		GGS	CORRECT TON/REPA			EQUIP OPERATING EQUI
WZ	111								
375 200	2					i.			

DATE	5 770512	•							DATE	0 700413		Nu s vo	31 31 31 31 31 31 31 31 31 31 31 31 31 3
ACON COST	\$7525								ACON COST	\$300			
EQ SIZE AMT UM	0200018		TOTAL	\$540	TOTAL	\$4022	\$4562		EQ SIZE AMT UM	0001218	TOTAL	\$86	
		no or	EQUIP	2	EQUIP COST	\$164	\$172				EQUIP	8	
MODEL NO	48A345	D: 771115 D: 771215 D: 780115	MATERIAL	\$416	MATERIAL	\$1807	\$2223	TE SEP	MODEL NO	# 14 4 14	MATERIAL	\$62	NTE SEP
		ENTERED: ENTERED: ENTERED:	LABOR M	\$116	LABOR M	\$2051	\$2167	EST IMA AUG			LABOR N	\$24	EST IMA
MANUF NAME		DATE DATE DATE	LABOR LA	18.0	LABOR LA	181.0	\$ 0.661	ENT THAN E	MANUF NAME		LABOR LA	3.11	IF DIFFERENT THAN ESTIMATE APR MAY JUN JUL AUG SEP
MAX	BELL		TASKS			YTD TOTAL:	NT:	IF DIFFERENT THAN ESTIMATE APR MAY JUN JUL AUG SI	Ž.	KMART	TASKS	<b>Q</b>	IF DIFFER
DESCR	9		TASKS SCHD	13		T OTY	C/R MAINT:	MAR	DESCR	9	TASKS	<b>6</b>	OPERATING HOURS
SYS/EQ DESCR	TEST EQUIP	KGE		YTD TOTALS			MAINT +	OPERATING JAN FEB	SYS/EQ DESCR	TEST EQUIP		YTD TOTAL:	OPERATIO
NO I TEMS	100	HISTORICAL COMMENT TO NOTE CHANGE NOTE HIGH RECORD OF BREAKDOWNS MONITOR OPER HOURS					GRAND TOTAL OF FEEMS MAINT	TUAL EQ NOV DEC	NO I TEMS	100		>	TUAL EO
רסכ כס		NT TO N		 HON			TOTAL	ACTUAL OCT NOV 500 480	O	SE			ACTUAL OCT NOV
CILITY	9	RECORD PER HOU		MAINTENANCE			GRAND	15: HRS EST 77 11	1117				45: HRS EST 77 11
2	13 P00326	HISTORICAL COMMENT NOTE HIGH RECORD OF MONITOR OPER HOURS	ENANCE:					EQUIP HR AS OF 7	Ā	15 P00326	ENANCE:		TING HRS EQUIP H
TYPE COUTP NO		COMMENT: H	FEEMS MAINTENANCE	CORRECTION/REPAIR				EQUIP OPERATING HE EQUIP AS OF	EQ EQUIP NO		FEEMS MAINTENANCE		EQUIP OPERATING HRS: EQUIP HR AS OF 7
17 E	4	COM	FEE	COR				EQUI	TYPE	*	FEB		
SYS	777 077								SYS SYS	777 077		i i	

# APPENDIX D: STANDARD SEID-NO SUBFIELD CODES

## D.1 STANDARD SYSTEM TYPE CODES

System Type Code	System Description
110	Heating Generation
120	Heating Distribution
130	Heating Controls
210	Chilled Water Generation
220	Chilled Water Distribution
230	Air-Conditioning Components
310	Ventilating
410	Plumbing, Water
420	Plumbing, Medical Gas
430	Plumbing, Sewage and Waste
440	Plumbing, Fuel
450	Plumbing, Fixtures
460	Plumbing, Controls
470	Plumbing, Steam
510	Electrical Generation
520	Electrical Distribution
530	Lighting
540	Electrical Interior
610	Equipment, Communications
620	Equipment, Food Service
630	Equipment, Laboratory
640	Equipment, Shop
650	Equipment, Maintenance
660	Equipment, Emergency
670	Equipment, Waste and Garbage
680	Equipment, Internal Transportation
690	Equipment, Specialized
710	Water Treatment
720	Sewage Treatment
810	Water Storage
820	Fuel Storage
910	Steam Generation

# D.2 STANDARD EQUIPMENT TYPE CODES

Equipment Type Code	Equipment Description	Equipment Type Code	Equipment Description
Al	Aerator	FI	Fan
A2	Air Handling Unit	F2 .	Faucet
A3	Alarm	F3	Filter
A4	Annunciator	F4	Food Preparation Equipment
A5	Air Separator	F5	Food Serving Equipment
	n 11	F6	Food Storage Equipment
B1	Ballast	F7	Fountain
B2	Bath	F8	Furnace
B3	Battery		
B4	Battery Charger	G1	Gauge
B5	Blower	G2	Generator
B6	Boiler	G3	Grill
В7	Bubbler-Swimming Pool	G4	Grounding Equipment
Cl	Cabinet, Warming (Food Service)	HI	Heat Exchanger
C2	Cable	H2	Hoist
C3	Capacitator	Н3	Hood
C4	Chemical Additive Equipment	H4	Humidifier
C5	Chlorinator	H5	H-V Unit
C6	Circuit Breaker	H6	Hydrant
C7	Clock	H7	Hydrochlorinator
C8	Cock	H8	Heater Unit
<b>C</b> 9	Coil	H9	Humidistat
CA	Combustion Chamber		
CB	Compressor	11	Incinerator
CC	Condenser	12	Irrigation Equipment
CD	Connector	13	Ice Maker
CE	Control Panel	K1	Kitchen-Washing Equipment
CF	Cooler		Ritellett-Washing Equipment
CG	Cooling Tower	LI	Lamp
CH	Chiller	L2	Lighting Fixture
CI	Counter	L3	Lighting Exterior
Cl	Counter, Dietary	L4	Line Isolation Monitor
CK	Counter, Medicine		
<b>D.</b>		M1	Manhole
DI	Damper	M2	Measuring Instrument
D2	Deaerator	M3	Medical Gas
D3	Dimmer	M4	Meter
D4	Disposer	M5	Motor (<1 hp)
D5	Drain	M6	Motor (1-5 hp)
D6	Dryer	M7	Motor (>5 hp)
D7	Duct	M8	Muffler
D8	Dumbwaiter	<b>M</b> 9	Mains
D9	Dust Collector	MA	Mixing Box
DA	Door	MB	Manometer
EI	Elevator	MC	Motor Control Center
E2	Extinguisher	P1	Pipe and Accessories
	·		The min Heressonies

Equipment Type Code	Equipment Description	Equipment Type Code	Equipment Description
P2	Pipe Insulation	S9	Strainer
P3	Pneumatic Tube	SA	Substation
P4	Pool, Swiming	SB	Switch
P5	Power Lines	SC	Sterilizer
P6	Pump	SD	Steam Turbine
P7	Pump, Circulating		
P8	Panelboard	TI	Tank
		T2	Thermometer
RI	Raceway	Т3	Transformer
R2	Radiator	T4	Trap
R3	Refrigeration Equipment	T5	Trayveyor, Conveyor
R4	Regulator	Т6	Thermostat
R5	Reservoir	<b>T</b> 7	Troffer Light
R6	Retriever		
R7	Refrigerated Room	U1	Urinal
R8	Receptacle		
R9	Register	V1	Vacuum Breaker
		V2	Vacuum Cleaner
S1	Scale	V3	Valve
S2	Shower	V4	Vent
S3	Signal	V5	Vacuum Pump
S4	Sink, Lavatory		
S5	Special Security and Disbursement	WI	Washer
	Door	W2	Water Closet
S6	Sprinkler Equipment	W3	Water Heater
S7	Steam Separator	W4	Water Softener
S8	Starter Magnetic	W5	Water Still

# APPENDIX E: SMP EXAMPLES

SVC AERATOR

MRP-NO AE20 SEQ-NO I PAGE I

	z		~	00
	MAINTENANCE REQUIREMENT DESCRIPTION		AEROLSUC AERATOR, ETHULEM OX	33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48
	4		-	9
	8		>	5
	SS		111	4
	6		-1	(1)
	=		7	2 4
	<u> </u>		3	1.4
	E		=	0
	<u>«</u>		4	9
	8			30
₹ E	RE		~	7 3
5	- W		-	9
0	S		~	5.3
2	4		4	9
2	, E	A STATE OF	~	60
4	Z		Li	2
È	Z Z		के	1 3
E	2			30
Σ			0	6
R			Ž	80
5			S	272
Ö		NUMBER SEC-NO	1	22 23 24 25 26 27 28 29 30 31 32
R	- 50	8	A	5
ш	MAINT REGRMT PROCED	BE!	त्र	4
Ş	REA	Σ	W	3
4	- & 4	Z	4	222
Z			_	17
E	Z			0.2
3	12	0		6
\$	X	EQUIP.NO		00
-	E	5	-	2
ž	E	ā		9
FEEMS MAINTENANCE REQUIREMENT/PROCEDURE	E .			15
Œ.	2 ~			4
	SELECT EQUIPMENT IDENTIFICATION NUMBER	220	J	13
	E E	교수의	T	12
	2 Z		_	=
	2	00		10
	E	SYS		9 10 11
	5			00
	W.			7
	SE	SYS		9
		S L S		2
	CD SE-CD	CHAN	X H 5	1 2 3 4 5 6 7 8
	40		20	3
	NE C		I	2
	1 2		×	
				•

HUNDREDTHS	B	7.1
	7	70
E		69
LABOR HR STD		67 68 69
A-S		57
CHEM-SIZE	7	99
w ·		64 65
FREQUENCY OF MAINTENANCE		_
2 4		6263
39.5	- 64	
0.5	(1)	61
2 5	B	60
" × 7		59
		58 59
FREQ.UNIT.CD	2	57
	×	56
9 %	V	55
SHOP	त	54
0,0		53 5
COORD-FLAG	>	52 5
34 13 00003	_	5

			20
			49
			48
			47
			46
			45
		×	44
		E	43
		1	42
	8		4
	œ	>	40
	MRP REMARKS	LEANER+FILTE	39
	3	+	38
	a	0	37
	<u>د</u>	M	36
		3	35
		4	34
		W	33
		7	32
		S	31
			29 30
		S	3 29
		2	7 28
	ON D70	-	5 2
	SEQ-NO	7	5 26
MAINT REGRMT PROCED	IMBER	×	1 2
EQ RO	8	100	3 24
2 a g	5	#	2 2
		7	1 2
z		-	0 2
01.	0		9 2
A	EQUIP-NO		8
3:	=		7
Ē	0		9
E			5.
2 ~			4
= =	- 0 -	7	3
MENT II	EO TYP CO	4	2 1
2 3		-	=
5	So		0
==	SYS		6
EO	S		
.T EQ	S -		80
ECT EQ			8 4
SELECT EQ			6 7 8
SELECT EQ	SYS TYP CD		5 6 7 8
SELECT EO	SYS TYP CD	0	4 5 6 7 8
	CHANG CHANG	W 9	3 4 5 6 7 8
SELECT EQ	CHANG CHANG	W 9 H	2 3 4 5 6 7 8

SVC AERATOR

MRP-NO AE10 SEQ-NO 1 PAGE 2

## SPECIAL TOOLS AND EQUIPMENT:

1. Vacuum cleaner

### SPARE PARTS:

- 1. Air filters, bacteria-retentive
- 2. Mild detergent solution

### PROCEDURE:

- Coordination if Multi-Shop Column = N; check with Branch Chief.
- 2. Inspect air outlets for blockage.
- 3. Oil door hinges.
- 4. Inspect door gasket. Replace as required.

### REFERENCES:

1. 27, Ethylene Oxide Gas Aerator Equipment Manual.

FEEMS MAINTENANCE REQUIREMENT/PROCEDURE

		W	51
		Lh.	00
		3	09 61
2		4	8
9		Ch	7
1			9
8		N	4
SC		-	4
MAINTENANCE REQUIREMENT DESCRIPTION		3	10
=		-7	2 4
<u> </u>		V)	1 4
E		-	0
8		0	9
00		-	00
RE		V	373
w		2	36
S		4	35
¥ ×		K	34
13			33
Z		V	32
A		~	31
		F	30
			29
		X	28
		GBLOLCK MIR TAMK PRESSUR GAUGE	26 27 28 29 30 31
MAINT REGRMT PROCED	SEC-NO	7	26
FEB	R	Ø	25
E B O	JMBER	7	24
E HR	3	8	23
	Z	6	22
-			21
0	EQUIP.NO		20
T			19
2			1.8
=	20		17
2	EO		16
9 ~			
F			3 14
200	EQ CD	7	2
<b>W Z</b>	a L	9	7
PMENT II			7
UIPME		7	0 11
EQUIPME	NO NO	7	11011
T EQUIPMEN	SYS	775	11 01 6 1
ECT EQUIPMEN NUM		775 1	8 9 10 11
ELECT EQUIPMEN		775 1	5 7 8 9 10 11
SELECT EQUIPMENT IDENTIFICATION NUMBER	SYS SYS TYP NO	775 115	6 7 8 9 10 11
		775 BT54	1 5 6 7 8 9 10 11
GE-CD		451 \$ 511	3 4 5 6 7 8 9 10 11
		XH5A510 511	3 4 5 6 7 8 9 10 11

<b>ЗНТОЗНОМИН</b>	8	11
	5	70
ABOR HR STD		6889
AB0 HR STD		68
-		67
CHEW-SIZE	7	99
		64 65
> 3 _		64
FREQUENCY OF MAINTENANCE		6263
EN -		62
201	6	19
8 8 L	9	60
E .		58 59
		58
FREQ.UNIT.CD	3	25
	×	99
SHOP	5	55
20	4	54
		53
COORD-FLAG	1	52

			0
			9 5
		-	4
			4
			47
			46
			45
		B	44
		4	13
		3	0
MRP REMARKS		6	7
		1	0
		1+61	39 4
			8 3
		I	3
	a .		3
	5	3	36
		4	35
		WRENCH	34
		3	33
			32
		4	3.1
		2	30
17	A STATE	=	28 29 30 31
		~	8
		8	7 2
	SEC-NO	77	26 2
_ 50	œ	a	25
MAINT REGRMT PROCED	IMBE	7	4
NE (		3	3
	2	17	22
			-
Z		-	0 2
0.	0		9
A	Z		-
2	EQUIP.NO		-
F	00		-
2	Ē		16
			4)
DE			_
10E			14
NT IDEI IBER	040	1	13 14
MENT IDEI Umber	EQ TYP CD	79	12 13 14 1
IPMENT IDEI NUMBER	EQ TYP CD	797	11 12 13 14
JUIPMENT IDE NUMBER		11977	10 11 12 13 14
EQUIPMENT IDE	SYS EQ NO CD	19175	9 10 11 12 13 14
CT EQUIPMENT IDEI NUMBER		79775	8 9 1011 12 13 14
LECT EQUIPMENT IDEI NUMBER	SYS T NO	79775 0	7 8 9 10 11 12 13 14 1
SELECT EQUIPMENT IDEI NUMBER		79775 07	6 7 8 9 10 11 12 13 14 1
SELECT EQUIPMENT IDE	SYS T NO	79775 075	5 6 7 8 9 10 11 12 13 14
SELECT EQUIPMENT IDE	SYS T NO	19775 BTSB	4 5 6 7 8 9 10 11 12 13 14 1
SELECT EQUI	SYS SYS TO CO CO	19775 075W9	3 4 5 6 7 8 9 10 11 12 13 14 1
SELECT EQUIPMENT IDE	SYS SYS TYP NO CO	19775 075W9H	2 3 4 5 6 7 8 9 10 11 12 13 14 1

MRP-NO GB10

SEQ-NO

PAGE

## SPECIAL TOOLS AND EQUIPMENT:

- 1. Crescent wrench
- 2. Open end wrench (correct size for end of pressure gauge)
- 3. Pipe wrench (10 in. or 12 in. for hold back)
- 4. Direct pressure reading gauge.

#### SPARE PARTS:

- 1. Extra pressure gauge
- 2. Short nipples (1/4 in. or 3/8 in.)
- 3. Bushings (1/2 in.  $\times$  1/4 in. and 1/2 in.  $\times$  3/8 in.)
- 4. Pipe thread sealant.

#### PROCEDURE:

- 1. Check pipe going to pressure gauge for leaks. If it leaks, take it apart and redope it.
- 2. Turn off pressure on line to gauge. Relieve pressure on line between gauge and valve, if possible; then turn valve back on and see if gauge registers the same amount of pressure as before. If so, gauge is working properly.
- 3. Clean glass on face of gauge.
- 4. Check gauge for pressure reading.
- 5. Close valve to gauge.
- Remove gauge from system and inspect gauge for wear and evidence of internal leakage.
- 7. Install direct pressure gauge and take reading.
- 8. If system gauge is different from direct pressure gauge reading, calibrate system gauge; if unable to do this, replace gauge with new one.
- 9. Remove direct pressure gauge and reinstall system gauge; check for operation and leaks.
- 10. Other maintenance as required.

#### CERL DISTRIBUTION

Army, Europe TN: AEAEN (2)	US Army Engineer District	US Army Engineer Division Lower Mississippi Valley
rector of Facilities Engineering	ATTN: Library Pittsburgh	ATTN: Library Ohio River
O NY 09827	ATTN: Library	ATTN: Laboratory ATTN: Chief, Engr Div
O Seattle, WA 98749	Philadelphia	ATTN: Chief, Engr Div ATTN: Library
est Point, NY 10996	ATTN: Library ATTN: Chief, NAPEN-D	North Central
TN: Dept of Mechanics	Baltimore	ATTN: Library ATTN: Chief, Engr Div
TN: Library	ATTN: Library	ATTN: Chief, Engr Div
ON (SCOOL EDG)	Norfolk	Missouri River
DA (SGRD-EDE)	ATTN: Library ATTN: Chief, NAOEN-M	ATTN: Library (2) ATTN: Chief, MRDED-M
ief of Engineers	Huntington	Southwestern
TN: Tech Monitor	ATTN: Library	ATTN: Library ATTN: Chief, SEDED-MA
TN: DAEN-ASI-L (2)	ATTN: Chief, ORHED Wilmington	Pacific Ocean
IN: DAEN-FE IN: DAEN-FEE-A	ATTN: Chief, SAWEN-D	ATTN: Chief, Engr Div
TN: DAEN-FEM	Savannah	ATTN: FM&S Branch
IN: DAEN-FEP	ATTN: Library	AlTN: Chief, PODED-M
TN: DAEN-FEM-F (30) TN: DAEN-FEZ-A	ATTN: Chief, SASAS-L Mobile	North Pacific ATTN: Chief, Engr Div
TN: DAEN-MCZ-S (2)	ATTN: Library	ATTAL CHIEF, Engr DIV
TN: DAEN-RDL	ATTN: Chief, SAMEN	facilities Engineer
TN: DAEN-ZCP	Louisville	Carlisle Barracks, PA 17013
TN: DAEN-PMS (12)	ATIN: Chief, Engr Div	Ft Hood, TX 76544
for forwarding to National Defense Headquarters	Detroit ATTM: Library	Ft Campbell, KY 42223 FORSCOM
Director General of Construction	ATTN: Chief, NCEED-T	Ft Devens, MA 01433
Ottawa, Ontario K1AOK2	St. Paul	Ft George G. Meade, MD 20755
Canada ,	ATTN: Chief, ED-E	Ft McPherson, GA 30330
Canadian Forces Liaison Officer (4)	Rock Island ATIN: Library	Ft Sam Houston, TX 78234 Ft Carson, CO 80913
US Army Mobility Equipment	ATTN: Chief, Engr Div	Ft Lewis, WA 98433 (2)
Research and Development Command	ATTN: Chief, NCRED-D	USAECOM
Ft Belvoir, VA 22060	St. Louis	Ft Monmouth, NJ 07703
Div of Bldg Paranch	ATTN: Library ATTN: Chief, ED-D	DSCPER West Point, NY 10996
Div of Bldg Research National Research Council	Kansas City	USATCFE USATCFE
Montreal Road	ATTN: Library (2)	Ft Eustis, VA 23604
Ottawa, Ontario, KIAOR6	ATTN: Chief, Engr Div	USAIC (3)
Duitish Livison Offices (E)	Omaha ATTN: Chief, Engr Div	Ft Benning, GA 31905 USAAVNC
British Liaison Officer (5) US Army Mobility Equipment	New Orleans	Ft Rucker, AL 36361
Research and Development Center	ATTN: Chief, LMNED-DG	CAC&FL (3)
Ft Belvoir, VA 22060	ATTN: Library	Ft Leavenworth, KS 66027
	Little Rock	AMC
Airports and Const. Services Dir. Technical Information Reference	ATTN: Chief, Engr Div Tulsa	Dugway, UT 84022 USACC
Centre	ATTN: Library	Ft Huachuca, AZ 85613
KAOL, Transport Canada Building	Fort Worth	TRADOC
Place de Ville, Ottawa, Ontario	ATTN: Library	Ft Dix, NJ 08640
Canada, K1AON8	ATTY: Chief, SWFED-D ATIN: Chief, SWFED-F	Ft Belvoir, VA 22060
Belvoir, VA 22060	Albuquerque	Ft Monroe, VA 23651 Ft Lee, VA 23801
TN: Learning Resources Center	ATTN: Library	Ft Gordon, GA 30905
TN: ATSE-TD-TL (2)	Los Angeles	Ft McClellan, AL 36201
TN: Kingman Bldg, Library	ATTN: Library	Ft Knox, KY 40121
Army Foreign Science & Tech Center	San Francisco ATTN: Chief, Engr Div	Ft Benjamin Harrison, IN 46216 Ft Leonard Wood, MO 65473
TN: Charlottesville, VA 22901	Sacramento	Ft Chaffee, AR 72905
TN: Far East Office	AIIN: Library, Room 8307	Ft Sill, OK 73503
	ATTN: Chief, SPKED-D	Ft Bliss, TX 79916
Monroe, VA 23651	Far East ATTN: Chief, Engr Div	HQ, 1st Inf Div & Ft Riley, KS 66442 HQ, 5th Inf Div & Ft Polk, LA 71459
TN: ATEN -AD (3) TN: ATEN-14	Japan	HQ, 7th Inf Div & Ft Ord, CA 93941
TN: ATEN-RAG	ATTN: Library	HQ, 24th Inf Div & Ft Stewart, GA 31
TN: ATEN-RM	Walla Walla	AC (00) 7
Lee, VA 23801	ATTN: Chief, Engr Div Alaska	WASH DC 20330
TN: DRXMC-D (2)	ATTN: Library	
TN: FS & TB/Bldg T-11206	ATTN: NPADE-R	AF Civil Engr Center/XRL
rectorate of Facilities Engr	HE Asset Contract to the second	Tyndall AFB, FL 32401
ospital Support Division (6)	US Army Engineer Division Europe	Little Rock AF8
Gordon, GA 30905	ATTN: Technical Library	ATTN: 314/DEEE (Mr. Gillnam)
	New England	
t McPherson, GA 30330 TTN: AFEN-FEB	ATTN: Library	HAUFTONE A OF
IN: AFEN-TED	ATIN: Chief, NEDED-T North Atlantic	NAVEAC/Code 04 Alexandria, VA 22332
SA-WES	ATTN: Chief, NADEN-T	Alexandra, va avoit
IIN: Concrete Laboratory	Middle tast (Rear)	Port Huenewe, CA 93043
IIN: Soils and Pavement Laboratory	ATTN: MEDED-T	AIIN: Library (Code 105A)
in. Elbrary	South Atlantic AITN: Laboratory	AIIN Morrell Library
SA-CRREL	ATTN: Chief, SADEN-TS	Washington, DC
	ATTN: Library	ATIN: Building Research Advisory Boar
th US Army	Huntsville	ATTN: Transportation Research Roard
TTN: AFKC-LG-E	ATTN: Library (2)	ATTN: Library of Congress (2) ATTN: Dept of Transportation Library
Corps (ROK/US) Group	ATTN: Chief, HNDED-CS ATTN: Chief, HNDED-M	Alin: Dept of Transportation Library
PO San Francisco 96358	ATTN: Chief, HNDED-ME	Defense Documentation Center (12)
Army Engineer District		
New York		Engineering Societies Library New York, NY 10017
ATTN: Chief, HAHEN-M		THE CONTRACTOR OF THE STATE OF

Ft Monroe, VA 23651 ATTN: ATEN-RM-IE

Ft McPherson, GA 30330 ATTN: AFEN-EA

Ft Sam Houston, TX 78234 ATTN: HSC-LO-F

It Belvoir, VA 22060 ATTN: CSCS-LSC

Alexandria, VA 22301 ATTN: DRCIS-EF

Ft Huachuca, AZ 85613 ATTN: CC-ENGR-CP

Arlington, VA 22212 ATTN: IALOG-IFE

West Point, NY 10996 ATTN: MAEN-C

Blackstone, VA 23824 ATTN: ATZM-FP-FE

bowling Green, VA 22427 ATTN: ATZM-FH-FE

Ft Bragg, NC 28307 ATTN: AFZA-FE

Ft Carson, CO 80913 ATTN: AFZC-FE

Ft Detrick, MD 21701 ATTN: HSCD-FE

Ft Douglas, UT 84113 ATTN: AFZK-FE

Ft Eustis, VA 23604 ATTN: ATZF-FE

Ft Hamilton, NY 11252 ATTN: DFAE

Hunter Army Airfield, GA 31404 ATTN: DFAE

Ft Jackson, SC 29207 ATTN: ATZJ-FE

Ft Knox, KY 40121 ATTN: ATZK-FE

Ft Meade, MD 20755 ATTN: AFZI-FE

Sparta, WI 54656 Ft McCoy, ATTN: AFZR-FE

Ft Ritchie, MD 21719 ATTN: CCNJ-FED

Commander US Army Southern European Task Force ATTN: AESE-ENG APO New York 09168

Commander
US Army Installation Support
Activity, Europe
ATTN: AEUES-RP
APO New York 09403

Anchorage, AK 99504 Ft Richardson, ATTN: AFZT-FE

Ft Shafter, HI 96858 ATTN: AFZY-FE

Fairbanks, AK 98732 Ft Wainwright, ATTN: ARWE

APO Seattle, WA 98733 Et Greeley, ATIN: AEZT-FE-W

Rock Island Arsenal, It 61201 ATTN: DRCIS-RI-IM

Ft Lee. VA 23801 ATTN: CSCS-SGL-DFS-EF/STOP L-93

APO New York 09403 ATTN: DCSENGR (AEAEN-MT)

Ft Sheridan, IL 60037 ATTN: AFZO-FE

Chambersburg, PA 17201 ATTN: SSMLE-SF

Ft Indiantown Gap, PA 17003 ATTN: AFZQ-FE

APO New York 09834 193d Inf Bde/ATTN: AFZU-FE

Redstone Arsenal, AL 35809 ATTN: DRSMI-KLP-W/Bldg 7613

APO San Francisco, CA 96343 Camp Zama, ATTN: AJEN-FE

Denver, CO 80240 ATTN: FE Div/Bldg 127

Aberdeen Proving Ground, MD 21005 ATTN: STEAP-CO-F/Bldg 314

Warrenton, VA 22186 Vint Hill Farms, ATTN: IAV-FE

San Pedro, CA 90731 Ft McArthur, ATTN: DFAE

Southport, NC 28461 Sunny Point Ocean Terminal ATTN: DFAE

Adelphi, MD 20783 Harry Diamond Labs, ATTN: FE

Bayonne, NJ 07002 ATTN: FE/Bldg 101

Puerto Rico 00934 Ft Buchanan, ATTN: AFZL-FE

Pleasanton, CA 94566 Camp Parks, ATTN: DFAE

Commander VII Corps ATTN: AETSDEH APO New York 09154

Commander 21st Support Command ATTN: AEREH APO New York 09325

Commander US Army Berlin ATTN: AEBA-EN APO New York 09742 WASH, DC 20310 ATTN: DACS-DIF

WASH, DC 20319 ATTN: ANEN-MD

WASH, DC 20315 ft Leslie J. McNair, ATTN: DFAL

WASH, DC 20012 Walter Reed Army Medical Center ATIN: HSWL

Oakdale, PA 15071 ATTN: AFZQ-OS-LN

San Francisco, CA 94129 ATTN: AFZM-FE

Yakima, WA 98901 ATTN: DFAE

Schofield Barracks, HI 96858 ATTN: HCFE

Ft Myer, VA 2221 ATTN: DFAE

Alexandria, VA 22314 Defense Supply Agency, ATTN: DFAE

APO New York 09827 Ft Clayton, ATTN: DFAE

Watertown, NY 13601 Ft Drum, ATTN: AFZS-FE

Forest Park, GA 30050 Ft Gillem, ATTN: DFAE

Jolin, CA 93928 Hunter-Leggett Military Reservation ATTN: DFAE

Aberdeen Proving Ground, MD 21005 ATTN: STEAP-MD

Washington, DC 20314 ATTN: MTMC-SVI

Commander
HQ, XVIII Airborne Corps and
Fort Bragg
ATTN; AFZA-FE-U
ATTN: AFZA-FE-PS
ATTN: AFZA-FE-SG
Fort Bragg, NC 28307

HQ, 7th Army Training Command ATIN: AETIG-DEH (5) APO New York 09114

Commander HQ USAEREUR and 7th Army ODCS/Engineer ATIN: AEAEN-EH (4) APO New York 09403

Commander 7th Army Combined Arms Training Center ATTN: AETTM-HRD-EHD APO New York 09407

US Army Engr Div, Europe ATTN: Technical Library (3) APO New York 09757

Commander V Corps ATTN: AETVDEH APO New York 09079 Brown, David W

Management summary: Facilities Engineering Equipment Maintenance System (FEEMS). - Champaign, IL: Construction Engineering Research Laboratory; Springfield, VA: available from National Technical Information Service, 1978.

49 p.; 27 cm. (Technical report - Construction Engineering Research Laboratory; P-95)

1. Maintenance. 2. Industrial equipment - maintenance and repair. I. Title. II. Title: Facilities Engineering Equipment Maintenance System. III. Series: U.S. Construction Engineering Research Laboratory. Technical report; P-95.

Brown, David W

Management summary: Facilities Engineering Equipment Maintenance System (FEEMS). - Champaign, IL: Construction Engineering Research Laboratory; Springfield, VA: available from National Technical Information Service, 1978.

49 p.; 27 cm. (Technical report - Construction Engineering Research Laboratory; P-95)

1. Maintenance. 2. Industrial equipment - maintenance and repair. I. Title. II. Title: Facilities Engineering Equipment Maintenance System. III. Series: U.S. Construction Engineering Research Laboratory. Technical report; P-95.