

AD-A061 766 BOEING VERTOL CO PHILADELPHIA PA  
INTERACTIONAL AERODYNAMICS OF THE SINGLE ROTOR HELICOPTER CONFI--ETC(U)  
SEP 78 P F SHERIDAN


F/G 1/3

DAAJ02-77-C-0020

USARTL-TR-78-23C-VOL-3A NL

UNCLASSIFIED

1 OF 2  
AD-A061766



AD A061766

USARTL-TR-78-23C

LEVEL II



INTERACTIONAL AERODYNAMICS OF THE SINGLE  
ROTOR HELICOPTER CONFIGURATION


VOLUME IIIA - Flow Angle and Velocity Wake Profiles in Low  
Frequency Band, Basic Investigations and Hub  
Variations

Philip F. Sheridan

Boeing Vertol Company  
P.O. Box 19142  
Philadelphia, Pa. 19142

September 1978

Approved for public release;  
distribution unlimited.



FILE COPY

Prepared for  
APPLIED TECHNOLOGY LABORATORY  
U. S. ARMY RESEARCH AND TECHNOLOGY LABORATORIES (AVRADCOM)  
Fort Eustis, Va. 23604

78 11 28 043

## APPLIED TECHNOLOGY LABORATORY POSITION STATEMENT

In 1975 a wind tunnel test program was conducted in the Boeing-Vertol 20-foot V/STOL Wind Tunnel on a 1/5th-scale UTTAS model to investigate and find solutions for several aerodynamic problems encountered during the UTTAS flight-testing. Specifically, these tests focused upon (a) the structure of the hub/rotor wake in the vicinity of the empennage, (b) the formulation of the ground vortex and its relation to hub loads and fuselage loads during transition, and (c) the occurrence of vibratory air pressures from the blade passing over the fuselage. Only portions of the above-mentioned wind tunnel test data were reduced and analyzed in addressing the flight-test problems of the UTTAS aircraft.

Under Contract DAAJ02-77-C-0020, Boeing-Vertol completed analyses on the data to understand more completely the aerodynamic interactions that are involved and to formulate instructions for the guidance of designers in these respects. The results of these studies are applicable to all existing and future single-rotor/tail rotor helicopters. The data have been segregated according to aerodynamic interactions and associated phenomena/problem areas. From this body of knowledge, a generalized set of design guidelines meaningful to the single-rotor helicopter design concept formulation were developed and are included in these reports.

Mr. Robert P. Smith of the Aeronautical Technology Division, Aeromechanics Technical Area, served as project engineer for this effort.

### DISCLAIMERS

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission, to manufacture, use, or sell any patented invention that may in any way be related thereto.

Trade names cited in this report do not constitute an official endorsement or approval of the use of such commercial hardware or software.

### DISPOSITION INSTRUCTIONS

Destroy this report when no longer needed. Do not return it to the originator.

(6) Interactional Aerodynamics of the Single Rotor Helicopter Configuration, Volume IIIA, Flow Angle and Velocity Wake Profiles in Low Frequency Band, Basic Investigations and Hub Variations.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER USARTL TR-78 23C - VOL-3A	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) INTERACTIONAL AERODYNAMICS OF THE SINGLE ROTOR HELICOPTER CONFIGURATION, Volume III, Flow Angle and Velocity Wake Profiles in Low Frequency Band, Sub-Volume A, Basic Investigations and Hub Variations.	5. TYPE OF REPORT & PERIOD COVERED FINAL REPORT, 15 Mar 1977-13 Feb 1978	
7. AUTHOR(s) Philip F. Sheridan	6. PERFORMING ORG. REPORT NUMBER DAAJQ2-77-C-0020	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Boeing Vertol Company P.O. Box 16858 Philadelphia, Pa. 19142	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62209A 1L262209AH76 00 189 EK	
11. CONTROLLING OFFICE NAME AND ADDRESS Applied Technology Laboratory, U.S. Army Research and Technology Laboratories (AVRADCOM) Fort Eustis, Va. 23604	11. REPORT DATE September 1978	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	12. NUMBER OF PAGES 174	
	15. SECURITY CLASS. (of this report) Unclassified	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Volume III of an eight volume report. Volume III is comprised of two sub-volumes (A through B)		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Wake Flow Environment Powered Model Flow Configuration Hub Cap Interaction Empennage Aerodynamic Interaction Flow Modifier		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This is the first of the two sub-volumes comprising Volume III. These documents present profiles of the RMS values of the wake flow angles and velocities in the $1\Omega$ to $2\Omega$ range. The format is waterline on the ordinate and velocity or flow angle on the abscissa. Each graph shows a comparison of the baseline flow to the flow modified by some device or condition. This sub-volume covers build-up to baseline, baseline wake exploration and the effects of various hub caps.		

DD FORM 1 JAN 73 1473 EDITION OF NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

403 682

## PREFACE

The entire report describing the investigation of INTERACTIONAL AERODYNAMICS OF THE SINGLE-ROTOR HELICOPTER CONFIGURATION comprises eight numbered volumes bound as 33 separate documents. The complete list of these documents is as follows:

### Volume I, Final Report

### Volume II, Harmonic Analyses of Airframe Surface Pressure Data

- A — Runs 7-14, Forward Section
- B — Runs 7-14, Mid Section
- C — Runs 7-14, Aft Section
- D — Runs 15-22, Forward Section
- E — Runs 15-22, Mid Section
- F — Runs 15-22, Aft Section
- G — Runs 23-33, Forward Section
- H — Runs 23-33, Mid Section
- I — Runs 23-33, Aft Section

### Volume III, Flow Angle and Velocity Wake Profiles in Low-Frequency Band

This volume is →

- A — Basic Investigations and Hubcap Variations
- B — Air Ejector Systems and Other Devices

### Volume IV, One-Third Octave Band Spectrograms of Wake Split-Film Data

- A — Buildup to Baseline
- B — Basic Configuration Wake Explorations
- C — Solid Hubcaps
- D — Open Hubcaps
- E — Air Ejectors
- F — Air Ejectors With Hubcaps; Wings
- G — Fairings and Surface Devices

### Volume V, Harmonic Analyses of Hub Wake

### Volume VI, One-Third Octave Band Spectrograms of Wake Single Film Data

- A — Buildup to Baseline
- B — Basic Configuration Wake Exploration
- C — Hubcaps and Air Ejectors

### Volume VII, Frequency Analyses of Wake Split-Film Data

- A — Buildup to Baseline
- B — Basic Configuration Wake Explorations
- C — Solid Hubcaps

- D** - Open Hubcaps
- E** - Air Ejectors
- F** - Air Ejectors With Hubcaps; Wings
- G** - Fairings and Surface Devices

**Volume VIII, Frequency Analyses of Wake Single Film Data**

- A** - Buildup to Baseline
- B** - Basic Configuration Wake Exploration
- C** - Hubcaps and Air Ejectors

## TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION .....	6
OUTLINE OF WAKE INVESTIGATIONS (TABLE 1) .....	7
LIST OF TEST RUNS (TABLE 2) .....	11
INDEX TO RAKE POSITIONS (TABLE 3) .....	18
RAKE ORIENTATION DIAGRAM (FIGURE 1) .....	24
HOT FILM RAKE LOCATIONS (FIGURE 2-6) .....	25
UTTAS 1/4.85 - SCALE MODEL GEOMETRY AND PRESSURE TRANSDUCER LOCATION (FIGURE 7) .....	30
WAKE VELOCITY AND FLOW ANGLE PROFILES .....	31

ACCESSION TO	
NTIS	<input checked="" type="checkbox"/>
DDC	<input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
SP-7101	
A	

## INTRODUCTION

Volume III presents profiles of the wake split film data appearing in Volume IV in the one-third octave band format. Specifically, bands 7, 8, 9 and 10 in the plots of Volume IV are averaged to produce a mean value typifying the  $1\Omega$  to  $2\Omega$  regime where structural frequencies are likely to occur.

Volume III presents graphs of these  $1\Omega$  to  $2\Omega$  mean values for the four wake parameters plotted versus measurement location. The profile for each run (configuration) is compared in this format to the baseline profile. The difference in the profiles displays the effectivity of the model configuration in reducing the flow angles and velocity components and, hence, gauges the success of each step in the investigations.

The graphs showing these profiles are arranged in the same order as the runs in the Outline of Wake Investigations (Table 1). Volume III-A includes the following categories from Table 1:

- Build-up to Baseline
- Basic Configuration
- Effect of Hub Caps

Volume III-B includes the following categories:

- Effect of Air Ejectors
- Air Ejectors with Open Hub Caps and Underbodies
- Effect of Wings and Miscellaneous

The Table I outline and other material is included for reference and as context to the work of each sub-volume. Table 2, the List of Test Runs, arranges the runs in numerical order and gives pertinent text parameters.

The Index of Rake Positions, Table 3, lists the hot film transducer rake positions in the model coordinate system for each run and its test points. The main feature of Table 3 is the indexing of the test point number to the model water line station and butt line as it varied from run to run. The table groups the runs as they shared the indexing correspondence of point with position. It is emphasized that the runs in a group do not necessarily all share the same number of test points but they do have same correspondence within their respective ranges of test points.

The orientation of the rake is shown pictorially in Figures 1 through 6 for the various test runs. Figure 7 presents a scaled drawing of the model with reference to the three-axis coordinate system.

TABLE 1 OUTLINE OF WAKE INVESTIGATIONS				
Description	Configuration Code	Run No.	Base-line	
<u>Build-up to Baseline</u>				
1. Nacelles removed	K <sub>13</sub> +H <sub>1-N</sub>	149	150	
2. Blades off, rotating hub	K <sub>13</sub> -M+H <sub>1.0</sub>	160	156	
3. " " , non-rotating hub	K <sub>13</sub> -M+H <sub>1.0</sub>	158	156	
4. " " , hub off	K <sub>13</sub> -M-H <sub>1.0</sub>	159	156	
<u>Basic Configuration</u>				
1. <u>Wake Explorations near Empennage</u>				
(a) 15" Long. + traverse at T/R C.L.	K <sub>11</sub>	111	---	
(b) 9" Vert. + " above T/R "	"	112	---	
(c) 2" " " in vortex	"	113	---	
(d) 8" " (continue 112)	"	114	---	
(e) 13" " " behind stab.	"	115	---	
(f) Lateral traverse, left stab. (One T.P. only)	"	116	-	
(g) Same continued	"	117	---	
(h) Same continued (One T.P. only)	"	118	---	
(i) Lateral traverse right stab.	"	119	---	
(j) T/R effect on wake	K <sub>11</sub> +T <sub>2</sub> <sup>0</sup>	121	115	
2. <u>Climb/Descent Studies</u>				
(a) Climb 900 FPM	K <sub>11</sub>	135	---	
(b) Descent 800 FPM	"	136	---	
<u>Effect Of Hub Caps</u>				
1. <u>Solid Caps on Canister</u>				
(a) 7.6" diam. 2.17" ht. soft Pitch Arms	K <sub>11</sub> -H <sub>1.0</sub> +H <sub>1.2</sub>	137	136	
(b) 7.6" diam. 2.17" ht. stiff Pitch Arms	K <sub>13</sub> +H <sub>1.2</sub>	153	156	
(b) 7.6" diam. 2.45" ht. flt. test config.	K <sub>13</sub> +H <sub>1.2.1</sub> +I <sub>1</sub> +E <sub>1.0</sub>	207	188	

TABLE 1 (CONTINUED)

## OUTLINE OF WAKE INVESTIGATIONS

Description	Configuration Code*	Run No.	Base-line
<u>Effect of Hub Caps (Continued)</u>			
<u>2. Solid Caps Raised Above Canister</u>			
(a) 7.6" diam. 2.45" ht. 70" depth, .55 gap	H <sub>1.2.2</sub> +I <sub>1</sub> +E <sub>1.0</sub>	208	188
(b) 10.0" diam. 3.25" ht. 1.55" depth, .50" gap	H <sub>1.8.1</sub> +I <sub>1</sub> +E <sub>1.0</sub>	189	188
(c) 10.0" diam. 4.125" ht. 2.05" depth, .875" gap	H <sub>1.8.2</sub> +I <sub>1</sub> +E <sub>1.0</sub>	190	188
(d) Repeat of 189	" " "	210	188
<u>3. Open Caps Without Underbody</u>			
(a) 10.0" diam. 1.25" gap, blades	H <sub>1.0.2</sub> +I <sub>1</sub> +E <sub>1.0</sub>	193	188/166
(b) " " " gap, no blades	H <sub>1.0.1</sub> -M	166	158
(c) " " 2.05" gap, blades	H <sub>1.14.1</sub> +I <sub>1</sub> +E <sub>1.0</sub>	211	188
(d) " " 1.75" gap, no blades	H <sub>1.0.1</sub> -M	165	158
(e) " " 1.87" gap, blades	H <sub>1.0.3</sub> +I <sub>1</sub> +E <sub>1.0</sub>	191	188
(f) 16" diam. 2.00" gap, blades	H <sub>1.7.1</sub>	168	156/167
(g) " " " gap, no blades	H <sub>1.7.1</sub> -M	167	158
(h) " " 4.00" gap, blades	H <sub>1.7.2</sub>	169	156
<u>4. Open Caps with Underbody</u>			
(a) 7.6" diam. 1.25" gap	H <sub>1.11.1</sub> +I <sub>2</sub> +E <sub>1.0</sub>	194	188
(b) " " " "	H <sub>1.11.1</sub> +I <sub>2</sub> +E <sub>4.0</sub>	198	188
(c) " " " center post	H <sub>1.11.2</sub> +I <sub>2</sub>	202	194
(d) 10.0" diam. .5" gap, no blades	H <sub>1.5.1</sub> -M	164	158
(e) " " 1.25" gap, no blades	H <sub>1.5.2</sub> -M	161	158
(f) " " 2.0" gap, no blades	H <sub>1.5.4</sub> -M	163	158
(g) " " 4.0" gap, no blades	H <sub>1.5.3</sub> -M	162	158
(h) " " 1.25" gap	H <sub>1.5.2</sub>	154	156/161

\*Basic Code is K13.

TABLE 1 (CONTINUED)

## OUTLINE OF WAKE INVESTIGATIONS

Description	Configuration Code*	Run No.	Base-line
<u>5. Miscellaneous Hub Covers</u>			
(a) Hub fairing 16" diam.	H <sub>1.3</sub>	151	150
(b) Wham-O-Frisbee 10" diam.	H <sub>1.9.0+E1.2</sub>	182	181
(c) Fab. glass Frisbee 16" diam.	H <sub>1.9.1+E1.2</sub>	183	181
<u>Effect of Air Ejectors</u>			
1. Basic system no blowing	H <sub>1.0+E1.0</sub>	172	156
2. " " 40 psi	" "	173	156/172
3. " " 150 psi	" "	174	156/172
4. Wide chord shroud 40 psi	H <sub>1.0+E2.5.1</sub>	175	156/173
5. Wide " " 150 psi	" "	176	156/174
6. W/C shroud w. lip 40 psi	H <sub>1.0+E3.5.2</sub>	184	156/173
7. Same Contoured Parallel 150 psi	H <sub>1.0+E3.5.4</sub>	187	156/174
8. Bifurcated duct 0 psi	H <sub>1.0+E5.0</sub>	203	156
9. " " 40 psi	" "	204	156/203
10. " " 150 psi	" "	205	156/203
<u>Air Ejectors with Open Hub Caps with Underbodies</u>			
1. 7.6" diam. 1.25" gap, 0 psi	H <sub>1.11.1+I2+E1.0</sub>	194	188/172
2. " " " 20 psi	" "	195	188
3. " " " 40 psi	" "	196	188/173
4. " " " 150 psi	" "	197	188/174
5. " " " 0 psi	H <sub>1.11.1+I2+E4.0</sub>	198	188/194
6. " " " 40 psi	" "	199	188/196
7. " " " 150 psi	" "	200	188/196
8. Same with center post	H <sub>1.11.2+I2+E4.6</sub>	201	188/200
9. 10.0" diam. 2.0" gap wide ch'd shroud (150 psi)	H <sub>1.5.4+E2.5.1</sub>	177	156/176
<u>Effect of Wings and Misc.</u>			
<u>1. Wings</u>			
(a) Nacelle-mounted stub wing	H <sub>1.0+W1.0+E1.1</sub>	178	181
(b) Single slotted flapped wing	H <sub>1.0+W3.0+E1.0</sub>	180	181
(c) Double slotted flapped wing	H <sub>1.0+W2.0+E1.0</sub>	179	181
(d) Boom-mounted stub wing	H <sub>1.0+W4.0</sub>	186	156

\*Basic Code is K13.

TABLE 1 (CONTINUED)

## OUTLINE OF WAKE INVESTIGATIONS

Description	Configuration Code*	Run No.	Base-line
2. Crown Fairings			
(a) Flat top behind shaft	K <sub>11</sub> +D <sub>1</sub>	140	138
(b) Round top behind shaft	K <sub>11</sub> +D <sub>2</sub>	141	138
(c) Extended flat top fairing	H <sub>1</sub> +D <sub>4</sub>	170	156
(d) Flat top + 16" cap, 4" gap	H <sub>1</sub> .7.2+D <sub>4</sub>	171	170
(e) Forward fairing/nacelle fairing	P <sub>1.0</sub>	152	156
3. Surface Devices			
(a) Vortex generators	K <sub>11</sub> +VG <sub>2.1</sub>	139	138
(b) Guidevane between nacelles	K <sub>11</sub> +FV <sub>1</sub>	142	138
(c) Longitudinal strakes	H <sub>1.5.3</sub> +S <sub>4</sub>	155	156
(d) 14% porosity spoiler	K <sub>11</sub> +X <sub>1</sub>	143	138

\*Basic Code is K13 unless noted otherwise.

TABLE 2  
LIST OF TEST RUNS  
BASIC INVESTIGATIONS OF THE HUB WAKE

RUN NO.	CONFIGURATION/CONDITION	V <sub>TUN</sub> KNOTS	RPM MR/TR	DISK LDG. PSF	MODEL ANGLES		MR HT.	TAIL ROTOR
					$\alpha^\circ$	$\psi^\circ$		
111	K <sub>11</sub> /15" Long. wake traverse at TR center line	80	1433/0	8	6.0	-2.0	"	Off
112	" /9" Vert. wake traverse above TR center line	"	"	"	"	"	"	"
113	" /2" Vert traverse through MR vortex	"	"	"	"	"	"	"
114	" /8" Vert. traverse below TR center line	"	"	"	"	"	"	"
115	" /13" Vert. traverse behind stabilizer	"	"	"	"	"	"	"
116	" /Lateral traverse - left stabilizer	"	"	"	"	"	"	"
117	" /116 continued	"	"	"	"	"	"	"
118	" /116 continued	"	"	"	"	"	"	"
119	" /Lateral traverse - right stabilizer	"	"	"	"	"	"	"
121	K <sub>11+T2</sub> /Effect of tail rotor flow on wake	"	1433/ 4500	"	"	"	"	On
135	K <sub>11</sub> /Wake in 900 fpm climb	"	"	"	-6.0	-4.5	"	Off
136	" /Wake in 800 fpm descent	"	"	"	6.0	-2.0	"	"

TABLE 2 (CONTINUED)  
LIST OF TEST RUNS  
EVALUATION OF WAKE-ALTERING DEVICES

RUN NO.	CONFIGURATION/CONDITION	V <sub>TUN</sub> KNOTS	RPM MR/TR	DISK LDG. psf	MODEL ANGLES		MR HT.	TAIL ROTOR
					$\alpha^{\circ}$	$\psi^{\circ}$		
137	K <sub>11</sub> -H <sub>1.0</sub> +H <sub>1.2</sub> /Effect of 7.6 inch diam. solid hub cap	80	1433/0	8	6	-3.8	"	Off
138	K <sub>11</sub> /Repeat of base run	"	"	"	"	"	"	"
139	K <sub>11</sub> +VG <sub>2.1</sub> /Effect of vortex generators on aft crown	"	"	"	"	"	"	"
140	K <sub>11</sub> +D <sub>1</sub> /Flat-topped "doghouse" fairing on aft crown	"	"	"	"	"	"	"
141	K <sub>11</sub> +D <sub>2</sub> /Rounded-top fairing	"	"	"	"	"	"	"
142	K <sub>11</sub> +FV <sub>1</sub> /Deflection vane on crown between nacelles	"	"	"	"	"	"	"
143	K <sub>11</sub> +X <sub>1</sub> /Variable porosity spoiler	"	"	"	"	"	"	"
149	K <sub>13</sub> +H <sub>1-N</sub> /Effect of nacelles off also add stiff pitch arms (K <sub>13</sub> )	60	1075/0	4.5	"	"	"	"
150	K <sub>13</sub> +H <sub>1</sub> /60 knot baseline	"	"	"	"	"	"	"
151	K <sub>13</sub> +H <sub>1.3</sub> /16 inch diam. helmet fairing	"	"	"	"	"	"	"
152	K <sub>13</sub> +P <sub>1.0</sub> /Pylon and intake fairings	80	1433/0	8	"	"	"	"
153	K <sub>13</sub> +H <sub>1.2</sub> /Repeat 137 with K <sub>13</sub> pitch arms	"	"	"	"	"	"	"

TABLE 2 (CONTINUED)  
LIST OF TEST RUNS  
EVALUATION OF WAKE-ALTERING DEVICES

RUN NO.	CONFIGURATION/CONDITION	V <sub>TUN</sub> KNOTS	RPM MR/TR	DISK LDG. Psf	MODEL ANGLES	MR HT.	TAIL ROTOR
				$\alpha^\circ$	$\psi^\circ$	h/d	
154	K <sub>13</sub> +H <sub>1.5.2</sub> /10" open hub cap, 7" underbody, 1.25" gap	80	1433/0	8	6	-3.8	0 Off
155	K <sub>13</sub> +H <sub>1.5.2+S4</sub> /Same as 154 except strakes on aft crown	"	"	"	"	"	"
156	K <sub>13+H1.0</sub> /Baseline with K <sub>13</sub> , i.e., stiff pitch arms	"	"	"	"	"	"
158	K <sub>13-M+H1.0</sub> /Wake studies with blades off, hub not rotating	"	0/0	"	"	"	"
159	K <sub>13-M-H1.0</sub> /Wake studies with hub off	"	"	"	"	"	"
160	K <sub>13-M+H1.0</sub> /Same as 158 except hub is rotating	"	1433/0	"	"	"	"
161	K <sub>13-M+H1.5.2</sub> /Repeat of 154 without blades	"	0/0	"	"	"	"
162	K <sub>13-M+H1.5.3</sub> /Same as 161 except 4" gap	"	"	"	"	"	"
163	K <sub>13-M+H1.5.4</sub> /Same as 161 except 2" gap	"	"	"	"	"	"
164	K <sub>13-M+H1.5.1</sub> /Same as 161 except 0.5" gap	"	"	"	"	"	"
165	K <sub>13-M+H1.0.1/10"</sub> open hub cap,no underbody,same cap vert.position as Run 154	"	"	"	"	"	"
166	K <sub>13-M+H1.0.2</sub> /Same as 165 with cap lowered by 0.5"	"	"	"	"	"	"

TABLE 2 (CONTINUED)  
 LIST OF TEST RUNS  
 EVALUATION OF WAKE-ALTERING DEVICES

RUN NO.	CONFIGURATION/CONDITION	V <sub>TUN</sub> KNOTS	RPM MR/TR	DISK LDG. psf	MODEL ANGLES $\alpha^\circ$	$\psi^\circ$	MR HT.	TAIL ROTOR h/d
167	K <sub>13</sub> -M+H <sub>1.7.1</sub> /16" open cap, no underbody, 2" gap	80	0/0	8	6	-3.8	"	Off
168	K <sub>13+H1.7.1</sub> /Blades on, same cap config. as 167	"	1433/0	"	"	"	"	"
169	K <sub>13+H1.7.2</sub> /16" open cap, no underbody, 4" gap	"	"	"	"	"	"	"
170	K <sub>13+H1.0+D4.0</sub> /Extended flat top fairing on aft crown	"	"	"	"	"	"	"
171	K <sub>13+H1.7.2+D4.0</sub> /Same fairing as 170, same cap as 169	"	"	"	"	"	"	"
172	K <sub>13+H1.0+E1.0(0psi)</sub> /Basic air ejector zero blowing baseline	"	"	"	"	"	"	"
173	K <sub>13+H1.0+E1.0(40 psi)</sub> /Same as 172 with 40 psi supply	"	"	"	"	"	"	"
174	K <sub>13+H1.0+E1.0(150 psi)</sub> /Same as 172 with 150 psi supply	"	"	"	"	"	"	"
175	K <sub>13+H1.0+E2.5.1(40 psi)</sub> /Ejector with wide chord shroud at 40 psi	"	"	"	"	"	"	"
176	K <sub>13+H1.0+E2.5.1(150 psi)</sub> /Same as 174 with 150 psi supply	"	"	"	"	"	"	"
177	K <sub>13+H1.5.1+E2.5.1(150 psi)</sub> /Same as K <sub>13+H1.6</sub> with 10" cap like 163	"	"	"	"	"	"	"
178	K <sub>13+H1.0+W1.0+E1.1(0 psi)</sub> /Nacelle mounted wing	"	"	"	"	"	"	"

TABLE 2 (CONTINUED)  
LIST OF TEST RUNS  
EVALUATION OF WAKE-ALTERING DEVICES

RUN NO.	CONFIGURATION/CONDITION	V <sub>TUN</sub> KNOTS	RPM MR/TR	DISK LDG. PSF	MODEL ANGLES		MR HT. h/d	TAIL ROTOR
					$\alpha^{\circ}$	$\psi^{\circ}$		
179	K <sub>13+H1.0+W2.0+E1.0</sub> (0 psi)/Double slotted flapped wing	80	1433/0	8	6	-3.8	"	Off
180	K <sub>13+H1.0+W3.0+E1.0</sub> (0 psi)/Single slotted flapped wing	"	"	"	"	"	"	"
181	K <sub>13+H1.0+E1.2</sub> (0 psi)/Baseline with ejector tube moved aft	"	"	"	"	"	"	"
182	K <sub>13+H1.9.0+E1.2</sub> (0 psi)/Standard 10" frisbee	"	"	"	"	"	"	"
183	K <sub>13+H1.9.1+E1.2</sub> (0 psi)/16" fabricated frisbee	"	"	"	"	"	"	"
184	K <sub>13+H1.0+E3.5.2</sub> (40 psi)/Wide chord with lip at 40 psi	"	"	"	"	"	"	"
185	K <sub>13+H1.0+E3.5.2</sub> (150 psi)/Same as 184 with 150 psi air	"	"	"	"	"	"	"
186	K <sub>13+H1.0+W4.0</sub> /Boom mounted stub wing	"	"	"	"	"	"	"
187	K <sub>13+H1.0+E3.5.4</sub> (150 psi)/Like 185 with modified shroud	"	"	"	"	"	"	"
188	K <sub>13+H1.0+I1+E1.0</sub> (0 psi)/Baseline with I <sub>1</sub> instr. ring	"	"	"	"	"	"	"
189	K <sub>13+H1.8.1+I1+E1.0</sub> (0 psi)/Solid cap, 10" diam. 3.25" height	"	"	"	"	"	"	"
190	K <sub>13+H1.8.2+I1+E1.0</sub> (0 psi)/Same as 190 except + 4.12" height	"	"	"	"	"	"	"

TABLE 2 (CONTINUED)  
LIST OF TEST RUNS  
EVALUATION OF WAKE-ALTERING DEVICES

RUN NO.	CONFIGURATION/CONDITION	V <sub>TUN</sub> KNOTS	RPM MR/TR	DISK LDG. psf	MODEL ANGLES		MR HT.	TAIL ROTOR
					$\alpha^\circ$	$\psi^\circ$		
191	K13+H1.0.2+I1+E1.0 (0 psi)/10" cap, no underbody, 1.87" gap	80	1433/0	8	6	-3.8	"	Off
193	K13+H1.0.2+I1+E1.0 (0 psi)/10" cap, no underbody, 1.25" gap	"	"	"	"	"	"	"
194	K13+H1.11.1+I2+E1.0 (0 psi)/7.6" cap, underbody, 1.25" gap	"	"	"	"	"	"	"
195	K13+H1.11.1+I2+E1.0 (20 psi)/Same as 194 with 20 psi air	"	"	"	"	"	"	"
196	K13+H1.11.1+I2+E1.0 (40 psi)/Same as 194 with 40 psi air	"	"	"	"	"	"	"
197	K13+H1.11.1+I2+E1.0 (150 psi)/Same as 194 with 150 psi air	"	"	"	"	"	"	"
198	K13+H1.11.1+I2+E4.0 (0 psi)/Same as 194 except blowing tube 2" aft	"	"	"	"	"	"	"
199	K13+H1.11.1+I2+E4.0 (40 psi)/Same as 198 with 40 psi air	"	"	"	"	"	"	"
200	K13+H1.11.1+I2+E4.0 (150 psi)/Same as 198 with 150 psi air	"	"	"	"	"	"	"
201	K13+H1.11.2+I2+E4.0 (150 psi)/Same as 200 except center support cap	"	"	"	"	"	"	"
202	K13+H1.11.2+I2/Baseline with I <sub>2</sub> and no blowing tube	"	"	"	"	"	"	"
203	K13+H1.0+E5.0 (0 psi)/Bifurcated air duct baseline	"	"	"	"	"	"	"

**TABLE 2 (CONTINUED)**  
**LIST OF TEST RUNS**  
**EVALUATION OF WAKE-ALTERING DEVICES**

TABLE 3  
INDEX TO RAKE POSITIONS

RUN NUMBER	TEST POINT	WATER LINE	MODEL STATION	BUTT LINE	LOCATION FIGURE
111	20 21 22 24 26 28 30 32 34 36	53.5 " " " " " " " " "	103.1 " 105.0 107.0 109.0 111.0 112.9 114.9 116.9 118.9	-7.25 " " " " " " " " "	1
112	2 4 6 8 10 12	48.9 50.8 52.7 54.5 56.2 57.2	107.3 " 103.3 " " "	-7.25 " " " " "	1
113	2 4 6 8 10 11	51.7 52.3 52.8 53.3 53.9 53.3	103.3 " " " " "	-3.25 " " " " "	1
114	2 4 6 8 10	44.5 46.4 48.2 50.0 51.9	103.0 " " " "	-3.25 " " " "	1
115	3 4 6 9 10 12 14 16 18 20	52.9 52.0 50.0 48.0 46.0 44.1 42.1 53.0 54.0 55.0	124.7 " " " " " " " " "	-3.25 " " " " " " " " "	1

TABLE 3 (CONTINUED)  
INDEX TO RAKE POSITIONS

RUN NUMBER	TEST POINT	WATER LINE	MODEL STATION	BUTT LINE	LOCATION FIGURE
116	7	36.9	100.5	-17.5	1
117	2 4 6 8 10	37.6 " 37.3 " "	100.5 " 99.6 " "	-16.0 -14.0 -12.0 -10.0 - 8.0	1
118	2	37.6	100.5	- 6.0	1
119	2 5 8 9 14 16 20 25	37.3 " " " " " 51.5 52.3	99.6 " " " " " 102.5 101.7	+ 6.0 8 10 " 14 16 17.5 -17.5	1
121	3 4 6 8 10	62.9 53.5 50.1 46.0 42.1	129.0	+ 5.7 " " " "	2
135	2 4 6 8 10 12 14	56.9 54.5 52.5 50.5 48.5 46.5 44.5	106.3	- 5.7 " " " " " "	3
136	2 4 6 8 10 12 14 17 18 19	56.5 54.5 52.5 50.6 48.5 46.5 44.5 37.1 39.0 41.0	104.0	- 8.0 " " " " " " " " "	4

TABLE 3 (CONTINUED)

## INDEX TO RAKE POSITIONS

RUN NUMBER	TEST POINT	WATER LINE	MODEL STATION	BUTT LINE	LOCATION FIGURE
137	3 5 7 9 11 13 15 17 19	38.7 39.9 42.0 44.0 46.0 48.0 50.0 52.0 54.0	98.4 " 100.5 " 103.6 " " " "	- 8.0 " " " " " " " "	5
138-41, 143	2 3 4 5 6 7 8 9 10	38.8 40.0 42.0 44.0 46.0 48.0 50.0 52.0 54.0	98.4 " 100.5 " 103.6 " " " "	- 8.0 " " " " " " " "	5
142	7 8 9 10 11 12 13 14 15 16 17	37.8 " 40.2 42.0 44.0 46.0 48.0 50.0 52.0 54.0 56.8	98.4 " " 100.5 " 103.6 " " " " "	- 8.0 " " " " " " " " " "	5

TABLE 3 (CONTINUED)  
INDEX TO RAKE POSITIONS

RUN NUMBER	TEST POINT	WATER LINE	MODEL STATION	BUTT LINE	LOCATION FIGURE
149-151	2 3 4 5 6 7 8 9 10	38.8 40.0 42.0 44.0 46.0 48.0 50.0 52.0 54.0	98.5 " 100.6 " 103.5 " " " "	- 8.0 " " " " " " " "	5
152-6, 158 161-4, 166 167, 169-71 175, 177-9 180, 182, 184 186-8, 190 191, 193, 194 196, 198, 201 204, 207, 208 211	2 3 4 5 6 7 8 9	42.9 44.9 46.9 48.9 50.9 52.9 54.9 56.9	97.9 " 100.6 " 104.6 " " "	0.0 " " " " " " "	6
159	1 2 3 4 5	54.9 52.9 50.7 48.6 46.7	104.6 " " 100.6 "	0.0 " " " "	6
160, 203	5 6 7 8 9 10 11	42.9 44.9 46.9 48.9 50.9 52.9 54.9	97.9 " 100.6 " 104.6 " "	0.0 " " " " " "	6
165	3 4 5 6 7 8	44.9 42.9 46.9 48.9 50.9 52.9	97.9 " 100.6 " 104.6 "	0.0 " " " " "	6

TABLE 3 (CONTINUED)  
INDEX TO RAKE POSITIONS

RUN NUMBER	TEST POINT	WATER LINE	MODEL STATION	BUTT LINE	LOCATION FIGURE
168, 183	4 5 6 7 8 9 10	42.9 44.9 46.9 48.9 50.9 52.9 54.9	97.9 " 100.6 " 104.6 " "	0.0 " " " " " "	6
172	3 4 6 7 8 9 10 11	42.9 44.9 44.9 46.9 48.9 50.9 52.9 54.9	97.9 " " 100.6 " 104.6 " "	0.0 " " " " " " "	6
173, 174, 176 185, 195, 197 199, 200, 205 210	1 2 3 4 5 6 7	42.9 44.9 46.9 48.9 50.9 52.9 54.9	97.9 " 100.6 " 104.6 " "	0.0 " " " " " "	6
181	2 3 4 5 6 7 9 10 11 12 13	42.9 44.9 46.9 48.9 50.9 52.9 54.9 " " " " 42.9	97.9 " 100.6 " 104.6 " " " " " 97.9	0.0 " " " " " " " " " "	6

TABLE 3 (CONTINUED)  
INDEX TO RAKE POSITIONS

RUN NUMBER	TEST POINT	WATER LINE	MODEL STATION	BUTT LINE	LOCATION FIGURE
189	29	42.9	97.9	0.0	6
	30	44.9	"	"	
	31	46.9	100.6	"	
	32	48.9	"	"	
	33	"	"	"	
	34	50.9	104.6	"	
	35	"	"	"	
	36	48.9	100.6	"	
	37	50.9	104.6	"	
	38	52.9	"	"	
	39	54.9	"	"	
202	3	43.4	97.9	0.0	6
	4	44.9	"	"	
	5	46.9	100.6	"	
	6	48.9	"	"	
	7	50.9	104.6	"	




FIGURE 1 - RAKE ORIENTATION DIAGRAM

RUN 121




FIGURE 2 -HOT FILM RAKE LOCATIONS

RUN 135




FIGURE 3 - HOT FILM RAKE LOCATIONS

RUN 136




FIGURE 4 - HOT FILM RAKE LOCATIONS

FLIN 137, 138, 139, 140, 141, 142,  
143, 148, 149, 150, 151




FIGURE 5 - HOT FILM RAKE LOCATIONS

RUN 152-156, 158-211




FIGURE 6 - HOT FILM RAKE LOCATIONS






FIGURE 7 - 1/4.85 SCALE MODEL GEOMETRY AND SURFACE PRESSURE TRANSDUCER LOCATIONS




ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE LATERAL FLOW ANGLES




ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE X-Y VELOCITY COMPONENTS











ROTATING HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE LATERAL FLOW ANGLES













ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE LATERAL FLOW ANGLES












## ROTOR/HUB WAKE MODIFICATION STUDIES

## UNSTEADY WAKE LATERAL FLOW ANGLES









ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE VERTICAL FLOW ANGLES




ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE LATERAL FLOW ANGLES




ROTOR/WAKE WAKE MODIFICATION STUDIES

UNSTEADY WAKE X-Y VELOCITY COMPONENTS




ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE X-Z VELOCITY COMPONENTS




ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE VERTICAL FLOW ANGLES



ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE LATERAL FLOW ANGLES






ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE X-Z VELOCITY COMPONENTS







ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE LATERAL FLOW ANGLES











ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE VERTICAL FLOW ANGLES











ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE VERTICAL FLOW ANGLES




ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE LATERAL FLOW ANGLES









ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE VERTICAL FLOW ANGLES





ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE LATERAL FLOW ANGLES













MOTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE LATERAL FLOW ANGLES



















ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE VERTICAL FLOW ANGLES






ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE X-Y VELOCITY COMPONENTS



ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE X-Z VELOCITY COMPONENTS






ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE LATERAL FLOW ANGLES



ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE X-Y VELOCITY COMPONENTS






ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE VERTICAL FLOW ANGLES





MOTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE LATERAL FLOW ANGLES
















## ROTOR/HULL WAKE MODIFICATION STUDIES

## UNSTEADY WAKE X-Z VELOCITY COMPONENTS





AD-A061 766      BOEING VERTOL CO PHILADELPHIA PA  
INTERACTIONAL AERODYNAMICS OF THE SINGLE ROTOR HELICOPTER CONFI--ETC(U)  
SEP 78 P F SHERIDAN

DAAJ02-77-C-0020

F/G 1/3

USARTL-TR-78-23C-VOL-3A      NL

UNCLASSIFIED


2 of 2  
AD-A061 766



END  
DATE  
FILED  
2-79  
DDC


ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE LATERAL FLOW ANGLES




ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE X-Y VELOCITY COMPONENTS



ROTOR/WAKE WAKE MODIFICATION STUDIES


UNSTEADY WAKE X-Z VELOCITY COMPONENTS






ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE LATERAL FLOW ANGLES




ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE X-Y VELOCITY COMPONENTS










ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE LATERAL FLOW ANGLES









ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE VERTICAL FLOW ANGLES



ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE LATERAL FLOW ANGLES






ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE X-Z VELOCITY COMPONENTS






ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE LATERAL FLOW ANGLES




ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE X-Y VELOCITY COMPONENTS



ROTATIONAL WAKE MODIFICATION STUDIES


UNSTEADY WAKE X-Z VELOCITY COMPONENTS








ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE LATERAL FLOW ANGLES











ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE LATERAL FLOW ANGLES



## ROTOR/HUB WAKE MODIFICATION STUDIES


## UNSTEADY WAKE X-Y VELOCITY COMPONENTS






ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE VERTICAL FLOW ANGLES




MOTOR/HULL WAKE MODIFICATION STUDIES.


UNSTEADY WAKE LATERAL FLOW ANGLES



ROTOR/WAKE WAKE PROPAGATION STUDIES


UNSTEADY WAKE X-Y VELOCITY COMPONENTS






ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE VERTICAL FLOW ANGLES







ROTOR/SHUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE X-Y VELOCITY COMPONENTS









ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE LATERAL FLOW ANGLES







ROTOR/HULL WAKE MODIFICATION STUDIES

UNSTEADY WAKE X-Z VELOCITY COMPONENTS









ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE X-Y VELOCITY COMPONENTS






ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE VERTICAL FLOW ANGLES





ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE LATERAL FLOW ANGLES











MOTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE LATERAL FLOW ANGLES




ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE X-Y VELOCITY COMPONENTS









ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE LATERAL FLOW ANGLES




ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE X-Y VELOCITY COMPONENTS




## MOTOR/HUB WAKE MODIFICATION STUDIES

## UNSTEADY WAKE X-Z VELOCITY COMPONENTS









ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE X-Y VELOCITY COMPONENTS






ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE VERTICAL FLOW ANGLES







ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE X-Y VELOCITY COMPONENTS









ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE VERTICAL FLOW ANGLES




ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE X-Y VELOCITY COMPONENTS











ROTOR/HUB WAKE MODIFICATION STUDIES


UNSTEADY WAKE LATERAL FLOW ANGLES


























ROTOR/HUB WAKE MODIFICATION STUDIES

UNSTEADY WAKE X-Z VELOCITY COMPONENTS

