


AD-A063 132

CATHOLIC UNIV OF AMERICA WASHINGTON D C VITREOUS STA--ETC F/8 11/2
INVESTIGATION OF PIEZOELECTRIC EFFECT IN PERMANENTLY POLARIZED --ETC(U)
NOV 78 J H SIMMONS, M S CHU, C J SIMMONS N00014-75-C-0707


UNCLASSIFIED

NL

2 OF 2
AD
A063 132



END
DATE
FILMED
3-79
DDC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

TABLE 2 Comparison of Empirical Equation, Eq.(2), to data from several authors.^a

<u>Na₂O content</u>	<u>ΔH measured</u>	<u>ΔH [Eqn.(2)]</u>	<u>Authors</u>
0.02	29.2	32.8	present paper
0.06	30.0	30.0	"
0.4	24.8	25.1	"
0.9	23.8	23.1	"
5	19.2	18.8	Ref. 13
5	30.5	18.8	Ref. 15
6.7	17.8	17.9	present paper
7.5	17.0	17.7	Ref. 12
10	17.8	17.0	Ref. 13
13	18.0	16.3	Ref. 15
15	16.2	16.0	Ref. 12
15	16.8	16.0	Ref. 13
15	18	16.0	Ref. 15
20	16.0	15.2	Ref. 13
20	17.5	15.2	Ref. 15
25	15.0	14.7	Ref. 13
25	17	14.7	Ref. 15
30	14.5	14.1	Ref. 12
30	14.1	14.1	Ref. 11
30	14.8	14.1	Ref. 13
30	16.5	14.1	Ref. 15
35	14.4	13.8	Ref. 13
40	12.4	13.4	Ref. 12
40	14.0	13.4	Ref. 13

a. Authors quoted are: Provenzano et al.¹¹, Charles¹², Otto and Milberg¹³ and Hakim and Uhlmann¹⁵. Data of Redwine and Field¹⁴ was not included because of phase separation problems.

TABLE 3 Exponent for the dependence of conductivity on sodium ion concentration (Eq. (3)).


<u>Temperature</u> (°C)	<u>Exponent from dependence</u> <u>of $\ln \sigma$ on $\ln c$</u>	<u>Exponent from ΔH</u> <u>calculation: $2549/RT$</u>
300	2.19	2.22
350	2.08	2.05
400	1.85	1.89
500	1.65	1.65


FIGURE CAPTIONS


- Fig. 1 --Measurement of A.C. conductivity plotted against frequency for Sample 2.
- Fig. 2 --Measurement of A.C. conductivity plotted against frequency for Sample 4.
- Fig. 3 --Extrapolated D.C. conductivity plotted against inverse temperature to demonstrate Arrhenian behavior for all samples.
- Fig. 4 --Concentration dependence of the activation enthalpy for conduction.
- Fig. 5 --Concentration dependence of the D.C. conductivity at various temperatures. The slopes give the exponent a/RT in Eq. (3).
- Fig. 6 --Comparison of the suitability of the Anderson-Stuart model and the empirical equation derived here in fitting the dependence of the activation enthalpy for conduction on sodium concentration, from 0.06% to 40% Na_2O . The data from this paper is represented by solid circles, Ref. 11 by solid squares, Ref. 12 by open circles and Ref. 13 by open triangles. The Anderson-Stuart model is plotted as a dotted line and the empirical fit of Eq. (14) as a solid line.


ACKNOWLEDGEMENTS


The authors would like to thank Profs. C. T. Moynihan and P. B. Macedo for helpful discussions during the course of this research.











ACTIVATION ENTHALPY [kcal/mole]

