AD-ADE	54 240 SIFIED	AIR F ANALO DEC 7	ORCE OC G NAVIG B F B	CUPATIO ATION/T BOWER,	NAL MEA ACTICS G B COL	SUREMEN TRAININ	NT CENT	ER RAN	DOLPH A EER LAD	FB TX DER, AF	F/G 5/	erclu	,
	OF ADA 064240			SECONDUCTOR	MERCACONAN SECONDOLLA MERCANONICANONICA MERCANONICANONICANONICANONICANONICANONICANONICANONICANONICANONICANONICANON		SECONDEL PRODUCTO		*******				
	SUBJECT OF CONTRACT			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		PEDERAL SALE	1200 MINUT		A statement of the stat				
		BERSTORN RAMONETON NECTORS			F 77 6. T	BATTACTA AND	Revolution of the second se						NETERIA DETERMINE DETERMIN
and the second				-					The second secon			designation Distribution History Histo	
				The second					B arran		A state of the sta		
									enterson				
		Ē			HELSEN THE H				A Constraint of the second sec	The second secon			
													-



TABLE OF CONTENTS

.

.

2

PREFACE		3
SUMMARY OF RESULTS		4
INTRODUCTION		5
INVENTORY DEVELOPMENT		6
INVENTORY ADMINISTRATION		6
SURVEY SAMPLE		7
CAREER LADDER STRUCTURE		9
ANALYSIS OF DAFSC GROUPS		19
ANALYSIS OF CONUS/OVERSEAS DIFFEREN	CES	26
ANALYSIS OF AFMS GROUPS		29
COMPARISON OF AFR 39-1 SPECIALTY DE SURVEY DATA	SCRIPTIONS WITH	33
COMPARISON OF THE SPECIALTY TRAININ WITH SURVEY RESULTS	G STANDARD (STS)	34
ANALYSIS OF TASK DIFFICULTY		35
COMPARISON OF CURRENT SURVEY TO PRE	VIOUS SURVEY	39
SUMMARY OF BACKGROUND INFORMATION -		40
IMPLICATIONS		44
CAREER FIELD ADDENDUM	41 TE125/025	Atch 1
	entroid effich blie bie bie bie bie bie bie bie bie bie b	

\$12805623X0

ELEMA TELEVISION TAXAB

15

17

79 02 02 .082

PREFACE

This report presents the results of a detailed Air Force Occupational Survey of the Analog Navigation/Tactics Training Devices career ladder (AFSCs 34135, 34155 and 34175). The project was directed by USAF Program Technical Training, Volume 2, dated February 1977. Authority for conducting occupational surveys is contained in AFR 35-2. Computer outputs from which this report was produced are available for use by operating and training officials.

The survey instrument was developed by Second Lieutenant Linda A. Wiekhorst, Inventory Development Specialist. Captain Frederick B. Bower, Jr. and Mr. Guy B. Cole, Occupational Survey Analysts, analyzed the data and wrote the final report. This report has been reviewed and approved by Lieutenant Colonel Jimmy L. Mitchell, Chief, Airman Career Ladders Analysis Section, Occupational Survey Branch, USAF Occupational Measurement Center, Randolph AFB, Texas, 78148.

Computer programs for analyzing the occupational data were designed by Dr. Raymond E. Christal, Occupational and Manpower Research Division, Air Force Human Resources Laboratory (AFHRL), and were written by the Project Analysis and Programming Branch, Computational Sciences Division, AFHRL.

Copies of this report are available to air staff sections, major commands, and other interested training and management personnel upon request to the USAF Occupational Measurement Center, attention of the Chief, Occupational Survey Branch (OMY), Randolph AFB, Texas 78148.

This report has been reviewed and is approved.

BILLY C. MCMASTER, Col, USAF Commander USAF Occupational Measurement Center

WALTH	ER E.	DRISKI	LL,	Ph.	D.
Chief,	Occu	pational	Sur	vey	Branch
USAF	Occu	pational	Me	asur	rement
Cente	er	APRILATION	4.12		

818	Willia Looks .
	Ball Sealland (D)
	0
-	······································
	AVAILABILITY BOOKS
Etel. At	All and/or SPECIAL
Contraction of the second s	
-	
D	

SUMMARY OF RESULTS

1. <u>Survey Coverage</u>: Inventory booklets were administered to Analog Navigation/Tactics Training Devices personnel during the period December 1977 through April 1978. Survey results are based on responses from 159 of the 235 incumbents assigned, or 68 percent of the total assigned career ladder population.

2. <u>Career Ladder Structure</u>: Five major groups of jobs were identified within the career ladder. Four of these groups were concerned with the operation and maintenance of navigation/tactics training devices. Group differences were based primarily on the types of training devices maintained and the average number of inventory tasks performed. The remaining group consisted of personnel assigned as section supervisors.

3. <u>DAFSC Differences</u>: Jobs performed by members of the career ladder were fairly homogeneous. The 5-skill level respondents spend the majority of their time performing preventive maintenance, operating training devices, and removing, replacing, aligning, or adjusting system components. At the 7-skill level, respondents also perform supervisory tasks but continue to spend 60 percent of their time performing technical functions.

4. <u>CONUS Overseas Comparison</u>: Personnel overseas were more involved in the performance of supervisory and management functions. This included the supervision of AFS 341X3, Analog Flight Simulator personnel. The 5-skill level personnel averaged over twice as long in the career ladder than the 5-skill levels in the CONUS.

5. <u>AFR 39-1 Evaluation</u>: The current AFR 39-1 specialty descriptions were found to be complete and accurately portrayed the duties and responsibilities of personnel in the career ladder.

6. <u>STS Evaluation</u>: Overall, the STS was found to be up to date and complete in providing general training requirements. However, much of the STS is subject knowledge rather than task knowledge oriented making a complete analysis difficult.

7. <u>Implications</u>: There is a similarity of basic knowledges and skills, as evidenced by performance of common tasks, between this and other Training Devices career ladders. Based on these similarities and the fact that analog trainers are gradually being phased out of the inventory, it may be possible to restructure the career field toward a more efficient and viable career structure.

OCCUPATIONAL SURVEY REPORT ANALOG NAVIGATION/TACTICS TRAINING DEVICES CAREER LADDER (AFSCs 34135, 34155, AND 34175)

INTRODUCTION

This is a report of an occupational survey of personnel in the Analog Navigation/Tactics Training Devices career ladder by the Occupational Survey Branch, USAF Occupational Measurement Center, completed during October 1978. This specialty was created in April 1976, when the AFS 343X0, Navigation/Bomb/Tactics Trainer career ladder, was split forming AFS 341X5 and AFS 341X6 (Digital Navigation/Tactics Training Devices career ladder). An occupational survey of the AFS 343X0 had been conducted and results published in March 1974.

Primarily responsible for the operation and maintenance of analog navigation/tactics training devices, personnel usually enter the career ladder by first attending the C3ABR34135 Analog Navigation/Tactics Training Devices Specialist course at Chanute AFB, Illinois. These personnel may be either "pipeline" students from basic training or retrainees from other career specialties. Upon completion of this 17 week one day course, graduates are awarded the 3-skill level and are assigned to operational units worldwide possessing analog navigation/ tactics simulators. Presently the career ladder is considered to be slightly under strength in the first enlistment, eight, nine and 12+ year groups according to the USAF Retraining Advisory.

This report is intended to examine the Analog Navigation/Tactics Training Devices career ladder based on tasks performed by survey respondents. Topics discussed in this report include: (1) development and administration of the survey instrument; (2) the job structure found within the career ladder and the relationship to skill level and experience level groupings; (3) comparisons of the job structure with current career ladder documents such as the AFR 39-1 Specialty Descriptions and the Specialty Training Standard (STS); (4) comparison of the results of this study with results from the previous survey; and (5) background data relative to job satisfaction.

The survey instrument used to collect the data for this report was designed to survey all seven Training Devices career ladders. Therefore, it was possible to compare this specialty with the other ladders in the career field. An analysis of the AFS 341XX Training Addendum is attached to this report. Since all career ladders in this field combine at the 9-skill level, the analysis of AFS 34197 personnel is also included in the addendum.

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

INVENTORY DEVELOPMENT

The data collection instrument for this occupational survey was USAF Job Inventory AFPT 90-341-322. The survey instruments from previous studies of career ladders in the Training Devices career field served as the starting point for development of this new task inventory. The previous task lists were expanded and refined through a thorough research of career field publications and directives. Inventory developers then conducted personal interviews with 44 subject matter specialists at eight separate facilities to review the tentative task list for completeness and accuracy. This process resulted in a final comprehensive "career field" inventory of 1144 tasks grouped under 21 duty headings and a background section that requested information about the respondents such as grade, TAFMS, duty title and job interest.

INVENTORY ADMINISTRATION

During the period December 1977 through April 1978, consolidated base personnel offices in operational units worldwide administered the inventory to job incumbents holding DAFSC 341XX. These job incumbents were selected from a computer generated mailing list obtained from personnel data tapes maintained by the Air Force Human Resources Laboratory (AFHRL). Each individual who completed the inventory first completed an identification and biographical information section (background section), and then checked each task performed in their current job.

After checking all tasks performed, each incumbent then rated each of these tasks on a nine-point scale showing relative time spent on that task as compared to all other tasks checked. The ratings ranged from one (very- small-amount time spent) through five (about-average time spent) to nine (very-large-amount time spent). To determine relative time spent for each task checked by a respondent, all of an incumbents ratings are assumed to account for 100 percent of the individuals time spent on the job and are summed. Each task rating is then divided by the total task responses and the quotient multiplied by 100. This procedure now provides a basis for comparing tasks not only in terms of percent members performing but also in terms of the average percent time spent performing any given task.

SURVEY SAMPLE

Personnel are selected to participate in this survey so as to insure a balanced representation across MAJCOM and DAFSC groups. Table 1 reflects the percentage distribution, by major command, of assigned personnel in the AFS 341X5 career ladder as of March 1978. Also reflected is the distribution of incumbents in the final survey sample. The 159 respondents making up the final sample represent 68 percent of the 235 members making up the Analog Navigation/Tactics Training Devices career ladder.

Tables 2 and 3 reflect the distribution of the survey sample in terms of DAFSC and TAFMS groups. As indicated in Table 2, the percentage of 3-skill level airmen in the survey sample is considerably below that of the 3-skill level airmen in the survey sample is considerably below that of the 3-skill levels assigned at the time of the survey. With this exception, however, the sampling distribution seems to be representative of the overall career ladder population.

COMMAND	PERCENT OF ASSIGNED	PERCENT OF SAMPLE
SAC	38	43
TAC	18	14
MAC	15	15
ATC	9	9
USAFE	8	8
PACAF	6	5
OTHER	6	6
TOTAL	100	100
TOTAL ASSIGNED .	235	
TOTAL SAMPLED .	159	
PERCENT SAMPLED -	68%	

TABLE 1

COMMAND REPRESENTATION IN THE SURVEY SAMPLE

TABLE 2

DAFSC REPRESENTATION IN THE SURVEY SAMPLE

DAFSC	PERCENT OF ASSIGNED	PERCENT OF SAMPLE
34135	14	7
34155	47	58
34175	39	38
NO RESPONSE		-

SAMPLE DISTRIBUTION BY MONTHS TIME IN SERVICE

	1-48	49-96	97-144	145-192	193-240	241+
NUMBER IN SAMPLE	55	27	31	20	22	4
PERCENT OF SAMPLE	35%	17%	19%	13%	14%	2%

apartahtet and tehniod as gradiert. Staating fatters and jallen cases to apartahted on synes third are dealer of a distinguist to be grounded non any clearer. Three fauly unsqueryroups are inneled independent ob 1998. It and a sole type analysis of the light survey respectively by pertering a sole type analysis of the light survey respectively by perrething the fraining to be tool of any light survey respectively for an artiget is the control of succes read. This analysis here be discussed in the Carrier field addressed strategies were analysis discussed in the Carrier field addressed strategies were analysis for the discussed in the Carrier field addressed the transities interaction. Another discusses in the Carrier field addressed the tents the constituted in the discusses in the Carrier field addressed from these interaction. Another and a discussed is the carrier were addressed form these interaction and a discusses balance that are addressed from these interaction and a discussed in the carrier were addressed from these interactions and and a state of the second in the provided and the tent and the discusses in the carrier were addressed from these interactions and and the second of these interactions were addressed and the carrier balance in the second in the second of the tent and address field attractions are were addressed from the second of the description and

Andres the quites Training Training Devices (241,25) the same were identified sufficient to of the costs containing 136 across or 12 percent of the singroun films for types containing 136 across or 12 percent of the 34135 transpondents to the survey were identified. Four of these job types outstands personnel whose putmany job was operation and maintenesses of ansing two these factors simulations. The transform job type included any structury and management personnel. Descriptions of each these facility transforms are additioned.

CAREER LADDER STRUCTURE

A key aspect of the occupational survey program is to examine the job structure of career fields or ladders on the basis of what people are actually doing in the field, rather than on the basis of how official career field and ladder documents say they are structured. This analysis of actual job structure is made possible by the use of the Comprehensive Occupational Data Analysis Programs (CODAP). By using CODAP, job functions are identified on the basis of similarity in tasks performed and relative time spent performing the tasks. Using the job structure as a starting point, it is then possible to first describe the career field or career ladder as it presently exists, and then, in turn, evaluate the pertinent career ladder documents, such as AFR 39-1 Specialty Descriptions and the Specialty Training Standard.

The career ladder structure analysis process consists of determining the functional job structure of career ladder personnel in terms of job types, clusters, and independent job types. A job type is a group of individuals who perform many of the same tasks and also spend similar amounts of time performing them. When there is a substantial degree of similarity between different job types, they are grouped together and labeled as <u>clusters</u>. Finally, there are often cases of specialized job types that are too dissimilar to be grouped into any cluster. These fairly unique groups are labeled independent job types.

The job structure for this career ladder was determined by performing a job type analysis of the 1886 survey respondents working within the Training Devices career field. This analysis identified four primary clusters or kinds of jobs performed by these personnel, and is discussed in the Career Field Addendum attached to this report. Within each of these clusters, a number of job types were identified. Members of this career ladder were extracted from these job type groups and displayed as job types in accordance with the original groupings in the career field structure analysis. This provided a means of reflecting the kinds of work performed by personnel in this ladder as compared to personnel in the other career ladders of the Training Devices career field.

Analog Navigation/Tactics Training Devices (341X5) Personnel were identified within two of the major clusters of the career field grouping diagram. Five job types containing 116 airmen or 73 percent of the 341X5 respondents to the survey were identified. Four of these job types contained personnel whose primary job was operation and maintenance of analog navigation/tactics simulators. The remaining job type included supervisory and management personnel. Descriptions of each of these major types are as follows:

FIGURE 1



Training Devices Operation and Maintenance Personnel (GRP017)

- A. Senior Fighter Aircraft Analog Navigation/Tactics Operator Maintainers (SPL550)
- B. Fighter Aircraft Analog Navigation/Tactics Operator Maintainers (SPL551)
- C. T-10 Trainer Operator Maintainers (SPL552)
- D. T-10/C-5A/C-141 Navigation/Tactics Operator Maintainers (SPL553)

Supervision and Management Personnel (GRP021)

E. Section Supervisors (SPL554)

Group Descriptions

Brief descriptions of the major job groups reflecting the divisions of jobs as performed by personnel in this career ladder are given below. Summaries of background information for each group are shown on Table 4. Table 5 shows relative time spent within duties for each group while Table 6 reflects the expressed job interest and utilization of talents and training.

Training Devices Operation and Maintenance Personnel (GRP017)

A. <u>Senior</u> Fighter <u>Aircraft Analog Navigation/Tactics</u> Operator <u>Maintainers</u> (SPL550). This group of 11 airmen are engaged in the operation and maintenance of navigation/tactics training devices for fighter type aircraft. For example, the F-4D navigation/tactics training devices are operated and maintained by 82 percent of these personnel while nine percent operate and maintain these systems on the RF-4C simulator. This is a very homogeneous group in that 78 tasks are performed by all members while over 200 tasks are performed by 80 percent or more. The broad scope of work performed by these personnel is further illustrated by the fact that each member performs an average of 372 tasks, considerably more than members of other groups within this ladder.

Analysis of tasks performed indicates that in addition to performing a large number of general operating, inspecting, and maintaining tasks, common to other groups, high percentages (50 percent or more) also perform a number of tasks which few personnel in other groups perform. These include: isolation of malfunctions on Air Defense missile systems, direction finder ECM systems, fire control ECM systems and fixed wing aerodynamic systems; removing and installing ejection seats, equipment chassis, face curtains, hydraulic actuators and cylinders or other hydraulic components such as pumps, heat exchangers or valves; removing or installing oxygen system components such as regulators or couplings; and removing and installing pneumatic system components such as valves or gauges. Other tasks which are exclusive to this group include; aligning discriminators or comparators, hydraulic control loading card assemblies, and motion systems; and bench checking air pressure lines, comparators or discriminators and electromechanical control loading systems.

In addition to performing a large number of technical tasks, 45 percent also supervise a small number of subordinates and perform a number of supervisory tasks. These functions however, occupy only a small portion of the overall work time and are not of primary significance in determining between this and other groups in the ladder.

Fighter Aircraft Analog Navigation/Tactics Operator L551). The eight members in this group perform an в. Maintainers (SPL551). average of 240 tasks in the operation and maintenance of F-4D and F-4C navigation/ tactics training devices. Like the preceeding group, task performance is relatively homogeneous with a large number of technical tasks performed by all or a majority of the group members. This group however, differs somewhat from the preceeding group in that members, on the average perform 132 less tasks in accomplishing the operation and maintenance functions assigned. Analysis of the differences in task performance between this and the preceeding group reveals that this group spends slightly more time in preventive maintenance, operation of training devices and isolation of malfunctions on simulator systems with analog computers and on simulators and computer components. On the other hand, the senior operator maintainers devote more of their time to tasks relative to removing or replacing components or system units, aligning or adjusting and performing in-shop maintenance.

Since there is only slight differences in the kind of personnel within this and the previous group it appears that this difference in task performance is primarily a function of work assignment or individual applications which limit the scope of one job to operation and system maintenance and to operation and operator maintenance functions in the other job.

C. <u>T-10</u> Trainer Operator Maintainer T-10 (SPL552). Over 80 percent of this group of 55 personnel maintain the trainer simulator and 75 percent also operate this equipment. Although 35 percent are either NCOICs or Shift Supervisors, all members perform a number of technical tasks in the operation and maintenance of trainers with supervisory and administration functions occupying less than 15 percent of the groups overall work time.

Members of this group perform a relatively large number of tasks, averaging 253 for all respondents. In addition to a number of general operation and maintenance tasks common to most personnel within this career field, a high percentage of the members of this group also perform a number of tasks which are unique to the operation or maintenance of the T-10 trainer. They operate doppler radar systems, short range attack missile (SRAM) systems and terrain avoidance radar; interpret digital inputs or outputs; and isolate malfunctions on CRT terminals, doppler systems, SRAM systems, terrain avoidance systems, analog-to-digital converters; and topographical comparators. Additionally, 84 percent of this group aligns tricolor collection optics and 42 percent adjust terrain following or avoidance systems. These two tasks were performed by over ten percent of the members of only one other group in this ladder (the T-10/C-5A/C-141 Navigation/Tactics Operator Maintainers).

D. <u>T-10/C-5A/C-141</u> Navigation/Tactics Operator Maintainers (SPL553). This group of 28 members is composed of personnel who operate and maintain different navigation/tactics training devices primarily for the T-10, the C-5A and the C-141 simulators. A small percentage of this group also operate and/or maintain navigation/tactics training devices for B-52 simulators.

As in the previous groups, a small number of these personnel report that they are section chiefs or shift supervisors, however, the primary emphasis is in the operation and maintenance of training devices rather than supervision as evidenced by the small percentage of the group who perform supervisory tasks and the small relative percent time spent on supervisory duties.

Although a majority of this group perform the same general preventive maintenance and operation tasks as the above group, the percent members performing many of these tasks are significantly lower, indicating that this group is not as homogeneous in task performance as the T-10 Trainer Operator Maintainers. Although approximately 60 percent of this group operate and/or maintain T-10 trainers like the previous group, approximately 40 percent operate or maintain C-5A or C-141 trainers incorporating both analog and digital computers. The difference in equipment operated and/or maintained is reflected in the performance of tasks which are unique to this group such as operate closed circuit T.V. systems, and digital readout units (DROS), performed by 36 percent, and the isolation of malfunctions, and removal or installation of parts on closed circuit simulators or visual attachments. In addition, 43 percent operate digital computers and control panels. Forty-six percent of this group perform one or more tasks in the duty of isolating malfunctions on simulator systems with digital computers. However, only six tasks in the duty are performed by 20 percent or more of this group. These include isolate malfunctions on bright target generation systems, 21 percent; doppler systems, 29 percent; loran systems, 25 percent; timing systems 21 percent; video target generation systems, 25 percent; and weather radar systems, 21 percent.

Supervision and Management Personnel (GRP021).

E. <u>Section Supervisors (SPL554)</u>. The 14 members of this group spend over 80 percent of their work time on supervisory and administrative type tasks. Approximately half of these personnel are supervisors of operational flight training units. The remainder work in a variety of specialized jobs. Three are Quality Control personnel, one serves as the basic course instructor supervisor, two serve as supplymaintenance coordinators and two work in major command headquarters jobs.

As a group, these personnel average over 16 years service however, their average time in the career field is less than seven years indicating that many have retrained from other career specialties.

Summary

The structure analysis of this career ladder shows that in addition to supervisory personnel there were two major kinds of operator maintainer jobs. The first job included personnel who were working on simulators for fighter aircraft, primarily the F-4D. This job encompasses only 19 percent of the AFS 341X5 personnel in the survey sample. The other job consisted of personnel primarily working on T10 simulators with small percentages working on other simulator systems for large aircraft such as the C-5A, C-141 and B-52D/G/H. The equipment operated or maintained by each job group is provided in Table 7.

BACKGROUND INFORMATION BY JOB TYPE GROUPS

	ENIOR IGHTER AC PERATOR AINTAINERS	FIGHTER AC OPERATOR MAINTAINERS	T-10 OPERATOR MAINTAINERS	T-10/L-5A/ C-141 OPERATOR MAINTAINERS	SECTION SUPERVISORS
AVERAGE NUMBER OF TASKS PERFORMED	372	240	253	154	85
AVERAGE PAYGRADE	4.8	4.5	4.3	4.5	6.4
PERCENT OF MEMBERS IN FIRST ENLISTMENT	297	13%	51%	32%	% 0
PERCENT ASSIGNED OVERSEAS	36%	50%	247	14%	21%
PERCENT OF MEMBERS WHO SUPERVISE	45%	37%	31%	36%	\$79
AVERAGE MONTHS IN 341XX CAREER FIELD	99	59	39	97	82
NVERAGE TOTAL MONTHS ACTIVE MILITARY SERVICE	16	94	81	97	193
JAFSC REPRESENTATION WITHIN GROUPS					
MEMBERS WHO ARE 3-SKILL LEVEL MEMBERS WHO ARE 5-SKILL LEVEL MEMBERS WHO ARE 7-SKILL LEVEL	0 % 96 %	0% 88% 12%	74 644 294	254	53 7 6 8 7 6

. • ...

TABLE 5 PERCENT TIME SPENT ON DUTIES

4

.

.

	SENIOR FIGHTER AC OPERATOR MAINTAINERS	FIGHTER AC OPERATOR MAINTAINERS	T-10 OPERATOR MAINTAINERS	T-10/L-5A/ C-141 OPERATOR MAINTAINERS	SECTION SUPERVISORS
SUPERVISORY AND MANAGEMENT PUNCTIONS					
A ORGANIZING AND PLANNING	1	1	2	1	15
B DIRECTING AND IMPLEMENTING	4	2	4	9	23
C INSPECTING AND EVALUATING	2	1	2	1	24
D THAINING	2	2	2	2	10
ADMINISTRATIVE FUNCTIONS					
E WORKING WITH FORMS, RECORDS, REPORTS, DIRECTIVES OR					
TECHNICAL DATA	9	4	4	4	12
TECHNICAL FUNCTIONS					
F PERFORMING PREVENTIVE MAINTEMANCE	11	14	14	17	9
G OPERATING TRAINING DEVICES	11	14	1	10	1
H OPERATING MISSILE PROCEDURES TRAINERS	*	*	1	*	*
I ISOLATE MALFUNCTIONS ON COMPUTERS AND PERIPHERAL EQUIPMENT	2	3	3	2	1
J ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS AND PERIPHERAL					
EQUIPMENT	\$	5	2	2	*
K ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS WITH ANALOG COMPUTERS	1	8	3	2	*
L ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS WITH DIGITAL COMPUTERS	*	*	1	1	1
M ISOLATE MALFUNCTIONS ON SIMULATOR AND COMPUTER COMPONENTS	4	9	6	9	*
N ISOLATE MALFUNCTIONS ON MISSILE PROCEDURE TRAINERS	*	*	*	*	*
O REHOVING OR REPLACING COMPONENTS OR STSTEM UNITS	18	16	20	22	1
P ALIGNING AND ADJUSTING SIBULATOR SYSTEMS OR COMPONENTS	14	12	12	12	1
Q PERFORMING IN-SHOP MAINTENANCE	8	2	1	1	1
R PERFORMING INSTRUMENT TRAINER INSTRUCTION FUNCTIONS	1	I	*	*	*
S MAINTAINING MOBILE AIRCREW TRAINING DEVICES	*		*	•	*
T PERFORMING OPERATIONAL CHECKS	5	5	5	9	1
U MAINTAINING MISCELLANEOUS EQUIPHENT	2	1	2	2	e

ł

-

* LESS THAN ONE PERCENT

. . .

1

1

.

-

16

•

EXPRESSION OF JOB INTEREST AND PERCEIVED UTILIZATION OF TALENTS AND TRAINING BY JOB TYPE GROUPS (PERCENT RESPONDING)

	SENIOR FIGHTER AC OPERATOR MAINTAINERS	FIGHTER AC OPERATOR MAINTAINERS	T-10 OPERATOR MAINTAINERS	T-10/L-5A/ C-141 OPERATOR MAINTAINERS	SECTION
I FIND MY JOB:				0.11	
DULL SO-SO INTERESTING	0 0 001	0 13 87	15 11 74	7 11 82	21 0 79
MY JOB UTILIZES MY TALENTS:					
NOT AT ALL TO VERY LITTLE FAIRLY WELL TO VERY WELL EXCELLENTLY TO PERFECTLY	0 82 18	13 62 25	18 75 7	18 68 14	36 57 7
MY JOB UTILIZES MY TRAINING:					
NOT AT ALL TO VERY LITTLE FAIRLY WELL TO VERY WELL EXCELLENTLY TO PERFECTLY	9 64 27	13 87 0	222	12 Z L	29 57 16

TABLE 7 EQUIPMENT OPERATED OR MAINTAINED BY 341X5 PERSONNEL (PERCENT MEMBERS PERFORMING)

			(PERC	ENT NEHB	EKS PERF	ORMING)	TORS						
GROUP	NONE	B-52	B-52D	B-52G	B-52H	RC-135	C-5A	C-141	F-4C	1-4D	RF-4C	1-5	T-10
SENIOR FIGHTER AC OPERATOR MAINTAINERS (N=11)										82	6		
FIGHTER AC OPERATOR MAINTAINERS (N=8)									25	52			
T-10 OPERATOR MAINTAINERS (N=55)		2		9	2	2			4			=	16
T-10/L-5A/C-141 OPERATOR Maintainers (#=28)	4	*	-	4	1		25	14				-	57
SECTION SUPERVISORS (N=14)	61									~			
SECTION SUPERVISORS													
A STATE STATE						COMPUTERS							
GROUP	GP-4	TINK	SEL840	SEL84	S V-0	EL840-MP	SING	SR-LINK	11-91	BOB	OTHER		
SENIOR FIGHTER AC OPERATOR MAINTAINERS (N=11)		99						97					
FIGHTER AC OPERATOR MAINTAINERS (N=B)		38											
T-10 OPERATOR MAINTAINERS (N=55)	4	4						9			26		
T-10/L-5A/C-141 OPERATOR MAINTAINERS (M=28)	4		=	29		32			-		14		
SECTION SUPERVISORS (N=14)								1			14		

relation of replacing sources conserving, Marrie of signa to halost

aupterstarty and samplifiers fathed wirth the interact of their line is

ANALYSIS OF DAFSC GROUPS

In conjunction with examining the job structure of the career ladder, DAFSC groups are also examined as part of each occupational analysis. This analysis allows for the identification of skill level differences and for comparison of similar skill level personnel across various career ladders (See Career Field Addendum). This data by DAFSC groups is used in the analysis of career ladder documents such as the AFR 39-1 Specialty Descriptions and the Specialty Training Standard (STS).

Jobs within the Analog Navigation/Tactics Training Devices career ladder represent a homogeneous grouping encompassing duties and tasks specific to the operation and maintenance of analog navigation/tactics training devices. Table 8 depicts the relative percent of time spent by skill level groups on the various duties listed in the job inventory. There is clear differentiation between the 5-skill level technical specialists and the 7-skill level supervisors. As would be expected, those jobs requiring more supervision, management or technical skill are performed by higher skill level personnel. Representative tasks common to all skill levels are shown in Table 9.

Skill Level Groups

The seven 34135 personnel in the survey sample are an insufficient number of respondents on which to base any meaningful conclusions. Therefore, an analysis of the jobs performed by these personnel will not be included in this report.

Averaging 209 tasks performed, the 5-skill level analog navigation/ tactics training devices specialists spend the majority of their time in four duty areas; performing preventive maintenance, operating training devices, removing or replacing system components, and aligning or adjusting system components. The job is very homogeneous in that 17 tasks are performed by 85 percent or more of the group (see Table 10), and 153 are performed by 50 percent or more. Twenty-one percent indicated they were supervisors but only six percent of their time is spent performing supervisory duties.

Table 8 shows that at the 7-skill level, tasks performed shift from technical toward supervisory functions. However, DAFSC 34175 personnel are still spending 60 percent of their time performing technical functions. Seventy-two percent of this group indicated they were supervisors but they only spend 34 percent of their time performing supervisory and management duties. Large amounts of their time is still being spent in the areas of performing preventive maintenance and removing or replacing system components. Many of these technical tasks performed are relatively difficult however, and require increased skill and experience. Therefore, 7-skill level analog navigation/tactics training devices personnel should be considered to be performing as technician supervisors.

Table 11 reflects those tasks which best differentiate between 5and 7-skill level personnel. As would be expected, the differences are routine technical tasks for the 5-skill level group and supervisory tasks for the 7-skill level group. The 7-skill level personnel also display a high degree of homogeneity. Averaging 203 tasks performed, 121 tasks are performed by 50 percent or more of the group. Those tasks most representative of performance by 7-skill level airmen are listed in Table 12.

RESTRICT OF THE

TABLE 8 PERCENT TIME SPENT ON DUTIES BY DAFSC GROUPS 34125

DUTIES	1 'sovit geometric''''''''''''''''''''''''''''''''''''	DAFSC 34155 (N=92)	DAFSC 34175 (N=60)
SUPERVIS	ORY AND MANAGEMENT		
A	ORGANIZING AND PLANNING	1	17
B	DIRECTING AND IMPLEMENTING	3	12
C	INSPECTING AND EVALUATING	1	9
D	TRAINING	1	6
ADMINIST	RATIVE FUNCTIONS		
E	WORKING WITH FORMS, RECORDS, REPORTS, DIRECTIVES, OR TECHNICAL DATA	4	6
TECHNICA	L FUNCTIONS		
F	PERFORMING PREVENTIVE MAINTENANCE	16	11
G	OPERATING TRAINING DEVICES	10	6
H	OPERATING MISSILE PROCEDURES TRAINERS	1	6
I	ISOLATE MALFUNCTIONS ON COMPUTERS AND PERIPHERAL EQUIPMENT	2	2
J	ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS AND		
	PERIPHERAL EQUIPMENT	3	2
K	ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS WITH		
	ANALOG COMPUTERS	3	3
L	ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS WITH		
	DIGITAL COMPUTERS	1	11
M	ISOLATE MALFUNCTIONS ON SIMULATOR AND COMPUTER COMPONENTS	7	4
N	ISOLATE MAIFUNCTIONS ON MISSILE PROCEDURE	*	*
0	REMOVING OR SEPIACING COMPONENTS OR SUSTEM INITS	20	13
P	ALIGNING AND ADJUSTING SIMULATOR SYSTEMS OR	10	
•	DEDEODMING IN-CHOD MAINTENANCE	12	0
P	DEDEODNING INCOMPANY TOATNED INCOMPANY	'	1.
R	FINCTIONS	1	*
c	MAINTAINING MORILE ATDODEW TRAINING DEVICES	*	*
T	PERFORMING OPERATIONAL CHECKS	5	4
u	MAINTAINING MISCELLANFOUS FOULDMENT	2	2

INDICATES LESS THAN ONE PERCENT

à

REPRESENTATIVE TASKS PERFORMED BY DAFSC 341X5 PERSONNEL (N=159)

99	
	VISUALLY INSPECT WIRE HARNESSES CARLES OR CONNECTOR PLICES
E11	MAKE ENTRIES ON SIMULATOR MAINTENANCE FORMS SUCH AS AFTO FORMS 349, 350, 359, 781 OR 781 OR 7814
558	VISUALLY INSPECT VOLTAGE LEVELS. FREQUENCY VARIATIONS. OR CURRENT
F46	TEST ELECTRONIC COMPONENTS SUCH AS DIODES. TRANSISTORS. CAPACITORS. OR RESISTORS
F54	VISUALLY INSPECT POWER SUPPLY SYSTEMS
F50	VISUALLY INSPECT ELECTRICAL SYSTEMS
P2	ADJUST AC OR DC SUPPLIES
F37	PHYSICALLY CHECK FOR LOOSE MOUNTINGS OR CONNECTIONS
F57	VISUALLY INSPECT TEST EQUIPMENT FOR SERVICEABILITY
E45	STRIP ELECTRICAL WIRES
£19	CLEAN UP SHOPS
F56	VISUALLY INSPECT SERVO SYSTEMS
062	SOLDER TRANSISTORIZED CIRCUITS
085	REMOVE OR INSTALL POWER SUPPLIES
0115	5 REMOVE OR INSTALL VACUUM TUBES
0104	4 REMOVE OR INSTALL SOLDERED COMPONENT'S SUCH AS TRANSISTORS, RESISTORS OR CAPACITORS
647	TEST ELECTRO-MECHANICAL COMPONENTS SUCH AS SYNCHROS, RESOLVERS, POTENTIOMETERS,
	OR TRANSFORMERS
F51	VISUALLY INSPECT ELECTRO-MECHANICAL DEVICES
044	REMOVE OR INSTALL FUSES OR CIRCUIT BREAKERS
113	CLEAN SOLDERING IRONS
056	REMOVE OR INSTALL INDICATORS

KS	AND AND THE PARTY POTTORS TOOM AND THE PARTY TOO TO TO THE PARTY TO TH	PERCENT MEMBERS PERFORMING
	TEST ELECTRONIC COMPONENTS SUCH AS DIODES. TRANSISTORS CAPACITORS OF PREISTORS	an an
-	CLEAN UP SHOPS	2.6
-	PHYSICALLY CHECK FOR LOOSE MOUNTINGS OR CONNECTIONS	: 6
-	VISUALLY INSPECT VOLTAGE LEVELS, FREQUENCY VARIATIONS, OR CHRRENT	10
-	ADJUST AC OR DC SUPPLIES	10
-	VISUALLY INSPECT WIRE HARNESSES. CABLES. OR CONNECTOR PLITCS	10
-	MAKE ENTRIES ON SIMULATOR MAINTENANCE FORMS SUCH AS AFTO FORMS 349, 350, 359, 781 OR 781A	
-	STRIP ELECTRICAL WIRES	0.0
-	VISUALLY INSPECT POWER SUPPLY SYSTEMS	0.0
-	CLEAN SOLDERING IRONS	
-	REMOVE OR INSTALL POWER SUPPLIES	20
-	REMOVE OR INSTALL VACUUM TUBES	98
-	VISUALLY INSPECT ELECTRICAL SYSTEMS	98
-	REMOVE OR INSTALL SOLDERED COMPONENTS SUCH AS TRANSISTORS. RESISTORS OR CAPACITORS	
	TEST ELECTRO-MECHANICAL COMPONENTS SUCH AS SYNCHROS, RESOLVERS, POTENTIOMETERS, OR TRANSFORMERS	
-	REMOVE OR INSTALL FUSES OR CIRCUIT BREAKERS	8
-	REMOVE OR INSTALL ALP FILTERS	3 4

TASKS WHICH BEST DIFFERENTIATE BETWEEN DAFSC 34155 AND 34175 PERSONNEL (PERCENT MEMBERS PERFORMING)

		DAFSC	DAFSC	
TASK	S	34155	34175	DIFFERENCE
F19	CLEAN UP SHOPS	92	60	+32
F14	CLEAN PARTS OR COMPONENTS USING SOLVENTS	11	45	+32
M35	ISOLATE MALFUNCTIONS ON OPERATIONAL AMPLIFIERS	70	40	+30
F6	CLEAN AIR FILTERS	11	48	+29
E45	STRIP ELECTRICAL WIRES	06	63	+27
P48	ADJUST HANDSETS OR HEADSETS	53	27	+26
80	REMOVE OR INSTALL AIR FILTERS	84	58	+26
A15	MONITOR OR CERTIFY PREPARATION OF RECORDS OR REPORTS	14	75	-61
C37	PREPARE APRS	20	75	-55
A3	ASSIGN WORK PRIORITIES	22	10	-48
D15	EVALUATE PROGRESS OF TRAINEES	21	68	-47
B48	SUPERVISE ANALOG NAVIGATION/TACTICS SIMULATOR SPECIALISTS			
	(AFSC 34155)	20	67	-47
A29	SCHEDULE WORK ASSIGNMENTS	12	58	-46
82	CLARIFY POLICIES, DIRECTIVES, OR PROCEDURES FOR SUBORDINATES	12	58	-46
D12	DETERMINE TRAINING REQUIREMENTS	11	57	-46

ŧ

REPRESENTATIVE TASKS PERFORMED BY DAFSC 34175 PERSONNEL (N=60)

E11	MAKE ENTRIES ON SIMULATOR MAINTENANCE FORMS SUCH AS AFTO FORMS 349,	350,	359
F57	181 OK /81A VISUALLY INSPECT TEST ROUTDMENT FOR SERVICEARILITY		
F60	VISUALLY INSPECT WIRE HARNESSES. CABLES. OR CONNECTOR PLUGS		
E18	RESEARCH OR REQUISITION SUPPLY STOCK NUMBERS OR PARTS		
F58	VISUALLY INSPECT VOLTAGE LEVELS, FREQUENCY VARIATIONS, OR CURRENT		
F50	VISUALLY INSPECT ELECTRICAL SYSTEMS		
F56	VISUALLY INSPECT SERVO SYSTEMS		
F54	VISUALLY INSPECT POWER SUPPLY SYSTEMS		
A15	MONITOR OR CERTIFY PREPARATION OF RECORDS OR REPORTS		
B8	COUNSEL PERSONNEL ON PERSONAL OR MILITARY RELATED PROBLEMS		
D11	DEMONSTRATE OPERATION OF EQUIPMENT		
D10	DEMONSTRATE HOW TO LOCATE TECHNICAL INFORMATION		
F51	VISUALLY INSPECT ELECTRO-MECHANICAL DEVICES		
E3	IDENTIFY SIMULATOR PARTS		
023	BENCH CHECK LOCALLY MANUFACTURED TEST EQUIPMENT		
P2	ADJUST AC OR DC SUPPLIES		
160	REMOVE OR INSTALL PROM UNITS		
B16	DIRECT SHOP HOUSEKEEPING	a	A 44
A3	ASSIGN WORK PRIORITIES		
B31	INVENTORY EQUIPMENT. TOOLS. OR SUPPLIES		
203	TITOTITY TURNED IN TRACT		

PERCENT MEMBERS PERFORMING

ANALYSIS OF CONUS/OVERSEAS DIFFERENCES

A comparison of tasks performed by 5-skill level incumbents assigned within the CONUS and those assigned overseas was made for the AFS 341X5 career ladder. There were some differences noted in the types of tasks performed by each group as shown in Table 13.

There is little difference in the average number of tasks performed between the two groups with the overseas group averaging 219 while the CONUS group averaged 207. However, the overseas 5-levels are much more involved with supervisory and management functions and perform less of the system maintenance activities (see Table 14). This may be accounted for by the difference in time in the career ladder between the groups. The overseas 5-levels average 71 months in the career ladder as opposed to only 33 months for the CONUS group. Of real interest though is the fact 39 percent of the overseas group indicated they supervised AFS 34153, Analog Flight Simulator Specialists. As was observed when this survey data was analyzed for the AFS 341X3 career ladder, the jobs of AFS 34153 and AFS 34155 personnel overseas are much more interwoven than the job performed by these groups in the CONUS.

TASKS WHICH BEST DIFFERENTIATE BETWEEN CONUS AND OVERSEAS PERSONNEL HOLDING DAFSC 341X5 (PERCENT MEMBERS PERFORMING)

TASK		(N=79)	(N=13)	DIFFERENCE
F55	VISUALLY INSPECT PNEUMATIC SYSTEMS	16	69	-53
P10	ADJUST AUTOMATIC AMPLIFIER CHECKERS ON SIMULATORS	28	69	-41
K6	ISOLATE MALFUNCTIONS ON ATTACK RADAR SYSTEMS	22	09	-40
F43	STENCIL, WARNINGS OR INFORMATION ON SIMULATOR EQUIPMENT	30	69	-39
K10	ISOLATE MALFUNCTIONS ON CHAFF DISPENSER ECM SYSTEMS	15	54	-39
16d	ADJUST STEPPER SWITCHES	6	94	-37
E12	MAKE ENTRIES ON SUPPLY CONTROL LOG FORMS (AF FORM 2413)	48	85	-37
MS	ISOLATE DEFECTIVE DEMODULATORS	18	54	-36
B58	SUPERVISE ANALOG FLIGHT SIMULATOR SPECIALISTS (AFSC 34153)	e	39	-36
K12	ISOLATE MALFUNCTIONS ON DOPPLER SYSTEMS	65	8	14+
0123	REWIRE SYSTEMS USING WIRE WRAP EQUIPMENT	67	80	14+
P138	ALIGN TRICOLOR COLLECTION OPTICS	57	16	14+
K39	ISOLATE MALFUNCTIONS ON SRAM SYSTEMS	38	0	+38
M8	ISOLATE MALEUNCTIONS ON ANALOG-TO-DIGITAL CONVERTERS	65	15	+34
646	OPERATE DOPPLER RADAR SYSTEMS	41	8	+33
0118	REMOVE OR INSTALL WIRE WRAP COMPONENTS SUCH AS SOCKETS OR SWITCHES	14 5	8	+33
74M	ISOLATE MALFUNCTIONS ON TOPOGRAPHICAL COMPARATORS	38	8	+30
C'IM		77		007

PERCENT TIME SPENT BY DAFSC 34155 CONUS AND OVERSEAS GROUPS

DUTIES		DAFSC 34155 ASSIGNED CONUS (N=79)	DAFSC 34155 ASSIGNED OVERSEA (N=13)
SUPERVISO	DRY AND MANAGEMENT FUNCTIONS		
A B	ORGANIZING AND PLANNING DIRECTING AND IMPLEMENTING	1	- 4
0 6	INSPECTING AND EVALUATING		. 4 4
ADMINICTED			7
E	WORKING WITH FORMS, RECORDS, REPORTS, DIRECTIVES, OR TECHNICAL DATA	4	9
TECHNICAL	L FUNCTIONS		
F	PERFORMING PREVENTIVE MAINTENANCE	16	18
9	OPERATING TRAINING DEVICES	10	10
H	OPERATING MISSILE PROCEDURES TRAINERS	*	*
I	ISOLATE MALFUNCTIONS ON COMPUTERS AND PERIPHERAL EQUIPMENT	2	2
- 2	ISOLATE MALEUNCTIONS ON SIMULATOR SYSTEMS AND PERIPHERAL EQUIPMENT ISOLATE MALEUNCTIONS ON SIMULATOR SYSTEMS WITH ANALOG COMPUTEDS	с , с	e 1
4 14	ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS WITH DIGITAL COMPUTERS	n	n -
¥	ISOLATE MALFUNCTIONS OF SIMULATOR AND COMPUTER COMPONENTS	7	9
X	ISOLATE MALFUNCTIONS ON MISSILE PROCEDURE TRAINERS	*	* ;
-	ALIGNING OK KEPLACING COMPONENTS OR SYSTEM UNITS ALIGNING AND ADJUSTING SIMILATOR SYSTEMS OP COMPONENTS	20	51 t
. 0	PERFORMING IN-SHOP MAINTENANCE	3-	2 9
8	PERFORMING INSTRUMENT TRAINER INSTRUCTION FUNCTIONS	1	1
ŝ	MAINTAINING MOBILE AIRCREW TRAINING DEVICES	*	4
H D	PERFORMING OPERATIONAL CHECKS MAINTAINING MISCELLANEOUS EQUIPMENT	50 CV	4 0
* INDICAT	TES LESS THAN ONE PERCENT		

ANALYSIS OF AFMS GROUPS

An analysis was also made comparing job differences among individuals grouped by time in service. Very similar conclusions to those for DAFSC groups were noted.

Table 15 reflects the relative percent time spent on duties by AFS 341X5 personnel grouped by enlistment period. Throughout all enlistment periods, airmen tend to move into positions of greater supervisory and management responsibility as they gain time in service. The longer individuals have in service, the less time they spend performing technical tasks and duties. However, there is no enlistment period spending more than 40 percent of their time on supervisory and management functions. Thus, regardless of experience level, AFS 341X5 personnel function as technicians or at best, serve as supervisor technicians throughout their Air Force career.

In looking at the job performed by first enlistment airmen (1-48 months AFMS), it was found that 154 of the 1144 tasks were performed by 50 percent or more of the respondents in this group. The average number of tasks performed by this group is 213, which illustrates the high degree of homogeneity of the first job within this career ladder. Representative tasks for this group are displayed in Table 16.

As with DAFSC groups, AFMS groups are homogeneous in terms of tasks performed. There is some diversification of task performance as time in service increases, but on the average, a high degree of task commonality exists. The major equipment operated or maintained does not appear to effect the jobs of any of the AFMS groups but is included for review in Table 17. TABLE 15 PERCENT TIME SPENT ON DUTIES BY 341X5 APHS GROUPS

4

	SHINOM	FOTAL ACT	IVE FEDER	IL MILITAR	Y SERVICE	
DUTY	1-48 (N=55)	49-96 (N=27)	97-144 (N=31)	145-192 (N=20)	193-240 (N=22)	241+ (N=4)
SUPERVISORY AND MANAGENENT FUNCTIONS						
A ORGANIZING AND PLANNING	*	1	1	1	1	13
B DIRECTING AND IMPLEMENTING	2	2	9	12	15	15
C INSPECTING AND EVALUATING	1	1	3	11	12	9
D TRAINING	1	1	3	8	9	3
ADMINISTRATIVE FUNCTIONS						
E WORKING WITH FORMS, RECORDS, REPORTS, DIRECTIVES, OR TECHNICAL DATA	4	e	5	7	7	9
TECHNICAL FUNCTIONS						
F PERFORMING PREVENTIVE MAINTENANCE	16	18	14	11	6	10
G OPERATING TRAINING DEVICES	10	12	10	5	S	4
H OPERATING MISSILE PROCEDURES TRAINERS	1	*	*	*	*	*
I ISOLATE MALFUNCTIONS ON COMPUTERS AND PERIPHERAL EQUIPMENT	3	2	2	2	2	9
J ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS AND PERIPHERAL EQUIPMENT	3	e	3	2	2	1
K ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS WITH ANALOG COMPUTERS	9	3	5	3	2	1
L ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS WITH DIGITAL COMPUTERS	1	2	*	*	1	•
M ISOLATE MALFUNCTIONS ON SIMULATOR AND COMPUTER COMPONENTS	1	1	9	4	4	9
N ISOLATE MALFUNCTIONS ON MISSILE PROCEDURE	*	*	*	*	*	•
O REMOVING OR REPLACING COMPONENTS OR SYSTEM UNITS	21	19	16	11	11	15
P ALIGNING AND ADJUSTING SIMULATOR SYSTEMS OR COMPONENTS	12	12	12	8	1	8
Q PERFORMING IN-SHOP MAINTENANCE	8	9	9	4	4	5
R PERFORMING INSTRUMENT TRAINER INSTRUCTION FUNCTIONS	*	1	1	*	1	*
S MAINTAINING MOBILE AIRCREW TRAINING DEVICES	*	*	*	*	*	•
T PERFORMING OPERATIONAL CHECKS	5	5	5	4	3	3
U MAINTAINING MISCELLANEOUS EQUIPMENT	2	2	2	1	2	1

U MAINTAINING MISCELLANEOUS EQUIPHENT * INDICATES LESS THAN ONE PERCENT

30

•

REPRESENTATIVE TASKS PERFORMED BY 341X5 PERSONNEL WITH 1-48 MONTHS TAFMS (N=55)

1	ţ	ľ	l	1	į
1	1	l	i	ł	i
1	l	1	į	Ì	
1		l	l	i	
1	l		1	Í	

+ •

		CNADDATA PRRADAMIN
CLEAN UP SHOPS		WITTING THE T
TEST ELECTRONIC COMPONENTS SIL	The proper approximation of the	98
VISUALLY INSPECT WIRE HARNESS	PE CARTE OF CONTROLOS, CAPACITORS, OR RESISTOR	96
STRIP ELECTRICAL WIRES	THE CADILLES ON CONNECTOR PLUGS	95
CLEAN SOLDERING TRONS		95
VISUALLY INSPECT VOLTACE LEVEL	I C EDEMIENTER THE	93
PHYSICALLY CHECK FOR LOOSE MOI	INTING OD CONTRATIONS, OR CURRENT	93
VISUALLY INSPECT POLER SUPPLY	CALTERS ON CONNECTIONS	16
MAKE ENTRIES ON SIMULATOR MAIN	NTENANCE FORMS SUCH AS AFTO FORMS 349 350 350	16
781 OR 781A	, 400 , 000 , 640 MINOI OI II OI II OI I II OI O O O O O	
VISUALLY INSPECT ELECTRICAL SY	STEWS	89
REMOVE OR INSTALL INDICATOR LI	LCHTC OD DANET TTOUTC	89
5 REMOVE OR INSTALL VACITIM TIRES	CTUNTT TOWN I VO CTUNT	87
ADJUST AC OR DC SUDDI TES		87
4 REMOVE OR INSTALL SOUTHERS		87
SOLDER TRANSISTORIZED OUT	TFUNENTS SUCH AS TRANSISTORS, RESISTORS OR CAPACITY	RS 85
REMOVE OR INSTALL INDICATORS		85
REMOVE OR INSTALL CIDCUIT WIDT		85
TVTA TIDONID THUTOUT IN TID		85

MAJOR EQUIPMENT OPERATED AND MAINTAINED BY FIVE PERCENT OR MORE OF 341X5 PERSONNEL

	PERCENT OPERATING	PERCENT MAINTAINING
SIMULATORS	a wad amanarish basis	a tase a reachader a ges
C-5A	7	9
F-4/D	21	21
T-10	39	47
NONE	21	11

PERCENT OPERATING OR MAINTAINING

COMPUTERS

GP-4	5
LINK	13
SEL 840-A	9
SEL 840-MP	10
SINGER-LINK	9
TEXAS INSTRUMENTS 980B	6
OTHER	14

COMPARISON OF AFR 39-1 SPECIALTY DESCRIPTIONS WITH SURVEY DATA

17:10

The AFR 39-1 specialty descriptions for AFSCs 34135/34155 and 34175 were compared against the survey data. Both specialty descriptions appear to be complete, and accurately portray the duties and responsibilities of the personnel in this career ladder. All the duties and responsibilities mentioned in the specialty descriptions could be matched to tasks in the job inventory, and sufficient numbers of survey respondents were found performing those functions to warrant their inclusion in the descriptions.

A discussion concerning the commonalities of the job descriptions for all the ladders in the Training Devices career field is included in the Career Field Addendum attached to this report.

COMPARISON OF THE SPECIALTY TRAINING STANDARD (STS) WITH SURVEY RESULTS

A review of the current STS 341X5, dated November 1977, was made for the 3-, 5-, and 7-skill levels. Each of the STS subparagraphs containing task knowledge or performance requirements were compared to the survey results. Subparagraphs containing only general information or subject knowledge proficiency level requirements were not evaluated.

Overall the STS appears to be up to date and complete in providing general training requirements. The STS subparagraphs evaluated were supported by survey data. However, many subparagraphs were subject knowledge oriented making much of the STS difficult to compare to survey data. A comparison of specialty training standards across the career field is included in the Career Field Addendum attached to this report.

ANALYSIS OF TASK DIFFICULTY

From the listing of airmen identified to receive the occupational survey inventory, incumbents from various commands and locations who held a 7- or 9-skill level DAFSC and PAFSC were identified to also receive a task difficulty booklet. This booklet contained only the duty/task list section of the original occupational survey inventory. The survey respondent was instructed to rate all of the tasks on a nine-point scale from extremely low to extremely high, with difficulty being defined as the length of time it requires an average incumbent to learn to do the task. Interrater agreement (as assessed through components of variance of standardized group means) among the 56 raters who returned booklets was .96. Ratings were adjusted so that tasks of average difficulty have ratings of 5.00.

Of the 1,144 tasks in the job inventory, 603 were rated above average in difficulty. Thirty-two of the tasks were performed by 50 percent or more of the respondents. A representative sample of these tasks are listed in Table 18. All the tasks are technical in nature and cover a variety of different maintenance functions, most prominently performing in-shop maintenance, operating training devices, and malfunction isolation on simulator and computer components. All but one of the 32 tasks mentioned were also performed by 50 percent of more of the first enlistment airmen, and usually in higher percentages than the total sample. This indicates that first enlistment airmen are actively involved in performing the more difficult jobs associated with this career ladder and not relegated to performing strictly routine tasks. In fact, 42 high difficulty tasks were being performed by first enlistment personnel as opposed to 32 tasks for the total sample.

Of the 535 tasks rated below average in difficulty, 105 were performed by 50 percent or more of AFS 341X5 respondents. These tasks are represented in Table 19. Concentrated in the duties of performing preventive maintenance and removing or replacing components, these 105 tasks comprise the common core of tasks for this career ladder. As in the case of the higher difficulty tasks, these 105 tasks are performed by 50 percent or more of first enlistment airmen, and usually in greater percentages than for the total sample. Since the tasks are relatively routine in nature, and of the type not requiring a great deal of experience, these figures are to be expected.
REPRESENTATIVE TASKS RATED ABOVE AVERAGE IN DIFFICULTY WHICH ARE PERFORMED BY DAFSC 341X5 RESPONDENTS

.74		DIFFICULTY INDEX	PERFORMING	PERFORMING
141	ADJUST FLYING SPOT SCANNER (FSS) CIRCUITS	6.27	02	73
M47 1	ISOLATE MALFUNCTIONS USING SCHEMATICS OR WIRING DIAGRAMS	6.03	20	16
H46 1	ISOLATE MALFUNCTIONS USING DATA FLOW OR BLOCK DIAGRAMS	5.97	57	64
M45 1	ISOLATE MALFUNCTIONS ON VIDEO AMPLIFIERS	5.75	55	64
T21 1	TEST OPERATE SIMULATORS TO ISOLATE MALFUNCTIONS	5.70	64	99
I38 1	ISOLATE MALFUNCTIONS ON POWER SUPPLIES	5.67	58	69
F36 F	PERFORM TCTO MODIFICATIONS ON SIMULATORS	5.64	64	64
M38 1	ISOLATE MALFUNCTIONS ON PRINTED OR ELECTRONIC CIRCUIT CARDS	5.63	57	64
G126 S	SET UP LIGHT OPTICAL RADAR LANDMASS SYSTEMS	5.62	64	75
027 H	REMOVE OR INSTALL CRTs	5.42	59	99
02 1	INSTALL EQUIPMENT MODIFICATION KITS	5.41	68	16
Q66 A	UDAPT COMMUNICATION LINES	5.39	59	64
G67 0	DPERATE LIGHT OPTICAL RADAR LANDMASS SYSTEMS	5.37	56	56
P136 A	ALIGN SYNCHROS	5.24	67	99
663 0	DPERATE INSTRUCTOR CONSOLES	5.21	55	62
F47 7	TEST ELECTRO-MECHANICAL COMPONENTS SUCH AS SYNCHROS, RESOLVERS,			
	POTENTIOMETERS, OR TRANSFORMERS	5.19	11	84
T8 0	DPERATIONALLY CHECK SIMULATOR SYSTEMS	5.19	59	64
622 0	DPERATE ANALOG COMPUTER SYSTEMS	5.16	63	69
Q4 B	BENCH CHECK AC OR DC POWER SUPPLIES	5.14	57	64
961 5	SOLDER INTEGRATED CIRCUITS	5.12	62	99
967 2	ZERO ALIGN SERVO MECHANISMS	5.12	64	60
Q62 S	SOLDER TRANSISTORIZED CIRCUITS	5.01	61	86
M35 1	ISOLATE MALFUNCTIONS ON OPERATIONAL AMPLIFIERS	5.01	59	73

36

¢

REPRESENTATIVE TASKS RATED BELOW AVERAGE IN DIFFICULTY WHICH ARE PERFORMED BY DAFSC 341X5 RESPONDENTS

					PERCENT
			111	PERCENT TOTAL	FIRST ENLISTMENT
FI	ASKS		DIFFICULTY	SAMPLE PERFORMING	MEMBERS
0	95	REMOVE OR INSTALL RESOLVERS. SYNCHROS OR POTENTIOMETERS	4.90	75	78
A	75	ADJUST POWER SUPPLIES	4.69	75	84
0	104	REMOVE OR INSTALL SOLDERED COMPONENTS SUCH AS TRANSISTORS, RESISTORS,			
		OR CAPACITORS	4.62	11	86
-	94	TEST ELECTRONIC COMPONENTS SUCH AS DIODES, TRANSISTORS, CAPACITORS,			
		OR RESISTORS	4.61	85	98
4	25	ADJUST DC RATIONETERS	4.49	75	82
A	2	ADJUST AC OR DC SUPPLIES	4.44	83	87
H	11	MAKE ENTRIES ON SIMULATOR MAINTENANCE FORMS SUCH AS AFTO FORMS 349, 350,			
		359, 781 or 781A	4.26	86	89
0	64	REMOVE OR INSTALL RELAYS OR SOLENOIDS	3.94	75	82
-	58	VISUALLY INSPECT VOLTAGE LEVELS, FREQUENCY VARIATIONS, OR CURRENT	3.82	86	93
0	85	REMOVE OR INSTALL POWER SUPPLIES	3.78	78	82
3	51	VISUALLY INSPECT ELECTRO-MECHANICAL DEVICES	3.68	11	80
54	24	VISUALLY INSPECT POWER SUPPLY SYSTEMS	3.59	85	16
4	26	VISUALLY INSPECT SERVO SYSTEMS	3.55	61	76
4	20	VISUALLY INSPECT ELECTRICAL SYSTEMS	3.40	83	89
4	57	VISUALLY INSPECT TEST EQUIPMENT FOR SERVICEABILITY	3.40	81	***
-	37	PHYSICALLY CHECK FOR LOOSE MOUNTINGS OR CONNECTIONS	3.39	82	91
4	09	VISUALLY INSPECT WIRE HARNESSES, CABLES, OR CONNECTOR PLUGS	3.39	87	95
0	26	REMOVE OR INSTALL INDICATORS	3.03	11	86
0	44	REMOVE OR INSTALL FUSES OR CIRCUIT BREAKERS	2.85	11	84
0	1115	REMOVE OR INSTALL VACUUM TUBES	2.34	11	87
4	11	CLEAN SOLDERING IRONS	2.21	11	93
4	45	STRIP ELECTRICAL WIRES	2.08	81	95
8	61.	CLEAN UP SHOPS	1.95	80	86

ę

37

Job Difficulty Index (JDI)

Having computed the task difficulty index for each inventory item, it was then possible to compute a Job Difficulty Index (JDI) for any group identified in the survey analysis. The index provides a relative measure of which jobs, when compared to other jobs identified in the analysis, are more or less difficult. The JDI is based on an equation using number of tasks performed and the average difficulty per unit time spent. The indices are then adjusted so that the average job difficulty index is 13.00. The JDI was computed for the major job groups identified in the specialty structure, and this information is presented in Table 20.

TABLE 20

JOB DIFFICULTY INDICES FOR SPECIALTY JOB GROUPS

GROU	IPS	JOB	DIFFICUTLY INDEX*
A.	SENIOR FIGHTER AIRCRAFT ANALOG NAVIGATION/TACTICS OPERATOR MAINTAINERS		17.8
B.	FIGHTER AIRCRAFT ANALOG NAVIGATION/TACTICS OPERATOR MAINTAINERS		
	(SPL551)		15.2
C.	T-10 TRAINER OPERATOR MAINTAINERS (SPL552)		15.3
D.	T-10/C-5A/C-141 NAVIGATION/TACTICS OPERATOR MAINTAINERS (SPL553)		11.4
E.	SECTION SUPERVISORS (SPL554)		10.1

AVERAGE DIFFICULTY - 13.0

COMPARISON OF CURRENT SURVEY TO PREVIOUS SURVEY

A previous survey of this career ladder was conducted in March 1974. At that time both the AFS 342X0, Flight Simulator career ladder, and the AFS 343X0, Navigation/Bomb/Tactics Trainer career ladder, were surveyed in conjunction with one another and the results compared. Then in April 1976, contrary to the survey data but at the recommendation of the Mission Simulator Support Requirement Working Group held at Chanute AFB, Illinois in June 1974, the two career ladders were split forming the AFS 341X3, AFS 341X4, AFS 341X5, and AFS 341X6 career ladders. The AFSC split along analog and digital simulator systems has, therefore, made it very difficult to compare each of the current individual career ladders with the results of the previous survey. Thus, a comparison of the results of all four of these career ladders has been made to the results of the previous survey and is included in the Career Field Addendum.

SUMMARY OF BACKGROUND INFORMATION

Assignment to Career Ladder

Fifty-five percent of the AFS 341X5 survey respondents indicated they were initially assigned to the career ladder after completing resident technical training. Another 30 percent were retrainees who attended resident technical training and six percent entered the career ladder through conversion from another Air Force specialty without training. Three percent responded that they entered the career ladder by other than normal classification methods.

Relative Job Satisfaction

Table 21 displays the various percentages by AFMS groups of the responses to questions regarding job interest and perceived utilization of talents and training. In order to provide a better understanding of these figures, comparisons with individuals in mission equipment maintenance AFSCs surveyed in 1977 are also included by AFMS groups. These comparative AFSCs include such specialties as communications electronics systems, avionics systems, missile maintenance and aircraft maintenance.

Seventy-four percent of AFS 341X5 first enlistment respondents found their job interesting. This is considerably above the average reported for this enlistment group in the 1977 comparative studies. Their perceived utilization of talents is also well above those reported by first enlistment personnel in the comparative sample. However, their perceived utilization of training is somewhat lower although still comparable to the 1977 figures for this group.

The second enlistment personnel display a job interest comparable to that of the first enlistment group. It is unusual not to see an increase in job interest at this point since many of the mor disatisfied airmen usually depart at the four year service point. In addition, while perceived utilization of talents and training are above those of the first enlistment group, they are below those of the 1977 comparative group.

Much the same can be said of the career airmen. Job interest is slightly above but perceived utilization of talents and training are below those indicated by career airmen in the comparative study.

Reenlistment Intentions

The expressed intentions toward reenlistment by AFS 341X5 survey respondents are displayed in Table 22. First enlistment respondents showed an intention to reenlist at a higher percentage rate than first enlistment airmen in the comparative sample. Career airmen also showed intentions toward reenlistment at a higher percentage than their career contemporaries surveyed in 1977. Second enlistment personnel however, showed a lower intention toward reenlistment than the second enlistment personnel in the comparative sample.

EXPRESSION OF JOB INTEREST AND PERCEIVED UTILIZATION OF TALENTS AND TRAINING BY 341X5 TAFMS GROUPS (PERCENT RESPONDING)

	1-48 1	MONTHS TAFMS	W 96-67	ONTHS TAFMS	H +26	ONTHS TAFMS
	<u>341X5</u>	COMPARATIVE AFSCs*	341X5	COMPARATIVE AFSCs*	341X5	COMPARATIVE AFSCs*
FIND MY JOB						
EXTREMELY DULL TO FAIRLY	13	1	01	13	œ	•
S0-S0	13 5	21		16 16	10	п
FAIRLY INTERESTING TO EXTREMELY INTERESTING	74	62	74	72	82	80
IN JOB UTILIZES MY TALENTS						
NOT AT ALL OR VERY LITTLE	18	32	22	21	16	14
FAIRLY WELL TO VERY WELL EXCELLENTLY TO PERFECTLY		4 4 9	15	8	10	08 18
IY JOB UTILIZES MY TRAINING						
NOT AT ALL OR VERY LITTLE	24	26	26	22	25	18
FAIRLY WELL TO VERY WELL	69	67	70	68	61	63
EXCELLENTLY TO PERFECTLY	1	7	4	10	14	19

* BASED ON A SUMMARY OF OVER 21,800 RESPONSES FROM MISSION EQUIPMENT MAINTENANCE AFSCs SURVEYED IN 1977.

42

ŧ

REENLISTMENT INTENTIONS OF AFS 341X5 PERSONNEL (PERCENT RESPONDING)

	FIRST	ENLISTMENT
REENLISTMENT INTENTIONS	<u>341X5</u>	COMPARATIVE AFSCs*
NO REPLY	2	0
NO	33	34
UNCERTAIN, PROBABLY NO	22	27
UNCERTAIN, PROBABLY YES	31	26
YES	12	13
	12.1	
	SECOND	ENLISTMENT
		COMPARATIVE
	<u>341X5</u>	AFSCs*
NO	30	17
UNCERTAIN, PROBABLY NO	11	18
UNCERTAIN, PROBABLY YES	44	33
YES	15	32

			CAREER
		<u>341X5</u>	COMPARATIVE AFSCs*
NO		17	20
UNCERTAIN, PRO	BABLY NO	9	8
UNCERTAIN, PRO	BABLY YES	12	16
YES		62	56

* BASED ON A SUMMARY OF OVER 21,600 RESPONDENTS FROM MISSION EQUIPMENT MAINTENANCE AFSCs SURVEYED IN 1977.

1

IMPLICATIONS

In the analysis of the survey data, it was found that the Analog Navigation/Tactics Training Devices career ladder is composed of fairly homogeneous, reasonably satisfied individuals whose job is to operate and maintain analog navigation/tactics training devices. However, as pointed out in the Career Field Addendum, there is a very high degree of commonality in the tasks performed by this career ladder's personnel and that of AFS 341X2, Defensive Systems Trainer personnel; AFS 341X3, Analog Flight Simulator personnel; AFS 341X4 Digital Flight Simulator personnel; and AFS 341X6 Digital Navigation/ Tactics Training Devices personnel. There certainly appears, based on the survey data, that fewer than five career ladders could be organized to operate and maintain these various trainer systems. This is especially true in light of the fact that analog trainers are gradually being phased out of the Air Force inventory and replaced with the more advanced digital trainers. This is also evidenced by the decrease in projected manning for AFS 341X5 personnel. As reported by personnel at the Chanute Technical Training Center, student input for this AFSC for FY 1979 is three airmen and for FY 1980 only eight students are forecast.

Solutions to problems facing this career ladder as the Air Force modernizes its training devices will not be arrived at easily, but career ladder managers should carefully consider the data presented in this report and the accompanying Career Field Addendum when planning the future of the Analog Navigation/Tactic Training Devices career ladder.

AFS 341XX

CAREER FIELD ADDENDUM

Atch 1

TABLE OF CONTENTS

SUMMARY OF RESULTS	A-3
INTRODUCTION	A-4
SURVEY SAMPLE	A-4
CAREER FIELD STRUCTURE	A-7
ANALYSIS OF DAFSC GROUPS	A-19
ANALYSIS OF AFMS GROUPS	A-28
SIMILARITIES AND DIFFERENCES IN TASKS PERFORMED AMONG CAREER LADDERS IN THE TRAINING DEVICES CAREER FIELD	A-31
COMPARISON OF AFR 39-1 SPECIALTY DESCRIPTIONS	A-42
COMPARISON OF THE TRAINING DEVICES SPECIALTY TRAINING STANDARDS (STS) FOR SIMILARITIES AND DIFFERENCES	A-4 4
COMPARISON OF CURRENT SURVEYS TO THE PREVIOUS SURVEYS FOR AFSCs 341X3, 341X4, 341X5, and 341X6	A-46
SUMMARY OF RELATIVE JOB SATISFACTION	A-47
A CORRELATION OF CAREER FIELD TRENDS WITH OCCUPATIONAL SURVEY RESULTS	A-50
IMPLICATIONS	A-52

SUMMARY OF RESULTS

1. <u>Survey Coverage</u>: Inventory booklets were administered to all 2,480 incumbents assigned to the Training Devices career field during the period December 1977 through April 1978. Survey results are based on responses from 1,886 airmen or 76 percent of the assigned career field population.

2. <u>Career Field Structure</u>: Four major groups of jobs were found within the career field. The operation and maintenance group contained 13 subgroups. These were differentiated by the number and kinds of tasks performed, the type of equipment maintained, and the percent of time spent performing various maintenance and supervisory duties. The remaining three groups were composed of personnel assigned as supervisors and managers, formal training personnel, and airmen performing primarily as instrument trainer instructors.

3. <u>DAFSC Differences</u>: Jobs performed by 3- and 5-skill level incumbents were fairly homogeneous. They consisted of tasks relating to performing preventive maintenance, operating training devices, and removing or replacing system components. However, 5-skill level airmen perform a higher average number of tasks than typical 3-skill level airmen. DAFSC 3417X personnel were less homogeneous due to the diversity of technical tasks performed. While functioning as supervisors, they still spend a majority of their time performing technical tasks and duties. DAFSC 34197 personnel are clearly the managers in this career field.

4. <u>Similarities and Differences In Task Performance</u>: There is a great deal of similarity among maintainers in all career ladders in the areas of operating training devices, performing preventive maintenance, and in performing general malfunction isolation procedures. There are also distinct differences between instrument trainer instructor operators and the other ladders; equipment maintainers. In addition, each ladder is different from the others in operation and maintenance of career ladder unique equipment.

5. <u>AFR 39-1 Review</u>: Specialty descriptions were found in general to be accurate depictions of career ladder duties and responsibilities. However, there is considerable commonality among these specialty descriptions, differentiated mainly through the highlighting of equipment unique to each ladder.

6. <u>STS Review</u>: The first 10 paragraphs of each STS in the career field are essentially the same. There is additional commonality in STS paragraphs among the career ladders responsible for operating and maintaining aircrew training devices.

CAREER FIELD ADDENDUM TRAINING DEVICES CAREER FIELD (AFSCs 341X1, 341X2, 341X3, 341X4, 341X5, 341X6, 341X7, AND 34192)

INTRODUCTION

The principle purpose of constructing a comprehensive job inventory for the Training Devices career field was to provide data in a format that would allow an in-depth analysis of similarities and differences across all the specialties within the career field. Such an analysis was performed and is contained in this addendum which is attached to each Training Devices career ladder Occupational Survey Report.

A great deal of Major Air Command and Air Staff interest exists concerning the collapse of career ladders within the Training Devices career field to create fewer, easier to manage, less expensive to train career specialties. This report is therefore designed to display the survey data in a manner that would facilitate personnel managers in making decisions concerning the future of the career field structure. This report will include: (1) the job structure found within the career field and the relation to skill level and experience level groups; (2) a discussion of the similarities and differences among career ladders; (3) background data relative to job satisfaction; and (4) an analysis of the DAFSC 34197 skill level personnel.

SURVEY SAMPLE

Personnel were selected to participate in this survey so as to insure a balanced representation across MAJCOM and DAFSC groups. A sufficient response was achieved from all career ladders in the Training Devices career field so that the desired comparisons could be made. Table 1 reflects the percentage distribution, by career ladder, of assigned personnel in the AFS 341XX career field as of March 1978, and the distribution of incumbents in the final survey sample. The 1,886 respondents making up the final sample represent 76 percent of the 2,480 members making up the total Training Devices career field. Thirty-two individuals (or 2 percent of the total sample) did not indicate their specific ladder and are shown only with the generic 341XX specialty code. This error rate is within acceptable limits and is not considered a serious problem for data analysis.

Table 2 reflects the distribution, by major command, of assigned personnel with DAFSC 34197 as of March 1978, as well as the distribution of incumbents in the final survey sample. The 102 respondents making up the final sample represent 61 percent of the 168 members assigned as Training Devices Superintendents.

DISTRIBUTION OF CAREER FIELD SURVEY SAMPLE BY CAREER LADDER

CAREE	R LADDER	TOTAL ASSIGNED	IN SAMPLE	PERCENT OF LADDER SAMPLE	DERCENT OF TOTAL SAMPLE
341X1 341X2 341X3 341X4 341X5 341X5 341X7 341X7 341X7 341X7	INSTRUMENT TRAINER DEFENSIVE SYSTEM TRAINER AMALOG FLIGHT SIMULATOR DIGITAL FLIGHT SIMULATOR DIGITAL FLIGHT SIMULATOR ANALOG NAVIGATION/TACTICS TRAINING DEVICES DIGITAL NAVIGATION/TACTICS TRAINING DEVICES MISSILE TRAINER TRAINING DEVICES SUPERINTENDENT (DAFSC NOT INDICATED)	262 174 596 531 235 396 118 168	185 137 483 415 415 277 277 26 102 32 32	714 8194 884 604 6124 6124	10% 25% 25% 25% 25% 25%
	IUIAL	2480	1886	76%	100%

COMMAND REPRESENTATION IN THE SURVEY SAMPLE OF DAFSC 34197 PERSONNEL

COMMAND	PERCENT OF ASSIGNED	PERCENT OF SAMPLE
SAC	33	33
TAC	27	26
IAC	13	16
TC	13	10
JSAFE	5	7
ACAF	4	3
DC	3	3
THER	2	2
OTAL	100	100

1

TOTAL ASSIGNED - 168 TOTAL SAMPLED - 102 PERCENT OF SAMPLE - 61%

CAREER FIELD STRUCTURE

An analysis of the career field structure was conducted by using the Comprehensive Occupational Data Analysis Programs (CODAP), as described in the career ladder section in the main body of this report. In fact, the career ladder structures were extracted from the career field structure diagram with the exception of AFS 341X4 and AFS 341X6. Because of their high degree of task similarity, these specialties did not cluster independently, thus requiring separate cluster diagrams in order to perform complete career ladder analyses.

Based on task similarity and relative percent time spent, the most realistic division of the jobs performed in the 341XX career field is illustrated in Figure 1. These job clusters and job types are listed below. The GRP number shown beside each title is a reference to computer print out information included for use by classification and training officials.

I. Training Devices Operation and Maintenance Personnel (GRP017, N=1,453)

A. Senior Analog Training Devices Operator Maintainers (GR0393, N=309)

B. Defensive System - Analog Navigation/Tactics Training Devices Operator Maintainers (GRP391, N=122)

C. Digital Training Devices Operator Maintainers (GRP310, N=376)

D. Digital Training Devices Shift Supervisors (GRP251, N=25)

E. Analog Navigation/Tactics Training Devices Operator Maintainers (GRP232, N=30)

F. Missile Trainer Operator Maintainers (GRP216, N=73)

G. Instrument Trainer Operator Maintainers (GRP261, N=28)

H. Radar Landmass Systems Operator Maintainers (GRP156, N=16)

I. Training Devices Supervisory Operator Maintainers (GRP161, N=64)

J. Limited Maintenance Personnel (GRP122, N=164)

K. Defensive System Trainer Operator Maintainers (GRP135, N=40)

L. Tactical Digital Training Devices Operator Maintainers (GRP101, N=31)



M. Training Devices Operator Maintainer Assistants (GRP073,

N=32)

II. Supervision and Management Personnel (GRP021, N=312)

III. Formal Training Personnel (GRP028, N=15)

IV. Instrument Trainer Instructor Personnel (GRP015, N=82)

Brief descriptions for the major clusters and job types within the Training Devices Career Field are given below. Summaries of background information for each cluster and job type are shown in Tables 3 and 4 while, Tables 5 and 6 show relative time spent within duties for each cluster and job type group.

I. <u>Training</u> <u>Devices</u> <u>Operation</u> and <u>Maintenance</u> <u>Personnel</u>, (<u>GRP017</u>, <u>N=1453</u>). This large cluster containing 77 percent of the respondents to the Training Devices career field survey includes those personnel who are performing the day to day operation and maintenance tasks required to carry out the Training Devices mission. Although there are a number of first line NCOICs included within this cluster, the major job emphasis remains on the performance of technical operation and maintenance functions rather than on supervision or other managerial functions.

Ninety percent of the members of this cluster are included within the thirteen job type groups reported. The other 10 percent included individuals whose jobs were so unique in task performance and percent time spent on those tasks that they could not be grouped with any of the existing job types or into other separate meaningful groups.

A. Senior Analog Training Devices Operator Maintainers, (GRP393, N=309). Analog Flight Simulator personnel (341X3) make up 82 percent of this group while the remainder includes Analog Navigation/ Tactics Training Devices personnel (341X5) and Instrument Trainer personnel (341X1). Although over one half supervise a few subordinates, the primary feature that discriminates this group from others is the large number of tasks performed by group members and the fact that these personnel perform the full scope of operation and maintenance. For example, in addition to performing a large number of the more routine tasks performed by large percentages of personnel in other operator and maintenance groups, many of these personnel also perform a number of the more complex tasks relative to isolating malfunctions on such systems as angle of attack, autopilot, fixed wing, aerodynamic, flight director, jet engine, radio aids consoles and radio navigation systems.

B. Defensive System-Analog Navigation/Tactics Training Devices Operator Maintainers, (GRP391, N=122). Over 90 percent of this group are personnel from the Defensive System career ladder (341X2) and the Analog Navigation/Tactics Training Devices career ladders. Members of both groups operate and maintain training devices which involve similar principles of operation. While this group performs many of the same general operator and maintenance tasks as many of the other groups, these personnel tend to be more involved in maintenance of T1, T4 and T10 trainers. Some of the tasks which are relatively exclusive to this group include isolation of malfunctions on doppler systems, timing systems, radio navigation systems, comparators, and composite video signals. In addition, approximately one third of this group adjust multi-channel tape recorders, phasing, radar display units, T-10 terrain data signal generators and target intensity. These tasks were performed by very few of the members of other groups in the career field structure analysis.

C. Digital Training Devices Operator Maintainers, (GRP310, N=376). This relatively large group contains personnel who operate and maintain digital training devices. Sixty percent are from the Digital Flight Simulator career ladder (341X4) while 35 percent are from the Digital Navigation/Tactics Training Devices career ladder (341X6). Although a few of these individuals serve as shift chiefs and perform a number of first level supervisory tasks, the primary purpose of personnel in this group is to accomplish the day-to-day operation and maintenance of digital training devices.

Within this job type there appeared to be no real differences between the jobs performed by AFS 341X4 personnel and AFS 341X6 personnel. In fact, a review of the grouping process indicates that 341X4 and 341X6 personnel within the same organizations perform essentially the same jobs.

D. Digital Training Devices Shift Supervisors, (GRP251, N=25). This small group, like the preceding group is composed primarily of 341X4 and 341X6 personnel. Again, there appears to be no specific grouping by ladder. These personnel, perform somewhat fewer tasks than the preceding group and in addition spend considerably more time on supervisory functions. Characteristically members of this group are 7-skill level and call themselves Shift Chiefs but spend a majority of their time on the technical operation and maintenance tasks.

E. Analog Navigation/Tactics Training Devices Operator Maintainers (GRP232, N=30). Members of this group are primarily Analog Navigation/Tactics Training Devices personnel (341X5) and are engaged in operation and maintenance of analog navigation/tactics training devices for T-10, C-5A or C-141 trainers. A small percentage also operate or maintain navigation/tactics training devices for B-52 simulators. Although forty percent of these personnel supervise and many work as section chiefs or shift supervisors, their primary functions are the operation and maintenance of training devices.

Members of this group perform fewer tasks than those of proceeding groups. Most of these tasks are the normal routine functions common to other groups. However, a few unique tasks were performed by substantial percentages of these personnel. These included the operation of closed circuit T.V. systems and digital readout units

(DROS), the isolation of malfunctions and removal or installation of parts of closed circuit simulators or visual attachments, and the operation of digital computers and control panels.

F. <u>Missile Trainer Operator Maintainers (GRP216, N=73)</u>. Seventy-one members (97 percent) of this group are missile trainer personnel (341X7). These individuals perform a large number of tasks including many of those general operation and maintenance tasks common to most personnel in this career field. In addition, they perform those tasks unique to missile trainers including the duties of operating missile procedures trainers and the isolation of malfunctions on missile procedures trainers. A more detailed discussion of this group can be found in the Career Ladder Structure section of the Missile Trainer Career Ladder Occupational Survey Report, AFS 341X7, under the Missile Procedures Trainer Maintainers Group (SPL750).

G. Instrument Trainer Operator Maintainers (GRP261, N=28) The 28 members of this group are all members of the Instrument Trainer career ladder, 341X1. These personnel spend approximately 38 percent of their time performing instrument trainer instructor and operation tasks. In addition, 47 percent of their time is spent maintaining the instrument trainer and associated equipment. Although this group is primarily concerned with the performance of technical tasks, slightly over one third also serve as supervisors of small units or as shift chiefs.

H. Radar Landmass Systems Operator Maintainers (GRP156, N=16). This group is made up of personnel from the 341X4 (38 percent) and 341X6 (62 percent) career ladders. Fifty-six percent of these personnel (including personnel from both ladders) are assigned to SAC, operating and maintaining FB-111 mission simulators. The remainder work in TAC organizations and are operating and maintaining simulators for F-4E and F-111 aircraft. Tasks which are unique to this group include: adjust landmass gantry drive systems; remove or install radar scopes; and isolate malfunctions on attack radar systems, CPUS radar landmass systems, and target generation systems. In addition, personnel from this group also perform a variety of other general operation and maintenance tasks common to other operator maintainers within the Training Devices career field.

I. Training Devices Supervisory Operator Maintainers (GRP161, N=64). This group is composed primarily of 7-skill level personnel who in addition to performing supervisory and administrative tasks also perform operator and maintenance tasks for over 50 percent of their work time. Personnel from all of the Training Devices career ladders were found in this group. However, over 50 percent were from the Analog Flight Simulator career ladder (341X3). A majority of this group were in SAC and MAC, but ADC, TAC and ATC were also represented. Primarily tasks from supervisory duties formed the basis for the grouping of these personnel. These included such tasks as, direct shop housekeeping, assign work priorities, make entries on simulator maintenance forms, counsel personnel on personal or military related problems, and prepare APRs. Also a number of general preventive maintenance tasks were performed by high percentages of the group indicating a day-to-day involvement in the actual maintenance function. These included; visually inspect test equipment for serviceability; visually inspect electrical systems, wire harness, cables, or connector plugs; and physically check for loose mountings or connections. Several simulators were maintained by personnel in this group, however the most common included the KC-135, maintained by 23 percent of the group; the T-1, maintained by 19 percent and the T-4 maintained by 22 percent. Smaller percentages maintained simulators for the B-52, the C-130 or F-106 aircraft.

J. Limited Maintenance Specialists (GRP122, N=164). Members of this group characteristically are in their first enlistment, are 3or 5-skill level and have an average of only 27 months in the training device career field. Approximately three-fourths of these personnel are from the Analog Flight Simulator career ladder. The remainder include small numbers of personnel from the other ladder in this career field. These personnel perform a variety of tasks which are common to most simulator operation and maintenance functions, but require only minor specialized knowledges of their specific simulator in order to perform them.

Defensive System Trainer Operator Maintainers (GRP135, Κ. N=40). All but two of this group are from the Defensive System Trainer (341X2) career ladder. These personnel are primarily 5-skill level airmen who average slightly over five years average experience in the career ladder. Tasks which are common to large percentages of the members of this group are primarily the general preventive maintenance and remove and replace tasks which are common to most operator maintenance personnel within this career field. Some operator tasks however, which were somewhat unique to this group were operate flight director controls, fire control radars, graphic display units, and ground track recorders. Thirty percent or more of this group also isolated malfunctions on a variety of systems which were maintained by few members of other groups. These included signal analyzer ECM systems, simulated automatic and manual jamming systems, chaff dispenser ECM systems and flare ECM systems. In addition, approximately one third adjust fire control systems, and multi-channel tape recorders, tasks performed by very few personnel in other groups.

L. Tactical Digital Training Devices Operator Maintainers (GRP101, N=31). This rather heterogeneous group is made up of 18 Digital Flight Simulator and 13 Digital Navigation/Tactics Training Devices personnel. Most of these personnel operate and maintain simulators for tactical aircraft such as the F-4E, F-111F and F-15A. In addition to performing a variety of general operation and maintenance tasks common to most other operator maintainer groups, there were several operator tasks performed by higher percentages of this group than any other group within the career field. Typical examples of these included operating instructor consoles (87 percent), operating digital computer control panels (87 percent), setting up ground targets

(71 percent), operating digital radar landmass systems (64 percent), serving as ground crew during simulator missions (58 percent), and operating armament systems (45 percent). Also included within this group were four airmen from SAC who were assigned as command development technicians.

M. Training Devices Operator Maintainer Assistants (GRP073, N=32). This is a very heterogeneous grouping of training devices personnel who perform a variety of general operating and maintenance tasks which are common to most of the other groups within the career field. Fifty-six percent of these airmen are from the 341X4 career ladder while twenty-eight percent are 341X6 personnel. The remainder are form the 341X1, 341X3 and 341X5 career ladders.

These personnel have the least time in military service and experience in the career field of any of the career field groups. All work in organizations within the CONUS.

II. <u>Supervision and Management Personnel (GRP021, N=312)</u>. In addition to 95 of the 102 Training Devices Superintendents responding to the survey, this group includes a number of 7-skill level personnel performing high level supervisory, management or special technical functions within the career field. From the standpoint of tasks performed, the jobs identified within this cluster are very heterogeneous. Few tasks are common to 70 percent or more of this group. This is understandable considering the different kinds of jobs represented by this group. The majority of these personnel (68 percent) serve as supervisors in such positions as Training Devices Superintendent or Branch Chief, positions where their primary function is the supervision of the operation and maintenance of training devices for air crew training. The remainder are involved in a number of specialized support or management type jobs. Examples of some of these include Training Development Team members, MAJCOM Training Devices Representatives; Quality Control Inspectors, Maintenance and/or Supply Coordinators, and Technical Representatives of the Contracting Office (TRCOs). It was interesting to note that a majority of the Training Development Team technicians were from either the Digital Flight Simulator or the Digital Navigation/Tactics Training Devices career ladders. This may be indicative of the increasing emphasis on digital technology in the design and development of new training devices within the field.

III. Formal Training Personnel (GRP028, N=15). This small cluster of 15 personnel was primarily composed of technical school instructors teaching in the basic courses at Chanute AFB. Characteristically members of this group performed very few tasks, almost all of which were specifically related to the conduct of classroom training such as developing curricula or plans of instruction, writing test questions, evaluating progress of trainees, counseling trainees, demonstrating operation of equipment and administering or scoring tests. Although most individuals also performed a few equipment operation and maintenance tasks, these were often unique to the particular portion of the course taught and not common to other personnel in this

group. Although there were a number of other training instructor personnel included within the occupational survey, this cluster was the only group in which instructor tasks were preponderant and characterized the job. Since instructors normally perform a number of operator and maintenance tasks as a part of, or in addition to their instruction, many of these airmen grouped with personnel who operated and maintained the same type of equipment in the field as that taught in the classroom. This is especially true of those Field Training Detachment (FTD) instructors maintaining operational training devices at Vandenberg AFB and Castle AFB.

IV. Instrument Trainer Instructor Personnel (GRP015, N=82). This group contains only personnel in the Instrument Trainer career ladder and are described in detail in the AFS 341X1 Occupational Survey Report.

Summary

The clustering analysis of this career field revealed four distinctly different kinds of jobs. Two major clusters containing almost 94 percent of the survey respondents included those airmen who operate and maintain training devices as their primary job and the supervisors or managers of training devices functions. The other two small clusters contained those members of the Instrument Trainer career ladder who served as Instrument Trainer Instructors and personnel who planned and or conducted formal training for training devices personnel.

Characteristically, operation and maintenance personnel in this career field perform a rather large number of tasks that are common to all career ladders. These are general preventive maintenance, operating, isolating malfunctions, and removing and replacing components of units. These common tasks tend to group personnel from all of the ladders and was a major factor in the career field structuring process. Other factors which were instrumental in the grouping process included the degree of supervision exercised, the kind of computers (digital or analog) operated and maintained, and the number of tasks performed.

A review of the group job descriptions and background information within the training devices operation and maintenance cluster reveals that several of these groups contained rather large percentages of two or more career ladders. For example, the Senior Analog Training Devices Operator Maintainers was composed at 12 percent of respondents from the 341X1 ladder, 52 percent of 341X3 ladder respondents, and 17 percent of 341X5 ladder respondents. Airmen in the Defensive Systems-Analog Navigation/Tactics Training Devices Operator Maintainer group were from the 341X2 and the 341X5 ladders. While the Digital Training Devices Operator Maintainers group contained 54 percent of 341X4 respondents and 48 percent of 341X6 respondents. The other operator maintainer groups were made up primarily of personnel from one ladder, except in supervisory groups where supervisory tasks were the primary grouping factors and in the limited performance groups where performance was limited to a small number of routine operation and maintenance tasks common to most ladders.

PERCENT TIME SPENT ON DUTIES BY CLUSTER GROUPS WITHIN THE TRAINING DEVICES CAREER FIELD

A-15	(PERCENT MEMBERS PER	FORMING) TRAINING DEVICES OPER & MAINT	SUPERVISION & MAINT	FORMAL TRAINING	INSTRUMENT TRAINER INS'	
	SUPERVISORY AND MANAGEMENT FUNCTIONS	FERSONNEL	PERSONNEL	PERSONNEL	PERSONNEL	
	A ORGANIZING AND PLANNING	-	17	e	•	
	B DIRECTING AND IMPLEMENTING	- 4	26	n 0	4.4	
	C INSPECTING AND EVALUATIING	2	23	9	2	
	D IKAINING	2	6	56	5	
	ADMINISTRATIVE FUNCTIONS					
	E WORKING WITH FORMS, RECORDS, REPORTS, DIRECTIVES, OR					
	IECHNICAL DATA	4	80	2	1	
	TECHNICAL FUNCTIONS					
	F PERFORMING PREVENTIVE MAINTENANCE	14	ŝ	2	1	
	G OPERATING TRAINING DEVICES	12	4	9	27	
	H OPERATING MISSILE PROCEDURES TRAINERS	*	*	0	*	
	I ISOLATE MALFUNCTIONS ON COMPUTERS AND PERIPHERAL					
	EQUIPMENT	e	1	æ	*	
	J ISOLATE MALEUNCTIONS ON SIMULATOR SYSTEMS AND PERIPHERAL					
	V TOOLATE MATERIACE ON OTHER AND DESERVED THEM THE	4	ł<	ł¢	*	
	COMPILITE ANALUNUTURE ON STRUCT A STOLETS WITH ANALOG	c	*	4		
	L ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS WITH DIGITAL	4		¢		
	COMPUTERS	2	*	-jc	*	
	M ISOLATE MALFUNCTIONS ON SIMULATOR AND COMPUTER COMPONENTS	9	2	e	*	
	N ISOLATE MALFUNCTIONS ON MISSILE PROCEDURE TRAINERS	*	*	*	*	
	O REMOVING OR REPLACING COMPONENTS OR SYSTEM UNITS	17	*	*	*	
	P ALIGNING AND ADJUSTING SIMULATOR SYSTEMS OR COMPONENTS	6	*	1	*	
	Q PERFORMING IN-SHOP MAINTENANCE	9	*	1	+<	
	R PERFORMING INSTRUMENT TRAINER INSTRUCTION FUNCTIONS	2	*	3	53	
	S MAINTAINING MOBILE AIRCREW TRAINING DEVICES	*	*	0	+*	
	T PERFORMING OPERATIONAL CHECKS	5	1	*	*	
	U MAINTAINING MISCELLANEOUS EQUIPMENT	2	*	1	*	

* INDICATES LESS THAN ONE PERCENT

A-

.

TABLE 4

6			PERCENT 1 DEP SYS	TIME SPENT	ON DUTIES	BY JOB TYP	E GROUPS	WITHIN THE	TRAINING DEVI	ICES CAREER	FIELD		00	
21	E	SR ANALOG TRNG DEV OPR MTR	ANALOG NAV/TACT OPR MTR	DIGITAL TRNG DEV OPR MTR	SHIFT CHIEFS	NAV/TACT TRNG DEV OPR MTR	MISSILE TRNR OPR MTR	INST TRAR	RADAR LANDMASS SYS OPR MTR	TRNG DEV SUPV OPR MTR	LMTD MAINT PERSNL	DEF SYS OPR MTR	TACTICAL DIGITAL TRNG DEV OPR MTR	TRNG DH OPR MTH
	-	- 6	4 17	1 2	4 11		2 5	4 13	* ~	7	* ~			•-
	U A	5 5	~ ~	1	9	- ~	n n	9 9	* 14					• • -
		3	4	9	\$	4	5	4	3	1	4	4	4	9
	- 0	14	13	12	01	16	14	13	12	10	22	17	13	20
				*	*	2*	æ æ	**	14	·· *	6 -	12	35	22
		2 .	•	4	2	2	s	1	\$	2				• •
		~ ~	~ ~	s -	• ••	~ ~	~ •	۴.	5		4	m	4	• •
	-			• •	. 4	• -					4 -		• •	
	* *	•••		80	80	1	9	•	. 6	. 4		• •	~ ~	• •
		• •		• •	* -	* ;	~	• •	• :	• ;	•	•	•	•
	-	=	2=	9 6	3 10	17			C1 8	01	21	19	10	15
	0	1	1	9	4	1	. 9	. 4		. 4		•	* •	••
	-		• •	1	1	•	*	24		1		*		
				*	•	•	0	•		1	2	•		
		•••	•	5	4	•	4	4	5	4	9	1	4	
		7	2	7	-	7	2	2	1	1	2			• •

e

(SEE TABLE 3 FOR DUTY TITLES)

*

BACKGROUND INFORMATION BY CLUSTER GROUPS WITHIN THE TRAINING DEVICES CAREER FIELD

TRAINI DEVICES OPER & MAINT PERSON		TASKS PERFORMED 222	TASKS PERFORMED 222 EX 13	TASKS PERFORMED 222 223 13 EX	TASKS PERFORMED 222 DEX 13 5 WHO SUPERVISE 32	TASKS PERFORMED 222 DEX 222 DEX 13 S WHO SUPERVISE 32 TRAINING DEVICES CAREER FIELD 53	TASKS PERFORMED 222 DEX 222 DEX 222 S WHO SUPERVISE 32 TRAINING DEVICES CAREER FIELD 53 TRAINING DEVICES CAREER FIELD 53 AL ACTIVE MILITARY SERVICE 80	TASKS PERFORMED 222 EX EX WHO SUPERVISE 32 TRAINING DEVICES CAREER FIELD 53 AL ACTIVE MILITARY SERVICE 80 FIRST ENLISTMENT 449	TASKS PERFORMED 222 TASKS PERFORMED 222 DEX 13 DEX 13 DEX 32 S WHO SUPERVISE 32 S WHO SUPERVISE 32 TRAINING DEVICES CAREER FIELD 53 AL ACTIVE MILITARY SERVICE 80 I FIRST ENLISTMENT 44 LADDER SAMPLE IN EACH GROUP 44
SUPERVISION & MAINT & MAINT PERSONNEL GRP021	93	11.4	6.7	68	153	212	12		9375 <u>9</u> 8855
FORMAL TRAINING PERSONNEL GRP028	33	9.5	5.3	13	16	133	10		5* 25255
INSTRUMENT TRAINER IN PERSONNEL GROOIS	67	10.6	4.3	22	99	62	194		វ្មិ៩៩៩៩៩៩៩

* INDICATES LESS THAN 1%

.

.

	•
	EL
	L
	24
	EE
	AR
	0
	ES
	IC
	E
	-
	N
	E
	₹
	I
	3
	F
	IN
•	E
-	5
F	s
TA	5
	B
	e la
	F
	8
	7
	BY
	Z
	E
	¥.
	S.
	AN
	-
	QN
	B
	C
	N
	-

TYPE GOUPS WITHIN THAINING DEVICES TAGT MISSILE INST TRAIN MISSILE INST G DEV TRAIN MISSILE INST TRAIN RADAR G DEV TRAIN OPR INST 13.0 199 153 LIL 14.2 13.9 13.0 199 153 40 3.9 4.16 4.4 4.4 40 3.9 4.5 4.4 40 3.9 4.6 4.4 40 3.9 5.7 4.3 40 3.9 5.7 4.3 40 3.9 5.7 4.3 40 3.1 5.7 4.3 40 3.1 5.7 4.3 40 5.7 5.0 4.3 40 3.1 5.7 4.3 40 5.7 5.0 4.3 40 5.7 5.0 4.3 40	TYPEGOUTPSMITHLITRAININGDEVICESCAREERFILLOGTAGTMISSILLINSTTRNRADARSUPVTAGTMISSILLINSTTRNSUPVSUPVG DEVTRNROPRNTRSUPVNTRJL1614.1213.1813.0014.45.74.63.94.64.45.74.45.74.63.7574.3117844.63.7574.3117844.63.7574.3117844.63.7574.3117844.63.7574.3117844.63.7574.3117844.63.7574.3117844.63.7574.31175.757575353535.85336.750.750.7535.95252531125.75252531125.8525353535.7525253535.7525353535.7525253535.7525253535.8505353535.7525353535.753535353535452	TYPEGOUPS WITHIN THE TAMINING DEVICESCAREER FIELDLOCTAGUTMISSILEINST TRUREADARSUPVMITDCTAGTMISSILEINST TRUREADARSUPVMITDG DEVTRNROR MITRSYS OPR MITRDEVMITD6 DEV14.213.813.014.48.511.614.213.813.014.48.54.63.94.64.45.73.64.637574.3117274.637574.3117274.637574.3117274.637574.3117274.7574.3117274.850502528724.90202124114.903163434.903163502524.916183871634.9153502525202020212120212220302021213021223141416161515121616161617272718021218121218121218161618161618	BACKGROUND INFORMATION BY JOB 1	DEP SYS DIGITAL ANAL ANALOG DIGITAL TRNG DEV NAV. MVVTACT TRNG DEV SHIFT TRNG	OPR MTR OPR MTR CHIEFS OPR	248 301 215 1.	15.1 16.8 15.5	4.3 4.4 5.9	34 29 80	51 54 118	84 77 184 11	462 412 02	IZ 02 IZ 412 02 02 12 12 03 12 12 03 12 12 03 357 23 12 13 482 23 13 03 03 13 03 03 13 03 03 13 03 03
IIN THE TRAINING DEVICESINST TRNRRADAR LAUDEASS0PR MTRSYS OPR MTR19915313.64.43931574.3838736X50202020202030203020302030203020302030204020502050205020502050205020502050205020502050205020502050205020502050205020502	In the Fraining Devices CARER F1 RADAR CARER F1 INST FRUR RADAR CARER F1 199 153 212 199 153 212 13.8 13.0 14.4 4.6 4.4 5.7 39 31 84 57 4.3 117 83 87 163 363 87 163 363 87 163 363 67 57 61 63 31 75 43 117 76 502 52 75 63 73 75 63 73 75 73 112 75 73 73 75 73 73 75 73 74 75 73 75 75 73 75 75 73 75 75 73 75 75 74 75 75 <td< td=""><td>IIN THE TAMINING DEVICESCAREER FIELDINST TRURMADARTRUG DEVLHTDINST TRURSYS OPR MIROPR MIRPRAINTOPR MIRSYS OPR MIROPR MIRPRAINTIJ3.013.014.48.54.64.45.73.64.64.45.73.657431172783871634336X50X5X87X6020X11222X0X0X11222X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X12X33X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X</td><td>TYPE GROUPS WITH</td><th>TACT MISSILE</th><td>MIR OPR MIR</td><td>54 230</td><td>11.6 14.2</td><td>4.6 3.9</td><td>10 33</td><td>46 37</td><td>04 61</td><td>302 632</td><td>02 * 02 03 02 02 02 102 02 112 02 112 02 12 747 02 02</td></td<>	IIN THE TAMINING DEVICESCAREER FIELDINST TRURMADARTRUG DEVLHTDINST TRURSYS OPR MIROPR MIRPRAINTOPR MIRSYS OPR MIROPR MIRPRAINTIJ3.013.014.48.54.64.45.73.64.64.45.73.657431172783871634336X50X5X87X6020X11222X0X0X11222X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X11223X0X0X12X33X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X0X0X13X23X	TYPE GROUPS WITH	TACT MISSILE	MIR OPR MIR	54 230	11.6 14.2	4.6 3.9	10 33	46 37	04 61	302 632	02 * 02 03 02 02 02 102 02 112 02 112 02 12 747 02 02
ING DEVICES ADAR ANDAR 153 13.0 4.4 4.4 4.4 4.4 4.4 502 502 502 02 02 02 02 02 02 02 02 02 02 02 02 0	ING DEVICES CAREER FI MDAR TRNG DEV MAR TRNG DEV MIMASS SUPV 15.3 212 13.0 14.4 4.4 5.7 4.4 5.7 4.4 5.7 4.4 5.7 4.3 117 87 163 87 163 87 163 87 163 87 163 60 112 50 52 50 52 52 52 52 52 52 52 52 52 52 52 52 52 5	ING DEVICES CAREER FIELD MAR TRNG DEV LHTD MAR TRNG DEV LHTD 153 212 124 13.0 14.4 8.5 4.4 5.7 3.6 31 84 11 43 117 27 87 163 43 503 53 872 503 53 53 63 117 27 87 163 43 97 163 43 503 53 53 53 503 53 53 53 63 112 27 43 133 133 73 53 63 53 53 53 73 73 73 74 73 73 73 74 73 73 73 74 73 73 74 75 <t< td=""><td>UN THE TRAINI</td><th>INST TRNK L</th><td>OPR MTR S</td><td>199</td><td>13.8</td><td>4.6</td><td>39</td><td>57</td><td>83</td><td>36%</td><td>151 252 252 252 252 252 252 252 252 252</td></t<>	UN THE TRAINI	INST TRNK L	OPR MTR S	199	13.8	4.6	39	57	83	36%	151 252 252 252 252 252 252 252 252 252
	CAREER FI TRNG DEV SUPV SUPV 212 14.4 5.7 5.7 117 113 113 52 53 53 54 113 54 113 54 113 54 113 54 113 54 113 54 54 113 113 113 113 113 113 113 113 113 11	CAREER FIELD TRNG DEV LMTD SUPV MAINT OPR MTR PERSNIL 212 124 14.4 8.5 5.7 3.6 64 11 117 27 163 43 53 873 53 873 53 873 53 873 53 873 53 873 53 11 112 25 53 13 53 13 54 13 13 13 13 13 14 14 14 14 14 14 14 11 11 12 12 13 14 14 14 14 14 14 14 14 11 13 14 11 13 14 14 14 14 14 14 14 11 12 13 14 14 14 14 14 14 14 14 14 14 14 14 14	ING DEVICES	ADAR MDHASS	YS OPR MTR	153	13.0	4.4	31	43	87	502	00010103 88888 800000
ELD LMTD MAINT 124 124 124 124 124 124 124 124	DEF SYS 0PR MIR 9.7 4.0 4.0 4.0 55 53 65 65 73% 28 28 28 28 28 28 28 28 28 28 28 28 28			TACTICAL DIGITAL TRNG DEV	OPR MTR	142	10.8	4.2	16	30	64	277	00 20 20 20 20 20 20 20 20 20 20 20 20 2
ELD TACTICAL LMTD DEF SYS TACTICAL NAINT DEF SYS PIGUTAL NAINT DEF SYS PIGUTAL 124 124 124 142 125 9.7 10.8 3.6 4.0 4.2 11 22 16 27 39 30 43 65 64 87X 73X 77X 73X 73X 77X 73X 73X 77X 73X 73X 70X 73X 70X 70X 73X 70X 70X 73X 70X 70X 73X 70X 70X	DEF SYS TACTICAL DIGUTAL DIGUTAL DPF SYS TRNG DEV 9.7 10.8 4.0 4.2 39 30 65 64 73X 77X 73X 77X 03 02 04 02 05 64 73X 77X 74X 77X 75X 77X 75X 77X 75X 77X 75X 77X <t< td=""><td>TACTICAL DIGITAL TRNC DEV 10.8 4.2 4.2 64 64 64 64 773 773 773 05 05 05 05 05 05 05 05 05 05 05 05 05</td><td></td><th>TRNG DEV OPR MTR</th><td>ASST</td><td>93</td><td>7.4</td><td>3.6</td><td>6</td><td>19</td><td>42</td><td>942</td><td>12 74 75 75 75 75 75 75 75 75 75 75 75 75 75</td></t<>	TACTICAL DIGITAL TRNC DEV 10.8 4.2 4.2 64 64 64 64 773 773 773 05 05 05 05 05 05 05 05 05 05 05 05 05		TRNG DEV OPR MTR	ASST	93	7.4	3.6	6	19	42	942	12 74 75 75 75 75 75 75 75 75 75 75 75 75 75

•

ANALYSIS OF DAFSC GROUPS

An analysis by DAFSC of the Training Devices career field was conducted in order that comparisons could be made of each career ladder sample against the total career field sample to determine similarities and differences by skill level. The DAFSC 34197 is included in this analysis because personnel holding the 9-skill level can be placed in positions of supervisory responsibility in any of the seven career ladders within the career field.

With the exception of the time spent by DAFSC 341X1 personnel in the area of performing instrument trainer instruction functions, career field DAFSC groups are quite similar to the DAFSC groups of each career ladder. Table 7 illustrates the relative percent of time spent by the skill level groups on the various duties listed in the job inventory. There is clearly a differentiation between the 3- and 5-skill level technical specialists and the 7- and 9-skill level supervisors. However, there is also a relatively high degree of homogeneity in the total sample, indicating that supervisors also perform technical functions. As Table 8 depicts, there are 23 technical tasks performed by 60 percent or more of the total career field sample.

Skill Level Groups

As illustrated in the DAFSC analysis of each career ladder in the Training Devices career field, 3- and 5-skill level personnel are primarily technicians performing a majority of their time in three duty areas; performing preventive maintenance, operating training devices, and removing or replacing components or system units. Three-skill level personnel spend 52 percent of their time performing these duties while 5-skill level personnel spend 49 percent of their time on the same There were 58 tasks performed by 50 percent or more of functions. the 123 3-skill level respondents. Tasks performed by 67 percent or more of those airmen are listed in Table 9. The 5-skill level group is even more homogeneous. Ninety-three tasks are performed by 50 percent or more of the 1036 DAFSC 3415X respondents. Tasks performed by 70 percent or more of these airmen are listed in Table 10. As a review of the two tables shows many of the high performance tasks are performed by both 3- and 5-skill level airmen. There is more homogeneity of task performance displayed by the 5-skill level airmen but this is probably due to the larger average number of tasks performed and the experience level of the group rather than a distinct change in the type of jobs performed.

As a group, DAFSC 3417X personnel are less homogeneous than the 3- and 5-skill level groups. As shown in Table 11, tasks performed by large percentages of 7-skill level personnel tend to be supervisory and management in nature. However, only 40 percent of their time is spent performing technical duties. Since the tasks are more diverse, this creates a lower average of members performing for each task in the technical function areas. There is little doubt, though,

that 7-skill level airmen within this career field are performing more as technicians than as managers.

On the other hand, DAFSC 34197 personnel are clearly managers. Spending 86 percent of their time performing supervisory and management functions, these personnel comprise a homogeneous group of superintendents assigned to senior enlisted management positions across all the career ladders in the Training Devices career field. Typical tasks performed by DAFSC 34197 airmen are shown in Table 12. Eighty-eight percent of the members in this group indicated they were direct supervisors of personnel. Table 13 displays the various DAFSCs 9-skill level personnel supervise. It is important to note that the members of this group do have supervisory responsibility across the entire spectrum of DAFSCs in the Training Devices career field. Survey data also showed that there were members in this group that had progressed to the 9-skill level from each of the career ladders in the career field.

PERCENT TIME SPENT ON DUTIES BY DAFSC GROUPS

DUTIES	Nov perferitos supervisory and manage mesi compres a bornogenegea grava) enter substat romagenent positions ente	DAFSC 3413X (N=123)	DAFSC 3415X (N=1036)	DAFSC 3417X (N=593)	DAFSC 34197 (N=102)
SUPERVIS	ORY AND MANAGEMENT				
A	ORGANIZING AND PLANNING	*	1	8	21
В	DIRECTING AND IMPLEMENTING	2	3	14	31
С	INSPECTING AND EVALUATING	1	1	11	26
D	TRAINING	1	2	7	8
ADMINIST	RATIVE FUNCTIONS				
E	WORKING WITH FORMS, RECORDS, REPORTS DIRECTIVES, OR TECHNICAL DATA	4	3	6	5
TECHNICA	L FUNCTIONS				
F	PERFORMING PREVENTIVE MAINTENANCE	18	14	8	2
G	OPERATING TRAINING DEVICES	16	14	8	1
Н	OPERATING MISSILE PROCEDURES TRAINERS	1	1	*	*
I	ISOLATE MALFUNCTIONS ON COMPUTERS AND PERIPHERAL FOULTMENT	3	3	3	1
J	ISOLATE MALFUNCTIONS ON SIMULATOR	5	5	5	•
	SYSTEMS AND PERIPHERAL EQUIPMENT	4	4	2	*
K	ISOLATE MALFUNCTIONS ON SIMULATOR			-	
	SYSTEMS WITH ANALOG COMPUTERS	2	2	1	*
L	ISOLATE MALFUNCTIONS ON SIMULATOR				
	SYSTEMS WITH DIGITAL COMPUTERS	2	2	2	*
М	ISOLATE MALFUNCTIONS ON SIMULATOR AND				
	COMPUTER COMPONENTS	5	6	5	1
N	ISOLATE MALFUNCTIONS ON MISSILE				
	PROCEDURE TRAINERS	*	*	*	-
0	REMOVING OR REPLACING COMPONENTS OR				
	SYSTEM UNITS	18	16	9	1
Р	ALIGNING AND ADJUSTING SIMULATOR				
	SYSTEMS OR COMPONENTS	7	9	6	1
Q	PERFORMING IN-SHOP MAINTENANCE	6	6	4	1
R	PERFORMING INSTRUMENT TRAINER				
	INSTRUCTION FUNCTIONS	2	5	2	*
S	MAINTAINING MOBILE AIRCREW TRAINING				
	DEVICES	1	1	*	*
Т	PERFORMING OPERATIONAL CHECKS	5	5	3	1
U	MAINTAINING MISCELLANEOUS EQUIPMENT	2	2	1	*

* INDICATES LESS THAN ONE PERCENT

TASKS PERFORMED BY 60 PERCENT OR MORE OF DAFSC 341XX PERSONNEL (N=1,886)

TASK		
Ell	MAKE ENTRIES ON SIMULATOR MAINTENANCE FORMS SUCH AS AFTO FORMS 349. 350. 359.	
	781, or 781A	11
99	DOCUMENT DISCREPANCIES OF SIMULATOR PERFORMANCES	72
F46	TEST ELECTRONIC COMPONENTS SUCH AS DIODES, TRANSISTORS, CAPACITORS, OR	
	RESISTORS	72
F50	VISUALLY INSPECT ELECTRICAL SYSTEMS	11
F60	VISUALLY INSPECT WIRE HARNESS, CABLES, OR CONNECTOR PLUGS	70
F54	VISUALLY INSPECT POWER SUPPLY SYSTEMS	69
F37	VISUALLY CHECK FOR LOOSE MOUNTINGS OR CONNECTIONS	68
F45	STRIP ELECTRICAL WIRES	68
F58	VISUALLY INSPECT VOLTAGE LEVELS, FREQUENCY VARIATIONS, OR CURRENT	67
F57	VISUALLY INSPECT TEST EQUIPMENT FOR SERVICEABILITY	65
056	REMOVE OR INSTALL INDICATORS	65
F17	CLEAN SOLDERING IRONS	65
99	DOCUMENT DISCREPANCIES OF SIMULATOR PERFORMANCES	64
F20	CONDUCT PERIODIC MAINTENANCE INSPECTIONS	64
055	REMOVE OR INSTALL INDICATOR LIGHTS OR PANEL LIGHTS	64
F51	VISUALLY INSPECT ELECTRO-MECHANICAL DEVICES	62
P2	ADJUST AC OR DC SUPPLIES	62
0104	REMOVE OR INSTALL SOLDERED COMPONENTS SUCH AS TRANSISTORS RESISTORS OR	
	CAPACITORS	61
01	DISASSEMBLE SUBASSEMBLIES FOR REMOVAL OR REPLACEMENT OF COMPONENTS	61
F47	TEST ELECTRO-MECHANICAL COMPONENTS SUCH AS SYNCHROS RESOLVERS, POTENTIOMETERS,	
	OR TRANSFORMERS	19
770	REMOVE OR INSTALL FUSES OR CIRCUIT BREAKERS	61
F9	CLEAN HAND TOOLS OR SHOP EQUIPMENT	60
057	REMARK OF THETAIL INSTRIMENT KNORS	

A-22

1

2	8	PERCENT MEMBERS PERFORMING
_	CLEAN UP SHOPS	89
	TEST ELECTRONIC COMPONENTS SUCH AS DIODES, TRANSISTORS, CAPACITORS, OR RESISTORS	87
	REMOVE OR INSTALL INDICATOR LIGHTS OR PANEL LIGHTS	82
	CLEAN SOLDERING IRONS	80
	STRIP ELECTRICAL WIRES	80
	CLEAN HAND TOOLS OR SHOP EQUIPMENT	11
	PHYSICALLY CHECK FOR LOOSE MOUNTINGS OR CONNECTIONS	74
	MAKE ENTRIES ON SIMULATOR MAINTENANCE FORMS SUCH AS AFTO FORMS 349, 350, 359, 781	
	781A	73
	VISUALLY INSPECT VOLTAGE LEVELS, FREQUENCY VARIATIONS, OR CURRENT	73
-	VISUALLY INSPECT ELECTRICAL SYSTEMS	73
7	REMOVE OR INSTALL SOLDERED COMPONENTS SUCH AS TRANSISTORS, RESISTORS, OR CAPACITORS	11
	REMOVE OR INSTALL INDICATORS	11
-	VISUALLY INSPECT WIRE HARNESSES, CABLES, OR CONNECTOR PLUGS	69
0	CONDUCT PERIODIC MAINTENANCE INSPECTIONS	68
+	REMOVE OR INSTALL FUSES OR CIRCUIT BREAKERS	68
-	PERFORM PREFLIGHT OPERATIONAL CHECKS	67
	UTSIALLY TNSPECT POWER SUPPLY SYSTEMS	67

TASKS PERFORMED BY 70 PERCENT OR MORE OF DAFSC 3415X PERSONNEL (N=1,036)

TASK	52	PERCENT MEMBERS PERFORMING
F19	CLEAN UP SHOPS	88
F46	TEST ELECTRONIC COMPONENTS SUCH AS DIODES, TRANSISTORS, CAPACITORS, OR RESISTORS	85
F45	STRIP ELECTRICAL WIRES	83
F50	VISUALLY INSPECT ELECTRICAL SYSTEMS	82
F37	PHYSICALLY CHECK FOR LOOSE MOUNTINGS OR CONNECTIONS	81
Ell	MAKE ENTRIES ON OR ATTACH EQUIPMENT STATUS TAGS OR LABELS SUCH AS DD FORMS 1574	
	1575, 1577 or 1577-2	80
F60	VISUALLY INSPECT WIRE HARNESSES, CABLES, OR CONNECTOR PLUGS	80
056	REMOVE OR INSTALL INDICATORS	19
F54	VISUALLY INSPECT POWER SUPPLY SYSTEMS	61
F17	CLEAN SOLDERING IRONS	62
055	REMOVE OR INSTALL INDICATOR LIGHTS OR PANEL LIGHTS	78
F58	VISUALLY INSPECT VOLTAGE LEVELS, FREQUENCY VARIATIONS, OR CURRENT	78
E47	TEST ELECTRO-MECHANICAL COMPONENTS SUCH AS SYNCHROS, RESOLVERS, POTENTIOMETERS, OR	
	TRANSFORMERS	75
F20	CONDUCT PERIODIC MAINTENANCE INSPECTIONS	74
P2	ADJUST AC OR DC SUPPLIES	74
01	DISASSEMBLE SUBASSEMBLIES FOR REMOVAL OR REPLACEMENT OF COMPONENTS	73
F9	CLEAN HAND TOOLS OR SHOP EQUIPMENT	73
057	REMOVE OR INSTALL INSTRUMENT KNOBS	73
99	DOCUMENT DISCREPANCIES OF SIMULATOR PERFORMANCES	72
0104	REMOVE OR INSTALL SOLDERED COMPONENTS SUCH AS TRANSISTORS, RESISTORS OR CAPACITORS	72
044	REMOVE OR INSTALL FUSES OR CIRCUIT BREAKERS	72
F51	VISUALLY INSPECT ELECTRO-MECHANICAL DEVICES	11
F57	VISUALLY INSPECT TEST EQUIPMENT FOR SERVICEABILITY	11
F27	LACE WIRING ASSEMBLIES	10

L PERCENT MEMBERS DEPENDENTUC	9,	13	02	20	69	69 69	68	65 65	59	65	
TASKS PERFORMED BY 65 PERCENT OR MORE OF DAFSC 3417X PERSONNE (N=593)	MAKE ENTRIES ON SIMULATOR MAINTENANCE FORMS SUCH AS AFTO FORMS 349, 350, 35 781 OR 781A	PREPARE APRS	COUNSEL FERSONNEL ON FERSONAL OR MILITARY RELATED PROBLEM RESEARCH OR REQUISITION SUPPLY STOCK NUMBERS OR PARTS	DEMONSTRATE HOW TO LOCATE TECHNICAL INFORMATION	ASSIGN WORK PRIORITIES DEMONSTRATE OPERATION OF FOULDMENT	DIRECT SHOP HOUSEKEEPING	MAINTAIN OJT RECORDS	EVALUATE PROGRESS OF TRAINEES	IDENTIFY SIMULATOR PARTS	COUNSEL TRAINEES ON TRAINING PROGRESS	
TAS	E11	C37	E18	D10	DII	B16	A15	D15	E3	D9	

t

TABLE 11

TASKS PERFORMED BY 80 PERCENT OR MORE OF DAFSC 34197 PERSONNEL (N=102)

TASK	S	PERFORMIN
B22	DRAFT CORRESPONDENCE	98
AL	ATTEND STAFF COINCIL BOADD OD DIANNING MEETINGS	00
		96
B30	INITIATE RECOGNITION FOR COMMENDABLE PERFORMANCE	93
Al	ASSIGN PERSONNEL TO DUTY POSITIONS	92
B 8	COUNSEL PERSONNEL ON PERSONAL OR MILITARY RELATED PROBLEMS	91
A15	MONITOR OR CERTIFY PREPARATION OF RECORDS OR REPORTS	06
C37	PREPARE APRS	06
A27	SCHEDULE LEAVES OR PASSES	89
B2	CLARIFY POLICIES, DIRECTIVES, OR PROCEDURES FOR SUBORDINATES	88
C3	ENDORSE AIRMAN PERFORMANCE REPORTS (APRS)	86
A2	ASSIGN SPONSORS TO NEWLY ASSIGNED PERSONNEL	86
B28	INDOCTRINATE NEWLY ASSIGNED PERSONNEL	84
B21	DISTRIBUTE CORRESPONDENCE, TECHNICAL INFORMATION, OR DIRECTIVES	83
A13	ESTABLISH PROCEDURAL GUIDELINES SUCH AS OPERATING INSTRUCTIONS (OIS) OR SPECIAL	
	OPERATING INSTRUCTIONS (SOIS)	82
60	EVALUATE EQUIPMENT PERFORMANCE	82
AT	COORDINATE WITH SUPPLY ACTIVITIES	81
A6	COORDINATE SIMULATOR SCHEDULES WITH TRAINING SQUADRONS, MAINTENANCE, OR OPERATIONS	80
A3	ASSIGN WORK PRIORITIES	80
C25	EVALUATE REPORTS	80
070	REVIEW MANNING DUCIMENTS	00

ŧ

TASK	ASK	PERCENT
B45	45 SUPERVISE CIVILIAN PERSONNEL	44
B47	47 SUPERVISE ANALOG FLIGHT SIMULATOR SPECIALISTS (AFSC 34153)	21
B48	48 SUPERVISE ANALOG NAVIGATION/TACTICS SIMULATOR SPECIALISTS (AFSC 34155)	17
B49	49 SUPERVISE APPRENTICE ANALOG FLIGHT SIMULATOR SPECIALISTS (AFSC 34133)	10
B50	50 SUPERVISE APPRENTICE ANALOG NAVIGATION/TACTICS SIMULATOR SPECIALISTS (AFSC 34)	11 ()
B51	51 SUPERVISE APPRENTICE DEFENSIVE SYSTEMS TRAINER SPECIALISTS (AFSC 34132)	47
852	52 SUPERVISE APPRENTICE DIGITAL FLIGHT SIMULATOR SPECIALISTS (AFSC 34134)	12
B53	53 SUPERVISE APPRENTICE DIGITAL NAVIGATION/TACTICS SIMULATOR SPECIALISTS (AFSC 30	16) 12
B54	54 SUPERVISE APPRENTICE INSTRUMENT TRAINER SPECIALISTS (AFSC 34131)	8
B55	55 SUPERVISE APPRENTICE MISSILE PROCEDURES TRAINER SPECIALISTS (AFSC 34137)	2
B56	56 SUPERVISE INSTRUMENT TRAIMER SPECIALISTS (AFSC 34151)	15
B57	57 SUPERVISE DEFENSIVE SYSTEMS TRAINER SPECIALISTS (AFSC 34152)	6
B58	58 SUPERVISE ANALOG FLIGHT SIMULATOR SPECIALISTS (AFSC 34153)	17
B59	59 SUPERVISE DIGITAL FLIGHT SIMULATOR SPECIALISTS (AFSC 34154)	22
B60	60 SUPERVISE ANALOG NAVIGATION/TACTICS SIMULATOR SPECIALISTS (AFSC 34155)	15
B61	61 SUPERVISE DIGITAL NAVIGATION/TACTICS SIMULATOR SPECIALISTS (AFSC 34156)	15
B62	62 SUPERVISE MISSILE PROCEDURES TRAINER SPECIALISTS (AFSC 34157)	e
B63	63 SUPERVISE INSTRUMENT TRAINER TECHNICIANS (AFSC 34171)	17
B64	64 SUPERVISE DEFENSIVE SYSTEMS TRAINER TECHNICIANS (AFSC 34172)	19
B65	55 SUPERVISE ANALOG FLIGHT SIMULATOR TECHNICIANS (AFSC 34173)	35
B66	66 SUPERVISE DIGITAL FLIGHT SIMULATOR TECHNICIANS (AFSC 34174)	43
B67	67 SUPERVISE ANALOG NAVIGATION/TACTICS SIMULATOR TECHNICIANS (AFSC 34175)	29
B68 B69	 68 SUPERVISE DIGITAL NAVIGATION/TACTICS SIMULATOR TECHNICIANS (AFSC 34176) 69 SUPERVISE MISSILE PROCEDURES TRAINER TECHNICIANS (AFSC 34177) 70 SUPERVISE TRAINER DEVICES SUPERATEMENTS (AFSC 34107) 	35 5 18
DIG	10 SUPERVISE INAINING DEVICES SUPERINTENDENIS (AFSC 3417/)	TO

1

TABLE 13

PERCENT OF DAFSC 34197 PERSONNEL SUPERVISING VARIOUS DAFSC PERSONNEL WITHIN THE TRAINING DEVICES CAREER FIELD
ANALYSIS OF AFMS GROUPS

An analysis was also conducted comparing job differences among individuals grouped by time in service. Very similar conclusions to those for DAFSC groups were noted.

Table 14 displays the relative percent of time spent on duties by AFS 341XX personnel grouped by enlistment period. The same trend is exhibited here as was found in the separate analyses of the career ladders. Throughout all enlistment periods, airmen tend to move into positions of greater supervisory and management responsibility as they gain time in service. The longer individuals have in service, the less time they spend performing technical tasks and duties. However, it is not until the 20 year service point before personnel spend more time in supervisory and management functions than they do performing technical functions. Even at this point though, the rise in the time spent performing supervisory and management functions can be attributed to the inclusion in this table of DAFSC 34197 personnel. Fifty-one percent of the personnel in the 241 + months TAFMS group are Training Devices Superintendents. So for the most part, regardless of experience level, most AFS 341XX airmen will function as "hands-on" equipment technicians throughout their Air Force career.

A look at tasks performed by first enlistment airmen (148 months TAFMS) continues to show a high degree of homogeneity of the first job across the Training Devices career field. Of the 1144 inventory tasks, 85 are performed by 50 percent or more of this group. The average number of tasks for this group is 187. First enlistment airmen show a particularly high degree of task commonality in the duties of performing preventive maintenance, and removing or replacing components or system units as shown in Table 15.

TABLE 14 TO DUTIES BY 341XX AFMS GROUPS TABLE 14

	TARY	193-	
	HILI	192	
	EDERAL	145-	
	ACTIVE F	97-144	2000
Sal	TOTAL	96-6	
AFMS GROU	HLINOH	87-	
3412X		-	
BY			
DUTIES			
NO			
SPENT			
TIME			
PERCENT			

	LNOW	TATOT 2H	ACTIVE FE	DERAL MIL	ITARY SER	VICE
burr	1-48 (N=686)	(N=381)	97-144 (N=276)	145-192 (N=209)	193-240 (N=187)	241+ (N=144)
SUPERVISORY AND MANAGEMENT FUNCTIONS						
A DRGANIZING AND PLANNING	*	1	t	80	10	17
B DIRECTING AND IMPLEMENTING	1	4	8	13	11	27
C INSPECTING AND EVALUATING	1	4	9	12	14	21
D TRAINING	1	9	s	1	1	6
ADMINISTRATIVE FUNCTIONS						
E WORKING WITH FORMS, RECORDS, REPORTS, DIRECTIVES, OR TECHNICAL DATA	9	4	5	9	1	9
TECHNICAL FUNCTIONS						
F PERFORMING PREVENTIVE MAINTENANCE	16	13	11	æ	-	
G OPERATING TRAINING DEVICES	15	1 1	12	0 00	9	n m
H OPERATING MISSILE PROCEDURES TRAINERS	1	*	*	*	*	*
I ISOLATE MALFUNCTIONS ON COMPUTERS AND PERIPHERAL EQUIPMENT	e	e		2	2	1
J ISOLATE MALEUNCTIONS ON SIMULATOR SYSTEMS AND PERIPHERAL EQUIPMENT	4	4	9	2	2	1
K ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS WITH ANALOG COMPUTERS	2	2	2	2	1	1
L ISOLATE MALFUNCTIONS ON SIMULATOR SYSTEMS WITH DIGITAL COMPUTERS	2	2	2	2	2	1
M ISOLATE MALFUNCTIONS ON SIMULATOR AND COMPUTER COMPONENTS	9	9	9	4	4	2
N ISOLATE MALEUNCTIONS ON MISSILE PROCEDURE	*	*	*	*	*	*
O REMOVING OR REPLACING COMPONENTS OR SYSTEM UNITS	17	16	12	6	1	3
P ALIGNING AND ADJUSTING SIMULATOR SYSTEMS OR COMPONENTS	6	8	1	9	5	5
Q PERFORMING IN-SHOP MAINTENANCE	9	9	5	4	Э	1
K PERFORMANCE INSTRUMENT TRAINER INSTRUCTION FUNCTIONS	5	5	e.	9	1	-
S PAINTAINING POBILE ALKCREW INALNING DEVICES	-	1	*	4	1	*
T PERFORMING OPERATIONAL CHECKS	S	5	4	3	e	1
U MAINTAINING MISCELLANEOUS EQUIPMENT	2	2	5	-	-	*
* INDICATES LESS THAN ONE PERCENT						

A-29

ę

REPRESENTATIVE TASKS PERFORMED BY 341XX PERSONNEL WITH 1-48 MONTHS TAFMS (N=686)

_	
S	
S	
P	1

.

TASKS		PERFORMIN
F19	CLEAN UP SHOPS	91
F46	TEST ELECTRONIC COMPONENTS SUCH AS DIODES. TRANSISTORS, CAPACITORS, OR RESISTORS	88
F45	STRIP ELECTRICAL WIRES	58
F17	CLEAN SOLDERING IRONS	82
F50	VISUALLY INSPECT ELECTRICAL SYSTEMS	82
F37	PHYSICALLY CHECK FOR LOOSE MOUNTINGS OR CONNECTIONS	81
055	REMOVE OR INSTALL INDICATOR LIGHTS OR PANEL LIGHTS	81
056	REMOVE OR INSTALL INDICATORS	61
F60	VISUALLY INSPECT WIRE HARNESSES, CABLES, OR CONNECTOR PLUGS	61
F58	VISUALLY INSPECT VOLTAGE LEVELS, FREQUENCY VARIATIONS, OR CURRENT	78
E11	MAKE ENTRIES ON SIMULATOR MAINTENANCE FORMS SUCH AS AFTO FORMS 349, 350, 359,	
	781 OR 781A	11
F54	VISUALLY INSPECT POWER SUPPLY SYSTEMS	11
F20	CONDUCT PERIODIC MAINTENANCE INSPECTIONS	76
F9	CLEAN HAND TOOLS OR SHOP EQUIPMENT	76
F47	TEST ELECTRO-MECHANICAL COMPONENTS SUCH AS SYNCHROS, RESOLVERS, POTENTIOMETERS, OR	
	TRANSFORMERS	74
044	REMOVE OR INSTALL FUSES OR CIRCUIT BREAKERS	73
057	REMOVE OR INSTALL INSTRUMENT KNOBS	72
0104	REMOVE OR INSTALL SOLDERED COMPONENTS SUCH AS TRANSISTORS, RESISTORS OR CAPACITORS	72
95	DOCUMENT DISCREPANCIES OF SIMULATOR PERFORMANCES	11
01	DISASSEMBLE SUBASSEMBLIES FOR REMOVAL OR REPLACEMENT OF COMPONENTS	11
F51	VISUALLY INSPECT ELECTRO-MECHANICAL DEVICES	10
P2	ADJUST AC OR DC SUPPLIES	70
F6	CI.F.AN AIR FII.TFRS	70

SIMILARITIES AND DIFFERENCES IN TASKS PERFORMED AMONG CAREER LADDERS IN THE TRAINING DEVICES CAREER FIELD

Since all the career ladders surveyed perform jobs related to the maintenance of training devices, it can be assumed that there are certain tasks that would be common for all these specialties. At the same time, it can be assumed that since each career ladder maintains different types of training devices, the tasks performed by each specialty would be different. This section will show the similarities and differences in task performance among the various Training Devices career ladders. As the data presented will illustrate, both assumptions mentioned above are correct. Career ladders are very similar in the areas of performing preventive maintenance and removing or replacing system components, but are very different in the maintenance of specific equipment.

This section will examine the similarities and differences in task performance by first grouping the Flight Simulator and Navigation/ Tactics Training Devices career ladders (AFSCs 341X3, 341X4, 341X5, and 341X6), comparing and contrasting them, and then comparing and contrasting the task performance of each of the other Training Devices career ladders to the data of that combined group. The 1-48 month TAFMS groups in each career ladder were chosen for the comparison because they represent the largest groups of individuals in each of the specialties.

Flight Simulator and Navigation/Tactics Training Devices Career Ladders

The Analog and Digital Flight Simulator career ladders (AFSCs 341X3 and 341X4), and the Analog and Digital Navigation/Tactics Training Devices career ladders (AFSCs 341X5 and 341X6), when combined form a very homogeneous group. As shown in Table 16, there are 59 tasks performed by 50 percent or more of the airmen in the 1-48 month TAFMS groups of each of these career ladders. When looking at a figure of 30 percent or more of each group performing, the number of common tasks rises to 142. In order to better demonstrate this commonality in tasks performed Table 17 lists the average number of tasks performed by first enlistment personnel in each career ladder. Clearly, the majority of tasks usually performed by the members of these groups are common across the four career ladders.

When comparing the similarities between the two AFSCs associated with analog training devices (AFSCs 341X3, 341X5) or those associated with digital training devices (AFSCs 341X4, 341X6), the results are even more dramatic. There are 177 tasks performed by 30 percent or more of first enlistment personnel in both AFSCs 341X3 and 341X5, and 254 tasks performed by 30 percent or more of both AFS 341X4 and 341X6 first enlistment groups.

There are however, tasks unique to each of these career ladders. There are 20 tasks of which only 30 percent or more of AFS 341X3 first enlistment personnel were found to be performing. These tasks listed in Table 18 are primarily related to the isolation of malfunctions on simulator systems with analog computers, and alignment and adjustment procedures. The 22 tasks shown in Table 19 exclusive to AFS 341X5 first enlistment airmen also fall in the same areas. There are only five tasks exclusive to the AFS 341X4 first enlistment group (See Table 20), but there are 31 tasks listed in Table 21 unique to the AFS 341X6 first enlistment personnel. The tasks of sole responsibility for this group lie primarily in the areas of operating training devices and malfunction isolation on simulator systems with digital computers.

Defensive System Career Ladder

The AFS 341X2, Defensive System, first enlistment group was found to possess a high degree of task commonality with the other groups maintaining flight related training devices. Of the 59 tasks listed in Table 16, 55 were also performed by 50 percent or more of this group. In addition, there were 122 tasks performed by 30 percent or more of first enlistment personnel in each of these five AFSCs. Although 122 common tasks are fewer for AFS 341X2 personnel than the other career ladders discussed, this group averages fewer tasks performed (167).

Defensive system personnel perform far more tasks in common with digital trainer maintenance personnel than with analog trainer maintenance personnel. AFS 341X2 first enlistment airmen perform 154 tasks common to 30 percent or more of each AFS 341X4 and 341X6 first enlistment groups but only 132 tasks common to 30 percent or more of each AFS 341X3 and 341X5 first enlistment groups.

This career ladder has more in common with the navigation/tactics training devices career ladders than with the flight simulator career ladders. There were 153 tasks performed by 30 percent or more of this career ladder and both AFSCs 341X5 and 341X6. There were 181 tasks performed by 30 percent or more of both AFSCs 341X3 and 341X64. Logically then, greater commonality was found to be with the Digital Navigation/Tactics Training Devices career ladder. There were however, some differences in tasks performed. Seventeen tasks were identified as being performed exclusively by Defensive System personnel and are listed in Table 22. As expected, they pertain to the operation and maintenance of specific defensive system training devices.

Missile Trainer Career Ladder

Although AFS 341X7 Missile Trainer personnel do not maintain equipment that simulates flight crew functions they do possess a great deal of task commonality with the Training Devices career ladders previously discussed. Of the 59 tasks listed in Table 16, 54 were also performed by 50 percent or more of this group. There were 112 tasks performed by 30 percent or more of both AFS 341X7 first enlistment personnel and the first enlistment personnel in AFSCs 341X3, 341X4, 341X5, and 341X6. However, Missile Trainer personnel were found to exhibit the most task commonality with other personnel maintaining training devices with digital computers. There were 151 tasks performed by 30 percent or more of first enlistment airmen in the AFSCs 341X7, 341X4, and 341X6, and 170 tasks performed by 30 percent or more of both AFSC 341X7 and 341X6 groups.

There were also many very distinct differences in the tasks performed by Missile Trainer personnel as illustrated in Table 23. Again, as would be expected, the 56 tasks listed pertain primarily to the operation and maintenance of specific and unique missile trainer systems.

Instrument Trainer Career Ladder

When compared as a total group, there is very little commonality between Instrument Trainer personnel and the other Training Devices career ladders. Of the 59 tasks listed in Table 16, only four are performed by 50 percent or more of first enlistment personnel in this specialty. The number of tasks performed by 30 percent or more of the personnel in AFSC 341X1 and each of the flight simulator and navigation/tactics training devices career ladders is only 41. Although, as reported in the Occupational Survey Report for this career ladder, some AFS 341X1 personnel were found to be performing in a trainer maintenance capacity similar to Analog Flight Simulator (AFS 341X3) personnel, the majority of AFS 341X1 airmen however, function as instructor operators and are not actively involved in the maintenance of simulator equipment. Therefore, the common maintenance tasks linking the other Training Devices career ladders are not performed by large numbers of personnel in this specialty.

Instrument Trainer personnel are unique however, in their performance of instructor duties as illustrated by Table 24. The 43 tasks listed all pertain to performing instrument trainer instructor functions.

Summary

There is a great deal of task commonality and similarity among career ladders in the Training Devices career field. There is task commonality among personnel maintaining aircrew training devices, among personnel maintaining flight simulators, among personnel maintaining analog training devices, and among personnel maintaining digital training devices regardless of there AFSC. There is much similarity among maintainers in all career ladders in the areas of operating training devices, performing preventive maintenance, and in general malfunction isolation procedures. There are also differences among the career ladders. Instrument Trainer instructor operators are very different in task performance from training devices maintainers. In addition, each career ladder is different from the others in the career field in terms of operation and maintenance of career ladder unique equipment. However, except for the unique instructor tasks performed by AFS 341X1 personnel, the exclusive tasks performed within any of the other career ladders are only a small part of the total job of that specialty.

REPRESENTATIVE TASKS PERFORMED BY AIRMEN IN THE 1-48 MONTH TAFMS GROUPS OF THE 341X3, 341X4, 341X5, AND 341X6 CAREER LADDER

.....

TASKS		TASK DIFFICULTY
E3	IDENTIFY SIMULATOR PARTS	4.03
E11	MAKE ENTRIES ON SIMULATOR MAINTENANCE FORMS SUCH AS AFTO FORMS	
	349, 350, 359, 781 or 781A	4.26
E18	RESEARCH OR REQUISITION SUPPLY STOCK NUMBERS OR PARTS	4.94
Fo	CLEAN AIR FILTERS	2.02
18	CLEAN COOLING FANS	2.04
F9	CLEAN HAND TOOLS OR SHOP EQUIPMENT	2.04
F14	CLEAN PARTS OR COMPONENTS USING SOLVENTS	3.07
F1/	CLEAN SOLDERING IRONS	2.21
F19	CONDUCT DEDIODIC MAINTENANCE INCRECTIONS	1.95
F20	LACE STRING ASSEMBLIES	4.04
F20	LIDDICATE MECHANICAL ACCUMPTIES	2.00
F37	DEVELOPTION CHECK FOR LOOSE MOUNTINGS OF CONVECTIONS	3 30
FAS	STRIP RIPOTDICAL WIDES	2 08
F45	TEST ELECTRONIC COMPONENTS SUCH AS DIODES TRANSISTORS CAPACITORS	2.00
	OR RESISTORS	4.61
F47	TEST ELECTRO-MECHANICAL COMPONENTS SUCH AS SYNCHROS, RESOLVERS,	F 10
	POTENTIOMETERS, OR TRANSFORMERS	5.19
F48	VACUUM EQUIPMENT	2.07
149	VISUALLY INSPECT AIR CONDITIONING SYSTEMS	2.92
150	VISUALLY INSPECT ELECTRICAL SYSTEMS	3.40
101	VISUALLY INSPECT ELECTRO-MECHANICAL DEVICES	3.08
F54	VISUALLI INSPECT CEDUO CUCEPEC	3.39
F50	VISUALLI INSTEUL SERVU SISLENS	3.33
F50	VISUALLI INSPECT VOLTACE LEVELE EDEOLENCY VADIATIONE OD CHODENT	3.40
F 50	VISUALLI INSPECT UIDE DADNECCES CADIES OD CONNECTOD DINCS	3.82
C6	DOCIMENT DISCOPEDANCIES OF SIMULATOR DEPENDMANCES	3.81
663	ODEDATE INSTRUCTOR CONSOLES	5 21
G134	VISUALLY OBSERVE CONSOLES	3 92
138	ISOLATE MALENCTIONS ON POLER SUDDILES	5 67
15	ISOLATE MALFUNCTIONS ON FLECTPICAL SYSTEMS	5 36
116	ISOLATE MALFUNCTIONS ON HANDSETS HEADSETS OR MICROPHONES	4 00
122	ISOLATE MALFUNCTIONS ON INDICATOR SYSTEMS	5.12
M47	ISOLATE MALFUNCTIONS USING SCHEMATICS OR WIRING DIAGRAMS	6.03
01	DISASSEMBLE SUBASSEMBLIES FOR REMOVAL OR REPLACEMENT OF COMPONENTS	4.63
08	REMOVE OR INSTALL AIR FILTERS	2.61
013	REMOVE OR INSTALL CABLE ASSEMBLIES	3.94
017	REMOVE OR INSTALL CIRCUIT WIRING	4.55
023	REMOVE OR INSTALL CONNECTING PLUGS	4.01
044	REMOVE OR INSTALL FUSES OR CIRCUIT BREAKERS	2.85
055	REMOVE OR INSTALL INDICATOR LIGHTS OR PANEL LIGHTS	2.71
056	REMOVE OR INSTALL INDICATORS	3.03
057	REMOVE OR INSTALL INSTRUMENT KNOBS	2.10
059	REMOVE OR INSTALL INSTRUMENTS SUCH AS CONSOLE, COCKPIT, OR STUDENT	
	STATION	2.90
060	REMOVE OR INSTALL LEADS OR CORDS	2.78
085	REMOVE OR INSTALL POWER SUPPLIES	3.78
094	REMOVE OR INSTALL RELAYS OR SOLENOIDS	3.94
0104	REMOVE OF INSTALL RESULVERS, SINCHRUS OF POIENTIONETERS	4.90
0104	OR CAPACITORS	4 62
0105	REMOVE OR INSTALL SPEAKERS MICROPHONES HEADSETS OR HANDSETS	3.25
0111	REMOVE OR INSTALL STEALERS, MICHOFINIALS, HEADDETS OR HANDDETS	3.27
0122	REWIRE SYSTEMS USING SOLDERING FOULPMENT	4.67
P2	ADJUST AC OR DC SUPPLIES	4.44
P75	ADJUST POWER SUPPLIES	4.69
TI	CHECK SWITCHES FOR POSITIVE ACTION	2.98
T11	PERFORM PREFLIGHT OPERATIONAL CHECKS	4.89
T18	TEST CONSOLE INSTRUMENTS	4.24
T21	TEST OPERATE SIMULATORS TO ISOLATE MALFUNCTIONS	5.70
06	MAINTAIN AREA BEAUTIFICATION	2.19
07	PACK OR UNPACK EQUIPMENT	2.60

A-35

t

AVERAGE NUMBER OF TASKS PERFORMED BY 1-48 TAFMS PERSONNEL IN AFSCs 341X3, 341X4, 341X5, AND 341X6

						1-48 MONT	HS TAFMS	
					341X3	<u>341X4</u>	341X5	341X6
AVERAGE	NUMBER	OF	TASKS	PERFORMED	178	205	213	235

TABLE 18

TASKS EXCLUSIVE TO THE 341X3 CAREER LADDER PERFORMED BY 30 PERCENT OR MORE OF FIRST ENLISTMENT PERSONNEL

DEDORM

TASK	<u>(S</u>	MEMBERS PERFORMING
F59	VISUALLY INSPECT WATER SUPPLY SYSTEMS	34
G38	OPERATE DIAGNOSTIC TEST PROGRAMS ON SIMULATORS WHICH USE ANALOG	
	COMPUTERS SUCH AS AUTOMATIC AMPLIFIER CHECKERS	38
K5	ISOLATE MALFUNCTIONS ON ANGLE OF ATTACK (AOA) SYSTEMS	60
K7	ISOLATE MALFUNCTIONS ON AUTOPILOT SYSTEMS	70
K16	ISOLATE MALFUNCTIONS ON FLIGHT DIRECTOR SYSTEMS	57
K17	ISOLATE MALFUNCTIONS ON FUEL SYSTEMS	80
K19	ISOLATE MALFUNCTIONS ON HYDRAULIC SYSTEMS	59
K24	ISOLATE MALFUNCTIONS ON JET ENGINE SYSTEMS	65
K25	ISOLATE MALFUNCTIONS ON LAND, AIR, OR FREEZE RESET SYSTEMS	65
K32	ISOLATE MALFUNCTIONS ON RADIO AIDS CONSOLES	71
K33	ISOLATE MALFUNCTIONS ON RADIO NAVIGATIONAL SYSTEMS	52
K38	ISOLATE MALFUNCTIONS ON SOUND SYSTEMS SUCH AS ENGINE SOUND, TIRE	
	SCREECH, OR MISSILE LAUNCH	58
M5	ISOLATE DEFECTIVE DEMODULATORS	35
039	REMOVE OR INSTALL FIXED-WING FLIGHT DIRECTOR CONTROL SUCH AS	
	THROTTLES OR CONTROL STICKS	30
061	REMOVE OR INSTALL MAGNETIC ACTUATORS OR CYLINDERS	33
P7	ADJUST APPROACH OR GLIDE SLOPE DEVIATION RECORDERS ON SIMULATORS	41
P27	ADJUST DEMODULATORS ON SIMULATORS	56
P34	ADJUST ELECTRO-MECHANICAL CONTROL LOADING SYSTEMS	31
P39	ADJUST FLIGHT PATH RECORDERS	33
Q16	BENCH CHECK DEMODULATORS	32

TASKS EXCLUSIVE TO THE 341X5 CAREER LADDER PERFORMED BY 30 PERCENT OR MORE OF FIRST ENLISTMENT PERSONNEL

TASK	rs	MEMBERS
E9	MAINTAIN TO FILES, TO COMPLIANCE RECORDS OR DIRECTIVE FILES	45
F22	CONDUCT QUALITY CONTROL INSPECTIONS	33
G46	OPERATE DOPPLER RADAR SYSTEMS	42
124	ISOLATE MALFUNCTIONS ON INTEGRATOR SERVO SYSTEMS	31
K12	ISOLATE MALFUNCTIONS ON DOPPLER SYSTEMS	62
K18	ISOLATE MALFUNCTIONS ON GROUND TRACKING RADAR SYSTEMS	35
K39	ISOLATE MALFUNCTIONS ON SRAM SYSTEMS	38
K40	ISOLATE MALFUNCTIONS ON TERRAIN AVOIDANCE SYSTEMS	38
K43	ISOLATE MALFUNCTIONS ON TIMING SYSTEMS	40
M42	ISOLATE MALFUNCTIONS ON SRAM ATTACHMENTS	35
M44	ISOLATE MALFUNCTIONS ON TOPOGRAPHICAL COMPARATORS	40
046	REMOVE OR INSTALL GEAR BOXES OTHER THAN SERVOS	33
079	REMOVE OR INSTALL PLOTTING BOARDS	35
P19	ADJUST COLLECTION ELECTRONICS SYSTEMS	35
P45	ADJUST GEAR TRAINS ON SIMULATORS	33
P61	ADJUST MASTER TIMING	31
P72	ADJUST PHASING	45
P76	ADJUST PROJECTION ELECTRONIC SYSTEMS	35
P77	ADJUST PROJECTION OPTICS	58
P95	ADJUST T-10 TERRAIN DATA SIGNAL GENERATORS	45
P138	ALIGN TRICOLOR COLLECTION OPTICS	55
Q20	BENCH CHECK GENERATORS	33

TASKS EXCLUSIVE TO THE 341X4 CAREER LADDER PERFORMED BY 30 PERCENT OR MORE OF FIRST ENLISTMENT PERSONNEL

TASK	S	PERCENT MEMBERS PERFORMING
G28	OPERATE CARD CHECKERS	31
G51	OPERATE FLIGHT DIRECTOR CONTROLS	30
J40	ISOLATE MALFUNCTIONS ON THREE-DEGREE MOTION SYSTEMS	33
M40	ISOLATE MALFUNCTIONS ON SLIDE PROJECTORS	35
096	REMOVE OR INSTALL SEATS OTHER THAN EJECTION	31

TABLE 21

TASKS EXCLUSIVE TO THE 341X6 CAREER LADDER PERFORMED BY 30 PERCENT OR MORE OF FIRST ENLISTMENT PERSONNEL

TASK	S	PERCENT MEMBERS PERFORMING
G19	OPERATE AIR DECOY MISSILE SYSTEMS SUCH AS DRONES	30
G21	OPERATE AIR-TO-GROUND RADAR BOMB RUNS	36
G23	OPERATE ARMAMENT SYSTEMS	39
G24	OPERATE ATTACK RADARS	40
G26	OPERATE AUTOMATIC TEST EQUIPMENT	33
G45	OPERATE DISCS	32
G48	OPERATE ENGINE CONTROL SYSTEMS	30
G64	OPERATE INTENSITY OF TARGET, WEATHER, OR GROUND ILLUMINATION CONTROLS	5 30
G70	OPERATE MAGNETIC DISC UNITS	30
G77	OPERATE PERIPHERAL EQUIPMENT FOR STUDENT SCORING OR EVALUATIONS	SUCH
	AS BOMB RUNS, APPROACHES, OR INTERCEPTS	31
G104	OPERATE TERRAIN FOLLOWING RADAR	34
G125	SET UP GROUND TARGETS	47
18	ISOLATE MALFUNCTIONS ON CARD READERS	31
I18	ISOLATE MALFUNCTIONS ON DIGITAL TIMING SYSTEMS	30
130	ISOLATE MALFUNCTIONS ON MAGNETIC TAPE UNITS	33
J1	ISOLATE MALFUNCTIONS ON CANOPY ACTUATING MECHANISMS	49
J4	ISOLATE MALFUNCTIONS ON DIGITAL TARGET GENERATION SYSTEMS	40
L1	ISOLATE MALFUNCTIONS ON AIRBORNE TARGET GENERATION SYSTEMS	36
L5	ISOLATE MALFUNCTIONS ON AGA SYSTEMS	38
L6	ISOLATE MALFUNCTIONS ON ATTACK RADAR SYSTEMS	43
L30	ISOLATE MALFUNCTIONS ON OPTICAL SIGHT SYSTEMS	30
L36	ISOLATE MALFUNCTIONS ON RWR ECM SYSTEMS SUCH AS THAWS OR TEWS	43
L42	ISOLATE MALFUNCTIONS ON TERRAIN AVOIDANCE SYSTEMS	30
L43	ISOLATE MALFUNCTIONS ON TERRAIN FOLLOWING SYSTEMS	31
L45	ISOLATE MALFUNCTIONS ON TIMING SYSTEMS	31
M20	ISOLATE MALFUNCTIONS ON DIGITAL LINKAGE CONTROL PANELS	38
M50	TRANSLATE COMPUTER LANGUAGE PROGRAMS	31
P15	ADJUST CARD READERS	31
P51	ADJUST INERTIAL NAVIGATION SYSTEMS	41
P55	ADJUST LANDMASS GANTRY DRIVE SYSTEMS	48
Q6	BENCH CHECK ANALOG-TO-DIGITAL CONVERTER SYSTEMS	31

TASKS EXCLUSIVE TO THE 341X2 CAREER LADDER PERFORMED BY 30 PERCENT OR MORE OF FIRST ENLISTMENT PERSONNEL

TASK	S	PERCENT MEMBERS PERFORMING
G31	OPERATE CASSETTE TAPE UNITS	43
G52	OPERATE FIRE CONTROL ECM SYSTEMS	39
G53	OPERATE FIRE CONTROL HAND CONTROLS	54
G54	OPERATE FIRE CONTROL RADARS	42
G74	OPERATE MULTI-CHANNEL RECORDERS	39
G75	OPERATE PAPER TAPE PREPARATION UNITS	39
132	ISOLATE MALFUNCTIONS ON MULTI-CHANNEL RECORDERS	31
K37	ISOLATE MALFUNCTIONS ON SIMULATED MANUAL JAMMING SYSTEMS	34
L10	ISOLATE MALFUNCTIONS ON CHAFF DISPENSER ECM SYSTEMS	38
L15	ISOLATE MALFUNCTIONS ON FLARE ECM SYSTEMS	44
L38	ISOLATE MALFUNCTIONS ON SIMULATED AUTOMATIC JAMMING SYSTEMS	40
L39	ISOLATE MALFUNCTIONS ON SIMULATED MANUAL JAMMING SYSTEMS	39
L44	ISOLATE MALFUNCTIONS ON THREAT DISPLAY ECM SYSTEMS	37
P36	ADJUST FIRE CONTROL SYSTEMS	45
P65	ADJUST MULTI-CHANNEL TAPE RECORDERS	50
P140	ALIGN VIDEO TARGET GENERATION SYSTEMS	42
Q12	BENCH CHECK COMPARATORS OR DISCRIMINATORS	47

TASKS EXCLUSIVE TO THE 341X7 CAREER LADDER PERFORMED BY 30 PERCENT OR MORE OF FIRST ENLISTMENT PERSONNEL

TASK	S	PERCENT MEMBERS PERFORMING
E16	PREPARE TECHNICAL ORDER SYSTEM PUBLICATION IMPROVEMENT REPORT AND REPLY	
	FORMS (AFTO FORM 22)	31
F31	NORMALIZE COMMUNICATION SYSTEMS	83
F32	NORMALIZE STATUS AND COMMAND SYSTEMS	63
G16	MANUALLY PUNCH PAPER TAPES	48
H1	OPERATE AIR COMPRESSOR SYSTEMS	48
H2	OPERATE AUDIO CLOCKS	37
H6	OPERATE BUFFERS	52
H9	OPERATE EMERGENCY AIR CONDITIONING SYSTEMS	31
H10	OPERATE LAUNCH CONTROL SYSTEMS	65
H11	OPERATE LAUNCH ENABLE SYSTEMS	62
H12	OPERATE MAINTENANCE STATUS REPORTING SYSTEMS	33
H14	OPERATE MISSILE FAULT LOCATOR SYSTEMS	42
H16	OPERATE OR PERFORM EQUIPMENT EMERGENCY SHUTDOWN PROCEDURES	83
H17	OPERATE OR PERFORM EQUIPMENT SHUTDOWN PROCEDURES	94
H18	OPERATE OR PERFORM EQUIPMENT STARTUP PROCEDURES	92
H19	OPERATE PUBLIC ADDRESS (PA) SYSTEMS	44
H21	OPERATE SIGNAL DATA RECORDERS	69
H26	OPERATE VOICE REPORTING ASSEMBLY SYSTEMS	35
H27	OPERATE 465L SYSTEMS	79
H28	OPERATE 487L SYSTEMS	60
133	ISOLATE MALFUNCTIONS ON PAPER TAPE PREPARATION UNITS	56
134	ISOLATE MALFUNCTIONS ON PAPER TAPE UNITS	60
M51	WRITE FLOW CHARTS	31
N1	ISOLATE MALFUNCTIONS ON AIR COMPRESSOR SYSTEMS	35
N2	ISOLATE MALFUNCTIONS ON AUDIO CLOCKS	44
N3	ISOLATE MALFUNCTIONS ON AUDIO HAZARD ALARM SYSTEMS	50
N4	ISOLATE MALFUNCTIONS ON BATTERY POWER SUPPLIES	35
N5	ISOLATE MALFUNCTIONS ON BUFFERS	58
N6	ISOLATE MALFUNCTIONS ON CABLE PRESSURE ALARM SYSTEMS	31
N8	ISOLATE MALFUNCTIONS ON EMERGENCY AIR CONDITIONING SYSTEMS	38
N9	ISOLATE MALFUNCTIONS ON LAUNCH CONTROL SYSTEMS	77
N10	ISOLATE MALFUNCTIONS ON LAUNCH ENABLE SYSTEMS	73
N11	ISOLATE MALFUNCTIONS ON MISSILE FAULT LOCATOR SYSTEMS	44
N14	ISOLATE MALFUNCTIONS ON PA SYSTEMS	60
N15	ISOLATE MALFUNCTIONS ON SHOCK ISOLATOR SYSTEMS	52
N16	ISOLATE MALFUNCTIONS ON SIGNAL DATA RECORDERS	79
N17	ISOLATE MALFUNCTIONS ON SIMULATED FACILITY SYSTEMS	35
N18	ISOLATE MALFUNCTIONS ON UNIVAC 1532 INPUT OR OUTPUT CONSOLES	35
N21	ISOLATE MALFUNCTIONS ON VOICE MESSAGE SYNTHESIZERS	63
N22	ISOLATE MALFUNCTIONS ON VOICE REPORTING ASSEMBLY SYSTEMS	33
N23	ISOLATE MALFUNCTIONS ON 4651 SYSTEMS	85
N24	ISOLATE MALFUNCTIONS ON 487L SYSTEMS	62
06	RECONFIGURE MISSILE PROCEDURES TRAINERS	48
P9	ADJUST AUDIO CLOCKS	35
P21	ADJUST COMPUTER MEMORY BIT REGISTERS	38
P33	ADJUST DRIVE CURRENTS	46
P70	ADJUST PA SYSTEMS	52
P71	ADJUST PAPER TAPE PREPARATION UNITS	48
P97	ADJUST TAPE PUNCH UNITS	77
P98	ADJUST TAPE READERS	94
P99	ADJUST TAPE RECORDERS	37
P100	ADJUST TAPE TRANSPORTS OR HANDLERS	42
P102	ADJUST TELEPRINTERS	33
P109	ADJUST VOICE MESSAGE SYNTHESIZERS	54
P114	ADJUST 465L SYSTEMS	56
046	BENCH CHECK 4651 SYSTEMS	37

t

A-40

TASKS EXCLUSIVE TO THE 341X1 CAREER LADDER PERFORMED BY 30 PERCENT OR MORE OF FIRST ENLISTMENT PERSONNEL

PERCENT

TASK	s	MEMBERS
G120	SERVE AS INSTRUCTOR PILOT DURING SIMULATOR MISSIONS	41
R1	BRIEF STUDENTS OR PILOTS ON SIMULATED TRAINING MISSIONS	62
R2	BRIEF STUDENTS OR PILOTS ON STUDY REQUIREMENTS FOR NEXT SCHEDULED	
	TRAINER FLIGHT	43
R6	CRITIQUE STUDENTS OR PILOTS ON TRAINING MISSIONS	59
R7	DEMONSTRATE INSTRUMENT TRAINER FLIGHT OPERATIONS OR MANEUVERS	58
R8	EVALUATE STUDENT OR PILOT PERFORMANCE	57
R9	FLY PROFICIENCY TRAINING MISSIONS ON INSTRUMENT TRAINERS	42
R10	INSTRUCT OR DEMONSTRATE AIR ROUTE TRAFFIC CONTROL (ARTC) PROCEDURES	46
R11	INSTRUCT OR DEMONSTRATE ALTITUDE CONTROL PROCEDURES	51
R12	INSTRUCT OR DEMONSTRATE APPLICATION OF FLIGHT MANUALS OR REGULATIONS TO	
	INSTRUMENT OPERATIONS	45
R13	INSTRUCT OR DEMONSTRATE BASIC FLIGHT MANEUVERS	52
R14	INSTRUCT OR DEMONSTRATE BASIC INFORMATION ON NAVIGATIONAL AIDS SUCH AS	
	LOCATION, RANGES OR IDENTIFIERS	58
R15	INSTRUCT OR DEMONSTRATE COCKPIT CHECK PROCEDURES	55
R16	INSTRUCT OR DEMONSTRATE CONFIDENCE MANEUVERS	49
R17	INSTRUCT OR DEMONSTRATE CONSOLE PANEL OPERATION TECHNIQUES OR PROCEDURES	51
R18	INSTRUCT OR DEMONSTRATE DEPARTURE PROCEDURES	59
R19	INSTRUCT OR DEMONSTRATE DME PROCEDURES	46
R20	INSTRUCT OR DEMONSTRATE ENROUTE DESCENT PROCEDURES	46
R21	INSTRUCT OR DEMONSTRATE FIX-TO-FIX NAVIGATION PROCEDURES	59
R22	INSTRUCT OR DEMONSTRATE FLIGHT DIRECTOR OPERATIONS	32
R24	INSTRUCT OR DEMONSTRATE GROUND CONTROLLED APPROACH (GCA) PROCEDURES	54
R26	INSTRUCT OR DEMONSTRATE GROUND OR AIRBORNE EQUIPMENT CHECKPOINT PROCEDURES	30
R27	INSTRUCT OR DEMONSTRATE HOLDING OR STACKING PROCEDURES	54
R28	INSTRUCT OR DEMONSTRATE ILS PROCEDURES	39
R29	INSTRUCT OR DEMONSTRATE INFLIGHT CHECK PROCEDURES	48
R30	INSTRUCT OR DEMONSTRATE INSTRUMENT CHECK PROCEDURES	46
R32	INSTRUCT OR DEMONSTRATE INSTRUMENT PANEL CROSS CHECK TECHNIQUES OR	
	PROCEDURES	52
R34	INSTRUCT OR DEMONSTRATE MISSED APPROACH PROCEDURES	58
R35	INSTRUCT OR DEMONSTRATE PENETRATION AND APPROACH PROCEDURES	61
R36	INSTRUCT OR DEMONSTRATE RADAR APPROACH CONTROL (RAPCON) PROCEDURES	41
R37	INSTRUCT OR DEMONSTRATE RADIO FAILURE PROCEDURES	33
R38	INSTRUCT OR DEMONSTRATE RATED AND TIMED TURNS OR TURNS USING MAGNETIC	
	COMPASSES	41
R43	INSTRUCT OR DEMONSTRATE TAKE-OFF PROCEDURES	55
R44	INSTRUCT OR DEMONSTRATE TOWER OR GROUND PROCEDURES	55
R45	INSTRUCT OR DEMONSTRATE UNUSUAL ALTITUDE RECOVERIES	54
R47	INSTRUCT OR DEMONSTRATE VERY HIGH FREQUENCY OMNTRANGE (VOR) PROCEDURES	49
850	INSTRUCT STUDENTS OR PILOTS ON SETTING UP OPERATION OR USE OF INSTRUMENT	10
	TRAINERS	48
KS I	MARE STUDY REFERENCE RECOMMENDATIONS FOR IMPROVING STUDENT OR PILOT	20
	PERFORMANCE	39
NJJ DEE	PREFARE STUDENT URADE REPORTS	42
050	RESEARCH AIR FURCE REGULATIONS OF MANUALS	20
057	RESEARCH COMMAND REGULATIONS OR MANUALS DECEMBER FEDERAL AVIATION ACENCY (FAA) RECULATIONS	45
DEO	DECEMPCH FLIDERAL AVIATION AGENCI (TAA) REGULATIONS	43
00.0	ALOLANDI FLIFO	45

COMPARISON OF AFR 39-1 SPECIALTY DESCRIPTIONS

In evaluating the AFR 391 specialty descriptions of each ladder in the Training Devices career field, it became apparent that similar wording was being used to describe the duties and responsibilities of each specialty. As illustrated in Table 25, each paragraph in the Duties and Responsibilities section of the 3-/5-skill level specialty descriptions for each career ladder begin with essentially the same key italicized wording. The Specialty Summary is also essentially the same for each of the 3-/5-skill level descriptions. Although the paragraphs are not as closely aligned in the 7-skill level specialty descriptions, Table 25 shows that they too, are very similar in wording. Only the type of equipment maintained or operated changes from one description to the next.

The fact that the AFR 39-1 specialty descriptions for the ladders in the Training Devices career field describe similar duties and responsibilities is not to imply that the jobs are essentially the same. Rather the question should be raised as to whether these jobs should be classified as seven distinct specialties, each requiring an AFSC, or whether there should be fewer specialties within the career field. As these descriptions are currently written, there does not appear to be sufficient differentiation in job functions between the specialties to justify separate AFSCs. If these career ladders are to remain separate, specialty descriptions need to be written that emphasize the distinct and unique duties and responsibilities of each career ladder that were pointed out in the Occupational Survey Report for each of these specialties.

This similarity in job function displayed in the AFR 39-1 specialty descriptions has already been illustrated in the career field structure and the analysis of task performance. It is also evident in the construction of Specialty Training Standards.

KEY ITALICIZED WORDING FROM THE AFR 39-1 SPECIALTY DESCRIPTIONS FOR EACH CAREER LADDER IN THE AFS 341XX TRAINING DEVICES CAREER LADDER

		TS,				AINTAINS	JRS, OVERHAUI.			
341X7	PERFORMS PREVENTIVE MAINTENANCE	REPAIRS, ADJUS AND MODIFIES	OPERATES	SUPERVISES		INSPECTS AND M	INSTALLS, REPA TROUBLESHOOTS, AND MODIFIES	OPERATES	SUPERVISES	
341X6	PERFORMS PREVENTIVE MAINTENANCE	INSTALLS, TROUBLESHOOTS, REPAIRS AND MODIFIES	OPERATES	SUPERVISES		ADVISES ON TECHNICAL PROBLEMS OF INSTALLATION, OPERATION, AND REPAIR	INSTALLS, TROUBLESHOOTS, REPAIRS, ADJUSTS, AND MODIFIES	INSPECTS	OPERATES	SUPERVISES
341X5	PERFORMS PREVENTIVE MAINTENANCE	INSTALLS, MODIFIES, AND REPAIRS	OPERATES	SUPERVISES		ADVISES ON TECHNICAL PROBLEMS OF INSTALLATION, OPERATION, AND REPAIR	INSTALLS, TROUBLESHOOTS, REPAIRS, AND MODIFIES	INSPECTS	OPERATES	SUPERVISES
341X4	PERFORMS PREVENTIVE MAINTENANCE	INSTALLS, ADJUSTS, AND MODIFIES	OPERATES	SUPERVISES		INSPECT AND MAINTAINS	TROUBLESHOOTS, AND REPAIRS	INSTALLS, ADJUSTS, AND MODIFIES	OPERATES	SUPERVISES
341X3	PERFORMS PREVENTIVE MAINTENANCE	INSTALLS, ADJUSTS, AND MODIFIES	OPERATES	SUPERVISES		INSPECTS AND MAINTAINS	TROUBLE SHOOTS, AND REPAIRS	MODIFIES AND INSTALLS	SUPERVISES	SUPERVISES
341X2	PERFORMS PREVENTIVE MAINTENANCE	INSTALLS, ADJUSTS, AND MODIFIES	OPERATES	SUPERVISES		INSPECTS AND MAINTAINS	INSTALLS, REPAIRS, TROUBLESHOOTS, OVERHAULS AND MODIFIES	OPERATES	SUPERVISES	
341X1	PERFORMS MAINTENANCE	INSTALLS AND REPAIRS	OPERATES AND INSTRUCTS	SUPERVISES		ADVISES ON TECHNICAL PROBLEMS OF INSTALLATION, OPERATION, AND REPAIR	INSTALLS, REPAIRS, OVERHAULS, AND MODIFIES	INSPECTS	OPERATES	SUPERVISES
3-/5-SKILL LEVEL DESCRIPTIONS	PARAGRAPH A	PARAGRAPH B	PARAGRAPH C	PARAGRAPH D	7-SKILL LEVEL DESCRIPTIONS	Paragraph a	Paragraph B	PARAGRAPH C	PARAGRAPH D	PARAGRAPH E

z

A-43

1 .

COMPARISON OF THE TRAINING DEVICES SPECIALTY TRAINING STANDARDS (STS) FOR SIMILARITIES AND DIFFERENCES

A comparison of similarities and differences of STS tasks and knowledges across all ladders of the Training Devices career field was also accomplished. Since a comparison of each STS to the survey data was conducted and reported previously in the career ladder Occupational Survey Reports, this section will not readdress the findings.

Table 26 lists the similarities in the STS paragraphs for the various Training Devices career ladders. As is illustrated, the first 10 paragraphs are essentially the same for each specialty. Further similarities can also be noted, especially among the flight simulator and navigation/tactics career ladders. It appears that all the specialties possess certain common areas in which similar training is required, thus providing further evidence to substantiate the need for consolidation of some of the AFSCs in this career field.

Of course, each career ladder STS contains tasks and knowledges unique to that specialty. It is not within the scope of this report to determine whether these tasks and knowledges are appropriate for inclusion in the STS or whether they would be more appropriate in an AF Form 797, Job Proficiency Guide. That is a decision for training managers to make in cooperation with the major using agencies of Training Devices personnel. However, there is little question that like the AFR 39-1 specialty descriptions, the STS's within this career field possess a great deal of similarity in their training requirements.

COMPARISON OF SPECIALTY TRAINING STANDARDS BY TASKS AND KNOWLEDGE PARAGRAPHS FOR CAREER LADDERS IN THE AFS 341XX TRAINING DEVICES CAREER FIELD

TASK AND KNOLTEDGE DADAGEARDIG			STS PAI	RAGRAPH]	NUMBER		
CULANORAL TANADATA	341X1	341X2	341X3	341X4	341X5	341X6	341X7
CAREER LADDER PROGRESSION	1	1	1	1	1	-	
TRAINING DEVICES SAFETY	2	2	2	7	2	5	2
TECHNICAL ORDERS	m ~	с .	en .	ε.	e	e	e
SUPPLY RESPONSIBILITIES	t u	1 t	t.	t	4	4	4
SUPERVISION AND TRAINING	. .	- 4	~ ~	^	5	5	ŝ
MAINTENANCE MANAGEMENT, INSPECTION SYSTEMS	•	7	•	0	0	0	•
CLASS I TRAINER EOUIPMENT INVENTORY	2	9	2	7	1	1	1
UTILIZATION, AND STATUS REPORTING	80	8	∞	80	80	~	~
FIRTPONIC DETWOTERS	6	6	6	6	6	6	10
AERODYNAMICS OF FLICHT	10	10	10	10	10	10	6
AIRCREW TRAINING DEVICES (ATD) CONFICIDATION	11	1	=	=	•	•	•
ATD CIRCUITS AND COMPONENTS		' :	12	12	II	11	12*
MAINTENANCE OF ATDS	96	1 8	5	I3	21:	13	•
OPERATE ATD CONSOLES	15	19	15	16	14	15	• •
* MISSILE PROCEDURES TRAINER CONFIGURATION							
		FOTAL NUM	BER OF S	TS PARAG	RAPHS PF	R LADDER	
	341X1	341X2	341X3	341X4	341X5	341X6	341X7

e.

COMPARISON OF CURRENT SURVEYS TO THE PREVIOUS SURVEYS FOR AFSCs 341X3, 341X4, 341X5, and 341X6

In March 1974, an Occupational Survey Report was published covering the AFS 342X0 Flight Simulator, and AFS 343X0 Navigation/ Bomb/ Tactics Trainer career ladders. In April 1976, these two specialties were split to form the Analog and Digital Flight Simulator, and the Analog and Digital Navigation/Tactics Training Devices career ladders. Since this reorganization has made individual survey comparison very difficult, the four current surveys were compared as one to the previous survey and is included in this addendum.

Sample sizes for both surveys were representative. There were 1,166 respondents representing 67 percent of the career ladders' population in the previous survey. There were 1,334 respondents from the four AFSCs in the current survey, or 76 percent of the total assigned population.

Although there is little resemblance in career ladder structure between the two surveys, one factor has remained stable over time. In both studies, personnel tended to group by the type of equipment operated or maintained. In the first survey, it was by type of aircraft simulator. In the current survey, it was by computer type (analog or digital) of the simulator system. This tendency to group by computer type was also noted in the 1974 survey. It was realized then that as the fully integrated flight and navigation/tactics mission simulators entered the Air Force inventory the distinction between the separate jobs of the flight simulator personnel and the navigation/tactics trainer personnel would become blurred. This has indeed occurred as shown by survey results.

While the job structure appears to have changed through changes in equipment, the job satisfaction levels and reenlistment intentions of these airmen have remained relatively the same. Job satisfaction levels and reenlistment intentions were high in the first survey, and if anything, may be higher in the current survey.

Overall, the analysis of these career ladders over time seems to indicate that the job structure has changed and should continue to change as new and more sophisticated simulators become operational. At the same time, however, the jobs have remained and should continue to remain challenging and satisfying to the airmen that perform them.

SUMMARY OF RELATIVE JOB SATISFACTION

Table 27 displays the various percentages by career ladder of the responses to questions regarding job interest and perceived utilization of talents and training. As in the Occupational Survey Reports for each specialty, the percentages of responses from individuals in mission equipment maintenance AFSCs surveyed in 1977, are included for purposes of comparison.

Only the AFS 341X1 career ladder displayed lower job interest or perceived utilization of talents and training than the responses in the comparative sample. It is interesting to note that this career ladder, while classified as a maintenance specialty, actually has the majority of its personnel performing non-maintenance type jobs. It is not uncommon to find personnel that have been identified and trained for one type of job but performing in another to be dissatisfied with their work.

On the other hand, AFSCs 341X4, 341X6, and 341X7 are considerably more satisfied with their jobs than their career field contemporaries or their counterparts surveyed in 1977. No explanation for this can be given although, they do maintain newer and more sophisticated electronic equipment and perform a higher number of more difficult tasks in doing so.

Table 28 presents the responses to job interest and perceived utilization of talents and training of the first enlistement group for each career ladder. Results are similar to those described for the career ladder comparisons.

		TABLE 27						
EXPRESSION OF JOB INTERE	ST AND PER BY 341XX C (PERCE	KCEIVED UT AREER LAD NT RESPON	TLIZATION DER GROUP DING)	OF TALEN S	TS AND TR	AINING		
I FIND MY JOB	341X1 (N=185)	341X2 (N=137)	341X3 (N=483)	341X4 (N=415)	341X5 (N=159)	341X6 (N=277)	341X7 (8)	COMPARAT AFSCs**
NO REPLY EXTREMELY DULL TO FAIRLY DULL SO-SO FAIRLY INTERESTING TO EXTREMELY	1 17 15	12 14	10 *	* 5 40	0	-¥∞ ທ	0 00 00	0 16
INTERESTING	67	74	76	85	78	87	83	71
AY JOB UTILIZES MY TALENTS								
NO REPLY NOT AT ALL OR VERY LITTLE FAIRLY WELL TO VERY WELL EXCELLENTLY TO PERFECTLY	0 29 60 11	1 21 8 8	* 19 12	* 17 69 14	0 18 71 11	1 18 68 13	1 12 14 13	0 66 10
IY JOB UTILIZES MY TRAINING								
NO REPLY NOT AT ALL OR VERY LITTLE FAIRLY WELL TO VERY WELL EXCELLENTLY TO PERFECTLY	32 32 10	* 01 74 74	18 70 12	17 71 12	0 25 10	0 64 7	0 14 17 17	0 65 12
* INDICATES LESS THAN ONE PERCENT								

e

** BASED ON A SUMMARY OF OVER 21,800 RESPONSES FROM MISSION EQUIPMENT MAINTENANCE AFSCs SURVEYED IN 1977

EXPRESSION OF JOB INTEREST AND PERCEIVED UTILIZATION OF TALENTS AND TRAINING BY FIRST ENLISTMENT GROUPS IN THE 341XX CAREER FIELD (PERCENT RESPONDING)

		1	SHTNOM 84-	TOTAL AC	TIVE MILI	TARY SERV	ICE	
T ETUT AV TAR	341X1 (N=69)	341X2 (N=53)	341X3 (N=217)	341X4 (N=127)	341X5 (N=55)	341X6 (N=100)	341X7 (N=52)	COMPARATIV AFSCs**
GOC ILI ONTA T								-
NO REPLY	1	2	*	0	0	0	0	0
EXTREMELY DULL TO FAIRLY DULL	19	17	10	9	13	6	11	17
50-50 FAIRLY INTERESTING TO EXTREMELY	16	11	15	t	13	Э	12	21
INTERESTING	64	70	75	06	74	88	11	62
MY JOB UTILIZES MY TALENTS								
NO REPLY	0	2	0	1	0	0	2	0
NOT AT ALL OR VERY LITTLE	35	26	22	19	18	19	19	32
FAIRLY WELL TO VERY WELL	59	65	67	72	11	70	68	64
EACELLENTLY TO PERFECTLY	9	6	11	8	11	11	11	4
MY JOB UTILIZES MY TRAINING								
NO REPLY	1	0	0	0	0	0	0	0
NOT AT ALL OR VERY LITTLE	30	11	22	20	24	30	19	26
FAIRLY WELL IO VERY WELL	09	6/	69	73	69	68	99	67
EXCELLENTLY TO PERFECTLY	6	4	6	2	2	2	15	1

* INDICATES LESS THAN ONE PERCENT

** BASED ON A SUMMARY OF OVER 9900 RESPONSES FROM FIRST ENLISTMENT PERSONNEL IN MISSION EQUIPMENT MAINTENANCE AFSCs SURVEYED IN 1977

A CORRELATION OF CAREER FIELD TRENDS WITH OCCUPATIONAL SURVEY RESULTS

At this time, there are a number of independent factors bearing on this career field that have created a certain amount of turmoil and uncertainty among the personnel assigned to operate and maintain Air Force training devices. This section will review the principle highlights of the survey results for each career ladder and discuss them in relation to the current trends affecting the career field.

In the case of AFS 341X1 Instrument Trainer personnel. the majority were found to be performing primarily as instructor operators and not as equipment maintainers. Although they receive six weeks of resident electronic principles training, they show the least utilization of this training of any Training Devices career ladder as reported in the Occupational Survey Report, Summary for AFSCs Trained In Electronic Principles at Chanute AFB, published in February 1978. The inability of AFS 341X1 personnel to fully utilize their electronic principles training does not show proper utilization of training resources. In addition, the introduction of the Undergraduate Pilot Training - Instrument Flight Simulator has severly impacted on jobs performed by these airmen. Currently maintained by either contractor or AFS 341X4 personnel, and operated by either contractor or civilian federal employees, the instrument flight simulator does not require Instrument Trainer personnel. It has also severely reduced the use of the old instrument trainers which do require them. Discussions with personnel in the field indicate the instrument trainers will, in the near future, be either replaced by a new digital trainer maintained by AFS 341X4 personnel and operated by a rated pilot or just abandoned altogether. In any case, it appears there will be very little left on which to justify a separate career ladder for this specialty.

AFS 341X2 Defensive System Trainer personnel displayed a high degree of task commonality with other AFSCs operating and maintaining aircrew training devices, especially with AFS 341X6 Digital Navigation/ Tactics Training Devices personnel. Although there is insufficient data for recommending combination of this specialty with another AFSC, consideration should be given to including this career ladder in any discussions involving reorganization of the aircrew training devices career ladders (AFSCs 341X3, 341X4, 341X5, and 341X6) since the defensive system trainers are also aircrew training devices.

As with AFS 341X1 personnel, airmen assigned as AFS 341X3 Analog Flight Simulator personnel face an uncertain future. As the analog flight simulators are replaced with the more sophisticated digital mission simulators, the requirement for these individuals will steadily decrease. This is currently reflected in the projected resident course load of only 20 students during FY 79 and none for FY 80. If the career ladder is programmed for elimination, it is best to consider now, where in the classification system these airmen should be placed and whether training prior to reclassification will be necessary. Conversations with personnel in the field inciate an awareness of the situation.

A solution probably best for moral would be a classification change as soon as possible and a manning of 341X3 positions by special experience identifier (SEI) until the positions are deleted.

The situation looks much better for airmen in the AFS 341X4 Digital Flight Simulator career ladder. As the new digital mission simulators enter the Air Force inventory, the manning of this specialty will increase. Since this career ladder will soon be the largest specialty in the career field, it should serve as the basic ladder for any classification action that might result in specialty shredouts.

Like the analog flight simulators, analog navigation/tactics training devices are rapidly being replaced by newer digital systems. Consequently, the requirement for AFS 341X5 Navigation/Tactics Training Devices personnel will also decrease. Only 11 are projected for training during the FY 79-80 time frame. Any decisions made concerning the AFS 341X3 career ladder would also apply to this specialty.

The manning of the AFS 341X6 Digital Navigation/Tactics Training Devices career ladder should also increase as the new digital training devices replace the old analog systems. However, in April 1977, at the Career Field 341XX Review Conference held at Chanute AFB, Ill., representatives from TAC recommended that AFSCs 341X4 and 341X6 be combined because of the high similarity in the utilization of these personnel. Survey data supports this recommendation. The tasks performed and the percent of time spent on those tasks was so similar that the two AFSCs could not be distinguished separately in the career field job cluster analysis. Identification of job types within each AFSC required separate cluster diagrams. This concept is also supported by conversations with field supervisors who readily admit that they often use AFS 341X4 and 341X6 personnel interchangeably.

AFS 341X7 Missile Trainer personnel, while not performing maintenance on air crew training devices, still possess a great deal of task commonality with the other ladders in the career field, especially those maintaining digital computer systems. Although there is insufficient evidence to suggest this career ladder could be combined with another aircrew training devices career ladder, survey data does support this specialty as a shredout of a more broadly named digital training devices AFSC that would also include AFSCs 341X2, 341X4, and 341X6.

There is little question that with over 200 new simulators and training devices on order and scheduled to enter the inventory over the next four years that the Training Devices career field is in a rapid state of change. As electronic technology has advanced and new training devices replace the old, the differences in the jobs performed within the various career ladders have become less distinguishable. The time for a hard look at restructuring this career field has arrived. Career field managers should review the situation, apply the information available to them, and resolve the existing problems as soon as possible so the high moral, job satisfaction, and job performance of the airmen in the Training Devices career field will be maintained.

IMPLICATIONS

In the analysis of the survey data, it was found that the Training Devices career field is composed, for the most part, of fairly homogeneous, reasonably satisfied individuals whose job is to operate and maintain aircrew and missile training devices. There is a high degree of commonality across all the career ladders in the areas of performing preventive maintenance, operating training devices, and general malfunction isolation procedures. There are also distinguishing differences among the career ladders, especially in the areas of performing instructor operator duties and in the operation and maintenance of equipment unique to each career ladder. The implications of such findings are many and varied.

Certainly, there is sufficient occupational survey data, coupled with agreement among major users, to recommend consolidation of the AFS 341X4 and AFS 341X6 career ladders. The future of the jobs in these specialties is assured, and as more and more training devices utilizing digital computers enter the Air Force inventory, the necessity of having knowledge in this newer technology in order to adequately function at the 9-skill level will surely be an advantage to the individuals now maintaining digital equipment. What then of the other airmen in the career field? As the analog training devices are replaced by digital systems, what will happen to these personnel? During this transition period, should the AFS 341X1, AFS 341X3, AFS 341X5 remain distinct specialties until the changeover is complete? Should all the aircrew training devices be combined now and instrument flight and analog simulator positions identified through either a specialty shredout or a special experience identifier (SEI)? Is the defensive system trainer an aircrew training device and is there enough similarity in the jobs performed by AFS 341X2 airmen to consider this AFSC in any plans concerning the ladders maintaining aircrew training devices? Is the Missile Trainer career ladder really so different and unique that it should remain a separate AFSC; or should it be a specialty shredout of a digital training devices career ladder; or could the job be performed by airmen from an aircrew training devices career ladder?

There is little doubt that much time and considerable effort on the part of everyone concerned with this career field will be needed to answer these questions. A comprehensive plan to provide stability and order to personnel management during this period of equipment transition must be formulated and implemented as soon as possible to minimize personnel turmoil, insure that the technical training center will provide the students with the quality training necessary to perform the job in the field, and to especially maintain the high degree of job satisfaction currently exhibited by the airmen now serving in the Training Devices career field.