

AD-A065 670

STANFORD UNIV CALIF EDWARD L GINZTON LAB

F/6 9/5

JSEP ACHIEVEMENTS 1961-1978 (UPDATE OF 15-YEAR REPORT DATED SEP--ETC(U)  
FEB 79 M CHODOROW

N00014-75-C-0632

UNCLASSIFIED

GL-2922

NL

| OF |  
ADA  
065670



END  
DATE  
FILMED  
4-79  
DDC



LEVEL II

11

6

JSEP ACHIEVEMENTS

1961 - 1978

(Update of 15-Year Report dated September 1976)

9 Interim rept.,

14

GL-~~Report~~ 2922

11

Feb ~~1979~~

12 12 p.

15

Contract: N00014-75-C-0632

Principal Investigator: Marvin/Chodorow

10

AD A0 65670

DDC FILE COPY

The work reported in this report was supported by the Joint Services Electronics Program through the Office of Naval Research.

ACCESSION FOR	
DTIC	White Section <input checked="" type="checkbox"/>
DDC	Grey Section <input type="checkbox"/>
MANUFACTURED	<input type="checkbox"/>
JUSTIFICATION	<input type="checkbox"/>
BY	
DISTRIBUTION/AVAILABILITY STATEMENT	
Dist.	AVAIL. STATEMENT SPECIAL
A	

Edward L. Ginzton Laboratory  
W. W. Hansen Laboratories of Physics  
Stanford University  
Stanford, California

RECEIVED  
MAR 14 1979  
D

DISTRIBUTION STATEMENT A  
Approved for public release;  
Distribution Unlimited

409 640  
79 03 08 006

mt

### 1. Electronic Scanning and Focusing of Acoustic Beams

On this program we demonstrated new types of electronically scanned and focused acoustic imaging systems. As part of the program, we arrived at a new design philosophy and developed technology for construction of acoustic transducer arrays. Because of this initial effort, Stanford now has the largest program in Nondestructive Testing of any university in the country. We are now being supported by block funding from AFOSR to continue our work in this field on a long-term basis.

Our transducer design techniques are being employed commercially by Precision Acoustic Devices, Inc., a commercial firm started by the two students involved with the work. Varian Associates are now building an acoustic imaging system, with ARPA support for use in NDT. This work is closely associated with the design philosophy and with the methods pioneered in this laboratory, where we demonstrated for the first time the power of acoustic imaging methods for the Nondestructive Testing application.

### 2. Surface Acoustic Wave Convolution and Signal Storage

This work is an important extension of the acoustic surface wave convolver first demonstrated in this laboratory, in which a reference signal can be stored in a silicon element in a surface acoustic wave convolver, and later read out, correlated or convolved in real time with an arbitrary input signal, with potential for storage times in the tens of milliseconds.

Convolvers based on the design method and much of the technology pioneered at Stanford are now being built by Texas Instruments, Lincoln Laboratories, France, Britain, and other countries for use in military radar systems. They have been shown to have important applications in spread spectrum communications.

The storage correlator has been shown by us to be a very useful adaptive filter. Both here and at Lincoln Labs, correlation of codes with time-bandwidth products of approximately 30,000 has been demonstrated, with a predicted ultimate capability of up to  $10^6$ . Demonstrations have been made by us of the use of a monolithic storage correlator to decrease the amplitude of an interfering cw signal by 30 dB, and to correlate long PN codes. These are important applications for use in spread spectrum systems.

The work is leading to a new class of devices employing silicon technology and combining the best features of CCDs and other types of transversal filters with ASW concepts.

### 3. Scanning Acoustic Microscope

This is a new device for microscopic imaging based on acoustic radiation at 3 GHz. The wavelength of sound in water at this frequency is equal to optical wavelengths. The resolution of the acoustic microscope at the present time is comparable with the optical microscope. It has been used for viewing a wide variety of integrated circuits. It holds an advantage over the optical instrument in that it can be used to collect information

in depth - details of structure that lies beneath the surface and within the layers that are commonly used in the fabrication of integrated circuits.

The characteristics of this new instrument have been carefully reviewed by technical staff members at IBM, TI, Intel, Bell Labs, Varian Associates and Hewlett-Packard. Each of these organizations has provided us with samples and they have spent time in analyzing the acoustic micrographs. At least one of these has commenced a project to build their own acoustic microscope so as to gain a detailed understanding of its operation in their own laboratories.

#### 4. Surface Acoustic Wave Amplifiers

The first surface acoustic wave amplifiers with high terminal gain were demonstrated on this program, and this was followed by models capable of cw operation and monolithic models using thin film semiconductor elements, and these have potential for increasing the signal to noise ratio and dynamic range in future surface acoustic wave devices involving long time delays. The work has been followed up at Lincoln Laboratories, in Japan, and in France, who have demonstrated low noise devices operating on a cw basis.

#### 5. Electrical Behavior of Superconducting Quantum Devices using High Transition Temperature Materials

We have made substantial progress in solving the materials problems involved in fabricating thin film superconducting devices from the high transition temperature superconductors. This has led to oxide layer tunnel junctions of potential technological significance and promising SNS micro-bridge Josephson junction structures. We have also developed a new, refractory lift-off process suitable for fabricating microcircuits of these materials for which, because of the high deposition temperatures required, conventional photoresist is unusable. These accomplishments are essential steps toward practical application of such high transition temperatures with their generally superior superconducting properties and potential for use with small closed-cycle cryogenics refrigerators.

#### 6. Optical Scanning Using Surface Acoustic Waves

A new device was demonstrated in which a surface acoustic wave provides electronic scanning of an optical image projected onto a silicon surface, giving directly either a reproduction of the imaging or the Fourier transform or other transform of the image in real time.

Texas Instruments has been carrying out a study contract for ARPA on infrared imaging using these techniques. This work looks extremely promising, and it is expected that test devices based on these principles will be constructed during the next two years.

Work in France, carried out by one of our former students, has shown that these devices can exhibit extremely high sensitivity.

7. Surface Acoustic Wave Long Delay Lines

No additional report.

8. Acoustic Transducers using Piezoelectric Polymers

The first practical ultrasonic transducers have been demonstrated using a new piezoelectric plastic film material (polyvinylidene fluoride), which have much larger bandwidth, much better impulse response, much better acoustic matching into water, and higher upper operating frequencies than commercial PZT transducers, as well as mechanical advantages. These results were instrumental in the establishment of an interdisciplinary research program at Stanford under NSF, AFOSR and ONR support, studying new approaches to synthesis of the polymer, fabrication of thin films, and experimental demonstration of ultrasonic transducers and arrays for application to nondestructive testing and evaluation of materials and structures where high resolution is required, or where, curved surfaces or large areas are involved, or where inexpensive construction is important.

9. Measurement of Fast Physical Processes Using Picosecond Laser Pulses

A novel technique has been developed for measuring time constants of very fast physical processes, using a spatial volume grating pattern (hologram) produced by interfering optical picosecond pulses from mode-locked lasers. This technique has been successfully applied to the study of energy transport in molecular crystals in the picosecond time domain, namely diffusion of molecular exciton states in crystals (a,b), which is a problem of fundamental importance in organic chemistry, semiconductor physics and biophysics, since in these areas, exciton transport in the picosecond regime is believed to be of primary importance.

Due to the importance of these techniques, a twin laboratory setup exists now in the Chemistry Department at Stanford University for the sole purpose of detailed study of time resolved exciton processes.

Also a similar facility is being developed at the Physical Chemistry Department at the University of Groningen, Holland, to study coherent and transport processes in organic solids.

In addition, a novel acoustooptic interaction was observed in molecular crystals, resulting in an amplitude grating like behavior. Optical and acoustic properties appear interleaved, and direct information on phonon processes in crystals is obtained in addition to the excited state transport information (c).

These studies also led to the development of photoacoustic microscopy as a viable powerful and important technique for studying materials and surfaces, in a method which concentrates the advantages of acoustic and optical microscopy in a single process (d).

An extension of the grating technique is currently being developed, which should allow subpicosecond resolutions without the need for picosecond lasers (e).

**Bibliography:**

- (a) J.R. Salcedo, A.E. Siegman, D.D. Dlott, and M.D. Fayer, "Dynamics of Energy Transport in Molecular Crystals: The Picosecond Transient Grating Method", Phys. Rev. Lett. 41, 131 (10 July 1978).
- (b) A.E. Siegman, "Bragg Diffraction of a Gaussian Beam by a Crossed-Gaussian Volume Grating", J. Opt. Soc. Am. 67, 545 (1977).
- (c) J.R. Salcedo and A.E. Siegman, "Laser Induced Photoacoustic Grating Effects in Molecular Crystals", IEEE JQE, April 1979, in press.
- (d) H.K. Wickramasinghe, R.C. Brag, V. Jipson, C.F. Quate and J.R. Salcedo, "Photoacoustics on a Microscopic Scale", Appl Phys. Lett. 33, 923 (1 Dec. 1978).
- (e) A.E. Siegman, "Proposed Picosecond Excited-State Measurement Method Using a Tunable-Laser-Induced Grating", Appl. Phys. Lett. 30, 21 (1 Jan. 1977).

10. New Concepts in the Theory and Practice of Space Charge Waves Plasmas and Microwave Tubes

No additional report.

References

for Items 1, 2, 3, 5, 6 and 8, shown on attachment.

REFERENCES - for Items 1, 2, 3, 5, 6, 8

Progress Reports, Technical Reports, Preprints, Publications, and Internal Memoranda Prepared under the Sponsorship of JSEP Contracts N00014-67-A-0112-0039 and N00014-75-C-0632 1 July 1973 through 30 September 1978.

Item	H.L. Report No.	
	2170	Staff, "Microwave Research," Annual Status Report No. 6 for the period 1 June 1972 to 31 May 1973 (October 1973).
	2179	C.M. Fortunko and H.J. Shaw, "Signal Transformation with Recirculating SAW Delay Lines," Preprint. Published in IEEE Trans. on Sonics and Ultrasonics <u>SU-21</u> , 1 (January 1974).
	2204	G.S. Kino and H.J. Shaw, "Acoustic Surface Waves," Reprint from Scientific American <u>227</u> , 4, 51-68 (October 1972).
1	2205	J.F. Havlice, G.S. Kino, J.S. Kofol, and C.F. Quate, "An Electronically Focused Acoustic Imaging Device," Preprint (August 1973). Presented at the Fifth International Symposium on Acoustical Holography and Imaging, Palo Alto, California, July 18-20, 1973.
1	2211	J.F. Havlice, G.S. Kino, and C.F. Quate, "A New Acoustic Imaging Device," Preprint (September 1973). Presented at the International Conference on Solid State Devices, Tokyo, Japan.
1	2218	J.F. Havlice, G.S. Kino, and C.F. Quate, "Electronically Focused Acoustic Imaging Device," Technical Report (December 1973). Also, a Reprint from Appl. Phys. Letters <u>23</u> , 11, 581-583 (1 December 1973).
6	2238	C.F. Quate, "Optical Imaging Scanning with Acoustic Surface Waves," Preprint (December 1973). Presented at the IEEE Ultrasonics Symposium, November 5-7, 1973 at Monterey, California.
	2291	Staff, "Microwave Research," Semiannual Status Report for the period 1 June - 31 December 1973 (March 1974).
2	2294	H. Hayakawa and G.S. Kino, "Storage of Acoustic Signals in Surface States in Silicon," Preprint (May 1974). Also published in Appl. Phys. Letters <u>25</u> , 4, 178-180 (15 August 1974).
3	2297	R.A. Lemons and C.F. Quate, "Integrated Circuits as Viewed with an Acoustic Microscope," Preprint (May 1974). Also published in Appl. Phys. Letters <u>25</u> , 5, 251-253 (1 September 1974).

<u>Item</u>	<u>H.L. Report No.</u>	
6	2333	G.S. Kino, "Acoustical Scanning of Optical and Acoustic Images," Preprint (July 1974). Appeared in the Proceedings of the Optical and Acoustical Micro-Electronics Symposium held in April 1974.
1	2335	J.H. Goll and B.A. Auld, "Multilayer Impedance Matching Schemes for Broadbanding of Water Loaded Piezoelectric Transducers and High Q Electric Resonators," Preprint (July 1974). Also published in IEEE Transactions on Sonics and Ultrasonics, Vol. SU-22, No. 1, 52-53 (January 1975).
1	2378	J. Fraser, J. Havlice, G.S. Kino, W. Leung, H.J. Shaw, K. Toda, T. Waugh, D.K. Winslow, and L. Zitelli, "A Two-Dimensional Electronically Focused Imaging System," Preprint (November 1974). Presented at the IEEE Group on Sonics and Ultrasonics Symposium, November 11-13, 1974.
1	2383	B.A. Auld, C. DeSilets, and G.S. Kino, "A New Acoustic Array for Acoustic Imaging," Preprint (November 1974). Presented at the IEEE Group on Sonics and Ultrasonics Symposium, November 11-13, 1974.
1	2445	J. Fraser, J. Havlice, G. Kino, W. Leung, H. Shaw, K. Toda, T. Waugh, D. Winslow, and L. Zitelli, "An Electronically Focused Two-Dimensional Acoustic Imaging System," Preprint. Reprinted from Acoustical Holography, Vol. 6, 275-304 (February 1975).
3	2453	R.A. Lemons and C.F. Quate, "Advances in Mechanically Scanned Acoustic Microscopy," Preprint. Presented at the 1974 IEEE Ultrasonics Symposium, Milwaukee, Wisconsin November 11-14, 1974 (June 1975).
	2480	Staff, "Significant Accomplishments," for the period 1 June 1974 - 31 May 1975 (September 1975).
1	2482	C.S. DeSilets, J. Fraser, and G.S. Kino, "Transducer Arrays Suitable for Acoustic Imaging," Preprint (September 1975), Presented at the 1975 IEEE Ultrasonics Symposium at Los Angeles, September 22-24, 1975.
2	2518	G.S. Kino, "Acoustoelectric Interactions in Acoustic Interactions in Acoustic Surface Wave Devices," Preprint (May 1976). Published in Proceedings of the IEEE, 724-748 (May 1976).
	2519	H.J. Shaw, "Degradation in Noise Figure Along a Chain of Noisy Networks," Internal Memorandum (January 1976).
	2536	W.L. Bond, C.M. Fortunko, S.L. Quilici, H.J. Shaw, and J. Souquet, "Surface Acoustic Wave Probing with Spaced Interdigital Transducers," Preprint (February 1976).



<u>Item</u>	<u>H.L. Report No.</u>	
	2565	R. Kompfner, "The Invention of Traveling Wave Tubes," Reprint from IEEE Transactions on Electron Devices, Vol. ED-23, No. 7, 730-738 (July 1976).
8	2570	L. Bui, H.J. Shaw, and L.T. Zitelli, "Study of Acoustic Wave Resonance in Piezoelectric PVF <sub>2</sub> Film," Preprint (May 1976). Published in IEEE Transactions on Sonics and Ultrasonics, Vol. SU-24, No. 5, 331-336 (September 1977).
8	2573	L. Bui, H.J. Shaw, and L.T. Zitelli, "Experimental Broadband Ultrasonic Transducers using PVF <sub>2</sub> Piezoelectric Film," Preprint (May 1976). Published in Electronics Letters, Vol. 12, No. 16, 393-394 (5 August 1976).
2	2586	P.G. Borden and G.S. Kino, "Correlation with the Storage Convolver," Preprint (June 1976). Published in Appl. Phys. Letters, <u>29</u> , No. 9, 527-529 (1 November 1976).
5	2605	D.F. Moore, J.M. Rowell, and M.R. Beasley, "Superconductive Tunneling into Niobium-Tin Thin Films," Reprint from Solid State Communications, Vol. 20, pp. 305-308 (1976).
	2617	Staff, "Significant Accomplishments," for the period 1 June 1975 - 31 May 1976 (September 1976).
	2622	B.A. Auld, J.J. Gagnepain, and M. Tan, "Horizontal Shear Surface Waves on Corrugated Surfaces," Preprint (October 1976). Published in Electronics Letters, Vol. 12, 650-651 (25 November 1976).
	2689	C.F. Quate, "Recount of Program on Acoustic Microscopy," Internal Memorandum (April 1977). Presented at the Acoustic Microscopy Symposium-Workshop, Indianapolis, February 14-18, 1977.
1	2695	C.S. DeSilets, J.D. Fraser, and G.S. Kino, "The Design of Efficient Broadband Piezoelectric Transducers," Preprint (May 1977). Published in IEEE Transactions on Sonics and Ultrasonics, Vol. SU-25, No. 3 (May 1978), pp. 115-125.
	2708	B.A. Auld and B.-H. Yeh, "Piezoelectric Shear Surface Wave Grating Resonators," Preprint (May 1977). To appear in the Proceedings of the 31st Annual Symposium on Frequency Control.
	2709	G.S. Kino, "Acoustic Wave Measurements of Semiconductor Parameters," Preprint (June 1977). An invited paper to be presented at the International Symposium on Microwave Diagnostics and Semiconductors at Porvoo, Finland, July 13-15, 1977.

<u>Item</u>	<u>H.L. Report No.</u>	
3	2735	A. Atalar, C.F. Quate, and H.K. Wickramasinghe, "Phase Imaging in Reflection with the Acoustic Microscope," Preprint (August 1977). Published in Appl. Phys. Letters <u>31</u> , No. 12, 791-793 (15 December 1977).
2	2774	P.M. Grant, "Signal Processors Based on Combined Charge Coupled Devices and Surface Acoustic Wave Devices," Preprint (January 1978). Presented at the 1978 IEEE International Symposium on Circuits and Systems, New York City, May 1978.
	2819	S.E. Harris, J. Lukasik, J.F. Young, and L.J. Zych, "Anti-Stokes Emission as a VUV and Soft X-ray Source," Preprint (June 1978).
1	2833	C.S. DeSilets, "Transducer Arrays Suitable for Acoustic Imaging," Internal Memorandum and Ph.D. Dissertation (June 1978).
1	2866	C.S. DeSilets, A.R. Selfridge, and G.S. Kino, "Highly Efficient Transducer Arrays Useful in Nondestructive Testing Applications," Preprint (September 1978). To appear in the 1978 Ultrasonics Symposium Proceedings.
		S.E. Harris and J.F. Young, "Techniques for Rapid Laser Induced Energy Transfer Using Metastable States", to appear in the SPIE Proceedings.
5		R.B. van Dover, R.E. Howard, and M.R. Beasley, "Fabrication and Characterization of S-N-S Planar Microbridges", IEEE Trans. Mag. <u>MAG-15</u> , 574 (1979).
5		R.E. Howard, "A Refractory Lift-off Process with Applications to High-T <sub>c</sub> Superconducting Circuits", submitted to Applied Physics Letters.

## ADDENDUM

Additional possibly relative information is included in the addendum below. This includes Item 1, important work done under current contract N00014-75-C-0632 on applications of a new tunable VUV light source, Items 2 and 3, significant work done within the last ten years under JSEP support on SEL contracts. A related bibliography addendum for Items 1, 2, and 3 is attached.

(1) Most recently, work under Joint Services support (N00014-75-C-0632) has been aimed at vacuum ultraviolet spectroscopy using the new anti-Stokes light source. This work has attracted significant attention and, with some luck, may become a useful VUV-soft x-ray spectroscopic technique.

(2) In 1971 the electronically tunable acousto-optic filter was used to construct the first electronically tunable dye laser. This device had a linewidth of several wavenumbers and was tunable over the visible spectrum. Although the device is not yet of commercial importance, it remains to date the only way to construct a rapidly tunable, randomly accessible, electronically tunable laser.

There were also important studies of the aperture-bandwidth characteristics of the acousto-optic filter. The acousto-optic filter could play a substantial role in DOD application.

(3) For several years there has been a program on up-conversion of infrared signals and images to the visible making use of the nonlinear optical metal vapor techniques developed in this group. Although the program has technically been very successful, it is not yet a part of on-going technology.

A list of relevant publications which resulted from Joint Services support, numbered according to the above listing, is attached.

BIBLIOGRAPHY - ADDENDUM

1. S. E. Harris, J. Lukasik, J. F. Young, and L. J. Zych, "Anti-Stokes Emission as a VUV and Soft X-Ray Source," in Picosecond Phenomena, C. V. Shank, E. P. Ippen, and S. L. Shapiro, eds. (New York: Springer-Verlag, 1978).  
  
R. W. Falcone, J. R. Willison, J. F. Young, and S. E. Harris, "Measurement of the He  $1s2s^1S_0$  Isotopic Shift Using a Tunable VUV Anti-Stokes Light Source," Optics Lett. 3, 162 (November 1978).  
  
S. E. Harris and J. F. Young, "Techniques for Rapid Laser Induced Energy Transfer Using Metastable States," Proceedings for the International Conference on Lasers 1978 (to be published).
2. D. J. Taylor, S. E. Harris, S. T. K. Nieh, and T. W. Hansch, "Electronic Tuning of a Dye Laser Using the Acousto-Optic Filter," Appl. Phys. Lett. 19, 269 (October 1971).  
  
S. T. K. Nieh and S. E. Harris, "Aperture-Bandwidth Characteristics of the Acousto-Optic Filter," J. Opt. Soc. Am. 62, 672 (May 1972).
3. D. M. Bloom, James T. Yardley, J. F. Young, and S. E. Harris, "Infrared Up-Conversion with Resonantly Two-Photon Pumped Metal Vapors," Appl. Phys. Lett. 24, 427 (May 1974).  
  
E. A. Stappaerts, S. E. Harris, and J. F. Young, "Efficient IR Image Up-Conversion in Two-Photon Resonantly Pumped Cs Vapor," Appl. Phys. Lett. 29, 669 (November 1976).

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT. ACCESSION NO.	3. RECIPIENT'S CATALOG NO.
4. TITLE (and Subtitle)  JSEP ACHIEVEMENTS 1961 THROUGH 1978		5. TYPE OF REPORT  Interim
7. AUTHOR(S)  M. Chodorow		6. PERFORMING ORGANIZATION REPORT NO. GL 2922
9. PERFORMING ORGANIZATION NAME AND ADDRESS Edward L. Ginzton Laboratory Stanford University Stanford, CA 94305		8. CONTRACT OR GRANT NO.  N00014-75-C-0632
11. CONTROLLING OFFICE NAME AND ADDRESS Chairman, Joint Services Electronics Program [Through] Office of Naval Research 800 N. Quincy Street Arlington VA 22217		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from 11. above)		12. REPORT DATE 13 FEBRUARY 1979
		13. NO. OF PAGES 10
		15. SECURITY CLASS (of this report)  UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; its distribution is unlimited		
17. DISTRIBUTION STATEMENT (of the Abstract entered in Block 20 if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by Block no.)		
Electronic Scanning	Surface Acoustic Waves	Surface Acoustic Wave Convolution
Acoustic Beam Focusing	Acoustic Radiation	Silicon Element Signal Storage
Acoustic Imaging	Ultrasonic Transducers	Surface Acoustic Wave Amplifiers
Acoustic Transducer Arrays	Microcircuit Materials Fabrication	Superconducting Quantum Devices
Nondestructive Testing	Polyvinylidene Fluoride Acoustic Transducers	[Continued Over]
20. ABSTRACT (Continue on reverse side if necessary and identify by Block no.)		
<p>This report updates the information provided in the Fifteen Year Report (dated: September 1976), setting forth a number of the significant accomplishments under JSEP sponsorship in the E. L. Ginzton Laboratory (formerly the Microwave Laboratory) of Stanford University. The report summarizes, as well, the flow of some of this research from the JSEP Contract to other sponsored research contracts and grants within the university, and outside of the university- to other research and educational institutions, as well as industry. ←</p>		

EDITION OF 1 NOV 65 IS OBSOLETE

DD FORM 1 JAN 73 1473

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

19. KEY WORDS (Continued)

High Transition Temperature Materials	Photoacoustic Microscopy
Thin-film Superconducting Devices	Fast Physical Processes Measurement
Surface Acoustic Wave Optical Scanning	Lasers
Piezoelectric Polymer Acoustic Transducers	Optics
Time-resolved Exciton Processes	Superconductors
Acousto-optic Interaction	Quantum Electronics
Solid State Devices	

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)