

AD-A066314

FTD-ID(RS)T-1154-78

1

FOREIGN TECHNOLOGY DIVISION



HANDBOOK ON A CLIMATE OF THE USSR
Issue 8, Part V



D D C
REF ID: A65140
20 March 1979
REF ID: A65141
E

Approved for public release;
distribution unlimited.

FTD-ID(RS)T-1154-78

UNEDITED MACHINE TRANSLATION

FTD-ID(RS)T-1154-78

6 October 1978

MICROFICHE NR: **FTD-78-C-001379**

HANDBOOK ON A CLIMATE OF THE USSR
ISSUE 8, PART V

English pages: 259

Source: Spravochnik po Klimatu SSSR, Issue 8,
Part V, Gidrometeorologicheskoye Izd-vo,
Leningrad, 1968

Country of origin: USSR

This document is a machine translation

Requester: FTD/WE

Approved for public release; distribution unlimited.

ACCESSION NO.	REF ID	
RT19	V. 10 Section <input checked="" type="checkbox"/>	
DDC	Bull Section <input type="checkbox"/>	
UNANNUAL	<input checked="" type="checkbox"/>	
JUSTICE	<input type="checkbox"/>	

BY		
DISTRIBUTION/AVAILABILITY CODES		
DIST	AVAIL	SPECIAL
A		

THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN TECHNOLOGY DIVISION.

PREPARED BY:

TRANSLATION DIVISION
FOREIGN TECHNOLOGY DIVISION
WP-AFB, OHIO.

FTD-ID(RS)T-1154-78

Date 6 Oct 1978

Table of Contents

U.S. Board on Geographic Names Transliteration System.....	ii
Preface.....	1
General Information the Short Characteristic of the Conditions of Cloudiness and of Atmospheric Phenomena.....	5
Explanations to Tables.....	69
Section 1. Cloudiness.....	69
Section 2. Fog.....	89
Section 3. Snow Storms.....	96
Section 4. Thunderstorm.....	108
Section 5. Hail.....	114
Section 1. Cloud Cover.....	116
Section 2. Fogs.....	168
Section 3. Snowstorms.....	196
Section 4. Storms.....	215
Section 5. Hail.....	227
List of Meteorological Stations and Posts.....	255
Necessary Corrections to "Reference Book On Climate of the USSR", 8th Edition.....	259

U. S. BOARD ON GEOGRAPHIC NAMES TRANSLITERATION SYSTEM

Block	Italic	Transliteration	Block	Italic	Transliteration
А а	А а	A, a	Р р	Р р	R, r
Б б	Б б	B, b	С с	С с	S, s
В в	В в	V, v	Т т	Т т	T, t
Г г	Г г	G, g	У у	У у	U, u
Д д	Д д	D, d	Ф ф	Ф ф	F, f
Е е	Е е	Ye, ye; E, e*	Х х	Х х	Kh, kh
Ж ж	Ж ж	Zh, zh	Ц ц	Ц ц	Ts, ts
З з	З з	Z, z	Ч ч	Ч ч	Ch, ch
И и	И и	I, i	Ш ш	Ш ш	Sh, sh
Й й	Й й	Y, y	Щ щ	Щ щ	Shch, shch
К к	К к	K, k	Ь ъ	Ь ъ	"
Л л	Л л	L, l	Н н	Н н	Y, y
М м	М м	M, m	Ь ъ	Ь ъ	'
Н н	Н н	N, n	Э э	Э э	E, e
О о	О о	O, o	Ю ю	Ю ю	Yu, yu
П п	П п	P, p	Я я	Я я	Ya, ya

*ye initially, after vowels, and after ъ, ъ; e elsewhere.
When written as ё in Russian, transliterate as yё or ё.

RUSSIAN AND ENGLISH TRIGONOMETRIC FUNCTIONS

Russian	English	Russian	English	Russian	English
sin	sin	sh	sinh	arc sh	\sinh^{-1}
cos	cos	ch	cosh	arc ch	\cosh^{-1}
tg	tan	th	tanh	arc th	\tanh^{-1}
ctg	cot	cth	coth	arc cth	\coth^{-1}
sec	sec	sch	sech	arc sch	sech^{-1}
cosec	csc	csch	csch	arc csch	csch^{-1}

Russian English

rot	curl
lg	log

Pages 2-4 No Typing.

Translator's Note: Transliterated station list by number is presented on page 1 of translation.

Page 5.

PREFACE.

"Handbook on the climate of the USSR" consists of 34 issues, comprised by the controls of hydrometeorological service employing single program and the procedure, developed of main geophysical observatory and ty the affirmed editorial board of GUGMS with the Council of Ministers of USSR under corresponding member's chairmanship of the AN USSR M. I. Buduko.

Each issue of "Handbook on a climate of USSR" consists of five parts which contain the characteristics of individual climate elements: Part I - Solar radiation, radiation balance, and solar aurora; Part II - Air and soil temperature; Part III - Wind; Part IV - Air humidity, precipitation, and snow cover; and Part V - cloud cover and atmospheric phenomena.

The "Handbook on climate of the USSR", issue 8, the territory of eight central regions RSFSR: Yaroslavl, Kalinin, Moscow, Vladimir, Smolensk, Kaluga, Ryazansk and Tula.

This edition of "Handbook on a climate of USSR", Chapt. V, consists of five sections: section 1 - cloudiness, section 2 - fog, section 3 - snowstorm, section 4 - thunderstorm and section 5 - hail.

During the composition of handbook, are used the materials of the observations of 265 stations and posts.

BEST
...AVAILABLE COPY

Material is represent/presented on separate stations and posts in the form of tables with explanatory text in each table.

Tables 8 and 9 sections 1 and table 4, 5 and 6 sections 4 are calculated with the aid of calculating-analytical machines in by Novosibirsk the branch of the scientific research institute of aeroclimatology under leadership by Cand. of the geographic sciences S. D. Kosinskii.

In text part is given the short characteristic of the conditions/mode of cloudiness and atmospheric phenomena - fog, snow storm, thunderstorm and hail.

In comparison with "climatological handbook of USSR" publication 1949 present issue is supplemented by the tables of cloud amount of middle level, frequency of the cloud geni, probability of different number of days with the atmospheric phenomena in separate years and other tables. During the composition of the tables, are used the observations on 1965.

"Handbook on a climate of USSR" of iss. 8, is prepared for press/imprint by the colleagues of the Moscow hydrometeorologic observatory: O. B. Zvorykina, L. D. Solov'yeva, with the participation of V. P. Silina,


E. D. Sotnikova, by L. I. Orlovoy and by N. A. Shipilova under common/general/total leadership and with the participation of the division head of P. B. Shekhtman's climate.

Scientific systematic leadership in the process of the preparation of handbook was carried out by scientific workers of the division of the climatology of the main geophysical observatory im. A. I. Voeikov. The scientific appraisal/review of material and the editing of text are realized by L. Ye. Anapcl'skoy, N. Ya. Glebovoy, by N. V. Smirnova and R. F. Sokhrinoy.

The common/general/total scientific systematic leadership was carried out by Cand. of the geographic sciences V. V. Orlovoy.

Page 6.

The composite chart of the issues of "handbook on a climate of the USSR".



Key: (1). Murmansk. (2). Riga. (3). Tallin. (4). Leningrad. (5). Vilnius. (6). Arkhangel'sk. (7). Minsk. (8). Kiev. (9). Moscow. (10). Kishinev. (11). Kursk. (12). Gor'kiy. (13). Magadan. (14). Rostov on the Don. (15). Kuybyshev. (16). Sverdlovsk. (17). Yakutsk. (18). Petropavlovsk. (19). Tbilisi. (20). Omsk. (21). Yerevan. (22). Baku. (23). Krasnoyarsk. (24). Novosibirsk. (25). Yuzhno-sakhalinsk. (26). Chita. (27). Irkutsk. (28). Ashkhabad. (29). Tashkent. (30). Alma

Ata. (31). Frunze. (32). Vladivostok. (33). Dushanbe.

Page 7.

GENERAL INFORMATION THE SHORT CHARACTERISTIC OF THE CONDITIONS OF
CLOUDINESS AND OF ATMOSPHERIC PHENOMENA.

The territory in question is arranged/located in the center section of the vast Russian plain. Its surface is slightly undulating, gashed by the numerous valleys of rivers, by ravines and ridge/ranges of hills. The Western and southern parts of it are elevated. In the western part of the territory, is the system of elevations and ridge/ranges, in east - in essence the weakly-heaped part of plain, by the places low. Most elevated is the northwestern part of the territory where passes Valdayskiy elevation height of which as places it reaches almost 345 m above sea level. To south from it, is arranged/located the Smolensk-Moscow elevation, in eastern part which converts into Klin-Dimtovsk ridge/range. The southern part of the territory (south of Moscow, the eastern part of Kaluga, the Tula and southwestern outskirts of Ryazanskaya province) is occupied with Middle-Russian elevation up to 300 m in heights ones above sea level.

Elevations are alternated with by flat plains 100-150 m in

heights ones above sea level. To the east from Valday and to north from Smolensk-Moscow elevation is located Upper-Volga low place. In a northeastern part of the territory, is arranged/located the Mologo-Sheksninsk low place, partially occupied with Rybinsk reservoir. Relief here is characterized by alternating morainal hills, ridges, by ridge/ranges of glacial origin and by lowlands with altitude difference 50-80 m.

To the south and the southeast from Klin-Dmitrovsk ridge/range in the interfluve of the Oka and Klyaz'ma, is arranged/located Meshchersk lowland.

Most significant water object in this territory - Volga with the inflows,

of which the large and the water-abundant ones is Oka. In the northwestern part of the territory, there are many lakes. Besides natural water reservoirs, large place occupy artificial basins - reservoirs and channels. Largest of them - Rybinsk and Moscow reservoirs.



Cloudiness.

To the formation of cloudiness, has great effect the atmosphere circulation. During entire year the territory of central regions is

located in transition strip from high-pressure zone in south to the zone of reduced pressure on north i.e. in the band of the supremacy of the western winds. However, the effect of Atlantic in proportion to advance to the east weakens, that manifests itself magnitude and character of cloudiness - in all seasons of year the cloudiness in the east of territory less than the west.

Page 8.

18



Page 8 continued




Fig. 3. Frequency (0/0) of cloudy sky (0-10 balls) on lower cloudiness. a) January, b) July, c) October.

Key: (1). Bezhetsk. (2). Yaroslavl. (3). Vyshniy Volovets. (4).
Kalinin. (5). Vladimir. (6). Moscow. (7). Viaz'ma. (8). Smolensk.
(9). Kaluga. (10). Ryazan.

Page 9.

The effect of circulation factor on the distribution of cloudiness according to this territory is supplemented even by the effect of relief. Above the elevated western part of the territory, atmospheric fronts are peaked, which leads to an increase in the cloudiness (Fig. 1).

From the figure one can see that the frequency of cloudy sky condition (8-10 balls) in January composes 55-60% in the east of territory and 70-74% in west, during July 20-25 and 30-34% respectively. Approximately this distribution of frequency according to territory is retained in all seasons of year, namely: somewhat larger than differences in frequency on territory are noted by winter and it is smaller - in transient months and in summer.

In annual variation great cloudiness is noted in the cold period from November through January, when the frequency of cloudy sky condition (8-10 balls) on common/general/total cloudiness composes on territory 75-85%, with maximum during December. This one can see well on average monthly cloudiness. As show to Fig. 2, a quantity of average monthly cloudiness it reaches maximum (about 8 balls on lower and 8.5-9.0 balls on common/general/total cloudiness) during December. Beginning from January cloudiness it decreases first

insignificantly, and then (from March) it is sufficient noticeably; the minimum is observed during June and July. From August the cloudiness again noticeably increases to maximum during December.

Like the conditions of atmospheric circulation, cloudiness from year to year strongly varies (Table I).

Page 10.

On data Table I, it is possible to present the possible oscillation/vibrations of the frequency of clear (0-2 balls) and

cloudy (8-10 balls) sky condition in separate years during a 25-year-old period. Oscillation/vibrations in separate years in common/general/total and lower cloudiness are different. The greatest oscillation/vibrations of the frequency of cloudy sky condition on common/general/total cloudiness are observed in the warm period of year and they reach 57%. On lower cloudiness the greatest oscillation/vibrations are noted in winter months (to 60%). Generally a change of the frequency of lower cloudiness in separate years is greater common/general/total during entire year.

For practical target/purposes high significance has mainly lower cloudiness. The representation of the relationship/ratio between lower and common/general/total cloudiness gives the curve/graph of their annual variation (Fig. 3).

The daily variation of cloudiness is most pronounced in the warm period of year when in the daytime of days is most developed convection. This it is possible to trace according to observations above cloudiness into different hours of days (7 and 13 hours).




Fig. 2. The annual variation of cloud amount of middle level. Moscow.

1 - common/general/total, 2 - lower.

Key: 1(1). Balls.

Table I. Greatest and smallest frequency (o/o) of cloudy (8-10 balls), and clear (0-2 balls) sky condition on common/general/total (without depending on cloud forms) and lower cloudiness during the period of 1936-1960 Moscow.

Table I.

Повторяемость (1)	Облачность (2)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Пасмурное состояние неба (3)													
Наиболышая (4)	Общая (5)	92	88	87	78	79	72	79	78	80	90	94	97
	Нижняя (6)	91	87	85	59	53	57	55	55	75	82	91	94
Ясное состояние неба (8)													
Наиболышая (4)	Общая (5)	35	38	43	43	44	42	45	57	48	30	30	32
	Нижняя (6)	61	79	64	72	74	70	81	88	87	48	50	41
Наименышая (7)	Общая (5)	4	6	7	14	12	15	13	9	8	6	1	1
	Нижняя (6)	4	15	11	26	35	28	13	24	13	12	1	3

Key: (1). Frequency. (2). Cloudiness. (3) - Cloudy sky condition. (4). Greatest. (5). Common/general/total. (6). Lower. (7). Smallest. (8). Clear sky condition.

Page 11.

In winter period in the territory in question predominates cloudy sky condition (8-10 balls) which little is changed in the course twenty-four hours - cloudiness into 7 and 13 hours is distinguished insignificantly. In warm period, from April through September, that predominate is the morning (7 hours) clear sky condition, and in the daytime (13 hours) semi-clear - intermittent cloudiness (Fig. 4).

In practice for the characteristic of cloudiness, besides the frequency of different gradations of cloudiness, they use data on a number of clear and cloudy days. In this territory an annual number of clear days increases from west to the east from 50-55 to 100-104 (Fig. 5a), and a number of cloudy days with respect decreases from 130-134 to 80-90 days (Fig. 5b).

The annual variation of a number of clear and cloudy days follows the course of the frequency of clear and cloudy sky (Fig. 6).




Fig. 3. Annual variation of the frequency (0/0) of cloudy (a) and clear (b) sky on common/general/total (1) and lower (2) cloudiness, Moscow.




Fig. 4. Daily variation of frequency (0/0) of clear (a) semi-clear (b) and cloudy (c) sky on lower cloudiness. Moscow. 1 - 7 hours, 2 - 13 hours.

Page 12.




Fig. 5. Number of clear (a) and cloudy (b). days on lower cloudiness, year.

Key:)(1). Bezhetsk. (2). Vyshniy Volochev. (3). Yaroslavl. (4). Kalinin. (5). Vladimir. (6). Moscow. (7). Smolensk. (8). Viaz'ma. (9). Kaluga. (10). Ryazan.

Page 13.

An increase of the cloudiness and, consequently, also numbers of cloudy days in cold period is connected with the intensification of cyclonic activity at this time of year, with inflow of relatively warm humid masses of air with Atlantic, in which even the small cooling of air leads to condensation and education/formation of continuous cloud cover. With the weakening of cyclonic circulation number of cloudy days decreases - their small number from May through August comprises on the average/mean 3-5 on lower and 6-10 days on common/general/total cloudiness. This is connected with the fact that in summer basic atmospheric process is transformation of an air mass, by which the incoming from Atlantic and from the Arctic air is warmed thoroughly above the earth's surface and in lower layer is driven out from saturation state.

A number of clear days has, it is logical, back stroke - a small

number of clear days is noted in cold period, great - into warm. However, even in the summer period of year a number of clear days on lower cloudiness does not exceed 7-8 in west even 10-12 in the east and the southeast, but on common/general/total cloudiness, i.e., taking into account the clouds of the upper and average of tiers, it composes a total of 2-5 days into month.




Fig. 6. The annual variation of a number of cloudy (a) and clear (b) days on common/general/total (1) and lower (2) cloudiness Moscow.

Key: (1) . days.

Page 14.





Fig. 7. Average common/general/total (a) and lower (b) cloudiness (balls). Year.

Key: (1). Bozhetsk. (2). Vyshniy Volochev. (3). Yaroslavl. (4).
Kalinin. (5). Vladimir. (6). Moscow. (7). Smolensk. (8). Vyaz'ma.
(9). Kaluga. (10). Ryazan.

Page 15.

This is explained by the fact that in the majority of the cases in the days with good weather is observed in the daytime intermittent cloudiness of the cumulus forms whose quantity exceeds 2 balls. Such days into summer season sufficiently there are many; therefore from June through August when is especially developed convection, a number clear of days on common/general/total cloudiness somewhat decreases because of semi-clear days.

For some target/purposes, in essence for different calculations, they use data on cloud amount of middle level. In the territory in question cloud amount of middle level decreases from west to the east for year from 5.8-6.2 to 4.5-5.0 balls (Fig. 7).

The annual variation of cloud amount of middle level is represent/presented in Fig. 2.

The daily variation of cloud amount of middle level, can be judged from observations into different ones the watches of days, in particular 7 and 13 hour. As can be seen from Fig. 8, in the cold period of year (October-March) general and lower cloudiness 7 hours is more than 13 hours because of morning maximum cloudiness. In warm period, on the contrary, 7 hours cloudiness is less than 13 hours, as it was already said, as a result of daytime convection.

Quantitative data of common/general/total and lower cloudiness do not give a sufficient representation of the character of cloudiness. In addition to quantitative characteristics in Handbook, is given the information about the frequency of the forms of cloudiness, which has different effect on the course of other weather constituents, for example for solar radiation and radiation, illumination, the temperature of air and ground and so forth.

On the average for year greatest frequency (about 50-60% of all cases of cloudiness) have stratocumulus clouds of lower layer (Sc) and altocumulus middle clouds, above 2 km (Ac) (Fig. 9).

However, even some other cloud forms have sufficiently large frequency into the separate seasons of year, for example cumulus

(Cu), in the warm period of year. Figures 10, where is depicted the annual variation of four forms of cloudiness it is apparent that shows Sc and Ac have considerable frequency during year, Cu - a large frequency in the warm period of year, and Sc - in the cold period of year.

Although the cloudiness strongly is changed both in the space and in time however for some cloud forms, is revealed clear annual and daily variation. So, the clouds of cumulus forms (Cu, Cb) in the warm period of year have large frequency in the daytime (13 hours) and insignificant at night and in the morning.




Fig. 8. Average common/general/total (a) and lower (b) cloudiness into different ones the watches of days. Moscow. 1 - 7 hours, 2 - 13 hours.

Key: (1). Balls.

Page 16.

Stratus have the less clearly expressed diurnal and annual variation; their large frequency into 7 and 13 hours is observed in the cold period of year. From May through September during all days, the frequency of the clouds of laminar forms is insignificant.

The frequency of the various forms of lower cloudiness with one and the same gradations of common/general/total cloudiness in the territory in question, as a rule, strongly varies. However, usually with common/general/total cloudiness 3 - 7 balls the greatest frequency have the marks of the lower cloudiness of 0-2 balls; with common/general/total cloudiness 8-10, predominates the frequency of the marks of the lower cloudiness also of 8-10 balls. From other relationship/ratios frequently is observed the predominance of the marks of 0-2 balls both on common/general/total and on lower cloudiness.




Fig. 6. Frequency (a/o) of cloud geni. Year. 1 - Vysnaiy Volochek, 2 - Smolensk, 3 - Moore, 4 - Tula.




Fig. 10. Annual variation of separate cloud forms. Moscow. 1 - As, 2 - Cu, 3 - Ac, 4 - Sc.

Page 17.

Cloud height of lower tier decreases from winter to ^{Summer} J° and grows/rises to autumn and winter. The height of clouds of average tier, on the contrary, increases from winter to ^{Summer} J° and decreases again to autumn and winter.

Between cloud height and their quantity in all seasons, is

detected distinct communication/connection. With an increase in the cloudiness, decreases their height, especially in winter.

Fog.

Fog is named accumulation in air very small, of indistinguishable ones by eye drops of water in such quantity, with which in air is perceived the dampness, but horizontal appearance becomes less than 1 km.

A large number of different forms of fog it is possible to reduce to three basic forms: radiation ones, arising as a result of the local cooling of air to the night ones watches; advective - a result of the transfer of air with the specific values of the temperature and humidity of some regions in others and mixed, or advective-radiation. The remaining forms of fog are special cases of basics. Are such, for example, different varieties of the radiation fog whose character mainly depends on the degree of cooling and values of air humidity.

Special cases of the advective fogs are evaporation fog, which appear in coasts of large basins as a result of the inflow of cold air from coast, and coast fog, which are the consequence of the transfer of humid air from water surface and its cooling to coast.

The known stimulus of fog formation is the presence of a large number of condensation nuclei in cities; therefore is separated the city fog.

Separate/liberate still orographic, frontal and other fog, which, as urban, always are related to one of the basic forms. With severe frosts and large humidity, appear ice fog, which consist not of drops, but from ice crystals.

At meteorological stations are noted the fog with the horizontal appearance less than 1 km with subdivision to humid continuous ones and the translucent, ice continuous ones and those being translucent, evaporation fog and ground. The type of fog (advection or radiation) is not indicated.

A Continuous is named fog in which the observer being located in it, does not see sky.

In the shallow fog the observer, who is located in it, sees the clearances of sky or cloud.

Ground is named the fog, extending in the layer of small height predominantly above low places and above water. The height of ground fog can reach 2 m. Ground fog appear in essence in clear weather

during night and usually they are scattered after sunrise. In "Handbook on a climate of the USSR" are given data on humid and ice fog of continuous ones and being translucent, and also on evaporation fog, if they appear at station or will be carried there by the wind. Ground fog were not considered.

For the characteristic of the distribution of fog, are utilized data on a number of days from fog, their duration and daily variation.

Page 18.

An average number of days with fog for year in the territory in question oscillates from 25-35 on north, in region of Rybinsk reservoir, and in the east where the relief more plains and lower and relative humidity is less, to 40-60 days in southwest and south, on the increased places of a Smolensk-Moscow and Middle-Russian elevations. In large cities and regions where are arranged/located large industrial enterprises, is noted an increase in the number of fog as a result of the large obstruction of the air above them (Fig. 11).

The maximum of a number of days with fog falls on cold period (October-March), lesser anything of fog it is observed from April

through August (Fig. 12).

A number of days with fog, as with other atmospheric phenomena, it is changed from year to year. A great and small number of days with fog on months during many-year period gives the representation of the limits of the oscillations of a number of days in separate years (Table II).

As can be seen from table, in the cold period of year in favorable for formation of fog weather on plains places, can be observed 12-20 days in month with this phenomenon, during elevations (Volovo) - even to 25 days, which composes the large part of all days of month. However, this large number of days with fog in month is observed in all into 4-5% of summer/years, i.e., on the average one time into 20-25 summer/years. Most frequently into the cold half of year, are noted 2-4 days in months on even places and 8-12 days during elevations (about 60% of summer/years). The absence of fog (0) in winter months is noted approximately into 5-20% of summer/years. Predominate the years, when in warm period a monthly number of days with fog composes 0-2 (into 60-70% of summer/years).




Fig. 11. Average number of days with fog. Year.

Key: (1). Bezhetsk. (2). Vyshniy Volochev. (3). Yaroslavl. (4).
Kalinin. (5). Vladimir. (6). Moscow. (7). Svetlansk. (8). Vyaz'ma.
(9). Kaluga. (10). Ryazan.

Page 19.

The important characteristic of fog is their duration. In the

described territory the duration of fog as a number of days with this phenomenon, decreases from south-west to the east. The common/general/total duration of fog for year varies from 120-150 hours in the east to 250-350 hours in southwest and south. In some places of Smolensk-Moscow and central Russian elevations the duration of fog for year reaches 400 hours and more (Fig. 13).

Besides the common/general/total duration of fog, is of interest and the duration of fog into day with fog, which is obtained from the division of total duration into a number of days with fog. The average for year duration of fog during day with fog for the most part of the territory is 4-5 hours, on the elevated places southwest and south, it reaches 6-8 hours.




Fig. 12. The annual variation of a number of days with fog. 1 - Moscow, 2 - Toropets, 3 - Roslavl'.

Key: (1). days.




Fig. 13. Annual variation of average duration of fog. 1 - Vyshniy Volochek, 2 - Moscow, 3 - Roslavl'.

Key: 1(1). hours

Table III. Great and small number of days with fog on months during a 30-year period.

Table II.

Станция (1)	Число дней за месяц (2)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
Москва (3)	Наибольшее (4)	11	10	8	8	4	3	5	7	9	9	12	13
	Наименьшее (5)	0	0	1	0	0	0	0	0	0	0	0	0
Рославль (5)	Наибольшее (6)	12	13	14	10	6	6	5	8	11	13	17	21
	Наименьшее (7)	2	0	2	0	0	0	0	0	1	0	0	3
Муром (7)	Наибольшее (4)	11	8	9	12	2	3	4	6	6	9	12	12
	Наименьшее (8)	0	0	0	0	0	0	0	0	0	0	0	0
Волово (8)	Наибольшее (6)	16	16	19	16	9	3	7	7	9	15	17	26
	Наименьшее (9)	3	0	3	1	0	0	0	0	0	1	4	5

Key: (1). Station. (2). Number of days for month. (3). Moscow. (4).

Great. (5). Roslavl'. (6). Small. (7). Moore. (8). Volovo.

Page 20.

During year the continuous duration of fog is changed. In cold half-year the fog more are prolonged and more stable. Duration of fog into day with fog in cold time larger partly it reaches 6-12 hours. Are frequently encountered fog with duration of 1-2 days, are sometimes observed fog by the duration more than two days. In summer predominate the fog by the duration less than three hours. Figures 14 gives data on the frequency of the duration of fog.

The duration of fog as a number of days with fog, it depends on the natural conditions of locality. During November in Moscow, apparently, in connection with smaller than after the limits of city, the cooling of air are observed not very prolonged fog (to 12 hours), but on st. Volovo, arranged/located on elevation, the greatest frequency have prolonged fog (more than 48 hours).

Is well expressed the daily variation of the radiation fog - their maximum falls on night and morning hours - time of the greatest cooling of air, and minimum - to daytime. The fog, connected with the passage of fronts, are observed in the most varied time of days.

Snow storms.

Snow storms will do large damage to national economy. Especially such harm they cause to rail transport and motor transport, forming large snowdrifts on railroad lines and on the transient part of the roads, disrupting the movement of transport. Making appearance worse, snow storms create large difficulties in the operation of air transport. Considerable damage will deposit on snow storm and the agriculture. With the high winds and the unconsolidated structure of snow cover, occurs the redistribution of snow, and in fields are created the nude sections, which sometimes leads to

freezing/winter killing of winter cultures.

Snow storms usually appear with the passage of front and an increase in the pressure gradients. Most powerful snow storms are connected with the deep cyclones which cause the considerable intensification of the wind.

In the territory of snow storm in question are most frequently connected with the passage of southern and western cyclones and their troughs with the fronts. The most intense of snow storm are noted during the approach/approximation of cyclone to the amplifying anticyclone, since in this case occurs an increase in the pressure gradients, and consequently also the intensification of the wind.




Fig. 14. Frequency (o/o) of the duration of fog in the month of maximum (X1) and of minimum (V1). 1 - Moscow (X1), 2 - Volovo (X1), 3 - Moscow (V1), 4 - Volovo (V1).

Key: (1). hour.

Page 21.

This is brought, furthermore, to the expansion of the zone of snow storms because of drifting and blowing snow which begin even long before the passage of warm front. Most powerful snow storms appear in

front of warm fronts of the southern cyclones. Sometimes snow storms appear also in rear of cyclone with the passage of cold fronts.

Drifting snow, unlike the common/general/total snow storms, which are accompanied by snowfall with the passage of cyclones and the fronts, more frequently are observed in the region of anticyclone. Ground snow storms usually are observed at the lower temperatures when snow is dry. In these cases of the sufficiently small intensification of the wind, so that would arise ground snow storm. Drifting snow, as common/general/total snow storms, will deposit large harm on national economy.

On snowstorm activity great effect have local conditions, especially the protection of point/item. Depending on the vulnerability or openness of station, the frequency of snow storms considerably is changed. In the shielded from the wind valleys, during the clearings of snow storm they are observed considerably thinner/less frequent than on the discovered places and slopes; therefore even for comparatively low elevations is characteristic an increase in the number of days with snow storms. On capes and the discovered parts of coast of seas where wind velocities are increased, snow storms are more frequently than in the more distant from the high sea bays and the mouths of rivers. In broken ground number distribution of days with snow storms depends on the

vulnerability of point/item, form of relief, exposure of slope, height above sea level. In the shielded from the wind valleys snowstorm activity is considerably attenuate/weakened in comparison with the discovered slopes, on which a number of days with snow storms with an increase in altitude grow/rises. A change in the number of days with snow storms with an increase in altitude of locality on 100 m is dissimilar in different regions. On windward slope of elevations, a number of days with snow storms is considerably more than on leeward slope.

In the territory in question an average number of days with snow storm oscillates from 25 to 45 for winter. Most intense and prolonged snow storms are noted on the discovered and elevated places. In the coastal zone of Rybinsk reservoir and on (Bozhnovskiy), an average number of days with snow storm for winter exceeds 55. Above the reservoir of snow storms, it is still more in connection with an increase in wind velocities above its surface. However, the effect of these high winds is spread only to not wide band, especially to the east from reservoir. In 3 km from (Poshekhonye-Bolodarsk) a number of days with snow storm decreases to 40. Snowstorm activity is intensified also on the elevated places of Middle-Russian and Smolensk-Moscow elevations, where an average number of days with snow storm for winter reaches 35-45. In lee to valley, a number of days with snow storm composes 25-30 for winter (Fig. 15).

A great number of days with snow storm on the average is observed during January and February somewhat less - during March and December. During October and April, the snow storms are not yearly (Fig. 16).

In rare years on northeast of territory and during the elevations of snow storm they are noted during May (1938, 1941, 1945, 1946, 1961), while in Vyshniy Vluchek was observed snow storm even cf 3 VI 1941.

In separate years a number of days with snow storm can considerably differ from many-year average significance. Certain representation of the possible oscillations of a number of days with snow storm can give a great and small number of days with snow storm on the stations, arranged/located in the different parts of the territory, during a 30- year-old period of observations (Table III).

Page 22.

In connection with the large variability of a number of days with snow storm from year to year, is of interest the frequency of different number of days with snow stoms in separate years (Fig. 17).

As can be seen from curve/graph, for the different regions of territory, is most probable a number of days with snow storm from 20 to 50 for year. The probability of a number of days less than 20 and more than 50 is small (4-8%).

An average number of days with snow drifting the larger part of the territory composes 5-10 days depending on vulnerability by vegetation or structures. On the discovered circumlittoral places of Rybinsk reservoir and during elevations it increases to 11-14 days, but under the shielded conditions it decreases to 3-4 days (Fig. 18).




Fig. 15. Average number of days with snow storm, year.

Key: (1). Bezhetsk. (2). Vyshniy Volochev. (3). Yaroslavl. (4).

Kalinin. (5). Vladimir. (6). Moscow. (7). Smolensk. (8). Vyaz'ma.

(9). Kaluga. (10). Ryazan.

Table III. Great and small number of days with snow storm during a
30-year-old period.

Число дней, с метелью (1)	X	XI	XII	I	II	III	IV	Сумма за зиму (2)
Тутаев (3)								
Наибольшее (4):	5	15	18	19	20	18	7	74
Наименьшее (5):	0	0	0	1	4	0	0	12
Рославль (6)								
Наибольшее (4):	3	11	14	22	18	14	5	72
Наименьшее (5):	0	0	1	2	0	0	0	10
Рязань (7)								
Наибольшее (4):	5	15	18	16	20	13	3	55
Наименьшее (5):	0	0	0	1	2	0	0	13

Key: (1). Number of days with snow storm. (2). Sum for winter. (3).

Tutayev. (4). Great. (5). Small. (6). Roslavl'. (7). Ryazhsk.

Page 23.

There is great practical interest in the duration of snow storms. Most prolonged snow storms, according to investigations, are noted on leaving to the territory of the southern cyclones in question, and also with the northwestern cyclones when decelerates their rate and is changed trajectory. In this territory the common/general/total duration of snow storms for year amounts on the average to 200-250 hours in the most lowered/reduced lee, 300-350 hours on the elevated discovered places and 475 hours in coast of Rybinsk reservoir. The average duration of snow storm during day with snow storm in entire territory reaches 7.0-8.5 hours. In annual variation the greatest duration of snow storms, just as a number of days with snow storm is observed during January and February (Fig. 19).

Practically important is also direction and wind velocity with snow storms. Under the effect of orography of locality, the direction of the predominant with snow storms wind in separate point/items can somewhat differ from characteristic for region direction. So, in locations with the crossed relief increases the frequency of the winds, directed along valley, in coasts it depends on the direction

coast feature.

Almost in the entire territory of snow storm in question most frequently they are noted with the southeastern and southern winds. In region of the Middle-Russian elevation of the sharply pronounced predominance of any determinate direction of the wind, it is not detected. As an example Fig. 20 gives wind roses with snow storms for separate point/items.

In this territory into 50-80% of all cases depending on the vulnerability of snow storm, they are noted at wind velocities 6-9 m/s. In the more discovered places into 15-40% of cases, they are at wind velocity 10-13 m/s and into 23-28% - at wind velocity 14-17 m/s. At wind velocity more than 17 m/s of snow storm, they are noted rarely that is partly connected with the small frequency of wind velocities more than 15 m/s in the territory being investigated.

Is also small the frequency of snow storms (about 10%) at wind velocities less than 6 m/s. As an example Fig. 21 gives the frequency of wind velocities with snow storms for the separate point/items, arranged/located under different physicogeographical conditions.




Fig. 16. The annual variation of a number cf days with snow storm. 1 - Tutayev, 2 - Toropets, 3 - Byazhsk.

Key: (1). Days.

Page 24.

There is large interest in a question concerning temperatures, which are observed with snow storms. Are especially dangerous snow storms at the low temperatures when snow usually more easily yields to transfer by the wind. With thaws the snow is condensed and loses

its mobility. The frequency of the temperature of air of different gradations at snow storms is changed during winter with a change in the magnitude of temperature. During November with snow storms, predominates the temperature from 0 to -5° (40-55%), is great also the frequency of snow storms, also, at temperature from -5 to -10° (25-35% in west and 35-45% in the east of territory). During December - February, the greatest frequency of snow storms is -0 to -10°, but most often at a temperature from observed at temperature from -5 to -10°. Furthermore, increases a number of cases of snow storms (to 20-35%) at temperature from -10 to -15° (Fig. 22). On the average for year, are most probable the snow storms at the temperature of air from -5 to -10° (35-40%), a little it is less (to 2-5%) at the temperature from 0 to -5° and in 15-20% at temperature from -10 to -15°. At the temperature lower than -20° and above 0° snow storm are observed rarely (less than 5%).

Thunderstorm.

A number of days with thunderstorm - fundamental characteristic of the spatial and time/temporary distribution of thunderstorm - is little affected in the territory in question: on the average it composes 22-25 days on the relatively even and lowered/reduced places and 26-30 days on the elevated places, by Middle-Russian, Valday and Smolensk-Moscow elevations (Fig. 23).

The effect of Rybinsk reservoir - most significant basin on the territory in question - on the frequency of thunderstorm in coastal zone does not manifest itself (cape Bozhnovskiy).

The majority of thunderstorm is connected with fronts (about 70%). Air-masss thundersturm more frequently are observed in regions of low pressure.

Thunderstorm are observed predominantly from April through October. Sometimes in separate regions are noted thunderstorm, also, in winter months. As a whole on the territory of thunderstorm in question are possible during entire year (Table IV).

As is evident and Table IV, in the winter months of thunderstorm, they are observed into 5-15% of summer/years in any of regions of data of territory. Moreover during 75-year-old period they are noted in all parts of the territory, but region of the action of thunderstorm activity is usually small.




Fig. 17. Frequency (o/o) of different number of days with snow storms. Year. 1 - Tutayev, 2 - Roslavl', 3 - Pavelets.

Key: (1). Days.

Page 25.




Fig. 18. Average number of days with snow drifting. Winter.

Key: (1). Bezhetsk. (2). Vyshniy Vlachek. (3). Yaroslavl. (4).
Kalinin. (5). Vladimir. (6). Moscow. (7). Srolensk. (8). Vyaz'ma.
(9). Kaluga. (10). Ryazan.




Fig. 19. Annual variation of duration of snow storms. 1 - Tula, 2 - Ryazhsk, 3 - Vyshniy Volochev.

Key: (1) - Hours.

Page 26.




Fig. 20.

Fig. 20. Frequency (0/o) of wind directions with snow storms.

Key: (1). Volovo. (2). Vyaz'ma. (3). Slat'ye. (4). Moore. (5). Smolensk. (6). Bezhetsk.

Page 27.

The maximum of thunderstorm is noted by larger part during July, in some regions the same quantity of thunderstorm is observed during June. The curve of the annual variation of distributing thunderstorm is somewhat asymmetric - a number of thunderstorm in period before maximum (April-June) is somewhat more than in the subsequent months from August through October (Fig. 24). This is explained to the fact that the temperatures of air and, consequently, also the instability of atmosphere are more in spring and into the first half summer/years. In separate years a maximum number of days with thunderstorm is noted during May and during August (into 4-7% of summer/years).

A number of days with thunderstorm strongly is changed from year to year depending on the conditions/mode of atmosphere circulation. In 30-45% of summer/years, are observed 20-30 days with thunderstorm for year. In years with the more developed thunderstorm activity, a number of days with thunderstorms for year reaches 40-50,

but with the weakened thunderstorm activity it composes less than 10 days (Fig. 25). A maximum number of days with thunderstorm in month usually reaches 5-10 (intc 65-75% of summer/years), in some years this number is lesser than 5 or more than 10, but such summer/years a little (Table V).

The important characteristic of thunderstorm is also their duration. The average duration of thunderstorms for year in this territory composes 30-60 hours. The large oscillation/vibrations of the duration of thunderstorms on territory, apparently are connected with different degree of accuracy of recording by their separate meteorological stations.

Average duration of thunderstorms during day with thunderstorms about 1.5-2.5 hours.




Fig. 21. Frequency (o/o) of different wind velocities with snow storms. 1 - Vyaz'ma, 2 - Yelat'ma, 3 - Vlovoe, 4 - Smolensk, 5 - Ezhovsk.

Key: (1). Rate. (2) 14-17 m/s.

Table IV. Frequency of summer/years with thunderstorm on months (in o/o from a total number of summer/years of observations).

Пункт наблюдений (1)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Число лет наблюдений (2)
По всей сети пунктов (3)	8	5	15	70	100	100	100	100	100	65	14	8	75
Рославль (4)	0	0	4	49	99	100	100	97	75	11	1	1	72
Москва (5)	0	0	5	37	94	99	100	99	63	8	0	0	73

Key: (1). Observation station. (2) - Number of summer/years of observations. (3). On entire grid/network of point/items. (4). Roslavl'. (5). Moscow.

Page 28.




Fig. 22. Frequency (o/o) of temperature of air of different gradations at snow storms. February. 1 - Bezhetsk, 2 - Smolensk, 3 - Ydat'sa, 4 - Volovo.




Fig. 23. Average number of days with thunderstorm. Year.

Key: (1). Bezhetsk. (2). Vyshniy Volochev. (3). Yaroslavl. (4).
Kalinin. (5). Vladimir. (6). Moscow. (7). Sviyazhsk. (8). Vyaz'ma.
(9). Kaluga. (10). Ryazan'.

Page 29.

Thunderstorms have well expressed daily variation - the maximum of thunderstorms it is noted in the second half of day, from 12 to 18 hours; the minimum - in the morning, from 6 to 12 hours (Fig. 26).

Thunderstorms bring the large damage to national economy. They are frequently accompanied by showers, squalls, thick and fast, which cause destruction the electric power lines, disturbance/breakdown of the movement of electric trains. Frequently with thunderstorms appear fires, there are human victims.

Deg.

Deg will do large damage to national economy. From hail suffer mainly agricultural plants and gardens especially in the period blooming.

Average and great number of days with hail is the fundamental

characteristic of this phenomenon.

A number of days with hail in the territory in question oscillates on the average from 1.5 to 2.5 days for year. More than two days with hail is observed by places mainly during Valday, Smolensk-Moscow and Middle-Russian elevations (Fig. 27). An increase in the number of cases of hailstorm during elevations can be explained by the intensification of turbulence near the ground of air in the crossed relief and by an increase in the convective cloudiness. Data of Table VI characterize the effect of elevation on hailstorms.

Deg is observed predominantly into the warm half of year; in locality it drops out larger partly by the spots. Sometimes deg drops out by the bands which reach several kilometers in length and thousand meters in width. Hailstorm is usually accompanied by shower precipitation, thunderstorm, and sometimes also by the squally wind.




Fig. 24. The annual variation of a number of days with thunderstorm.

1 - Poshekhon'ye-Volodarsk, 2 - Smolensk, 3 - Mikhaylov.

Key: (1). days.

Table V. Frequency (o/o) of different number of days with thunderstorm on months.

(1) Число дней с грозой	IV	V	VI	VII	VIII	IX	X	(2) Число дней с грозой	IV	V	VI	VII	VIII	IX	X
								Москва							
0	03	10	1	0	3	37	92	0	53	4	0	0	6	21	92
1-2	33	23	14	0	21	52	8	1-2	45	29	6	8	20	57	8
3-4	4	40	18	14	33	10		3-4	2	29	27	12	27	18	
5-6	20	26	28	26	1			5-6	18	27	37	20	4		
7-8	4	19	23	14				7-8	12	26	12	15			
9-10	3	17	24	1				9-10	6	8	15	8			
11-12	4	9	2					11-12	2	6	12	4			
13-14		1	1					13-14							
15-16		1	1												

Key: (1). Number of days with thunderstorm. (2). Moscow. (3). Smolensk.

Page 30.




Fig. 25. Frequency (o/o) of different number of days with thunderstorms. Year. 1 - Vyshniy Vlachek, 2 - Moscow, 3 - Kaluga.

Key: (1). days.




Fig. 26. Duration of thunderstorm into different ones watches of days
 a) June, b) July, 1 - Belogorye, 2 - Vlcvye, 3 - Smolensk.

Key: (1). Duration. (2). Hours.

Page 81.

Deg most frequently drops out from April through September, sometimes - during October. The maximum of a number of days with hail is observed at the end of the spring - beginning summer/years - in

the majority of point/items during May, in some - during June (Fig. 28). On May and June, it is approximately 55-65% of days with hail from an annual number of days. But even in the months, for which comes the maximum of a number of days with hail, deg is noted not yearly (Table VII).

Table VII shows that even in the months of the maximum of a number of days with hail (May and June) deg is observed into 29-51% of summer/years. There are the years when during entire warm period deg it is not observed, but such summer/years it is small (~2% of all summer/years).




Fig. 27. Average number of days with hail. Year.

Key: (1). Bezhetsk. (2). Yaroslavl. (3). Vyshniy Volochek. (4).
Kalinin. (5). Vladimir. (6). Moscow. (7). Vyaz'ma. (8). Smolensk.
(9). Kaluga. (10). Ryazan.

Table VI. Average number of days with hail depending on the height of place.

(1) Станция	(2) Высота над уровнем моря, м	(3) Число дней с градом за год	(4) Местоположение
(5) Бологое	178	1.5	(6) Валдайская возвышенность
(7) Старitsa	179	1.7	(8) То же
(8) Торопец	187	2.1	"
(9) Верхневолжский бейшлот	205	2.2	"
(10) Белый	217	2.3	"
(11) Смоленск	233	2.5	(12) Смоленско-Московская возвышенность

Key: (1). Station. (2). Height above sea level, m. (3). Number of days with hail for year. (4). Location. (5). Bologoye. (6). Valday elevation. (7). Staritsa. (8). The same. (9). Toropets. (10). Upper-Volga Beyshlot. (11). White. (12). Smolensk. (13). Smolensk. (14). Moscow elevation.

Page 32.

A great number of days with hail for month in essence does not exceed 4-5, for the year of 5-6 days; an increase in the number of days to 7-8 for year is observed during elevations.

In separate years a number of days with hail can considerably be distinguished (Table VIII).

Table VIII shows that on the given stations predominate the years, in which are observed 1-2 days with hail (39-53%) and sufficient to part are encountered the years, in which are observed 3-4 days with hail (25-32%).

Deg most frequently drops out into post-meridian ones watches (approximately into 90% of cases).

The duration of the precipitation of hail usually is insignificant. Thus, for instance, in Moscow region the duration of most intense hail is noted to 5 min into 45%, from 5 to 20 min. into 20%, more than 20 min. into 35% of all cases. However, sometimes even brief precipitation of intense hail can cause large loss to agricultural fields and fruit wood/trees. For example, in 1952 on one Moscow region it was thick and fast destroyed by 13000 ha of sowings.

Table VII. Average frequency of summer/years with hail (in o/o from a total number of summer/years of observations).

(1) Станция	(2) Число лет наблюдений	IV	V	VI	VII	VIII	IX	X	(3) Год
(4) Москва	72	8	39	43	42	25	14	3	87
(5) Смоленск	62	20	51	41	29	20	10	3	83
(6) Тула	62	12	47	44	33	14	8	5	91
(7) Ельтима	68	6	29	32	27	15	10	7	79

Key: (1). Station. (2). Number of summer/years observations. (3).

Year. (4). Moscow. (5). Smolensk. (6). Tula. (7). Slat'ma.

Table VIII. Frequency (o/o) of different number of days with hail during the warm period in separate years.

(1) Станция	(2) Число дней с градом за год				
	0	1-2	3-4	5-6	7-8
(6) Москва	13	51	32	3	1
(4) Смоленск	17	39	27	15	2
(5) Тула	9	53	25	13	

Key: (1). Station. (2). Number of days with hail for year. (3).

Moscow. (4). Smolensk. (5). Tula.




Fig. 28. Annual variation of number of days with hail. 1 - Poshekhon'ye-Volodarsk; 2 - Smolensk; 3 - Tula; 4 - Slat'ma.

Key: (1). days.

Page 03.

EXPLANATIONS TO TABLES.

Section 1. Cloudiness.

The degree of covering of sky with clouds is estimated by observers visually (by rule of thumb) according to the ten-ball

scale. By zero is designated the full/total/complete absence of clouds, cloudiness 1, 2 balls and so forth means that clouds covered 1, 2 and so forth of the tenth of the part of the sky. The cloudiness of 10 balls indicates that whole sky is overcast.

In all tables different characteristics of cloudiness are represent/presented separately for lower and common/general/total cloudiness. The lower cloudiness is included only the low clouds with upper altitude limit of approximately 2000 m and lower - the earth's surface. Clouds of vertical development (cumulonimbus) with basis/base at the level of lower cloudiness are independent of the level of their apex/vertexes referred to lower cloudiness. The common/general/total cloudiness is included all clouds, observed simultaneously, regardless of the fact, to which tier they are related.

For all characteristics of cloudiness as basic, is used the period of 1936-1960. The selection of this period it is caused by transition beginning with 1936 from three-urgent ones (7, 13 and 21 hours) to four-urgent (1, 7, 13 and 19 hours) observations. The exchange of the time periods of observations causes the heterogeneity of series up to 1936 and after it (since cloudiness especially in summer months substantially is changed in the course twenty-four hours). Laborious work on the elimination of heterogeneity in view of

the insufficient accuracy of visual observations above cloudiness does not introduce serious specifications, and therefore it is not advisable.

Usually visual observations depend to a considerable extent on the subjective evaluation of the observers, and frequently the evaluation of cloudiness is made not according to the ten-ball scale, but it is more roughly. As it showed practice, observers they frequently note even or odd degrees of cloudiness, i.e., they actually observe according to the five-point scale. Therefore for the purpose of use, data of a larger number of stations all the marks of cloudiness are united into three group: clear sky condition (0-2 balls), semi-clear (3-7 balls) and cloudy (8-10 balls). Association into one group of two adjacent balls 1 and 2, and also 8 and 9 somewhat smooths an inaccuracy in the observations. With completely clear or cloudy sky the evaluation of cloudiness becomes most precise and therefore the connection of the mark of 0 balls to the group of 1-2 balls and marks of 10 balls to the group of 8-9 balls does not decrease the accuracy of these groups. The association of cloudiness into one group of 3-7 balls is admissible, since the clouds of this group are observed usually thinner, less frequent than the clouds of other, extreme groups of 0-2 and 8-10 balls. Its division into smaller groups is not advisable in view of the insufficient accuracy of the evaluation of cloudiness.

Page 34.

The fundamental characteristic of cloudiness is the frequency of different sky condition in the following gradations: it is clear (0-2 balls), semi-clear (3-7 balls) is cloudy (8-10 balls) (Table 1, 2 and 3). Average value is not a sufficient climatic characteristic of cloudiness, since the distribution curve of cloudiness strongly differs from the distribution curves of other weather constituents in the fact that the greatest frequencies fall on the extremes of the marks of cloudiness, but smallest - at the values, close to average value. Therefore cloud amount of middle level differs significantly from that predominating. However, for a series of research and practical target/purposes (for example, for the calculation of the magnitudes of solar radiation) is necessary the information about the magnitudes of cloud amount of middle level. This information is given in Table 5-7.

Table 4 gives data on a number of clear and cloudy days.

Clear is considered such day of which the sum of the marks of cloudiness in four time period of observations does not exceed 7 (from 0 to 7 balls inclusively), but cloudy - such day of which the

sum of the marks of cloudiness in four time period of observations
composes not less than 33.

This characteristic of cloudiness makes it possible to judge to a certain extent the stability (in the course twenty-four hours) of one or the other sky condition. Table 8 gives data, that characterize the frequency of the various forms of the cloudiness, which is of interest for aviation. Table 9 gives data, that characterize the frequency of different gradations of lower cloudiness with this gradation of common/general/total.

The separate characteristics of cloudiness, such, as cloud amount of middle level (Table 6 and 7) and the frequency of its different gradations (Table 2 and 3), are detailed for the various time periods of observations (1, 7, 13 and 19 hrs). This gives the representation of the daily variation of the characteristics of cloudiness indicated.

At many stations in recent years, are organized instrument/tool observations above the height of lower cloud base, which makes it possible to refine the visual estimate of cloudiness.

Table 1. Frequency of clear (0-2 balls), semi-clear (3-7 balls) and cloudy (8-10 balls) sky condition on common/general/total and

lower cloudiness (%). In table is given the frequency of clear, semi-clear and cloudy sky condition on common/general/total and lower cloudiness, expressed in percentages from a total number of observations for month.

The frequency of the covering of sky with clouds is given both taking into account the clouds of all forms, without subdivision on tiers (common/general/total cloudiness) and for the clouds only of lower tier (lower cloudiness).

Data this table are acquired by direct calculation for the available at stations years of observations, but no less than in 15-20 summer/years and within the limits of the period of 1936-1960. The series of observations less than 15 summer/years are given to longer series by the method of differences.

It is possible to count that 20-25- year-old series of observations during the calculation of the frequency of cloudiness give sufficiently stable average.

This confirm data, calculated from a 70- year-old and 25-year-old series, that are distinguished insignificantly (Table IX).

At the same time the average during the small periods of time,

for example for tenth anniversaries, can considerably differ from each other, which indicates the need of bringing short series (Table X).•

Table 2. Frequency of clear (0-2), semi-clear (3-7) and cloudy (8-10) sky condition on common/general/total cloudiness into different ones the watches of days (o/o).

Page 35.

Table 3. Frequency of clear (0-2), semi-clear (3-7) and cloudy (8-10) sky condition on lower cloudiness into different ones the watches of days (o/o). Data of Table 2 and 3, in which is given the frequency of clear, semi-clear and cloudy sky condition into different ones the watches of days, give the representation of the daily variation of common/general/total and lower cloudiness.

In the tables are included the stations, which have series of observations not less than 20 summer/years within the limits of the period of 1935-1960.

The daily variation both of common/general/total and lower cloudiness is noted during entire year, but in cold period it is expressed less sharply; in warm period sharply are separate/liberated

the maximum and the minimum in daily variation, the frequency of cloudy and especially clear sky condition.

This daily variation is caused by the course of the process of cloud formation. In winter, when stratus subinversion clouds in the daytime of days are destroyed, but cumulus clouds are not still developed, the greatest frequency of cloudy sky both on of overall and on the lower cloudiness investigated territory it is noted into morning ones watches, and only sometimes on common/general/total cloudiness it can be preserved by day.

The smallest frequency of cloudy sky condition on common/general/total cloudiness is noted into evening ones, and on lower cloudiness - into the daytime ones watches.

In summer in connection with the intense development of cumulus cloudiness, the greatest frequency of cloudy sky condition on common/general/total and lower cloudiness is noted by daytime watches, and are smallest on common/general/total cloudiness - into the night ones watches, on lower - into evening ones, which is connected with the spreading of cumulus cloudiness into these watches.

Table IX. Frequency (o/c) of clear (0-2 balls) and cloudy (3-10 balls) sky condition into 7 and 13 hours for separate months, calculated from series of different duration (common/general/total cloudiness). Moscow.

(1) Период	I		IV		VII		X	
	7	13	7	13	7	13	7	13
	10) баллы							
1891-1960	14	82	11	81	25	62	17	63
1936-1960	14	82	12	81	26	63	15	66
					32	32	50	9
					50	9	55	12
					55	11	79	11
					82	8	76	76

Key: (1). Period. (2). balls.

Table X. Frequency of clear (0-2 balls) and cloudy (8-10 balls) sky condition (o/o) for different tenth anniversaries (common/general/total cloudiness). Moscow.

(1) Десятилетие	I		IV		VII		X	
	с	Δ	с	Δ	с	Δ	с	Δ
1936-45	20		77		33		65	
1946-55	14	6	79	2	29	6	54	11
1956-65	13	1	82	3	28	1	59	5
					29	4	49	4
					49	3	16	15
					16	3	75	1
					75	1	74	2

Note. Δ indicates the difference between adjacent tenth anniversaries.

Key: (1). Decade.

Page 36.

The daily variation of the frequency of clear sky condition is opposite to the course of cloudy, namely: the greatest frequency in winter months on common/general/total cloudiness is noted into evening ones, and on lower - into evening ones and sometimes into morning ones watches.

In summer with the sharply pronounced daily variation the greatest frequency of clear sky condition or common/general/total and on lower cloudiness is noted into the night ones watches and the southeast of territory most clearly it is only on the morning.

The smallest frequency of clear sky condition both on common/general/total and on lower cloudiness falls on the daytime ones watches.

The daily amplitude of the frequency of cloudy sky condition varies in winter from 3 from 15% both on common/general/total and on lower cloudiness, but in summer from 15 to 25% on common/general/total and from 8 to 16% on lower cloudiness. The

daily amplitude of the frequency of clear sky condition composes on common/general/total cloudiness by 6-15% winter and 25-40% in summer; on lower cloudiness 5-10% in winter even 35-45% in summer (Table XI).

Table 4. Number of clear and cloudy days on common/general/total and lower cloudiness. Data this table are acquired by way or the direct averaging of series of observations not less than for 20-25 summer/years (within the limits of the period of 1936-1960), or bringing of shorter series to a 25- year-old period by the method of differences.

Data, placed in Table 4, serve as supplement to Table 1 and they make it possible to judge the stability of clear and cloudy weather in the course twenty-four hours.

Table XI. The daily amplitude of the frequency of clear (0-2 balls) and cloudy (8-10 balls) sky on common/general/total and lower cloudiness (%).

(1) Облачность	(2) Баллы	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
(3) Данилов													
(4) Общая	0-2	6	11	13	21	26	26	26	34	25	12	11	6
(5) Нижняя	8-10	6	9	12	16	19	16	15	24	21	10	9	5
(6) Торопец													
(7) Общая	0-2	6	9	19	21	27	25	24	32	24	14	6	5
(8) Нижняя	8-10	6	12	17	14	22	16	19	25	25	14	5	4
(9) Общая	0-2	9	9	9	18	28	41	38	39	28	12	5	2
(10) Нижняя	8-10	9	10	9	6	13	12	15	15	11	10	4	3
(7) Владимир													
(11) Общая	0-2	13	16	12	27	30	31	33	42	30	16	11	7
(12) Нижняя	8-10	7	13	10	16	18	18	19	21	19	12	5	3
(8) Чернь и Скуратово													
(13) Общая	0-2	8	13	12	26	35	36	41	41	29	20	6	7
(14) Нижняя	8-10	9	13	11	18	21	18	19	23	18	14	7	4

Key: (1). Cloudiness. (2). Balls. (3). Danilov. (4).

Common/general/total. (5). Lower. (6). Torgats. (7). Vladimir. (8).

Black and Skuratov.

The representation of the stability of clear or cloudy weather for common/general/total and analogously for lower cloudiness can be obtained with the aid of the relationship/ratio

$$\frac{H_s}{P_{(0-2)}} = k_s; \quad \frac{H_n}{P_{(8-10)}} = k_n,$$

where k_s and k_n - a stability factor of clear or cloudy weather (percentages), $P_{(0-2)}$ and $P_{(8-10)}$ - a frequency of clear or cloudy sky, H_s and H_n - a number of clear and cloudy days.

A number of clear and cloudy days is taken in percentages and number of all days in month, since frequency is also expressed in percent from a number of observations.

? Data on the stability of clear and cloudy weather on st. Moscow, agr. academy, calculated by method indicated higher, are given in Table XII.

Table XII shows that in Moscow upon consideration of the clouds of all tiers (common/general/total cloudiness) during entire year the stability of the cloudy sky is greater than clear one. In this case, in the cold period of year (from October through March) predominate continuous, dense low clouds, and into wars - clouds of average and upper tiers, usually with the discontinuity/interruptions, through which frequently x-rays the sun. But if is taken into the attention of the cloud only of lower tier (lower cloudiness), then in cold

period cloudy weather more stable than the clear, but into warm, on the contrary, clear weather is more stable than the cloudy.

Number of clear days on common/general/total and lower cloudiness small in the cold period of year and great into warm.

A number of cloudy days has reverse annual variation - most of all of cloudy days is observed from November to January and lesser anything from June through August.

Table 5. Average monthly and annual common/general/total and lower cloudiness (balls). Data of Table 5 are acquired via the direct averaging of series of observations by the duration of 20-25 summer/years within the limits of the period of 1936-1960. Shorter series of observations were led to full/total/complete 25- year-old period.

The average values of common/general/total and lower cloudiness as the average values of other cell/elements, are the convenient comparative characteristic, which reflects the common/general/total laws governing the distribution of cloudiness in space and time. It is utilized mainly during all possible calculations.

In annual variation greatest cloud amount of middle level as is

DOC = 78115402

PAGE ~~26~~ 83

common/general/total, sc also lower, it is noted on north and in the west of territory during November - December; in the south and the east, is clearly expressed December maximum.

Table XIII. Stability factor of clear and cloudy weather with respect to common/general/total and lower cloudiness (%). Moscow.

(1) Облачность	(2) Коэффициент	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
(3) Общая	k_e	24	34	36	38	43	33	31	32	42	26	38	36
(4) Нижняя	k_n	79	78	69	64	60	54	50	55	65	78	86	89
	k_e	39	46	53	54	54	55	59	54	50	37	44	48
	k_n	68	62	58	43	47	34	40	42	50	66	77	81

Key: (1). Cloudiness. (2). Coefficient. (3). Common/general/total.
 (4). Lower.

Page 38.

The greatest values of average common/general/total cloudiness oscillate from 8.2 balls not the east to 8.9 balls in west. The limits of the oscillations of the greatest values of lower cloud amount of middle level compose 7.3-7.8 balls. The smallest cloudiness (from 5.2 balls in the east to 6.5 balls in west on common/general/total cloudiness and from 3.2 to 4.4 balls on lower) as the frequency of cloudy sky condition, is observed during May - August.

Table 6. Average monthly and annual common/general/total

cloudiness into different ones the watches of days (balls).

Table 7. Average monthly and annual lower cloudiness into different ones the watches of days (balls). Data of tables give the representation of the daily variation of average common/general/total and lower cloudiness.

Cloud amount of middle level into different ones the watches of days is obtained by the direct calculation of series of observations on the selective network of the stations, which have series not less than 20-25 summer/years within the limits of the period of 1936-1960.

In cold period the daily variation of cloud amount of middle level as the frequency of the cloudiness of different gradations, is expressed weakly. However, it is possible to note a regular increase of the cloudiness within morning and daytime time periods, which is connected with the greatest cooling of the lower layers of air into these watches, and its decrease into evening ones watches.

Is clearly expressed the daily variation of common/general/total and lower cloudiness in the warm period of year, from April through August: lowest values of cloudiness are observed within night time period (from 4 balls in the east to 5.5 balls in west), greatest - 13 hours (6.5-7.5 balls on common/general/total cloudiness). The same

daily variation and lower cloudiness, its only average value to 1.5-2.5 balls is smaller than the common/general/total.

Table 8. Frequency of the basic forms of cloudiness (%). Table depicts the frequency of the basic forms of cloudiness in percentages in a number of observations of lower tier (Cu, Ch, Sc, Ns, St, Frnb) and of average tier (Ac, As), when lower cloudiness was not continuous and it was possible to observe middle clouds, and the cloud forms of upper tier (Ci, Cc, CS), when the cloudiness of the lower and average of tiers was not continuous and it made it possible to observe high clouds.

However, the frequency of all cloud forms is not equal to 100%, since are possible the cases of the completely clear air or presence of two or three cloud forms simultaneously.

Treatment data for Table 8 is derivative in a mechanized manner by the Novosibirsk branch of NIIAK. As initial material for the selection of frequencies served observations at standard time during the period of 1936-1960. Average are calculated of the series of observations not less than 17-20 summer/years. In connection with the fact that the duration of the used period is insufficient for calculating the frequency, in some months data on separate gradations in Table 8 and 8a are absent.

Cloud forms as their quantity, are characterized by large variability in time and space. Besides observations above cloudiness are conducted visually; therefore are possible errors both subjective character (qualification, the attention, the thoroughness and observer's other characteristics) and objective (degree of the openness of horizon/level, the location of clouds during the firmament, their illumination and so forth). However, on the average is revealed/detected the completely specific picture of the frequency of cloud genera in annual variation and on territory (Fig. 9 and 10).

Table 8a. Frequency of the basic forms of cloudiness into different ones the watches of days (o/o). As initial material for Table 8a served the same data, as for Table 8, their treatment is also produced in a mechanized manner.

Page 39.

The frequency of the forms of cloudiness into different ones the watches of days is given on data of the selective network of the stations, which have 20-25- year-old series of observations and which evenly elucidate entire territory in question.

Observational data into different ones the watches of days give the representation of the daily variation of cloudiness which for the clouds of many forms is sufficiently well expressed.

Is especially clearly expressed daily variation for the clouds of cumulus forms in the warm period of year (Fig. 29).

Table 9. Frequency of different gradations of lower cloudiness with the specific gradations of common/general/total cloudiness. Data of the tables are processed in a mechanized manner on the same stations and during the same period, as Table 8 and 8a.

Use of machines made possible to reveal/detect/expose all possible combinations of the common/general/total and lower cloudiness of different gradations.

In practice it is important to know, as frequently with semi-clear in cloudy sky condition on common/general/total cloudiness is observed the frequency of one or the other gradation of lower cloudiness.

With cloudy sky on common/general/total cloudiness, is most frequently cloudy the sky, also, on lower cloudiness and frequently semi-clear sky on lower. Intermediate between them frequency it

occupies the combinations of 8-10 tails on common/general/total cloudiness and 0-2 balls on lower cloudiness (Fig. 30).

With semi-clear sky on common/general/total cloudiness in the warm period of year, more frequently is noted semi-clear sky, also, on lower cloudiness. In cold period semi-clear sky both on common/general/total and on lower cloudiness is observed rarely.

Section 2. Fog.

For the characteristic of fog in handbook, are given average and great number of days with fog, their duration and the frequency of different number of days with fog in separate years.

The information about fog widely is utilized in aviation, during the planning of work of ground-based and urban transport, etc.




Fig. 29. Frequency (o/o) of the separate forms of cloudiness into different ones the watches cf days. Moscow. 1, 3-7 hours, 2, 4-13 hour.

Page 40.

For these tables are used the observations of meteorological stations and posts during the period of 1936-1965. The selection of this period is caused by transition to observations at standard time beginning with 1936. The introduction of night time period it contributed to the more careful recording of atmospheric phenomena. In 1935 was refined the procedure of the definition/determination of fog taking into account the distance of horizontal visibility. With

the appearance less than 1 km observer, notes fog.

Table 1. Average number of days with fog.

Table 1a. Great number of days with fog. Tables give data for continuous, translucent, humid and ice fog.

Average values for the majority of stations are obtained by direct calculation of the series of observations not less than 15 summer/years within the limits of the period of 1936-1965. Shorter series of observations are given to full wave with the aid of the graph/diagrams of correlation dependence. When during the used period in any month fog were not observed, in Table 1 in the appropriate graph data are absent.

As a result of the fact that observation above fog, they are conducted of visually, data separate stations are always comparable between themselves. Thus, for instance, at the stations, which serve aviation or water transport, is noted somewhat larger quantity of fog. This is explained by more careful observations. Such point/items include Smolensk, Yaroslavl, Rybinsk, etc.




Fig. 30. Frequency (o/o) of different combinations of common/general/total and lower cloudiness. Moscow. a) with clear air in common/general/total cloudiness, b) with cloudy sky in common/general/total cloudiness; 1 - 0-2/0-2, 2 - 8-10/8-10, 3 - 8-10/3-7, 4 - 8-10/0-2.

Page 41.

A number of days with fog for last/latter 30th anniversary (1936-1965) generally somewhat increased in comparison with the preceding/previous period (1891-1935), apparently, as a result of

more careful and more continuous observations in recent years.

In this territory a number of days with fog increases in the direction from the east where the locality is more equal and lower, to west and south. Is somewhat more a number of days with fog during elevations, especially on Middle-Russian (Vlovo, Charn', etc.). This should be considered during the evaluation of a quantity of fog in the point/items where the observations do not produce.

A great number of days with fog (Table 1a) gives for the stations, which have series of observations not less than 20-25 summer/years, and gives the representation both of the maximum number of days which was noted during the available period of observations and about the great deviation from many-year average.

As a result of the fact that extreme (greatest) magnitudes are encountered comparatively rarely, the great number of days with fog, selected from the period of observations in 20-30 summer/years, during the prolongation of series of observations can change.

Table 2. Frequency of different number of days with fog on months (o/o).

Table 2a. Frequency of different number of days with fog for

year (%). Data of tables are the frequency of different number of days with fog in separate years, expressed in percentages.

The frequency of different number of days with fog is given on stations with series of observations not less than 20-25 summer/years¹.

FOOTNOTE 1. The frequency of each gradation in the table is expressed in percentages from a number of summer/years of observations for given month or year. In connection with the fact that the duration of the used period is insufficient for calculating the frequency, on separate gradations data are absent. ENFOOTNOTE.

Data these tables make it possible to evaluate the limits of the oscillations of a number of days with fog on territory. The greatest frequency has a number of days, close to average, smallest - extreme magnitudes (Table 2 and 2a). The frequency of different number of days with fog supplement information of Table 1.

Table 3. Average duration of fog (hours).

Table 3a. Maximum duration of fog (hours).

Table 3b. Duration of fog in different time of days (watches).

The average duration of fog (Table 3), is obtained by the calculation of observational data of series of different duration (not less than 15-18 summer/years) within the limits of the period of 1936-1964.

As initial ones served the materials of the detailed recording of the duration of fog in hours and minutes, rounded during treatment to the fourth of hour.

In table, besides common/general/total duration, is given also the duration of fog during day with fog which is obtained from the division of total duration into a number of days with fog during the corresponding period (cold, warm and year).

As a result of the fact that extreme magnitudes are encountered rarely, and series of observations on duration are insufficiently long, the maximum duration of fog (Table 3a) one should consider tentative.

In Table 3b the same initial materials are detailed for the individual parts of the days (18-24, 24-6, 6-12 and 12-18 hours). Gradation 18-24 included the observational data from 18.1 to 24.0

hours, to gradation 24-6 from 24.1 to 6.0 hours and so forth.

Page 82.

Data of Table 3b give the representation of the daily variation of fog. The greatest duration is noted into before morning and morning watches, smallest - into post-meridian and evening ones.

Table 4. Frequency of different duration of fog on months (o/o). Data this table are given on data of the selective network of the stations, which have series of observations not less than 20-25 summer/years within the limits of the period of 1936-1964.

The frequency of different duration of fog gives the representation of its possible oscillations in separate years.

In regions with high duration, predominate prolonged multihour fog.

Section 3. Snow storms.

During the climatological treatment of snow storms as basic, it is accepted period from 1936 through 1964, since beginning with 1936

in connection with transition from three-urgent ones to observations at standard time and the introduction of the night time period of snow storm they began to be recorded more systematic (presence of the phenomenon of steel to record/write with an accuracy to one fourth of hour). The existing separation of snow storms into forms (with isolation/liberation drifting snow) is accepted only in the thirties.

Subsequently the definition/determination of different forms of snow storms (snowstorm, blowing snow, common/general/total blizzard) repeatedly was more precisely formulated. This to a certain extent could unfavorably pronounce on quality and uniformity of series of observations above different forms of snow storms. In view of the fact that the separation of snow storms into forms was not always sufficient to clear ones and observers hindered in the definition/determination of the forms of snow storms, during the climatological treatment of snow storms all forms their, except drifting snow, they were united into one group, but in another group were isolated only drifting snow.

Blizzard from clouds or without precipitation of snow (blowing snow) is accompanied by the transfer of snow downwind almost in horizontal direction. With blowing snow the snow is risen from the earth/ground higher than the level of the eye of man, sometimes with this snow storm it is possible to see sky. With drifting snow occurs

the transfer of snow by the wind only on the earth's surface, lower than the level of the eye of man.

In present section is placed the information about an average and greatest number of days with snow storm on months and for year (Table 1 and 1a), an average number of days with snow drifts on months and for year (Table 2), the duration of snow storms (Table 3), and also about the frequency of different directions and wind velocity and temperature of air at snow storms during the multiflight period of observations (Table 4, 5 and 6). In the tables indicated is given the composite characteristic of the snow storms, which characterize weather conditions, which accompany snow storm. In Table 7 is given the frequency of different number of days with snow storm for year. In connection with the fact that the observations after snow storms since 1936 became more full/total/complete and more careful, in the territory in question an average number of days with snow storm during the period of 1936-1964 is everywhere more than during period accepted previously of 1891-1935. In the majority of the cases, the difference comprises on the average of 3-8 days for year, and at separate stations it reaches 14-18 days.

Table 1. Average number of days with snow storm.

Table 1a. Great number of days with snow storm. In Table 1,

represented average number of days with snow storm on months and for year, obtained in the majority of the cases by direct calculation of series of observations by duration is not less than 15 summer/years within the limits of the period of 1936-1964.

Page 43.

Data of stations with the series of observations less than 15 summer/years are given to more prolonged period by the method of relations with the aid of correlation curve/graphs. An average number of days with snow storm is the fundamental characteristic of snow storms.

For day with snow storm, is accepted the day, during which would be observed at least one of the forms of snow storms (common/general/total blizzard or without precipitation of snow), regardless of the fact, it was noted during this day one form of snow storms or all forms, including drifting snow. In this number are not included only the days when it was observed only drifting snow. During the use of data, placed in Table 3, one should consider the location of station, since on the number of days with snow storm, besides general climatic conditions, to a considerable degree have effect local characteristics and mainly degree of protectedness of the point. Thus in rugged terrain high open places are characterized by the greatest number of days with snowstorms and is protected from the wind valleys of snowstorms are attenuate/weakened. This is visually

evident based on the example of the stations of Maksatikha and Bezhetsk arrange/located on close distance from each other. On st. Maksatikha, arrange/located on vast wood clearing, a number of days with snow storm for year is equal to 17, while on st. Bezhetsk, which is located under the more discovered conditions, an annual number of days with snow storm reaches 25. As another example they can serve station becoming white and black. Station black is arrange/located on the more elevated place, than st. becoming white; therefore on st. black a number of days with snow storm for year reaches 37, and on st. becoming white it equal to 28 days. Also they are distinguished by a number of days with snow storm of station it is Rybinsk, city and Rybinsk, GMO, from which the second is arrange/located on the more discovered place. A number of days with snow storms at these stations for year is equal with respect to 33 and 46.

In the territory of snow storm in question they are observed predominantly from November through April, in the separate years of snow storm, they are noted during October and during May.

In Table 1a placed great number of days with snow storm on data of the selective network of stations with series of observations is not less than 18-20 summer/years.

A great number of days with snow storm on months gives the

representation of the possible limits which can achieve the snowstorm activity depending on the conditions of circulation. A small number of days with snow storm for month during the prolonged period of observations by larger part is equal to zero, i.e., in each of the winter months in the separate years of snow storm, they can no.

A number of days with snow storms must be considered with planning of measures for struggle with snowdrifts, snow retention, the organization of cleaning works, etc.

Table 2. Average number of days with snow drifts. In the table are included the days when it was observed only drifting snow and other forms of snow storms during this day were not noted. Average many-year number of days with snow drifts is calculated analogous with data Table 1 within the limits of the period of 1936-1964. In connection with the fact that to achieve uniformity and reliability of observations above drifting snow is still more difficult than according to number of days with snowstorm (as a result of great subjectivism in considering this phenomenon), Table 2 contains data on a small number of points/items, which have high-quality and homogeneous observational data during period not less than 15-20 summer/years.

Drifting snow even to larger degree than common/general/total and blowing snow, depend on local conditions - vulnerability of point/item, area relief, surface condition of snow cover, etc. This

is easy to trace based on the example st. Efremcv, which during November 1955 was transferred from the foot of slope to the apex/vertex of hill (Table XIII).

Page 44.

On the discovered and elevated places of this territory, a number of days with snow drifts for year comprises into average/mean 10-14, while on those shielded - 5-8 days. Flowing away snow from the discovered places and basting snow-drifts of obstructions, drifting snow will do large damage to railroad transport to motor transport and agricultural fields; therefore must be considered them on the level with common/general/total snow storms.

Table 3. Duration of snow storms (watches). The table of the duration of snow storms is supplement and specification Table 1. In Table 3 is given the sum of a number of hours for month and year, during which were observed the snow storms, for the stations, having not less than 15-18 summer/years of observations in the period 1936-1965. In the indicated table is given also the average duration of snow storms during day with snow storm for year. This characteristic is obtained by dividing the average annual duration of snow storms into the number of days with snow storm for year, calculated during the same period, during which was determined the duration. Between a number of days with by snow storm for year and by

their total duration for year is good communication/connection (Fig. 31). Using this curve/graph, it is possible to determine the duration of snow storms for the point/item, on which there are data only and a number of days with snow storms.

Table 3a. Greatest duration of snow storms (watches). Data of Table 3a are selected from the available series of observations. They give certain representation of probable deviations from the average duration, given in Table 3.

Table 4. Frequency of different wind directions with snow storms (c/c). In table is given the frequency of different wind directions with snow storms on eight bearing/rhumbs, expressed in percentages from a number of all cases. Data processing was conducted in a mechanized manner during the period of observations 1936-1960.

Table XIII. Average number of days with drifting snow under varied conditions of location. St. Efremov.

(1) Местоположение	X	XI	XII	I	II	III	IV	(2) Год
(3) Подножье холма . . .	0	0	1	2	2	1	0.08	6
(4) Вершина холма . . .	0.1	0.4	2	4	4	2	0.1	13

Key: (1). Location. (2). Year. (3). Foot of hill. (4). Apex/vertex of hill.




Fig. 31. Communication/connection of duration of snow storms and number of days with snow storms.

Key: (1). days. (2). hours.

Page 45.

In view of the fact that direction and wind velocity at stations are determined only within the climatological time periods of observations (1, 7, 13 and 19 hours), for calculating their frequency for snow storms, are used only the cases of snow storms, which were being observed in these periods.

In the territory most frequently of snow storm in question they are observed with the southeastern winds, the large frequency of snow storms is noted with the southwestern winds; most thinner/less frequent they are observed with the northern and northeastern winds. Under conditions of the crossed relief, the wind direction with snow storms in separate point/items can differ from characteristic for region direction. By an example it can serve as st. o/ Moore, which is arranged/located in left high coast r. of the oka the direction of current of which from the south-southeast to a north-north-west. Wind rose with snow storms is strongly elongated to south, the frequency of the winds of eastern and western directions is understated; with the northern winds of snow storm, they are observed rarely (Fig. 20). By another example can serve as st. Tula, arranged/located in the valley River Upa which flows from west to the east. The frequency of snow storms with the wind of eastern direction at this station is more than at other stations. Similar pattern is observed on st. Kaluga, arranged/located in similar orientation valley. In valley itself the wind direction is changed depending on a change in the

direction of the individual sections of valley.

The account of data on the frequency of different wind directions with snow storms has the vital importance during planning and installation of windshield barriers on the railroads, the cultivation of tree belts, the snow retention and other measures.

Table 5. Frequency of different wind velocities with snow storms (%). The frequency of different wind velocities with snow storms is calculated with the aid of punchcard tabulators according to the same stations and during the same period of observations, as data of table 4. As initial material also served observations within climatological time periods (1, 7, 13 and 19 hours).

Wind velocity with snow storms even in larger degree than direction, depends on the location of observation station. On the larger part of the territory, predominate the snow storms at wind velocities 6-9 m/s, on the discovered elevated places the large frequency of snow storms is noted at velocities by 10-13 m/s and 12-25% - at velocities 14-17 m/s.

Table 6. The frequency of the temperature of air within limits at snow storms. The frequency of the temperature of air within different limits at snow storms, given in Table 6, is calculated with the aid punchcard tabulators according to the same stations and

during the same period of observations, as data of Table 4 and 5. In view of the fact that the temperature of air, just as direction and wind velocity, it was determined only within the established/installled time periods of observations (1, 7, 13 and 19 hours), for calculating its frequency were used only the cases of snow storms, which were being observed in these periods.

At low temperatures the snow more light/lung and finer-grained, in consequence of which at appropriate wind velocities it more easily yields to transfer. With thaws the snow is condensed and loses its mobility. Therefore at the positive temperatures of snow storm, they are observed in the exceptional cases. The greatest frequency of snow storms is noted at temperature from 0 to -10°, are frequent snow storms at temperature from -10 to -15°, and sometimes also at temperature -15, -20°.

Table 7. Frequency of different number of days with snow storm for year (%).

Page 46.

In table is given the frequency of different number of days with snow storm for year, expressed in percentages. Data of the tables are calculated according to the stations, which have series of

observations not less than 20-25 summer years within the limits of the period of 1936-1964. As a result of insufficient prolonged period these data it is not possible to consider completely stable.

Data on the frequency of different number of days with snow storm supplement and decipher data on an average many-year number of days with snow storm, given in Table 1, i.e., they give the representation of the limits of the oscillation of a number of days with snow storm in separate years.

The frequency of different number of days with snow storm in separate years should be considered during planning of different measures for struggle with snowdrifts on roads and the organization of works for snow retention in agricultural fields.

Section 4. Thunderstorm.

As the characteristic of thunderstorm activity they serve average and great number of days with thunderstorm on months and for year, the frequency of different number of days with thunderstorm into separate years, their duration and daily variation.

With the introduction of observations at standard time since

1936, data on thunderstorms became more systematic and more full/total/complete. This is evident even during the comparison of average values (Table XIV). Therefore for the composition of the characteristics of thunderstorms pointed out above was used the period of observations from 1936 through 1965.

As can be seen from data of Table XIV, a number of days with thunderstorms during last/latter period (1936-1965) everywhere is somewhat more than for the preceding/previous years.

Table 1. Average number of days with thunderstorms.

Table 1a. Great number of days with thunderstorm. Table 1 gives an average number of days with the close and thunderstorms on months and for year.

Average many-year number of days with thunderstorm is calculated from the series of observations of different duration within the limits of the period of 1936-1965. Data of stations with the series of observations less than 15 summer/years, as a rule, were given to more prolonged periods on the graph/diagrams of the correlation dependence between a number of days with thunderstorm of the station in question and the adjacent with longer series of observations and similar location.

Table XIV. Average number of days with thunderstorm during different periods.

(1) Станция	(2) Период наблюдений	IV	V	VI	VII	VIII	IX	(3) Год
(4) Углич	1924—1943	0.3	3	5	8	4	1	21
	1936—1965	0.5	3	7	8	5	1	24
(5) Ржев	1924—1943	0.9	3	5	7	3	1	20
	1936—1965	0.8	4	6	9	5	1	26
(6) Александров	1907—1917, 1934—1943	0.5	3	5	7	4	0.6	20
	1936—1965	0.2	4	6	8	6	1	25
(7) Рязань	1924—1943	0.3	3	5	8	4	1	21
	1943—1965	0.5	4	7	8	6	2	27
(8) Тула	1900—1904, 1925—1943	0.8	4	5	6	4	1	21
	1936—1965	0.7	4	7	8	5	2	27

Key: (1). Station. (2). Period of observations. (3). Year. (4).

Uglich. (5). Rzhev. (6). Aleksandrov. (7). Ryazan. (8). Tula.

Page 47.

Thunderstorm considers in the daytime such day, during which was observed the close or thunderstorm in region of meteorological station. If during one and the same day it was observed both close and thunderstorm, then the latter was not taken into attention. Are not included the days, during which is noted only the heat lightning without the close or thunderstorms.

The analysis of data shows that even the comparatively small elevations, available in the territory in question, cause an increase in the number of thunderstorms in comparison with flat terrain. This is explained mainly by the intensification of turbulence connected with the brokenness of relief.

Numbers lesser than unity in table mean that thunderstorms are observed not yearly.

of Table 1a gives on the stations, which have 20 and more summer/years of observations within the limits of period from 1936 through 1965.

A great number of days with thunderstorms is selected from entire series of observations and gives the representation not only of the maximum quantity of days which was observed during the available period of observations, but also about maximum deviation of a number of days with thunderstorms from many-year average, i.e., about possible oscillations in separate years.

In connection with the fact that a great number of days with thunderstorms in separate months they are observed of different years, the sum of the greatest numbers of days with thunderstorms for all months always more the greatest number of days with this phenomenon

for entire year.

Table 2. Average duration of thunderstorms (watches).

Table 2a. Duration of thunderstorms in different time of days (hours). Table 2 gives the average duration of thunderstorms, obtained by the direct calculation of observational data within the limits of the period of 1941-1965 but not less than in 20 summer/years.

Initial data was the materials of the detailed recording of the duration of thunderstorms in hours and minutes, rounded during treatment to fourth or the tenth of hour.

The average duration of thunderstorm for a given month is obtained by dividing the common/general/total sum of the duration of thunderstorm for month into a number of summer/years of observations.

In Table 2 is placed also the average duration of thunderstorm during day with thunderstorm. This characteristic is obtained by the division of common/general/total annual duration of thunderstorm for full/total/complete days (from 18 to 18 hours) into the total annual number of days with thunderstorms during the same period of observations, as duration.

In Table 2a is included the average duration of thunderstorm in the different time of days on the six hour intervals of time, which it can serve as the index of the daily variation of thunderstorm. Is calculated it according to the same materials also during the same period, as data of Table 2.

The greatest duration of thunderstorms is observed by day, from 12 to 18 hours, somewhat smaller - from 18 to 20-22 hour. Lesser anything of thunderstorms is noted in night and before morning time, from 24 to 6 hour.

When in the months of the cold period of year is noted thunderstorm by the duration less than the fourth of hour, in the appropriate graph Table 2, are written zero.

Table 3. Frequency of different number of days with thunderstorm for year. Data of tables represent the frequency of a number of days with the close and isolated thunderstorm for year, obtained based on materials of the selective network of the stations, which evenly elucidate territory and which have a 25-30-year-old series of observations within the limits of the period of 1936-1965.

A number of days with thunderstorms is changed from year to year within considerable limits. The probability of different number of days makes it possible to judge the oscillations of the frequency of thunderstorms in separate years.

Section 5. Hail.

In connection with the fact that the procedure of observations on hail was not changed, for processing of data of this cell/element, were used the observations since 1891.

Table 1. Average number of days with hail.

Table 1a. Great number of days with hail. Table 1 gives given data of an average number of days with hail on months and for year, obtained by direct calculation from the series of observations of different duration from 15 of up to 75 years within the limits of the period of 1891-1965.

Numbers lesser than unity mean that deg in given month was observed not yearly.

A great number of days with hail table 1a) gives for stations

and the posts, which have not less than 20-30 summer/years of observations and evenly elucidating entire territory.

The great number of days with hail, selected as different period of observations, bears to a certain degree random character and oscillates on territory within sufficiently large limits.

In connection with the fact that a great number of days with hail in separate months they are observed of different years, the sum of the greatest number of days with hail for all months always more the greatest number of days with this phenomenon for year.

PAGE - 116

SECTION I
CLOUD COVER

Table 1.

Table 1. Recurrence of clear (0-2 points), semi-clear (3-7 points, and gray (8-10 points) sky conditions for total and low cloud cover.

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

Yaroslavskaya Oblast
6. Poshekhan'ye-Volodarsk

Total	16	22	27	32	30	32	34	37	25	15	13	13
0-2	3	4	5	10	15	17	18	16	10	6	4	2
3-7	81	74	68	58	55	51	48	47	65	79	83	85
Low	32	43	50	54	52	57	56	57	43	27	24	27
0-2	1	2	3	6	13	14	14	13	9	5	2	1
3-7	67	55	47	40	35	29	30	30	48	68	74	72

10. Breytovo

Total	17	21	29	30	25	22	24	27	19	13	16	12
0-2	7	8	10	14	19	25	22	20	14	8	7	6
3-7	76	71	61	56	56	53	54	53	67	79	77	82
Low	35	42	55	57	49	53	52	51	40	24	28	24
0-2	4	5	5	9	16	21	20	19	14	8	5	5
3-7	61	53	40	34	35	27	28	30	46	68	67	71

12. Mys Rozhnovskiy

Total	16	21	27	26	24	21	25	24	15	9	14	9
0-2	6	6	10	13	19	24	20	20	16	9	8	6
3-7	78	73	63	61	57	55	55	56	69	82	78	85
Low	40	48	59	60	51	54	53	51	37	23	39	29
0-2	3	2	3	7	16	19	18	18	16	10	5	4
3-7	57	50	38	33	33	27	29	31	47	67	65	67

13. Danilov

Total	16	22	26	29	27	28	26	31	21	14	13	13
0-2	4	4	6	11	15	19	18	16	12	7	4	3
3-7	80	74	68	60	58	53	56	53	67	79	83	84
Low	36	41	49	56	52	55	54	58	44	29	25	26
0-2	2	2	4	8	15	16	18	15	12	6	3	2
3-7	62	57	47	36	33	29	28	27	44	65	72	72

15, 18. Rybinsk

Total	15	21	25	29	27	28	27	32	22	14	12	12
0-2	5	5	7	12	17	20	22	20	13	7	4	3
3-7	80	74	68	59	56	52	51	48	65	79	84	85
Low	33	39	47	51	46	49	48	51	37	24	22	24
0-2	2	2	4	8	17	20	20	17	13	7	2	3
3-7	65	59	49	41	37	31	32	32	50	69	76	73

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

25. Yaroslavl'

Total												
0-2	15	21	24	29	25	27	25	30	22	14	12	12
3-7	8	7	11	15	22	27	28	23	18	11	7	6
8-10	77	72	65	56	53	46	47	47	60	75	81	82
Low												
0-2	24	35	45	49	42	45	41	42	32	22	23	18
3-7	7	7	7	13	21	25	27	23	20	12	6	6
8-10	69	58	48	38	37	30	32	35	48	66	71	76

26. Uglich

Total												
0-2	16	21	26	30	27	27	27	30	22	15	13	13
3-7	3	5	8	13	19	24	25	22	14	8	4	3
8-10	81	74	66	57	54	49	48	48	64	77	83	84
Low												
0-2	27	36	46	52	50	52	53	53	40	27	22	21
3-7	2	2	3	8	16	19	19	17	11	5	2	1
8-10	71	62	51	40	34	29	28	30	49	68	76	78

31. Rostov

Total												
0-2	18	23	27	32	29	32	30	34	26	18	15	14
3-7	5	6	8	11	17	20	22	19	14	8	5	4
8-10	77	71	65	57	54	48	48	47	60	74	80	82
Low												
0-2	39	44	53	56	52	58	57	56	46	32	28	28
3-7	2	2	3	9	17	18	21	18	14	7	3	2
8-10	59	54	44	35	31	24	22	26	40	61	69	70

33. Pereslavl'-Zalesskiy

Total												
0-2	15	21	24	27	23	24	24	25	21	15	13	11
3-7	8	8	12	16	21	25	27	24	18	11	6	5
8-10	77	71	64	57	56	51	49	51	61	74	81	84
Low												
0-2	32	43	49	54	49	52	53	53	42	29	24	22
3-7	3	13	4	9	16	19	21	17	13	7	4	3
8-10	65	54	47	37	35	29	26	30	45	64	72	75

KALININSKAYA OBLAST

36. Kes'ma

Total												
0-2	16	20	27	26	26	23	22	24	18	14	13	10
3-7	6	6	9	11	15	19	22	18	12	8	5	4
8-10	78	74	64	63	59	58	56	58	70	78	82	86
Low												
0-2	36	41	55	54	48	48	47	46	39	28	26	26
3-7	2	3	4	8	13	17	18	16	10	6	3	2
8-10	62	56	41	38	39	35	35	38	51	66	71	72

42. Bologoye

Total												
0-2	15	19	26	28	28	27	29	29	22	16	11	10
3-7	4	5	9	13	16	20	20	17	14	7	8	8
8-10	81	76	65	59	56	53	51	54	64	77	81	82
Low												
0-2	25	32	44	50	47	48	51	48	38	25	18	17
3-7	2	2	4	10	16	21	20	17	14	7	3	3
8-10	73	66	52	40	37	31	29	35	48	68	79	80

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

46. Bezhetsk

Total												
0-2	17	18	27	28	27	27	25	31	21	15	14	13
3-7	5	6	9	15	20	24	26	21	14	8	5	4
8-10	78	76	64	57	53	49	49	48	65	77	81	83
Low												
0-2	35	40	53	53	49	51	49	52	43	30	24	26
3-7	1	2	3	10	18	20	22	18	12	7	3	2
8-10	64	58	44	37	33	29	29	30	45	63	73	72

51. Vyshniy Volochev

Total												
0-2	15	20	26	29	29	28	28	29	24	17	12	12
3-7	5	5	10	13	17	20	23	18	13	8	5	4
8-10	80	75	64	58	54	52	49	53	63	75	83	84
Low												
0-2	30	36	48	50	47	47	48	48	40	28	21	22
3-7	3	3	5	9	16	20	22	18	14	7	3	2
8-10	67	61	47	41	37	33	30	34	46	65	76	76

55. Kashin

Total												
0-2	15	19	24	25	24	24	24	27	21	14	12	12
3-7	5	6	8	13	18	22	23	20	13	8	4	3
8-10	80	75	68	62	58	54	53	53	66	78	84	85
Low												
0-2	28	37	46	49	44	46	46	46	37	25	21	20
3-7	3	3	3	11	19	20	22	20	12	7	3	2
8-10	69	60	51	40	37	34	32	34	51	68	76	78

59. Ostashkov

Total												
0-2	15	18	26	27	27	23	25	27	22	15	12	11
3-7	3	4	6	12	16	23	22	9	12	6	3	3
8-10	82	78	68	61	57	54	53	54	66	79	85	86
Low												
0-2	26	31	44	49	49	52	52	51	42	28	19	19
3-7	2	2	2	9	14	18	18	16	10	5	2	1
8-10	72	67	54	42	37	30	30	33	48	67	79	80

64. Kuvшиново

Total												
0-2	15	18	27	29	29	27	27	29	24	17	13	12
3-7	3	4	7	10	14	17	18	15	10	4	3	1
8-10	82	78	66	61	57	56	55	56	66	79	84	87
Low												
0-2	30	36	49	49	46	46	45	44	36	27	22	20
3-7	2	2	3	7	14	15	17	15	10	4	2	1
8-10	68	62	48	44	40	39	38	41	54	69	76	79

65. Torzhok

Total												
0-2	14	18	24	26	24	24	23	26	22	16	12	12
3-7	9	5	11	16	21	23	25	21	18	9	6	4
8-10	77	77	65	58	55	53	52	53	60	75	82	84
Low												
0-2	30	37	47	52	46	47	48	49	42	30	24	24
3-7	4	3	5	13	22	24	24	22	17	10	4	3
8-10	66	60	48	35	32	29	28	29	41	60	72	73

120

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

73. Kalinin

Total												
0-2	14	18	24	26	25	24	23	25	21	15	13	11
3-7	5	5	8	12	18	21	22	19	14	9	4	4
8-10	81	77	68	62	57	55	55	56	65	76	83	85
Low												
0-2	22	28	40	43	39	40	37	39	32	24	19	18
3-7	4	5	6	13	20	22	25	21	15	8	4	3
8-10	74	67	54	44	41	38	38	40	53	68	77	79

82. Staritsa

Total												
0-2	14	19	25	27	29	27	30	25	23	16	13	13
3-7	5	6	9	15	20	25	24	22	16	10	5	4
8-10	81	75	66	58	51	48	46	53	61	74	82	83
Low												
0-2	33	42	51	53	52	54	53	48	41	30	24	27
3-7	4	3	4	11	17	19	20	19	13	8	4	4
8-10	63	55	45	36	31	27	27	33	46	62	72	69

83. Turginovo

Total												
0-2	13	17	22	25	24	22	21	23	20	14	11	12
3-7	6	8	10	16	20	24	28	21	15	10	7	4
8-10	81	75	68	59	56	54	51	56	65	76	82	84
Low												
0-2	31	39	50	56	50	51	50	48	42	30	25	25
3-7	3	3	4	10	17	21	22	19	12	7	4	3
8-10	66	58	46	31	33	28	28	33	46	63	71	72

84. Toropets

Total												
0-2	11	15	20	20	23	19	18	18	16	11	9	9
3-7	4	5	10	16	20	26	27	22	18	11	5	4
8-10	85	80	70	64	57	55	55	60	66	78	86	87
Low												
0-2	22	29	40	41	41	38	39	38	32	21	15	16
3-7	4	4	6	15	21	27	27	23	18	10	4	4
8-10	74	67	54	44	38	35	34	39	50	69	81	80

88. Zapadnaya Dvina

Total												
0-2	14	16	24	23	24	21	21	25	22	14	11	10
3-7	5	6	9	14	19	25	26	20	15	9	5	5
8-10	81	78	67	63	57	54	53	55	63	77	84	85
Low												
0-2	24	27	42	45	45	44	44	44	39	26	17	18
3-7	4	4	7	13	20	24	26	21	15	9	4	3
8-10	72	69	51	42	35	32	30	35	46	65	79	79

89. Rzhev

Total												
0-2	12	18	24	27	27	26	26	28	23	16	13	11
3-7	5	4	6	11	14	18	18	15	12	8	4	3
8-10	83	78	70	62	59	56	56	57	65	76	83	86
Low												
0-2	21	29	40	44	41	44	43	42	36	24	18	16
3-7	3	3	4	9	15	17	18	16	11	8	3	3
8-10	76	68	56	47	44	39	39	42	53	68	79	81

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

94. Белый

Total												
0-2	14	20	20	28	30	27	29	28	24	16	13	12
3-7	3	4	6	11	15	19	19	16	10	7	4	3
8-10	83	76	65	61	55	54	52	56	66	77	83	85
Low												
0-2	27	37	47	50	50	50	52	49	44	28	21	22
3-7	1	2	3	8	14	17	17	14	9	5	2	2
8-10	72	61	50	42	36	33	31	37	47	67	77	76

MOSKOVSKAYA OBLAST

103. Дмитров

Total												
0-2	16	22	27	28	24	26	25	25	22	15	15	12
3-7	5	5	8	13	19	24	25	20	14	9	6	4
8-10	79	73	65	59	57	50	50	55	64	76	79	84
Low												
0-2	28	34	44	48	42	45	44	42	35	25	24	20
3-7	3	3	5	10	19	22	24	22	14	8	3	3
8-10	69	63	51	42	39	33	32	36	51	67	73	77

110. Волоколамск

Total												
0-2	15	16	24	27	29	27	27	29	23	16	13	12
3-7	5	7	9	14	17	24	25	20	16	10	5	4
8-10	80	77	67	59	54	49	48	51	61	74	82	84
Low												
0-2	27	33	43	48	45	47	47	46	37	28	21	20
3-7	3	4	4	12	18	23	24	20	16	7	5	2
8-10	70	63	53	40	37	30	29	34	47	65	74	78

117. Починки

Total												
0-2	19	23	23	25	26	27	24	28	24	17	14	12
3-7	6	7	10	13	15	20	21	16	14	8	5	4
8-10	75	70	67	62	59	63	55	56	62	75	81	84
Low												
0-2	39	46	48	53	50	55	51	53	45	35	28	26
3-7	3	3	4	8	17	16	18	16	13	6	3	3
8-10	58	51	48	39	33	29	31	31	42	59	69	71

118. Ново-Иерусалим

Total												
0-2	16	19	25	28	28	30	30	31	25	17	14	12
3-7	5	6	8	12	17	22	23	19	13	8	5	5
8-10	79	75	67	60	55	48	47	50	64	75	81	83
Low												
0-2	28	35	44	49	47	49	48	48	39	27	22	21
3-7	4	4	5	12	16	21	23	19	13	8	4	3
8-10	68	61	51	39	37	30	29	33	48	65	74	76

121. Москва, с.-х. академия

Total												
0-2	16	17	24	26	27	28	27	27	24	15	13	11
3-7	4	7	9	14	19	23	25	21	16	9	6	4
8-10	80	76	67	60	54	49	48	52	60	76	81	85
Low												
0-2	29	36	45	48	48	50	48	48	42	28	23	21
3-7	4	4	5	12	17	20	23	20	13	7	4	3
8-10	67	60	50	40	35	30	29	32	45	65	73	76

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

124. Москва, ВДНХ

Total												
0-2	14	19	27	27	27	26	27	25	22	15	18	10
3-7	5	5	8	12	16	20	21	18	14	7	5	4
8-10	81	76	65	61	57	54	52	57	64	78	77	86
Low												
0-2	31	38	47	51	47	50	47	45	41	27	28	21
3-7	4	4	6	11	17	20	21	20	14	7	5	4
8-10	65	58	47	38	36	30	32	35	45	66	67	75

142. Куренское

Total												
0-2	20	25	27	29	29	30	31	33	28	18	16	15
3-7	4	4	7	12	17	22	22	19	13	8	4	3
8-10	76	71	66	59	54	48	47	48	59	74	80	82
Low												
0-2	36	43	49	54	53	57	57	56	48	33	28	27
3-7	2	3	6	9	15	18	19	16	10	6	2	2
8-10	62	54	45	37	32	25	24	28	42	61	70	71

148. Черусты

Total												
0-2	21	25	29	31	30	31	31	33	29	20	18	17
3-7	4	5	7	12	16	22	22	19	14	7	4	3
8-10	75	70	64	57	54	47	47	48	57	73	78	80
Low												
0-2	39	47	52	53	52	54	53	54	46	32	31	29
3-7	3	2	4	8	15	20	21	17	12	6	3	1
8-10	58	51	44	39	33	26	26	29	42	62	66	70

156. Коломна

Total												
0-2	20	24	28	29	30	30	30	33	28	19	17	15
3-7	4	4	7	14	16	21	23	19	14	8	6	4
8-10	76	72	65	57	54	49	47	48	58	73	77	81
Low												
0-2	36	43	52	50	48	52	50	51	44	30	28	28
3-7	2	1	2	9	14	17	18	16	12	7	2	2
8-10	62	56	46	41	38	31	32	33	44	63	70	70

157. Михнево

Total												
0-2	17	20	24	25	26	26	27	29	25	17	14	13
3-7	5	7	9	15	21	25	26	24	18	10	7	5
8-10	78	73	67	60	53	49	47	47	57	73	79	82
Low												
0-2	32	36	44	49	51	56	54	54	44	30	24	22
3-7	2	3	5	12	19	21	24	20	16	8	4	3
8-10	66	61	51	39	30	23	22	26	40	62	72	75

163. Кашира

Total												
0-2	18	23	27	30	30	32	33	34	30	20	16	14
3-7	6	8	9	15	24	27	27	24	17	10	10	9
8-10	76	69	64	55	46	41	40	42	53	70	74	77
Low												
0-2	32	41	45	50	50	55	53	56	48	33	26	25
3-7	3	3	5	11	22	23	26	20	15	8	3	2
8-10	65	56	50	39	28	22	21	24	37	59	71	73

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

VLADIMIRSKAYA OBLAST

168. Александров

Total	15	19	22	23	23	25	23	27	21	14	12	11
0-2	5	6	9	14	17	21	23	18	13	9	5	4
3-7	80	75	69	63	60	54	54	55	66	78	83	85
8-10												
Low												
0-2	33	37	45	49	46	50	49	49	40	27	23	23
3-7	2	3	4	10	16	18	20	17	12	7	3	2
8-10	65	60	51	41	38	32	31	34	48	66	74	75

171. Вязники

Total	17	24	25	30	29	32	31	34	26	17	16	14
0-2	5	6	8	14	19	25	25	22	14	8	6	4
3-7	78	70	67	56	52	43	44	44	60	75	78	82
8-10												
Low												
0-2	32	44	52	60	58	63	58	60	50	34	30	26
3-7	3	3	4	8	15	20	20	16	11	6	3	2
8-10	65	53	44	32	27	17	22	24	39	60	67	72

176. Владимир

Total	20	25	27	30	27	29	28	33	26	18	16	14
0-2	5	5	9	15	21	27	27	23	15	8	6	4
3-7	75	70	64	55	52	44	45	44	59	74	78	82
8-10												
Low												
0-2	37	43	50	55	51	56	54	57	45	30	28	25
3-7	2	2	4	9	17	20	21	17	11	6	2	2
8-10	61	55	46	36	32	24	25	26	44	64	70	73

180. Селивановское оп. поле

Total	18	24	27	27	26	28	27	29	24	17	18	14
0-2	6	8	12	19	23	33	30	27	17	10	7	5
3-7	76	68	61	54	51	39	43	44	59	73	75	81
8-10												
Low												
0-2	33	42	48	52	47	52	48	49	39	26	29	26
3-7	4	3	5	10	16	21	22	19	13	7	4	2
8-10	63	55	47	38	37	27	30	32	48	67	67	72

186. Муром

Total	20	26	29	34	34	37	37	39	30	21	19	16
0-2	3	4	6	11	13	20	19	16	12	6	4	3
3-7	77	70	65	55	53	43	44	45	58	73	77	81
8-10												
Low												
0-2	35	42	51	55	55	59	56	59	48	31	29	24
3-7	1	2	2	7	12	17	17	14	10	5	2	2
8-10	64	56	47	38	33	24	27	27	42	64	69	74

SMOLENSKAYA OBLAST

191. Сычевка

Total	15	19	26	29	27	25	26	28	25	16	13	13
0-2	4	5	8	12	18	22	21	20	14	9	5	4
3-7	81	76	66	59	55	53	53	52	61	75	82	83
8-10												
Low												
0-2	27	38	49	52	48	47	47	49	43	28	21	23
3-7	2	2	3	10	15	20	19	16	11	7	4	2
8-10	71	60	48	38	37	33	34	35	46	65	75	75

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

194. Велиж

Total												
0-2	14	17	27	27	27	27	26	26	23	16	13	11
3-7	4	5	8	14	17	22	23	19	15	8	6	4
8-10	82	77	65	59	56	51	51	55	62	76	81	85
Low												
0-2	22	29	44	48	46	47	45	43	39	27	21	16
3-7	4	4	5	9	16	19	21	17	13	8	4	3
8-10	74	67	51	43	38	34	34	40	48	65	75	81

195. Гжатск

Total												
0-2	15	19	26	30	29	30	29	31	24	17	13	12
3-7	5	6	8	16	22	26	26	24	17	10	6	5
8-10	80	75	66	54	49	44	45	45	59	73	81	83
Low												
0-2	26	35	46	51	47	51	48	48	41	29	23	21
3-7	4	3	3	12	19	20	21	18	13	7	3	3
8-10	70	62	51	37	34	29	31	34	46	64	74	76

196. Ново-Пречистое

Total												
0-2	15	17	24	24	24	22	22	23	21	14	11	11
3-7	6	8	12	20	29	34	32	27	21	12	7	5
8-10	79	75	64	56	47	44	46	50	58	74	82	84
Low												
0-2	22	32	42	47	46	48	47	47	40	28	20	19
3-7	5	5	6	15	25	28	28	24	18	11	5	4
8-10	73	63	52	38	29	24	25	29	42	61	75	77

198. Демидов

Total												
0-2	16	18	24	26	28	27	28	27	24	17	12	12
3-7	4	5	8	14	19	24	24	21	16	8	5	5
8-10	80	77	68	60	53	49	48	52	60	75	83	83
Low												
0-2	31	34	44	49	50	51	53	49	45	30	21	24
3-7	2	3	4	12	17	22	21	20	14	7	3	2
8-10	67	63	52	39	33	27	26	31	41	63	76	74

199. Вязьма

Total												
0-2	13	17	22	25	26	24	25	26	22	15	12	11
3-7	3	5	6	12	17	19	19	17	14	8	4	3
8-10	84	78	72	63	57	57	56	57	64	77	84	86
Low												
0-2	23	33	42	51	52	55	54	53	44	28	21	20
3-7	3	4	5	11	18	21	21	18	15	8	4	3
8-10	74	63	53	38	30	24	25	29	41	64	75	77

203. Сафоново

Total												
0-2	12	17	26	26	26	23	25	23	22	15	14	11
3-7	4	6	8	17	21	23	24	22	18	12	5	4
8-10	84	77	66	57	53	54	51	55	60	73	81	85
Low												
0-2	26	33	45	51	50	51	49	47	42	32	24	22
3-7	2	3	3	11	16	19	20	18	14	6	2	2
8-10	72	64	52	38	34	30	31	35	44	62	74	76

126

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

205. Тимкино

Total												
0-2	14	19	24	27	31	28	30	29	26	17	14	13
3-7	5	7	9	17	21	26	26	25	16	10	5	5
8-10	81	74	67	56	48	46	44	46	58	73	81	82
Low												
0-2	32	40	48	55	56	57	56	55	48	33	27	28
3-7	4	3	5	11	16	22	20	18	11	8	4	4
8-10	64	57	47	34	28	21	24	27	41	59	69	68

211. Смоленск

Total												
0-2	14	17	25	25	28	26	26	26	24	16	11	11
3-7	5	7	9	16	22	24	27	24	18	11	6	5
8-10	81	76	66	59	50	50	47	50	58	73	83	84
Low												
0-2	24	31	43	46	48	46	48	45	42	27	20	18
3-7	5	4	6	14	22	26	26	24	17	10	4	4
8-10	71	65	51	40	30	28	26	31	41	63	76	78

212. Ельня

Total												
0-2	17	20	28	29	32	29	29	30	28	18	14	13
3-7	5	6	8	15	22	25	25	23	18	10	4	4
8-10	78	74	64	56	46	46	46	47	54	72	82	83
Low												
0-2	30	37	47	51	54	53	54	53	46	32	22	24
3-7	2	2	3	11	18	21	21	18	14	8	3	2
8-10	68	61	50	38	28	26	25	29	40	60	75	74

213. Починок

Total												
0-2	18	19	27	27	30	27	27	27	26	18	13	12
3-7	5	6	11	17	26	28	30	27	20	11	7	6
8-10	77	75	62	56	44	45	43	46	54	71	80	82
Low												
0-2	31	37	50	52	52	50	51	49	46	34	26	26
3-7	2	2	4	11	19	23	23	19	15	7	3	2
8-10	67	61	46	37	29	27	26	32	39	59	71	72

217. Рославль

Total												
0-2	16	18	25	26	30	26	30	30	26	19	13	13
3-7	4	5	7	14	20	25	25	20	17	8	4	4
8-10	80	77	68	60	50	49	45	50	57	73	83	83
Low												
0-2	26	32	43	50	54	52	53	51	48	33	21	22
3-7	3	3	4	11	17	20	21	18	14	6	3	2
8-10	71	65	53	39	29	28	26	31	38	61	76	76

KALUZHSKAYA OBLAST

219. Малоярославец

Total												
0-2	17	21	28	30	31	33	33	34	30	20	15	13
3-7	4	5	7	12	18	23	23	21	13	9	5	3
8-10	79	74	65	58	51	44	44	45	57	71	80	84
Low												
0-2	32	39	47	51	50	55	52	54	46	33	25	24
3-7	4	3	5	12	19	20	22	19	15	8	4	3
8-10	64	58	48	37	31	25	26	27	39	59	71	73

126

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

224. Мосальск

Total												
0-2	13	19	26	28	30	29	30	31	28	19	15	13
3-7	4	5	7	15	20	24	22	20	16	8	4	4
8-10	83	76	67	57	50	47	48	49	56	73	81	83
Low												
0-2	28	37	46	56	54	58	57	57	50	36	26	24
3-7	3	3	4	10	16	17	15	15	13	6	2	2
8-10	69	60	50	34	30	25	28	28	37	58	72	74

225. Калуга

Total												
0-2	17	20	27	30	32	31	33	34	30	20	16	14
3-7	3	5	6	10	15	20	19	16	12	8	4	4
8-10	80	75	67	60	53	49	48	50	58	72	80	82
Low												
0-2	27	34	43	47	49	52	50	49	43	30	22	21
3-7	3	3	4	9	15	17	17	17	12	7	4	3
8-10	70	63	53	44	36	31	33	34	45	63	74	76

226. Спас-Деменск

Total												
0-2	15	20	26	28	31	28	29	29	27	18	13	12
3-7	4	5	8	16	22	26	27	24	17	11	5	4
8-10	81	75	66	56	47	46	44	47	56	71	82	84
Low												
0-2	24	31	41	45	47	46	46	46	40	28	20	19
3-7	2	3	5	14	19	24	23	21	16	9	4	3
8-10	74	66	54	41	34	30	31	33	44	63	76	78

228. Сухиничи

Total												
0-2	17	22	28	29	32	30	30	32	30	20	16	15
3-7	4	4	8	17	20	26	26	23	17	10	5	4
8-10	79	74	64	54	48	44	44	45	53	70	79	81
Low												
0-2	38	47	51	52	50	49	50	50	46	34	30	28
3-7	3	3	4	13	21	26	26	20	15	9	4	2
8-10	59	50	45	35	29	25	24	30	39	57	66	70

232. Жиздра

Total												
0-2	18	21	27	29	33	32	35	33	30	20	17	14
3-7	4	6	9	16	21	25	24	21	14	10	5	4
8-10	78	73	64	55	40	43	41	46	56	70	78	82
Low												
0-2	25	33	41	47	48	52	52	49	43	30	24	19
3-7	2	3	4	10	17	19	19	17	12	8	3	2
8-10	73	64	55	43	35	29	29	34	45	62	73	79

RYAZANSKAYA OBLAST

233. Тула

Total												
0-2	19	24	26	28	27	32	29	32	27	19	16	15
3-7	5	5	8	13	19	22	23	21	15	8	6	3
8-10	70	71	66	59	54	46	48	47	58	73	78	82
Low												
0-2	33	38	46	49	48	53	48	49	43	30	27	26
3-7	3	4	5	11	16	20	23	21	13	6	4	2
8-10	64	58	49	40	36	27	29	30	44	64	69	72

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

234. Елатъма

Total	21	25	28	32	33	36	35	36	30	20	18	16
0-2	3	5	6	11	15	19	19	17	12	7	4	3
3-7	76	70	66	57	52	45	46	47	58	73	78	81
Low	40	45	51	54	55	61	58	60	49	32	29	26
0-2	2	2	3	8	12	14	16	14	9	4	2	2
3-7	58	53	46	38	33	25	26	36	42	64	69	72

237. Рязань

Total													
0-2	20	23	27	29	30	30	31	33	29	19	17	15	15
3-7	4	5	7	11	16	23	21	19	14	8	5	5	5
8-10	76	72	66	60	54	47	48	48	57	73	78	80	80
Low													
0-2	32	40	46	50	52	56	54	55	50	32	28	24	24
3-7	2	2	4	8	13	17	16	15	10	5	2	2	2
8-10	66	58	50	42	35	27	30	30	40	63	70	74	74

239. Cacozel

Total													
0-2	20	24	28	29	31	32	32	33	29	19	18	15	
3-7	6	6	8	15	19	28	26	23	16	11	7	5	
8-10	74	70	64	56	50	40	42	44	55	70	75	80	
Low													
0-2	37	43	50	52	51	56	53	53	48	33	30	27	
3-7	3	3	5	12	19	21	23	21	14	9	4	3	
8-10	60	54	45	36	30	23	24	26	38	58	66	70	

240. Шилово

Total	22	25	29	31	35	40	36	41	33	21	20	17
0-2	3	4	5	11	13	18	18	15	12	7	4	3
3-7	75	71	66	58	52	42	46	44	55	72	76	80
Low	44	49	56	57	58	65	62	64	55	37	36	32
0-2	1	1	2	8	12	14	15	12	10	6	2	1
3-7	55	50	42	35	30	21	23	24	35	57	62	67

242. Михаил

Total	20	22	27	29	32	33	34	36	31	21	19	15
Low	37	41	51	56	57	63	61	63	56	38	33	26
0-2	20	22	27	29	32	33	34	36	31	21	19	15
3-7	5	6	8	14	19	26	25	21	15	9	6	4
8-10	75	72	65	57	49	41	41	43	54	70	75	81

243. Шанхай

Total	0-2	22	27	28	27	31	28	30	27	20	21	15
3-7	6	6	8	13	17	23	20	19	15	10	6	4
8-10	76	72	65	59	56	46	52	51	58	70	73	81
Low	0-2	40	46	54	54	51	59	51	56	49	38	40
3-7	7	2	3	10	17	19	20	17	13	9	3	2
8-10	53	52	43	36	32	22	29	27	38	53	57	65

248. Панелец

0-2	20	23	27	29	32	33	33	35	32	22	19	15
3-7	4	5	7	11	16	21	20	17	13	7	5	5
8-10	76	72	66	60	52	46	47	48	55	71	76	80

128

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

Low-												
0-2	43	49	56	57	61	62	61	65	59	41	35	31
3-7	1	1	2	8	12	16	17	13	10	5	2	1
8-10	56	50	42	35	27	22	22	22	31	54	63	68

247. Рижск

Total	22	24	27	28	29	28	27	32	30	20	19	16
0-2	6	8	11	19	27	34	33	28	21	13	8	5
3-7	72	68	62	53	44	38	40	40	50	67	73	79
8-10	38	42	49	52	54	57	56	59	53	38	32	27
Low-												
0-2	2	2	3	11	18	22	22	18	13	6	2	1
3-7	60	56	48	37	28	21	22	23	34	56	66	72

TUL'SKAYA OBLAST

255. Тула

Total	16	19	25	27	29	29	29	30	27	18	16	14
0-2	6	7	9	15	21	27	25	24	17	10	6	5
3-7	78	74	66	58	50	44	46	46	56	72	78	81
8-10	27	34	43	48	48	50	48	49	44	31	25	22
Low-												
0-2	4	4	5	12	20	24	25	22	16	9	4	4
3-7	69	62	52	40	32	26	27	29	40	60	71	74

259. Белен

Total	17	20	26	27	29	29	31	31	29	20	15	14
0-2	4	4	9	14	21	26	24	21	16	9	5	4
3-7	79	76	65	59	50	45	45	48	55	71	80	82
8-10	32	38	47	51	53	56	53	54	49	34	27	26
Low-												
0-2	2	2	3	11	17	20	20	18	13	6	2	2
3-7	66	60	50	38	30	24	27	28	38	60	71	72

262. Волово

Total	21	24	28	28	32	32	33	34	31	20	18	15
0-2	4	5	7	14	20	27	25	22	17	11	5	3
3-7	75	71	65	58	48	41	42	44	52	69	77	82
8-10	33	39	48	52	55	58	54	57	53	36	28	23
Low-												
0-2	2	2	2	9	15	19	21	17	12	6	2	2
3-7	65	59	50	39	30	23	25	26	35	58	70	75

263. Чернь и Скуратово

Total	18	21	26	28	33	34	35	34	30	20	17	14
0-2	4	5	6	12	18	23	22	21	15	9	5	3
3-7	78	74	68	60	49	43	43	45	55	71	78	83
8-10	26	33	40	47	50	53	49	49	46	30	26	19
Low-												
0-2	2	3	4	10	16	19	19	18	12	7	3	2
3-7	72	64	56	43	34	28	32	33	42	63	71	79

265. Ефремов

Total	20	25	29	30	33	34	36	37	35	23	20	16
0-2	3	4	6	11	19	23	21	21	13	8	4	3
3-7	77	71	65	59	48	43	43	42	52	69	76	81
8-10	32	36	43	47	50	54	53	52	49	34	27	23
Low-												
0-2	1	2	3	7	16	19	18	18	11	5	2	2
3-7	67	62	54	46	34	27	29	30	40	61	71	75

Table 2. Recurrence of clear (0-2 points), semi-clear (3-7 points) and gray (8-10 points) sky conditions for total cloud cover at various hours of the day (%).

Months	Hours	Cloud cover (points)									
		0-2	3-7	8-10	0-2	3-7	8-10	0-2	3-7	8-10	
YAROSLAVSKAYA OBLAST									KALININSKAYA OBLAST		
13. Данилов									51. Вышний Волочек		
I	1	18	3	79	16	2	82	12	4	84	
	7	15	3	82	14	6	80	9	4	87	
	13	13	4	83	12	7	81	9	5	86	
	19	19	4	77	19	4	77	15	4	81	
II	1	26	2	72	22	3	75	20	4	76	
	7	16	3	81	14	4	82	11	3	86	
	13	18	7	75	18	9	73	11	7	82	
	19	27	5	68	24	6	71	19	4	74	
III	1	34	4	62	36	6	58	32	6	62	
	7	21	5	74	19	8	73	13	8	79	
	13	21	8	71	21	12	67	16	13	71	
	19	26	8	66	29	11	60	20	11	69	
IV	1	41	9	50	45	7	48	33	13	54	
	7	29	7	64	27	10	63	22	10	68	
	13	20	14	66	18	19	63	12	21	67	
	19	27	13	60	26	16	58	15	18	67	
V	1	41	11	48	44	12	44	38	18	44	
	7	29	13	58	31	16	53	25	17	58	
	13	15	18	67	17	22	61	11	23	66	
	19	23	18	59	24	19	57	17	23	60	
VI	1	39	15	46	38	17	45	29	24	47	
	7	35	14	51	36	16	48	26	20	54	
	13	13	25	62	12	27	61	4	33	63	
	19	26	21	53	24	23	53	15	28	57	
VII	1	37	15	48	42	19	39	30	26	44	
	7	32	13	55	35	17	48	23	23	54	
	13	11	26	63	10	33	57	6	31	63	
	19	27	18	55	24	24	52	13	30	57	
VIII	1	48	13	39	48	13	39	37	18	45	
	7	33	10	57	30	13	57	18	19	63	
	13	14	23	63	12	26	62	5	25	70	
	19	30	19	51	27	20	53	13	26	61	
IX	1	35	10	55	38	10	52	29	19	52	
	7	17	7	76	18	9	73	14	9	77	
	13	10	16	74	13	17	70	5	20	75	
	19	24	14	62	26	17	57	17	23	60	
X	1	20	5	75	24	7	69	19	10	71	
	7	10	6	84	10	9	81	6	9	85	
	13	8	7	85	9	10	81	5	13	82	
	19	19	8	73	24	9	67	14	12	74	
XI	1	15	4	81	15	5	80	12	4	84	
	7	10	3	87	9	5	86	6	5	89	
	13	8	5	87	9	5	86	6	6	88	
	19	17	5	78	17	4	79	11	5	84	

130

Months	Hours	Cloud cover (points)								
		0-2	3-7	8-10	0-2	3-7	8-10	0-2	3-7	8-10
XII	1	15	3	82	15	3	82	11	4	85
	7	12	3	85	12	4	84	9	3	88
	13	9	4	87	10	4	86	6	5	89
	19	14	4	82	13	3	84	11	4	85
MOSKOVSKAYA OBLAST				VLADIMIRSKAYA OBLAST			SMOLENSKAYA OBLAST			
121. Москва, С.-Х. Академия				176. Владимир			211. Смоленск			
I	1	18	3	79	23	2	75	16	4	80
	7	14	4	82	17	6	77	10	4	86
	13	12	7	81	14	9	77	10	8	82
	19	20	4	76	27	3	70	17	4	79
II	1	21	5	74	28	3	69	22	4	74
	7	11	7	82	16	6	78	11	6	83
	13	15	10	75	22	8	70	14	10	76
	19	22	6	72	32	3	65	22	7	71
III	1	33	5	62	34	5	61	35	5	60
	7	19	9	72	22	7	71	18	8	74
	13	18	14	68	23	15	62	22	12	66
	19	27	9	64	29	10	61	27	11	62
IV	1	42	8	50	47	8	45	42	12	46
	7	26	11	63	26	14	60	24	11	65
	13	15	19	66	20	19	61	15	20	65
	19	23	18	59	25	19	56	23	21	56
V	1	43	15	42	44	14	42	46	17	37
	7	30	15	55	27	19	54	28	21	51
	13	14	25	61	14	26	60	12	28	60
	19	23	22	55	22	26	52	24	24	52
VI	1	43	18	39	43	22	35	41	20	39
	7	37	16	47	35	23	42	33	21	46
	13	10	30	60	12	35	53	8	32	60
	19	24	27	49	25	29	46	22	26	52
VII	1	46	18	36	44	21	35	44	22	34
	7	32	18	50	32	24	44	29	21	50
	13	9	34	57	11	35	54	9	35	56
	19	21	29	50	25	29	46	22	30	48
VIII	1	49	15	36	56	12	32	48	17	35
	7	27	16	57	32	19	49	27	19	54
	13	10	28	62	14	33	53	8	31	61
	19	23	24	53	27	28	45	23	28	49
IX	1	37	13	50	43	10	47	43	13	44
	7	20	11	69	21	13	66	20	14	66
	13	13	20	67	13	21	66	10	22	68
	19	27	17	56	26	18	56	27	24	49
X	1	20	7	73	25	6	69	23	9	68
	7	11	7	82	13	8	79	10	10	80
	13	8	13	79	9	11	80	9	13	78
	19	20	10	70	25	7	68	22	11	67
XI	1	15	4	81	20	3	77	15	5	80
	7	11	7	82	12	8	80	8	6	86
	13	10	7	83	11	9	80	8	7	85
	19	16	5	79	22	3	75	14	5	81

Months	Hours	Cloud cover (points)											
		SMOLENSKAYA OBLAST			KALUZHSKAYA OBLAST			RYAZANSKAYA OBLAST			234. Елецька		
		0-2	3-7	8-10	0-2	3-7	8-10	0-2	3-7	8-10	0-2	3-7	8-10
XII	1	14	3	83	17	2	81	14	4	82			
	7	10	5	85	14	4	82	9	3	88			
	13	7	7	86	10	7	83	7	6	87			
	19	12	3	85	17	3	80	14	6	80			
217. Рославль													
I	1	17	3	80	20	3	77	24	2	74			
	7	13	5	82	14	4	82	19	3	78			
	13	12	7	81	15	7	78	17	5	78			
	19	19	4	77	22	4	74	24	4	72			
II	1	20	4	76	25	5	70	28	3	69			
	7	13	4	83	16	4	80	21	4	75			
	13	15	8	77	17	10	73	20	9	71			
	19	25	4	71	29	6	65	31	4	65			
III	1	33	4	63	34	6	60	36	4	60			
	7	18	7	75	21	8	71	21	5	74			
	13	21	10	69	23	13	64	27	8	65			
	19	27	7	66	32	8	60	30	7	63			
IV	1	42	8	50	44	9	47	44	8	48			
	7	26	10	64	29	14	57	32	8	60			
	13	15	18	67	16	20	64	23	16	61			
	19	21	19	60	25	19	56	29	11	60			
V	1	50	15	35	51	13	36	47	12	53			
	7	31	18	51	37	16	47	35	21	59			
	13	11	25	64	16	30	54	20	17	54			
	19	27	22	51	29	24	47	29					
VI	1	38	21	41	48	17	35	52	11	37			
	7	33	20	47	39	21	40	42	15	43			
	13	10	32	58	13	40	47	19	30	51			
	19	24	25	51	31	22	47	33	19	48			
VII	1	47	21	32	54	14	32	52	13	35			
	7	35	18	47	40	18	42	39	14	47			
	13	12	33	55	14	40	46	14	29	57			
	19	24	27	49	34	24	42	33	20	47			
VIII	1	54	13	33	53	12	35	59	10	31			
	7	30	15	55	34	18	48	35	12	53			
	13	10	30	60	13	33	54	17	28	55			
	19	24	26	50	32	25	43	34	19	47			
IX	1	44	11	45	42	10	48	46	7	47			
	7	23	14	63	26	12	62	27	8	65			
	13	11	23	66	15	22	63	19	18	63			
	19	27	18	55	35	15	50	30	13	57			
X	1	26	6	68	26	6	68	26	5	69			
	7	13	7	80	12	10	78	16	5	79			
	13	11	11	78	11	15	74	13	9	78			
	19	25	10	65	29	8	63	25	7	68			
XI	1	15	3	82	19	5	76	21	2	77			
	7	12	4	84	13	4	83	16	4	80			
	13	9	7	84	13	6	81	14	7	79			
	19	15	4	81	19	5	76	23	3	74			
XII	1	14	3	83	15	3	82	17	2	81			
	7	12	4	84	12	4	84	15	2	83			
	13	9	6	85	10	6	84	11	6	83			
	19	16	4	80	19	3	78	19	2	79			

Months	Hours	Cloud cover (points)						
		0-2	3-7	8-10	0-2	3-7	8-10	
RYAZANSKAYA OBLAST						TUL'SKAYA OBLAST		
247. Рижск						203. Скуратово и Чернь		
I	1	24	4	72	20	3	77	
	7	19	6	75	15	2	83	
	13	14	10	76	15	6	79	
	19	27	5	68	23	3	74	
II	1	31	4	65	25	3	72	
	7	19	8	73	15	5	80	
	13	19	11	70	18	8	74	
	19	29	8	63	28	5	67	
III	1	36	5	59	32	5	63	
	7	21	11	68	20	6	74	
	13	25	14	61	25	7	68	
	19	28	15	57	27	7	66	
IV	1	47	9	44	45	7	48	
	7	26	18	56	25	11	64	
	13	16	25	59	19	16	66	
	19	23	25	52	25	14	61	
V	1	49	15	36	51	12	37	
	7	31	26	43	36	14	50	
	13	12	32	56	16	26	58	
	19	24	33	43	28	21	51	
VI	1	46	27	27	51	16	33	
	7	33	31	36	38	20	42	
	13	11	42	47	15	34	51	
	19	22	38	40	32	23	45	
VII	1	47	22	31	54	14	32	
	7	32	29	39	38	15	47	
	13	9	42	49	13	36	51	
	19	22	40	38	32	24	44	
VIII	1	56	17	27	55	12	33	
	7	32	26	42	32	16	52	
	13	12	38	50	14	30	56	
	19	25	32	43	30	24	46	
IX	1	47	12	41	45	10	45	
	7	28	18	54	27	10	63	
	13	14	27	59	16	23	61	
	19	28	26	46	34	15	51	
X	1	30	9	61	30	6	64	
	7	15	14	71	16	6	78	
	13	10	17	73	10	13	77	
	19	24	12	64	25	11	64	
XI	1	24	5	71	19	4	77	
	7	15	7	78	15	4	81	
	13	12	13	75	15	7	78	
	19	25	5	70	21	5	74	
XII	1	19	3	78	17	3	80	
	7	15	5	80	13	4	83	
	13	11	8	81	11	5	84	
	19	19	4	77	18	2	80	

Table 3. Recurrence of clear (0-2 points), semi-clear (3-7 points) and gray (8-10 points) sky conditions for low cloud cover at various hours of the day.

Month	Hours	Cloud cover (points)									
		0-2	3-7	8-10	0-2	3-7	8-10	0-2	3-7	8-10	
YAROSLAVSKAYA OBLAST									KALININSKAYA OBLAST		
13. Данилов									51. Вышний Волочек		
I	1	37	1	62	30	2	68	22	2	76	
	7	32	2	65	26	2	72	16	5	79	
	13	35	4	61	32	4	64	22	7	71	
	19	38	2	60	32	3	65	25	5	70	
II	1	42	1	57	36	2	62	30	3	67	
	7	36	1	63	28	3	69	22	4	74	
	13	40	5	55	40	6	54	29	7	64	
	19	44	2	54	39	3	58	31	5	64	
III	1	52	2	46	52	2	46	44	4	52	
	7	47	1	52	42	3	55	35	6	59	
	13	47	6	47	48	8	44	40	9	51	
	19	52	4	44	49	6	45	42	8	50	
IV	1	63	4	33	58	4	38	49	9	42	
	7	58	4	38	52	5	43	45	7	48	
	13	45	14	41	37	17	46	31	23	46	
	19	58	11	31	49	12	39	37	21	42	
V	1	63	9	26	57	9	34	52	14	34	
	7	63	8	29	56	9	35	50	12	38	
	13	31	24	45	27	29	44	22	30	48	
	19	52	19	29	45	19	36	37	28	35	
VI	1	69	7	24	56	12	32	51	17	32	
	7	65	8	27	59	10	31	55	14	31	
	13	29	33	38	23	36	41	13	43	44	
	19	60	18	22	49	22	29	34	34	32	
VII	1	66	10	24	59	13	28	53	18	29	
	7	64	8	28	57	13	30	49	14	37	
	13	23	36	41	22	38	40	15	43	42	
	19	59	19	22	49	25	26	40	32	28	
VIII	1	70	8	22	61	9	30	54	13	33	
	7	64	5	31	53	9	38	44	13	43	
	13	31	32	37	25	34	41	16	37	47	
	19	63	16	21	50	21	29	38	29	33	
IX	1	54	7	39	52	7	41	48	12	40	
	7	42	7	51	39	7	54	32	9	59	
	13	26	23	51	25	25	50	20	28	52	
	19	51	12	37	44	15	41	37	22	41	
X	1	35	4	61	34	4	62	29	8	63	
	7	26	4	70	24	6	70	19	8	73	
	13	22	8	70	22	10	68	18	16	66	
	19	33	6	61	34	6	60	25	10	65	
XI	1	28	2	70	24	2	74	17	3	80	
	7	24	1	75	17	3	80	12	4	84	
	13	24	4	72	19	4	77	15	5	80	
	19	26	4	70	24	3	73	16	4	80	

134

Month	Hours	Cloud cover (points)																		
		0-2			3-7			8-10			0-2			3-7			8-10			
XII	1	27	1	72	24	2	74	17	3	80	7	23	2	75	20	3	77	15	3	82
	13	26	3	71	21	5	74	15	5	80	19	29	2	69	22	1	77	16	4	80
MOSKOVSKAYA OBLAST																				
	121. Москва, с.-х. академия				176. Владимир				211. Смоленск											
I	1	29	2	69	36	1	63	26	5	69	7	26	3	78	33	2	70	18	4	78
	7	26	3	71	42	3	55	23	7	70	13	32	2	69	40	1	59	27	4	69
	13	30	6	64	40	1	59	27	4	69	19	32	2	69	46	1	66	34	2	64
	19	32	2	66	46	1	53	37	4	59	7	28	2	72	52	2	58	33	7	60
II	1	36	2	62	41	1	58	34	2	64	7	28	4	72	49	1	59	24	4	72
	7	28	4	68	35	2	63	33	7	60	13	42	4	59	49	1	53	37	4	59
	13	42	6	52	49	4	47	45	8	47	19	38	7	59	52	1	53	37	4	59
	19	38	2	60	46	1	53	46	8	59	7	28	2	72	50	1	53	37	4	59
III	1	46	2	52	49	1	50	48	3	49	7	28	3	60	55	1	50	48	3	49
	7	41	5	54	45	2	53	36	4	50	13	47	4	60	50	2	45	36	4	60
	13	47	8	45	55	6	39	45	8	47	19	46	8	47	50	4	46	45	8	47
	19	46	6	48	50	4	46	46	8	46	7	28	8	46	48	1	46	46	8	46
IV	1	56	6	38	63	2	35	57	6	37	7	28	6	37	55	2	35	57	6	37
	7	49	8	43	55	5	40	48	11	41	13	40	11	41	52	5	35	32	26	42
	13	40	19	41	46	18	36	49	16	42	19	47	16	35	49	9	34	49	16	35
	19	47	15	38	57	9	34	49	17	34	7	28	16	35	50	4	34	49	16	35
V	1	80	9	31	60	7	33	61	14	25	13	31	14	25	61	7	33	61	14	25
	7	55	8	37	59	10	31	57	14	25	19	31	14	29	57	8	31	57	14	29
	13	31	28	41	30	32	38	25	37	38	25	37	37	38	55	9	38	55	37	38
	19	45	21	34	55	17	28	48	28	28	22	28	28	24	48	17	28	48	28	24
VI	1	61	11	28	69	9	22	56	15	29	22	22	15	29	56	8	22	56	15	29
	7	63	11	26	70	8	22	58	18	22	31	22	15	27	58	8	22	58	15	27
	13	25	37	38	27	42	31	58	20	22	31	22	19	36	47	19	22	47	30	23
	19	52	23	25	58	20	22	58	20	22	30	22	30	23	47	20	22	47	30	23
VII	1	62	11	27	67	10	23	61	15	24	23	24	15	24	61	10	23	61	15	24
	7	61	10	29	67	9	24	57	13	24	33	24	13	30	57	9	24	57	13	30
	13	23	43	34	23	44	33	60	20	20	33	33	19	33	50	19	20	50	30	20
	19	46	29	25	60	20	20	60	20	20	30	20	30	20	50	20	20	50	30	20
VIII	1	64	8	28	70	5	25	60	10	25	63	10	25	30	60	10	30	60	10	30
	7	55	10	35	68	8	29	58	18	29	67	8	29	48	58	18	36	58	18	36
	13	24	40	36	30	40	30	64	15	21	64	15	21	48	54	18	38	54	18	38
	19	48	22	30	64	15	21	64	15	21	45	12	43	45	45	30	25	45	30	25
IX	1	51	9	40	56	4	40	53	7	46	40	4	40	53	10	37	53	10	37	
	7	41	9	50	47	7	46	31	22	47	40	7	46	40	11	49	11	49	11	49
	13	31	22	47	31	22	47	45	12	43	24	12	43	24	31	45	31	45	31	45
	19	45	14	41	45	12	43	45	12	43	47	12	43	47	19	34	19	34	19	34
X	1	31	4	65	33	4	63	33	4	67	29	4	67	32	6	62	32	6	62	
	7	24	6	70	29	4	67	29	4	67	24	12	64	22	8	70	19	8	70	
	13	23	13	64	24	12	64	34	5	61	34	5	61	32	19	62	19	19	62	
	19	33	7	60	34	5	61	34	5	61	34	5	61	32	10	58	32	10	58	
XI	1	24	3	73	28	1	71	21	2	72	26	2	72	20	5	74	21	3	74	
	7	21	5	74	29	4	72	29	4	72	29	2	72	22	6	74	18	6	74	
	13	23	5	74	29	4	72	29	4	72	29	2	72	20	6	74	18	6	74	
	19	22	4	74	29	4	72	29	4	72	29	2	72	22	4	74	18	6	74	

135

Month	Hours	Cloud cover (points)								
		0-2	3-7	8-10	0-2	3-7	8-10	0-2	3-7	8-10
XII	1	22	2	76	26	1	73	20	2	78
	7	19	3	78	22	2	76	15	3	82
	13	22	4	74	26	2	72	18	6	76
	19	20	3	77	27	1	72	19	4	77
KALUZHSKAYA OBLAST										
217. Роглавль										
I	1	26	1	73	26	1	73	39	1	60
	7	22	3	75	19	2	79	36	2	62
	13	27	3	70	27	4	69	42	3	55
	19	28	3	69	29	2	69	41	1	58
II	1	30	2	68	32	2	66	44	2	54
	7	25	3	72	25	1	74	37	1	62
	13	36	5	59	37	6	57	47	2	51
	19	37	3	61	38	3	59	46	1	53
III	1	46	1	53	42	2	56	52	2	46
	7	36	3	61	34	3	63	45	2	53
	13	44	7	49	40	8	52	55	4	41
	19	47	4	49	42	5	53	53	4	43
IV	1	56	5	39	52	6	42	59	4	37
	7	57	5	38	52	5	43	57	3	40
	13	38	21	41	36	17	47	48	15	37
	19	48	14	38	45	14	21	54	9	37
V	1	66	8	26	58	8	34	60	6	34
	7	67	7	26	57	10	33	63	6	31
	13	26	33	41	30	31	39	39	25	36
	19	56	19	25	49	22	29	56	13	31
VI	1	61	12	27	62	10	28	71	5	24
	7	67	8	25	66	9	26	74	5	21
	13	23	41	36	25	42	33	35	34	31
	19	55	22	23	55	18	27	64	14	22
VII	1	69	9	22	64	8	28	69	7	24
	7	67	8	26	66	8	26	69	5	26
	13	21	45	34	26	42	32	31	37	32
	19	56	22	22	58	18	24	63	14	23
VIII	1	67	8	25	63	6	31	72	5	23
	7	57	8	35	53	9	38	66	4	30
	13	23	37	40	23	27	40	35	33	32
	19	58	19	23	55	19	26	66	12	22
IX	1	63	5	32	50	8	42	57	5	38
	7	50	7	43	45	7	48	50	5	45
	13	30	30	40	24	24	52	38	20	42
	19	51	15	34	48	11	41	50	8	42
X	1	38	4	58	35	5	60	34	3	63
	7	29	5	66	25	6	69	31	3	66
	13	26	11	63	23	13	64	28	8	64
	19	36	8	58	35	8	57	34	4	62
XI	1	22	2	76	25	2	73	30	1	69
	7	21	1	78	20	1	79	26	2	72
	13	22	5	73	23	4	73	30	3	67
	19	22	2	76	25	3	72	30	2	68
XII	1	21	2	77	19	1	80	27	1	72
	7	18	2	80	17	2	81	24	1	75
	13	23	4	73	20	2	78	27	4	69
	19	25	2	73	22	2	76	26	2	72

136

Month	Hours	Cloud cover (points)						
		0-2	3-7	8-10	0-2	3-7	8-10	
RYAZANSKAYA OBLAST						TUL'SKAYA OBLAST		
247. Ряжск						263. Чернь и Скуратово		
I	1	38	1	61	27	2	71	
	7	34	1	65	22	2	76	
	13	41	3	56	27	4	69	
	19	42	2	56	28	2	70	
II	1	43	1	56	34	2	64	
	7	36	4	60	25	3	72	
	13	47	2	51	36	4	60	
	19	43	2	55	37	3	60	
III	1	49	1	50	40	3	57	
	7	43	2	55	34	4	62	
	13	54	4	42	44	4	52	
	19	51	4	45	42	4	54	
IV	1	61	3	36	66	4	40	
	7	55	7	38	49	6	45	
	13	40	21	39	38	18	44	
	19	50	15	35	46	12	42	
V	1	68	6	29	60	10	30	
	7	66	8	26	58	9	33	
	13	31	35	34	29	28	43	
	19	55	22	23	51	20	29	
VI	1	70	10	20	61	10	29	
	7	74	6	20	62	10	28	
	13	29	44	27	27	37	36	
	19	55	27	18	56	17	27	
VII	1	69	8	23	62	10	28	
	7	73	7	20	58	10	32	
	13	25	47	28	23	38	39	
	19	55	29	16	64	19	27	
VIII	1	75	6	19	62	10	28	
	7	69	7	24	52	11	37	
	13	33	39	28	27	32	41	
	19	59	20	21	52	20	28	
IX	1	65	3	32	53	8	39	
	7	59	7	34	45	8	47	
	13	35	27	38	34	22	44	
	19	54	15	31	51	13	36	
X	1	45	2	53	38	5	57	
	7	38	4	58	28	6	66	
	13	30	13	57	23	12	65	
	19	38	6	56	35	7	58	
XI	1	33	1	66	27	2	71	
	7	28	2	70	24	4	72	
	13	32	5	63	28	4	68	
	19	34	1	65	29	3	68	
XII	1	27	1	72	22	1	76	
	7	25	1	74	19	2	79	
	13	28	2	70	22	2	76	
	19	26	1	73	23	2	75	

137

Table 4. Number of clear and gray days for total and low cloud cover.

Station No.	Station	Days	Cloud cover	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
YAROSLAVSKAYA OBLAST																
6	Пощепень-Бычковск	Clear	Total <i>L_{ow}</i>	1.6	1.6	2.9	3.8	3.3	4.0	5.0	5.2	2.7	0.9	1.2	1.4	31
		Gray	Nижний	4.0	5.7	7.7	8.5	8.7	10.8	11.2	11.1	6.0	2.9	2.6	3.6	83
10	Берёзово	Clear	Total	1.7	1.5	2.6	3.1	2.9	2.3	3.2	4.3	2.2	1.4	1.0	1.7	28
		Gray	Nижний	5.2	5.9	10.3	9.5	8.1	10.3	11.6	12.7	6.4	2.9	3.1	3.9	90
12	Мис Романовский	Clear	Total	1.6	1.9	2.2	2.6	2.5	2.2	2.6	3.9	2.0	0.9	1.0	1.2	25
		Gray	Nижний	5.1	5.4	8.6	7.8	8.3	9.6	9.3	10.6	5.7	2.9	3.0	3.7	60
13	Данилов	Clear	Total	1.8	2.3	2.9	3.4	2.8	3.2	3.3	4.4	2.5	1.2	1.2	1.3	30
		Gray	Nижний	5.1	5.4	8.9	9.6	8.0	9.6	10.7	11.2	7.0	3.4	3.2	3.5	85
15,18	Рыбинск	Clear	Total	1.5	1.8	2.3	2.9	2.6	2.8	2.8	3.9	1.9	0.8	1.0	1.4	26
		Gray	Nижний	4.0	4.3	7.6	8.3	7.5	9.1	9.4	9.9	5.0	2.4	2.4	3.1	73
21	Тутаев	Clear	Total	1.4	2.2	2.9	3.1	2.6	2.6	2.4	2.9	2.0	0.8	1.3	1.2	25
		Gray	Nижний	5.7	6.1	8.7	9.4	7.6	8.0	7.5	8.5	5.6	3.1	3.4	3.6	77
23	Ярославль	Clear	Total	1.2	2.4	2.8	3.6	2.9	2.8	2.6	3.4	2.3	1.3	1.2	1.4	28
		Gray	Low	4.0	4.9	7.6	8.0	7.3	8.0	8.3	9.6	5.2	2.8	2.7	2.8	71
26	Углич	Clear	Total	2.0	2.0	3.1	4.0	3.1	3.1	2.8	3.8	2.4	1.1	1.1	1.6	30
		Gray	Low	4.2	4.0	7.6	8.4	8.5	9.8	10.2	10.6	3.1	2.9	2.6	3.0	77
31	Ростов	Clear	Total	1.6	2.1	3.2	3.8	3.1	4.0	3.8	4.6	2.8	1.6	1.8	1.5	33
		Gray	Low	5.1	5.5	8.8	10.1	9.4	11.2	11.7	11.5	7.0	4.2	3.6	3.2	91
33	Переславль-Залесский	Clear	Total	1.7	2.1	2.8	3.3	2.5	2.7	2.4	2.8	2.8	1.5	1.6	1.3	28
		Gray	Low	4.7	5.9	8.2	9.1	9.1	9.7	9.8	9.8	7.0	4.1	3.1	3.3	84
36	Кесема	Clear	Total	1.5	2.1	3.0	2.9	2.3	1.9	2.0	2.5	1.6	1.0	1.4	1.3	24
		Gray	Low	4.5	5.4	9.8	8.9	7.5	7.6	6.9	7.1	4.7	3.3	3.2	3.5	72
42	Бологое	Clear	Total	1.4	1.6	3.4	3.6	3.5	2.8	2.9	3.6	2.3	1.1	1.0	1.4	29
		Gray	Low	2.7	2.9	7.0	8.5	7.9	7.7	9.3	8.4	5.1	2.8	1.7	2.4	65
46	Б.Алексин	Clear	Total	1.9	2.0	3.6	3.7	3.4	2.9	2.4	3.6	2.1	1.3	1.5	1.5	30
		Gray	Low	4.0	4.3	9.5	9.2	8.3	8.5	8.1	9.7	5.7	3.1	2.6	3.2	76
51	Вишний Волочек	Clear	Total	1.3	1.6	3.0	3.8	3.7	2.9	2.8	3.2	2.1	1.3	1.2	1.4	23
		Gray	Low	3.6	3.7	8.1	8.4	7.6	7.5	8.0	8.5	5.4	3.0	2.4	2.6	69

138

Station No.	Station	Days	Cloud cover	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
51	Вышний Воротык	Gray	Total	19.7	16.3	13.3	10.9	9.8	8.6	8.6	9.4	12.1	17.3	21.1	22.4	170
			Low	13.4	9.8	7.4	6.0	4.7	4.2	3.1	4.2	6.7	13.0	17.3	16.1	108
53	Кашин	Clear	Total	1.5	1.9	2.5	2.9	2.3	2.1	2.2	3.5	1.9	0.9	1.2	1.5	24
		Gray	Total	3.2	4.8	7.8	7.6	7.1	7.2	8.0	8.0	4.8	2.4	2.6	2.7	66
			Low	14.2	9.8	8.6	5.3	5.0	4.1	3.8	4.9	8.2	14.0	17.7	19.0	115
59	Осташков	Clear	Total	1.4	1.4	2.5	3.1	3.3	2.2	2.9	3.2	2.2	1.3	1.1	1.3	26
			Low	3.0	3.4	7.2	8.3	8.2	9.2	9.5	8.9	5.9	3.3	2.2	2.1	72
		Gray	Total	20.6	16.9	14.5	11.6	10.2	10.2	9.8	9.4	13.5	18.7	22.3	23.5	181
			Low	15.1	12.0	9.8	6.1	4.1	3.4	3.1	4.0	7.6	13.9	18.9	19.0	118
73	Калугин	Clear	Total	1.1	1.4	2.8	3.6	2.5	2.1	2.1	2.7	2.2	1.5	1.3	1.4	25
			Low	2.5	2.7	6.9	7.2	5.7	5.8	4.8	5.6	4.1	3.0	2.5	2.4	53
		Gray	Total	21.1	16.6	14.7	11.9	10.9	10.0	9.6	10.2	13.2	18.5	20.7	23.0	180
			Low	17.5	12.7	9.9	6.9	6.3	5.2	5.3	5.6	9.3	15.0	18.4	20.2	132
82	Старица	Clear	Total	1.4	1.6	3.3	3.6	3.8	3.1	3.3	3.4	2.9	1.4	1.3	1.1	30
			Low	3.9	5.0	8.6	9.4	9.4	10.4	10.7	8.1	6.2	4.0	2.6	3.3	82
		Gray	Total	21.0	15.7	13.8	10.6	9.3	8.1	7.3	8.7	11.5	17.4	20.6	22.0	166
			Low	12.4	8.2	7.2	4.7	3.3	2.8	2.5	3.8	6.1	11.6	15.7	16.4	95
83	Тургуново	Clear	Total	1.4	1.5	2.3	3.3	2.6	2.2	2.2	2.4	2.1	1.1	1.3	1.3	24
			Low	4.0	4.9	8.3	9.0	8.5	8.6	8.5	8.0	6.2	3.9	3.3	3.3	76
		Gray	Total	21.6	16.4	15.0	12.1	10.8	10.4	9.3	10.6	13.9	18.7	21.0	23.0	183
			Low	13.5	10.0	7.2	3.4	3.6	2.8	2.6	4.1	6.8	12.8	16.0	16.7	100
84	Торопец	Clear	Total	1.2	1.4	2.2	2.3	2.7	1.1	1.2	1.6	1.5	0.6	0.6	1.2	18
			Low	2.7	3.2	6.1	6.4	6.0	4.9	5.4	5.1	4.5	2.5	1.6	2.1	50
		Gray	Total	23.0	18.1	16.1	13.8	11.8	10.9	11.2	12.3	14.5	20.0	23.0	24.7	199
			Low	16.8	13.0	10.6	7.3	5.1	4.7	4.4	6.0	8.7	15.8	20.0	21.5	134
86	Западная Двина	Clear	Total	1.7	1.1	2.9	2.4	1.4	1.9	2.7	2.0	1.2	1.0	1.3	22	
			Low	8.1	2.9	1	7.4	7.3	6.0	7.0	7.0	6.2	8.3	1.8	2.4	62
		Gray	Total	21.4	17.7	15.0	13.2	10.8	9.5	9.7	10.5	11.9	18.6	22.0	23.8	184
			Low	15.7	12.9	9.7	6.4	4.8	3.5	3.9	4.4	6.8	14.1	19.2	20.4	122
94	Белый	Clear	Total	1.6	1.7	3.6	3.7	3.6	2.8	3.0	2.6	2.4	1.5	1.4	1.5	29
			Low	2.7	3.8	7.4	7.9	7.8	7.0	8.1	7.2	6.1	3.6	2.4	2.8	67
		Gray	Total	21.6	16.2	13.7	11.3	9.5	8.7	8.6	10.3	12.6	17.7	22.0	23.8	175
			Low	11.0	10.1	8.0	5.0	4.4	3.0	2.5	1.3	6.5	13.6	17.6	18.0	108

MOSKOVSKAYA OBLAST'

103	Димитров	Clear	Total	1.4	2.2	3.2	3.9	3.0	2.3	2.6	1.9	2.6	1.1	1.8	1.3	27
			Low	3.2	4.1	7.4	8.2	6.6	7.2	7.0	6.9	5.0	3.2	3.4	2.6	65
		Gray	Total	19.2	15.0	13.8	11.4	11.4	8.7	9.0	9.3	13.4	18.2	20.0	22.2	172
			Low	14.5	10.4	9.5	6.0	5.7	4.1	3.8	4.8	8.2	14.4	17.1	19.2	118
104	Загорск	Clear	Total	1.6	2.2	2.9	3.4	2.6	2.6	2.2	2.0	2.4	1.2	1.4	0.9	25
			Low	3.6	5.0	7.2	8.1	8.0	8.2	8.5	7.0	5.4	3.2	3.6	2.6	70
		Gray	Total	20.8	15.4	14.6	11.6	11.4	9.6	9.3	10.2	13.5	18.4	20.4	23.9	180
			Low	14.2	10.2	10.0	5.5	5.6	3.7	3.7	5.0	8.2	14.2	15.6	18.6	114
110	Волоколамск	Clear	Total	1.6	1.3	3.2	3.5	3.4	2.7	3.2	3.1	2.5	1.2	1.6	1.2	28
			Low	3.2	3.9	7.0	8.6	7.2	8.0	8.2	7.9	5.5	3.1	2.7	2.6	68
		Gray	Total	20.5	17.0	15.2	11.9	10.0	8.7	8.7	12.3	18.0	21.0	22.6	175	
			Low	15.1	11.0	9.2	6.1	4.5	3.8	4.0	4.1	7.4	13.5	17.7	19.2	116
117	Починки	Clear	Total	2.0	2.3	2.8	2.8	2.4	2.5	2.0	2.5	2.6	1.5	1.6	1.3	26
			Low	5.1	6.9	8.4	8.8	8.8	9.1	9.1	8.8	7.5	4.8	3.8	3.2	83
		Gray	Total	17.8	14.2	15.4	12.5	11.7	9.6	10.5	9.4	12.4	17.1	20.1	22.2	173
			Low	10.0	7.5	7.3	4.6	3.8	2.7	3.5	2.9	6.1	10.7	15.1	15.5	90
118	Ново-Переславль	Clear	Total	1.4	1.9	2.8	3.3	3.4	3.4	3.0	3.7	3.0	1.5	1.5	1.2	30
			Low	3.3	3.3	6.9	8.0	7.7	6.7	7.6	8.6	6.2	3.7	3.0	2.6	68
		Gray	Total	20.0	16.4	15.0	11.6	10.4	8.1	7.7	8.8	12.4	17.9	21.0	22.8	172
			Low	15.5	11.7	9.9	5.3	5.0	3.8	3.6	4.3	8.0	13.6	17.3	18.6	117
121	Москва, с-р земли	Clear	Total	1.2	1.6	2.7	3.0	3.6	2.8	2.6	2.7	3.0	1.2	1.5	1.2	27
			Low	3.5	4.6	7.4	7.8	8.1	5.2	8.8	8.1	6.3	3.2	3.9	3.1	72
		Gray	Total	19.5	16.7	14.3	11.5	10.0	8.0	7.5	8.8	11.7	18.3	20.9	23.4	171
			Low	14.1	10.4	8.9	5.2	5.1	3.1	3.6	4.2	6.7	13.4	16.9	19.0	111

139

Station No.	Station	Days	Cloud cover	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
124	Moskva, VDNKh	Clear	Total	1.1	1.6	3.0	2.5	3.4	2.2	2.2	1.9	2.5	0.8	1.9	1.3	24
			Low	4.3	4.5	6.5	8.8	7.7	8.0	7.6	7.3	5.8	3.4	4.0	3.1	74
140	Sobazyino	Gray	Total	20.6	16.3	14.6	13.2	12.5	9.3	9.2	10.3	14.0	18.7	19.2	23.1	181
			Low	13.1	9.3	8.5	5.9	5.0	2.6	3.4	4.0	6.1	13.8	15.6	17.1	103
142	Kurovskoe	Clear	Total	1.1	2.1	2.6	2.2	2.9	2.8	2.5	3.8	3.4	1.4	1.4	1.5	28
			Low	4.5	4.4	8.4	8.5	8.9	8.4	5.4	8.6	6.5	4.5	4.0	3.3	78
145	Cherusti	Gray	Total	20.7	15.9	14.7	12.3	10.3	7.8	7.2	8.5	12.3	17.9	20.2	23.0	171
			Low	12.6	8.3	8.1	5.3	4.4	3.3	2.8	3.6	5.5	11.7	15.6	17.6	99
146	Mozaisk	Clear	Total	2.0	2.4	3.2	3.0	3.5	3.4	3.4	4.4	3.3	1.7	1.9	1.6	34
			Low	4.8	5.8	8.6	8.7	9.4	10.6	10.2	11.0	7.9	4.3	3.6	3.0	88
156	Kolomna	Gray	Total	18.2	14.5	14.2	10.4	10.0	7.8	7.4	7.7	10.4	17.1	19.6	21.2	158
			Low	11.5	8.6	7.6	4.5	3.8	1.9	2.2	2.8	5.7	11.6	15.0	16.3	92
157	Minushevo	Clear	Total	2.5	3.2	3.6	3.7	3.7	3.3	3.4	3.9	3.6	2.1	2.1	1.9	37
			Low	6.0	6.7	9.5	8.9	9.4	9.6	10.5	10.6	8.2	4.6	4.5	4.0	92
163	Kashira	Gray	Total	17.4	14.2	12.8	9.6	9.3	7.2	7.3	6.3	9.7	15.6	18.6	20.8	149
			Low	11.0	8.5	7.0	4.4	4.0	2.4	3.0	2.7	5.9	11.4	13.3	15.0	89
168	Alexandrov	Clear	Total	1.3	1.2	3.0	3.6	3.2	2.8	3.2	3.4	2.8	1.5	1.7	1.2	29
			Low	3.3	4.4	7.5	8.3	7.4	7.2	7.5	7.3	5.5	4.0	3.5	2.3	68
171	Vinitskiy	Gray	Total	20.3	16.8	14.9	12.1	10.6	9.2	8.5	9.1	12.0	17.4	21.0	22.4	174
			Low	14.8	11.0	9.0	6.1	5.6	3.5	3.9	4.1	7.0	13.3	16.8	19.0	114
176	Vladimir	Clear	Total	1.8	1.9	2.5	2.6	2.9	2.5	2.8	3.2	3.0	1.4	1.5	1.5	28
			Low	4.2	4.6	7.4	8.2	9.4	10.4	10.8	10.9	7.5	4.0	3.2	3.1	84
180	Selivanovskoe op. pole	Clear	Total	19.0	15.6	15.8	11.8	10.2	8.0	7.6	8.0	10.9	17.5	20.3	22.3	166
			Low	13.3	10.5	9.4	5.3	3.5	2.1	2.2	2.8	5.4	13.1	16.8	18.9	103
185	Gus'-Kryzalnyy	Clear	Total	2.1	3.3	3.6	4.0	3.5	3.8	3.7	4.4	3.4	1.5	2.6	1.8	38
			Low	4.7	5.2	8.1	8.7	9.6	9.7	9.3	10.4	8.0	3.7	4.3	2.9	85
186	Myrou	Clear	Total	18.8	15.0	13.0	10.6	10.5	7.0	7.0	6.5	10.2	17.5	18.5	21.7	150
			Low	13.3	10.0	8.0	5.0	4.0	2.3	2.9	3.0	5.9	12.6	14.9	17.0	99

VLADIMIRSKAYA OBLAST

168	Alexandrov	Gray	Total	1.5	2.0	2.5	2.5	2.4	2.0	2.3	2.6	2.5	1.4	1.4	1.3	24
			Low	4.8	5.0	8.1	8.5	7.2	7.3	7.1	8.1	6.2	3.1	3.3	3.2	72
171	Vinitskiy	Gray	Total	20.4	16.4	15.6	13.3	12.1	9.6	9.9	10.1	13.6	19.5	21.2	23.6	185
			Low	13.5	10.4	8.9	5.6	4.6	3.2	3.4	3.8	7.4	13.4	16.8	17.8	109
176	Vladimir	Gray	Total	1.8	3.0	3.1	3.8	3.7	4.6	4.0	4.6	2.9	1.6	1.7	2.1	37
			Low	4.3	6.0	9.4	11.3	11.5	14.2	12.5	12.6	8.8	4.7	4.3	4.0	104
180	Selivanovskoe op. pole	Gray	Total	19.9	15.1	14.1	9.7	9.5	6.8	7.3	6.2	10.6	17.6	19.2	21.6	158
			Low	11.0	7.9	7.2	3.4	2.5	1.1	2.0	1.8	5.2	11.4	14.1	16.9	84
185	Gus'-Kryzalnyy	Gray	Total	2.4	2.4	4.0	3.8	3.2	3.3	3.4	4.1	3.3	1.8	1.9	1.7	35
			Low	5.0	5.6	8.3	9.9	8.9	11.1	10.7	11.6	6.9	3.5	3.9	3.0	88
186	Myrou	Gray	Total	17.6	14.0	13.8	9.6	8.7	7.2	7.4	6.9	11.2	17.2	19.4	21.4	154
			Low	11.6	8.4	7.4	4.0	3.8	2.6	2.7	2.4	6.2	12.8	15.1	16.6	94

140

Station No.	Station	Days	Cloud cover	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
-------------	---------	------	-------------	---	----	-----	----	---	----	-----	------	----	---	----	-----	------

SMOLENSKAYA OBLAST

194	Беллик	Clear	Total	15	13	30	26	36	33	30	34	26	39	10	13	28
			Low	2.3	2.1	6.2	6.4	6.7	6.7	7.2	7.1	4.7	2.2	1.3	2.1	55
195	Гжатск	Gray	Total	212	170	142	120	97	87	85	100	121	180	220	232	177
			Low	18.5	13.4	10.6	7.8	5.8	4.4	4.4	5.3	6.0	14.9	19.6	19.7	133
196	Ново-Пречистое	Clear	Total	11	16	32	42	42	38	36	43	33	15	18	13	34
			Low	2.8	4.0	7.2	9.2	6.5	9.7	8.7	8.8	6.3	3.6	3.0	2.7	74
196	Ново-Пречистое	Gray	Total	202	165	141	106	90	74	73	75	12.0	17.2	21.0	22.4	165
			Low	14.6	10.4	9.1	4.6	4.6	3.4	3.5	3.8	7.2	13.1	16.9	18.6	110
196	Ново-Пречистое	Clear	Total	17	12	34	31	23	23	15	24	20	09	09	1.0	23
			Low	2.4	3.0	6.1	7.8	7.7	8.0	7.9	8.8	6.3	2.6	2.3	3.1	68
196	Ново-Пречистое	Gray	Total	21.3	17.6	14.9	12.3	9.7	8.7	8.1	10.9	13.5	18.4	21.9	22.3	180
			Low	16.7	12.1	9.9	5.6	3.1	3.0	2.6	3.3	6.5	13.1	17.9	18.0	112
198	Демидов	Clear	Total	1.7	1.1	2.7	3.1	3.2	2.7	2.6	3.3	2.6	1.2	1.0	1.2	27
			Low	3.5	3.6	7.0	8.3	8.3	9.5	9.9	9.2	6.8	3.3	2.5	3.0	75
198	Демидов	Gray	Total	20.1	16.4	14.9	11.2	9.3	7.9	8.3	9.0	11.1	17.5	20.8	21.9	168
			Low	12.9	10.6	8.8	5.7	3.5	2.7	2.7	3.9	5.4	11.8	17.0	16.8	102
199	Вязьма	Clear	Total	1.1	1.3	2.4	3.1	3.1	2.1	2.5	2.9	2.6	1.7	1.3	0.9	25
			Low	2.6	3.9	6.6	9.0	9.6	10.2	9.9	9.7	7.5	3.7	3.0	2.8	78
199	Вязьма	Gray	Total	22.0	17.7	16.2	12.5	10.3	10.6	11.1	10.7	12.9	18.6	21.7	23.0	188
			Low	16.9	11.2	9.4	4.7	3.1	1.9	2.1	3.0	5.5	13.6	17.9	19.4	109
203	Сафоново	Clear	Total	1.7	1.2	2.7	3.2	3.7	2.7	3.0	3.1	2.2	1.6	1.6	1.3	28
			Low	2.8	3.2	7.0	8.1	8.4	8.5	8.3	9.3	7.2	3.7	2.9	3.0	72
203	Сафоново	Gray	Total	21.4	16.9	15.0	11.6	9.6	9.0	8.4	9.5	11.0	18.4	21.8	22.6	175
			Low	15.5	11.6	9.8	5.8	4.1	2.5	3.3	4.1	5.4	13.2	17.9	19.3	112
205	Темрюк	Clear	Total	1.2	1.6	3.1	3.6	3.8	2.9	3.4	3.7	3.4	1.7	1.5	1.4	31
			Low	3.8	5.4	8.6	10.2	11.0	11.1	11.2	10.7	8.2	4.6	3.6	3.6	92
205	Темрюк	Gray	Total	21.0	15.9	15.1	10.7	8.3	7.0	7.0	7.3	10.9	17.1	20.9	21.9	163
			Low	13.7	9.3	7.7	3.5	3.0	1.6	2.4	2.8	8.4	11.1	15.5	15.5	93
206	Шокине	Clear	Total	1.5	1.4	3.3	3.1	4.0	3.6	3.1	3.5	2.8	1.3	1.2	1.3	30
			Low	3.5	4.1	8.3	9.7	9.8	8.9	10.0	9.6	4.0	4.4	3.1	3.0	82
206	Шокине	Gray	Total	21.4	17.2	15.0	11.4	9.6	9.3	8.5	10.0	11.3	17.7	21.9	22.2	176
			Low	14.4	9.9	8.5	5.0	2.0	1.8	2.3	3.6	4.4	10.7	17.4	17.6	98
211	Смоленск	Clear	Total	1.5	1.4	3.1	3.0	2.9	2.4	2.4	3.0	2.7	1.7	1.0	1.2	26
			Low	2.7	3.7	7.2	7.5	8.4	7.3	8.6	7.5	6.9	3.6	2.3	2.3	68
211	Смоленск	Gray	Total	21.1	17.0	14.8	11.3	8.7	7.6	7.9	8.6	10.2	17.6	21.4	22.4	169
			Low	16.6	11.8	9.5	6.0	3.5	2.8	2.9	3.9	5.5	12.4	18.5	20.4	114
212	Ельня	Clear	Total	1.7	1.9	3.8	3.6	4.1	3.0	3.6	3.6	3.7	2.1	1.4	1.1	34
			Low	3.0	4.2	7.8	9.0	10.9	9.3	10.9	10.5	7.8	4.3	2.7	8	83
212	Ельня	Gray	Total	19.4	16.2	14.4	10.3	7.8	7.2	6.9	8.5	10.4	17.0	21.0	21.5	161
			Low	14.0	9.8	8.6	4.7	3.1	2.1	2.4	3.1	5.1	11.9	17.3	17.2	99
213	Починок	Clear	Total	2.4	1.9	4.1	3.3	3.3	2.8	2.7	3.2	3.3	1.8	1.3	1.2	31
			Low	3.1	4.1	9.0	9.2	9.6	9.0	8.7	9.3	7.5	4.4	3.1	2.8	80
213	Починок	Gray	Total	19.4	16.1	14.0	10.7	7.6	7.5	6.7	8.2	9.4	16.5	20.3	21.7	158
			Low	12.6	9.5	7.1	4.7	3.5	2.7	2.7	3.9	5.2	10.7	15.6	15.6	94
217	Рославль	Clear	Total	1.7	1.8	3.2	3.0	3.7	2.3	2.8	3.0	3.1	1.9	1.5	1.1	29
			Low	3.0	3.8	6.7	8.0	9.3	8.4	9.1	9.0	8.3	3.6	2.5	2.5	74
217	Рославль	Gray	Total	20.4	16.7	15.7	11.3	8.5	8.5	7.7	8.9	10.2	16.5	21.1	21.7	166
			Low	16.0	11.4	9.2	5.1	2.7	2.1	2.2	2.7	5.0	11.0	18.1	18.3	104

KALUZHESKAYA OBLAST

219	Малоярославец	Clear	Total	1.5	1.7	3.8	3.7	4.0	3.9	4.3	4.3	3.5	2.0	1.7	1.4	36
			Low	4.2	5.7	8.3	9.4	9.1	10.4	10.3	10.8	7.6	4.5	3.4	3.0	87
224	Любимец	Clear	Total	19.6	15.8	14.0	10.8	8.7	6.6	7.0	7.1	10.2	15.4	19.7	22.0	157
			Low	13.7	10.2	8.3	5.0	4.0	2.4	3.1	2.7	5.5	11.0	15.6	17.2	99
224	Любимец	Gray	Total	1.0	1.6	3.3	3.2	4.0	3.0	3.9	3.1	3.4	2.1	1.7	1.2	32
			Low	2.3	4.2	7.7	10.3	10.2	11.0	11.0	11.0	8.7	4.6	3.4	3.3	88
224	Любимец	Gray	Total	20.9	16.1	14.6	11.2	8.6	7.7	7.9	7.9	10.4	16.2	20.2	22.2	164
			Low	14.0	10.1	8.7	3.9	3.0	1.8	3.0	3.0	4.4	10.5	15.7	17.0	96

Station No.	Station	Days	Cloud cover	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
233	Калуга	Clear	Total	14	1.6	3.5	3.4	4.5	4.0	4.6	4.4	3.8	2.0	2.0	1.4	37
			Low	32	43	6.6	6.0	8.9	9.4	8.9	9.3	6.6	4.1	2.9	2.6	73
236	Слобожанск	Clear	Total	19.6	16.0	14.7	11.4	9.1	8.0	7.0	8.0	10.3	15.7	20.0	21.6	162
			Low	14.3	11.3	9.5	6.0	4.5	4.0	4.3	4.0	6.5	12.5	17.7	18.3	113
238	Сухиничи	Clear	Total	1.6	1.9	2.9	5.6	4.0	3.6	3.5	3.7	3.4	1.6	1.3	1.2	32
			Low	2.8	3.3	6.4	7.0	8.1	8.2	7.4	7.7	6.1	3.5	2.5	2.2	66
239	Жиздра	Clear	Total	1.8	2.0	4.1	3.6	3.8	3.4	4.0	4.0	3.3	2.0	2.1	1.5	36
			Low	4.1	5.2	8.7	8.9	9.7	9.3	10.0	9.0	7.9	4.2	3.8	3.6	84
240	Тула	Clear	Total	19.6	15.4	14.1	9.8	7.7	6.9	7.6	6.7	8.6	15.7	19.9	20.9	153
			Low	10.7	7.8	6.4	4.2	2.8	2.6	2.5	3.6	5.0	12.2	16.1	14.7	89
241	Болхов	Clear	Total	2.0	2.1	4.1	4.2	5.0	3.6	5.1	4.3	4.0	2.0	1.8	1.2	39
			Low	2.6	3.9	7.0	7.8	9.0	9.4	10.2	9.8	6.8	3.9	3.4	2.9	77
242	Касимов	Clear	Total	19.8	15.4	13.8	10.4	8.2	6.6	6.7	6.5	10.3	15.4	19.6	21.4	154
			Low	16.3	12.1	10.0	6.1	4.7	2.9	3.8	3.9	6.6	12.4	17.0	19.5	115
RYAZANSKYAY OBLAST																
233	Тула	Clear	Total	2.2	2.6	3.1	3.2	3.1	3.2	2.9	3.4	3.1	1.9	1.9	1.6	32
			Low	4.6	5.2	7.7	7.8	6.1	9.1	8.0	8.6	6.9	3.9	3.8	3.3	77
234	Болхов	Clear	Total	18.2	14.6	14.0	10.5	10.3	7.2	7.4	7.4	11.0	17.2	19.0	21.1	158
			Low	13.4	10.1	8.6	5.5	5.0	2.7	3.9	3.4	6.1	13.2	15.2	14.0	104
235	Рязань	Clear	Total	2.4	2.9	3.6	3.7	4.5	4.7	4.5	4.4	3.6	2.1	2.2	2.2	41
			Low	5.8	6.4	9.0	9.2	10.1	11.9	12.2	12.0	7.7	4.6	4.1	3.8	97
236	Касимов	Clear	Total	17.6	14.4	13.7	10.0	9.3	6.4	7.0	6.7	10.1	17.0	18.7	21.4	152
			Low	11.3	9.1	7.2	4.5	3.4	2.1	3.1	2.4	5.2	12.5	15.0	16.8	93
237	Плещеево	Clear	Total	2.0	2.3	3.3	3.2	3.6	3.3	4.2	4.2	3.7	2.0	1.9	1.8	36
			Low	3.8	4.9	7.2	8.1	9.2	10.0	10.2	10.0	8.6	4.6	3.8	3.0	83
238	Шаховская	Clear	Total	17.7	14.9	14.0	10.8	10.0	7.6	7.7	7.0	10.4	17.3	18.6	20.7	157
			Low	12.4	9.8	8.3	5.3	4.4	2.9	3.6	3.7	6.1	13.3	13.1	16.9	98
239	Сасово	Clear	Total	2.6	3.0	4.0	3.6	4.1	4.0	4.0	4.7	3.8	2.0	2.3	2.0	40
			Low	5.3	6.0	9.0	8.9	10.0	11.2	9.7	10.1	8.5	4.8	4.2	4.2	92
240	Михайлов	Clear	Total	2.4	2.2	3.8	3.8	4.0	5.1	4.6	5.8	4.5	2.3	2.2	2.3	44
			Low	6.3	6.6	9.2	9.7	11.0	13.4	3.2	12.9	8.6	5.0	4.7	3.8	104
241	Плещеево	Clear	Total	17.1	14.0	13.2	10.2	8.8	5.7	6.3	6.1	9.3	16.1	17.6	20.4	145
			Low	9.5	6.0	5.3	3.8	2.9	1.3	1.6	1.8	3.2	9.5	11.5	13.4	69
242	Михайлов	Clear	Total	2.2	2.4	3.4	3.6	4.1	4.1	4.2	5.4	4.2	2.2	2.2	2.0	40
			Low	4.7	5.8	8.2	9.8	11.3	13.1	13.1	13.7	9.8	5.6	4.6	3.6	104
243	Шаховская	Clear	Total	17.6	14.6	13.9	10.7	9.1	5.6	6.3	7.0	9.2	13.4	17.7	21.4	148
			Low	11.0	8.2	7.0	4.4	3.4	1.3	1.7	1.8	3.4	10.4	13.1	16.3	92
244	Плещеево	Clear	Total	2.2	2.2	3.7	3.3	3.0	3.4	2.9	4.0	4.0	2.1	2.3	1.9	35
			Low	6.2	6.5	9.2	9.3	8.3	10.5	9.4	10.7	9.4	5.3	5.5	5.3	97
245	Ржев	Clear	Total	18.1	15.5	14.4	11.0	9.3	6.9	8.1	7.8	9.9	16.0	18.0	20.8	156
			Low	10.6	8.9	7.0	4.8	3.8	2.0	2.8	2.2	4.4	9.7	12.4	14.6	83
246	Плещеево	Clear	Total	2.0	2.3	3.3	3.1	4.2	3.3	4.0	4.0	4.0	2.4	2.5	1.6	37
			Low	6.0	6.6	8.9	10.0	12.3	11.6	12.7	13.2	10.7	6.1	4.9	3.7	107
247	Ржев	Clear	Total	17.9	15.2	14.1	10.8	8.8	6.6	7.3	7.2	9.1	15.7	18.0	21.1	152
			Low	9.3	7.2	5.5	4.3	2.3	1.3	1.8	1.4	2.6	9.3	12.0	13.9	71
248	Сасово	Clear	Total	2.5	2.7	4.0	3.4	4.4	3.2	3.5	4.0	4.7	2.3	2.6	2.0	39
			Low	5.3	5.6	7.7	8.9	11.0	11.0	11.2	12.4	9.5	3.9	1.7	3.6	97
249	Сасово	Clear	Total	16.4	13.3	12.9	9.1	7.4	4.7	5.9	5.3	7.9	15.1	17.3	20.6	136
			Low	10.6	9.2	7.3	4.8	3.0	1.6	1.3	1.4	3.5	10.2	13.4	16.3	83
TUL'SKAYA OBLAST																
255	Тула	Clear	Total	1.3	1.5	3.5	3.2	3.6	2.8	3.0	3.4	3.2	1.5	2.2	1.6	31
			Low	2.8	3.7	7.0	8.2	8.5	8.2	7.9	8.9	6.9	4.2	3.5	2.9	73
259	Сасово	Clear	Total	19.2	15.9	14.5	11.0	8.7	6.1	6.8	7.2	8.2	16.5	19.8	22.6	138
			Low	14.4	11.1	9.8	5.8	4.2	2.5	3.0	3.3	5.4	11.6	15.8	18.0	105
260	Сасово	Clear	Total	1.6	1.7	3.6	3.0	3.7	2.7	4.2	3.4	3.8	2.2	1.3	1.6	33
			Low	4.0	4.6	7.9	8.9	10.1	10.0	10.2	10.5	8.0	4.8	3.3	3.6	86
261	Сасово	Clear	Total	19.2	15.9	14.6	11.8	9.5	7.3	8.1	8.0	9.9	16.3	19.5	21.5	162
			Low	13.7	10.2	8.0	5.0	3.3	3.4	2.7	2.8	4.6	11.5	15.6	16.6	96

142

Station No.	Station	Days	Cloud cover	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
262	Бологое	Clear	Общая Total	22	24	40	32	67	37	36	50	44	27	22	19	40
		Ясные	Нижняя Low	43	55	72	87	103	100	105	99	59	37	33	69	
		Gray	Пасмурные	17.6	14.4	13.6	10.6	8.0	5.9	6.3	6.2	8.8	15.5	19.1	21.0	147
263	Чернушка and Скворцово	Ясные	Общая	1.6	1.5	3.0	3.1	4.4	4.1	4.7	4.0	4.1	2.3	2.1	1.3	37
		Нижняя	2.6	3.5	5.7	7.4	8.8	8.8	8.4	6.8	6.6	4.2	3.2	2.4	66	
		Пасмурные	Общая	18.8	15.7	14.7	11.2	9.3	6.6	6.6	7.0	9.6	15.9	19.4	21.4	155
265	Ефремов	Ясные	Нижняя	16.0	12.1	10.7	5.8	4.0	2.7	3.7	4.0	6.3	13.5	16.0	19.6	115
		Пасмурные	Общая	2.0	2.5	3.6	3.2	5.2	4.2	4.8	5.1	5.0	2.8	2.5	1.6	45
		Нижняя	3.8	4.0	5.5	7.0	9.3	9.1	9.5	9.5	6.3	4.9	3.3	3.0	77	

ТАБЛИЦА 5

Table 5. MEAN MONTHLY AND ANNUAL TOTAL AND LOW CLOUD COVER (points)

Station No.	Station	Cloud cover	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
YAROSLAVSKAYA OBLAST															
6	Пощупово-Воложинск	Общая Total	8.2	7.6	7.0	6.4	6.2	5.6	5.8	5.6	7.0	8.1	8.5	8.6	7.0
		Нижняя Low	6.7	5.6	4.6	4.3	4.1	3.6	3.7	3.7	5.3	7.0	7.5	7.4	5.3
13	Данилов	Общая	8.2	7.6	7.1	6.6	6.6	6.2	7.7	5.9	7.1	8.2	8.5	6.6	7.2
		Нижняя	6.2	5.9	4.9	4.0	4.1	3.7	3.7	3.5	4.9	6.6	7.3	7.3	5.2
15, 18	Рыбинск	Общая	8.2	7.7	7.2	6.5	6.4	6.2	6.2	5.8	7.2	8.2	8.6	8.6	7.2
		Нижняя	6.6	6.0	5.1	4.5	4.5	4.2	4.2	4.1	5.7	7.2	7.6	7.4	5.6
21	Тутаев	Общая	8.3	7.6	7.2	6.6	6.6	6.3	6.4	6.2	7.3	8.4	8.5	8.7	7.3
		Нижняя	6.7	6.0	5.0	4.2	4.4	4.1	4.4	4.1	5.5	7.3	7.5	7.4	5.6
25	Ярославль	Общая	8.1	7.5	7.1	6.4	6.4	6.0	6.0	5.8	6.9	8.0	8.4	8.5	7.1
		Нижняя	6.8	5.9	5.2	4.4	4.6	4.2	4.2	4.1	5.3	7.1	7.6	7.6	5.6
26	Углич	Общая Total	8.2	7.7	7.0	6.3	6.2	6.0	6.0	5.8	7.0	8.0	8.4	8.5	7.1
		Нижняя Low	7.0	6.3	5.2	4.4	4.2	3.8	3.8	3.8	5.4	7.0	7.7	7.8	5.5
31	Ростов	Общая	7.9	7.4	6.9	6.2	6.2	5.7	5.8	5.9	6.6	7.5	8.2	8.4	6.9
		Нижняя	6.0	5.5	4.6	3.9	3.9	3.4	3.4	3.5	4.7	6.5	7.0	7.1	5.0
33	Переславль-Залесский	Общая	8.1	7.6	7.0	6.4	6.4	6.2	6.3	6.1	6.9	7.8	8.4	8.6	7.2
		Нижняя	6.7	5.7	5.0	4.2	4.1	3.7	3.7	3.8	5.0	6.6	7.4	7.6	5.3
KALININSKAYA OBLAST															
36	Кесема	Общая Total	8.2	7.7	6.9	6.8	6.7	6.8	6.7	6.6	7.5	8.2	8.9	8.8	7.5
		Нижняя Low	6.4	5.8	4.3	4.2	4.6	4.4	4.4	4.6	5.6	6.9	7.2	7.3	5.5
42	Балоге	Общая	8.3	7.9	6.9	6.6	6.4	6.2	6.1	6.2	7.1	8.1	8.6	8.7	7.3
		Нижняя	7.4	6.7	5.4	4.5	4.5	4.2	3.9	4.9	5.5	7.2	8.1	8.1	5.8
46	Бежецк	Общая	8.0	7.7	6.8	6.4	6.1	6.2	6.2	6.0	6.9	8.0	8.4	8.5	7.1
		Нижняя	6.5	5.9	4.5	4.2	4.2	4.0	4.0	4.0	5.1	6.7	7.4	7.3	5.3
51	Вышний Волочек	Общая	8.2	7.8	6.9	6.4	6.2	6.1	5.9	6.1	6.9	7.9	8.5	8.6	7.1
		Нижняя	6.7	6.3	5.0	4.6	4.6	4.3	4.1	4.3	5.4	6.8	7.7	7.7	5.6
55	Кашин	Общая	8.2	7.8	7.2	6.8	6.7	6.5	6.5	6.3	7.3	8.2	8.6	8.7	7.4
		Нижняя	7.0	6.2	5.2	4.6	4.7	4.4	4.3	4.5	5.7	7.1	7.7	7.9	5.8
59	Осташков	Общая	8.3	8.1	7.1	6.6	6.4	6.4	6.2	6.3	7.2	8.2	8.7	8.7	7.4
		Нижняя	7.3	7.0	6.0	4.7	4.3	4.0	3.8	4.1	5.3	7.0	8.0	8.1	5.8
82	Старица	Общая	8.3	7.8	7.0	6.4	6.0	6.0	5.8	6.1	6.5	7.9	8.4	8.5	7.1
		Нижняя	6.5	5.8	4.9	4.2	4.0	3.7	3.7	4.3	5.2	6.4	7.4	7.2	5.3
83	Тургиново	Общая	8.4	7.8	7.2	6.7	6.4	6.4	6.4	6.6	7.1	8.1	8.5	8.5	7.3
		Нижняя	6.6	6.1	4.8	4.0	4.2	3.9	3.9	4.3	5.3	6.6	7.3	7.3	5.4
84	Торопец	Общая	8.7	8.2	7.5	7.1	6.6	6.7	6.7	6.5	7.4	8.3	8.8	8.9	7.6
		Нижняя	7.6	6.9	5.7	5.1	4.9	4.9	4.8	5.1	5.9	7.4	8.2	8.2	6.2
88	Западная Двиня	Общая	8.3	8.1	7.2	6.9	6.5	6.5	6.5	6.4	7.0	8.0	8.5	8.7	7.4
		Нижняя	6.9	7.2	5.4	4.8	4.5	4.4	4.4	4.5	5.3	6.9	8.1	8.1	5.9
94	Белый	Общая	8.4	7.8	6.8	6.5	6.1	6.2	6.1	6.2	6.9	7.9	8.5	8.6	7.2
		Нижняя	7.3	6.2	5.0	4.5	4.2	4.1	3.9	4.4	5.1	6.9	7.3	7.7	5.6
MOSKOVSKAYA OBLAST															
103	Дмитров	Общая Total	8.1	7.5	6.9	6.5	6.5	6.1	6.2	6.4	7.1	8.0	8.1	8.6	7.2
		Нижняя Low	7.1	6.8	5.0	4.8	4.8	4.3	4.4	4.7	5.7	7.1	7.4	8.0	5.3

Station No.	Station	Cloud cover	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
104	Загорск	Общая Total Нижняя Low	52	76	70	66	66	63	63	65	71	60	83	87	73
110	Болотоцк	Общая Нижняя	63	80	72	66	62	61	60	61	69	79	80	86	72
117	Починки	Общая Нижняя	72	65	55	47	46	41	42	44	54	69	77	75	57
118	Ново-Переславль	Общая Нижняя	78	76	73	68	66	62	65	62	67	79	84	85	72
121	Москва, с-з. академия	Общая Нижняя	62	79	70	66	63	59	60	62	66	80	84	86	72
142	Куровское	Общая Нижняя	79	74	69	64	61	58	57	57	65	77	82	83	69
145	Черусты	Общая Нижняя	77	72	66	62	60	56	57	56	63	75	80	82	67
146	Можайск	Общая Нижняя	83	79	72	66	64	62	60	62	68	78	84	85	72
156	Холонка	Общая Нижняя	78	74	68	63	61	60	58	57	64	70	80	83	68
157	Михнево	Общая Нижняя	81	76	71	67	62	61	60	59	66	78	82	85	71
163	Кашира	Общая Нижняя	78	72	68	62	57	54	53	53	61	75	80	83	66

VLADIMIRSKAYA OBLAST'

158	Александров	Общая Нижняя	82	78	73	69	67	64	65	64	72	82	85	87	74
171	Вязники	Общая Нижняя	80	73	70	62	61	55	56	54	66	78	81	83	68
176	Владимир	Общая Нижняя	78	73	68	62	62	56	57	56	66	78	81	83	68
180	Селивановское оп. подл.	Общая Total Нижняя Low	79	72	67	63	63	56	58	58	67	78	79	81	69
185	Гусь-Хрустальный	Общая Нижняя	79	72	68	64	62	57	56	55	64	78	79	84	68
186	Муром	Общая Нижняя	78	72	68	61	59	52	54	53	63	76	79	83	66

SMOLENSKAYA OBLAST'

194	Велик	Общая Total Нижняя Low	85	79	70	67	64	63	62	64	70	81	85	87	73
195	Гжатск	Общая Нижняя	83	78	69	62	58	56	57	56	66	78	83	85	69
196	Ново-Пречистое	Общая Нижняя	83	78	69	65	61	60	60	61	68	80	85	86	71
198	Демидов	Общая Нижняя	83	79	71	66	62	61	61	60	67	79	85	85	72
203	Сафоново	Общая Нижняя	83	79	71	65	61	67	59	63	67	80	85	86	72
211	Смоленск	Общая Нижняя	83	79	70	65	60	67	59	61	65	78	86	86	72
212	Ельня	Общая Нижняя	83	77	69	63	58	58	58	58	64	77	84	85	70
213	Починок	Общая Нижняя	81	77	67	63	57	59	57	59	63	76	83	84	69
217	Рославль	Общая Нижняя	82	79	71	66	59	61	59	60	65	76	85	85	71

KALUZHESKAYA OBLAST'

219	Малоярославец	Общая Total Нижняя Low	81	76	68	63	59	55	55	55	63	75	82	85	68
224	Мосальск	Общая Нижняя	84	78	70	65	60	58	58	59	63	76	83	85	70
225	Калуга	Общая Нижняя	81	78	70	65	60	57	56	58	64	75	82	84	69

144

Station No.	Station	Cloud cover	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
226	Спас-Деменск	Общая Total	8.3	7.6	7.1	6.4	5.6	5.6	5.7	5.9	6.5	7.6	6.4	8.6	7.0
		Нижняя Low	7.5	6.7	5.6	4.8	4.4	4.2	4.3	4.5	5.3	6.8	7.9	8.0	5.6
232	Жиздра	Общая	8.0	7.4	6.8	6.2	5.5	5.4	5.2	5.5	6.2	7.5	6.1	8.4	6.7
		Нижняя	7.2	6.5	5.7	4.7	4.0	3.7	3.6	4.1	5.2	6.6	7.5	8.0	5.6
RYAZANSKAYA OBLAST															
233	Туза	Общая	7.8	7.4	7.0	6.5	6.6	5.7	5.8	5.8	6.5	7.7	8.1	8.3	6.9
		Нижняя	6.6	6.1	5.2	4.6	4.3	3.7	4.1	4.1	5.0	6.7	7.1	7.5	5.4
234	Елатычи	Общая	7.7	7.2	6.8	6.3	5.9	5.4	5.5	5.5	6.3	7.7	7.9	8.3	6.7
		Нижняя	6.6	5.4	4.7	4.1	3.9	3.2	3.4	3.4	4.6	6.6	7.0	7.3	5.0
239	Сасово	Общая	7.7	7.3	6.8	6.3	6.0	5.4	5.5	5.5	6.2	7.5	7.8	8.2	6.7
		Нижняя	6.3	5.1	4.7	4.2	4.0	3.4	3.7	3.7	4.5	6.4	6.6	7.1	5.0
240	Шилово	Общая	7.7	7.2	6.8	6.2	5.2	5.1	5.3	5.3	6.1	7.5	7.9	8.1	6.6
		Нижняя	5.7	5.0	4.4	3.9	3.6	2.9	3.1	3.0	4.1	6.0	6.5	6.8	4.6
242	Михайлов	Общая	7.8	7.4	6.8	6.2	5.7	5.3	5.3	5.3	6.1	7.4	7.8	8.3	6.6
		Нижняя	6.1	5.4	4.7	3.9	3.5	2.6	2.9	3.0	3.9	5.9	6.6	7.3	4.7
246	Павлопец	Общая	7.8	7.5	6.9	6.5	6.0	5.6	5.7	5.6	6.2	7.5	7.9	8.3	6.8
		Нижняя	5.7	5.1	4.2	3.9	3.3	3.0	3.1	3.0	3.7	5.6	6.4	6.9	4.5
247	Ряжск	Общая	7.5	7.1	6.6	6.1	5.6	5.2	5.4	5.3	5.8	7.3	7.7	8.1	6.5
		Нижняя	6.0	5.6	4.9	4.2	3.6	3.1	3.2	3.1	4.0	5.9	6.7	7.3	4.8
TUL'SKAYA OBLAST															
255	Тула	Общая	8.0	7.7	7.0	6.4	6.0	5.7	5.7	5.7	6.4	7.6	8.0	8.4	6.9
		Нижняя	7.0	6.4	5.4	4.6	4.2	3.6	4.0	4.1	4.8	6.4	7.3	7.6	5.5
259	Белев	Общая	8.2	7.8	7.0	6.5	6.0	5.8	5.7	5.8	6.3	7.5	7.8	8.4	6.9
		Нижняя	7.0	6.2	5.3	4.4	3.8	3.6	3.6	3.7	4.5	6.3	7.2	7.4	5.2
262	Волово	Общая	7.7	7.3	6.8	6.4	5.7	5.3	5.5	5.4	5.9	7.3	7.9	8.3	6.6
		Нижняя	6.5	6.1	5.1	4.3	3.8	3.3	3.5	3.4	4.2	6.2	7.0	7.6	5.1
263	Чернь and Скрябово	Общая	8.0	7.6	7.0	6.5	5.6	5.5	5.5	5.5	6.2	7.5	8.1	8.4	6.8
		Нижняя	7.3	6.5	5.7	4.8	4.2	3.7	4.0	4.2	4.8	6.7	7.3	8.0	5.6
265	Ефремов	Общая	7.9	6.9	6.7	6.3	5.6	5.3	5.3	5.2	5.8	7.2	7.8	8.2	6.5
		Нижняя	6.9	5.9	5.6	4.8	4.0	3.6	3.8	3.8	4.5	6.2	7.2	7.6	5.3

145

Table 6. Mean monthly and annual total cloud cover at various hours of the day (points).

Hours	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Years
-------	---	----	-----	----	---	----	-----	------	----	---	----	-----	-------

YAROSLAVSKAYA OBLAST

13. Данилов

1	8.1	7.3	6.4	5.4	5.4	5.3	5.4	4.4	5.9	7.7	8.3	8.3	6.5
7	8.3	8.2	7.6	6.6	6.5	5.8	6.0	6.1	7.9	8.7	8.8	8.7	7.4
13	8.5	7.8	7.5	7.2	7.6	7.3	7.3	7.2	7.9	8.8	9.0	9.0	7.9
19	7.9	7.1	7.0	6.7	6.8	6.3	6.3	6.0	6.8	7.7	8.0	8.4	7.1

KALININSKAYA OBLAST

51. Вышний Волочек

1	8.2	7.6	6.1	5.1	5.0	5.3	4.7	4.5	5.6	7.3	8.3	8.3	6.3
7	8.3	8.4	7.6	6.8	6.1	5.7	5.6	6.3	7.6	8.5	8.8	8.6	7.4
13	8.4	7.8	7.2	7.1	7.2	7.2	7.1	7.3	7.7	8.5	8.8	8.8	7.8
19	7.9	7.4	6.6	6.5	6.7	6.4	6.2	6.2	6.5	7.2	8.1	8.5	7.0

84. Торопец

1	8.6	7.9	6.5	6.0	5.2	5.9	5.6	5.3	6.1	7.6	8.6	8.7	6.8
7	8.9	8.8	8.2	7.2	6.4	6.0	6.5	7.1	8.1	8.9	9.1	8.9	7.8
13	8.8	8.5	7.8	7.7	7.6	7.8	7.8	8.0	8.4	8.8	9.1	9.1	8.3
19	8.3	7.8	7.4	7.5	6.9	7.0	7.0	7.1	7.1	7.9	8.6	8.7	7.6

MOSKOVSKAYA OBLAST

121. Москва, с.-х. академия

1	8.0	7.6	6.5	5.4	4.9	4.8	4.5	4.3	5.6	7.6	8.2	8.4	6.3
7	8.4	8.6	7.6	6.8	6.2	5.5	5.9	6.4	7.4	8.6	8.5	8.7	7.4
13	8.5	8.0	7.5	7.4	7.2	7.3	7.3	7.4	7.6	8.4	8.6	8.9	7.8
19	7.8	7.5	6.8	6.8	6.5	6.1	6.4	6.5	6.4	7.4	8.2	8.5	7.1

150. Коломна

1	7.6	7.1	6.3	4.9	4.8	4.6	4.4	3.9	5.1	6.9	7.8	8.1	6.0
7	8.1	7.9	7.5	6.7	6.1	5.6	5.7	5.9	7.0	8.2	8.3	8.4	7.1
13	8.3	7.7	7.2	7.3	7.4	7.2	7.3	7.2	7.5	8.3	8.4	8.6	7.7
19	7.2	6.8	6.6	6.4	6.5	6.2	6.0	6.9	6.2	7.0	7.6	8.2	6.7

VLADIMIRSKAYA OBLAST

176. Владимир

1	7.6	7.0	6.3	4.8	4.8	4.4	4.5	3.7	5.2	7.2	7.9	8.2	6.0
7	7.9	8.0	7.4	6.7	6.3	5.3	5.6	5.8	7.1	8.2	8.5	8.4	7.1
13	8.1	7.4	6.9	7.0	7.2	6.9	7.0	6.9	7.5	8.5	8.4	8.6	7.5
19	7.2	6.6	6.5	6.5	6.4	6.0	5.8	5.8	6.5	7.2	7.6	8.1	6.7

SMOLENSKAYA OBLAST

211. Смоленск

1	8.1	7.6	6.3	5.3	4.5	4.8	4.5	4.3	5.0	7.2	8.2	8.4	6.2
7	8.6	8.6	7.8	7.1	6.1	5.7	6.0	6.3	7.2	8.4	8.9	8.9	7.5
13	8.5	8.1	7.2	7.3	7.3	7.4	7.2	7.4	7.7	8.3	8.8	8.9	7.8
19	8.0	7.5	6.8	6.6	6.3	6.1	6.2	6.2	6.1	7.2	8.2	8.3	7.0

146

Hours	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
-------	---	----	-----	----	---	----	-----	------	----	---	----	-----	------

217. Ростовъ

1	8.1	7.8	6.5	5.3	4.2	5.1	4.2	4.1	5.0	7.0	8.3	8.4	6.2
7	8.4	8.4	7.8	6.8	5.9	5.8	5.7	6.2	7.0	8.3	8.6	8.7	7.3
13	8.4	8.1	7.3	7.5	7.4	7.2	7.3	7.4	7.5	8.3	8.7	8.7	7.8
19	7.8	7.3	6.9	6.8	6.1	6.3	6.3	6.3	6.3	7.0	8.3	8.2	7.0

KALUZHSKAYA OBLAST

225. Калуга

1	8.1	7.5	6.6	5.5	4.7	4.6	4.2	4.2	5.2	6.9	8.0	8.4	6.2
7	8.5	8.4	7.8	6.7	5.9	5.5	5.7	6.1	7.0	8.3	8.5	8.5	7.2
13	8.3	7.9	7.1	7.2	6.9	6.8	6.9	7.0	7.4	8.3	8.5	8.6	7.6
19	7.7	7.3	6.8	6.5	6.3	6.0	5.8	5.8	6.0	6.7	7.9	8.1	6.7

RYAZANSKAYA OBLAST

234. Ельчина

1	7.5	7.0	6.2	5.2	4.7	4.3	4.1	3.7	5.0	7.2	7.7	8.2	5.9
7	7.9	7.6	7.6	6.4	5.9	5.0	5.4	5.8	6.9	8.1	8.2	8.4	6.9
13	8.0	7.5	6.9	6.9	6.9	6.5	7.0	6.8	7.1	8.3	8.2	8.5	7.4
19	7.3	6.7	6.7	6.5	6.1	5.7	5.7	5.6	6.3	7.2	7.6	8.0	6.6

247. Ржевъ

1	7.3	6.7	6.1	4.8	4.2	3.9	4.0	3.4	4.5	6.4	7.3	8.0	5.6
7	7.7	7.6	7.3	6.4	5.4	4.9	5.1	5.3	6.2	7.7	8.1	8.2	6.7
13	7.9	7.4	6.7	6.9	6.9	6.5	6.8	6.6	7.0	8.0	8.0	8.4	7.3
19	6.9	6.7	6.4	6.3	5.8	5.7	5.7	5.6	5.7	6.9	7.3	7.9	6.4

TUL'SKAYA OBLAST

255. Тула

1	7.9	7.3	6.4	5.1	4.4	4.1	4.0	3.9	5.2	6.9	7.9	8.4	6.0
7	8.4	8.4	7.7	6.8	6.0	5.5	5.6	6.1	7.0	8.4	8.3	8.4	7.2
13	8.3	8.0	7.2	7.4	7.3	7.1	7.2	7.1	7.3	8.3	8.3	8.7	7.7
19	7.5	7.0	6.7	6.5	6.3	6.0	5.9	5.7	6.0	6.9	7.7	8.1	6.7

263. Чернь и Скуратово

1	7.9	7.3	6.6	5.1	4.3	4.2	4.0	3.8	5.0	6.7	8.0	8.2	5.9
7	8.3	8.2	7.6	7.0	5.8	5.3	5.4	5.8	6.8	8.1	8.3	8.5	7.1
13	8.3	7.8	7.0	7.2	7.0	6.8	6.9	6.8	7.2	8.3	8.3	8.7	7.5
19	7.6	7.0	6.9	6.7	6.1	5.7	5.6	5.7	5.9	6.9	7.7	8.1	6.6

Table 7. Mean monthly and annual lower cloud cover at various hours of the day (points).

Hours	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
-------	---	----	-----	----	---	----	-----	------	----	---	----	-----	------

YAROSLAVSKAYA OBLAST

13. Данилов

1	6.2	5.8	4.7	3.5	3.6	2.8	2.9	2.5	4.1	6.3	7.1	7.3	4.7
7	6.6	6.4	5.2	4.1	3.4	3.2	3.0	3.3	5.4	7.1	7.6	7.6	5.2
13	6.2	5.7	5.0	4.9	5.7	5.5	5.7	5.2	6.1	7.4	7.4	7.3	6.0
19	6.0	5.5	4.6	3.7	3.9	3.2	3.1	2.9	4.1	6.4	7.2	7.0	4.8

147

Hours	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
-------	---	----	-----	----	---	----	-----	------	----	---	----	-----	------

KALININSKAYA OBLAST

51. Вышний Волочек

1	6.8	6.4	4.7	4.0	3.9	3.7	3.6	3.4	4.5	6.4	7.5	7.5	5.2
7	7.2	7.1	5.7	4.5	3.9	3.6	3.4	4.3	5.8	7.3	8.1	7.9	5.7
13	6.4	5.7	4.9	5.3	5.9	5.8	5.8	5.7	6.3	7.3	7.8	7.6	6.2
19	6.5	6.0	4.8	4.5	4.6	4.0	3.8	3.9	4.8	6.3	7.5	7.7	5.4

84. Торопец

1	7.7	6.8	5.5	4.5	4.1	4.2	3.9	4.0	4.8	6.9	8.2	8.0	5.7
7	8.1	7.6	6.3	5.0	4.4	4.0	4.4	5.0	6.6	7.9	8.5	8.4	6.4
13	7.4	6.7	5.7	6.6	6.3	6.6	6.5	6.6	6.7	7.6	8.2	8.2	6.8
19	7.3	6.6	5.4	5.0	4.9	5.0	4.5	4.8	5.4	7.1	8.2	8.2	6.0

MOSKOVSKAYA OBLAST

121. Москва, с.-х. академия

1	6.8	6.3	5.3	4.2	3.6	3.4	3.3	3.1	4.4	6.6	7.4	7.6	5.2
7	7.3	6.9	5.7	4.7	4.1	3.3	3.4	3.9	5.5	7.2	7.6	8.0	5.6
13	6.6	5.5	4.9	4.9	5.5	5.6	5.3	5.4	5.8	6.9	7.4	7.6	6.0
19	6.7	6.0	5.1	4.5	4.4	3.7	3.9	3.9	4.7	6.4	7.5	7.8	5.4

150. Коломна

1	6.6	5.9	4.8	3.8	3.8	3.3	3.2	3.1	4.3	6.3	7.0	6.9	4.9
7	7.0	6.4	5.3	4.4	3.9	3.3	3.5	3.9	5.2	6.8	7.3	7.2	5.4
13	6.4	5.3	4.4	5.4	5.9	5.7	5.9	5.8	6.2	7.1	7.1	7.1	6.0
19	6.2	5.6	4.7	4.5	4.3	3.6	3.5	3.7	5.0	6.4	6.9	7.0	5.1

VLADIMIRSKAYA OBLAST

176. Владимир

1	6.4	5.8	4.8	3.5	3.6	2.6	2.8	2.8	4.2	6.4	7.0	7.2	4.8
7	6.7	6.4	5.4	4.2	3.5	2.6	2.9	3.3	4.9	6.7	7.3	7.6	5.1
13	5.7	4.9	4.1	4.5	5.3	5.1	5.4	4.9	5.8	6.9	6.8	7.1	5.5
19	6.0	5.3	4.7	3.9	3.6	3.2	3.1	3.0	4.8	6.2	6.9	7.2	4.8

SMOLENSKAYA OBLAST

211. Смоленск

1	7.2	6.6	5.2	3.8	3.4	3.6	3.2	3.3	4.0	6.3	7.8	7.8	5.2
7	7.9	7.4	6.1	4.7	3.7	3.4	3.6	4.2	5.3	7.3	8.2	8.2	5.8
13	7.3	6.4	5.0	5.4	5.6	5.8	5.7	5.8	5.9	7.0	7.8	7.9	6.3
19	7.2	6.1	5.1	4.3	3.9	3.8	3.4	3.8	4.2	6.2	7.8	7.8	5.3

217. Рославль

1	7.4	6.9	5.3	4.1	3.0	3.3	2.7	2.8	3.5	5.9	7.7	7.8	5.0
7	7.6	7.3	6.2	4.0	3.0	2.9	2.9	3.9	4.6	6.9	7.9	8.1	7.1
13	7.1	6.1	5.2	5.2	5.6	5.8	5.6	5.8	5.5	6.9	7.6	7.6	6.2
19	7.0	6.1	5.1	4.5	3.6	3.5	3.4	3.4	4.2	6.1	7.7	7.4	5.2

KALUZHESKAYA OBLAST

223. Калуга

1	7.2	6.5	5.5	4.5	3.8	3.3	3.3	3.4	4.3	6.2	7.6	7.8	5.3
7	7.6	7.2	6.1	4.9	3.9	3.5	3.9	4.3	5.5	7.2	7.9	8.0	5.8
13	6.8	6.0	5.1	5.3	5.4	5.5	5.6	5.6	5.9	7.1	7.6	7.6	6.1
19	6.7	6.0	5.3	4.6	4.4	3.7	3.7	3.8	4.6	6.0	7.5	7.5	5.3

148

Hours	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
RYAZANSKAYA OBLAST													
234. Ельцы													
1	6.1	5.4	4.7	3.9	3.6	2.6	2.7	2.6	4.1	6.4	7.0	7.3	4.7
7	6.4	6.1	5.4	4.1	3.4	2.4	2.9	3.2	4.7	6.8	7.3	7.5	5.0
13	5.6	5.0	4.3	4.4	4.9	4.8	5.1	4.7	5.2	6.7	6.9	7.1	5.4
19	5.8	5.2	4.5	4.1	3.8	2.9	3.1	2.8	4.6	6.4	6.8	7.3	4.8
247. Раменки													
1	6.1	5.6	5.0	3.8	3.1	2.4	2.6	2.1	3.2	5.4	6.7	7.2	4.4
7	6.5	6.3	5.6	4.0	3.0	2.2	2.3	2.7	3.7	6.0	7.1	7.4	4.7
13	5.7	5.2	4.4	4.8	5.1	4.8	5.1	4.7	5.0	6.4	6.5	7.1	5.4
19	5.7	5.6	4.7	4.2	3.3	3.0	2.9	3.0	3.7	5.8	6.5	7.3	4.6
TUL'SKAYA OBLAST													
255. Тула													
1	7.1	6.4	5.5	4.0	3.1	3.0	3.0	2.9	3.9	5.9	7.3	7.6	5.0
7	7.7	7.3	6.1	4.6	3.8	3.1	3.4	3.8	5.3	6.9	7.5	7.8	5.6
13	6.7	5.9	5.0	5.3	5.7	5.6	5.8	5.3	5.6	7.0	7.2	7.5	6.0
19	6.7	6.0	5.2	4.4	4.2	3.7	3.7	3.7	4.5	6.0	7.2	7.4	5.2
263. Чернь и Скворцово													
1	7.2	6.5	5.8	4.2	3.5	3.2	3.2	3.3	4.2	6.1	7.4	7.9	5.2
7	7.7	7.3	6.3	4.9	3.8	3.1	3.6	4.2	5.1	7.1	7.6	8.2	5.7
13	7.1	6.1	5.3	5.3	5.6	5.2	5.7	5.6	5.5	7.1	7.2	7.9	6.1
19	7.1	6.1	5.6	4.7	3.9	3.5	3.7	3.8	4.3	6.3	7.1	7.9	5.3

Table 8. Recurrence of basic forms of cloud cover.

Month	Cl	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Fnb
-------	----	----	----	----	----	----	----	----	----	----	-----

YAROSLAVSKAYA OBLAST											
6. Пошечинье-Володарск											
I	8	1	14	11	27	1	1	21	23	16	14
II	8	0.4	14	11	24	2	1	18	21	13	11
III	12	1	16	14	17	4	1	18	17	9	11
IV	14	1	12	18	11	9	3	28	12	5	12
V	17	1	11	22	8	20	8	26	7	1	10
VI	23	2	12	27	7	23	12	20	6	1	9
VII	23	2	10	27	5	25	12	24	6	1	10
VIII	20	1	10	24	6	20	11	22	6	2	8
IX	16	1	8	25	8	13	7	30	11	4	15
X	10	1	9	19	11	7	2	36	15	9	21
XI	11	1	12	13	18	2	1	28	20	18	21
XII	6	0.3	11	11	29	1	1	20	22	22	17
Year	16	1	11	20	25	11	5	24	14	8	13
15, 18. Рыбинск											
I	11	1	22	14	22	0.4	0.4	32	22	10	18
II	15	0.4	14	14	15	0.2	1	29	20	9	15
III	22	1	18	14	12	1	1	26	15	6	12
IV	25	1	14	17	8	6	4	31	11	2	18

149

Month	Ci	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	Sl	Frb
V	26	2	12	19	6	18	13	40	6	1	10
VI	37	2	7	23	4	24	18	39	4	1	9
VII	35	2	6	24	3	26	20	39	4	1	9
VIII	37	2	9	21	5	19	16	41	5	1	16
IX	24	2	9	21	5	12	13	47	9	2	19
X	21	1	12	17	7	3	7	51	13	5	20
XI	17	1	14	14	9	1	1	37	14	15	20
XII	13	0.3	16	16	19	0.1	1	34	21	17	20
	26	1	13	19	9	9	8	37	12	6	14
Year											

21. Тутаев

I	22	2	8	13	40	0.8	0.3	23	28	10	7
II	21	2	7	12	31	2	0.4	22	26	6	6
III	28	2	9	14	28	4	1	20	20	5	8
IV	31	2	8	17	21	13	3	25	12	3	8
V	36	2	3	20	17	26	9	31	7	1	7
VI	42	3	2	23	15	34	12	25	6	2	8
VII	41	3	2	20	13	36	12	30	6	2	9
VIII	36	3	3	19	16	28	10	29	6	5	12
IX	30	3	2	28	20	21	5	37	11	10	15
X	25	3	4	19	25	10	3	42	18	18	10
XI	27	2	7	13	26	1	0.5	29	25	19	8
XII	26	0.8	8	16	34	1	0.04	27	29	19	9
	33	2	5	18	22	16	5	28	16	7	9

KALININSKAYA OBLAST

40. Бежецк

I	13	1	12	17	27	0.4	0.7	14	23	24	12
II	14	1	16	17	28	0.4	0.4	12	24	19	13
III	21	2	16	19	21	2	0.4	13	16	16	9
IV	24	2	16	21	14	9	6	21	11	6	10
V	26	2	14	27	10	19	12	29	6	2	9
VI	35	3	16	30	9	20	16	22	5	3	8
VII	37	4	17	35	9	25	16	25	6	4	9
VIII	30	3	14	29	10	19	13	25	11	16	14
IX	23	4	15	26	13	12	8	32	11	14	17
X	20	2	13	23	18	6	5	33	16	29	15
XI	17	0.7	14	14	19	1	1	23	21	34	12
XII	17	0.4	13	17	28	0.3	0.3	15	25		
	26	2	16	25	16	10	7	22	14	13	12

51. Вышний Волочек

I	12	0.4	6	15	29	0.6	1	19	34	17	13
II	12	0.6	8	15	26	1	4	13	34	13	14
III	21	0.8	9	16	18	10	10	14	22	12	11
IV	22	1	7	17	14	12	15	21	15	7	16
V	19	0.7	7	19	12	10	19	28	8	4	15
VI	27	0.9	5	23	10	25	15	23	7	3	15
VII	31	2	6	24	12	28	14	23	7	5	14
VIII	25	2	5	22	13	12	7	30	12	7	20
IX	18	0.5	5	24	18	4	4	30	18	15	24
X	16	1	3	18	18	1	2	21	26	26	19
XI	17	0.2	5	13	19	1	1	17	33	26	16
XII	11	0.7	7	17	24	0.7	1				
	21	1	6	20	16	11	6	22	18	11	16

160

Month	Cl	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Frb
-------	----	----	----	----	----	----	----	----	----	----	-----

78. Калинин

I	14	0.9	7	8	12	0.1	0.3	31	26	19	24
II	14	0.5	9	7	10	0.6	0.5	33	25	15	23
III	22	0.9	12	10	8	2	0.7	27	21	10	19
IV	20	0.8	11	13	7	9	6	35	15	3	15
V	19	1	7	13	4	16	13	42	9	1	11
VI	31	1	6	16	2	22	19	39	7	2	10
VII	28	2	6	15	4	22	20	40	7	2	11
VIII	25	2	6	17	5	17	18	41	9	2	13
IX	19	1	5	13	5	10	11	46	13	5	16
X	16	1	4	11	6	4	5	44	20	9	22
XI	18	0.4	6	8	6	0.8	1	33	24	20	25
XII	19	0.6	6	9	8		0.4	30	26	27	26
	22	1	7	12	6	9	8	37	17	9	18

Year

89. Ржев

I	11	0.3	6	11	11	0.3	0.8	32	24	22	14
II	13	0.4	8	11	12	0.4	0.2	29	26	17	16
III	21	0.4	8	12	11	1	0.4	30	18	13	11
IV	22	0.7	7	14	7	8	5	37	11	5	11
V	22	0.6	6	15	4	18	12	42	6	2	9
VI	30	0.8	6	18	4	23	15	38	5	2	8
VII	29	1	5	18	5	22	15	37	4	2	7
VIII	25	0.8	5	17	4	20	12	45	7	2	9
IX	20	0.7	6	15	4	11	9	45	10	3	14
X	16	0.7	4	15	6	5	3	48	16	10	17
XI	15	0.4	5	10	6	0.6	1	39	23	19	20
XII	9	0.6	5	10	10	0.3	0.07	32	26	26	19
	22	0.7	6	15	6	9	6	37	14	10	13

MOSKOVSKAYA OBLAST

121. Москва, с.-х. академия

I	12	1	9	17	20	2	0.3	28	23	20	3
II	14	2	7	20	24	2	0.4	24	22	12	2
III	19	0.8	10	19	13	4	0.8	23	24	7	3
IV	20	1	9	26	12	14	3	30	12	4	3
V	24	2	7	29	8	24	5	29	9	3	3
VI	30	2	7	30	8	30	6	27	7	4	2
VII	31	2	8	37	8	32	7	26	7	4	4
VIII	25	2	7	34	9	24	6	31	7	5	5
IX	20	2	7	32	10	16	4	38	10	5	6
X	18	1	4	24	9	10	2	45	15	11	4
XI	15	0.6	5	21	16	4	0.7	35	19	23	4
XII	11	2	7	18	18	2	0.6	34	21	24	4
	22	2	7	28	12	14	3	32	14	11	4

146. Можайск

I	12	0.5	12	18	28	0.4	5	19	25	21	10
II	16	0.8	14	16	26	0.7	4	18	24	16	9
III	19	0.9	15	18	21	3	5	19	18	13	10
IV	19	1	15	24	22	8	9	25	10	4	12
V	22	0.7	12	23	16	16	16	29	6	2	13
VI	31	1	11	28	17	20	18	26	4	1	11
VII	29	1	8	28	14	21	21	25	4	1	12
VIII	25	1	8	27	15	16	18	27	4	3	17
IX	20	0.7	9	25	20	10	13	31	8	10	20
X	17	0.7	8	26	22	4	9	35	11	21	19
XI	16	0.3	9	20	22	1	5	25	19	23	15
XII	13	0.3	10	19	25	0.8	4	19	13	28	14
	22	0.9	11	24	19	9	11	25	13	10	14

Month	Cl	Cc	Cs	Ac	As	Cu	Cb	St	Ns	St	Frb
-------	----	----	----	----	----	----	----	----	----	----	-----

VLADIMIRSKAYA OBLAST

180. Муром

I	9	0.1	11	9	20	0.3	0.7	14	27	24	13
II	9	0.3	10	8	15	0.9	0.3	14	25	18	10
III	16	0.1	12	11	14	2	0.9	14	19	13	11
IV	16	0.06	11	17	10	11	5	22	12	5	13
V	19	0.5	9	27	9	22	10	22	10	0.2	13
VI	25	0.3	9	28	5	32	14	20	5	0.8	9
VII	21	0.6	7	31	6	32	16	23	4	1	9
VIII	20	0.4	8	27	6	24	11	22	5	3	8
IX	14	0.3	6	22	9	6	9	32	12	4	15
X	12	0.6	5	16	9	6	5	33	19	12	22
XI	14	0.3	9	10	10	2	1	21	22	25	18
XII	8		6	9	17	0.5	0.8	16	27	32	16
	17	0.3	8	20	10	12	6	21	16	12	13

Year

SMOLENSKAYA OBLAST

194. Велиж

I	13		3	6	10	0.4	11	43	17	10	5
II	15		4	9	11	0.4	7	38	19	8	5
III	25	0.3	3	8	6	1	7	30	14	8	4
IV	26	0.1	4	10	8	9	13	30	8	2	10
V	26	0.1	2	11	4	20	20	28	4	1	7
VI	31	0.1	2	14	4	26	19	27	4	0.3	7
VII	33	0.2	1	15	4	25	23	26	4	1	8
VIII	30	0.1	1	14	4	18	20	31	4	2	8
IX	22	0.2	1	14	7	12	21	34	6	3	12
X	20	0.5	2	9	11	6	14	42	12	6	18
XI	18		2	6	7	2	11	43	15	19	13
XII	12	0.02	1	7	8	0.4	11	43	17	16	10
	25	0.2	2	11	6	10	15	35	10	6	9

198. Вязьма

I	16	0.5	5	12	19	0.3	0.5	22	21	34	12
II	20	1	5	16	19	0.6	0.6	19	23	23	14
III	28	0.6	6	15	16	2	0.5	19	16	20	11
IV	31	1	7	22	11	12	3	25	9	7	10
V	33	1	5	24	8	22	8	28	6	2	9
VI	40	2	5	30	9	27	10	23	4	2	8
VII	42	2	5	31	10	27	10	23	5	3	9
VIII	37	1	3	30	10	21	10	24	5	5	9
IX	32	1	3	25	12	14	6	33	7	5	13
X	24	0.7	3	21	13	5	2	40	13	15	14
XI	23	0.2	4	17	12	1	0.7	31	18	29	13
XII	17	0.6	5	11	19	0.2	0.3	24	23	34	16
	32	1	5	23	12	11	4	26	12	15	11

211. Смоленск

I	16	0.9	5	16	18	0.2	2	26	25	24	26
II	23	0.4	6	20	17	0.1	2	23	22	19	24
III	27	0.2	5	16	12	0.8	2	21	15	14	17
IV	31	0.7	4	24	7	7	9	28	12	4	15
V	31	0.6	4	26	5	20	15	30	7	2	10
VI	35	0.06	5	28	5	24	19	31	6	3	9
VII	39	0.5	3	30	4	22	18	26	6	4	9
VIII	34	0.4	4	32	5	17	16	28	8	5	11

152

Month	Ci	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Frbn
IX	28	0.4	4	26	5	11	10	35	9	7	12
X	24	0.8	4	24	6	4	6	41	14	12	18
XI	23	0.2	4	19	6	0.6	2	34	18	25	20
XII	20	0.2	4	17	10	0.05	2	27	23	26	25
-	30	0.4	4	25	7	9	9	29	13	12	16
Year											

KALUZHSKAYA OBLAST

235. Калуга

I	7		8	8	11	0.2	0.1	37	22	17	20
II	9	1	13	8	11	0.6	0.4	33	20	12	17
III	14	0.5	11	8	8	2	0.7	32	15	9	13
IV	15	0.5	10	12	7	8	3	40	9	3	9
V	17	0.8	10	11	5	21	6	39	5	1	7
VI	22	0.8	8	16	3	28	9	38	4	1	4
VII	22	0.3	6	15	2	27	10	40	4	2	5
VIII	21	0.8	6	14	4	23	8	44	4	2	6
IX	14	0.5	6	12	3	16	5	50	6	2	8
X	12	0.6	6	13	4	6	3	52	12	6	14
XI	13	0.1	7	10	4	2	0.6	41	18	16	19
XII	9	0.5	8	8	8	0.8	0.3	37	19	23	19
-	16	0.6	8	12	5	11	4	40	11	8	12

232. Жиздра

I	8	0.3	5	15	16	2	0.8	29	20	23	3
II	11	0.4	7	16	14	3	1	26	15	19	4
III	16	0.5	5	15	12	4	1	25	13	15	4
IV	18	1	9	20	11	14	5	25	8	6	11
V	21	0.4	6	24	8	23	9	26	6	1	12
VI	25	0.7	5	29	9	28	13	22	4	0.3	12
VII	22	1	5	25	8	30	12	20	5	1	13
VIII	23	0.7	5	27	9	26	11	26	6	1	12
IX	19	0.7	4	21	8	15	8	35	8	2	15
X	13	0.8	4	19	13	6	4	41	11	8	14
XI	14	0.8	4	19	12	4	1	38	15	13	7
XII	12	0.2	7	13	10	2	0.9	35	18	25	5
-	19	0.7	5	22	10	13	6	29	11	10	9

RYAZANSKAYA OBLAST

234. Елатыма

I	9		20	11	20	0.03	0.1	20	27	12	4
II	11	0.2	19	11	16	0.3	1	19	24	11	4
III	14	0.3	20	14	13	1	0.5	19	17	10	5
IV	16	0.2	17	20	8	8	3	24	11	4	8
V	21	1	12	25	7	16	6	22	9	2	9
VI	27	1	11	28	4	22	8	17	4	1	5
VII	28	1	9	29	5	23	8	19	5	3	6
VIII	22	1	9	29	7	17	5	20	5	3	6
IX	16	1	10	23	7	10	3	30	10	4	10
X	13	0.4	10	24	7	3	1	35	14	12	15
XI	12	0.3	14	16	8	1	0.4	28	20	18	13
XII	10	0.1	17	12	15	0.2	0.2	22	27	23	8
-	18	0.5	13	22	9	9	3	23	8	8	8

Month	Cl	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Fmb
237. Рязань											
I	10	0.4	11	11	13	0.2	0.1	22	17	29	10
II	13	0.6	11	11	14	0.2	0.1	18	17	24	12
III	19	0.8	10	13	12	0.6	0.5	19	13	21	9
IV	17	1	9	18	10	8	3	26	8	12	6
V	20	1	7	21	8	14	6	28	7	7	6
VI	28	0.5	7	22	7	20	7	25	3	4	4
VII	26	0.6	4	22	8	20	8	26	5	3	5
VIII	22	0.7	4	23	8	16	7	27	5	3	4
IX	18	0.7	5	24	11	10	4	33	7	5	6
X	17	0.8	5	21	10	4	2	41	11	15	10
XI	15	0.6	7	15	9	1	0.3	30	14	29	11
XII	11	0.3	7	12	12	0.2	0.3	25	17	36	11
Year	19	0.7	7	19	10	8	3	27	10	15	8
246. Памелец											
I	19	0.3	7	23	27	0.1	0.1	11	17	22	3
II	20	1	9	22	25	0.2	0.1	9	15	21	2
III	26	1	7	23	19	1	0.3	10	11	16	4
IV	30	0.3	7	27	12	13	1	20	7	7	6
V	33	1	5	29	10	11	3	21	5	2	6
VI	38	1	4	33	8	29	4	21	3	4	4
VII	33	2	4	34	9	31	4	20	4	2	5
VIII	28	1	4	34	9	23	3	19	4	3	5
IX	27	1	4	35	11	13	2	25	5	6	6
X	25	2	4	20	9	6	0.4	32	9	12	10
XI	26	0.4	5	22	18	2	0.2	21	12	26	6
XII	21	0.3	6	21	22	0.2		13	15	35	4
Year	29	1	5	28	13	11	2	19	8	12	5
TUL'SKAYA OBLAST											
258. Тула											
I	8	0.3	8	15	23	0.4	0.7	22	24	19	18
II	11	0.9	7	15	21	0.4	0.9	20	22	15	15
III	14	2	6	16	17	2	1	19	17	13	15
IV	17	1	8	19	13	10	6	24	10	8	10
V	20	2	6	23	11	17	13	28	7	3	7
VI	27	2	4	25	9	22	18	28	3	1	4
VII	26	2	4	25	10	23	20	28	4	1	6
VIII	22	2	4	25	9	17	17	28	4	4	6
IX	16	1	4	22	11	10	13	36	10	12	8
X	14	0.9	4	21	13	5	5	37	12	13	13
XI	13	0.6	4	16	13	1	1	27	18	25	16
XII	7	0.7	4	12	20	0.5	0.5	21	21	26	19
Year	18	2	5	21	13	9	8	27	12	11	11
262. Волого											
I	8	0.5	8	12	14	0.1	0.3	29	22	11	8
II	9	0.3	10	12	12	0.08	0.6	26	23	7	8
III	12	1	9	15	11	0.7	0.4	19	18	9	6
IV	14	1	7	20	9	10	7	17	8	5	7
V	19	0.7	6	21	5	17	13	16	5	3	7
VI	24	2	6	25	5	22	16	13	2	2	4
VII	23	2	5	25	5	20	18	13	2	3	4
VIII	19	0	4	24	6	19	14	15	5	3	4
IX	15	1	5	23	6	5	8	23	9	10	6
X	13	0.7	5	16	9	1	1	33	18	18	10
XI	11	0.7	6	13	10	0.2	0.4	30	18	20	8
XII	8	0.5	7	21	7	8	8	22	11	7	7
Year	16	0.9	6	21	7	8	8	22	11	7	7

Table 8a. Recurrence of basic forms of cloud cover
at various hours of the day (%).

Month	Hrs.	Ci	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Frnb
YAROSLAVSKAYA OBLAST												
15, 18. Рыбинск												
I	1	6	0.4	22	11	23		0.3	32	21	9	17
	7	10		21	10	23			35	22	12	17
	13	21	2	25	23	22		1	29	23	9	20
	19	5		21	11	22		0.2	32	20	9	17
II	1	8		11	10	13		0.2	28	21	8	17
	7	20		16	16	14		0.2	32	22	11	16
	13	23	1	19	19	20	0.8	1	27	17	9	14
	19	10		12	9	10		0.7	29	18	8	15
III	1	7	0.9	13	10	9		0.5	26	14	6	12
	7	30	2	16	14	14		0.2	27	19	8	14
	13	29	2	24	15	14		1	25	11	5	11
	19	21		18	14	11		1	27	14	5	13
IV	1	11	0.3	10	7	4		1	27	12	3	13
	7	25	0.5	13	23	8		2	33	10	3	12
	13	31	0.7	18	20	10		8	27	10	2	13
	19	32	1	14	17	8		6	38	10	2	13
V	1	15	0.4	8	13	3		1	44	6	1	10
	7	25	2	14	27	5		8	34	6	2	11
	13	31	1	13	14	5		49	33	5	10	9
	19	34	3	13	22	6		13	50	5		9
VI	1	28	1	8	22	3		2	49	4		8
	7	37	2	10	28	5		13	30	5	1	10
	13	38	2	14	20	5		58	30	2	0.6	9
	19	45	1	12	22	4		22	45	3	0.2	8
VII	1	23	0.6	7	22	2		2	49	4	0.8	8
	7	36	3	10	30	4		13	33	6	1	11
	13	36	1	13	21	2		63	28	4	0.2	7
	19	46	2	13	24	5		26	45	3	0.2	
VIII	1	12	0.4	6	14	2		0.6	11	38	5	0.6
	7	33	3	11	29	6		8	40	6	3	13
	13	35	2	12	19	6		55	36	4	0.5	8
	19	44	2	9	23	7		13	50	4	0.3	8
IX	1	10	0.3	6	15	5		1	46	8	1	13
	7	26	1	9	30	6		5	47	10	4	18
	13	31	2	10	21	6		37	40	8	1	16
	19	29	2	10	19	6		4	54	9	0.5	16
X	1	9	0.4	11	11	6		0.8	4	48	12	5
	7	31	2	14	25	11		0.5	4	54	15	6
	13	32	1	13	20	9		11	50	13	4	21
	19	12	0.7	10	11	4		0.6	7	52	11	4
XI	1	10	0.5	16	10	11		1	36	18	13	18
	7	25	2	13	13	9			1	40	16	16
	13	27	1	15	20	9		3	37	4	16	19
	19	9		13	12	7		0.3	1	36	19	16
XII	1	4		16	9	17		0.2	0.8	19	16	20
	7	14		14	18	22			0.2	35	22	17
	13	23	1	20	28	19		0.5	2	30	23	18
	19	10		15	8	17			1	36	20	17

Month	Hrs.	Cl	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Frb
-------	------	----	----	----	----	----	----	----	----	----	----	-----

KALININSKAYA OBLAST

51. Вышний Волочек

I	1 7 13 19	7 9 22 9	0.7 0.7	9 6 7 3	10 13 23 14	29 26 34 25	0.1 0.1 2 1	0.7 0.5 2 12	13 16 12 12	36 36 35 31	17 19 12 19	12 12 19 11
II	1 7 13 19	8 12 22 6	1 1 1	6 10 10 6	12 22 19 8	25 29 26 25	0.3 0.6 0.4 0.1	0.4 0.6 13 0.6	13 13 13 13	32 40 31 33	16 15 9 12	12 14 16 13
III	1 7 13 19	8 27 27 22	0.2 1 1 1	7 10 14 6	10 24 15 15	15 20 17 18	0.1 2 0.8 0.7	0.3 0.4 14 0.7	11 14 13 18	21 28 17 20	12 12 11 11	8 11 13 11
VI	1 7 13 19	8 26 25 30	0.2 2 1 2	4 10 10 6	10 23 14 22	8 17 15 17	2 3 32 4	1 2 12 7	18 17 16 32	15 18 14 12	9 7 5 6	10 15 20 17
V	1 7 13 19	11 19 16 27	0.2 1 1 0.5	3 8 9 6	13 29 13 23	7 15 12 13	1 9 52 15	4 4 21 13	33 20 22 36	8 9 6 7	5 6 3 4	11 16 18 15
VI	1 7 13 19	22 28 25 34	0.7 0.7 1 1	2 6 8 6	21 29 17 26	10 9 9 11	2 12 59 26	7 7 27 20	31 16 15 30	9 9 6 5	2 4 2 2	13 15 18 12
VII	1 7 13 19	22 31 31 40	0.8 2 2 2	3 5 6 8	18 31 18 28	8 11 8 11	4 14 66 27	7 5 25 19	32 16 14 31	6 7 5 5	3 6 2 2	12 15 18 14
VIII	1 7 13 19	11 26 27 35	0.3 3 2 2	3 5 8 5	13 33 20 28	7 14 12 13	0.9 6 58 14	3 3 19 12	25 20 18 37	9 8 5 5	4 11 2 3	11 15 18 12
IX	1 7 13 19	7 24 22 19	0.2 1 0.4 0.6	4 4 7 5	13 32 21 23	9 15 14 14	1 3 41 4	2 2 17 7	28 24 25 40	13 16 8 9	5 13 6 5	13 21 26 18
X	1 7 13 19	8 25 22 6	0.3 2 2 0.3	3 4 5 1	10 29 21 12	12 24 20 16	0.3 1 15 0.4	1 1 11 2	27 26 28 38	20 20 16 17	14 20 14 12	20 27 32 17
XI	1 7 13 19	11 20 27 8	0.8 0.8	5 5 4 4	11 13 18 11	18 20 23 15	0.4 1 4 0.3	0.7 1 4 1	21 19 19 24	26 29 26 23	26 28 24 26	15 22 24 14
XII	1 7 13 19	7 5 21 8	1 0.5 1 1	5 9 8 5	12 12 25 15	18 24 30 23	0.3 0.5 2 0.1	0.9 1 2 0.3	17 16 16 18	32 36 32 32	26 25 25 26	13 14 21 15

156

Month	hrs	Cl	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Frnb
73. Классификация												
I	1 7 13 19	6 16 24 8		7 9 6	4 5 14	11 13 15		0.3 1 0.2	31 34 30	25 26 29	20 19 18	22 23 29 23
II	1 7 13 19	5 20 24 7	0.6 1.2	7 8 12 7	4 6 11 7	10 10 12 10	0.2 2 0.2	33 35 30 32	24 27 25 25	16 18 14 11	21 24 25 23	
III	1 7 13 19	9 28 32 22	1 2 0.3	7 14 17 10	5 17 10 8	6 8 9 10		0.2 0.2 0.5	25 29 27 28	21 24 20 21	11 13 7 9	18 20 20 18
IV	1 7 13 19	9 23 27 21	0.3 1 2 1	6 14 12 12	9 16 12 13	4 9 9 8	2 30 2 2	1 3 11 0	32 34 31 45	15 16 14 14	2 4 4 2	13 17 16 15
V	1 7 13 19	8 24 21 24	0.2 1 2 2	3 8 8 8	6 19 11 15	2 4 4 6	0.2 5 48 10	7 4 21 20	45 38 32 53	8 11 8 8	0.6 2 2 0.8	8 14 12 9
VI	1 7 13 19	21 37 29 38	2 0.6 2 2	4 7 9 6	12 23 11 18	1 4 2 2	0.8 8 60 17	12 8 26 30	50 34 26 46	7 9 8 4	0.3 4 0.8 0.3	8 13 10 8
VII	1 7 13 19	18 32 25 38	0.4 2 2 2	2 7 7 7	9 23 9 18	2 4 4 5	1 6 61 18	10 8 27 33	50 34 29 46	7 10 5 5	1 4 0.9 0.8	8 15 11 7
VIII	1 7 13 19	11 31 26 32	3 2 2 2	4 7 6 9	8 25 17 17	2 3 6 3	0.5 4 54 7	8 8 20 25	39 38 30 56	8 12 8 8	2 7 0.6 0.5	9 19 15 11
IX	1 7 13 19	7 28 25 17	2 3 3 1	3 6 8 5	9 19 11 12	4 3 4 3	0.3 0.6 38 0.7	4 4 22 14	43 44 39 57	12 16 11 11	4 10 4 1	13 22 17 13
X	1 7 13 19	5 27 24 12	2 2 2 2	2 5 9 2	7 18 14 8	4 9 7 4	14 0.3	1 2 11 4	44 44 43 46	18 24 19 18	8 12 10 8	19 27 24 19
XI	1 7 13 19	5 20 34 12		5 8 10 4	5 11 10 6	4 8 8 6		0.2 0.3 3 0.9	37 33 30 33	21 25 28 21	19 23 19 20	20 27 30 21
XII	1 7 13 19	12 14 32 16	2 0.6	4 6 7 4	6 7 16 7	9 7 8 5		0.2 0.5 0.5 0.3	28 33 32 32	26 25 28 27	28 28 29 25	25 24 29 27

Month	Hrs	Ci	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Frb
-------	-----	----	----	----	----	----	----	----	----	----	----	-----

MOSKOVSKAYA OBLAST

121. Москва, с.-х. академии

I	1	8		6	11	19	1	0.1	27	23	20	4
	7	12	1	6	15	21	0.4	0.1	27	26	23	3
	13	18	3	17	26	23	4	0.8	28	24	18	4
	19	8	0.4	5	14	17	1	0.3	29	21	19	2
II	1	8	0.8	5	13	19	0.4	0.4	24	22	20	2
	7	15	2	4	25	28	0.9	0.1	26	26	24	4
	13	24	4	12	24	29	4	0.7	21	18	18	4
	19	8		4	17	19	1	0.1	25	21	17	3
III	1	6	0.3	3	12	10	1	0.3	20	24	12	2
	7	25	0.6	12	21	12	2	0.4	22	25	15	2
	13	28	1	17	23	17	11	2	24	16	11	4
	19	18	0.8	6	18	13	4	0.7	27	31	11	2
IV	1	7	0.2	2	16	6	3	1	25	13	8	1
	7	22	1	9	32	13	6	1	29	13	10	3
	13	27	2	14	26	14	35	5	27	10	5	3
	19	25	2	10	32	16	10	4	37	13	7	4
V	1	12	0.4	2	19	6	6	3	27	9	4	2
	7	28	3	8	33	7	12	2	27	10	5	4
	13	24	2	9	25	9	55	8	27	8	2	4
	19	30	2	7	38	10	25	7	36	8	3	4
VI	1	20	0.3	3	24	6	8	2	32	6	3	2
	7	32	2	8	31	7	14	2	24	8	3	5
	13	32	2	9	29	8	64	10	57	7	2	4
	19	36	3	8	35	10	34	8	30	7	3	2
VII	1	17	0.2	3	30	6	8	3	30	6	4	1
	7	39	3	11	41	8	16	2	23	7	5	3
	13	31	2	9	34	8	67	13	19	7	3	2
	19	37	2	10	44	9	38	11	34	7	4	3
VIII	1	8		2	20	4	6	3	27	7	3	2
	7	31	5	8	39	11	10	1	32	8	4	4
	13	30	0.7	9	32	10	58	9	26	7	3	4
	19	31	2	10	42	12	22	10	41	5	4	4
IX	1	7	0.4	4	24	6	5	2	35	11	3	3
	7	26	4	8	38	10	9	2	40	11	10	6
	13	27	3	10	32	13	40	8	35	10	5	6
	19	20	1	6	32	9	11	5	43	10	4	7
X	1	9	0.6	3	16	7	5	1	46	15	10	4
	7	27	3	3	32	15	6	2	45	18	12	7
	13	29	1	6	28	10	23	5	43	13	10	7
	19	10	0.3	4	22	7	6	2	46	13	11	4
XI	1	6		5	14	17	3	0.5	32	19	24	3
	7	15	0.5	4	32	17	4	0.5	36	20	25	4
	13	28	2	9	24	17	8	1	37	19	22	5
	19	8		2	16	15	2	0.3	36	19	22	4
XII	1	6	0.5	4	12	16	1	0.4	34	21	22	3
	7	10	0.6	7	18	17	0.7	0.4	34	21	27	3
	13	21	6	12	26	21	3	1	32	21	24	6
	19	8		4	16	18	2	0.4	36	20	24	3

Month	Hrs	Ci	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Frb
-------	-----	----	----	----	----	----	----	----	----	----	----	-----

VI. ADIMIRSKAYA OBLAST

186. Муром

I	1 7 13 19	5 6 19 5		11 8 17 8	7 7 14 6	19 25 21 16		0.5 0.2 0.9 0.2	11 14 15 14	29 29 24 26	26 25 20 24	14 15 11 14
II	1 7 13 19	2 13 16 5	0.9	8 11 12 8	6 10 13 1	19 14 16 12		0.2 0.2 0.8 0.2	12 16 16 13	27 27 20 25	19 22 14 16	12 11 7 11
III	1 7 13 19	5 20 21 17	0.6	8 13 17 11	8 16 12 9	14 12 14 15	0.4	0.3 0.6 0.2 0.8	10 15 14 18	20 25 15 18	17 14 9 12	12 11 10 13
IV	1 7 13 19	6 17 19 20	0.2	5 11 17 12	7 24 20 17	7 12 11 10	0.8 4 3.4 6	0.3 3 9 6	16 20 19 34	13 13 10 11	9 7 4 2	12 13 12 14
V	1 7 13 19	7 23 22 23	0.8 0.4 0.6	4 11 12 10	13 38 26 30	8 9 8 10	2 10 57 20	5 6 14 17	27 15 14 34	10 12 10 7	3 3 0.6 0.9	11 14 15 11
VI	1 7 13 19	17 25 24 34	0.8	7 9 9 10	16 35 25 37	4 5 6 7	4 12 72 39	9 6 22 18	30 13 14 22	6 7 3 4	1 1 0.5 0.3	8 10 9 8
VII	1 7 13 19	11 22 21 31	0.2 1 0.4 0.7	5 5 9 9	17 39 30 39	4 8 5 8	3 10 76 37	8 8 24 23	34 16 15 28	6 6 3 3	1 4 0.3 0.3	8 12 8 7
VIII	1 7 13 19	7 22 21 29	1 0.5	4 7 10 9	13 34 26 33	4 9 6 7	1 9 64 20	5 6 17 14	19 19 17 33	7 7 4 4	4 5 9 8	7 11 8 6
IX	1 7 13 19	6 15 18 18	0.5 0.7	2 8 8 7	13 29 26 20	5 11 7 11	1 4 15 6	3 5 15 13	25 21 26 43	13 12 10 11	6 6 2 2	14 16 14 15
X	1 7 13 19	2 20 19 6	0.7 0.3	4 4 7 3	9 20 12 10	8 11 11 9	0.5 1 20 2	1 3 9 5	29 33 32 36	18 23 18 17	17 12 9 10	19 26 24 20
XI	1 7 13 19	4 18 27 7	0.4 0.8	5 11 12 5	5 12 16 4	10 11 10 11	0.2 0.7 6 0.3	0.2 1 2 0.5	17 26 20 20	21 23 21 21	28 22 22 26	15 21 17 18
XII	1 7 13 19	4 10 15 3		6 5 8 5	5 6 14 8	21 20 15 12		0.2 0.2 2 0.3	13 16 19 18	28 29 25 27	34 34 29 30	15 16 15 16

Month	Hrs	Cl	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Frib
-------	-----	----	----	----	----	----	----	----	----	----	----	------

SMOLENSKAYA OBLAST

190. Вязьма

I	1	9		4	9	19		0.6	22	19	36	11
	7	14	0.6	6	7	20		0.2	20	22	39	11
	13	27	1	6	21	20	1	0.8	22	20	29	15
	19	12		5	9	17		0.5	22	21	33	11
II	1	12	1	6	10	16		0.2	20	24	23	12
	7	19	0.6	2	15	20		0.2	20	25	28	14
	13	30	2	8	22	24	2	1	17	20	20	16
	19	19	0.4	3	16	16	0.2	1	21	22	20	12
III	1	18		2	10	14		0.3	18	18	22	8
	7	33	1	5	18	16		0.2	18	18	26	12
	13	29	0.8	9	15	19		0.8	18	12	18	12
	19	31	0.6	6	17	14	0.3	0.9	22	15	16	11
IV	1	18		4	14	9	1	2	26	10	7	8
	7	35	1	6	27	12	3	1	23	11	9	10
	13	34	1	10	21	11	37	5	20	9	6	11
	19	36	2	8	25	13	7	5	31	7	5	9
V	1	21	0.2	2	16	7	1	4	33	7	2	7
	7	35	1	3	33	8	6	3	24	7	5	11
	13	31	2	7	18	8	61	12	19	4	1	9
	19	43	1	7	27	9	19	13	35	5	1	8
VI	1	35	0.2	2	28	8	1	7	36	4	1	7
	7	39	3	4	40	9	10	3	18	6	4	10
	13	37	3	8	21	9	68	13	14	3	1	8
	19	48	3	7	29	11	27	17	24	3	1	6
VII	1	35	1	0.4	27	8	2	5	32	5	3	7
	7	40	2	5	38	10	8	2	22	6	8	11
	13	41	0.9	7	22	10	69	15	12	5	1	10
	19	52	4	7	36	10	28	19	27	3	0.9	7
VIII	1	23	0.4	0.2	25	8	0.3	7	26	5	5	8
	7	40	1	2	38	10	5	3	21	7	13	12
	13	37	2	6	27	10	60	13	16	5	2	9
	19	47	1	4	33	11	18	16	32	3	2	7
IX	1	18	0.9	2	18	8	0.8	3	35	7	7	11
	7	37	2	2	31	14	2	2	29	8	13	14
	13	36	2	5	24	13	47	10	27	7	2	14
	19	35	1	4	26	11	5	9	41	8	2	12
X	1	12	0.8	3	17	10	0.2	0.6	39	11	14	12
	7	30	0.8	4	28	15	0.6	0.6	37	16	20	17
	13	31	1	3	22	15	20	5	40	9	13	17
	19	21	0	2	18	10	0.8	2	44	13	12	12
XI	1	13		4	14	10	0.2	0.3	34	19	28	12
	7	26		2	19	12		0.2	34	18	30	12
	13	34	0.5	5	20	15	4	2	29	17	30	16
	19	18	0.4	5	14	10	0.2	0.7	28	19	28	12
XII	1	6		3	8	19	0.3	23	25	34	16	
	7	15		3	7	16	0.2	26	22	36	14	
	13	28	2	9	20	22	0.3	24	22	32	19	
	19	17	0.7	3	8	19	0.3	22	22	34	16	

160

Month	Hrs	Ci	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Frnb
211. Смоленск												
I	1	10		7	8	20		1	26	23	23	25
	7	11	2	4	18	16		0.6	28	28	24	29
	13	31	2	8	23	16	0.8	4	25	24	27	27
	19	11		2	16	18		0.8	25	24	24	25
II	1	15	0.6	4	11	16		0.9	23	25	16	26
	7	25	1	6	24	18		0.7	28	21	22	22
	13	33		9	24	20	0.4	3	21	19	22	23
	19	16		4	20	12		2	21	25	16	25
III	1	14		3	10	9	0.2	0.4	21	15	11	16
	7	29	0.4	4	21	13		1	20	19	17	19
	13	35	0.4	6	19	15	3	4	18	13	14	17
	19	29		6	15	12	0.2	2	24	13	13	15
IV	1	15	0.6	2	16	4		4	25	12	3	14
	7	31	0.9	5	30	7		4	25	13	7	17
	13	36	0.9	6	21	8		16	26	10	5	16
	19	41	0.3	4	29	7		11	36	11	3	14
V	1	14	0.2	1	20	3	2	9	30	7	1	8
	7	37	2	4	36	7	8	6	26	8	7	12
	13	32	0.2	4	18	6	57	22	23	6	1	11
	19	43	0.2	6	29	5	12	22	40	8	0.9	10
VI	1	23		2	18	2	3	14	40	5	2	8
	7	39		4	38	5	12	8	25	8	4	11
	13	34		7	22	4	61	27	19	5	2	9
	19	44	0.2	7	35	8	22	28	38	4	0.2	6
VII	1	19	0.5	0.9	23	2	0.6	10	32	6	2	8
	7	44	1	3	39	5	6	7	20	7	11	12
	13	37		2	23	3	60	28	16	6	2	9
	19	55	0.4	6	35	5	20	27	34	4	1	8
VIII	1	18	0.3	2	18	2	0.2	9	28	8	2	9
	7	37	0.8	4	41	7	5	7	25	10	13	13
	13	32	0.3	5	28	4	52	27	20	7	3	11
	19	48	0.7	4	39	8	10	22	40	6	2	10
IX	1	14	0.3	2	17	2	0.6	6	33	9	3	11
	7	36	0.3	2	34	8	1	4	31	10	19	14
	13	33	0.9	6	26	6	40	18	31	8	6	14
	19	31	0.3	4	26	5	2	13	46	8	2	11
X	1	12	0.8	3	19	4		3	41	14	9	16
	7	31	2	4	31	7	0.2	2	39	17	18	21
	13	33	1	6	27	6	16	13	37	12	13	18
	19	20	0	2	20	6	0.4	4	46	11	8	15
XI	1	9		4	15	4		2	35	19	22	21
	7	31		5	22	8		2	37	17	25	19
	13	38	0.6	8	24	5		3	28	17	28	22
	19	13		0.6	15	6	2	2	36	17	23	19
XII	1	11		4	11	10		2	27	24	25	25
	7	17		2	17	13		1	29	22	29	23
	13	37		6	27	12	0.2	3	25	24	26	28
	19	17		2	14	5		2	27	24	25	25

161

Month	Hrs	Cl	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Frob
-------	-----	----	----	----	----	----	----	----	----	----	----	------

KALUZHSKAYA OBLAST

225. Kaluga

I	1 7 13 19	6 6 13 4		8 6 11 7	5 9 12 5	10 0.2 15 10		0.2 0.4 0.2 0.2	39 39 34 37	18 22 25 20	18 19 16 13	18 21 23 19
II	1 7 13 19	3 14 14 6	0.9 2 1 0.4	9 15 16 11	5 12 10 5	9 10 15 9		0.2 0.2 0.6 0.6	32 35 32 32	19 22 18 20	11 14 12 9	18 20 14 15
III	1 7 13 19	3 18 19 15	2 0.6 0.6	6 13 14 9	6 10 9 8	6 7 10 9		0.2 0.4 1 0.7	33 34 26 35	15 18 14 14	8 11 9 9	12 15 14 13
IV	1 7 13 19	5 17 19 20	0.3 0.6 1 0.3	6 11 12 11	6 15 12 13	5 6 8 8		2 2 5 4	35 42 36 47	8 9 8 10	3 4 2 1	7 10 9 10
V	1 7 13 19	6 18 18 24	1 0.9 1	4 10 12 11	6 19 9 11	2 5 6 5		5 8 7 15	37 37 30 52	6 7 5 3	0.5 2 0.5 0.7	7 9 6 6
VI	1 7 13 19	11 24 21 32	2 0.7 0.7 0.9	6 8 7 10	12 24 13 16	0.5 3 4 3		8 14 65 24	44 40 26 42	4 5 4 3	0.9 3 1 0.7	3 6 4 4
VII	1 7 13 19	12 26 19 30	0.4 0.6 0.6 0.2	2 7 6 9	8 20 14 19	0.2 3 3 3		5 11 68 22	44 39 28 47	4 6 3 3	1 5 0.8 0.2	3 9 4 3
VIII	1 7 13 19	8 23 20 34	1 0.6 1 0.6	3 7 6 8	9 23 11 15	2 6 5 2		4 8 9 18	40 44 37 53	4 5 4 3	2 6 0.8 0.5	4 8 6 4
IX	1 7 13 19	3 18 17 19	0.2 0.5 1 0.2	3 4 7 7	8 16 13 12	1 5 5 3		4 6 4 10	44 50 50 58	6 7 6 7	2 7 0.5 0.7	6 10 8 8
X	1 7 13 19	8 19 16 8	1 1 1 1	3 11 16 4	9 18 16 9	3 5 7 2		2 2 17 3	48 50 56 56	12 15 11 11	5 9 6 4	13 17 14 11
XI	1 7 13 19	4 17 23 8	0.5 0.5 0.5 0.5	7 10 8 5	7 12 14 8	3 4 7 3		0.9 2 4 1	43 40 41 40	16 21 18 18	15 18 17 14	15 22 20 19
XII	1 7 13 19	4 12 16 3	2	8 6 9 10	8 9 9 4	9 9 9 6		0.3 0.5 2 0.8	38 38 36 37	18 19 21 18	24 24 25 20	17 20 20 19

Month	Hrs	Ci	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Frb
-------	-----	----	----	----	----	----	----	----	----	----	----	-----

RYAZANSKAYA OBLAST

237. Рязань

I	1	5	0.7	12	6	11	0.3		22	16	30	9
	7	9		8	13	13	0.3	0.3	25	18	33	11
	13	18	0.7	14	16	18	0.1	0.1	23	17	27	11
	19	7		7	8	9		20	16	27	27	10
II	1	8		10	7	12	0.3	0.2	18	15	24	12
	7	13	0.8	10	12	14	0.2	0.2	22	18	27	13
	13	22	2	14	13	20	0.3	0.2	18	17	22	11
	19	9		9	10	10	0.2	0.2	16	18	23	12
III	1	8		7	8	8	0.1	0.3	16	13	23	8
	7	25	0.2	10	17	14	0.3	0.6	21	13	23	10
	13	22	0.2	12	14	16	2	0.8	19	12	19	8
	19	20	0.3	9	15	11	0.1	0.4	20	14	19	11
IV	1	8	0.2	3	12	6	0.1	0.7	21	8	13	6
	7	19	2	11	25	13	2	0.4	24	8	13	6
	13	21	1	11	15	9	25	4	28	7	11	6
	19	21	1	11	20	13	3	5	31	8	12	7
V	1	8		4	13	8	0.4	3	26	6	9	5
	7	23	1	7	31	10	5	2	23	8	8	8
	13	23	1	9	15	8	42	9	28	6	5	5
	19	38	1	7	24	8	8	10	35	6	5	5
VI	1	21	0.2	4	18	7	2	4	30	3	3	3
	7	31	0.9	8	29	8	7	3	17	5	6	5
	13	26	0.1	6	14	4	54	9	27	3	2	4
	19	35	0.3	10	25	10	18	11	27	3	3	3
VII	1	16		1	19	6	0.9	5	28	4	3	4
	7	29	0.7	5	32	11	6	2	20	8	5	7
	13	25	0.9	5	15	6	57	11	28	5	1	5
	19	35	0.6	6	24	11	15	14	30	4	2	4
VIII	1	8		3	13	5	0.5	4	23	4	2	4
	7	24	0.9	4	31	10	4	4	24	6	7	5
	13	22	1	4	20	8	50	10	28	4	2	4
	19	33	1	5	27	10	8	9	35	4	2	4
IX	1	7	0.2	4	16	8	0.8	1	27	7	3	6
	7	21	0.2	4	34	12	3	1	30	7	7	7
	13	21	0.7	7	21	11	31	7	36	6	4	6
	19	22	0.4	7	24	12	3	5	38	7	4	7
X	1	8	0.3	3	16	8	0.5	0.1	40	9	13	9
	7	26	1	6	26	13	1	0.8	41	11	17	11
	13	23	2	6	23	12	12	3	42	11	15	12
	19	11		4	20	9	0.1	2	40	10	12	9
XI	1	10		7	10	9	0.7	0.4	29	13	27	10
	7	19	0.4	7	20	11	1	0.1	31	15	29	10
	13	26	2	9	18	8	3	0.7	30	16	29	8
	19	6		4	10	8	0.7	0.9	28	13	30	9
XII	1	8		8	6	11	0.3	0.1	26	16	31	10
	7	8		5	13	12	0.3	0.3	26	17	38	11
	13	21	1	12	16	13	0.3	0.9	24	19	35	12
	19	9		3	11	10		26	15	34	10	

Month	Hrs	Ci	Cc	Cs	Ac	As	Cu	Cb	Sc	Ns	St	Frb
-------	-----	----	----	----	----	----	----	----	----	----	----	-----

TUL'SKAYA OBLAST

265. Тула

I	1	4		4	11	23		0.4	22	24	18	18
	7	5		6	15	20		0.4	24	27	21	19
	13	19	1	12	23	28	1	2	21	23	18	18
	19	2		6	10	19		0.4	21	20	19	15
II	1	5		4	9	21		0.4	21	21	15	13
	7	12		8	22	27		0.6	23	26	18	17
	13	20	2	12	17	24	2	2	18	22	13	16
	19	5	0.3	4	13	14	0.2	0.9	20	20	13	14
III	1	2	0.5	4	12	12		0.8	18	17	13	15
	7	22	4	6	21	20		0.6	20	20	16	16
	13	24	1	9	17	19	7	2	17	15	10	14
	19	10	1	6	11	16	0.4	1	20	17	12	16
IV	1	6	1	3	12	10	0.3	2	20	11	9	9
	7	20	1	10	24	14	2	3	23	11	12	10
	13	21	1	10	19	12	31	12	22	9	7	11
	19	21	0.6	7	20	14	4	9	31	10	7	9
V	1	6	0.3	3	15	11	2	7	24	8	3	7
	7	21	3	7	31	16	6	7	25	8	4	10
	13	25	2	7	20	8	48	19	24	7	2	8
	19	29	2	8	26	10	11	19	41	6	2	5
VI	1	12	1	2	19	9	2	13	31	4	0.8	3
	7	31	2	4	32	12	8	10	26	3	3	5
	13	28	3	4	19	6	56	23	22	3	1	5
	19	36	3	6	30	10	20	26	32	3	0.9	4
VII	1	8	0.6	1	16	8	2	13	29	4	0.8	4
	7	27	2	4	32	14	8	11	29	5	3	8
	13	29	3	4	21	8	60	26	22	4	0.5	6
	19	38	2	6	30	10	21	29	32	4	0.6	4
VIII	1	5	0.5	1	14	7	0.8	10	22	4	3	4
	7	24	3	5	34	13	4	11	27	5	8	8
	13	24	2	5	20	7	51	24	26	4	2	6
	19	32	1	3	31	10	11	23	37	3	1	5
IX	1	6	0.4	3	17	8	0.7	7	30	6	4	6
	7	20	1	5	28	14	4	9	38	21	7	9
	13	24	2	7	21	10	32	21	34	6	3	8
	19	17	0.4	3	21	13	4	14	42	7	2	8
X	1	6	0.3	4	18	13	0.4	2	34	12	13	10
	7	20	2	4	30	17	1	3	37	14	16	17
	13	23	2	5	22	13	16	10	40	12	13	14
	19	6	2	2	14	10	2	4	38	11	11	12
XI	1	3	0.9	3	13	13	0.1	0.6	27	17	23	16
	7	18		4	19	14	0.3	0.7	27	20	25	19
	13	24	1	6	20	13	4	3	26	17	26	17
	19	4	0.4	3	12	11	0.3	0.7	27	16	25	15
XII	1	2	0.5	6	12	20	0.1	0.3	22	20	27	18
	7	5	2	5	10	20	0.1	0.6	21	24	29	20
	13	12	0.9	4	16	22	2	2	21	20	18	19
	19	6	0.9	2	10	17	0.7	0.7	19	20	28	16

Table 9. Recurrence of various gradations
of low cloud cover with certain gradations
of total cloud cover (%).

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Год
Total	Low												

YAROSLAVSKAYA OBLAST

6. Пощеконье-Володарск

0-2	0-2	16	22	27	32	30	32	34	37	25	15	13	13	24
3-7	0-2	2	2	3	6	3	8	8	7	5	2	1	4	
	3-7	1	2	2	4	12	9	10	9	5	4	2	1	5
8-10	0-2	14	19	20	16	19	17	14	13	13	10	9	13	15
	3-7	0	0	1	2	1	5	4	4	4	1	0	0	2
	8-10	67	55	47	40	35	29	30	30	48	68	74	72	50

15, 18. Рыбинск

0-2	0-2	15	21	25	29	27	28	27	32	22	14	12	12	22
3-7	0-2	4	4	5	8	8	9	11	10	6	3	2	2	6
	3-7	1	1	2	4	9	11	11	10	7	4	2	1	5
8-10	0-2	14	14	17	14	11	12	10	9	9	7	8	10	11
	3-7	1	1	2	4	8	9	9	7	6	3	0	2	4
	8-10	65	59	49	41	37	31	32	32	50	69	76	73	52

21. Тутаев

0-2	0-2	14	20	24	24	23	23	20	23	16	11	11	8	19
3-7	0-2	6	7	9	10	10	13	12	12	8	5	5	5	8
	3-7	2	2	3	7	10	12	15	12	9	5	2	2	0
8-10	0-2	18	17	18	17	14	11	11	12	12	9	9	12	14
	3-7	2	2	2	4	8	11	10	8	5	4	2	1	5
	8-10	58	52	44	38	35	30	32	33	50	66	71	72	48

KALININSKAYA OBLAST

46. Бежецк

0-2	0-2	17	18	27	28	27	27	25	31	21	15	14	13	22
3-7	0-2	4	5	7	9	9	13	14	10	7	4	3	3	7
	3-7	1	1	2	6	11	11	12	11	7	4	2	1	6
8-10	0-2	14	17	19	16	13	11	10	11	15	11	7	10	13
	3-7	0	1	1	4	7	9	10	7	5	3	1	1	4
	8-10	64	58	44	37	33	29	29	30	45	63	73	72	48

51. Вышний Волочек

0-2	0-2	15	20	26	29	29	28	28	29	24	17	12	12	22
3-7	0-2	3	3	7	7	6	7	9	7	5	3	2	2	5
	3-7	2	2	3	6	11	13	14	11	8	5	2	2	7
8-10	0-2	12	13	15	14	12	12	11	12	11	8	6	8	11
	3-7	1	1	2	3	5	7	8	7	6	2	1	0	4
	8-10	67	61	47	41	37	33	30	34	46	65	76	76	51

165

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Год
Total	Low ¹												

73. Калинин

0-2	0-2	14	18	24	26	25	24	23	25	21	15	13	11	20
3-7	0-2	3	3	5	6	6	9	8	7	5	3	2	2	5
	3-7	2	2	3	6	12	12	14	12	9	6	2	2	7
8-10	0-2	5	7	11	11	8	7	6	7	6	6	4	5	7
	3-7	2	3	3	7	8	10	11	9	6	2	2	1	5
	8-10	74	67	54	44	41	38	38	40	53	68	77	79	56

89. Ржев

0-2	0-2	12	18	24	27	27	26	26	28	23	16	13	11	21
3-7	0-2	3	2	5	5	5	8	8	6	5	4	2	1	4
	3-7	2	2	1	6	9	10	10	9	7	4	2	2	5
8-10	0-2	6	9	11	12	9	10	9	8	8	4	3	4	8
	3-7	1	1	3	3	6	7	8	7	4	4	1	1	4
	8-10	76	68	56	47	44	39	39	42	53	68	79	81	58

MOSKOVSKAYA OBLAST

121. Москва, с.-х. академия

0-2	0-2	16	17	24	26	27	28	27	27	24	15	13	11	21
3-7	0-2	2	5	6	8	10	12	11	10	8	4	4	2	7
	3-7	2	2	3	6	9	11	14	11	8	5	2	2	6
8-10	0-2	11	14	15	14	11	10	10	11	10	9	6	8	11
	3-7	2	2	2	6	8	9	9	9	5	2	2	1	5
	8-10	67	60	50	40	35	30	29	32	45	65	73	76	50

146. Можайск

0-2	0-2	15	18	24	28	28	27	28	29	24	17	14	13	22
3-7	0-2	3	4	6	7	8	10	10	8	11	2	3	5	6
	3-7	2	1	2	5	9	12	12	10	4	7	2	2	6
8-10	0-2	12	15	14	16	12	14	11	12	8	12	8	5	12
	3-7	0	2	2	4	7	7	9	7	8	0	2	1	4
	8-10	68	60	52	40	36	30	30	34	45	62	71	74	50

VLADIMIRSKAYA OBLAST

186. Муром

0-2	0-2	20	26	29	34	34	37	37	39	30	21	19	16	28
3-7	0-2	2	3	5	6	6	14	13	11	6	3	2	2	6
	3-7	1	1	1	5	7	6	6	5	6	3	2	1	4
8-10	0-2	13	13	17	15	15	8	6	9	12	7	8	6	11
	3-7	0	1	1	2	5	11	11	9	4	2	0	1	4
	8-10	64	56	47	38	33	24	27	27	42	64	69	74	47

166

Cloud cover (points)		I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Год
Total	Low													

SMOLENSKAYA OBLAST

194. Велиж

0-2	0-2	15	18	26	25	28	28	26	29	24	16	11	12	22
3-7	0-2	1	2	4	7	8	9	10	7	4	3	3	2	5
	3-7	2	2	3	6	10	13	14	12	10	5	3	2	7
8-10	0-2	8	11	14	14	13	13	12	11	13	8	4	3	10
	3-7	0	1	1	4	6	6	7	5	3	2	1	1	3
8-10	74	66	52	44	35	31	31	36	46	66	78	80	53	

199. Вязьма

0-2	0-2	13	17	22	25	26	24	25	26	22	15	12	11	20
3-7	0-2	1	3	4	6	8	9	10	9	7	3	2	1	5
	3-7	2	2	2	6	9	10	9	8	7	5	2	1	5
8-10	0-2	9	13	16	20	18	22	19	18	15	10	7	7	15
	3-7	1	2	3	5	9	11	12	10	8	3	2	2	6
8-10	74	63	53	38	30	24	25	29	41	64	75	77	49	

211. Смоленск

0-2	0-2	14	17	25	25	28	26	26	26	24	16	11	11	21
3-7	0-2	2	5	7	8	9	10	11	11	8	5	4	2	7
	3-7	3	2	2	8	13	14	16	13	10	6	2	2	7
8-10	0-2	8	9	11	13	11	10	11	8	10	6	5	4	9
	3-7	2	2	4	6	9	12	10	11	7	4	2	1	6
8-10	71	65	51	40	30	28	26	31	41	63	76	78	50	

KALUZHESKAYA OBLAST

225. Калуга

0-2	0-2	17	20	27	30	32	31	33	34	30	20	16	14	25
3-7	0-2	1	3	3	4	5	7	7	6	4	3	1	2	4
	3-7	2	2	3	6	10	13	12	11	8	5	3	2	6
8-10	0-2	9	11	13	13	12	14	10	10	9	7	5	5	10
	3-7	1	1	1	3	5	4	5	5	4	2	1	1	3
8-10	70	63	53	44	36	31	33	34	45	63	74	76	52	

232. Жиздря

0-2	0-2	18	21	27	29	33	32	35	33	30	20	17	14	25
3-7	0-2	2	4	5	9	8	10	9	8	4	3	3	2	6
	3-7	2	2	4	7	13	15	15	13	10	7	2	2	8
8-10	0-2	5	8	9	9	7	10	8	8	9	7	4	3	7
	3-7	0	1	0	3	4	4	4	4	2	1	1	0	2
8-10	73	64	55	43	35	29	29	34	45	62	73	79	52	

Cloud cover (points)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Year
Total													
Low													

RYAZANSKAYA OBLAST

234. Елатынь

0-2	0-2	21	25	28	32	33	36	35	36	30	20	18	16	27
3-7	0-2	2	4	4	6	7	10	9	8	6	4	2	2	5
3-7	3-7	1	1	2	5	8	9	10	9	6	3	2	1	5
8-10	0-2	17	16	19	16	15	15	14	16	13	8	9	8	14
3-7	1	1	1	3	4	5	5	6	5	3	1	0	1	3
8-10	58	53	46	38	33	25	26	26	42	64	69	72	46	

237. Рязань

0-2	0-2	20	23	27	29	30	30	31	33	29	19	17	15	25
3-7	0-2	3	3	5	6	8	12	11	9	7	4	3	3	6
3-7	3-7	1	2	2	5	8	11	10	10	7	4	2	2	5
8-10	0-2	9	14	14	15	14	14	12	13	14	9	8	6	12
3-7	1	0	2	3	5	6	6	5	3	1	0	0	0	3
8-10	66	58	50	42	35	27	30	30	40	63	70	74	49	

246. Павлово

0-2	0-2	20	23	27	29	32	33	33	35	32	22	19	15	27
3-7	0-2	3	4	5	7	9	11	10	10	7	4	4	4	7
3-7	3-7	1	1	2	4	7	10	10	7	6	3	1	1	4
8-10	0-2	20	22	24	21	20	18	18	20	20	15	12	12	18
3-7	0	0	0	4	5	6	7	6	6	4	2	1	0	3
8-10	56	50	42	35	27	22	22	22	31	54	63	68	41	

TUL'SKAYA OBLAST

255. Тула

0-2	0-2	16	19	25	27	29	29	29	30	27	18	16	14	23
3-7	0-2	4	5	6	8	9	12	11	11	8	5	3	3	7
3-7	3-7	2	2	3	7	12	15	14	13	9	5	3	2	7
8-10	0-2	7	10	12	13	10	9	8	8	9	8	6	5	9
3-7	2	2	2	5	8	9	11	9	9	7	4	2	2	5
8-10	69	62	52	40	32	26	27	29	40	60	71	74	49	

262. Волово

0-2	0-2	21	24	28	28	32	32	33	34	31	20	18	15	26
3-7	0-2	3	3	5	7	8	14	10	10	8	6	3	2	7
3-7	3-7	1	2	2	7	12	13	15	12	9	5	2	1	7
8-10	0-2	9	12	15	17	15	12	11	13	14	10	7	6	12
3-7	1	0	0	2	3	6	6	5	3	1	0	1	2	2
8-10	65	59	50	39	30	23	25	26	35	58	70	75	46	

168

SECTION II

FOGS

Table 1. Mean number of days with fog.

Station No.	Station	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	X-III	IV-IX	Year
YAROSLAVSKAYA OBLAST																
2	Владычное . . .	2	2	3	3	2	2	3	5	6	5	4	3	19	21	40
3	Гакутино . . .	2	2	3	4	1	0.2	0.2	0.9	2	3	2	3	15	15	23
5	Семеновское . . .	2	2	2	2	0.6	0.7	2	3	4	4	3	3	17	13	30
6	Пожеконье-															
	Болодарск . . .	3	3	3	3	1	0.8	2	3	3	4	3	3	19	13	32
7	Пустынь и Ильин- ское . . .	3	3	3	3	1	1	3	4	5	5	5	4	23	17	40
9	Шарна . . .	2	2	3	3	2	2	4	6	5	4	3	3	13	22	40
10	Брайтсво . . .	1	1	1	3	1	1	0.5	0.5	0.8	2	2	2	1	8	16
12	Мыс Рожновский . . .	2	2	2	2	1	0.8	2	3	4	4	3	3	15	8	23
13	Данилов . . .	2	2	3	3	1	0.6	1	2	3	5	4	3	20	11	31
14	Игнатово . . .	3	2	3	3	2	0.7	0.8	1	2	2	3	3	16	10	26
15	Рыбинск, ГМО . . .	2	3	3	3	2	0.6	1	2	4	4	3	4	20	12	32
16	Коприно . . .	3	3	3	3	2	2	4	5	6	5	4	4	22	22	44
20	Обухово . . .	3	3	3	3	2	2	4	5	6	5	4	4	19	14	33
21	Тугаев . . .	3	3	3	3	2	0.8	0.8	2	4	5	4	4	18	15	33
22	Мышкино . . .	2	3	3	3	1	0.8	2	3	4	4	4	3	18	13	31
24	Некрасовское . . .	2	2	3	3	2	0.6	1	2	4	4	4	4	23	18	41
25	Ярославль . . .	4	4	4	3	2	0.8	0.6	1	3	4	3	3	15	10	25
26	Углич . . .	2	2	3	3	2	2	2	1	2	3	3	3	19	11	44
27	Взули . . .	3	2	4	4	2	1	1	2	2	4	4	4	25	11	30
28	Симчаницы . . .	2	2	2	2	2	2	2	2	2	4	4	3	13	8	31
29	Веска . . .	1	2	2	2	2	2	2	2	2	4	4	3	13	17	30
30	Высоково . . .	2	1	2	2	2	2	1	2	2	4	4	3	17	10	27
31	Ростов . . .	2	1	2	2	2	0.3	1	2	4	4	3	3	25	13	38
33	Переславль-Залесский . . .	2	2	2	2	1	0.6	0.8	2	2	3	3	3	15	9	24
34	Успенский с.-х. техникум . . .	2	3	3	3	1	0.8	1	3	4	6	6	5	25	13	38
KALININSKAYA OBLAST																
35	Весьегонск . . .	2	2	3	2	0.8	0.4	1	3	4	5	5	3	17	11	28
36	Кесьма . . .	3	3	4	3	0.4	—	2	3	4	4	4	6	25	13	38
38	Стойки . . .	2	2	2	4	2	2	3	5	6	5	5	3	21	16	39
39	Котлован . . .	2	2	2	2	2	0.8	—	2	4	6	3	3	13	16	39
40	Красный Холм . . .	3	3	3	4	4	3	0.9	2	3	3	4	4	23	13	34
42	Бологое . . .	2	2	3	3	2	2	1	2	2	3	4	4	23	15	34
43	Залучка . . .	0.9	—	1	1	1	1	0.6	2	2	3	4	4	25	10	20
45	Максатиха . . .	4	4	4	4	3	3	0.9	2	2	3	4	4	25	15	40
46	Бежецк . . .	3	3	3	3	2	2	1	2	2	3	4	4	20	13	33
51	Вышний Волочек . . .	3	3	3	3	2	2	1	1	2	3	3	4	24	13	44
52	Ряд . . .	4	3	5	5	5	3	1	1	2	2	3	3	24	17	41
53	Толмачи . . .	3	3	3	3	3	3	1	2	2	2	3	3	23	14	42
55	Кашин . . .	4	3	3	3	3	2	0.6	2	2	2	3	3	21	11	32
57	Семёновское . . .	3	3	3	3	2	2	0.6	2	2	2	3	3	20	15	36
59	Ивановское . . .	3	3	3	3	2	2	1	2	2	2	3	3	16	10	45
60	Осташков . . .	3	3	4	4	4	3	2	2	2	2	3	3	26	19	41
61	Горицы . . .	3	3	4	4	4	3	1	1	2	2	2	3	24	17	36
62	Лихославль . . .	3	3	3	3	3	4	1	1	2	2	2	3	22	21	43
64	Троица-Нерль . . .	2	2	3	3	3	3	2	2	2	2	2	3	24	21	38
65	Кувшиново . . .	3	3	4	4	4	3	2	2	2	2	2	3	19	19	38
66	Торжок . . .	3	3	3	3	4	4	2	2	2	2	2	3	22	22	41
68	Васильки . . .	2	2	2	2	2	2	0.9	2	2	2	2	3	19	15	36
69	Яровинка . . .	2	2	2	2	2	2	0.9	2	2	2	2	3	17	12	32
72	Изведово . . .	2	2	2	2	2	2	1	2	2	2	2	3	19	20	51
73	Савелово . . .	2	2	2	2	2	2	1	2	2	2	2	3	19	16	42
74	Калинин . . .	4	4	4	4	3	3	3	3	3	3	3	3	16	13	42
75	Пьянково . . .	2	2	3	3	3	2	2	3	3	3	3	3	13	13	26
78	Блынь . . .	1	2	2	2	2	2	2	2	2	2	2	2	15	13	33
79	Копаково . . .	2	2	2	2	2	2	2	2	2	2	2	2	15	13	35
80	Редкино, ТОС . . .	2	2	2	2	2	2	2	2	2	2	2	2	19	16	35
82	Луковники . . .	2	2	2	2	2	2	2	2	2	2	2	2	20	15	29
83	Старица . . .	2	2	2	2	2	2	2	2	2	2	2	2	20	14	48
84	Туриново . . .	4	4	4	4	4	4	3	2	2	2	2	2	15	14	35
85	Торопец . . .	4	4	4	4	4	4	3	2	2	2	2	2	14	14	33
87	Молодой Туд . . .	2	2	2	2	2	2	2	2	2	2	2	2	20	14	34
88	Хлоново-Городище . . .	1	2	2	2	2	2	2	2	2	2	2	2	20	13	39
89	Западная Двина . . .	2	2	2	2	2	2	2	2	2	2	2	2	20	13	43
90	Ржев . . .	4	4	4	4	4	4	3	2	2	2	2	2	20	17	43
91	Нелидово . . .	3	4	4	4	4	4	3	2	2	2	2	2	19	19	44
92	Мостовская . . .	4	4	4	4	4	4	3	2	2	2	2	2	23	19	44
93	Никулino . . .	4	4	4	4	4	4	3	2	2	2	2	2	19	16	35
95	Большое Кобяково . . .	3	3	3	3	3	3	2	1	3	4	6	6	30	24	54
	Щучье . . .	3	4	6	4	1	0.9	3	4	6	6	6	6	17	13	30
MOSCOVSKAYA OBLAST																
96	Лубна . . .	2	2	2	2	2	2	1	2	2	3	4	4	17	13	30
98	Нушполь . . .	3	3	3	2	2	2	1	2	2	3	4	4	17	16	36
102	Клин . . .	3	3	3	2	2	2	0.9	3	4	4	4	4	20	16	36

Station No.	Station	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	X-III	IV-IX	Year
103	Дмитров . . .	3	3	2	2	2	2	2	4	4	4	5	4	21	16	37
104	Загорск . . .	4	4	4	3	2	1	1	5	3	3	4	5	28	18	46
109	Шаховская . . .	2	2	2	3	2	1	1	5	4	4	5	2	15	15	29
110	Болоколамск . . .	2	2	2	3	2	1	0.8	3	4	3	4	4	20	18	38
117	Починки . . .	1	2	2	3	2	2	0.6	0.4	2	3	3	3	12	10	22
118	Ново-Иерусалим .	3	2	2	3	2	2	0.6	0.6	3	4	3	3	19	19	38
120	Лосиноостровская .	2	1	2	2	2	0.6	0.4	2	3	3	2	2	12	9	21
121	Москва, с.-х. академия . . .	3	3	3	2	2	0.7	0.6	1	3	4	4	3	20	11	31
122	Павловская слобода .	2	2	2	2	2	1	0.8	0.5	4	4	5	3	18	13	31
123	Тушине . . .	5	4	4	3	2	1	1	2	3	4	4	2	27	14	41
124	Москва, ВДНХ . . .	3	3	3	2	2	0.6	0.4	0.8	2	2	3	3	18	8	26
126	Москва, Сокольники .	4	4	4	4	2	1	0.8	1	3	3	4	2	21	4	25
129	Павловский Посад .	2	2	3	3	3	0.1	0.1	1	3	3	4	3	19	12	31
130	Москва, ГМО . . .	3	3	3	3	3	1	1	2	3	3	3	3	17	3	20
131	Подмосковная . . .	1	2	2	3	3	1	1	1	2	3	3	2	14	13	27
134	Москва, МГУК . . .	4	5	4	4	3	0.9	0.5	0.7	2	3	3	5	30	15	45
138	Быково . . .	5	4	4	4	3	0.4	0.7	1	1	2	2	2	27	13	40
140	Собакино . . .	3	3	3	3	3	0.9	0.5	0.7	1	1	2	2	21	12	33
142	Куровское . . .	2	2	2	2	2	0.4	0.7	2	2	2	3	3	13	8	21
143	Кривандино . . .	3	2	2	3	3	1	2	2	2	3	3	3	20	13	33
145	Черусти . . .	3	3	3	3	3	2	2	2	3	3	4	3	20	14	34
146	Можайск . . .	4	3	3	3	3	2	2	2	3	3	4	4	24	17	41
148	Макарово . . .	2	3	3	3	3	2	2	2	3	3	3	3	18	14	32
151	Наро-Фоминск .	2	2	2	2	2	1	1	2	2	2	3	3	17	19	36
154	Старый Спас . . .	3	3	3	2	2	0.9	0.9	1	2	2	3	3	20	13	33
155	Хлевнино . . .	2	3	3	3	3	2	2	1	3	3	4	4	19	16	35
156	Коломна . . .	3	3	3	2	2	0.9	0.9	1	2	2	3	3	18	12	30
157	Михнево . . .	3	3	3	3	2	1	1	0.6	0.9	2	3	3	22	15	37
161	Серпухов . . .	3	3	3	3	2	1	1	0.6	0.9	2	3	4	19	10	29
163	Кашира . . .	4	4	4	4	4	2	2	1	4	4	5	8	32	17	49

VLADIMIRSKAYA OBLAST

166	Сузdal' . . .	2	2	3	2	1	0.3	0.6	2	2	3	4	3	17	8	25
167	Саниково . . .	2	2	2	3	2	2	2	4	5	5	4	3	17	21	38
168	Александров . . .	4	3	4	4	2	1	2	2	4	5	5	7	29	18	47
170	Ковров . . .	2	2	2	3	2	0.8	0.6	1	2	3	3	4	14	10	24
171	Вязники . . .	3	2	2	3	3	1	1	2	3	3	3	5	19	13	32
172	Троицы . . .	2	2	3	3	3	2	1	2	2	3	3	5	19	13	32
176	Владимир . . .	2	2	3	3	3	2	2	1	2	3	3	5	23	17	40
180	Селивановское оп. поле . . .	1	1	2	2	2	0.9	0.5	1	2	2	3	3	12	10	22
181	Петушки . . .	2	2	2	3	3	1	1	0.8	2	3	3	4	21	14	35
183	Мошок . . .	2	2	2	2	3	1	1	0.8	2	3	3	4	18	13	31
184	Крюково . . .	1	1	2	2	3	1	0.8	2	3	3	4	4	15	13	28
185	Гусь-Хрустальный .	3	3	3	3	3	0.6	0.6	1	2	3	3	4	21	14	35
186	Муром . . .	3	3	3	2	2	1	2	2	3	3	3	3	22	11	33
187	Черево . . .	1	1	2	2	2	1	0.9	1	4	3	4	4	13	13	26
188	Меленки . . .	3	4	4	4	4	1	2	1	4	4	5	4	24	15	39

SMOLENSKAYA OBLAST

191	Сычевка . . .	2	2	3	2	0.6	2	2	2	3	4	4	3	17	14	31
193	Большево . . .	3	3	4	3	2	2	2	3	5	6	6	5	26	21	47
194	Велиж . . .	4	3	4	4	4	2	2	2	4	5	5	5	25	21	46
195	Гжатск . . .	3	3	4	4	4	3	2	2	3	4	4	4	23	17	40
196	Ново-Пречистое .	4	4	4	4	4	2	2	2	3	4	4	4	30	19	49
197	Устье . . .	2	2	2	3	3	1	1	2	2	3	4	5	32	21	53
198	Демидов . . .	5	5	5	5	5	2	2	2	3	4	5	5	39	19	58
199	Вязьма . . .	5	5	6	4	4	2	2	2	3	4	5	5	31	15	46
201	Дукторщина . . .	4	4	5	4	4	1	1	1	2	3	4	4	27	17	44
202	Надежда . . .	3	3	4	4	5	3	2	1	2	3	4	5	36	16	52
203	Сафоново . . .	5	5	6	6	5	3	2	1	2	3	4	5	33	19	51
205	Темкино . . .	5	5	5	5	4	2	1	0.7	2	3	3	4	37	16	53
206	Шокино . . .	5	5	6	6	5	3	2	1	2	3	3	4	38	16	53
207	Рудня . . .	5	5	6	6	4	2	1	0.8	2	3	3	4	37	16	53
211	Смоленск . . .	10	7	7	7	6	4	2	2	3	4	5	6	10	7	74
212	Ельня . . .	6	5	7	7	6	4	2	2	3	4	5	6	9	7	64
213	Починок . . .	8	7	7	7	6	4	2	2	3	4	5	6	6	6	49
215	Ускусы . . .	3	4	5	5	4	2	1	1	2	3	3	4	29	19	49
217	Александровка .	3	3	7	8	4	3	2	1	2	3	3	4	18	17	65
218	Рославль . . .	3	3	4	4	3	1	1	1	2	3	3	4	27	15	42

KALUZHESKAYA OBLAST

219	Малоярославец .	3	2	3	3	3	2	2	1	2	3	4	4	22	14	36
220	Малахово . . .	1	2	3	3	4	2	2	2	3	4	4	5	20	13	38
222	Беликово . . .	2	3	4	5	3	1	1	1	2	3	4	5	22	20	42
224	Мосальск . . .	4	4	4	4	3	1	1	1	2	3	3	6	29	13	42
225	Калуга . . .	3	3	4	4	3	1	1	1	2	3	3	6	27	14	41

Station No.	Station	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	X-III	IV-IX	Year
226	Спас-Деменск . . .	5	5	6	3	1	1	2	4	4	5	7	7	35	15	50
227	Соболевка . . .	4	5	6	4	1	2	2	4	5	5	6	6	36	18	54
228	Сухиничи . . .	3	3	5	3	0.9	0.8	1	2	3	4	5	6	26	11	39
229	Фачинская и Киров . . .	4	4	5	3	1	1	2	3	4	5	7	6	31	14	45
230	Козельск . . .	2	3	5	4	3	2	3	5	5	5	5	4	24	22	46
232	Жиздра . . .	3	3	4	3	1	0.8	2	3	4	4	6	5	25	14	39
RYAZANSKAYA OBLAST																
233	Тула	3	2	3	3	1	0.5	1	3	3	3	5	4	20	12	32
234	Ельтиль	4	3	4	4	0.6	0.8	2	2	2	4	6	4	25	12	37
236	Рыбное и Старое . . .															
237	Веселово	4	4	4	4	1	0.7	1	2	2	2	4	6	24	11	35
238	Рязань	5	4	5	4	0.7	0.7	1	1	2	2	5	6	28	11	39
239	Кадом	3	3	3	3	1	1	1	2	2	3	4	3	19	10	29
240	Сасово	4	3	4	3	0.7	0.8	1	2	2	4	5	4	24	10	34
241	Шилово	2	2	3	2	0.6	0.8	1	2	2	3	4	3	16	9	25
242	Старожилово	3	3	4	4	0.6	0.4	0.7	2	1	4	5	5	23	9	32
243	Михайлов	4	3	5	3	0.8	0.6	0.8	2	2	3	4	4	28	10	38
244	Шацк	3	2	3	3	0.9	0.9	2	2	2	3	7	7	37	9	46
245	Скопин	5	6	4	4	0.8	0.2	0.3	1	3	5	9	4	10	12	55
246	Павлополь	7	6	6	5	1	0.8	1	2	2	2	4	5	22	10	32
247	Ряжск	3	3	4	3	0.7	0.6	0.5	2	2	2	7	7	29	12	41
248	Верда	4	4	5	4	2	1	1	2	2	4	5	7			
TUL'SKAYA OBLAST																
252	Алексин	2	3	3	4	2	0.9	2	4	4	4	4	4	20	17	37
253	Борисоглебск	6	5	6	4	1	0.6	1	3	4	5	6	8	38	14	52
254	Ханино	4	4	5	4	2	1	2	3	5	6	6	5	30	17	47
255	Тула	5	5	5	4	2	1	2	4	5	5	6	8	30	18	48
256	Узловая	6	5	6	5	1	0.9	2	3	5	6	6	7	35	15	55
257	Орлово	5	5	6	4	2	2	3	5	6	6	6	7	23	10	58
259	Белен	4	3	4	3	0.6	0.6	0.6	2	2	3	5	6	25	13	55
261	Плавск и Паточная . . .	4	4	5	6	2	0.9	2	3	3	7	12	13	59	17	76
262	Волово	10	8	5	6	2	0.7	1	3	3	3	6	11	10	51	13
263	Чернъ и Скуратово . . .	9	7	8	5	0.8	0.5	1	2	3	3	6	12	11	49	16
264	Архангельское . . .	8	6	6	5	2	1	2	2	2	2	5	10	9	43	13
265	Ефремов	7	6	6	4	2	0.6	2	2	2	5	5	10			

Table 1a. Greatest number of days with fog.

Station No.	Station	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	X-III	IV-IX	Year
YAROSLAVSKAYA OBLAST																
25	Владычново	9	10	8	8	6	5	8	10	10	11	8	10	34	32	56
6	Семёновское	4	8	6	9	4	5	7	7	9	10	7	8	27	27	51
	Пошехонье-Володарск	6	10	9	8	5	4	5	8	10	11	10	9	31	23	43
9	Шарья	6	9	7	8	6	5	6	8	9	10	11	9	31	29	52
13	Данилов	6	9	5	8	5	3	7	8	8	12	13	10	33	25	55
15	Рыбинск, ГМО	8	10	8	8	4	2	2	4	6	7	7	7	31	17	35
16	Коприно	8	8	8	8	6	5	3	5	8	8	9	12	31	22	48
20	Обуяло	9	9	9	9	8	3	3	10	12	12	14	14	39	32	57
21	Тутаев	8	9	10	7	3	3	7	9	10	8	11	9	38	26	50
24	Некрасовское	6	7	8	6	4	3	3	5	9	10	12	9	34	21	57
25	Ярославль	9	14	6	6	5	4	7	11	10	13	9	9	37	37	52
26	Углич	5	7	10	8	5	4	4	7	9	7	9	10	27	23	38
33	Переславль-Залесский	6	8	8	8	4	3	4	5	7	7	8	12	31	16	41
34	Успенский Борисоглебск	7	9	10	10	5	5	4	9	12	13	13	17	41	25	61
KALININSKAYA OBLAST																
35	Весьегонск	9	6	7	6	4	3	6	9	10	11	8	5	31	21	40
39	Котлован	13	5	9	9	5	3	6	8	12	11	11	11	24	27	45
40	Красный Холм	9	7	6	10	6	3	6	6	11	10	12	12	34	26	53
42	Бологое	9	7	10	6	3	3	4	5	8	7	7	4	38	30	72
45	Макарьиха	5	7	10	6	3	3	4	5	7	7	9	4	22	19	41
46	Бежецк	10	8	6	8	7	3	4	5	8	8	9	9	39	28	57
51	Вышний Волочек	3	6	6	7	7	4	5	6	9	11	11	13	30	30	64
53	Толчачев	8	8	8	7	11	9	4	5	7	9	11	16	37	23	60
55	Кашин	7	6	6	13	10	5	4	5	12	10	10	16	43	25	56
59	Осташков	7	6	8	9	9	5	4	5	10	13	10	15	36	36	61
64	Кузиново	9	9	9	12	11	7	6	8	11	11	11	16	40	31	61
65	Торжок	9	9	9	10	7	6	5	6	11	12	12	16	32	25	58
72	Савелово	8	10	12	8	6	4	4	6	11	14	11	11	36	31	59
73	Калинин	12	10	12	8	6	4	4	6	11	14	12	11			

Station No.	Station	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	X-III	IV-IX	Year
83	Тургиново . . .	4	5	6	6	4	3	6	10	13	10	10	6	26	31	52
84	Торопец . . .	11	7	10	6	5	3	6	10	14	10	12	12	43	33	71
88	Западная Двина . . .	7	7	8	6	3	3	4	8	12	8	14	13	43	25	56
89	Ржев . . .	12	8	11	6	3	6	6	8	8	13	10	11	41	21	52
MOSKOVSKAYA OBLAST																
102	Клин . . .	14	10	8	8	5	2	8	10	8	9	10	9	28	24	54
103	Дмитров . . .	10	6	8	7	6	4	7	8	9	10	12	9	35	32	53
110	Волоколамск . . .	5	5	7	6	4	4	6	10	11	12	10	11	34	26	55
117	Починки . . .	5	5	9	6	4	3	4	11	11	12	10	10	23	17	39
118	Ново-Иерусалимск . . .	7	7	9	6	7	5	7	11	10	9	10	10	33	35	55
120	Лосиноостровская . . .	7	6	6	5	2	2	4	5	9	11	6	7	28	13	36
121	Москва, с.-х. акаадемии . . .	10	9	8	8	4	3	5	7	9	9	12	13	35	23	49
129	Павловский Посад . . .	6	10	7	7	4	3	4	5	5	6	10	10	38	25	62
130	Москва, ГМО . . .	11	9	6	11	3	4	4	5	5	6	8	10	34	10	38
142	Куровское . . .	6	9	6	11	3	4	4	5	5	6	7	7	24	16	31
145	Чернти . . .	9	7	11	8	7	6	5	9	10	11	10	10	35	36	56
146	Можайск . . .	8	12	7	7	5	5	5	11	10	18	10	10	41	22	54
151	Наро-Фоминск . . .	7	7	10	7	5	3	8	10	13	11	9	11	30	32	50
156	Коломна . . .	8	9	6	5	4	3	5	7	10	10	8	11	31	17	58
157	Минхево . . .	7	10	9	7	4	5	7	6	7	8	8	8	28	19	42
161	Серпухов . . .	11	7	12	7	4	3	3	6	11	9	13	16	50	26	75
163	Кашira . . .	10	13	9	15	5	6	8	11	9	13	16	15	26		
VLADIMIRSKAYA OBLAST																
166	Сузdal . . .	7	10	9	9	4	2	2	8	6	6	9	9	15	36	15
168	Александров . . .	9	13	10	9	4	4	6	6	8	12	12	9	38	25	66
171	Вязники . . .	8	7	11	9	7	3	4	6	10	12	12	8	35	23	50
176	Владимир . . .	7	12	9	9	6	6	4	7	9	9	13	13	56	28	63
181	Петушки . . .	12	9	7	8	6	5	5	7	10	11	11	11	31	27	55
183	Люшок . . .	8	7	6	12	9	4	5	5	7	7	12	13	35	26	61
185	Горько-Хрустальный . . .	6	7	9	6	6	4	5	8	9	11	9	10	31	25	53
186	Муром . . .	11	8	9	12	9	3	3	4	6	6	9	9	35	16	51
188	Меленки . . .	10	9	8	12	3	3	3	9	15	15	14	14	47	34	62
SMOLENSKAYA OBLAST																
194	Велиж . . .	11	11	8	6	4	4	6	10	11	11	11	10	44	28	58
195	Гжатск . . .	7	5	10	6	3	3	6	8	11	15	12	10	35	31	63
196	Ново-Пречистое . . .	11	9	8	10	5	4	4	9	9	9	12	12	30	30	77
198	Лебедин . . .	11	11	11	12	3	4	4	10	10	11	13	13	60	33	79
199	Вязьма . . .	9	11	12	12	3	3	5	5	9	11	13	13	51	27	72
203	Сафоново . . .	11	11	12	12	6	3	3	5	5	7	12	12	34	19	43
205	Течкино . . .	6	8	9	10	4	4	4	5	5	7	12	12	52	30	76
207	Рудня . . .	12	12	11	10	4	4	4	5	5	7	13	13	17	17	94
211	Смоленск . . .	16	14	15	11	5	6	5	6	10	14	16	16	55	34	78
212	Ельня . . .	13	12	14	11	4	4	4	4	9	11	15	14	60	27	73
213	Починок . . .	16	12	16	11	4	4	6	6	5	8	13	17	64	24	79
217	Рославль . . .	12	13	14	10	6	6	6	5	7	11	13	17	21		
KALUZHESKAYA OBLAST																
219	Малоярославец . . .	7	7	12	9	5	4	4	7	8	12	11	14	41	21	55
224	Мосальск . . .	9	10	11	10	5	4	4	8	8	10	13	16	46	25	63
225	Калуга . . .	8	8	14	10	4	3	3	9	9	11	13	16	52	26	70
226	Спас-Леменск . . .	12	13	12	7	4	4	6	10	10	11	13	14	43	24	69
228	Суздаль . . .	6	7	10	10	3	3	3	5	6	9	14	13	53	24	61
229	Фаяновская и Киров . . .	10	14	11	13	3	3	3	5	7	12	11	13	40	25	
232	Жиздра . . .	8	8	11	11	4	4	5	7	12	11	12	13			
RYAZANSKAYA OBLAST																
233	Тула . . .	11	8	9	7	4	3	5	6	6	13	10	7	33	18	41
234	Еланьча . . .	10	10	11	9	3	3	3	5	5	10	14	18	46	17	54
237	Рязань . . .	10	12	14	9	3	3	3	6	6	8	9	8	36	21	49
239	Сасово . . .	8	9	14	10	7	3	4	5	5	7	8	10	31	15	41
240	Шипово . . .	9	9	11	9	4	2	4	7	6	10	12	15	44	15	46
241	Старожилово . . .	9	9	11	9	4	2	3	5	5	10	12	15	55	15	63
242	Михайлов . . .	12	8	11	9	4	3	4	7	6	13	14	18	47	21	43
243	Шацк . . .	7	8	13	14	5	3	7	6	6	10	10	13	66	27	77
246	Павлово . . .	14	16	14	14	4	4	2	7	6	13	16	13	40	14	45
247	Ряжск . . .	8	7	10	8	2	4	2	7	4	6	9	13			
TUL'SKAYA OBLAST																
256	Узловая . . .	12	15	18	12	4	3	6	7	7	15	14	22	63	24	78
259	Белев . . .	12	8	9	15	3	2	4	6	6	10	11	17	46	21	66
262	Белово . . .	16	16	19	16	9	3	7	7	6	15	17	25	82	19	
263	Чернь и Скуратово	13	13	17	14	3	4	6	6	7	14	14	21	70	24	

Table 2. Recurrence of various number of days with fog, by months (%).

Number Days	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
----------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

YAROSLAVSKAYA OBLAST

2. Владычное

6. Пошехонье-Володарск

0	4	11	3	11	52	45	24	7	3	7	3	3
1-2	48	45	42	38	35	45	31	56	35	25	42	49
3-4	24	21	32	31	10	10	42	28	38	42	24	21
5-6	24	13	10	17	3		3	3	18	17	28	21
7-8		7	6	3				6	3	6		3
9-10		3	7						3		3	3
11-12										3		

13. Данилов

15. Рыбинск, ГМО

21. Тұғаса

25. Ярославль

0	11	11	7	21	31	41	14		4	11	4	14
1-2	22	36	24	35	52	38	39	24	20	28	27	14
3-4	31	28	42	17	10	18	25	28	27	21	35	33
5-6	24	17	24	27	7	3	18	25	19	24	21	29
7-8	8		3				4	11	15	7	13	4
9-10	4	4						8	15	6		3
11-12								4				
13-14		4								3		3

174

Number Days	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
----------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

ՏԵՇԱՐՄ

	24	25	14	35	55	66	35	14	7	21	7	14
1-2	49	55	45	28	35	28	45	55	32	28	31	49
3-4	24	17	31	31	7	6	20	14	34	38	42	28
5-6	3		4	3	3			14	24	6	11	6
7-8		3	3	3				3		7	6	
9-10				3					3		3	3

33. Переславль-Залесский

	25	32	21	32	50	60	57	35	14	10	4	21
1-2	50	50	35	43	39	36	36	22	50	32	28	32
3-4	18	11	25	11	11	4	7	35	22	46	49	14
5-6	7		11	8				4	7	8	8	18
7-8		7	8	3					7	4	11	11
9-10								4				
11-12						3						4

KALININSKAYA OBLAST

42. Бологое

0	11	3	10	21	24	31	17	3	4	4	4
1-2	34	45	39	35	59	42	32	25	7	28	11
3-4	25	28	31	25	14	24	24	28	31	17	33
5-6	24	24	17	10	3	3	21	25	28	25	26
7-8	3		3	3			3	13	28	18	22
9-10	3			6			3	3	6	4	7
11-12											4
13-14											
15-16								3			4

18. Беженец

51. Вышний Волочек

53. Толмачик

Number Days	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

85. Каменск

0	11	3	3	18	35	31	17	11	3	7	7	11
1-2	17	34	32	31	45	69	70	32	20	14	11	11
3-4	35	46	35	21	20		10	38	30	35	14	42
5-6	27	14	20	17			3	13	27	21	24	18
7-8	10	3	7	10			3	17	17	17	31	17
9-10				3			3	3	6			4
11-12			3							13		4
13-14												
15-16												4

59. Осташков

0	11	7	10	14	24	35	20	11	7	21	18	
1-2	47	50	32	31	42	55	54	30	24	35	25	
3-4	20	32	25	42	27	10	10	30	33	25	43	24
5-6	18	11	20	10	7		13	26	23	18	21	21
7-8	4		10				3	3	14	7	8	8
9-10				3						8	7	
11-12			3						3			4
13-14				3					3			

64. Кувшиново

0	14	14	11	18	11	28	17	7	3	4	11	7
1-2	46	36	29	28	53	49	22	17	10	18	26	33
3-4	28	32	30	25	32	17	34	29	7	34	11	26
5-6	4	10	18	15	4	3	14	24	46	22	22	22
7-8	4	8	8	7		3	10	17	20	7	15	4
9-10	4		4	7			3	3	14	11	15	4
11-12								3				
13-14												
15-16												

65. Торжок

0	15	11	11	21	29	46	21	10	8	4	7	
1-2	14	18	18	25	57	39	46	39	29	30	22	33
3-4	42	38	31	25	14	11	29	14	39	33	30	23
5-6	18	11	28	18		4	4	22	21	11	19	22
7-8	4	18	4	7			7	11	7	14	7	7
9-10	7	4	4				4	4	7	7	7	4
11-12			4	4				4	4			
13-14										4		
15-16												

73. Калинин

0	11	4	11	24	21	34	7	3	7	7	7	
1-2	25	31	34	38	59	49	31	22	10	29	20	32
3-4	36	25	28	14	17	17	38	24	32	21	32	38
5-6	18	18	21	7	3		24	17	28	22	22	11
7-8	4	18		17			21	17	14	7	8	8
9-10	3	4	3				10	6	7	8	4	4
11-12	3		3				3		7			
13-14												

83. Турикново

0	22	30	22	26	37	44	22	11	11	15	11	31
1-2	45	33	41	30	48	52	45	26	12	31	38	42
3-4	33	30	26	33	15	4	15	29	22	19	27	19
5-6		7	11	11			18	11	30	19	20	8
7-8							15	11	8	8	4	
9-10							8	7	8	8		
11-12									4	3		
13-14												

176

Number Days	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
----------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

84. Торопец

0	4	7	11	14	21	7	4	4			
1-2	18	25	7	32	46	46	53	25	11	19	16
3-4	49	32	49	32	36	25	33	28	14	26	20
5-6	18	25	25	25	4	8		21	35	30	28
7-8		11	11				7	18	18	7	28
9-10		7		8				4	11	14	4
11-12		4							7		11
13-14									4		4

88. Западная Дания

MOSKOYSKAYA OBLAST

102. Клнн

109. Дмитров

0	4	13	8	13	25	17	12	4	4				
1-2	40	60	89	58	58	67	50	25	12	42	23	27	
3-4	31	13	25	17	13	16	26	34	46	17	32	36	
5-6	8	16	4	8	4		8	21	25	16	23	32	
7-8	13	8	4	4			4	16	13	21	14		
9-10	4									4	4		
11-12											4		5

110. Волоколамск

0	15	21	14	14	11	35	11	7	3	14		10
1-2	43	47	28	35	67	50	43	11	39	32	22	32
3-4	28	21	35	18	22	15	35	35	31	11	30	32
5-6	14	11	11	22			11	14	10	18	26	14
7-8			8	11				27	7	14	14	8
9-10				4				6	10	7	8	
11-12										4		4

117. Почки

0	36	23	18	43	39	48	39	18	9	17	17	35
1-2	54	59	48	35	53	48	35	48	52	26	30	44
3-4	5	14	21	13	8	4	26	13	35	36	31	17
5-6	5	4	9	9				4	4	17	13	
7-8			4					13		4	9	
9-10												4
11-12									4			

Number Days	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
----------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

118. Ново-Иерусалим

0	24	24	18	14	17	14	14	7	7	17	11	32
1-2	28	42	49	31	42	62	38	35	32	18	22	21
3-4	24	21	11	20	24	21	28	21	22	17	18	14
5-6	21	10	14	21	10	3	13	7	10	4	17	8
7-8	3	3	4	14	7		7	3	14	3	4	4
9-10			4					10				
11-12												

121. Москва, с.-х. академия

0	16	16	20	40	60	40	21	17	8	4	17	
1-2	20	40	36	36	44	32	36	29	42	38	17	
3-4	40	24	32	28	16	8	20	29	21	12	13	
5-6	12	16	28	8			4	17	17	26	21	
7-8	8		4	8				4	12	8	16	
9-10	4	4						4	4		8	
11-12												4
13-14												

130. Москва, ГМО

0	47	21	22	21	95	95	100	37	47	11	16	21
1-2	11	37	26	58				58	32	50	32	37
3-4	16	21	37	21	5			5	16	28	21	21
5-6	10	11	10						5	11	16	5
7-8	11	5	5							15	15	5
9-10			5									
11-12	5											

148. Можайск

0	11	11	11	7	14	31	18	14	7	8	12	4
1-2	21	42	26	45	73	42	45	21	28	19	34	36
3-4	28	25	26	14	10	17	24	21	27	30	19	28
5-6	29	14	26	31	3	7	13	24	28	20	23	16
7-8	11	4	11	3		3		17	10	15	12	12
9-10									3	4		4
11-12												
13-14												
15-16												
17-18												

157. Михнево

0	10	13	7	3	27	40	10	17	3	3	3	33
1-2	53	50	37	39	60	47	52	10	27	29	18	30
3-4	14	20	40	31	13	10	28	26	40	35	18	22
5-6	10	10	6	17		3	3	27	20	17	35	11
7-8	13		7	10			7	10	10	10	14	4
9-10		7	3					3	3	3	3	
11-12								7				

163. Кашира

0	7	7	7		31	42	24	7	3	4	19	8
1-2	18	29	21	38	55	31	38	31	28	18	22	11
3-4	22	34	28	25	7	24	32	21	35	22	8	31
5-6	30	10	20	24	7	3	3	24	21	26	11	19
7-8	15	14	10	7			7	7	10	18	19	15
9-10	8		14	14				3	3	4	19	4
11-12		3			3				3	4	12	8
13-14		3								4	4	4
15-16					3							

178

Number Days	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
----------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

VLADIMIRSKAYA OBLAST

171. Вязники

0	7	14	14	10	41	38	21	14	7	7	7	10
1-2	42	38	35	28	45	52	48	31	48	39	17	28
3-4	31	42	38	28	14	10	24	21	31	31	24	31
5-6	10	3	10	24			7	21	7	17	31	21
7-8	10	3		10				7	7	3	21	7
9-10								6				
11-12			3						3			
13-14											3	

176. Владимир

0	17	13	17	25	29	33	21	13	13	9	13	4
1-2	50	34	34	25	38	54	50	17	4	22	13	48
3-4	25	33	29	30	17	13	21	16	25	13	17	
5-6	8	8	12	4	16		4	25	29	17	31	18
7-8	8	4	12				4	25	17	30	9	9
9-10		4	4	4			4	8	9	4		17
11-12		4						4		9		
13-14										4		
15-16												
17-18												
19-20												4

181. Петушки

0	17	11	7	31	52	31	21	3	11		7	
1-2	53	69	17	34	56	24	56	24	7	14	21	31
3-4	21	21	52	38	10	21	10	18	56	24	28	28
5-6	7	10	14	3	3		27	28	31	28		25
7-8	3	10	7			3	3	3	17	10		3
9-10	3	3					7	3		10		3
11-12	3								3	3		
13-14											3	

183. Мошок

0	25	23	18	17	45	62	17	14	17	7	4	8
1-2	43	35	36	35	42	28	59	24	28	14	14	30
3-4	11	27	25	25	10	10	24	45	24	43	30	27
5-6	14	11	21	17	3			7	24	21	29	23
7-8	7	4					10	7	7	11		8
9-10				3					4	4		4
11-12				3					4	4		
13-14										4		

185. Гусь-Хрустальный

0	11	11	11	7	29	39	21	14	11	4	4	4
1-2	39	48	50	50	57	46	50	25	14	18	22	39
3-4	32	26	14	15	14	11	18	36	46	33	11	25
5-6	18	11	21	17	4		11	21	18	37	29	24
7-8			4	11			4	7	4	30		
9-10		4						4		4		8
11-12									4			

186. Муром

0	10	21	14	14	52	62	43	24	14	10	3	7
1-2	38	34	24	31	48	35	43	38	38	21	14	27
3-4	21	21	42	31		3	14	24	34	35	31	35
5-6	21	17	17	21				14	14	27	24	14
7-8	7	7								7	11	10
9-10				3						10		4
11-12	3			3						7	7	3

179

Number Days	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
----------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

SMOLENSKAYA OBLAST

·194. Велик

0	4	8	4	7	23	26	15	4	4	7	4	8
1-2	31	23	40	44	50	48	18	11	15	18	15	24
3-4	23	34	28	41	27	26	41	25	15	30	30	28
5-6	15	27	16	8			26	37	23	11	18	12
7-8	15	4	12				16	27	22	15	16	12
9-10	4						7	8	8	11		
11-12	8	4					8	4		7		

195. Гжатск

196. Вязьма

211. Смоленск

212. Ельня

180

Number Days	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
----------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

217. Рославль

KALUZHJSKAYA OBLAST

225. Калуга

226. Спас-Деменск

229. Фаянсовая и Киров

232. Жиздрат

181

Number Days	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
----------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

RYAZANSKAYA OBLAST

233. Тұма

0	14	14	10	7	38	64	24	21	3	7		7
1-2	28	45	35	50	55	32	63	28	52	38	31	25
3-4	35	35	31	29	7	4	10	31	28	35	21	36
5-6	17	3	14	7			3	20	17	14	21	18
7-8	3	3	7	7					3	17		14
9-10												
11-12	3											
13-14										3		

234. Елатьма

237. Рязань

230. Cacomo

240. Шилово

241. Старожилово

182

Number Days	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
----------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

242. Михайлов

243. Waux

246. Павелец

TUL'SKAYA OBLAST'

258. Узловая

259. Белез

183

Number Days	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
----------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

262. Волово

0	3			14	52	24	14	3				
1-2	7		17	72	38	52	21	39	7	11		
3-4	4	14	14	21	11	10	18	34	34	14	4	4
5-6	4	14	17	21			3	28	14	25		14
7-8	43	24	14	14			3	3	7	18		
9-10	11	10	24	13	3				3	21	14	7
11-12	18	18	22	7					4	18		21
13-14	10	7	3						7	14		18
15-16	10	3	3	7					4	32		14
17-18										7		14
19-20				3								4
21-22												
23-24												
25-26												

Table 2a. Recurrence of various number of days with fog (%).

Number of days	Recur- rence	Number of days	Recur- rence	Number of days	Recur- rence
YAROSLAVSKAYA OBLAST		21. Тутаев		KALININSKAYA OBLAST	
2. Владычное		16-20	7	42. Бологое	
26-30	15	21-25	15	26-30	15
31-35	35	26-30	15	31-35	15
36-40	15	31-35	30	36-40	26
41-45	10	36-40	19	41-45	18
46-50	5	41-45	7	46-50	7
51-55	15	46-50	7	51-55	4
56-60	5	25. Ярославль		56-60	7
6. Пошконо-Володарск		21-25	12	61-65	4
11-15	4	26-30	4	66-70	
16-20	4	31-35	15	71-75	4
21-25	13	36-40	19	46. Бежецк	
26-30	17	41-45	27	21-25	4
31-35	24	46-50	19	26-30	19
36-40	24	51-55	4	31-35	19
41-45	14	26. Углич		36-40	16
13. Данилов		11-15	7	41-45	15
16-20	7	16-20	21	46-50	23
21-25	10	21-25	38	51-55	
26-30	35	26-30	21	56-60	4
31-35	28	31-35	3	51. Вышний Волочек	
36-40	14	36-40	10	16-29	7
41-45	3	33. Переславль-Залесский		21-25	11
46-50		6-10	4	26-30	14
51-55	3	11-15	15	31-35	25
15. Рыбинск, ГМО		16-20	30	36-40	18
11-15	11	21-25	15	41-45	21
16-20	11	26-30	18	46-50	
21-25	22	31-35	7	51-55	
26-30	34	36-40	7	56-60	
31-35	22	41-45	4	61-65	4

184

Number of days	Recur- rence	Number of days	Recur- rence	Number of days	Recur- rence
		41-45	15		
21-25	8	46-50	15	16-20	4
26-30	8	51-55	15	21-25	
31-35	15	56-60	11	26-30	31
36-40	19			31-35	19
41-45	23			36-40	15
46-50	15	16-20	15	41-45	12
51-55	8	21-25	27	46-50	8
56-60	4	26-30	19	51-55	11
		31-35	23		
		36-40	4		
		41-45	8	11-15	14
21-25	4	46-50		16-20	18
26-30	7	51-55	4	21-25	50
31-35	18			26-30	9
36-40	14			31-35	5
41-45	21			36-40	4
46-50	28	31-35	4		
51-55	4	36-40	21		
56-60	4	41-45	17		
		46-50	17	16-20	4
		51-55	21	21-25	11
11-15	4	56-60	12	26-30	18
16-20	4	61-65	4	31-35	18
21-25	14	66-70		36-40	22
26-30	4	71-75	4	41-45	4
31-35	18			46-50	8
36-40	18	88. Западная Двина		51-55	15
41-45	15	16-20	8		
46-50	15	21-25	21	121. Москва, с.-х. академия	
51-55	4	26-30	12	16-20	8
56-60		31-35	17	21-25	25
61-65	4	36-40	13	26-30	21
		41-45	8	31-35	13
		46-50	13	36-40	8
		51-55	4	41-45	4
21-25	8	56-60	4	46-50	21
26-30	12				
31-35	24	MOSKOVSKAYA OBLAST		130. Москва, ГМО	
36-40	12			6-10	22
41-45	8			11-15	11
46-50	12	102. Клин		16-20	6
51-55	16	11-15	4	21-25	28
56-60		16-20	4	26-30	22
61-65	8	21-25	7	31-35	6
		26-30	33	36-40	5
		31-35	7		
16-20	4	36-40	19	146. Можайск	
21-25	4	41-45	11	26-30	18
26-30	15	46-50	11	31-35	18
31-35	26	51-55	4	36-40	27
36-40	19			41-45	14
41-45	4			46-50	14
46-50	8	21-25	9	51-55	9
51-55	8	26-30	17		
56-60	8	31-35	17	157. Михнево	
61-65	4	36-40	22	21-25	8
		41-45	22	26-30	16
		46-50		31-35	12
		51-55	5	36-40	24
26-30	11	56-60		41-45	12
31-35	22	61-65	4	46-50	20
36-40	11	66-70	4	51-55	8

185

Number of days	Recur- rence	Number of days	Recur- rence	Number of days	Recur- rence
163. Кашира		185. Гусь-Хрустальный		81-85	18
21-25	4	16-20	4	86-90	5
26-30	4	21-25	9	91-95	5
31-35	12	26-30	23		
36-40		31-35	46	212. Ельня	
41-45	16	36-40	4	36-40	12
46-50	28	41-45	14	41-45	4
51-55	4			46-50	20
56-60	8			51-55	16
61-65	8	186. Муром		56-60	24
66-70	8	16-20	4	61-65	16
71-75	8	21-25	17	66-70	4
		26-30	35	71-75	
VLADIMIRSKAYA OBLAST		31-35	21	76-80	4
		36-40	10		
		41-45	10	217. Рославль	
		46-50		36-40	4
171. Вязники		51-55	3	41-45	4
11-15	3			46-50	13
16-20		SMOLENSKAYA OBLAST		51-55	13
21-25	14			56-60	17
26-30	14	194. Велиж		61-65	12
31-35	41	26-30	8	66-70	25
36-40	7	31-35	4	71-75	8
41-45	14	36-40	21	76-80	4
46-50	7	41-45	25		
176. Владимир		46-50	13	KALUZHNSKAYA OBLAST	
		51-55	12		
11-15	4	56-60	17	225. Калуга	
16-20				21-25	5
21-25	4	195. Гжатск		26-30	5
26-30	9	26-30	17	31-35	25
31-35	13	31-35	25	36-40	20
36-40	22	36-40	17	41-45	10
41-45	4	41-45	8	46-50	15
46-50	18	46-50	21	51-55	5
51-55	22	51-55	8	56-60	10
56-60		56-60		61-65	5
61-65	4	61-65	4		
181. Петушки		199. Вязьма		226. Спас-Деменск	
16-20	4	31-35	5	36-40	10
21-25	10	36-40	5	41-45	
26-30	14	41-45	5	46-50	24
31-35	17	46-50	5	51-55	33
36-40	35	51-55	26	56-60	14
41-45	10	56-60	22	61-65	10
46-50	7	61-65	9	66-70	9
51-55	3	66-70	8		
		71-75	5		
		76-80	5	229. Фаянсовая и Киров	
183. Мошок		81-85		26-30	14
		86-90	5	31-35	10
16-20	4			36-40	14
21-25	18	211. Смоленск		41-45	28
26-30	26	56-60	6	46-50	5
31-35	4	61-65	9	51-55	10
36-40	31	66-70	13	56-60	9
41-45	9	71-75	18	61-65	5
46-50	4	76-80	27	66-70	5
51-55	4				

Number of days	Recur- rence	Number of days	Recur- rence	Number of days	Recur- rence
		36-40	4	51-55	26
21-25	4	41-45	22	56-60	22
26-30	17	46-50	13	61-65	18
31-35	17			66-70	
36-40	29	11-15	4	71-75	4
41-45	8	16-20	17	76-80	4
46-50	17	21-25	27		
51-55	4	26-30	31	TUL'SKAYA OBLAST	
56-60		31-35	17		
61-65	4	36-40		256. Узловая	
RYAZANSKAYA OBLAST		41-45	4	31-35	4
				36-40	8
233. Тула		241. Старожилово		41-45	4
16-20	4	16-20	8	46-50	19
21-25	18	21-25	20	51-55	19
26-30	22	26-30	44	56-60	15
31-35	26	31-35	16	61-65	19
36-40	26	36-40		66-70	
41-45	4	41-45	8	71-75	4
		46-50	4	76-80	8
234. Елатынь		242. Михайлов		259. Белев	
16-20	4	16-20	4	21-25	33
21-25	7	21-25	4	26-30	19
26-30	7	26-30	32	31-35	19
31-35	42	31-35	21	36-40	7
36-40	14	36-40	7	41-45	4
41-45	18	41-45	10	46-50	4
46-50	4	46-50	4	51-55	7
51-55	4	51-55	7	56-60	
		56-60	7	61-65	7
237. Рязань		61-65	4		
21-25	3				
26-30	7	243. Шатков		262. Волово	
31-35	28	16-20	8	46-50	4
36-40	21	21-25	29	51-55	
41-45	21	26-30	33	56-60	8
46-50	14	31-35	13	61-65	11
51-55	3	36-40	9	66-70	8
56-60	3	41-45	8	71-75	15
				76-80	22
239. Сасово		246. Павледец		81-85	18
21-25	9	36-40	4	86-90	7
26-30	30	41-45	7	91-95	7
31-35	22	46-50	15		

Table 3. Mean duration of fogs (hours).

Station No.	Station														Fog	Duration of fog on day with fog			
		I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	X-III	IV-X	IX-III	IV-IX	Year	
YAROSLAVSKAYA OBLAST																			
6	Пошехонье-Володарск . . .	11	11	14	10	5	2	6	9	10	12	14	14	76	42	118	3.7	2.8	3.3
13	Данилов . . .	10	11	10	14	4	3	7	11	15	23	33	23	110	54	164	5.5	4.0	4.9
25	Ярославль . . .	21	22	15	10	4	3	6	13	17	17	26	23	124	53	177	5.3	3.5	4.6
26	Углич . . .	7	6	10	6	2	2	3	8	10	9	15	10	57	31	88	4.5	3.1	3.9
KALININSKAYA OBLAST																			
51	Вышний Волочек . . .	14	11	12	8	3	2	6	12	16	20	23	17	97	47	144	4.6	3.3	4.0
72	Савелово . . .	8	10	11	6	4	3	6	13	20	16	23	15	83	52	135	4.6	3.4	4.0
84	Торопец . . .	18	16	22	12	6	4	5	13	24	20	38	31	145	64	209	5.0	3.2	4.3
89	Ржев . . .	12	18	21	13	4	3	3	10	15	16	33	28	128	48	176	5.2	3.4	4.5
MOSKOVSKAYA OBLAST																			
110	Болоколамск . . .	11	9	16	12	5	4	7	19	16	17	27	20	100	63	163	5.0	3.7	4.4
124	Москва, ВДМХ . . .	11	16	15	10	2	1	3	8	8	15	21	17	95	32	127	6.2	4.4	5.6
129	Павловский Посад . . .	15	10	12	11	3	3	3	10	10	22	25	22	106	40	146	5.3	3.7	4.8
157	Михнево . . .	16	21	17	18	5	3	11	18	15	25	34	24	137	70	207	5.9	3.8	4.9
VLADIMIRSKAYA OBLAST																			
168	Александров . . .	16	14	21	17	6	4	5	15	19	30	46	48	175	66	241	5.9	3.8	5.2
176	Владимир . . .	12	14	15	16	5	4	5	18	26	23	29	33	126	74	200	4.3	3.7	4.1
185	Гусь-Хрустальный . . .	12	9	10	12	4	3	4	11	14	18	24	15	88	48	136	4.4	3.5	4.0
186	Муром . . .	13	11	15	13	1	1	2	6	8	18	24	21	102	31	133	5.0	3.2	4.3
SMOLENSKAYA OBLAST																			
199	Вязьма . . .	24	29	26	19	5	4	6	16	20	27	60	61	227	70	297	5.7	3.5	5.0
211	Смоленск . . .	53	44	57	22	5	5	6	15	24	35	81	95	365	77	442	5.1	3.7	4.7
217	Рославль . . .	40	41	48	16	7	5	6	10	16	29	68	71	297	60	357	6.7	5.8	5.9

188

KALUZHSKAYA OBLAST

219	Малоярославец	13	9	13	10	6	3	4	12	12	21	32	25	113	47	160	4.3	3.4	4.0
225	Калуга	13	15	15	13	3	4	7	12	16	20	22	38	123	55	178	5.3	3.7	4.7
228	Суздаль	18	17	30	14	2	3	5	7	11	26	45	37	173	42	215	6.0	3.8	5.4

RYAZANSKAYA OBLAST

234	Елатына	16	11	16	17	2	2	4	8	9	23	30	25	121	42	163	5.1	3.7	4.7
237	Рязань	33	28	15	15	2	1	4	7	7	20	31	39	173	36	209	5.1	3.3	4.7
239	Сасово	22	15	24	15	2	2	3	8	8	19	30	26	136	38	174	5.2	3.6	4.8
247	Ряжск	14	11	24	15	2	2	1	6	5	14	18	27	108	31	139	5.1	3.6	4.6

TUL'SKAYA OBLAST

255	Тула	29	27	35	22	6	6	6	17	16	28	23	38	180	73	253	5.8	3.5	4.9
262	Бологое	61	44	67	41	5	2	5	11	11	47	98	121	438	75	513	7.7	4.5	7.0
263	Чернъ и Скуратово	53	41	55	28	2	1	3	7	9	36	76	79	340	50	390	6.7	4.4	6.3

Table 3a. Maximum duration of fogs (hours).

Station No.	Station	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	X-III	IV-IX	Year
-------------	---------	---	----	-----	----	---	----	-----	------	----	---	----	-----	-------	-------	------

YAROSLAVSKAYA OBLAST

6	Пощинье-																
	Володарск	34	38	57	38	26	8	25	22	31	59	57	36	134	75	184	
13	Данилов	41	57	34	44	18	19	34	50	38	76	107	57	204	134	315	
25	Ярославль	75	118	40	26	15	12	33	27	59	64	75	80	300	108	312	
26	Усмань	36	26	35	25	11	13	13	28	26	58	56	58	106	48	147	

KALININSKAYA OBLAST

51	Вышний Волочек	55	36	35	34	11	10	22	46	61	60	70	69	204	96	240
72	Савелово	45	31	33	38	17	16	28	39	91	68	99	39	219	115	238
84	Торопец	62	46	64	39	26	18	14	29	82	58	144	82	314	120	448
89	Ржев	35	67	54	42	16	10	10	29	42	59	132	111	180	80	444

MOSKOVSKAYA OBLAST

110	Волоколамск	32	40	83	50	18	17	26	41	56	53	77	66	179	124	332
124	Москва, ВДНХ	43	96	54	35	15	10	15	36	28	43	68	72	254	77	263
129	Павловский Посад	81	45	52	40	27	12	8	33	46	74	63	71	228	82	266
137	Мишино	52	119	66	73	23	16	36	46	40	77	94	60	203	116	356

189

Station No.	Station	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	X-III	IV-IX	Year
VLADIMIRSKAYA OBLAST																
168	Александров . . .	59	88	64	61	16	15	16	47	52	95	136	206	268	125	499
176	Владимир . . .	56	71	45	43	20	12	20	40	54	64	92	180	234	121	416
185	Гусь-Хрустальный . . .	30	33	26	40	14	18	12	35	47	75	69	35	169	95	254
186	Муром . . .	42	38	61	32	7	4	9	20	26	71	63	124	218	56	250
SMOLENSKAYA OBLAST																
199	Вязьма . . .	98	133	77	46	18	21	15	42	38	81	191	163	349	122	612
211	Смоленск . . .	126	119	112	78	16	16	24	34	54	102	263	200	554	130	662
217	Рославль . . .	105	146	152	68	19	18	108	31	59	88	179	200	454	158	554
KALUZHSKAYA OBLAST																
219	Малоярославец . . .	39	46	48	42	20	18	22	38	40	80	108	111	216	100	321
225	Калуга . . .	36	53	63	63	12	10	26	31	27	63	61	143	187	77	375
228	Сухиничи . . .	47	34	74	88	9	13	25	19	24	108	113	125	302	140	430
RYAZANSKAYA OBLAST																
234	Ельчича . . .	45	66	55	50	12	19	16	24	35	59	72	132	200	81	340
237	Рязань . . .	72	77	90	56	9	6	26	31	31	68	76	106	264	75	368
239	Сасово . . .	78	53	76	48	10	10	22	35	32	60	95	104	225	84	392
247	Ряжск . . .	56	30	62	33	11	11	5	37	13	31	48	110	231	62	309
TUL'SKAYA OBLAST																
255	Тула . . .	84	69	59	43	16	36	16	41	32	54	84	104	264	114	376
262	Бологое . . .	156	130	166	110	16	12	31	32	35	194	187	422	642	156	928
263	Чернь и Скворцово . . .	108	106	116	91	15	9	16	31	19	94	150	277	668	100	581

190

Table 3b. Duration of fogs at various times
the day (hours).

Hours	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------	---	----	-----	----	---	----	-----	------	----	---	----	-----

YaROSLAVSKAYA OBLAST

6. Пешхонье-Володарск

18-24	1	2	1	1	1	0.2	0.4	0.3	1	1	2	2
24-6	2	1	5	3	3	2	5	7	5	4	3	2
6-12	6	7	8	5	1	0.1	0.2	2	4	6	5	6
12-18	2	1	0.5	1				0.1		1	4	4

13. Данилов

18-24	1	1	2	2	1	0.3	1		1	2	6	2
24-6	1	2	3	5	2	2	5	7	5	6	9	4
6-12	5	6	4	6	1	1	1	4	9	10	12	9
12-18	3	2	1	1			0.2	0.3	5	6	6	8

26. Ярославль

18-24	5	4	1	2	0.5		0.2	1	2	3	5	
24-6	2	6	3	3	2	3	4	7	8	4	7	4
6-12	9	10	9	4	1	0.3	2	4	7	8	10	7
12-18	5	2	2	1				1	0.2	2	4	7

26. Углич

18-24	0.5	0.4	1	1				0.2	2	2	2	1
24-6	1	0.2	3	1	1	1	2	5	5	3	5	2
6-12	4	4	6	3	1	1	1	3	5	4	5	4
12-18	2	1		1				0.1	0.3	3	3	3

KALININSKAYA OBLAST

51. Вышний Волочек

18-24	4	3	2	1			0.1	1	1	3	6	3
24-6	2	1	2	3	2	2	4	5	7	5	4	3
6-12	5	5	7	4	1	0.5	2	6	8	10	8	7
12-18	3	2	1	0.2				0.3	2	5	5	4

72. Савелово

18-24	1	0.5	1	1	1		0.2		2	1	6	3
24-6	2	3	3	2	2	3	5	9	9	5	5	4
6-12	4	6	6	2	1	0.5	1	4	9	9	7	5
12-18	1	1	1	1				0.4	1	5	5	3

84. Торопец

18-24	4	3	5	3	0.1		0.1	0.4	2	3	8	7
24-6	6	5	4	4	5	3	4	9	12	7	9	7
6-12	5	7	9	5	1	1	1	4	10	9	13	9
12-18	3	1	4	0.5					1	8	6	8

89. Ржев

18-24	2	3	4	3	0.3				1	2	6	6
24-6	2	4	6	4	2	2	2	6	6	6	8	6
6-12	5	8	9	5	2	1	1	4	8	7	12	9
12-18	3	3	2	1					1	6	6	7

191

Hours	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------	---	----	-----	----	---	----	-----	------	----	---	----	-----

MOSKOVSKAYA OBLAST

110. Волоколамск

18-24	2	1	2	3	0.5	0.2	2	1	2	6	6
24-6	1	3	4	3	3	3	10	7	5	5	3
6-12	6	4	9	4	2	1	2	7	8	9	10
12-18	2	1	1	2			0.2	0.4	1	6	5

124. Москва, ВДНХ

18-24	4	4	2	1	0.5	0.1	0.3	0.4	1	2	5	4
24-6	3	6	6	5	1	1	2	4	3	4	6	3
6-12	2	4	6	4	0.3	0.3	1	4	4	7	6	5
12-18	2	2	1	0.2			0.1	0.1	2	4	5	5

129. Павловский Посад

18-24	3	2	2	1	0.2	0.2	0	0.4	2	4	5	5
24-6	3	2	4	4	1	2	2	5	3	7	7	6
6-12	5	4	5	6	2	0.5	1	5	4	9	9	7
12-18	4	2	1	0.5			1	1	2	4	4	4

157. Михнево

18-24	3	2	3	3	0.1	0.2	1	1	3	4	7	4
24-6	3	5	3	7	3	2	8	12	7	8	12	5
6-12	6	10	8	6	2	0.4	2	5	5	10	12	9
12-18	4	4	3	2	0.1	0	0.1	0.2	0.1	3	7	6

BLADIMIRSKAYA OBLAST

168. Александров

18-24	4	2	3	2	1	1		0.3	2	4	9	13
24-6	3	3	5	7	3	2	3	8	7	11	15	13
6-12	5	6	10	7	2	1	2	6	9	12	15	13
12-18	4	3	3	1	0.1	0.2		1	1	3	7	9

176. Владимир

18-24	3	4	3	3	0.1	0.2		0.2	2	3	6	8
24-6	3	2	4	6	5	4	4	11	14	9	6	8
6-12	4	7	7	6	0.4	0.4	1	7	9	10	11	11
12-18	2	1	1	1			1	1	1	1	6	6

185. Гусь-Хрустальный

18-24	3	1	0.5	2	0.1	0.1		0.5	1	2	5	2
24-6	3	2	2	4	2	3	3	6	6	6	7	3
6-12	4	5	7	6	2	0.1	1	4	7	8	8	7
12-18	2	1	0.1	0.5			1	0.3	2	4	4	3

188. Муром

18-24	2	1	2	2	0.3	0.02			0.4	2	4	4
24-6	2	3	5	4	1	1	1	3	3	6	6	5
6-12	6	6	7	6	0.1		1	3	4	8	11	9
12-18	3	1	1	1			1	0.2	1	2	3	3

SMOLENSKAYA OBLAST

199. Вязьма

18-24	5	2	5	2				0.3	1	4	14	13
24-6	4	7	7	6	2	3	4	9	9	9	16	16
6-12	9	17	12	9	3	1	2	7	9	11	19	17
12-18	6	3	2	2			1	0.2	1	3	11	15

192

Hours	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------	---	----	-----	----	---	----	-----	------	----	---	----	-----

211. Смоленск

18-24	11	3	12	2	0.5		0.3	2	5	17	24	
24-6	12	9	14	10	4	4	5	13	14	19	14	
6-12	20	23	18	7	1	1	1	5	8	15	28	29
12-18	10	9	13	3				1	1	17	28	

217. Рославль

18-24	9	8	9	3	0.4			1	3	13	18	
24-6	8	11	11	4	4	4	4	4	5	6	14	17
6-12	13	15	20	7	3	1	2	6	8	16	27	19
12-18	10	7	8	2				2	4	14	17	

KALUZhSKAYA OBLAST

219. Малоярославец

18-24	2	1	2	2	0.4	0.2	0.2	0.5	0.5	3	8	4
24-6	3	3	3	4	4	2	3	7	5	7	9	7
6-12	6	4	7	4	2	1	1	5	6	9	10	9
12-18	2	1	1	0.2				0.4	2	5	5	5

225. Калуга

18-24	2	3	4	1				1	1	8	7	
24-6	5	6	2	6	2	3	5	7	8	6	5	9
6-12	5	4	9	6	1	1	2	5	7	11	5	13
12-18	1	2	0.4					2	4	4	9	

228. Суздаль

18-24	4	3	6	3				0.1	2	11	9	
24-6	5	6	9	7	2	2	5	4	3	7	9	7
6-12	6	6	14	4	0.2	1	5	3	7	17	18	11
12-18	3	2	1					1	0.5	7	10	

RYAZANSKAYA OBLAST

234. Ельчина

18-24	3	2	2	3	0.3							
24-6	2	3	5	4	1	1	3	4	1	3	5	5
6-12	7	5	8	8	0.3	0.5	1	4	3	6	5	4
12-18	4	1	1	2	0.2	0.2		4	5	11	14	8

237. Рязань

18-24	8	5	4	3				4	6	9		
24-6	6	4	7	4	1	1	2	3	3	5	7	
6-12	11	9	12	7	1	0.4	2	4	4	9	12	13
12-18	8	4	5	1			0.2	0.2	2	8	10	

239. Сасово

18-24	6	2	6	4				0.2	0	3	6	6
24-6	3	3	6	6	1	1	2	4	4	4	7	5
6-12	8	8	10	4	1	1	1	4	4	10	12	10
12-18	5	2	2	1				2	5	5	10	

247. Ряжск

18-24	2	2	3	2	0.2				0.1	1	4	6
24-6	2	2	6	4	1	2	1	3	1	4	5	5
6-12	5	5	11	7	0.3	0.5	0.3	3	4	7	8	8
12-18	5	2	4	2	0.2			0.1	0.3	2	1	8

193

Hours	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
-------	---	----	-----	----	---	----	-----	------	----	---	----	-----

TUL'SKAYA OBLAST

265. Тула

18-24	4	4	4	3					1	0	3	6	5
24-6	3	4	9	7	3	4	3	11	5	6	7	4	5
6-12	14	14	18	10	3	2	3	11	10	16	7	7	16
12-18	8	5	4	2					2	2	6	12	

262. Волово

18-24	12	8	15	10	0.2			0.3	0.2	8	22	27
24-6	14	9	16	12	2	1	3	6	4	14	24	28
6-12	21	15	24	12	3	1	2	5	7	20	29	36
12-18	11	12	12	7				0.3	5	23	30	

263. Чернь и Скуратово

18-24	13	7	8	6				0.2	5	17	17	
24-6	11	11	15	11	1	0.2	2	4	3	10	24	20
6-12	15	15	23	8	1	1	1	3	6	16	21	26
12-18	11	8	9	3	0	0.2		5	5	14	17	

Table 4. Recurrence of various duration of fogs by months (%).

Duration (hours)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
---------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

YAROSLAVSKAYA OBLAST

6. Понехонье-Володарск

<3	20	25	15	35	55	65	38	24	9	28	19	14
3-6	20	5	20	5	10	20	24	14	24	5	19	10
6-12	15	20	30	25	25	15	28	33	33	14	14	24
12-18	25	30	10	15	5		5	10	24	43	29	19
18-24	10	15	5	10			19	5	5	5	5	14
24-48	10	5	15	10	5		5	5	5	9	9	19
>48			5						5	5		

25. Ярославль

<3	12	20	12	32	48	64	40	4	8	16	4	20
3-6	8	8	8	8	28	20	24	20	21	24	8	4
6-12	12	20	24	24	16	12	24	20	17	12	12	8
12-18	24	8	24	16	8	40	8	32	17	16	12	16
18-24	8	16	12	16			16	8	8	8	8	8
24-48	28	16	20	4			4	8	25	12	48	36
>48	8	12						4	12	8	8	8

KALININSKAYA OBLAST

51. Вышний Волочек

<3	16	24	20	44	58	79	36	19	8	12	20	32
3-6	20	20	12	20	17	8	28	16	11	8	4	8
6-12	24	28	21	12	25	13	16	23	27	19	24	20
12-18	12	4	20	4			16	15	19	15	12	8
18-24	8	12	4	4			4	19	23	23	4	8
24-48	12	12	20	16			8	4	15	16	20	16
>48	8							8	8			

184

Duration (hours)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
---------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

89. Ржев

<3	17	13	14	21	62	65	57	25	4	31	4	4
3-6	18	4	4	12	17	18	17	17	4	4	8	4
6-12	22	13	5	21	13	17	26	21	44	4	17	17
12-18	17	30	23	4	8			17	26	31	17	31
18-24	9	13	9	21				12	9	13		9
24-48	17	22	41	21				8	17	4	33	9
>48		4	4						13	21	26	

MOSKOVSKAYA OBLAST

124. Москва, ВДНХ

<3	41	41	29	29	70	82	70	47	35	24	24	35
3-6	12	18	12	18	18	12	6	6	23	12	12	6
6-12	6		23	23	6	6	12	29	12	23	18	12
12-18	18	17	6		6		12	18	18	12	6	
18-24	12			12					23	6	23	
24-48	12	18	24	18				6	12	18	17	18
>48		6	6						17	17	6	

167. Михнево

<3	26	29	12	13	52	58	35	18	9	9	9	8
3-6	9	13	17	9	24	25	9	5	22	17	4	13
6-12	22	13	21	22	16	13	22	9	22	9	4	13
12-18	4	21	21	26	4	4	17	36	17	9	5	9
18-24	17	8			4				13	17	14	9
24-48	13	8	25	26			17	32	17	22	55	39
>48	9	8	4	4					17	9	9	9

VLADIMIRSKAYA OBLAST

176. Владимир

<3	21	20	24	27	56	54	38	11	12	19	11	11
3-6	8	8	8	4	20	15	23	15	4	8	12	12
6-12	21	28	20	15	8	27	27	8	11	19	11	8
12-18	17	16	4	15	8	4	8	23	11	8	11	19
18-24	4	8	16	12	8		4	12	23	4	12	8
24-48	25	12	28	27				31	31	35	27	19
>48	4	8						12	11	31	23	

186. Муром

<3	27	32	29	17	88	92	77	40	28	11	8	8
3-6	12	4	8	25	8	8	12	12	12	11	12	19
6-12	23	28	25	12	4		11	40	32	35	15	27
12-18	11	16	13	17				4	20	4	23	15
18-24		12		12				4	4	12		4
24-48	27	8	21	17				4	19	23	15	
>48		4						8	19	19	12	

SMOLENSKAYA OBLAST

211. Смоленск

<3	6		12	41	38	31	22					
3-6		6	18	31	13			11				
6-12	6		12	6	29	19	44	22	17	12	6	
12-18		18		29	12	12	6	17	6	12	11	
18-24	6	6	6	12			6	17	22	6		
24-48	35	29	17	23			6	17	39	53	11	6
>48	53	41	65	12				5	17	72	91	

195

Duration (Hours)	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
---------------------	---	----	-----	----	---	----	-----	------	----	---	----	-----

217. Рязань

<3	4	4	9	36	52	50	9	4	4	4		
3-6	4	5	18	27	19	5	27	9	9			
6-12	5	9	9	32	18	19	41	36	31	5	4	
12-18	14	9	9	14	10	4	5	35	23	4	9	
18-24	5	14	13	14	5		18	4	5	9	4	
24-48	32	27	35	14			4	13	36	9	22	
>48	36	32	43	4			4	18	70	65		

KALUZhSKAYA OBLAST

225. Калуга

<3	30	29	20	16	66	64	54	16	12	21	12	16
3-6	17	24	28	19	16	13	24	4	8	8	8	8
6-12	26	25	16	32	15	20	21	12	28	17	20	24
12-18	18	4	20	8			4	32	16	17	8	4
18-24	13	4	12	4			4	8	24	8	16	4
24-48	13	13	4	8			4	8	16	26	32	16
>48	8	4	4						4	4	4	28

RYaZANSKAYA OBLAST

234. Ельчина

<3	20	36	12	16	77	77	58	31	23	8	8	8
3-6	4	16	16	8	8	15	19	19	19	8	8	11
6-12	28	16	24	20	11	4	15	35	27	15	4	12
12-18	12	8	20	12	4		8		15	23	23	19
18-24	16	16	4	16		4		15	8	4	11	23
24-48	20	4	16	24					8	34	19	15
>48	4	8	8	4					8	27	12	

237. Рязань

<3		15	10	25	82	81	61	48	43	14	9	
3-6	11	10	10	16	4	14	22	12	19	9	4	
6-12	11	20	15	15	14	5	9	9	24	9	14	18
12-18	5	10	10	10			4	22	9	18	5	4
18-24	10		10	25				4		18	18	5
24-48	37	35	30	5			4	4	5	23	32	46
>48	26	10	15	10					9	18	27	

TUL'SKAYA OBLAST

255. Тула

<3			6	33	53	27	13		6			
3-6		7	7	20	7	40	13			27		7
6-12	20	13	20	27	33	20	20	7	47	13	20	13
12-18	20	33	6	13	14	13	13	14	20	7		7
18-24	13	7	7	7					33	6	7	20
24-48	20	20	33	47		7		20	27	60	20	40
>48	27	20	27						7	13	26	

262. Волово

<3	14		9	39	75	58	17	12				
3-6				22	17	13	17	13		4		
6-12	5	14	4	14	35	8	17	38	46	18		
12-18			5	9	4		8	4	17	4		
18-24				18				12	8	4	4	
24-48	28	24	27	14		4	12	4	26	14	5	
>48	67	43	64	36					44	82	91	

196

SECTION 3

SNOWSTORMS

Table 1. Mean number of days with snowstorms.

Station No.	Station	X	XI	XII	I	II	III	IV	V	Year
-------------	---------	---	----	-----	---	----	-----	----	---	------

YAROSLAVSKAYA OBLAST

1	Мякса	0.1	3	6	8	6	6	2		31
2	Владычное	0.3	3	6	8	8	7	1		33
3	Гаютино	0.2	4	7	10	9	8	2		40
5	Семёновское	0.6	3	6	8	8	8	1	0.2	35
6	Пошечные-Воло-									
7	дарск	0.2	3	6	8	7	7	2		33
8	Федино	0.6	4	5	7	8	7	1		33
9	Шарна	0.6	4	5	8	8	8	1		35
10	Брейтово	0.5	5	7	10	9	8	1	0.1	41
12	Мис Рожновский	0.3	5	11	14	12	12	3		57
13	Данилов	0.5	3	6	7	8	7	2	0.03	34
15	Рыбинск, ГМО	1	5	8	11	11	9	1		46
16	Коприно	0.6	5	8	12	11	10	2		49
17	Исады	0.4	3	5	7	6	6	0.9		28
18	Рыбинск, город	0.4	2	5	8	9	8	1		33
20	Обухово	0.5	2	5	7	7	6	1		28
21	Тутаев	0.5	4	8	10	10	8	2		42
22	Мышкино	0.4	2	5	7	8	7	1		30
23	Новое Село	0.6	2	4	7	6	6	1		27
24	Пекрасовское	0.3	3	5	7	7	5	1		28
25	Ярославль	0.7	4	8	10	10	8	1		42
26	Углич	0.1	3	5	7	7	6	0.9		29
28	Симаницы	0.1	3	5	8	8	6	1		31
29	Веска	0.4	2	4	8	8	7	1		30
30	Высоково	0.3	2	4	6	6	5	0.8		24
31	Ростов	0.3	2	5	6	6	6	1		26
33	Переславль-Залес- ский	0.5	2	5	8	7	6	1		30
34	Успенский с.-х. техникум	0.5	3	6	9	8	8	0.8		35

KALININSKAYA OBLAST

35	Весьегонск	0.6	4	6	8	7	8	0.9		34
36	Кесма	0.6	5	7	10	9	9	2	0.1	43
37	Березовский Рядок	0.4	3	4	8	7	6	0.9		29
38	Стяжки	0.5	4	6	8	8	8	1	0.1	36
40	Красный Холм	0.4	4	6	10	9	7	2		38
41	Спас-Забережье	0.1	1	3	4	5	5	0.6		19
42	Бологое	0.3	3	5	8	8	6	0.9		31
44	Удомля	0.4	3	4	6	8	6	1		28
45	Макатиха	0.1	1	3	4	4	4	0.5		17
46	Бежецк	0.3	2	4	6	7	5	1	0.04	25
47	Шлипинский гидро- узел	0.3	2	3	5	5	5	0.7		21
48	Усаты	0.1	2	4	6	6	5	0.6		24
49	Рождество	0.2	2	4	6	8	6	0.8		27
50	Кесова Гора	0.1	1	4	6	7	5	0.9		24
51	Вышиний Волочек ¹	0.4	3	6	9	9	7	1		35
52	Ряд	0.4	2	6	9	8	7	1		34
53	Толмачи	0.2	3	6	8	9	8	1		35
54	Высоково	0.4	3	4	7	6	6	0.8	0.05	27
55	Кашин	0.2	3	6	9	9	7	1		35
56	Большие Сетки	0.2	3	6	9	9	7	1		35
59	Осташков	0.3	3	5	7	8	5	0.6		29

¹In June 0.04 days with snow

198

Station No.	Station	X	XI	XII	I	II	III	IV	V	Year
60	Горицы	0.7	3	5	8	8	7	0.8		32
61	Лихославль	0.4	3	4	8	8	6	0.6		30
62	Тронца-Нерль	0.5	3	6	9	7	6	0.6		32
63	Заречье	0.4	3	5	8	7	6	0.4		30
64	Кувшиново	0.2	3	5	8	8	7	1	0.1	32
65	Торжок	0.2	4	7	11	11	9	1	0.04	43
68	Яровинка	0.2	1	4	7	7	6	0.7		26
70	Медное	0.3	2	3	6	6	6	0.6		24
72	Савелово	0.1	3	5	6	6	5	0.9	0.1	26
73	Калнин	0.5	4	6	9	9	7	1		36
75	Бдынь	0.2	3	7	10	9	8	0.8		38
80	Луковниково	0.2	4	6	11	10	8	1		40
82	Старица	0.4	3	5	8	8	6	1		31
83	Тургиново	0.4	3	5	9	9	7	1		34
84	Торопец	0.1	2	6	8	8	7	0.7		32
87	Хлопово-Городище	0.5	2	5	8	9	8	0.6		33
89	Ржев	0.4	3	4	7	7	6	1		28
91	Мостовая	0.2	2	3	8	8	7	0.9	0.2	29
93	Большое-Кобяково	0.2	2	3	8	7	6	0.5		27
95	Шуйе	0.2	1	5	8	9	6	0.9		30

MOSKOVSKAYA OBLAST

98	Пушкин	0	2	3	6	6	6	0.6		24
102	Клин	0.5	3	6	8	8	7	1		34
103	Дмитров	0.6	3	4	8	7	6	0.6		29
104	Загорск	1	4	6	8	8	8	2	0.01	37
109	Шаховская	0.4	3	5	8	8	6	1		31
110	Волоколамск	0.4	3	6	10	10	7	1		37
113	Мишино	0.3	2	4	7	7	6	0.3		27
117	Починки	0.3	2	6	7	8	7	1		31
118	Ново-Иерусалим	0.3	3	5	8	8	6	0.8		31
120	Лосиноостровская	0.3	3	4	7	7	5	0.6		27
121	Москва, с.-х. ака демия	0.6	3	4	8	8	6	0.6		30
123	Тушино	0.4	1	4	6	6	5	0.6		23
124	Москва, ВДНХ	0.1	2	4	6	6	5	0.5		21
125	Павшинско	0.5	2	3	7	6	5	0.5		21
126	Москва, Сокольники	0.3	3	5	7	7	6	0.9		29
127	Карповка	0.1	2	3	7	6	7	0.6		26
129	Павловский Посад	0.4	2	5	8	7	5	0.9		28
130	Москва, ГМО	0.4	2	3	5	6	3	0.1		20
131	Подмосковная	0.5	3	6	9	8	8	1		36
133	Немчиновка	0.9	3	5	9	8	9	1		36
134	Москва, МГУ	0.4	3	6	9	9	7	0.9		35
136	Москва, ЗИЛ	0.1	2	3	4	5	3	0.5		18
140	Собакино	1	4	6	12	10	11	1		45
141	Ленинско-Дачное	0.3	2	4	5	6	6	0.7		24
142	Куровское	0.3	2	4	5	6	4	0.6		22
145	Черусти	0.2	3	6	10	8	6	0.3		34
146	Можайск	0.2	3	6	9	8	7	1		31
151	Наро-Фоминск	0.4	3	5	7	8	8	1		32
154	Старый Спас	0.7	3	5	7	8	6	0.8		30
156	Коломна	0.3	2	4	5	7	5	0.5		21
157	Мишино	0.3	2	3	6	7	6	0.7		25
161	Серпухов	0.4	3	6	7	9	6	0.7		32
163	Кашин	0.5	4	7	9	11	8	0.9		40

199

Station No.	Station	X	XI	XII	I	II	III	IV	V	Year
-------------	---------	---	----	-----	---	----	-----	----	---	------

VLADIMIRSKAYA OBLAST

164	Сима . . .	0.4	4	7	11	10	8	0.9		41
165	Юрьев-Польский ¹ . . .	0.6	4	7	12	9	9	1		43
166	Суздаль . . .	0.5	3	6	9	6	6	0.7	0.04	31
167	Саниково и Яблонцы . . .	0.2	2	4	6	6	6	0.7		28
168	Александров ² . . .	0.9	4	8	9	9	8	2	0.1	41
170	Ковров . . .	0.1	2	5	6	6	6	0.7		26
171	Вязники . . .	0.4	3	6	9	8	7	1		34
172	Троицы . . .	0.3	2	4	6	5	6	0.6		24
174	Гороховец . . .	0	2	4	6	6	5	0.5		24
176	Владimir . . .	0.4	3	5	8	6	7	0.8		30
180	Селивановское оно поле . . .	0.1	1	4	5	5	6	0.7		22
181	Петушки . . .	0.6	3	5	7	7	6	1		30
183	Мошок . . .	0.5	3	5	6	6	7	0.9		28
185	Гусь-Хрустальный . . .	0.5	2	4	7	8	7	0.8		29
186	Муром . . .	0.4	3	5	8	6	6	0.6		29
187	Черево . . .	0.6	2	5	6	6	5	0.6		25
188	Меленки . . .	0.6	2	5	6	6	5	0.6		25

SMOLENSKAYA OBLAST

190	Карманово . . .	0.4	3	7	11	11	9	0.6		42
191	Сычевка ³ . . .	0.2	2	5	8	8	6	0.7		30
193	Болшево . . .	0.1	3	6	9	10	8	1		37
194	Велиж . . .	0.2	3	6	10	8	7	1		35
195	Гжатск . . .	0.6	4	6	11	10	9	0.1		41
196	Ново-Иречистое . . .	0.2	2	5	7	8	5	0.7		28
198	Лемидов . . .	0.3	2	5	8	9	6	0.9		31
199	Вязьма . . .	0.2	3	5	8	8	7	0.6	0.04	32
201	Духовщина . . .	0.2	2	6	7	8	5	0.9	0.04	29
202	Надежда . . .	0	2	5	7	8	6	0.5		28
203	Сафоново . . .	0.4	2	5	8	8	6	1		30
204	Мухино . . .	0.2	2	4	6	7	5	1		25
205	Темкино . . .	0.2	2	4	6	7	5	1		25
206	Шокино . . .	0.2	2	5	8	9	7	0.9		32
207	Рудня . . .	0.4	2	6	8	9	6	0.5		32
211	Смоленск . . .	0.5	4	9	13	12	8	2		48
212	Ельня . . .	0.4	2	6	10	10	8	2		40
213	Иочинок . . .	0.5	3	6	10	9	7	1		36
214	Красиловка . . .	0.4	2	4	8	7	5	0.7		27
215	Усконы . . .	0.2	2	5	9	9	6	0.6		32
217	Рославль . . .	0.7	4	6	10	10	7	1	0.1	39
218	Ерниччи . . .	0.2	2	6	9	8	8	0.8	0.05	34

KALUZhSKAYA OBLAST

219	Малоярославец . . .	0.4	3	5	7	5	5	0.9	0.06	26
222	Беликово . . .	0.2	2	4	7	6	5	0.9	0.1	25
224	Мосальск . . .	0.2	2	5	9	7	6	0.8		30
225	Касуга . . .	0.2	2	4	6	7	5	0.8		25
226	Спас-Цеменск . . .	0.5	3	6	9	8	7	1	0.04	34
227	Соболевка . . .	0.3	2	4	6	6	5	0.7		24
228	Сулиниччи . . .	0.2	2	5	6	7	6	1		27
229	Фаяновская и Киров . . .	0.2	2	4	6	5	5	0.8		23
230	Козельск . . .	0.2	2	4	5	6	6	0.9		24
231	Хотьково . . .	0.2	1	4	6	5	5	0.4		22
232	Жиздра . . .	0.4	1	5	8	7	7	0.5		29

1. In June 0.06 days with snow
2. In June 0.1 days with snow
3. In September 0.04 days with snow

200

Station No.	Station	X	XI	XII	I	II	III	IV	V	Year
----------------	---------	---	----	-----	---	----	-----	----	---	------

RYAZANSKAYA OBLAST

233	Тума	09	4	7	9	10	8	1		40
234	Ельтина	0.3	3	4	6	6	5	0.7		25
235	Касимов	0.4	2	4	6	7	5	0.5		25
236	Рыбное и Старое Беседово	0.1	2	4	7	7	5	0.5		26
237	Рязань	0.2	3	7	11	11	8	0.7		41
239	Сасово	0.4	4	7	9	9	7	1		37
240	Шилово	0.4	2	5	8	7	6	0.6		29
241	Старожилово	0.1	2	5	8	9	6	0.6		31
242	Михайлов	0.4	3	7	9	10	7	1		37
243	Шацк	0.3	3	6	7	7	6	0.8		30
245	Скопин	0.1	2	4	6	6	5	0.6		24
246	Павелец	0.7	3	6	9	9	7	0.8		36
247	Рижск	0.3	2	6	8	10	6	0.6		33
248	Вердя	0.3	2	4	8	7	5	0.4		27

TYL'SKAYA OBLAST

252	Алексин	0.3	3	4	5	7	5	0.6		25
253	Венев	0.5	2	5	7	8	6	0.7		29
254	Ханино	0.5	2	5	5	7	6	0.5		26
255	Тула	0.3	3	4	6	8	5	0.7		27
256	Узловая	0.3	2	5	6	7	5	0.5		26
257	Орлово	0.6	2	5	7	9	7	0.6		31
258	Мелитуново	0.6	2	5	7	7	6	0.7		28
259	Белев	0.6	2	5	6	8	6	0.5	0.04	28
262	Волово	0.8	4	8	9	10	7	1	0.1	40
263	Чернъ и Скуратово	0.5	2	6	10	10	8	0.7		37
265	Ефремов	0.3	2	4	6	6	5	0.3		24

ТАБЛИЦА 1а

Table 1a. Greatest number of days with snow.

Station No.	Station	X	XI	XII	I	II	III	IV	V	VI	Year
----------------	---------	---	----	-----	---	----	-----	----	---	----	------

YAROSLAVSKAYA OBLAST

2	Владычное	5	9	12	19	16	14	6	3		52
5	Семёновская	5	11	14	19	16	14	6			53
6	Пошехонье-Воло- дарск	4	11	11	11	18	16	5			49
9	Шары	4	11	11	13	16	16	4			50
10	Брейтово	3	23	13	17	16	18	5	1		62
12	Мыс Рожновский	6	19	23	21	18	20	8			82
13	Данилов	5	15	14	19	15	16	5	1		62
15	Рыбинск, ГМО	4	14	16	18	17	20	5			74
16	Коприно	5	16	16	17	20	18	5			66
17	Исады	6	12	9	14	13	11	5			42
20	Обухово	4	8	14	12	13	14	4			49
21	Тутаев	5	15	18	19	20	16	7			74
22	Мышкино	4	9	14	12	19	16	5			54
23	Новое Село	4	7	13	12	11	13	4			42
25	Ярославль	7	12	15	19	17	17	6			65
26	Углич	2	13	12	12	13	12	5			45
29	Веська	2	7	10	17	18	10	6			55
30	Высоково	3	7	8	11	11	13	4			41
31	Ростов	2	9	11	13	12	16	5			41
33	Переславль-Залес- ский	3	11	11	17	15	17	5			50

201

Station No.	Station	X	XI	XII	I	II	III	IV	V	VI	Year
----------------	---------	---	----	-----	---	----	-----	----	---	----	------

34 Успенский с.-х.
техникум . . . 5 20 11 15 15 15 5 64

KALININSKAYA OBLAST

35	Весьегонск . . .	4	13	11	13	15	18	3	2	53
36	Кесьма . . .	5	17	14	17	17	18	7	2	61
40	Красный Холм . . .	4	17	15	21	15	17	6		64
44	Удомля . . .	3	9	13	16	14	18	4		46
45	Максатиха . . .	2	4	9	10	10	11	3		32
46	Бежецк . . .	4	9	13	14	13	12	4	1	44
51	Вышний Волочек . . .	3	18	13	17	19	13	7	1	57
52	Ряд . . .	3	7	14	19	16	13	6		50
53	Толмачи . . .	3	12	13	16	15	14	4		55
54	Высоково . . .	3	10	12	12	12	13	4	1	55
55	Кашин . . .	4	15	11	15	16	19	6		57
59	Осташков . . .	3	13	14	13	14	10	5		49
60	Горицы . . .	4	10	14	13	16	13	3		49
61	Лихославль . . .	4	12	12	14	14	11	5		46
62	Троица-Нерль . . .	3	8	11	16	19	12	4		65
63	Заречье . . .	3	11	10	15	18	15	2		55
64	Кувшиново . . .	3	14	14	13	17	13	7	2	66
65	Торжок . . .	4	18	15	18	18	15	6	1	61
72	Савелово . . .	2	13	13	13	14	15	4	2	46
73	Калинин . . .	4	19	17	17	17	15	6		61
75	Бдынь . . .	3	12	13	18	15	14	4		56
80	Луковниково . . .	4	17	15	15	17	15	5		61
82	Старица . . .	6	16	14	15	15	14	5		54
83	Тургиново . . .	3	19	14	15	17	17	5		60
87	Хлопово-Городище . . .	3	9	14	14	15	13	3		50
89	Ржев . . .	3	16	14	14	14	11	5		53
91	Мостовая . . .	3	13	12	16	15	14	6	3	55

MOSCOVSKAYA OBLAST

102	Клин . . .	2	17	13	14	17	18	6		52
103	Дмитров . . .	4	9	10	15	13	11	4		46
104	Загорск . . .	7	18	14	18	19	14	5	1	64
109	Шаховская . . .	4	15	18	14	15	16	5		59
110	Волоколамск . . .	2	13	16	16	19	14	4		59
117	Починки . . .	3	9	12	14	16	18	6		55
124	Москва, ВДНХ . . .	1	9	14	10	19	10	3		41
126	Москва, Сокольники . . .	3	9	14	14	14	11	3		47
131	Подмосковная . . .	4	8	16	19	15	17	8		63
133	Немчиновка . . .	6	12	12	16	14	16	8		56
142	Куровское . . .	3	8	10	12	15	9	4		38
145	Черусти . . .	1	10	13	18	15	12	1		47
146	Можайск . . .	3	10	16	14	15	15	7		55
151	Наро-Фоминск . . .	3	13	14	15	14	15	5		55
157	Мишино . . .	3	8	11	13	15	10	5		39
163	Кашира . . .	4	12	19	16	19	14	6		58

VLADIMIRSKAYA OBLAST

164	Сима . . .	3	10	14	16	19	14	4		51
165	Юрьев-Польский . . .	2	15	13	20	15	14	6	1	62
166	Суздаль . . .	4	9	12	16	14	13	3		51
167	Саниково . . .	2	11	8	11	8	10	2	1	41
168	Александров . . .	6	17	15	19	17	20	6	2	71
170	Ковров . . .	1	8	18	14	16	16	4		52
174	Гороховец . . .	7	11	14	15	11	11	2		39
176	Владимир . . .	3	7	14	14	9	13	5		48
180	Селивановское он поле . . .	2	9	10	16	11	12	3		43

202

Station No	Station	X	XI	XII	I	II	III	IV	V	Year
------------	---------	---	----	-----	---	----	-----	----	---	------

181	Петушки	4	10	13	11	15	11	4	54
183	Молок	2	13	13	13	12	14	3	52
185	Гусь Хрустальный	4	10	11	12	15	15	5	45
186	Муром	3	9	10	21	11	11	2	43

SMOLENSKAYA OBLAST

191	Сланчика	3	8	14	15	19	14	8	66
193	Василево	2	9	14	17	15	13	5	60
194	Велик	3	18	19	18	20	15	5	74
195	Джатек	3	14	15	21	20	16	4	66
196	Ново-Пречистое	1	6	12	15	19	14	3	64
198	Демидов	2	10	16	15	16	13	5	56
199	Вильма	3	15	10	16	14	15	2	53
201	Духоничица	2	8	17	15	16	12	4	60
203	Сафоново	3	10	21	13	13	16	4	55
205	Темкино	2	7	15	14	17	9	7	55
206	Шокино	2	5	15	12	12	13	4	53
207	Рудня	3	17	23	20	19	20	9	79
211	Смоленск	2	9	14	12	17	15	3	56
212	Балык	4	20	21	18	18	17	7	71
213	Починок	3	17	20	18	16	14	7	68
215	Ускона	2	13	14	16	16	11	3	54
217	Ростовка	3	11	14	22	18	11	5	72
218	Ермани	2	8	15	17	15	13	3	53

KALUZHESKAYA OBLAST

219	Малоярославец	2	10	10	14	11	10	6	48
224	Мосальск	2	10	18	13	12	11	5	49
225	Калуга	3	8	9	13	12	10	6	39
226	Спас-Деменск	3	7	13	15	16	12	4	59
228	Суходоли	2	8	13	12	16	12	6	44
229	Фанищево и Кироп	2	6	11	10	11	10	6	40
232	Жигура	4	8	14	18	14	14	3	48

RYAZANSKAYA OBLAST

233	Гума	5	9	12	22	18	17	4	64
237	Рязань	2	13	19	21	22	15	4	68
239	Сасово	2	11	21	16	15	15	5	54
240	Шилово	4	13	15	19	18	13	4	52
241	Старожилово	1	7	19	17	15	15	4	63
242	Михайлов	4	15	15	19	17	13	5	57
245	Скопин	1	5	12	13	13	13	4	42
246	Павлово	1	16	18	13	21	17	5	62
247	Рыжек	4	16	18	16	20	13	3	55
248	Верда	5	12	17	13	15	14	3	50

TUL'ISKAYA OBLAST

253	Венец	4	11	14	17	21	16	4	51
256	Гуляй	3	10	13	14	19	13	5	56
256	Чаплыгин	3	8	12	13	16	12	5	45
259	Велик	1	18	13	13	15	14	3	58
262	Волого	5	18	20	17	24	12	3	59
263	Черкизово	1	7	15	17	18	17	4	70

1. In September greatest number of days with snow 1.

203

Table 2. Mean number of days with drifting-snow storms.

№ станицы	Станция	X	XI	XII	I	II	III	IV	Год
YaROSLAVSKAYA OBLAST									
6	Пощеконье-Воло- дарек	0.2	0.5	0.7	1	1	2	0.2	6
12	Мыс Рожновский	0.1	1	2	4	3	3	0.5	14
31	Ростов	0.1	0.3	2	2	2	2	0.1	9
33	Переславль-Залес- ский	0.05	0.3	2	2	3	2	0.05	9
KALININSKAYA OBLAST									
36	Кесьма	0.5	1	2	2	2	2	0.2	8
55	Кашин	0.1	0.4	1	2	1	1	0.2	6
65	Торжок	1	3	3	3	2	2	0.2	12
82	Старица	0.05	0.8	2	3	2	2	0.05	10
MOSKOVSKAYA OBLAST									
102	Клин	0.1	0.6	1	2	2	2	0.1	8
133	Немчиновка	0.2	0.6	0.6	4	2	2	0.2	10
146	Можайск	0.5	1	3	2	2	2	0.2	9
163	Кашira	0.6	2	3	3	2	2	0.1	11
VLADIMIRSKAYA OBLAST									
168	Александров	0.2	0.8	1	2	1	0.2	5	
171	Вязники	0.6	2	3	4	2	2	0.2	12
185	Гусь Хрустальный	0.3	0.9	2	2	2	2	0.2	7
SMOLENSKAYA OBLAST									
191	Случевка	1	1	3	2	2	0.1	9	
194	Велиж	0.5	0.8	2	3	3	0.2	10	
199	Вильма	0.3	0.6	2	1	1	0.2	5	
211	Смоленск	0.4	0.4	0.7	3	2	0.2	8	
KALUZhSKAYA OBLAST									
225	Калуга	0.2	0.7	1	1	1	0.1	4	
226	Спас Деменск	0.5	2	3	2	2	0.2	10	
228	Суздаль	0.1	0.5	2	0.6	0.6	0.5	0.2	4
232	Жиздрा	0.1	0.3	0.7	0.7	1	0.1	3	
RYAZANSKAYA OBLAST									
234	Ельчина	0.04	0.5	1	2	3	2	0.1	9
237	Рязань	0.6	1	3	2	1	0.4	8	
240	Шилово	0.9	2	4	3	3	0.1	13	
243	Шахуньша	0.4	1	4	3	2	0.1	10	
246	Навеци	0.1	0.8	2	4	4	2	0.1	13
TUL'SKAYA OBLAST									
255	Буда	0.1	2	3	1	1	0.2	7	
259	Белев	0.7	0.6	3	2	2	0.05	8	
262	Волово	0.1	0.8	2	4	3	0.2	14	
263	Чернъ и Скуратово	0.6	1	3	3	2	0.2	10	
265	Ефремов		1	2	2	1	0.06	6	

204

Table 3. Duration of snowstorms (hours).

Station No.	Station	X	XI	XII	I	II	III	IV	V	Year	Duration of snowstorms per day with snowstorms, year [sic]
YaROSLAVSKAYA OBLAST											
6	Пошехонье-Водолацк . . .	2	16	45	65	59	58	7	252	72	
12	Мыс Рожновский . . .	6	56	92	129	96	81	14	474	76	
25	Ярославль . . .	3	27	61	79	79	65	13	327	80	
KALININSKAYA OBLAST											
51	Вышний Волочек . . .	3	32	57	81	87	60	4	324	83	
73	Калинин . . .	3	34	44	74	73	59	7	294	77	
84	Торопец . . .	1	9	29	44	45	38	4	170	69	
89	Ржев . . .	3	18	32	47	57	42	7	206	72	
MOSKOVSKAYA OBLAST											
102	Клин . . .	3	25	44	61	79	57	8	277	79	
124	Москва, ВДНХ . . .	0.1	15	27	40	51	39	4	176	75	
146	Можайск . . .	2	19	43	60	63	50	6	243	75	
163	Кашira . . .	4	48	57	89	83	60	7	328	79	
VLADIMIRSKAYA OBLAST											
165	Юрьев-Польский . . .	3	27	56	97	83	78	5	349	84	
186	Муром . . .	3	19	34	54	47	40	2	199	78	
SMOLENSKAYA OBLAST											
199	Вязьма . . .	2	23	43	61	70	53	3	255	80	
211	Смоленск . . .	4	31	76	116	116	80	11	434	82	
213	Починок . . .	4	20	43	73	73	51	10	274	78	
217	Рославль . . .	5	26	46	87	93	64	7	328	87	
KALUZhSKAYA OBLAST											
225	Калуга . . .	1	14	30	46	43	36	6	176	70	
228	Сухиничи . . .	2	16	33	45	56	42	6	200	73	
RYAZANSKAYA OBLAST											
233	Тула . . .	6	27	51	78	87	77	7	333	84	
237	Рязань . . .	1	35	63	99	108	78	6	390	88	
239	Сасово . . .	3	22	47	68	67	50	4	261	72	
240	Шилово . . .	2	16	49	66	79	54	3	269	87	
242	Михайлов . . .	5	24	52	65	78	53	6	283	76	
246	Павловец . . .	4	26	47	70	77	56	4	284	74	
217	Ряжск . . .	1	15	44	56	81	48	3	248	77	
TUL'SKAYA OBLAST											
255	Тула . . .	4	24	44	55	76	51	4	258	80	
259	Белов . . .	4	19	35	42	60	42	2	204	77	
263	Черниг Скуратово . . .	3	15	49	84	94	67	4	316	83	

205

Table 3a. Greatest duration of snowstorms (hours)

Station No.	Station	X	XI	XII	I	II	III	IV	V	VI	Year
-------------	---------	---	----	-----	---	----	-----	----	---	----	------

YAROSLAVSKAYA OBLAST

6	Пешеходы-Воло-										
	дарек	36	78	102	124	104	113	52			405
12	Мые Рожновский	28	212	177	178	185	153	58			673
25	Ярославль	40	124	185	166	195	156	72			557

KALININSKAYA OBLAST

51	Вышний Волочек	38	132	168	190	155	102	27	4	596
73	Калинин	32	187	140	152	176	170	35		585
84	Торопец	30	87	104	102	114	98	18		354
89	Ржев	25	131	145	121	127	91	30		455

MOSCOVSKAYA OBLAST

102	Клин	39	131	137	123	159	159	55		434
124	Москва, ВДНХ	2	65	168	94	166	91	27		342
146	Можайск	35	78	164	143	115	121	48		443
163	Кашин	42	85	164	157	141	128	65		460

VLADIMIRSKAYA OBLAST

165	Юрьев Польский	18	110	134	196	192	137	27		590
186	Муром	24	78	97	120	106	106	12		355

SMOLENSKAYA OBLAST

199	Вязьма	28	110	121	128	159	137	21		443
211	Смоленск	32	175	204	203	235	174	64		762
213	Починок	36	125	244	197	212	124	42		650
217	Рославль	34	67	127	207	234	167	37	8	720

KALUZhSKAYA OBLAST

225	Калуга	14	45	85	135	95	82	48		299
228	Сухиничи	24	59	119	99	162	112	47		343

RYAZANSKAYA OBLAST

233	Тула	38	91	138	215	188	162	35		592
237	Рязань	22	140	254	221	300	154	30		724
239	Сасово	42	105	238	137	113	158	34		554
240	Шаховская	26	101	190	145	188	144	24		465
242	Михайлов	39	151	179	117	178	137	27		497
246	Навеси	28	156	168	122	185	130	28		502
247	Рижск	15	97	208	131	208	134	28		487

TUL'SKAYA OBLAST

255	Тула	43	78	154	126	136	134	42		512
259	Белев	62	133	165	108	145	114	27	2	483
263	Черниг Скуратово	34	61	169	167	192	178	29		532

206

Table 4. Recurrence of various wind directions during snowstorms (%).

Station No.	Station	N	NE	E	SE	S	SW	W	NW
-------------	---------	---	----	---	----	---	----	---	----

YaROSLAVSKAYA OBLAST

21	Тутаев	8	7	9	25	16	13	11	11
----	------------------	---	---	---	----	----	----	----	----

KALININSKAYA OBLAST

46	Бежецк	10	8	10	22	20	11	7	12
51	Вышний Волочек	6	5	7	26	19	12	10	15
73	Калинин	10	9	10	17	19	20	7	8
89	Ржев	9	11	12	23	21	9	7	8

MOSKOVSKAYA OBLAST

121	Москва, с.-х. академия	11	3	7	31	17	10	7	14
140	Собакино	11	9	14	17	18	14	8	9

VLADIMIRSKAYA OBLAST

186	Муром	8	10	4	14	41	12	3	8
-----	-----------------	---	----	---	----	----	----	---	---

SMOLENSKAYA OBLAST

194	Велиж	9	9	9	17	17	14	12	13
199	Вязьма	12	6	11	20	14	18	10	9
211	Смоленск	6	6	12	16	21	16	11	12

KALUZhSKAYA OBLAST

225	Калуга	6	10	18	17	15	13	14	7
232	Жиздра	10	10	12	15	14	15	12	12

RYAZANSKAYA OBLAST

234	Елатыма	10	5	5	29	20	16	5	10
237	Рязань	6	6	10	20	23	19	8	8
246	Павлово	7	7	7	22	21	17	11	8

TUL'SKAYA OBLAST

255	Тула	6	6	20	23	14	14	10	7
262	Волово	7	8	14	20	16	16	10	9

207

Table 5. Recurrence of various wind velocities during snowstorms (%).

Station No.	Station	Velocity (m/s)					
		<6	6-9	10-13	14-17	18-20	>20

YaROSLAVSKAYA OBLAST

21	Гулаев	16.7	66.3	14.0	3.0	0.05
----	------------------	------	------	------	-----	------

KALININSKAYA OBLAST

46	Бежецк	8.4	52.7	27.1	10.9	0.9
51	Вязьминский Волочек	6.8	74.2	14.5	4.2	0.3
73	Калинин	2.7	42.6	30.5	23.5	0.7
89	Ржев	4.8	57.9	25.2	10.5	1.6

MOSKOVSKAYA OBLAST

121	Москва, с.-х. академия	17.3	60.7	17.4	2.6	1.8	0.2
140	Собакино	21.3	54.5	18.7	5.4	0.0	0.1

VLADIMIRSKAYA OBLAST

186	Муром	4.4	79.9	13.9	1.7	0.1
-----	-----------------	-----	------	------	-----	-----

SMOLENSKAYA OBLAST

194	Велиж	7.1	65.4	15.4	11.6	0.5
199	Вязьма	8.8	62.4	26.2	2.6	
211	Смоленск	1.7	46.2	38.2	12.7	1.1

KALUZHESKAYA OBLAST

225	Калуга	8.4	49.9	31.0	10.5	0.2
232	Жиздрा	21.1	54.0	18.6	5.4	0.9

RYAZANSKAYA OBLAST

234	Елатома	5.4	65.8	22.3	5.5	1.0
237	Рязань	2.3	27.7	34.9	28.5	6.5
246	Павловец	2.0	29.5	41.2	24.2	2.8

TUL'SKAYA OBLAST

255	Гуляево	5.4	37.7	32.1	22.0	2.8
262	Волово	1.5	51.0	34.3	12.7	0.5

208

Table 6. Recurrence of air temperature within various limits during snowstorms.

Temperature		X	XI	XII	I	II	III	IV	V	VI	year
from	to										

YaROSLAVSKAYA OBLAST

21. Тутаев

≤ -30.0				0.6							0.2
-29.9	-25.0			0.3	0.2						0.1
-24.9	-20.0			3	1	2	0.5				2
-19.9	-15.0		2	11	11	10	3				8
-14.9	-10.0	21	16	22	22	29	16	1			21
-9.9	-5.0	29	38	39	40	36	37	20			37
-4.9	0.0	50	43	25	23	22	43	77			31
>0.0				1	2	0.6	1	2			0.9

KALININSKAYA OBLAST

48. Бежецк

≤ -30.0				0.5							0.1
-29.9	-25.0			0.9	0.4						0.3
-24.9	-20.0		2	0.9	2						1
-19.9	-15.0		13	6	6	2					5
-14.9	-10.0	20	7	29	30	26	18				23
-9.9	-5.0	30	33	30	37	37	37	18			35
-4.9	0.0	50	56	24	24	26	40	77	100		34
>0.0				4	2	0.5	3	3	5		2

51. Вышний Волочек

-29.9	-25.0			0.3							0.1
-24.9	-20.0		0.8	0.4	1	2					0.7
-19.9	-15.0		6	6	8	4					5
-14.9	-10.0	33	10	22	22	24	10				19
-9.9	-5.0	25	39	35	37	39	40	8			37
-4.9	0.0	42	45	34	33	27	40	81	100		35
>0.0			5	3	2	1	4	11			3

73. Калинин

-24.9	-20.0			0.5	0.3	0.9					0.4
-19.9	-15.0		4	3	7	3					4
-14.9	-10.0	8	8	23	25	25	12				19
-9.9	-5.0	38	35	36	38	34	34	25			36
-4.9	0.0	39	51	33	31	30	46	59			37
>0.0		15	6	4	3	3	5	16			4

89. Ржев

-29.9	-25.0			0.7	0.4						0.2
-24.9	-20.0		0.7		0.4						0.2
-19.9	-15.0		7	8	7	0.5					5
-14.9	-10.0	10	15	30	22	24	9				19
-9.9	-5.0	40	36	34	37	41	45	23			39
-4.9	0.0	50	48	27	31	26	43	56			35
>0.0		1	1	2	1	2	2	21			2

209

Temperature		X	XI	XII	I	II	III	IV	V	VI	year
from	to										

MOSKOVSKAYA OBLAST

121. Москва, с.-х. академия

-29.9	-25.0										0.2
-24.9	-20.0			3	0.7	2					1
-19.9	-15.0			18	5	5	9				7
-14.9	-10.0		17	25	20	30	19				22
-9.9	-5.0	50	29	28	51	40	34	37			39
-4.9	0.0	50	50	25	21	21	33	36			28
>0.0			4	1	2	0.8	5	27			3

140. Собакино

-29.9	-25.0			0.6							0.1
-24.9	-20.0			1	2	3	0.4				1
-19.9	-15.0			8	8	5	5				6
-14.9	-10.0		10	22	25	30	12				21
-9.9	-5.0	22	41	42	36	36	41	26			38
-4.9	0.0	67	46	23	27	24	39	66			31
>0.0			11	3	3	2	2	4	8		3

VLADIMIRSKAYA OBLAST

186. Муром

-29.9	-25.0			0.7							0.1
-24.9	-20.0			2	2	2					1
-19.9	-15.0		1	10	8	4	0.6				5
-14.9	-10.0		3	21	29	28	20				22
-9.9	-5.0	27	46	32	32	35	45				36
-4.9	0.0	60	42	31	27	29	28	100			32
>0.0			13	8	3	2	2	6			4

SMOLENSKAYA OBLAST

194. Велиж

-29.9	-25.0				1						0.3
-19.9	-15.0			2	6	4	2				3
-14.9	-10.0		7	13	17	23	10				15
-9.9	-5.0	100	38	47	32	38	37	32			38
-4.9	0.0		47	35	36	31	46	59			38
>0.0				8	3	9	3	5	9		6

199. Вязьма

-24.9	-20.0			2	1	2	0.4				1
-19.9	-15.0		0.9	2	6	4	3				4
-14.9	-10.0	22	15	23	24	27	13				21
-9.9	-5.0	45	28	39	34	37	38	57			36
-4.9	0.0	33	55	31	35	28	43	33			36
>0.0			0.9	3	0.1	2	3	10			2

211. Смоленск

-29.9	-25.0			0.8		0.2					0.2
-24.9	-20.0			0.4	1	1					0.7
-19.9	-15.0			2	6	6	2				4
-14.9	-10.0	7	11	16	19	25	9				17
-9.9	-5.0	43	31	44	33	34	36	24			35
-4.9	0.0	36	52	34	38	31	50	60			39
>0.0			14	6	3	3	3	16			4

210

Temperature		X	XI	XII	I	II	III	IV	V	VI	year
from	to										

KALUZhSKAYA OBLAST

225. Калуга

-24.9	-20.0						2				0.4
-19.9	-15.0		2	1	6	9	4				5
-14.9	-10.0		23	23	20	26	10				20
-9.9	-5.0	43	26	40	50	34	42	13			39
-4.9	0.0	57	43	32	21	29	39	80			33
>0.0			6	4	3	2	3	7			3

232. Жиздра

-24.9	-20.0			0.6	0.4	0.7					0.4
-19.9	-15.0			5	8	4	1				4
-14.9	-10.0		10	14	23	28	14				19
-9.9	-5.0	61	43	40	33	35	36	25			37
-4.9	0.0	39	46	36	34	29	45	60			37
>0.0			1	4	2	4	4	15			3

RYAZANSKAYA OBLAST

234. Елатынь

-24.9	-20.0			3	0.7						0.7
-19.9	-15.0		7	10	4	6	0.8				5
-14.9	-10.0		10	18	31	27	26				23
-9.9	-5.0	45	42	39	33	42	39				38
-4.9	0.0	33	38	29	29	23	30	92			30
>0.0		22	3	1	2	2	4	8			3

237. Рязань

< -30.0					0.3						0.1
-29.9	-25.0			0.4		0.5					0.2
-24.9	-20.0			3	0.6	0.5	0.4				0.9
-19.9	-15.0		0.8	8	10	14	5				9
-14.9	-10.0		8	20	27	22	16	5			20
-9.9	-5.0	67	46	45	30	35	43	32			38
-4.9	0.0	33	42	23	30	27	34	63			31
>0.0			3	0.4	2	1	2				1

246. Павлодец

< -30.0				0.4							0.1
-29.9	-25.0				0.9						0.3
-24.9	-20.0			3	3	0.9					1
-19.9	-15.0		1	8	8	10	4				7
-14.9	-10.0	5	12	23	27	28	14				22
-9.9	-5.0	23	34	39	33	33	45	7			36
-4.9	0.0	67	50	24	28	27	35	86			32
>0.0		5	3	3	1	0.6	2	7			2

TUL'SKAYA OBLAST

255. Тула

-29.9	-25.0			0.5	0.8						0.4
-24.9	-20.0			0.7		0.4					0.2
-19.9	-15.0			5	3	10	3				5
-14.9	-10.0		17	22	19	27	10				20
-9.9	-5.0	10	31	34	42	29	39	10			34
-4.9	0.0	90	45	36	32	30	47	90			38
>0.0			7	2	4	3	1				3

211

Temperature		X	XI	XII	I	II	III	IV	V	VI	year
from	to										

262. Водово

< -30.0		0.3									0.1
-29.9	-25.0				0.5						0.1
-24.9	-20.0		1	4	2						2
-19.9	-15.0	0.8	10	9	11	4					8
-14.9	-10.0	4	18	22	33	31	14				24
-9.9	-5.0	16	27	38	26	32	41	13			32
-4.9	0.0	72	52	29	26	23	41	87	100		13
>0.0		8	2	0.4	2	0.8	0.4				1

Table 7. Recurrence of various number of days with snowstorms during a year.

No. of days	Recur- rence	No. of days	Recur- rence	No. of days	Recur- rence
YaROSLAVSKAYA OBLAST		25. Ярославль		45. Максатиха	
5. Семёновское		11-20	3	1-10	22
21-30	27	21-30	7	11-20	56
31-40	42	31-40	28	21-30	18
41-50	26	41-50	45	31-40	4
51-60	5	51-60	14		
		61-70	3		
6. Помехонье-Володарск		26. Углич		46. Бежецк	
11-20	8	11-20	12	1-10	4
21-30	40	21-30	33	11-20	19
31-40	20	31-40	42	21-30	44
41-50	32	41-50	13	31-40	26
				41-50	7
20. Обухово		31. Ростов		51. Вышний Волочек	
11-20	24	11-20	17	11-20	24
21-30	38	21-30	42	21-30	22
31-40	33	31-40	38	31-40	30
41-50	5	41-50	3	41-50	11
				51-60	13
34. Успенский с.-х. техникум				53. Толмачи	
21. Тутаев		11-20	15	21-30	42
21-30	7	21-30	30	31-40	29
31-40	11	31-40	25	41-50	21
41-50	14	41-50	20	51-60	8
51-60	39	51-60	5		
61-70	18	61-70	6	55. Кашино	
71-80	7			11-20	8
		KALININSKAYA OBLAST		21-30	31
22. Мышкино		36. Кесьма		31-40	38
11-20	12	21-30	4	41-50	15
21-30	38	31-40	27	51-60	8
31-40	42	41-50	46		
41-50	4	51-60	18	59. Осташков	
51-60	4	61-70	5	11-20	27
				21-30	31
				31-40	31
				41-50	11

212

No. of days	Recurrence	No. of days	Recurrence	No. of days	Recurrence
84. Кушиново		109. Шаховская		170. Копров	
11-20	8	11-20	29	1-10	7
21-30	34	21-30	17	11-20	28
31-40	31	31-40	33	21-30	31
41-50	23	41-50	13	31-40	24
51-60		51-60	8	41-50	7
61-70	4			51-60	3
85. Торжок		110. Волоколамск		174. Гороховец	
21-30	9	11-20	11	11-20	42
31-40	35	21-30	22	21-30	37
41-50	35	31-40	26	31-40	21
51-60	17	41-50	30		
61-70	4	51-60	11		
73. Калинин		117. Починки		176. Владимир	
11-20	22	11-20	13	11-20	17
21-30	11	21-30	35	21-30	39
31-40	30	31-40	35	31-40	33
41-50	15	41-50	9	41-50	11
51-60	15	51-60	8		
61-70	7				
82. Старина		142. Курковское		180. Селивановское	
1-10	4	1-10	4	оп. поле	
11-20	12	11-20	46	1-10	10
21-30	38	21-30	38	11-20	38
31-40	17	31-40	12	21-30	31
41-50	21			31-40	17
51-60	8			41-50	4
83. Тургиново		146. Можайск		185. Гусь-Хрустальный	
11-20	9	11-20	8	11-20	15
21-30	39	21-30	29	21-30	41
31-40	4	31-40	42	31-40	37
41-50	26	41-50	17	41-50	7
51-60	22	51-60	4		
89. Ржев		151. Наро-Фоминск		186. Муром	
1-10	4	11-20	9	1-10	3
11-20	23	21-30	36	11-20	10
21-30	42	31-40	32	21-30	52
31-40	12	41-50	18	31-40	21
41-50	11	51-60	5	41-50	14
51-60	3				
MOSKOVSKAYA OBLAST		163. Кашира		SMOLENSKAYA OBLAST	
102. Клин		11-20	4	191. Сычевка	
21-30	35	21-30	18	11-20	20
31-40	44	31-40	30	21-30	32
41-50	17	41-50	35	31-40	36
51-60	4	51-60	13	41-50	4
104. Загорск		VLADIMIRSKAYA OBLAST		51-60	4
11-20	5	1-10	7	61-70	4
21-30	36	11-20	10		
31-40	18	21-30	10		
41-50	18	31-40	18		
51-60	14	41-50	20		
61-70	9	51-60	18		
		61-70	4		
		71-80	4		
				194. Велиж	
				11-20	22
				21-30	26
				31-40	13
				41-50	17
				51-60	9
				61-70	9
				71-80	4

No. of days	Recur-rence	No. of days	Recur-rence	No. of days	Recur-rence
196. Нови-Пречистое		41-50	31	225. Калуга	
11-20	37	51-60	17	11-20	29
21-30	32	61-70	17	21-30	33
31-40	21	71-80	9	31-40	38
41-50	5				
51-60					
61-70	5	1-10	4	226. Спас-Деменск	
		11-20	5	11-20	9
198. Демидов		21-30	22	21-30	19
11-20	13	31-40	22	31-40	48
21-30	30	41-50	26	41-50	19
31-40	39	51-60	13	51-60	5
41-50	9	61-70	4		
51-60	9	71-80	4	228. Сухиничи	
199. Вязьма				11-20	8
1-10	4	213. Починок		21-30	56
11-20	15	11-20	17	31-40	32
21-30	23	21-30	33	41-50	4
31-40	31	31-40	8		
41-50	19	41-50	17	232. Жиздра	
51-60	8	51-60	17	1-10	5
		61-70	8	11-20	8
201. Духовщина				21-30	18
1-10	4	217. Рославль		31-40	36
11-20	29	1-10	4	41-50	9
21-30	25	11-20	8	51-60	
31-40	21	21-30	19	61-70	14
41-50	17	31-40	19		
51-60	4	41-50	31	RYAZANSKAYA OBLAST	
		51-60	15	233. Тула	
205. Темкино		61-70		1-10	4
1-10	4	71-80	4	11-20	
11-20	38			21-30	15
21-30	29	KALUZhSKAYA OBLAST		31-40	40
31-40	17			41-50	26
41-50	8	219. Малоярославец		51-60	11
51-60	4	1-10	13	61-70	4
		11-20	31		
211. Смоленск		21-30	35	237. Рязань	
21-30	9	31-40	17	21-30	14
31-40	17	41-50	4	31-40	27

214

No. of days	Recur-	No. of days	Recur-	No. of days	Recur-	
41-50	45	31-40	33		255. Тула	
51-60	9	41-50	30	1-10	4	
61-70	5	51-60	11	11-20	38	
				21-30	19	
			246. Павледц	31-40	9	
			11-20	7	41-50	27
239. Сасово			21-30	21	51-60	4
11-20	7		31-40	39		
21-30	21		41-50	25	256. Узловая	
31-40	41		51-60	4	11-20	41
41-50	21		61-70	4	21-30	29
51-60	10			31-40	26	
		240. Шилово	247. Рижск	41-50	4	
11-20	17		11-20	10	259. Белев	
21-30	38		21-30	38	1-10	7
31-40	21		31-40	24	11-20	19
41-50	21		41-50	24	21-30	37
51-60	3		51-60	4	31-40	22
				41-50	4	
		241. Старожилово	248. Верда	51-60	11	
1-10	4		11-20	24	262. Волово	
11-20	11		21-30	44	11-20	8
21-30	42		31-40	20	21-30	17
31-40	27		41-50	12	31-40	33
41-50	8			41-50	13	
51-60	4	TUL'SKAYA OBLAST		51-60	29	
			253. Венев		263. Чернь и Скуратово	
61-70	4		11-20	19	11-20	12
			21-30	42	21-30	21
242. Михайлов			31-40	27	31-40	17
11-20	11		41-50	8	41-50	38
21-30	15		51-60	4	51-60	8
				61-70	4	

215

S E C T I O N 4

S T O R M S

Table 1.
Mean Number of Days with Storms

Station Nr.	Station	III	IV	V	VI	VII	VIII	IX	X	Year
YAROSLAVSKAYA OBLAST										
2	Владычное . . .	0.3	3	6	7	5	1	0.04	22	
4	Кукобой . . .	0.5	3	6	7	5	0.8		22	
5	Семеновское . . .	0.5	3	6	6	6	1		22	
6	Понехонье-Воло- дарек . . .	0.4	3	6	8	5	1	0.03	23	
9	Шары . . .	0.4	3	7	8	5	2		25	
10	Брейтово . . .	0.8	3	6	7	6	1		24	
12	Мые Рожновский	0.5	4	7	9	6	1	0.04	28	
13	Данилов . . .	0.3	3	6	8	4	0.9		22	
15, 18	Рыбники . . .	0.5	3	5	7	5	1	0.03	22	
16	Комарно . . .	0.8	3	6	6	5	1		23	
17	Несады . . .	0.6	3	6	7	5	1	0.04	22	
20	Обухово . . .	0.7	2	6	7	5	1		22	
21	Гутаев . . .	0.4	3	6	7	5	1	0.07	24	
22	Мынкино . . .	0.7	3	6	8	5	1	0.08	26	
23	Нопое Село . . .	0.7	3	7	8	6	1	0.03	23	
25	Ярославль . . .	0.4	3	6	8	5	1	0.1	25	
26	Углич . . .	0.5	3	7	8	5	1		22	
29	Веська . . .	0.5	2	6	7	5	2		29	
31	Ростов . . .	0.03	0.5	4	7	9	6	2		
33	Переславль-Залес- ский . . .	0.4	4	6	9	6	1	0.03	26	
34	Успенский техникум . . .	0.5	4	6	7	5	1		24	
KALININSKAYA OBLAST										
35	Весьегонск . . .	0.7	4	6	7	6	0.9		25	
36	Кесьма . . .	0.5	3	6	7	5	0.8		22	
37	веревовский Рядок	0.6	3	6	7	4	1		22	
39	Котлован . . .	0.4	4	6	7	4	1	0.06	22	
40	Красный Холм . . .	0.4	3	6	7	5	0.8		21	
41	Спас-Забережье . . .	0.8	4	5	6	4	1		26	
42	Богатое . . .	0.6	4	6	9	5	1		24	
43	Удомля . . .	0.9	4	6	7	5	1		23	
45	Макеатиха . . .	0.6	3	6	7	5	1		24	
46	Белавец . . .	0.6	3	7	7	5	1	0.05	28	
49	Рождество . . .	1	4	7	9	5	2		24	
51	Вишнин Волочек	0.8	4	6	8	4	2		23	
52	Рыт . . .	1	4	5	7	4	2		25	
53	Толмачи . . .	0.9	4	6	8	5	1		25	
54	Звениково . . .	0.9	4	6	7	5	2	0.03	24	
55	Канини . . .	0.4	3	7	8	5	1		28	
56	Ивановское . . .	0.6	4	7	9	5	2		26	
59	Осташков ¹ . . .	0.5	4	6	9	4	2	0.03	24	
63	Горицы . . .	0.4	3	7	8	5	1		27	
61	Лихославль . . .	1	4	7	8	5	2		26	
64	Курицкино ² . . .	0.07	0.7	4	6	9	5	1	25	
65	Горячок ³ . . .	0.8	4	6	8	5	1		27	
72	Савелово . . .	0.7	4	7	8	6	1	0.03	25	
73	Калинин . . .	0.7	4	6	8	5	2		25	
74	Ныняково . . .	0.9	4	6	7	5	2		27	
80	Луковниково . . .	1	3	7	8	6	0.9		24	
82	Старина . . .	0.6	3	6	9	5	1	0.04	29	
83	Гуриново . . .	0.7	4	7	9	7	1			

¹ In November 0.03 day with storm.

² In November 0.04 day with storm.

³ In November 0.04 day with storm.

Station Nr.	Station		III	IV	V	VI	VII	VIII	IX	X	Year
84	Торопец	.	0.04	0.6	4	7	9	6	2	0.04	29
85	Молодой Туд	.		0.9	4	7	7	4	1		24
88	Западная Двина	.		0.5	4	6	7	4	1	0.03	23
89	Ржев	.		0.8	4	6	9	5	1		26
91	Мостовая ¹	.	0.07	1	4	7	8	5	2	0.07	27
94	Белый	.		0.8	4	6	8	5	2	0.07	26

MOSKOVSKAYA OBLAST

101	Яхрома, шиншилла ст.	.	0.5	3	6	7	5	0.8	0.07	22	
102	Клин	.	0.8	4	6	8	5	1	0.07	25	
103	Дмитров	.	0.8	4	6	8	6	1		26	
104	Загорск	.	0.6	4	6	8	6	2	0.1	27	
109	Шаховская	.	0.5	4	6	8	5	2	0.03	26	
110	Волоколамск	.	0.5	4	6	8	6	1	0.03	26	
117	Починки	.	0.5	4	6	8	5	1	0.2	25	
118	Ново-Иерусалим	0.03	0.4	3	7	8	6	1	0.03	25	
120	Лосиноостровская	0.04	0.6	4	6	8	6	1	0.04	26	
121	Москва, с.-х. ака- демия	.	0.07	0.6	3	6	7	5	1	0.07	23
124	Москва, ВДНХ	.	0.1	0.8	4	7	7	6	2	0.2	27
129	Павловский Посад	.	0.4	4	6	7	5	1	0.1	23	
130	Москва, ГМО	.	0.1	0.8	3	6	7	6	2	0.2	25
131	Подмосковная	.	0.05	0.6	4	7	7	6	2	0.1	27
133	Немчиновка	.	0.1	0.6	4	6	8	7	1	0.1	27
136	Москва, ЗИУ	.	0.1	0.8	3	7	7	5	2	0.2	25
140	Собакино	.	0.07	0.5	3	6	7	6	2	0.1	25
141	Ленино-Дачное	.	0.07	0.4	4	5	8	6	2	0.3	26
142	Куровское	.	0.3	3	6	8	5	2	0.1	24	
143	Крикандино	.	0.4	4	7	7	4	1	0.1	24	
145	Черусти	.	0.3	3	6	8	5	1	0.2	21	
146	Можайск	.	0.6	4	7	8	6	2	0.07	28	
151	Наро-Фоминск	.	0.7	4	7	8	7	2	0.1	29	
155	Хлевнено	.	0.6	4	6	7	6	1	0.2	25	
156	Коломна	.	0.4	3	6	7	5	1	0.1	22	
157	Михнево	.	0.4	4	8	8	6	1	0.1	28	
161	Серпухов	.	0.3	4	7	7	5	1	0.07	24	
163	Кашира	.	0.6	3	6	8	5	1	0.07	24	

VLADIMIRSKAYA OBLAST

161	Юрьев-Польский	.	0.3	3	6	7	5	1	0.1	22
166	Сузdalь	.	0.4	3	5	8	5	1	0.2	23
168	Александров	.	0.2	4	6	8	6	1	0.1	25
170	Ковров	.	0.4	4	6	8	5	2	0.2	26
171	Вязники	.	0.5	4	7	9	6	2	0.3	29
174	Гороховец	.	0.4	3	7	8	5	1	0.04	24
176	Владимир	.	0.7	4	7	9	5	1	0.2	27
180	Селивановское оп. поле ²	.	0.6	4	8	9	6	2	0.3	30
181	Петушки	.	0.5	4	6	8	6	1	0.1	26
183	Мошок	.	0.4	4	7	8	3	1	0.2	24
184	Крюково	.	0.6	4	7	6	4	2	0.2	24
185	Гусь-Хрустальный	.	0.4	4	7	10	6	2	0.3	30
186	Муром	0.03	0.3	4	6	8	5	1	0.2	25
187	Черево	.	0.5	4	7	8	5	2	0.3	27
188	Меленки ³	.	0.4	3	7	8	6	2	0.2	27

¹ In November 0.07 day with storm.² In November 0.03 day with storm.³ In November 0.04 day with storm.

218

Station Nr.	Station	III	IV	V	VI	VII	VIII	IX	X	Year
----------------	---------	-----	----	---	----	-----	------	----	---	------

SMOLENSKAYA OBLAST

191	Сычевка . . .	0.5	4	6	7	5	1	0.04	24	
192	Козеевщина . . .	0.9	4	7	7	5	2	0.06	26	
193	Большево . . .	0.6	4	7	7	6	2	0.06	27	
194	Велиж . . .	0.07	0.7	4	7	8	5	2	0.07	27
195	Гжатск . . .	0.6	5	7	8	6	1	0.08	28	
196	Ново-Пречистое	0.7	4	7	8	5	2	0.08	27	
198	Лемидов . . .	0.3	4	6	8	5	2		25	
199	Вязьма . . .	0.5	4	6	8	5	1		24	
201	Духомщина . . .	0.8	3	7	6	6	2		25	
202	Надежда . . .	0.6	4	6	6	4	2		23	
203	Сафоново . . .	0.4	4	7	8	5	2		26	
205	Темкино . . .	0.6	3	6	7	5	1		23	
206	Шокино . . .	0.06	0.9	4	8	8	6	2	29	
207	Рудня . . .	0.04	0.8	4	5	7	5	2	24	
210	Дебри . . .	1	5	6	6	5	2		26	
211	Смоленск . . .	0.9	4	7	8	6	2		28	
212	Ельня . . .	0.7	4	7	8	5	1		26	
213	Починок . . .	0.7	4	6	7	5	2		25	
215	Ускусы . . .	1	4	6	6	5	2		25	
216	Александровка . . .	0.9	5	6	6	5	2		31	
217	Рославль . . .	1	5	8	9	6	2		28	
218	Ершичи . . .	1	4	7	8	6	2		28	

KALUZHESKAYA OBLAST

219	Малоярославец . . .	0.5	4	7	8	6	1	0.1	27
221	Мокрая . . .	0.9	4	6	7	5	2	0.05	25
222	Беликово ¹ . . .	0.8	5	6	8	6	2	0.2	28
224	Мосальск . . .	0.9	4	6	8	6	2	0.08	27
225	Калуга . . .	0.7	4	7	8	6	2	0.03	28
226	Спас-Деменск . . .	0.9	4	7	8	4	1		25
228	Суздальчи . . .	0.6	4	6	7	5	2	0.04	25
229	Файнсовая и Киров . . .	1	5	8	8	6	2		30
230	Козельск . . .	0.6	4	7	7	6	2	0.05	27
232	Жиздра . . .	0.9	6	8	9	6	2		32

RYAZANSKAYA OBLAST

233	Тума . . .	0.7	4	8	10	6	2	0.4	31	
234	Ельтина . . .	0.4	3	6	7	4	1	0.2	22	
235	Касимов . . .	0.5	3	6	7	4	2	0.3	23	
237	Рязань . . .	0.5	4	7	8	6	2	0.2	28	
238	Кадом ² . . .	0.05	0.6	3	6	7	5	2	24	
239	Сасово . . .	0.03	0.6	4	7	9	6	2	0.07	
240	Шилово . . .	0.9	3	7	8	6	2	0.06	27	
241	Старожилово . . .	0.8	4	7	9	5	2	0.2	28	
242	Михайлов . . .	0.6	4	8	9	6	2	0.2	30	
243	Шацк . . .	0.04	0.9	4	7	9	6	2	29	
244	Сапожок . . .	0.05	1	4	6	9	5	2	27	
245	Скопин . . .	0.7	4	6	8	5	2	0.2	26	
246	Навесец . . .	0.6	3	7	7	5	1	0.1	24	
247	Рижек . . .	0.7	3	7	8	6	2	0.1	27	
248	Верда . . .	0.04	0.8	4	6	8	5	2	0.07	26

TULSKAYA OBLAST

252	Алексин ³ . . .	0.8	5	6	8	7	2		29
253	Венев . . .	0.6	3	6	7	5	2	0.2	24

¹ In November 0.08 day with storm.

² In November 0.05 day with storm,

In November 0.06 day with storm.

219

Station Nr.	Station	III	IV	V	VI	VII	VIII	IX	X	Year
255	Тула		0.7	4	7	8	5	2	0.1	27
256	Узловая		0.6	4	8	9	6	2	0.2	30
257	Орлово		0.9	4	7	8	6	2	0.09	28
259	Белев	0.03	0.7	3	7	8	5	1	0.1	25
261	Плавск и Паточная		0.9	4	5	8	5	2	0.07	25
262	Волово		0.7	4	6	8	5	1		25
263	Чернь и Скуратово		0.7	4	7	8	5	1	0.1	26
265	Ефремов		0.6	4	6	8	6	2	0.2	27

Greatest Number of Days with Storm Table 1a.

Station Nr.	Station	IV	V	VI	VII	VIII	IX	X	Year
YAROSLAVSKAYA OBLAST									
2	Владычное	2	7	17	19	11	4	1	41
6	Пешехонье-Володарск	2	7	14	17	11	3	1	39
9	Шарья	2	8	12	18	13	3		41
10	Брейтово	3	10	12	17	10	3		38
13	Данилов	3	10	11	15	11	3		33
15, 18	Рыбинск	3	10	11	15	10	3	1	34
16	Коприно	2	7	13	15	13	4		33
17	Насады	3	6	11	13	11	4		36
20	Обухово	2	7	10	16	10	2	1	36
21	Тутаев	3	8	10	17	11	3		32
22	Мышкино	2	8	13	16	10	4	1	39
23	Новое Село	3	8	15	16	14	4	1	39
25	Ярославль	2	9	12	22	12	4	1	43
26	Углич	2	7	14	18	12	4	1	39
29	Веська	4	6	11	13	10	4		37
31	Ростов ¹	4	12	12	16	14	7		43
33	Переславль-Залесский	2	10	11	17	12	6	1	42
34	Успенский с.-х. техникум	3	8	11	13	14	5		39

KALININSKAYA OBLAST

36	Кесьма	2	10	14	16	12	3		40
40	Красный Холм	2	8	12	14	13	3		32
42	Бологое	3	12	12	18	11	4		45
45	Максатиха	2	9	13	13	14	4		41
46	Бежецк	4	11	13	12	12	3		40
49	Рождество	4	9	13	16	11	4	1	43
51	Вышний Волочек	3	11	12	13	9	4		41
52	Ряд	2	9	9	12	11	4		35
53	Толмачи	3	10	13	11	14	5		45
54	Высоково	3	9	12	10	10	4		32
55	Кашин	3	8	15	15	12	5	1	40
59	Осташков ²	2	13	11	16	10	4		45
64	Кувшиново ³	2	12	13	16	11	5		42
65	Торжок ³	4	11	16	13	9	4		39
72	Савелово	3	7	16	14	11	5		36
73	Калинин	3	10	15	13	10	5	1	41

¹ In March greatest number of days with storm 1.² In November greatest number of days with storm 1.³ In March and November greatest number days with storm 1.

220

Station Nr.	Station	IV	V	VI	VII	VIII	IX	X	Year
74	Пьяниково . . .	2	8	10	15	10	5		42
80	Луковниково . . .	4	9	12	13	10	5		56
82	Старица . . .	2	9	13	15	11	3		40
83	Тургиново . . .	2	9	16	15	12	6	1	42
84	Торопец ¹ . . .	2	14	17	17	11	6	1	41
85	Молодой Тул . . .	3	12	11	13	8	6		42
88	Западная Двина . . .	3	11	11	15	10	4	1	29
89	Ржев . . .	2	11	15	15	11	5		38
94	Белый . . .	3	15	16	17	10	6	1	47

MOSKOVSKAYA OBLAST

102	Клин . . .	4	9	11	14	12	5	2	36
103	Дмитров . . .	3	10	13	12	15	4	2	38
104	Загорек . . .	3	10	12	17	15	6	1	42
109	Шаховская . . .	2	10	13	14	11	6		39
110	Волоколамск . . .	3	10	11	13	10	5		36
117	Починки . . .	2	7	10	13	9	4	2	32
118	Ново-Иерусалим ¹ . . .	2	7	11	13	12	5	1	34
120	Лосиноостровская ¹ . . .	3	8	11	14	14	3	1	36
121	Москва, с.-х. ака- демия ¹ . . .	3	7	12	12	13	5	1	34
129	Павловский Посад . . .	2	10	14	13	11	4	1	37
131	Подмосковная ¹ . . .	3	9	12	12	14	5	1	38
133	Немчиновка ² . . .	4	7	13	13	14	4	2	44
140	Собакино ³ . . .	3	9	13	12	18	4	2	36
142	Куровское . . .	2	10	12	16	10	4	1	35
145	Черусти . . .	2	8	13	15	10	4	1	40
146	Можайск . . .	2	10	12	13	11	5	1	39
151	Наро-Фоминск . . .	3	9	13	12	15	5	2	42
155	Хлевнико . . .	2	8	10	11	11	5	2	35
156	Коломна . . .	2	9	12	11	8	4	1	34
157	Михнево . . .	3	12	17	15	12	5	1	45
161	Серпухов . . .	2	7	11	11	11	5	1	37
163	Кашира . . .	2	9	16	13	10	5	1	38

VLADIMIRSKAYA OBLAST

164	Сима . . .	2	7	9	10	14	5		31
166	Суздаль . . .	2	7	11	13	9	6	1	34
168	Александров . . .	1	8	12	15	16	5	1	38
170	Конров . . .	3	8	12	16	13	6	2	37
171	Вязники . . .	3	11	13	15	17	6	2	43
174	Гороховец . . .	2	9	14	13	15	5	1	41
176	Владимир . . .	3	10	14	15	14	4	2	37
180	Селивановское о. поле ⁴ . . .	3	10	14	16	11	8	2	42
181	Петушки . . .	3	10	13	15	12	5	1	43
183	Моинок . . .	2	8	16	17	8	4	1	34
184	Крюково . . .	2	6	10	11	8	6	1	31
185	Гусь Хрустальный . . .	2	10	15	18	9	6	2	42
186	Муром ¹ . . .	2	8	13	13	11	6	2	41
187	Черево . . .	2	9	11	12	9	5	2	38
188	Меленки ¹ . . .	2	11	15	11	10	5	1	37

¹ In March greatest number of days with storm 1.

² In March greatest number of days with storm 3

³ In March greatest number of days with storm 2

⁴ In November greatest number of days with storm 1.

221

Station Nr.	Station	IV	V	VI	VII	VIII	IX	X	Year
----------------	---------	----	---	----	-----	------	----	---	------

SMOLENSKAYA OBLAST

191	Сычевка . . .	2	8	13	14	9	5	1	34
192	Котеевщина . . .	4	10	15	12	12	6	1	45
193	Болшое . . .	2	10	13	13	11	4	1	44
194	Велиж ¹ . . .	3	16	14	14	10	6	1	43
195	Гжатск . . .	2	10	15	15	12	7	2	44
196	Ново-Пречистое . . .	3	11	18	12	11	6	1	42
198	Демидов . . .	2	15	14	13	10	5		45
199	Вязьма . . .	5	8	11	13	10	5		32
203	Сафоново . . .	3	10	14	15	10	6		38
205	Темкино . . .	3	8	9	13	8	5		33
207	Рудня ¹ . . .	3	15	13	12	10	4		43
211	Смоленск . . .	3	11	12	14	11	6		42
212	Ельня . . .	3	11	15	16	13	4		42
213	Починок . . .	3	11	13	14	10	5		40
215	Ускусы . . .	3	10	13	11	9	5	1	39
217	Рославль . . .	4	12	17	14	11	5		42
218	Ершичи . . .	4	10	17	16	14	5		40

KALUZHSKAYA OBLAST

219	Малоярославец . . .	4	12	15	12	10	3	1	34
224	Мосальск ¹ . . .	3	10	12	13	9	6	2	40
225	Калуга . . .	3	9	13	13	12	5	1	43
226	Спас-Деменск . . .	4	9	12	14	8	4		32
228	Суздаль . . .	5	8	10	13	7	7	1	32
229	Флянсская и Кироя . . .	4	11	15	15	10	4		42
230	Козельск . . .	3	8	12	14	12	5	1	41
232	Жиздра . . .	5	14	15	14	10	6		47

RYAZANSKAYA OBLAST

233	Тума . . .	3	9	14	20	13	5	2	45
234	Елатынь . . .	2	7	12	10	10	4	2	33
237	Рязань . . .	4	8	11	14	14	4	1	43
238	Кадом ² . . .	2	8	12	14	9	5	1	32
239	Сасово ¹ . . .	2	10	12	16	12	5	1	39
241	Старожилово . . .	3	9	12	16	14	5	1	38
242	Михайлов . . .	2	11	16	16	12	5	1	52
243	Шацк ¹ . . .	4	10	13	17	9	6	2	44
245	Скопин . . .	4	8	11	16	8	5	2	36
246	Павлениц . . .	3	8	12	15	8	5	1	33
247	Ряжск . . .	3	9	12	19	14	6	1	53
248	Верда ¹ . . .	3	7	11	14	11	5	1	41

TULSKAYA OBLAST

253	Венев . . .	4	8	14	13	10	4	1	39
255	Тула . . .	4	12	14	14	13	4	1	45
256	Узловая . . .	4	9	13	16	11	5	2	41
257	Орлово . . .	5	8	12	13	12	4	1	36
259	Белев ¹ . . .	5	11	12	13	10	6	3	37
262	Волово . . .	3	10	13	12	11	4	2	35
263	Чернъ и Скуратово . . .	3	10	12	13	12	4	1	45
265	Ефремов . . .	3	8	12	13	11	7	1	36

¹ In March greatest number of days with storm 1.

² In March and November greatest number of days with storm 1.

222

Table 2. Mean duration of storms (hours)

Station No.	Station	II	III	IV	V	VI	VII	VIII	IX	X	For	Duration of storm on day with storm year [sic]
YAROSLAVSKAYA OBLAST												
6	Пощеконье-Воло- дарск											
31	Ростов	05 10	40 83	103 188	165 239	93 170	09 33			41.5 72.3		1.7 2.5
KALININSKAYA OBLAST												
42	Бологое											
64	Кувшиново	11 09	77 96	164 159	19.8 21.5	99 104	23 18			57.2 60.1		2.1 2.3
73	Калинин	13 06	63 69	148 160	14.2 14.0	11.8 73	24 1.7			50.8 46.5		1.8 2.4
MOSKOVSKAYA OBLAST												
120	Лосиноостровская											
124	Москва. ВДНХ	0.3 0.4	32 43	64 85	9.1 9.6	62 77	10 19	0.03 0.1		26.2 32.5		1.1 1.2
146	Можайск	0.9 0.4	94 94	17.0 17.0	19.5 16.7	15.7 13.4	3.3 2.2	0.1 0.3		65.9 59.4		2.3 2.0
157	Миннево											
VLADIMIRSKAYA OBLAST												
176	Владимир											
186	Муром	0.02	0.01	0.3 0.4	50 51	11.1 11.1	15.2 15.5	81 76	1.6 1.5	0.1 0.1	41.7 41.3	1.6 1.6
SMOLENSKAYA OBLAST												
205	Темрюк											
211	Смоленск	0.02		0.7 1.2	62 7.6	82 154	11.1 166	63 115	2.0 2.3		34.5 54.6	1.6 1.9
KALUZHCKAYA OBLAST												
225	Калуга											
226	Спас Деменск	0.04		0.7 1.2	67 9.8	14.8 164	18.8 16.6	12.6 10.8	2.3 2.6	0.02 0.02	56.0 57.4	2.0 2.4
RYAZANSKAYA OBLAST												
240	Сасово	0.05	0.0	1.0 0.7	6.8 5.0	13.5 10.3	21.3 13.6	10.4 8.2	2.5 2.2	0.07 0.02	55.6 40.0	1.9 1.8
TUL'SKAYA OBLAST												
255	Гуля											
262	Вязьма			0.4 1.1	9.4 6.8	21.9 14.6	23.4 17.0	15.9 12.7	3.5 2.7		74.5 54.9	2.4 2.3

Table 2a. Duration of storms at various times of day (hours).

Station No.	Station	Hours	II	III	IV	V	VI	VII	VIII	IX	X	Year
YAROSLAVSKAYA OBLAST												
6	Пощеконье-Воло- дарск	18-24		0.2	1.0	2.9	4.1	3.4	0.2			11.8
		24-6		0.02	0.5	0.8	1.8	0.9	0.1			4.1
		6-12		0.2	0.5	1.0	2.1	1.0	0.08			4.9
		12-18		0.09	2.0	3.6	8.5	4.0	0.5			20.7
31	Ростов	18-24		0.2	2.8	6.1	8.7	5.6	1.1			24.5
		24-6		0.2	0.9	2.2	1.7	2.8	0.3			8.1
		6-12		0.04	0.2	1.1	2.1	1.4	0.5			5.3
		12-18		0.6	4.4	9.4	11.4	7.2	1.4			34.4
KALININSKAYA OBLAST												
42	Бологое	18-24		0.5	2.4	4.4	7.0	3.2	0.7			18.2
		24-6		0.1	0.6	1.8	1.8	1.2	0.5			6.0
		6-12		0.04	0.2	1.6	1.3	0.8	0.3			4.2
		12-18		0.5	4.5	8.6	9.7	4.7	0.8			28.8
64	Кувшиново	18-24		0.3	3.5	4.5	6.5	3.5	0.8			19.1
		24-6		0.05	0.5	1.8	2.4	1.6	0.2			6.8
		6-12		0.04	0.4	1.2	1.5	0.5	0.1			4.1
		12-18		0.3	4.2	8.4	11.1	4.3	0.7			30.1

223

Station No.	Station	Hours	II	III	IV	V	VI	VII	VIII	IX	X	Year
73	Катинки	18-24		04	23	53	61	40	08			18.9
		24-6		01	09	21	16	22	04			7.3
		6-12		06	03	1.2	06	10	01			3.3
		12-18		07	28	62	59	46	11			21.3
88	Западная Двина	18-24		0.1	27	46	47	24	0.9			15.4
		24-6		0.004	07	22	16	15	05			6.5
		6-12		0.2	1.6	0.9	0.5	0.01				3.2
		12-18		0.5	33	76	68	2.9	0.3			21.4
MOSKOVSKAYA OBLAST												
120	Лосиноостровская	18-24		0.03	1.1	20	32	1.6	0.3	0.01		8.2
		24-6		0.03	0.2	0.4	0.9	1.2	0.3	0.02		3.1
		6-12		0.09	0.4	0.7	0.7	0.3	0.05			1.6
		12-18		0.2	1.8	3.6	4.3	3.1	0.3			13.3
124	Москва, ВДНХ	18-24		0.1	1.7	32	32	1.9	0.7	0.09		10.9
		24-6		0.01	0.6	1.0	1.3	1.9	0.4	0.02		5.2
		6-12		0.01	0.2	0.7	0.7	0.4	0.2			2.2
		12-18		0.3	1.8	3.6	4.4	3.5	0.6			14.2
146	Можайск	18-24		0.1	31	58	69	3.9	1.2	0.04		21.0
		24-6		0.2	15	18	25	27	0.4	0.04		9.1
		6-12		0.1	1.0	1.2	1.3	2.1	0.4			6.1
		12-18		0.5	38	82	88	70	1.3	0.02		29.6
157	Михнево	18-24		0.2	2.3	56	54	4.2	0.7	0.2		18.6
		24-6			1.3	1.9	1.4	2.2	0.2	0.06		7.1
		6-12			1.0	1.7	0.7	1.6	0.04			5.0
		12-18		0.2	4.8	7.8	9.2	5.4	1.3			28.7
VLADIMIRSKAYA OBLAST												
176	Владимир	18-24		0.08	14	3.1	58	2.8	0.6			13.8
		24-6		0.02	05	12	13	1.4	0.4			4.8
		6-12		0.2	04	10	0.9	0.6	0.09			3.3
		12-18		0.08	27	58	7.2	3.3	0.7			19.8
186	Муром	18-24		0.2	17	2.7	50	2.5	0.5	0.07		12.7
		24-6		0.02	0.07	0.4	1.0	1.4	1.3	0.2		4.4
		6-12		0.01	0.05	0.5	1.1	1.5	0.8	0.1	0.04	4.1
		12-18		0.1	25	63	7.6	3.0	0.7	0.03		20.2
SMOLENSKAYA OBLAST												
208	Темрюк	18-24		0.1	2.1	23	37	2.3	0.9			11.4
		24-6		0.06	1.2	0.9	0.9	1.1	0.2			4.4
		6-12		0.04	0.7	0.9	0.7	0.8	0.2			3.3
		12-18		0.5	2.2	4.1	5.8	2.1	0.7			15.4
211	Смоленск	18-24	0.02	0.02	0.3	30	4.7	5.6	5.0	1.0		19.6
		24-6		0.02	0.02	0.7	2.2	1.8	1.5	0.6		7.2
		6-12		0.01	0.03	1.1	0.9	1.0	0.09			3.4
		12-18		0.5	3.6	7.4	8.3	4.0	0.6			24.4
KALUZHESKAYA OBLAST												
225	Калуга	18-24		0.08	21	4.9	60	3.6	0.9			17.7
		24-6		0.03	0.3	22	26	2.1	0.4			7.6
		6-12		0.02	0.7	13	13	1.5	0.2			5.0
		12-18	0.04	0.6	3.6	6.4	8.9	5.4	0.8			25.7
226	Спас-Деменск	18-24		0.7	4.5	5.7	62	4.0	0.8			21.9
		24-6		0.07	1.1	2.3	1.8	1.9	0.5			7.7
		6-12		0.1	0.6	0.7	1.4	1.0	0.3			4.1
		12-18		0.3	3.6	7.7	7.2	3.9	1.0			23.7
KYAZANSKAYA OBLAST												
239	Сасово	18-24	0.01	0.4	23	40	5.6	3.2	0.7	0.03		16.2
		24-6	0.01	0.1	0.8	1.3	2.1	1.4	0.4	0.03		6.2
		6-12		0.1	0.5	0.8	2.2	0.5	0.3			4.4
		12-18		0.4	3.2	7.4	11.4	5.3	1.1	0.01		28.8
246	Павловец	18-24		0.4	14	37	47	28	0.5	0.0		13.5
		24-6		0.4	11	15	16	16	0.5	0.0		5.1
		6-12		0.3	0.7	0.6	1.0	0.4	0.4	0.0		3.0
		12-18		0.3	2.9	4.8	6.8	2.8	0.8	0.02		18.4
TUL'SKAYA OBLAST												
255	Тула	18-24		0.2	30	81	81	52	1.3			25.9
		24-6		0.04	11	26	38	3.6	0.6			11.7
		6-12		0.07	0.5	1.2	1.8	2.0	0.4			6.0
		12-18		0.1	4.8	10.0	9.7	5.1	1.2			30.9
262	Возово	18-24		0.5	22	49	67	47	1.2			20.2
		24-6		1.3	19	29	28	5.5	0.5			9.4
		6-12		0.1	0.7	0.9	1.1	0.2	0.2			3.0
		12-18		0.6	3.2	7.1	6.5	4.1	0.8			22.3

224

Table 3.
Recurrence of Various Number of Days with Storm During Year (%)

Number of days	Recur- rence	Number of days	Recur- rence	Number of days	Recur- rence
YAROSLAVSKAYA OBLAST		31-35 36-40	11 4	89. Ржев	
6. Пешхонье-Володарск		51. Вышний Волочек		11-15 16-20 21-25 26-30 31-35 36-40	4 18 32 28 11 7
11-15 16-20 21-25 26-30 31-35 36-40	3 30 37 17 10 3	11-15 16-20 21-25 26-30 31-35 36-40	4 14 46 25 7 4	11-15 16-20 21-30 31-35 36-40	4 18 28 11 7
25. Ярославль		41-45	4	MOSKOVSKAYA OBLAST	
11-15 16-20 21-25 26-30 31-35 36-40 41-45	4 17 42 27 3 3 7	55. Кашино		6-10 11-15 16-20 21-25 26-30 31-35 36-40	7 4 10 27 21 21 7
26. Углич		59. Осташков		102. Клин	
16-20 21-25 26-30 31-35 36-40	27 33 27 10 3	16-20 21-25 26-30 31-35 36-40	14 38 31 10 4	6-10 11-15 16-20 21-25 26-30 31-35 36-40	7 4 10 27 21 21 7
31. Ростов		64. Кушино		110. Волоколамск	
16-20 21-25 26-30 31-35 36-40 41-45	10 27 33 17 10 3	16-20 21-25 26-30 31-35 36-40 41-45	32 25 18 14 7 3	6-10 11-15 16-20 21-25 26-30 31-35 36-40	4 12 15 31 23 11 4
33. Переславль-Залесский		73. Калинин		121. Москва, с.-х. академия	
11-15 16-20 21-25 26-30 31-35 36-40 41-45	3 27 23 23 17 10 3	11-15 16-20 21-25 26-30 31-35 36-40 41-45	7 17 28 28 10 7 4	6-10 11-15 16-20 21-25 26-30 31-35 36-40	4 12 15 31 23 11 4
KALININSKAYA OBLAST		84. Торопец		145. Черусты	
42. Бологое		11-15 16-20 21-25 26-30 31-35 36-40 41-45	3 7 55 21 7 4 3	11-15 16-20 21-25 26-30 31-35 36-40	10 10 14 35 31 10
46. Бежецк		88. Западная Двина		146. Можайск	
11-15 16-20 21-25 26-30 31-35 36-40 41-45	15 19 33 18	11-15 16-20 21-25 26-30 31-35 36-40 41-45	13 13 54 20	16-20 21-25 26-30 31-35 36-40 41-45	4 32 32 18 4 10
157. Михнево					

Number of days	Recur- rence	Number of days	Recur- rence	Number of days	Recur- rence
		21-25	27	211. Смоленск	
16-20	39	26-30	24	16-20	11
21-25	28	31-35	13	21-25	33
26-30	18	36-40	3	26-30	26
31-35	11	41-45	3	31-35	15
36-40	4	SMOLENSKAYA OBLAST		36-40	11
VLADIMIRSKAYA OBLAST		191. Сычевка		41-45	4
168. Александров		16-20	27	217. Рославль	
16-20	24	21-25	35	16-20	4
21-25	31	26-30	18	21-25	18
26-30	14	31-35	12	26-30	26
31-35	28	194. Велиж		31-35	33
36-40	3	16-20	8	36-40	15
171. Вязники		21-25	34	41-45	4
11-15	3	26-30	38	KALUZHESKAYA OBLAST	
16-20	10	31-35	8	219. Малоярославец	
21-25	23	36-40	4	16-20	21
26-30	30	41-45	4	21-25	34
31-35	14	46-50	4	26-30	21
36-40	17	199. Вязьма		31-35	24
41-45	3	16-20	28	225. Калуга	
170. Владимир		21-25	22	11-15	3
11-15	7	26-30	33	16-20	7
16-20	14	31-35	17	21-25	28
21-25	14	205. Тамбов		26-30	38
26-30	41	11-15	7	31-35	14
31-35	17	16-20	7	36-40	3
36-40	7	186. Муром		41-45	7
11-15	3	21-25	53	226. Спас-Деменск	
16-20	27	26-30	26	11-15	5
		31-35	7	16-20	14

226

Number of days	Recur- rence	Number of days	Recur- rence	Number of days	Recur- rence
21-25	36	16-20	7		TULSKAYA OBLAST
26-30	36	21-25	17		255. Тула
31-35	9	26-30	33	11-15	21
		31-35	30	16-20	4
		36-40	10	21-25	17
				26-30	28
232. Жиздра				31-35	10
16-20	4			36-40	10
21-25	17			41-45	10
26-30	17				259. Белев
31-35	17	6-10	4	11-15	4
36-40	25	11-15	7	16-20	29
41-45	12	16-20	11	21-25	28
46-50	8	21-25	7	26-30	18
				31-35	14
RYAZANSKAYA OBLAST		26-30	21	36-40	7
		31-35	39		
		36-40	4		
234. Ельчина		41-45	7		
6-10	3				
11-15	3				
16-20	34				
		246. Павлод			
21-25	37	16-20	32		
26-30	20	21-25	45		262. Волово
31-35	3	26-30	18	16-20	8
		31-35	5	21-25	44
				26-30	32
				31-35	16
237. Рязань					
11-15	7				
16-20	10				
21-25	24				
26-30	35				
31-35	17				
36-40					
41-45	7				
		247. Рыжск			
		11-15	7		
		16-20	30		265. Ефремов
		21-25	17	11-15	4
		26-30	20	16-20	10
		31-35	13	21-25	31
		36-40	7	26-30	34
				31-35	17
238. Сасово		41-45	3	36-40	4
6-10	3	46-50			
11-15		51-55	3		

227

SECTION 5

HAIL

Table 1. Mean number of days with hail.

Station No.	Station	IV	V	VI	VII	VIII	IX	X	Year
YaROSLAVSKAYA OBLAST									
2	Владычное . . .	0.03	0.4	0.7	0.3	0.1	0.2	0.03	1.8
3	Гаютино . . .	0.03	0.3	0.6	0.1	0.1	0.1		1.2
4	Кукобой . . .	0.03	0.2	0.5	0.3	0.1	0.03		1.2
6	Пощеконье-Бо- лодарск . . .	0.02	0.4	0.6	0.2	0.2	0.2	0.1	1.7
7	Пустынь и Ильинское . . .		0.4	0.6	0.4	0.2	0.1	0.04	1.7
9	Шарна . . .	0.1	0.8	0.4	0.3	0.1	0.05		1.8
10	Брейтово . . .	0.1	0.8	0.8	0.2	0.1	0.1		2.1
11	Милюшино . . .	0.1	0.3	0.6	0.2	0.3	0.3	0.1	1.9
12	Мыс Рожновский	0.1	0.4	0.6		0.1	0.5	0.1	1.8
13	Данилов . . .	0.1	0.4	0.5	0.3	0.1	0.2	0.02	1.6
15, 18	Рыбинск . . .	0.1	0.4	0.6	0.3	0.2	0.4	0.02	2.0
17	Исады . . .		0.4	0.6	0.3	0.2	0.2		1.7
19	Глебово . . .	0.05	0.5	0.5	0.3	0.1	0.1		1.6
20	Обухово . . .	0.05	0.4	0.4	0.2	0.05	0.1	0.02	1.2
21	Тутаев . . .	0.1	0.4	0.3	0.2	0.2	0.1	0.03	1.3
22	Мышкино . . .	0.1	0.5	0.6	0.3	0.2	0.2	0.03	1.9
24	Петровское . . .	0.04	0.4	0.4	0.1	0.1	0.1	0.04	1.2
25	Ярославль . . .		0.4	0.5	0.3	0.05	0.1	0.05	1.4
26	Улич . . .	0.05	0.3	0.8	0.2	0.2	0.2	0.05	1.8
28	Симанцы . . .	0.05	0.4	0.6	0.2	0.1	0.05	0.05	1.4
30	Высоково . . .	0.1	0.1	0.5	0.3	0.2	0.2		1.4
31	Ростов . . .	0.02	0.4	0.6	0.2	0.2	0.2	0.1	1.7
32	Нагорье . . .	0.1	0.3	0.8	0.5	0.5	0.2		2.4
33	Переславль-Залес- ский . . .	0.1	0.6	0.5	0.1	0.1	0.1	0.1	1.6
34	Успенский с.-х. техникум . . .	0.1	0.5	0.6	0.2	0.2	0.1	0.03	1.7
KALININSKAYA OBLAST									
35	Весьегонск . . .	0.1	0.5	0.5	0.3	0.1	0.1		1.6
36	Кесьма . . .	0.04	0.4	0.3	0.3	0.1	0.1	0.04	1.3
37	Березовский Рядок		0.5	0.4	0.1	0.1	0.1	0.05	1.2
39	Котлован . . .	0.1	0.5	0.4	0.3	0.2	0.1	0.02	1.6
40	Красный Холм .	0.03	0.4	0.5	0.2	0.1	0.05	0.1	1.4
41	Спас-Забережье	0.05	0.5	0.3	0.2	0.1	0.3	0.1	1.6
42	Бологое . . .	0.1	0.6	0.4	0.2	0.1	0.1		1.5
43	Залучка . . .	0.2	0.5	0.4	0.1	0.2	0.1	0.05	1.6
44	Удомля . . .	0.05	0.8	0.6	0.4	0.2	0.05		2.1
45	Максатиха . . .	0.1	0.6	0.7	0.2	0.05	0.1	0.02	1.8
46	Бежецк . . .	0.04	0.3	0.6	0.2	0.1	0.1	0.1	1.4
47	Шлипинский гидро- узел . . .		0.1	1.0	0.3	0.3	0.1	0.3	0.1
51	Вышний Волочек	0.2	0.7	0.5	0.2	0.1	0.2	0.04	1.9
52	Ряд . . .	0.1	0.6	0.3	0.4	0.05	0.1	0.05	1.6
53	Голомачи . . .	0.05	0.3	0.6	0.3	0.1	0.05		1.4
54	Высоково . . .	0.05	0.4	0.6	0.1	0.1	0.1		1.4
55	Кашин . . .	0.1	0.6	0.5	0.3	0.2	0.1	0.03	1.8
59	Осташков . . .	0.1	0.6	0.8	0.3	0.1	0.05		2.0
60	Горицы . . .	0.1	0.5	0.5	0.2	0.1	0.1		1.5
61	Лихославль . . .	0.1	0.9	0.5	0.4	0.2	0.3	0.1	2.5
63	Заречье . . .	0.1	0.4	0.1	0.2	0.3	0.1		1.2
64	Кувшиново . . .	0.3	0.6	0.7	0.3	0.1	0.2	0.1	2.3
65	Торжок . . .	0.2	0.7	0.8	0.7	0.2	0.1	0.1	2.8
66	Василуки . . .	0.1	0.1	0.8	0.3	0.2	0.2	0.05	1.8
67	Оршинская дача	0.1	0.7	0.4	0.2	0.1	0.1		1.6
69	Неведово . . .	0.3	1.0	0.6	0.2	0.1	0.1	0.1	2.4

229

Station No.	Station	IV	V	VI	VII	VIII	IX	X	Year
71	Верхневолжский бейшлот . . .	0.2	0.5	0.9	0.3	0.2	0.1	0.03	22
72	Савелово . . .	0.1	0.8	1.0	0.2	0.2	0.1	0.03	24
73	Калинин . . .	0.2	0.4	0.6	0.3	0.2	0.1	0.04	19
74	Пльянково . . .	0.1	0.7	0.6	0.2	0.1	0.1		18
75	Блынь . . .	0.3	0.8	0.4	0.3	0.1		0.1	20
76	Давыдово . . .	0.1	0.6	0.3	0.4	0.2	0.2		18
77	Видгоции . . .		0.6	0.6	0.1	0.3	0.1		1.7
81	Емельяново . . .	0.1	0.3	0.6	0.5	0.3	0.1	0.05	2.0
82	Старица . . .	0.2	0.4	0.5	0.2	0.2	0.1	0.1	1.7
83	Тургиново . . .	0.1	0.7	0.5	0.3	0.1	0.2	0.1	20
84	Торопец . . .	0.2	0.5	0.6	0.4	0.1	0.2	0.1	21
85	Молодой Тул . . .	0.05	0.5	0.4	0.1	0.04	0.1		1.2
86	Сергино . . .	0.1	0.5	0.3	0.5	0.1	0.2	0.05	1.8
88	Западиач Димна . . .	0.3	0.7	0.4	0.3	0.1	0.2	0.1	2.1
89	Ржев . . .	0.2	0.5	0.5	0.2	0.2	0.2	0.05	1.8
91	Мостояня . . .		0.4	0.5	0.4	0.2	0.05		1.6
94	Белый . . .	0.1	1.0	0.4	0.2	0.3	0.2	0.1	23
MOSKOVSKAYA OBLAST									
97	Зятьково и Старицово . . .	0.2	0.4	0.7	0.2	0.2	0.2		18
98	Нушполы . . .	0.1	0.3	0.5	0.3	0.1	0.2		15
99	Подмонастырская слобода . . .	0.04	0.4	0.7	0.4	0.2	0.1		18
100	Борщево . . .	0.1	0.6	0.9	0.4	0.2	0.2	0.1	25
101	Яхрома иници- ная ст. . .	0.3	1.1	0.7	0.2	0.2	0.2		2.7
102	Клин . . .	0.1	0.9	0.4	0.2	0.2	0.2	0.1	21
103	Дмитров . . .	0.2	1.0	0.6	0.3	0.2	0.2	0.1	26
104	Загорск . . .	0.1	0.6	0.6	0.4	0.3	0.2		22
105	Пестриково . . .	0.1	0.4	1.2	0.3	0.3	0.3		26
106	Брешено . . .	0.2	0.3	0.1	0.2	0.2	0.1	0.1	12
107	Стрелецкая слобода . . .	0.1	0.4	0.6	0.3	0.05	0.4		1.8
108	Ярополец . . .	0.1	0.2	0.6	0.4	0.1	0.1	0.1	1.6
109	Шаховская . . .	0.1	0.4	0.6	0.3	0.2	0.2	0.02	18
110	Волоколамск . . .	0.1	0.3	0.4	0.3	0.2	0.1		14
111	Рябинки . . .	0.1	0.4	0.6	0.1	0.1	0.1		1.4
112	Тимашево . . .	0.2	0.4	0.3	0.1	0.1	0.05		1.0
114	Крюково . . .	0.4	0.6	0.3	0.2	0.3	0.3	0.05	1.8
115	Мысово . . .	0.1	0.6	0.7	0.2	0.4	0.1		21
116	Черкизово . . .	0.2	0.6	1.0	0.2	0.2	0.2	0.05	2.4
117	Починки . . .	0.1	0.3	0.5	0.2	0.3	0.1	0.04	1.5
118	Ново-Иерусалим . . .	0.03	0.7	0.6	0.2	0.2	0.2	0.1	2.0
119	Батутино . . .	0.1	0.9	0.6	0.2	0.3	0.3		24
120	Лосиноостровская . . .	0.1	0.5	0.7	0.4	0.2	0.3		2.2
121	Москва, с.-х. академия . . .	0.1	0.5	0.6	0.5	0.3	0.2	0.01	22
123	Тушино . . .	0.04	0.4	0.4	0.2	0.1	0.1	0.04	13
124	Москва, ВДЦИХ . . .	0.2	0.5	0.7	0.4	0.3	0.2		23
126	Москва, Соколь- ники . . .	0.3	0.4	0.4	0.2	0.2	0.2		1.7
127	Карповка . . .	0.1	0.6	0.7	0.3	0.3	0.05		20
128	Москва, межевой институт . . .		0.6	0.5	0.3	0.2	0.03		1.6
129	Павловский Посад . . .	0.5	0.2	0.4	0.2	0.1	0.1		1.5
130	Москва, ГМО . . .	0.6	0.5	0.3	0.3	0.2	0.05		2.0
131	Подмосковная . . .	0.2	0.9	0.5	0.2	0.4	0.3	0.1	2.6
132	Сытьково и Руза . . .	0.2	0.8	0.7	0.1	0.1	0.4		23
133	Немчиновка . . .	0.1	0.6	0.5	0.5	0.4	0.4	0.3	2.8
135	Богаево . . .	0.1	0.1	0.8	0.4	0.4	0.1		19
137	Полушкино . . .	0.1	0.4	0.4	0.2	0.1		0.1	13

230

Station No.	Station	IV	V	VI	VII	VIII	IX	X	Year
139	Гжель	0.1	0.6	0.5	0.1	0.2	0.1	0.1	1.7
140	Собакино	0.1	0.7	0.7	0.3	0.3	0.1	0.02	2.2
141	Ленино-Дачное		0.6	0.6	0.3	0.5	0.4	0.2	2.6
142	Куроцкое	0.1	0.3	0.3	0.4	0.3	0.1		1.5
143	Кривандино	0.05	0.4	0.2	0.3	0.1		0.05	1.2
144	Красновидово	0.2	0.4	0.8	0.5	0.1	0.05		2.1
145	Черусти	0.2	0.3	0.6	0.2	0.2	0.2	0.02	1.7
146	Можайск	0.2	0.7	0.6	0.3	0.1	0.2		2.1
147	Захарынино	0.05	0.4	1.1	0.3	0.4	0.1		2.3
149	Щаповский с.-х. техникум		0.2	0.3	0.8	0.2	0.2	0.1	1.9
150	Троицкое	0.1	0.3	0.4	0.3	0.05	0.05	0.1	1.3
151	Наро-Фоминск	0.1	0.6	0.5	0.3	0.2	0.1	0.1	1.9
152	Шебашево	0.1	0.5	1.2	0.2	0.3	0.2	0.1	2.6
153	Спас-Коныцы	0.1	0.5	1.1	0.4	0.4	0.1	0.1	2.7
155	Хлевено	0.03	0.4	0.4	0.3	0.2	0.1	0.03	1.5
156	Коломна	0.2	0.4	0.5	0.4	0.2	0.1	0.04	1.8
157	Михнево	0.05	0.7	0.8	0.3	0.2	0.2	0.1	2.4
158	Малино		0.3	0.5	0.2	0.1	0.1		1.2
159	Вихрово и Ново- селки	0.05	0.3	0.9	0.5	0.1	0.1	0.1	2.0
160	Куркино	0.1	0.4	0.8	0.4	0.1	0.1	0.05	2.0
161	Серпухов		0.4	0.3	0.4	0.2	0.1		1.4
162	Озёра	0.1	0.3	0.5	0.4	0.2	0.1		1.6
163	Кашира	0.1	0.5	0.5	0.2	0.3	0.2		1.8

VLADIMIRSKAYA OBLAST

164	Сима	0.3	0.3	0.4	0.2	0.2			1.4
165	Юрьев-Польский	0.1	0.3	0.4	0.2	0.2	0.1	0.1	1.4
166	Сузdal'	0.05	0.7	0.4	0.4	0.3	0.1	0.05	2.0
168	Александров	0.1	0.6	0.5	0.3	0.1	0.2		1.8
169	Покров		0.3	0.3	0.2	0.1	0.1		1.0
170	Ковров	0.1	0.4	0.4	0.2	0.1	0.1	0.05	1.4
171	Вязники	0.1	0.6	0.5	0.2	0.1	0.1	0.1	1.7
172	Троицы		0.7	0.6	0.2	0.1	0.1		1.7
173	Киржач	0.1	0.9	0.7	0.8	0.2	0.1		2.8
174	Гороховец	0.1	0.4	0.5	0.1	0.1	0.1		1.3
175	Владимирское оп. поле	0.1	0.6	0.7	0.1	0.1	0.2	0.03	1.8
176	Владимир	0.1	0.5	0.5	0.2	0.2	0.2	0.03	1.7
177	Вяткино и Бараки	0.1	0.4	0.5	0.2	0.1	0.1	0.03	1.4
178	Милютино		0.3	0.5	0.2	0.5	0.1		1.6
179	Фоминки	0.04	0.3	0.4	0.4	0.2	0.04		1.4
180	Селивановское оп. поле	0.1	0.6	0.6	0.5	0.3	0.1	0.1	2.3
181	Петушки	0.03	0.4	0.4	0.2	0.2	0.3	0.03	1.6
182	Березники	0.1	0.3	0.5	0.3	0.2			1.4
183	Мошок	0.03	0.3	0.4	0.2	0.1	0.1	0.1	1.2
184	Крюково	0.02	0.2	0.3	0.3	0.2	0.1		1.1
185	Гусь-Хрустальный	0.03	0.4	0.7	0.3	0.1	0.1	0.03	1.7
186	Муром	0.05	0.4	0.5	0.3	0.2	0.1	0.03	1.6
187	Черсово		0.3	0.4	0.4	0.2	0.1		1.4
188	Меленки	0.05	0.2	0.4	0.2	0.1	0.05		1.0
189	Ляхи	0.1	0.7	0.6	0.6	0.1	0.1	0.1	2.3

SMOLENSKAYA OBLAST

191	Сычевка	0.1	0.3	0.6	0.6	0.2	0.1		1.9
192	Колесница	0.2	0.4	0.4	0.3	0.05	0.2	0.05	1.6
193	Большево	0.1	0.6	0.4	0.4	0.4	0.1		2.0
194	Велиж	0.4	1.0	0.5	0.1	0.2	0.2	0.1	2.6
195	Гжатск	0.2	0.6	0.3	0.2	0.1	0.1		1.5
196	Ново-Пречистое	0.1	0.3	0.3	0.3	0.1	0.05		1.2
197	Устье	0.05	0.3	0.3	0.2	0.3			1.2

231

Station No.	Station	IV	V	VI	VII	VIII	IX	X	Year
-------------	---------	----	---	----	-----	------	----	---	------

198	Демидов	0.4	0.4	0.2		0.2	0.04	1.2	
199	Вязьма	0.1	0.5	0.5	0.3	0.1	0.1	0.04	1.6
200	Батищево	0.2	0.8	0.7	0.3	0.3	0.05	0.03	2.4
203	Сафоново	0.1	0.5	0.2	0.2	0.1	0.1		1.2
206	Шокшино	0.1	0.8	0.3	0.6	0.3	0.6	0.2	3.0
207	Рудня	0.2	0.9	0.1	0.4	0.1			1.7
208	Соловьево	0.1	0.2	0.3	0.2	0.1	0.2		1.1
209	Дорогобуж		0.7	0.1	0.2		0.5		1.5
210	Дебрия	0.1	0.7	0.2	0.2	0.2		0.1	1.5
211	Смоленск	0.2	0.9	0.6	0.4	0.2	0.2	0.03	2.5
212	Ельня	0.04	0.4	0.5	0.2	0.04	0.1		1.3
213	Починок	0.1	0.3	0.3	0.3	0.2	0.2		1.4
217	Рославль	0.2	0.8	0.6	0.3	0.2	0.2		2.3
218	Ершники	0.1	0.6	0.2	0.4	0.2	0.3	0.1	1.9

KALUZHESKAYA OBLAST

219	Малоярославец	0.1	0.4	0.5	0.4	0.2	0.1	0.03	1.7
222	Беликово	0.1	0.3	0.3	0.4	0.4			1.5
223	Андреевское	0.2	0.4	0.3	0.2	0.2	0.2		1.5
224	Мосальск	0.2	0.5	0.5	0.3	0.2	0.2	0.04	1.9
225	Калуга	0.1	0.6	0.5	0.3	0.2	0.2	0.1	2.0
226	Спас-Деменск	0.04	0.4	0.4	0.2	0.2	0.1	0.1	1.4
228	Сухиничи	0.04	0.6	0.4	0.2	0.1	0.1		1.4
229	Фаяновская и								
	Киров	0.04	0.5	0.4	0.3	0.1	0.3		1.6
230	Козельск	0.1	0.4	0.5	0.4	0.1	0.2	0.1	1.8
232	Жиздра	0.1	0.7	0.7	0.3	0.1	0.2	0.2	2.3

RYAZANSKAYA OBLAST

233	Тула	0.1	0.5	0.5	0.3	0.2	0.2		1.8
234	Ельня	0.1	0.4	0.5	0.3	0.2	0.2	0.1	1.8
235	Касимов	0.2	0.3	0.6	0.3	0.2	0.3	0.1	2.0
237	Рязань	0.2	0.5	0.4	0.2	0.2	0.1	0.1	1.7
239	Сасово	0.1	0.5	0.5	0.4	0.2	0.1	0.05	1.8
240	Шилово	0.1	0.3	0.5	0.1	0.2	0.2	0.03	1.4
241	Старожилово	0.2	0.6	0.5	0.3	0.1	0.1	0.05	1.8
242	Михайлов	0.1	0.5	0.4	0.3	0.2	0.02	0.1	1.6
243	Шацк	0.04	0.5	0.3	0.2	0.1	0.2		1.3
244	Сапожок	0.2	0.5	0.4	0.3	0.1	0.1		1.6
245	Скопин	0.1	0.6	0.5	0.3	0.1	0.1	0.04	1.7
246	Павелец	0.1	0.2	0.4	0.4	0.3		0.03	1.4
247	Ряжск	0.02	0.3	0.3	0.3	0.2	0.1	0.02	1.2
248	Верда	0.1	0.4	0.4	0.4	0.1	0.05	0.03	1.5
249	Мураевка и	0.2	0.2	0.3	0.4	0.1	0.1	0.02	1.3

TUL'SKAYA OBLAST

250	Егњешевка	0.3	0.4	0.1	0.3	0.1	0.1	0.1	1.4
251	Жуково	0.1	0.7	0.4	0.4	0.1	0.1		1.8
252	Алексин	0.1	0.7	0.4	0.4	0.2	0.1		1.9
253	Венев	0.03	0.6	0.4	0.2	0.2	0.1	0.1	1.6
254	Ханино	0.1	0.7	0.3	0.4	0.1	0.3	0.2	2.1
255	Тула	0.1	0.7	0.6	0.4	0.2	0.1	0.05	2.2
256	Узловая	0.1	0.4	0.4	0.4	0.2	0.03	0.1	1.6
259	Белев	0.1	0.6	0.6	0.2	0.3	0.2		2.0
260	Богородицк, с.-х. техникум	0.1	0.5	0.6	0.4	0.2	0.1		2.0
261	Планск и Паточ- ная	0.2	0.5	0.3	0.3	0.3	0.04	0.04	1.7
262	Волово	0.2	0.6	0.5	0.2	0.2	0.1		1.8
263	Чернь и Скуратово	0.2	0.5	0.4	0.3	0.2	0.1	0.01	1.7
265	Ефремов	0.1	0.6	0.2	0.2	0.2	0.1		1.4

Table 1a. Greatest number of days with hail.

Station No.	Station	IV	V	VI	VII	VIII	IX	X	Year
----------------	---------	----	---	----	-----	------	----	---	------

YaROSLAVSKAYA OBLAST

2	Владычное . . .	1	2	3	3	1	1	1	6
6	Пошечонье-Воло- дарск . . .	1	3	3	1	2	3	2	7
13	Данилов . . .	1	2	4	2	1	2	1	6
15, 18	Рыбинск . . .	1	2	2	1	1	3	1	7
20	Обухово . . .	1	3	5	1	2	1	1	4
21	Тутаев . . .	1	2	4	3	2	3	1	5
22	Мышкино . . .	2	3	4	2	1	2	1	7
25	Ярославль . . .	2	2	4	2	1	2	1	4
26	Углич . . .	1	2	3	2	2	1	1	5
30	Высоково . . .	1	2	3	2	2	2	2	5
31	Ростов . . .	1	2	2	1	2	2	2	6
33	Переславль- Залесский . . .	1	4	3	1	1	1	1	7
34	Успенский с.-х. техникум . . .	1	2	4	2	3	1	1	6

KALININSKAYA OBLAST

35	Весьегонск . . .	1	3	2	5	1	1	1	8
36	Кесьма . . .	1	2	2	1	1	1	1	3
37	Березовский Рядок	1	2	2	2	1	2	1	6
39	Котлован . . .	1	4	1	2	1	2	1	5
40	Красный Холм	1	2	2	1	2	2	2	3
42	Бологое . . .	2	3	2	2	2	2	1	4
45	Максатиха . . .	1	4	3	2	1	1	1	7
46	Бежецк . . .	1	2	3	2	1	1	2	4
51	Вышний Волочек	2	4	2	2	2	2	1	7
55	Кашин . . .	1	3	2	2	1	1	1	8
59	Осташков . . .	2	3	7	3	1	1	1	7
64	Кувшиново . . .	3	3	3	2	1	2	2	6
65	Торжок . . .	1	2	4	3	2	2	1	7
67	Оршинская дача	1	4	2	1	1	1	1	5
71	Верхневолжский бейшлот . . .	2	2	4	2	1	1	1	6
72	Савелово . . .	1	3	3	2	1	1	1	5
73	Калинин . . .	1	4	3	2	2	2	1	6
82	Старица . . .	2	2	3	2	2	1	2	0
83	Тургиново . . .	2	4	3	2	2	2	1	8
84	Торопец . . .	2	2	3	2	1	3	1	6
88	Западная Двина	2	3	2	2	1	1	1	7
89	Ржев . . .	1	5	4	2	2	1	1	6
94	Белый . . .	2	4	2	2	2	1	1	6

MOSKOVSKAYA OBLAST

97	Зяльково и Стари- ково . . .	1	2	3	1	1	2	1	5
102	Клины . . .	1	4	1	1	1	2	1	4
103	Дмитров . . .	2	4	2	1	1	2	1	7
104	Загорск . . .	1	2	2	3	2	2	2	6
109	Шаховская . . .	1	3	4	2	1	2	1	5
110	Волоколамск . .	2	2	2	2	1	2	1	5
117	Починки . . .	1	3	3	1	2	2	2	6
118	Ново-Иерусалим	1	5	4	2	2	2	2	6
120	Лосиноостровская	1	4	2	2	2	3	1	6
121	Москва, с.-х. ака- демия . . .	1	3	4	2	2	3	1	8

233

Station No.	Station	IV	V	VI	VII	VIII	IX	X	Year
123	Тушино	1	2	2	2	2	1	1	5
124	Москва, ВДНХ . .	1	4	2	2	2	1		6
126	Москва, Сокольники	2	2	2	1	2	1		4
129	Павловский Посад	3	3	2	4	2	1		7
131	Подмосковная . .	2	2	2	2	2	1		6
132	Сытьково и Рузь	2	2	3	1	1	4		6
133	Немчиновка . . .	1	3	3	2	2	1		9
140	Собакино	2	2	4	3	2	2	1	7
142	Куровское	2	2	2	2	2	1		5
143	Кривандино	1	3	2	1	1		1	5
145	Черусти	1	2	5	2	2	3	1	6
146	Можайск	1	4	2	2	1	2		7
151	Наро-Фоминск . . .	2	2	2	2	1	1	2	4
153	Спас-Коныцы	1	2	5	2	2	1	1	9
156	Хлевнин	1	3	2	1	1	1	1	5
156	Коломна	1	2	4	2	2	1	1	6
157	Михнево	1	4	4	2	2	2	1	8
158	Малино		1	2	1	1	1		4
159	Вихрово и Новоселки	1	2	3	2	1	1	1	5
160	Куртнико	1	2	5	2	2	1	1	8
161	Серпухов		3	2	2	1	1		5
163	Кашира	2	3	2	2	2	1		6

Vladimirskaya Oblast

164	Сима		2	2	2	2	1		5
165	Юрьев-Польский	2	2	2	1	2	1	1	4
166	Суздаль	1	4	3	3	2	2	1	6
168	Александров	3	2	4	2	1	2		6
169	Покров		2	5	1	1	1		6
170	Ковров	1	2	3	1	1	1	1	5
171	Вязники	1	3	3	2	1	1	1	6

234

Station No.	Station	IV	V	VI	VII	VIII	IX	X	Year
174	Гороховец . . .	2	3	2	1	2	1		4
175	Владимирское оп. поле . . .	2	3	4	2	1	1	1	5
176	Владимир . . .	1	2	3	2	1	2	1	6
177	Вяткино и Бараки	2	3	2	1	1	1	1	5
179	Фоминки . . .	1	3	2	3	2	1		5
180	Селивановское оп. поле . . .	1	3	3	3	2	1	1	8
181	Петушки . . .	1	2	2	1	3	3	1	7
183	Мошок . . .	1	2	2	3	1	2	1	7
184	Крюково . . .	1	2	3	2	1	1		4
185	Гусь-Хрустальный	1	2	4	1	1	2	1	5
186	Муром . . .	1	3	3	3	3	2	1	6
187	Черсено . . .		1	3	2	3	2		8
188	Меленки . . .	1	2	3	2	2	1		5

SMOLENSKAYA OBLAST

194	Велиж . . .	2	5	2	1	1	2	2	9
195	Гжатск . . .	2	2	1	1	1	2		5
196	Ново Пречистое	1	1	2	1	2	1		4
198	Демидов . . .	2	2	1			1	1	3
199	Вязьма . . .	1	2	2	1	1	1	2	6
200	Батинцево . . .	2	5	3	2	3	1	1	7
203	Сафоново . . .	1	2	1	1	1	1		4
207	Рудня . . .	2	4	1	4	1			5
208	Соловьево . . .	1	2	2	2	1	1		4
210	Дебрия . . .	1	2	1	1	2	1	1	4
211	Смоленск . . .	2	5	3	3	2	4	1	8
212	Ельня . . .	1	2	2	1	1	1		5
213	Починок . . .	1	2	1	2	2	2		5
217	Рославль . . .	1	3	4	2	4	2		6
218	Ершичи . . .	1	4	1	2	2	2	1	8

235

Station No.	Station	IV	V	VI	VII	VIII	IX	X	Year
-------------	---------	----	---	----	-----	------	----	---	------

KALUZhSKAYA OBLAST

219	Малоярославец	2	2	5	2	2	1	1	6
222	Беликово	1	2	1	3	3			6
223	Андреевское	1	1	2	2	2	1		4
224	Мосальск	1	2	3	2	1	1		4
225	Калуга	1	3	6	2	2	2	1	9
226	Спас-Деменск	1	3	2	2	1	1	1	4
228	Сухиничи	1	2	2	2	1	1		4
229	Фаленская и Киров	1	3	1	2	1	2		5
230	Козельск	1	2	2	2	1	1	1	4
232	Жиздра	1	5	3	2	1	3	1	8

RYaZANSKAYA OBLAST

233	Тула	1	4	2	2	2	2		6
234	Елатыма	1	3	3	1	1	2	1	5
237	Рязань	2	2	3	2	2	1	1	5
239	Сасово	3	3	2	2	2	2	1	7
240	Шилово	1	2	2	1	1	1	1	4
241	Старожилово	2	3	3	2	1	2	1	5
242	Михайлов	2	3	2	2	1	1	1	4
243	Шацк	1	3	2	1	1	2		5
244	Сапожок	1	2	3	3	1	2		7
245	Скопин	2	4	2	3	1	1	1	5
246	Павлово	1	3	2	5	3		1	11
247	Ряжск	1	2	2	3	1	1	1	6
248	Верда	1	3	2	3	1	1	1	5
249	Мураевия и Гремячка	1	1	2	2	1	2	1	3

TUL'SKAYA OBLAST

253	Венев	1	3	2	2	1	1	2	6
255	Тула	2	4	3	2	2	2	1	6
256	Узловая	1	2	2	2	2	1	1	4
259	Белев	1	2	5	2	1	1		8
262	Волоно	2	4	3	1	2	1		5
263	Чернь и Скуратово	2	2	2	1	2	1	1	5
265	Ефремов	1	3	2	2	3	1		4

Alphabetized station index
Section 1. Cloud cover

Station No.	Station	Altitude (m)	1. Recurrence of clear, semiclear and gray sky condition for total and low cloud cover 2.3. Recurrence of clear, semi-clear & gray sky conditions for total and low cloud cover at various hours of the day	4 Number of clear and gray days for total and low cloud cover	5. Mean monthly & annual total and low cloud cover 6 7 Mean monthly and annual total and low cloud cover at various hours of the day	8 Recurrence of basic forms of cloud cover 8a Recurrence of basic forms of cloud cover at various hours of the day	9 Recurrence of various gradations of low cloud cover with certain gradations of total cloud cover.
-------------	---------	--------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------

Years of observations

168	Александров . . .	185	1936-60	1936-50	1936-60	-	-
46	Бежецк . . .	140	1936-40, 42-60	1936-40, 42-60	1936-40, 42-60	-	-
259	Белев . . .	175	1936-41, 43-60	1936-41, 43-60	1936-41, 43-60	-	-
74	Белый . . .	212	1936-40, 44-60	1936-40, 44-60	1936-40, 44-60	-	-
42	Бологое . . .	187	1936-40, 42-60	1936-40, 42-60	1936-40, 42-60	-	-
10	Брейтово . . .	105	1950-65	1950-60	-	-	-
194	Велиж . . .	165	1945-65	1936-40, 45-60	1945-60	1946-60	1946-60
176	Владимир . . .	168	1936-60 *	1936-60	1936-60 *	-	-
262	Волово . . .	276	1936-60	1936-60	1936-60	1936-60	1936-60
110	Волоколамск . . .	187	1936-60	1936-60	1936-60	-	-
51	Вышний Волочек . . .	167	1936-60 *	1936-60	1936-60 *	1936-60 *	1936-60
171	Вязники . . .	122	1936-60	1936-60	1936-60	-	-
199	Вязьма . . .	252	1936-40, 43-60	1936-40, 43-60	-	1936-40, 44-60 *	1936-40, 44-60
195	Гжатск . . .	194	1937-41, 43-60	1937-39, 43-60	1937-39, 43-60	-	-
185	Гусь-Хрустальный . . .	135	-	1938-60	1938-60	-	-
13	Данилов . . .	155	1936-60 *	1936-60	1936-60 *	-	-
198	Демидов . . .	165	1936-41, 44-60	1936-41, 44-60	1937-40, 44-60	-	-
103	Дмитров . . .	183	1941-60	1941-60	1941-60	-	-
234	Елецкая . . .	132	1936-60 *	1936-60	1936-60 *	1936-60	1936-60
212	Ельня . . .	232	1937-41 44-60	1937-41, 44-60	1937-40, 44-60	-	-
265	Ефремов . . .	216	1936-60	1936-60	1936-60	-	-
232	Жиздра . . .	192	1937-41, 45-60 *	1937-41, 45-60	1936-41, 46-60	1936-41, 46-60	1936-41, 46-60
104	Загорск . . .	205	-	1941-60	1941-60	-	-
88	Западная Двина . . .	200	1936-60	1936-60	1936-60	-	-
73	Калинин . . .	136	1936-40, 42-60 *	1936-40, 42-60	-	1936-60 *	1936-60
225	Калуга . . .	202	1936-60	1936-60	1936-60 *	1942-60 *	1942-60
55	Кашин . . .	137	1936-40, 42-60	1936-40, 42-60	1936-10, 12-60	-	-
163	Кашira . . .	219	1936-60	1936-60	1936-60	-	-
36	Кесемя . . .	194	1942-60	1942-60	1942-60	-	-
156	Коломна . . .	112	1936-60	1936-60	1936-60 *	-	-
64	Кушиново . . .	252	1936-40, 42-60	-	-	-	-
142	Курохское . . .	123	1936-60	1936-60	1936-60	-	-
219	Малоярославец . . .	195	1936-60	1936-60	1936-60	-	-
242	Михайлов . . .	164	1936-60	1936-60	1936-60	-	-
157	Михнево . . .	178	1936-60	1936-60	1936-60	-	-
146	Можайск . . .	184	1936-60	1936-60	1936-60	1936-60	1936-60
224	Мосальск . . .	223	1937-39, 43-60	1937-39, 43-60	1937-39, 43-60	-	-
124	Москва, ВДНХ . . .	149	1948-65	1948-60	-	-	-
121	Москва, с.-х. яз-дения . . .	167	1936-60 *	1936-60	1936-60 *	1936-60 *	1936-60
186	Муром . . .	119	1936-60	1936-60	1936-60	1936-60 *	1936-60
12	Мыс Рожновский . . .	103	1951-65	1951-60	-	-	-
118	Ново-Иерусалим . . .	159	1936-60	1936-60	-	-	-
196	Ново-Пречистое . . .	244	1936-40, 46-60	1937-40	1937-40, 46-60	-	-
59	Осташков . . .	218	1936-60	1936-60	1936-60	-	-
246	Павлово . . .	209	1936-60	1936-60	1936-60	1936-60	1936-60
33	Переславль-Залес-ский . . .	174	1938-60	1938-60	1936-60	-	-
117	Починки . . .	137	1939-57	1939-57	1939-57	-	-
213	Починок . . .	206	1936-41 44-60	1936-41, 44-60	-	-	-

Station No.	Station	Altitude (m)	1 Recurrence of clear semiclear and gray sky condition for total and low cloud cover 2,3. Recurrence of clear, semi-clear & gray sky conditions for total and low cloud cover at various hours of the day	4. Number of clear and gray days for total and low cloud cover	5 Mean monthly & annual total and low cloud cover. 6,7. Mean monthly and annual total and low cloud cover at various hours of the day.	8 Recurrence of basic forms of cloud cover. 8a Recurrence of basic forms of cloud cover at various hours of the day	9 Recurrence of various gradations of low cloud cover with certain gradations of total cloud cover
-------------	---------	--------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------

Years of observations

6	Пощеконье-Водо-	109	1936-60	1936-60	1936-60	1936-60	1936-60
89	Рижев	195	1936-40, 43-60	1936-40, 43-60	-	1936-40, 43-60	1936-40, 43-60
217	Рославль	219	1936-40, 44-60*	1936-40, 44-60	1936-40, 44-60*	-	-
31	Ростов	99	1936-60	1936-60	1936-60	-	-
15, 18	Рыбинск	104	1936-60	1936-60	1936-60	1936-60*	1936-60
247	Ряжск	125	1936-60*	1936-60	1936-60*	-	-
237	Рязань	156	1936-60	1936-60	-	1936-60*	1936-60
239	Сасово	114	1936-60	1936-60	1936-60	-	-
203	Сафоново	210	1943-60	1943-60	1943-60	-	-
180	Селивановское оп. поле	129	1940-60	1936-60	1940-60	-	-
211	Смоленск	233	1936-41, 44-60*	1936-41, 44-60	1936-41, 44-60*	1944-60*	1944-60
140	Собакино	187	-	1948-60	-	1936-60	-
226	Спас-Деменск . . .	237	1936-40, 43-60	1936-40, 43-60	1936-40, 43-60	-	-
82	Старница	179	1936-40, 43-60	1936-40, 43-60	1936-40, 43-60	-	-
228	Сухиничи	237	1936-40, 42-60	1936-40, 42-60	-	-	-
191	Сычевка	200	1937-40, 44-60	-	-	-	-
206	Темкино	202	1936-40, 44-60,	1936-10, 44-60	-	-	-
66	Торжок	171	1937-40, 42-60	1937-40, 42-60	1936-40, 42-60	-	-
84	Торопец	187	1936-40, 44-60*	1936-40, 44-60	1936-40, 44-60*	-	-
255	Тула	165	1936-60	1936-60	1936-60*	1936-60*	1936-60
238	Тула	123	1936-60	1936-60	1936-60	-	-
83	Тургиково	130	1936-40, 43-60	1936-40, 43-60	1936-40, 43-60	-	-
21	Тутаев	125	1939-60	1936-60	1936-60	1939-60	1939-60
26	Углич	124	1939-60	1936-60	1936-60	-	-
263	Чернь и Скуратово	245	1936-41, 44-60*	1936-41, 44-60	1936-41, 44-60*	-	-
145	Черусты	127	1936-60	1936-60	1936-60	-	-
243	Шацк	121	1941-60	1937-60	-	-	-
240	Шилово	98	1936-60	1936-60	1936-60	-	-
206	Шокино	229	-	1946-60	-	-	-
25	Ярославль	98	1936-60	1936-60	1936-60	-	-

Note: Asterisk (*) means that for the corresponding station the column of Table 1 also contains data of Tables 2 and 3 for the indicated period, the column of Table 5 - data of Tables 6 and 7, and in the column of Table 8 - data in Table 8a.

238

Section 2. Fogs

Station No	Station	Altitude(m)	1 Number of days with days	2 Recurrence of various number of days with fog, by months	3. Mean duration of fogs	4. Recurrence of various duration of fogs by months
			1a Greatest number of days with fog	2a Recurrence of various number of days with fog for the year	3a Maximum duration of fogs	3b Duration of fogs at various times of day
Years of observations						
166	Александров .	185	1936-40, 43-60, 62-63, 65 *	-	1937-40, 42, 45-60	-
216	Александровка	191	1947-56, 58-62, 64-65	-	-	-
282	Алексин .	192	1941, 50-65	-	-	-
264	Архангельское .	220	1955-56, 58-64	-	-	-
75	Балынь .	228	1944-65	-	-	-
46	Бежецк .	140	1936-40, 42-65 *	1936-40, 42-65	-	-
259	Белев .	175	1936-41, 43-64 *	1936-41, 43-64	-	-
222	Беликово .	200	1947-65	-	-	-
43	Бологое .	187	1936-40, 42-65 *	1936-40, 42-65	-	-
193	Большево .	220	1948, 50-65	-	-	-
93	Большое Кобяково .	250	1946-54, 57-65	-	-	-
10	Брейтово .	105	1950-65	-	-	-
138	Быково .	134	1937-40, 42-55	-	-	-
27	Валуян .	135	1946, 53-64	-	-	-
194	Велиж .	165	1936-40, 43-64 *	1936-40, 43-64	-	-
253	Венев .	175	1939-41, 44-55	-	-	-
248	Верда .	124	1936-42, 58-65	-	-	-
29	Веска .	126	1944-65	-	-	-
35	Весьегонск .	106	1936-39, 42, 49-65 *	-	-	-
176	Владимир .	168	1936-47, 53-65 *	1936-47, 53-65	1936, 38-47, 53-60	1936, 38-47, 53-60
2	Владычное .	140	1940-65 *	1940-65	-	-
262	Волово .	276	1936-64 *	1936-64	1936-38, 41-60 1936-60	1936-38 41-60
110	Волоколамск .	187	1936-64 *	1936-64	-	-
66	Всеволухи .	210	1944-64	-	-	-
30	Высоково .	180	1936-38, 40, 42, 44-45, 47-53, 55-65	-	-	-
51	Вышний Волочек .	167	1936-65 *	1936-65	1936-60	1936-60
171	Вязники .	122	1936-64 *	1936-64	-	-
199	Вязьма .	252	1936-40, 43-64 *	1936-40, 43-64	1936-40, 46-60	-
3	Гаютино .	122	1950-65	-	-	-
196	Гжатск .	194	1937-39, 43-64 *	1937-39, 43-64	-	-
60	Горицы .	150	1944-65	-	-	-
185	Гусь-Хрустальный .	135	1937-65 *	1937-65	1938-60	-
13	Данилов .	155	1936-65 *	1936-65	1936-60	-
198	Немидов .	166	1938-40, 44-65 *	-	-	-
103	Дмитров .	183	1941-64 *	1941-64	-	-

239

26	Дубна	120	1953-65				
201	Дубенники	212	1939-40, 45, 47-50, 52-65	-	-	-	-
234	Елатыня	132	1936-64 *	1936-64	1936-60	1936-60	
212	Еланье	232	1936-37, 39-40, 44-65 *	1936-37, 39-40, 44-65	-	-	
218	Ермиты	200	1944-49, 52-65	-	-	-	
265	Ефремов	216	1956-64	-	-	-	
232	Жиздра	192	1936-41, 45-64 *	1936-41, 45-64	-	-	
104	Загорск	205	1941-58, 60-65	-	-	-	
43	Залужка	150	1949, 51-54, 59-65	-	-	-	
86	Завадская Димина	200	1936-38, 40-46, 48-53, 55-65 *	1936-38, 40-46, 48-53, 55-65	-	-	
58	Ивановское	212	1944, 45, 48-65	-	-	-	
14	Игнатово	140	1950-65	-	-	-	
69	Измайлово	206	1944-65	-	-	-	
238	Кадом	98	1947-65	-	-	-	
73	Калнине	136	1936-40, 42-65 *	1936-40, 42-65	-	-	
226	Калуга	202	1937-38, 47-65 *	1937-38, 47-65	1937-38, 47-60	1937-38, 47-60	
56	Кашник	137	1936-65 *	1936-65	-	-	
163	Кашире	219	1936-37, 39-65 *	1936-37, 39-65	-	-	
36	Касымз	194	1942-52, 60-64	-	-	-	
102	Клини	166	1936-64 *	1936-64	-	-	
170	Рязань	124	1936-40, 45, 47-54, 60-65	-	-	-	
230	Ковельск	142	1944-47, 49-62, 64-65	-	-	-	
156	Коломна	112	1936-49, 59-65 *	-	-	-	
78	Конаково	130	1953-54, 57-64	-	-	-	
16	Коркино	109	1940-41, 44-65 *	-	-	-	
39	Котлован	152	1936-40, 42, 46-52, 45-56, 59-65 *	-	-	-	
40	Красный Холм	166	1936-40, 43-63 *	-	-	-	
143	Кривандино	120	1944-65	-	-	-	
184	Крюково	150	1936-41, 43, 46-57, 59-65	-	-	-	
64	Кувшиново	252	1936-40, 42-65 *	1936-40, 42-65	-	-	
142	Куриское	123	1936-41, 44-62	-	-	-	
61	Лихославль	150	1945-65	-	-	-	
120	Лосиноостровская	147	1938-64 *	-	-	-	
80	Луховниково	240	1946-50, 52-60	-	-	-	
148	Макарово	124	1947-64	-	-	-	
45	Максатиха	134	1936-40, 42-65 *	-	-	-	

240

Station No.	Station	Altitude (m)	1. Number of days with fog.		2. Recurrence of various number of days with fog for the year 2a Recurrence of various number of days with fog for the year	3 Mean duration of fogs 3a Maximum duration of fogs 3b Duration of fogs at various times of day	4. Recurrence of various duration of fogs by months
			la. Greatest number of days with fog by months	lb. Recurrence of various number of days with fog by months			

Years of observations

220	Малахово . . .	155	1947, 49-65		-	-	-
219	Малоярославец . . .	195	1936-43, 46-54, 57, 59-65 *		-	-	-
168	Меленки . . .	130	1938-41, 44, 49-65 *		-	-	-
242	Михайлов . . .	164	1936-65 *		1936-65	-	-
157	Михнево . . .	178	1936-65 *		1936-65	1936-60	1936-60
146	Можайск . . .	184	1936-64 *		1936-64	-	-
85	Молодой Труд . . .	200	1943-48, 51-65 *		-	-	-
224	Мосальск . . .	223	1939, 43-45, 47-55, 57-65 *		-	-	-
124	Москва, ВДНХ . . .	148	1939-41, 48-64		-	1948-64	1948-64
130	Москва, ГМО . . .	124	1946-65 *		1946-65	-	-
134	Москва, МГУ . . .	192	1954-64		-	-	-
136	Москва, Сокольники . . .	152	1949-64		-	-	-
121	Москва, с-х. эка- демия . . .	167	1940-64 *		1940-64	-	-
91	Мостовая . . .	250	1943-65		-	-	-
183	Мощок . . .	165	1936-64 *		1936-64	-	-
186	Муром . . .	119	1936-64 *		1936-64	1936-60	1936-60
12	Мыс Рожновский . . .	103	1951-64		-	-	-
22	Мышкино . . .	119	1936-41, 52-65		-	-	-
202	Надежда . . .	195	1944-45, 47-49, 51-65		-	-	-
151	Наро-Фоминск . . .	166	1941-65 *		-	-	-
24	Некрасовское . . .	100	1939-65 *		-	-	-
90	Неликово . . .	200	1947-65		-	-	-
92	Нижулино . . .	230	1949-65		-	-	-
118	Ново-Иерусалим . . .	159	1936-64 *		1936-64	-	-
196	Ново-Пречистое . . .	244	1938-40, 44-50, 52-65 *		-	-	-
28	Пущино . . .	133	1951-64		-	-	-
28	Одублик . . .	126	1936-49, 51, 52, 55, 57-65 *		-	-	-
257	Орлово . . .	168	1944-60, 62-65		-	-	-
59	Осташков . . .	218	1936-65 *		1936-65	-	-
246	Павлак . . .	209	1936-64 *		1936-64	-	-
123	Павловская слобо- да . . .	147	1949-65		-	-	-
129	Павловский Посад . . .	134	1936-65 *		-	1936-60	-
33	Переславль-Залес- ский . . .	174	1937-46, 48-65 *		1937-46, 48-65	1936-60	-
181	Петушки . . .	147	1936-64 *		1936-64	-	-
261	Плавск и Паточная . . .	180	1935-40, 42-43, 53-54, 56-65		-	-	-
131	Подмосковная . . .	177	1949-53, 55, 57-59, 62-65		-	-	-
117	Починки . . .	137	1939-42, 44-62 *		1939-42, 44-62	-	-
213	Починок . . .	206	1936-40, 43-64 *		-	-	-
6	Пошехонье Воло- дарск . . .	109	1936-65 *		1936-65	1940-60	1940-60
7	Пустынь и Ильин- ское . . .	150	1937-42, 45-50, 52-65		-	-	-
74	Пынково . . .	219	1944-51, 53-57, 60-65		-	-	-
89	Ржев . . .	195	1936-41, 43-65 *		-	1931-41, 43-60	1936-41, 43-60
79	Редкино, ТОС . . .	132	1946-48, 50-64		-	-	-
217	Рославль . . .	219	1938-40, 44-65 *		1938-40, 44-65	1938-40, 44-60	1938-40, 44-60
31	Ростов . . .	99	1936-45, 58-65		-	-	-
207	Рудня . . .	188	1936-40, 44-64 *		-	-	-
15	Рыбинск, ГМО . . .	104	1946-65 *		1946-65	-	-
236	Рыбное и Старое Беселово . . .	115	1949-60		-	-	-
52	Ред . . .	161	1946-49, 54-63		-	-	-
247	Ряжск . . .	125	1936-41, 50-65 *		-	1936-41, 50-60	-
237	Рязань . . .	156	1936-64 *		1936-64	1936-57	1936-57
72	Савелово . . .	122	1936-63 *		-	1937-60	-
167	Саниково и Яблон- цы . . .	125	1936-42, 44-47, 49, 51-63		-	-	-
239	Сасово . . .	114	1936, 38, 39, 41-65 *		1936, 38, 39, 41-65	1936, 38-39, 41-60	-
203	Сафоново . . .	210	1943-65 *		-	-	-

241

No Station	Station	Altitude (m)	1. Number of days with fog. 1a. Greatest number of days with fog by months	2. Recurrence of various number of days with fog for the year 2a Recurrence of various number of days with fog for the year	3. Mean duration of fogs 3a Maximum duration of fogs 3b Duration of fogs at various time of day	4. Recurrence of various duration of fogs by months
---------------	---------	--------------	-------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------	-----------------------------------------------------

Years of observations

180	Славиновские оз. подъ	129	1936-48, 50-56, 58, 60, 65	-	-	-
5	Семёновское	150	1938-41, 44-65*	-	-	-
57	Семёновское	132	1954-64	-	-	-
161	Серухов	163	1936-45, 52-65*	-	-	-
28	Симанчицы	148	1953-55, 57-65	-	-	-
245	Скокин	150	1937, 39-41, 50-65	-	-	-
211	Смоленск	233	1936-40, 43-65*	1936-40, 43-65	1937, 45-60	1937, 45-60
140	Собакино	187	1936-40, 43-56, 60-65	-	-	-
227	Соболевка	228	1949-65	-	-	-
226	Спас-Деменск	237	1936-40, 44-59, 63, 65*	1936-40, 44-59, 63, 65	-	-
82	Старика	179	1936-40, 43-54, 60-65	-	-	-
2+1	Старожилово	149	1936-42, 44-48, 50-64*	1936-42, 44-48, 50-64	-	-
154	Старый Спас	125	1944-64	-	-	-
38	Ставки	150	1949-50, 52-65	-	-	-
166	Судаль	125	1936-64*	-	-	-
228	Сукинчи	237	1936-40, 42-45, 47-52, 57-65*	-	1936-40, 45, 47-52, 57-64	-
191	Сычевка	200	1938-40, 44-47, 56-64	-	-	-
305	Темкино	202	1936-41, 44-55, 57-65*	-	-	-
53	Толмачи	186	1937-40, 42-65*	1937-40, 42-65	-	-
65	Торжок	171	1937-40, 42-65*	1937-40, 42-65	-	-
84	Торопец	187	1936-40, 43-65*	1936-40, 43-63	1936-40, 43, 45-65	-
из с. оз. 61	68	Тромча-Нерль	110	1943, 45-65	-	-
	172	Трояни	135	1944, 49-54, 57-65	-	-
	255	Тула	165	1947-65	-	1950-64
	233	Тума	123	1936-64*	1935-64	1950-64
	23	Тургиново	130	1936-40, 44-65*	1936-40, 44-65	-
	21	Тутаев	125	1936-65*	1936-65	-
	123	Тушинно	140	1941, 46-56, 58-63	-	-
	26	Углич	124	1936-65*	1936-65	1936-60
	256	Узловая	240	1937-64*	1937-64	-
	215	Ускосы	162	1945-55, 58, 60-61, 63-65	-	-
34	Успенский с.-х. тех- никум	240	1936-41, 45, 47-51, 53-65*	-	-	-
197	Устье	191	1944-51, 53, 56-65	-	-	-
229	Фаланская и Киров	208	1937-38, 40, 44-65*	1937-38, 40, 44-65	-	-
254	Ханино	200	1945-60	-	-	-
155	Хлевинно	160	1947-48, 50-51, 53-65	-	-	-
87	Хлопово-Городище	140	1948, 50-65	-	-	-
263	Чернь и Скругатово	245	1936-41, 44-52, 59-65*	-	1936-41, 44-52 59-64	-
187	Черсово	120	1939, 45-48, 50-58, 60, 64-65	-	-	-
145	Черусты	127	1936-41, 44-56, 60-65*	-	-	-
9	Шарна	101	1945-65*	-	-	-
109	Шаховская	188	1936-37, 41, 43-56, 59-65	-	-	-
243	Шацк	121	1937-38, 42-65*	1937-38, 42-65	-	-
240	Шилово	98	1936-64*	1936-64	-	-
206	Шокино	229	1946-47, 50-65	-	-	-
95	Шучье	176	1946-65	-	-	-
68	Яровинка	221	1944-45, 49-65	-	-	-
25	Ярославль	98	1936-65*	1936-65	1936-60	1936-60

Note: Asterisk (*) means that for the corresponding station the column in Table 1 also contains data of Table 1a for the same period.

Section 3. Snowstorms

Station No	Station	Altitude (m)	1. Mean number of days with snowstorms	1a. Greatest number of days with snowstorms	2 Mean number of days with storms of drifting snow	3 Duration of snowstorm	4,5&6 Recurrence of various wind directions, various wind velocities, and temperature within various limits during snowstorms	7. Recurrence of various number of days with snowstorms during year
Years of observations								
168	Александров	185	1936-64	1936-64	1936-64	-	-	1936-64
252	Алексин	192	1950-64	-	-	-	-	-
75	Балынь	228	1944-64	1944-64	-	-	-	-
46	Бежецк	140	1936-64	1936-64	1936-64	-	1936-63	1936-64
250	Белое	175	1936-41, 43-64	1936-41, 43-64	1943-44, 46-64	1936-40, 43-64	-	1936-41, 43-64
222	Беликово	200	1954-64	-	-	-	-	-
37	Березовская Рудка	146	1945-64	-	-	-	-	-
42	Бологое	187	1936-41, 43-64	-	-	-	-	-
193	Болхово	220	1949-64	-	-	-	-	-
56	Большие Сетки	148	1954-64	-	-	-	-	-
93	Большое Кобяково	250	1946-62	-	-	-	-	-
10	Брейтово	105	1946-47, 49-64	1946-47, 49-64	-	-	-	-
194	Велик	165	1936-41, 43-44, 47-64	1936-41, 43-44, 47-64	1943-48, 52-53, 57-64	-	1944-63	1936-41, 43-44, 47-64
253	Венев	175	1936-41, 44-64	1936-41, 44-64	-	-	-	1936-41, 44-64
246	Верда	124	1937-43, 45-64	1937-43, 45-64	-	-	-	1937-43, 45-64
29	Вёска	126	1943-44, 46-47, 49-64	1943-44, 46-47, 49-64	-	-	-	-
35	Весьегонск	106	1949-64	1949-64	-	-	-	-
176	Владимир	168	1946-64	1946-64	-	-	-	1946-64
2	Владычное	140	1941-46, 48-64	1941-46, 48-64	-	-	-	-
208	Волково	278	1936-60	1936-60	1936-40, 46-59	-	1936-60	1936-60
110	Волоколамск	187	1936-41, 43-64	1936-41, 43-64	-	-	-	1936-41, 43-64
30	Высоково	180	1936-37, 41-42, 46-64	1936-37, 41-42, 46-64	-	-	-	-
54	Высоково	180	1943-64	1943-64	-	-	-	-
51	Вышиний Волочек	167	1936-64	1936-64	-	1945-64	1936-60	1936-64
171	Вязники	122	1951-64	-	1949-64	-	-	-
199	Вязьма	252	1936-41, 43-64	1936-41, 43-64	1943-44, 46-64	1935-40, 45-64	1936-41, 43-63	1936-41, 43-64
3	Гаютино	122	1950-64	-	-	-	-	-
195	Гжатск	194	1937-38, 43-44, 48-64	1937-38, 43-44, 48-64	-	-	-	-
60	Горицы	150	1944-64	1944-64	-	-	-	-
174	Гороховец	79	1940-64	1940-64	-	-	-	1940-64
185	Гусь-Хрустальный	135	1937-64	1937-64	1937-64	-	-	1937-64
13	Данилов	155	1936-64	1936-64	-	-	-	-
198	Демидов	165	1937-40, 43-64	1937-40, 43-64	-	-	-	1937-40, 43-64
103	Дмитров	183	1943-64	1943-64	-	-	-	-
201	Духовщина	213	1936-40, 44-64	1936-40, 44-64	-	-	-	1936-40, 44-64
234	Елатыма	132	1937-42, 44-48, 51-64	-	1936-63	-	1936-60	-
212	Ельня	232	1937-40, 43-64	1937-40, 43-64	-	-	-	1937-40, 43-64
218	Ернички	200	1944-53, 55-64	1944-53, 55-64	-	-	-	-
265	Ефремов	216	1939-64	-	1955-64	-	-	-
232	Жиздра	192	1938-41, 45-51, 58-64	1938-41, 45-55, 58-64	1945-58, 61-64	-	1938-41, 45-63	1938-41, 45-64
104	Загорск	205	1941-64	1941-64	-	-	-	1941-64
63	Заречье	143	1945-64	1945-64	-	-	-	-
17	Исады	88	1944-64	1944-64	-	-	-	-
73	Калинин	136	1936-64	1936-64	-	1936-64	1936-60	1936-64
225	Калуга	202	1936-59	1936-59	1942-64	1936-59	1942-63	1936-59
190	Карманово	216	1954-61	-	-	-	-	-
127	Каспоква	179	1944-60	-	-	-	-	-
235	Касимов	108	1947-49, 51-64	-	-	-	-	-
55	Кашин	137	1936-64	1936-64	1936-64	-	-	1936-64
163	Кашира	219	1940-64	1940-64	1936-63	1940-64	-	1940-64

243

Station No.	Station	Altitude(m)	1. Mean number of days with snowstorms	1a. Greatest number of days with snowstorms	2. Mean number of days with storms of drifting snow	3. Duration of snowstorm	4, 5&6. Recurrence of various wind directions, various wind velocities and limits during snowstorms	7. Recurrence of various number of days with snowstorms during year
Years of observations								
80	Кесова Гора . . .	180	1948-64	—	—	—	—	—
36	Кельма . . .	194	1942-64	1942-64	1942-64	—	—	1942-64
102	Клий . . .	166	1940-64	1940-64	1936-40, 44-64	1940-64	—	1940-64
170	Ковров . . .	124	1936-64	1936-64	—	—	—	1936-64
230	Ковыльск . . .	142	1944-54, 51-64	—	—	—	—	—
16	Коприно . . .	109	1941-43, 51-64	1941-43, 51-64	—	—	—	—
156	Коломна . . .	112	1955-64	—	—	—	—	—
214	Красиловка . . .	192	1954-64	—	—	—	—	—
60	Красный Холм . . .	166	1948-64	1948-64	—	—	—	—
64	Кувшиново . . .	252	1936-40, 42-64	1936-40, 42-64	—	—	—	1936-40, 42-64
142	Куроцкое . . .	123	1936-52, 55-64	1936-52, 55-64	—	—	—	1936-52, 55-64
141	Ленино-Дачное . . .	172	1951-64	—	—	—	—	—
61	Лихославль . . .	180	1946-47, 49-64	1946-47, 49-64	—	—	—	—
120	Лосиноостровская . . .	147	1947-64	—	—	—	—	—
60	Луковниково . . .	240	1946-64	1946-64	—	—	—	—
45	Максатиха . . .	134	1936-64	1936-64	—	—	—	1943-50, 61-64
219	Малоярославец . . .	195	1943-50, 61-64	1943-59, 61-64	—	—	—	—
70	Медное . . .	143	1949-64	—	—	—	—	—
188	Маленин . . .	130	1955-64	—	—	—	—	—
268	Мельгуново . . .	158	1963-64	—	—	—	—	—
242	Михайлов . . .	164	1936-64	1936-64	—	1936-64	—	1936-64
157	Михнево . . .	178	1939-58	1939-58	—	—	—	—
113	Мишино . . .	144	1949-64	—	—	—	—	—
146	Можайск . . .	184	1936-45, 49-64	1936-45, 49-64	1936-64	1936-40, 42-65	—	1936-45, 49-64
224	Мосальск . . .	223	1937-39, 43-44, 48-64	1937-39, 43-44, 48-64	—	—	—	—
124	Москва, ВДНХ . . .	148	1948-64	1948-64	—	1948-64	—	—
130	Москва ГМО . . .	124	1960-64	—	—	—	—	—
136	Москва, ЗИЛ . . .	130	1948-64	—	—	—	—	—
126	Москва, Сокольники . . .	152	1961-64	—	—	—	—	—
121	Москва, с.-х. академия . . .	167	1966-63, 49-64	1944-46-47, 49-64	—	—	1936-60	—
91	Мостовая . . .	250	1944, 46-47,	1944, 46-47,	—	—	—	—
189	Мошок . . .	165	1938-57	1938-57	—	—	—	—
186	Муром . . .	119	1936-64	1936-64	—	1936-64	1936-60	1936-64
204	Мухино . . .	157	1954-63	—	—	—	—	—
12	Мыс Рожков- ский . . .	103	1951-64	1951-64	1951-64	1951-65	—	—
22	Мышкино . . .	119	1936-64	1936-64	—	—	—	1936-64
1	Мытища . . .	132	1955, 57-64	—	—	—	—	—
202	Надежда . . .	195	1946-64	—	—	—	—	—
151	Наро-Фоминск . . .	166	1941-64	1941-64	—	—	—	1941-64
24	Ногинское . . .	100	1937-56	—	—	—	—	—
133	Немчиновка . . .	177	1944-64	1944-64	1945-64	—	—	—
23	Новое Село . . .	125	1940-62	1940-62	—	—	—	—
118	Ново-Иерусалим . . .	159	1935-64	—	—	—	—	—
196	Ново-Пречистое . . .	244	1938-40, 44-64	1938-40, 44-64	—	—	—	1938-40, 44-64
98	Нушполье . . .	133	1948-64	—	—	—	—	—
20	Обухово . . .	125	1936-55, 57-60, 62-64	1936-55, 57-60, 62-64	—	—	—	1936-55, 57-60, 62-64
257	Орлово . . .	168	1944-58	—	—	—	—	—
59	Осташков . . .	218	1936-10, 42-64	1936-10, 42-64	—	—	—	1936-40 42-64
246	Павлово . . .	209	1936-64	1936-64	1936-63	1940-64	1936-60	1936-64
129	Павловский Посад . . .	134	1951-65	—	—	—	—	—
125	Павшинко . . .	139	1947-56	—	—	—	—	—
33	Переславль- Залесский . . .	171	1942-64	1942-64	1936-11 46-64	—	—	—
181	Петушки . . .	117	1950-54	—	—	—	—	—
131	Подмосковная . . .	177	1946-64	1946-64	—	—	—	—

244

Station No.	Station	Altitude (m)	1 Mean number of days with snowstorms	1a. Greatest number of days with snowstorms	2 Mean number of days with storms of drifting snow	3 Duration of snowstorm	4,5&6 Recurrence of various wind directions, various wind velocities, and temperature within various limits during snowstorms	7. Recurrence of various number of days with snowstorms during year
Years of observations								
117	Починки	137	1936-59 1936-37, 39-41, 43-64	1936-59 1936-37, 39-41, 43-64	-	1936-40, 43-67	-	1936-59 1936-37, 39-41, 43-64
213	Починок	206	1936-37, 39-41, 43-64	1936-37, 39-41, 43-64	-	1936-40, 43-67	-	1936-37, 39-41, 43-64
6	Пощёхонье- Вологодск	109	1938-64	1938-64	1938-64	1938-64	1938-64	1938-64
89	Ржев	195	1936-40, 43-64	1936-40, 43-64	-	1936-40, 43-64	1936-41, 44-63	1936-40, 43-64
49	Рождество	250	1942-60	-	-	1936-40, 44-64	-	1936-41, 43-64
217	Рославль	219	1936-41, 43-64	1936-41, 43-64	-	1936-40, 44-64	-	1936-41, 43-64
31	Ростов	99	1936-64	1936-64	1936-64	-	-	1936-64
217	Рудня	184	1936-40, 49-64	1936-40, 49-64	-	-	-	-
15	Рыбинск, ГМО	104	1947-64	1947-64	-	-	-	-
18	Рыбинск, город	98	1936-38, 41-55	-	-	-	-	-
236	Рыбное и Старое Беседово	115	1948-56, 58-60	-	-	-	-	-
52	Ряд	161	1945-64	1945-64	-	-	-	-
247	Ряжск	125	1936-64	1936-64	-	1936-64	-	1936-64
237	Рязань	156	1942-64	1942-64	1936-64	1942-57, 62-64	1942-63	1942-64
72	Савёлово	122	1936-44, 51-64	1936-44, 51-64	-	-	-	-
167	Санинково и Яблонцы	125	1936-42, 44-51, 53-64	1936-42, 44-51, 53-64	-	-	-	-
239	Сасово	114	1936-64	1936-64	-	1936-64	-	1936-64
203	Сафоново	210	1943-64	1943-64	-	-	-	-
180	Селивановское оп. поле	129	1936-64	1936-64	-	-	-	1936-64
57	Семёновское	150	1944-64	1944-64	-	-	-	1944-64
161	Серпухов	163	1954-64	-	-	-	-	-
164	Сима	150	1951-64	-	-	-	-	-
29	Симанники	148	1949-61	-	-	-	-	-
245	Скляки	150	1937-64	1937-64	-	-	-	-
211	Смоленск	233	1936-39, 43-64	1936-39, 43-64	1936-41, 43-64	1936-38, 45-64	1944-63	1936-39, 43-64
140	Собакино	187	1936-44, 51-64	-	-	-	1936-60	-
227	Соболевка	228	1949-59	-	-	-	-	1936-39, 44-64
226	Спасс-Деменск	237	1936-39, 44-64	1936-39, 44-64	1943-64	-	-	-
41	Спас-Забережье	141	1949-56, 58-64	-	1939-40, 43-44, 46-64	-	-	1936-40, 43-64
82	Старина	179	1936-40, 43-64	1936-40, 43-64	-	-	-	-
241	Старожилово	149	1936-44, 46-64	1936-44, 46-64	-	-	-	1936-44, 46-64
154	Старый Спас	125	1961-64	-	-	-	-	-
38	Стяжки	150	1949-64	-	-	-	-	-
166	Судаль	125	1937-42, 44-64	1937-42, 44-64	-	-	-	-
226	Сухиничи	237	1936-40, 43-64	1936-40, 43-64	1943-49, 51-64	1936-41, 43-64	-	1936-40, 43-64
191	Сычевка	200	1936-41, 43-64	1936-41, 43-64	1943-64	-	-	1936-41, 43-64
205	Текинко	202	1936-40, 44-64	1936-40, 44-64	-	-	-	1936-40, 44-64
53	Толмачи	186	1938-40, 42-64	1938-40, 42-64	-	-	-	1938-40, 42-64
66	Торжок	171	1939-40, 42-64	1939-40, 42-64	1937-40, 42-64	-	-	1939-40, 42-64
84	Торопец	187	1951-64	-	-	1936-41, 43-65	-	-
62	Троица-Нерль	110	1943-64	1943-64	-	-	-	-
172	Троицк	135	1951-55, 57-60, 62-64	-	-	-	-	-
255	Тула	165	1937-64	1937-64	1942-64	1944-64	1937-64	1937-64
233	Тула	123	1936-41, 44-64	1936-41, 44-64	-	1936-41, 44-64	-	1936-41, 44-64
83	Тургиново	130	1936-40, 43-64	1936-40, 43-64	-	-	-	1936-40, 43-64
21	Тутаев	125	1936-64	1936-64	-	-	1936-62	1936-64
123	Тушинко	140	1938-41, 1946, 48-52, 54-63	-	-	-	-	-
26	Углич	124	1937-42, 45-64	1937-42, 45-64	-	-	-	1937-42, 45-64

245

Station No.	Station	Altitude (m)	1. Mean number of days with snowstorms	1a Greatest number of days with snowstorms	2. Mean number of days with storms of drifting snow	3 Duration of snowstorms	4, 5&6. Recurrence of various wind directions, various wind velocities, and temperature within various limits during snowstorms	7. Recurrence of various number of days with snowstorms during year
Years of observations								
44	Удомля . . .	210	1946-47, 49-64	1946-47, 49-64	-	-	-	-
256	Узловая . . .	240	1936-64	1936-64	-	-	-	1936-64
48	Усаты . . .	138	1948-64	-	-	-	-	-
215	Ускосы . . .	162	1945-64	1945-64	-	-	-	-
34	Успенский с.-х. техникум	240	1936-41, 45-60, 63-64	1936-41, 45-60 63-64	-	-	-	1936-41, 45-60, 63-64
229	Фаянсовая и Киров	208	1936-40, 44-64	1936-40, 44-64	-	-	-	-
8	Федино . . .	120	1946-58	-	-	-	-	-
254	Ханино . . .	200	1946-60	-	-	-	-	-
87	Хлопово-Городище	140	1948-64	1948-64	-	-	-	-
231	Хотьково . . .	169	1945-64	-	-	-	-	-
263	Чернь и Скуратово . . .	245	1936-64	1936-64	1944-64	1936-40, 44-64	-	1936-64
187	Черсево . . .	120	1939-41, 44-47, 51-58, 63-64	-	-	-	-	-
145	Черусты . . .	127	1948-64	1948-64	-	-	-	-
9	Шарна . . .	101	1945-64	1945-64	-	-	-	-
109	Шаховская . . .	188	1936-41, 43-64	1936-41, 43-64	-	-	-	-
243	Шацк . . .	121	1951-64	-	1939-40, 46-56, 60-64	-	-	1936-41, 43-64
240	Шилово . . .	98	1936-64	1936-64	1954-64	1936-64	-	-
47	Шлиинский гидроузел	202	1950-64	-	-	-	-	1936-64
206	Шокино . . .	239	1946-64	1946-64	-	-	-	-
95	Шучье . . .	176	1946-56	-	-	-	-	-
165	Юрев-Польский	152	1947-64	1947-64	-	1947-64	-	-
68	Яровинка . . .	221	1945-64	-	-	-	-	-
25	Ярославль . . .	98	1936-64	1936-64	-	1936-64	-	1936-64

246

Section 4. Storms

Station No	Station	Altitude(m)	1. Mean number of days with storm 1a. Greatest number of days with storm	2. Mean duration of storms 2a. Duration of storms at various times of day	3 Recurrence of various number of days with storm during year
------------	---------	-------------	-----------------------------------------------------------------------------	------------------------------------------------------------------------------	---------------------------------------------------------------

Years of observations

168	Александров . . .	185	1936-40, 42-65	-	1936-40, 42-65
216	Александровка	191	1947-55, 57-59, 61-65 *	-	-
252	Алексин . . .	192	1941, 50-65 *	-	-
46	Бежецк . . .	140	1936-37, 39-40, 42-65	-	1936-37, 39-40, 42-65
259	Белев . . .	175	1936-41, 43-65	-	1936-41, 43-65
222	Беликово . . .	200	1954-65 *	-	-
94	Белый . . .	212	1936-40, 44-65	-	-
37	Березовский Рядок . . .	146	1945-54, 56-65 *	-	-
42	Бологое . . .	187	1936-65	1942-64	1936-65
193	Борисово . . .	220	1948-65	-	-
10	Брейтвото . . .	105	1940-65	-	-
194	Велиж . . .	165	1936-40, 43-65	-	1936-40, 43-65
253	Венец . . .	175	1937-41, 44-65	-	-
248	Верда . . .	124	1938-65	-	-
29	Вески . . .	126	1945-65	-	-
35	Весьегонск . . .	106	1951-65 *	-	-
176	Владимир . . .	168	1936-45, 47-65	1941-65	1936-45, 47-65
2	Владычное . . .	140	1938, 40-65	-	-
262	Волопо . . .	276	1936-65	1941-65	1936-65
110	Волоколамск . . .	187	1936-65	-	1936-65
54	Высоково . . .	180	1944-65	-	-
51	Вышний Волочек . . .	167	1936-41, 43-65	-	1936-41, 43-65
171	Вязники . . .	122	1936-65	-	-
199	Вязьма . . .	252	1936-40, 43-65	-	1936-65 1936-40, 43-65
195	Гжатск . . .	194	1937-39, 43-65	-	-
60	Горицы . . .	150	1953-54, 56-65 *	-	-
174	Гороховец . . .	79	1936-65	-	-
186	Гусь-ХрустальныЙ . . .	135	1938-65	-	-
13	Данилов . . .	155	1936-65	-	-
210	Дебри . . .	165	1947-65 *	-	-
198	Демидов . . .	165	1936-40, 44-65	-	-
103	Дмитров . . .	183	1941-65	-	-
201	Духовщина . . .	213	1937-40, 44-57 *	-	-
234	Елатыма . . .	132	1936-65	-	1936-65
212	Ельня . . .	232	1937-40, 44-65	-	-
218	Ершичи . . .	200	1944-65	-	-
263	Ефремов . . .	216	1936-65	-	1936-65
232	Жиздра . . .	192	1937-41, 45-65	-	1937-41, 45-65
104	Загорск . . .	205	1941-65	-	-
88	Западная Двина	200	1936-40, 42-65	1942-62, 64, 65	1936-40, 42-65

Station No.	Station	Altitude (m)	1. Mean number of days with storm	2. Mean dura- tion of storms	3. Recur- rence of various number of days with storm dur- ing year
			1a. Greatest number of days with storm	2a. Duration of storms at various times of day	
Years of observations					
58	Ивановское . . .	212	1947-48, 50-51, 53-65 *	" -	-
17	Исады . . .	88	1944-65	-	-
238	Кадом . . .	98	1946-65	-	-
73	Калинин . . .	136	1936-65	1946-65	1936-65
225	Калуга . . .	202	1936-65	1942-65	1936-65
235	Касимов . . .	108	1947-65 *	-	-
55	Кашин . . .	137	1936-40, 42-65	-	1936-40, 42-65
163	Кашира . . .	219	1936-65	-	1936-65
36	Кесьма . . .	194	1942-65	-	-
102	Клин . . .	166	1936-65	-	1936-65
170	Киржач . . .	130	1936-65	-	-
192	Козеевицна . . .	113	1947-50, 53-65	-	-
230	Козельск . . .	142	1944-65	-	-
156	Коломна . . .	112	1936-65	-	-
16	Конаково . . .	109	1943-65	-	-
39	Котлован . . .	152	1942-62 *	-	-
40	Красный Холм . . .	166	1936-39, 49-65	-	-
143	Кривандино . . .	120	1951-59, 61-65 *	-	-
184	Крюково . . .	150	1946-65	-	-
64	Кушиново . . .	252	1936-40, 42-65	1942-65	1936-40, 42-65
4	Кукобой . . .	150	1947-65 *	-	-
142	Куропское . . .	123	1936-65	-	-
141	Ленино-Дачное . . .	172	1952-65 *	-	-
61	Лихославль . . .	150	1952-65 *	-	-
120	Лосиноостров- ский . . .	147	1938-65	1941-65	-
80	Луковниково . . .	240	1944, 46-65	-	-
45	Макатиха . . .	139	1936-40, 42-65	-	-
219	Малоярославец . . .	195	1936-65	-	1936-65
188	Меленки . . .	130	1940-44, 46-65	-	-
242	Михайлов . . .	164	1936-65	-	-
157	Мишиново . . .	178	1936-65	1941-64	1936-65
146	Можайск . . .	184	1936-65	1941-65	1936-65
221	Мокрая . . .	144	1946, 48-65 *	-	-
85	Молодой Труд . . .	200	1943-65	-	-
224	Мосальск . . .	223	1937-39, 41, 43-65	-	-
121	Москва, В/ДНХ . . .	148	1948-65 *	1949-65	-
130	Москва, ГМО . . .	124	1947-65 *	-	-
136	Москва, ЗИЛ . . .	130	1947-65 *	-	-
121	Москва, с. х. академия . . .	167	1936-42, 44-46, 48-65	-	1936-42, 44-46, 48-65
91	Мостовая . . .	250	1949-63 *	-	-
183	Мошок . . .	165	1938, 40-54, 57, 59-65	-	-
186	Муром . . .	119	1936-65	1941-65	1936-65
12	Мыс Рожнов- ский . . .	103	1951-65 *	-	-
22	Мышкино . . .	119	1936-65	-	-
202	Надежда . . .	195	1947-48, 50-65 *	-	-
151	Наро-Фоминск . . .	166	1941-65	-	-
133	Немчиновка . . .	177	1944-65	-	-

248

Station No.	Station	Altitude (m)	i. Mean number of days with storm la. Greatest number of days with storm	2. Mean dura- tion of storms 2a. Duration of storms at various times of days	3. Recur- rence of various days with storm dur- ing year
-------------	---------	--------------	-----------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------

Years of observations

23	Новое Село . . .	125	1936, 40-62 1937-65	-	-
118	Ново-Перусалим . . .	159	1937-40, 44-65	-	-
196	Ново-Пречистое . . .	244	1937-40, 44-65	-	-
20	Обухово . . .	125	1941-65	-	-
257	Орлово . . .	168	1944-65	-	-
59	Осташков . . .	218	1936-65	-	1936-65
246	Пантелей . . .	209	1936-65	1941-65	1936-65
129	Павловский Посад . . .	134	1936-41, 43-65	-	-
33	Переславль- Залесский . . .	174	1936-65	-	1936-65
181	Петушки . . .	147	1936-65	-	-
261	Плавск II Паточная . . .	180	1937-40, 53-61, 63-65 *	-	-
131	Подмосковная . . .	177	1946-65	-	-
117	Починки . . .	137	1941-65	-	-
213	Починок . . .	206	1936-40, 44-65	-	-
6	Пощекино- Володарск . . .	109	1936-65	1941-65	1936-65
74	Пьяниконо . . .	219	1945-65	-	-
89	Ржев . . .	195	1936-41, 43-65	-	1936-41, 43-65
49	Рождество . . .	250	1939, 42-60	-	-
217	Рославль . . .	219	1936-40, 44-65	-	1936-40, 44-65
31	Ростов . . .	99	1936-65	1941-65	1936-65
207	Рудня . . .	188	1936-40, 44-45, 49-65	-	-
15, 18	Рыбник . . .	104	1936-65	-	-
52	Ряд . . .	161	1945-65	-	1936-65
247	Рижек . . .	125	1936-65	-	1936-65
237	Рязань . . .	156	1936-65	-	-
72	Савелово . . .	122	1936-65	-	-
244	Сапожок . . .	150	1940, 43, 48-65 *	-	1936-65
239	Сасово . . .	114	1936-65	1943-65	-
203	Сафоново . . .	214	1936-40, 44-65	-	-
180	Селиванов- ское оз. поле . . .	129	1937-65	-	-
5	Семеновское . . .	150	1944-59 *	-	-
161	Серпухов . . .	163	1936-50, 52-65	-	-
164	Сима . . .	150	1946-65	-	-
245	Скопин . . .	150	1937-65	-	1936-40, 44-65
211	Смоленск . . .	233	1936-40, 44-65	1944-65	-
140	Собакино . . .	187	1936-65	-	-
226	Спас-Деменек . . .	237	1936-40, 44-65	1946-65	1936-40, 41-65
41	Спас-Заборежье . . .	141	1951-65 *	-	-
82	Старица . . .	179	1936-40, 44-65	-	-
241	Старожилово . . .	149	1936-65	-	-
166	Суздаль . . .	125	1937, 39-42, 44-65	-	-
228	Сухиничи . . .	237	1936-40, 44-65	-	1937-40,
191	Сычевка . . .	200	1937-40, 44-50, 52-65	-	44-50, 52-65

Station No.	Station	Altitude (m)	1. Mean number of days with storm	2. Mean dura- tion of storms	3. Recur- rence of various days with storm dur- ing year
			la. Greatest number of days with storm	2a. Duration of storms at various times of days	
Years of observations					
205	Гемкино . . .	202	1936-41, 45-65	1945-65	1936-41, 45-65
53	Толмачи . . .	186	1938-40, 42-65	-	-
65	Торжок . . .	171	1937-40, 42-65	-	-
84	Торопец . . .	187	1936-40, 43-65	-	1936-40, 43-65
255	Тула	165	1936-65	1946-65	1936-65
233	Тума	123	1936-65	-	-
83	Тургиново . . .	128	1936-40, 44-65	-	-
21	Тугаев	125	1944-65	-	-
26	Ульяч	124	1936-65	-	1936-65
44	Удомля	210	1946-65 *	-	-
256	Уловая	240	1936-41, 43-65	-	-
215	Усековы	162	1945-65	-	-
34	Успенский с.-х. техникум . . .	240	1936-41, 45-65	-	-
229	Фаянсовая и Кироп	208	1937-40, 44, 46-65	-	-
155	Хлевнико	160	1946-65	-	-
263	Чернъ и Скура- тово	245	1936-41, 44-65	-	-
187	Черепено	120	1937, 40, 42-65	-	-
145	Черусчи	127	1936-65	-	1936-65
9	Шарни	101	1945-65	-	-
109	Шахонская . . .	188	1936-41, 43-65	-	-
243	Шапки	121	1937-65	-	1937-65
240	Шилово	98	1936-37, 50-65 *	-	-
206	Шокино	228	1946-65 *	-	-
165	Юрьево Поль- ский	152	1936-40, 44, 46, 48-49, 56-65 *	-	-
25	Ярославль	98	1936-65	-	1936-65
101	Яхрома, птичи пункт	126	1936-42, 44-45, 50-52, 55, 58-59 *	-	-

Note: Asterisk (*) means that for the corresponding station in column 1 of Table 1 there are no data for Table 1a.

250

Section 5. Hail

Station No.	Station	Altitude (m)	1. Mean number of days with hail	la. Greatest number of days with hail
Years of observations				
168	Александров . . .	185	1907, 09-18, 25-30, 32-65	1907, 09-18, 25-30, 32-65
252	Алексин . . .	192	1950-65	-
223	Андреевское . . .	204	1907-14, 20-35	1907-14, 20-35
200	Батищево . . .	215	1901-23, 25-40	1901-23, 25-40
75	Бынь . . .	228	1944-49, 51-59, 65	-
46	Бежецк . . .	140	1891-1910, 18-19, 28-29, 39-40, 42-65	1891-1910, 18-19, 28-29, 39-40, 42-65
259	Белев . . .	175	1901-23, 27-41, 43-59	1901-23, 27-41, 41-59
222	Беликого . . .	200	1945-65	1945-65
94	Белый . . .	212	1924, 26-27, 31-65	1924, 26-27, 31-65
182	Березники . . .	100	1904-07, 09, 11-17, 19-21, 26-30	-
37	Березовский Рядок	146	1945-65	1945-65
135	Богаево . . .	190	1915-28, 30-31	-
260	Богородицк, с.-х. техникум . . .	228	1902-05, 07-16, 28-33	-
42	Бологое . . .	187	1931-65	1931-65
193	Большево . . .	220	1948-65	-
100	Боршево . . .	160	1915-35	-
10	Брейтово . . .	105	1950-65	-
106	Бренево . . .	145	1923-31	-
119	Ватутинко . . .	137	1951-65	-
194	Велиж . . .	165	1906-07, 11-12, 36-65	1906-07, 11-12, 36-65
253	Венев . . .	175	1930-41, 45-65	1930-41, 45-65
248	Верда . . .	124	1927-65	1927-65
71	Верхневолжский бейшлот . . .	205	1902-23, 26-40	1902-23, 26-40
35	Весьегонск . . .	106	1901-05, 24-30, 32, 34-40, 51-65	1901-05, 24-30, 32, 34-40, 51-65
77	Видогоши . . .	130	1901-16	-
159	Вихропо и Ново- селки . . .	165	1915-19, 21-36	1915-19, 21-36
176	Владимир . . .	168	1903-65	1903-65
175	Владимирское оп. поле . . .	170	1910-29, 34-46	1910-29, 34-46
2	Владычное . . .	140	1928-35, 38-65	1928-35, 38-65
262	Волово . . .	276	1901-04, 13-20, 1925-65	1901-04, 13-20, 1925-65
110	Волоколамск . . .	187	1932-35, 37-41, 1943-65	1932-35, 37-41, 1943-65
66	Всесуки . . .	209	1944-65	-
54	Высоково . . .	180	1944-65	-
30	Высоково . . .	150	1935-65	1935-65
51	Вышиний Волочек	167	1891-65	1891-65
171	Вязники . . .	122	1914-16, 18, 1934-65	1914-16, 18, 34-65
199	Вязьма . . .	252	1936-40, 43-65	1936-40, 43-65
177	Вяткино и Бараки	120	1907-35, 38-42, 1944-46	1907-35, 38-42, 44-46
3	Гаютино . . .	122	1950-63	-
195	Гжатск . . .	194	1937-38, 43-65	1937-38, 43-65
139	Гжель . . .	145	1915-30, 33-35	-
19	Глебово . . .	130	1923-42	-
60	Горицы . . .	150	1942-65	-

251

Station No.	Station	Altitude (m)	1. Mean number of days with hail	la. Greatest number of days with hail
Years of observations				
174	Гороховец	79	1914-20, 31-65	1914-20, 31-65
185	Гусь-Хрустальный	135	1928-30, 32-35, 38-65	1928-30, 32-35, 38-65
76	Давыдово	242	1896-97, 99, 1901-15	1910-65
13	Данилов	155	1910-65	1937-39, 44-65
210	Дебри	165	1937-39, 44-65	1937-40, 44-65
198	Демидов	165	1937-40, 1944-1965	1915-16, 22-34,
103	Дмитров	183	1915-16, 22-34, 41-65	41-65
209	Дорогобуж	179	1954-65	-
250	Егњашевка	160	1925-41	-
234	Елачма	132	1891-1904, 08-16, 20, 22-65	1891-1904, 08-16, 20, 22-65
212	Ельня	232	1937-40, 44-65	1937-40, 44-65
81	Емельяново	130	1943-65	1937-39, 44-65
218	Ернички	200	1937-39, 44-65	1893-99, 1901-05
265	Ефремов	216	1893-99, 1901-05, 31-65	31-65
232	Жиздра	192	1897-1917, 21-41, 45-65	1897-1917, 21-41, 45-65
251	Жуково	212	1918-24, 27-36	1916-21, 41-65
104	Загорск	205	1916-21, 41-65	-
43	Залучка	150	1947-65	-
88	Западная Двина	200	1933-37, 39-40, 43-65	1933-37, 39-40, 43-65
63	Заречье	143	1943-65	-
147	Захарино	150	1912-19, 26-35	-
97	Зятьково и Стариково	120	1913-30, 32-35, 53-65	1913-30, 32-35, 53-65
69	Ильиново	236	1944-65	-
17	Исады	88	1944-65	1891-1910, 12-19,
73	Калинин	136	1891-1910, 12-19, 22-23, 25, 27-40, 42-65	22-23, 25, 27-40, 42-65
225	Калуга	202	1891-1904, 08-13, 21, 26-65	1891-1904, 08-13, 21, 25-65
127	Карповка	179	1945-64	-
235	Касимов	108	1947-51, 53-65	-
55	Кашин	137	1930-65	1930-65
163	Кашира	219	1904-05, 07-16, 27-65	1904-05, 07-16, 27-65
36	Кесъма	194	1942-65	-
173	Киржач	170	1903-18	1940-65
102	Клин	166	1940-65	1900-05, 27-34,
170	Ковров	130	1900-05, 27-34, 36-51, 56-65	36-51, 56-65
192	Колесница	113	1946-65	-
230	Козельск	142	1944-65	1944-65
156	Коломна	112	1913-19, 24-29, 32-65	1913-19, 24-29, 32-65
39	Котлован	152	1901-04, 07, 09-18, 24-65	1901-04, 07, 09-18, 24-65
144	Красновидово	183	1913-32	1925-65
40	Красный Холм	166	1925-65	1945-65
143	Криницкое	120	1944-65	1925-65
184	Крюково	150	1925-65	-
114	Крюково	205	1944-65	1922-27, 29,
64	Кулишово	252	1922-27, 29, 1935-65	35-65

Station No.	Station	Altitude (m)	1. Mean number of days with hail	la. Greatest number of days with hail
Years of observations				
4	Кукобой . . .	150	1937-65	-
142	Куроцкое . . .	123	1929-44, 50-65	1929-44, 50-65
160	Куртино . . .	165	1914-35	1914-35
141	Ленино-Дачное . . .	172	1952-65	-
61	Лихославль . . .	150	1942-65	-
120	Лосиноостровская . . .	147	1932, 36-65	1932, 36-65
189	Ляхи . . .	120	1897-05, 07-14, 1930-35	-
45	Макатиха . . .	139	1925-65	1925-65
158	Малино . . .	163	1913-35, 41	1913-35, 41
219	Малоярославец . . .	195	1927-29, 31-65	1927-29, 31-65
188	Меленки . . .	130	1924-65	1924-65
178	Милюково . . .	150	1904-20	-
11	Милюшино . . .	131	1945-65	-
242	Михайлов . . .	164	1904-06, 08, 11-20, 24-58, 1962-65	1904-06, 08, 11-20, 24-58, 62-65
157	Михнено . . .	178	1923-65	1923-65
146	Можайск . . .	184	1932-65	1932-65
85	Молодой Тул . . .	200	1943-65	-
224	Мосальск . . .	223	1937-39, 41, 43-65	1937-39, 41, 1943-65
124	Москва, ВДНХ . . .	149	1948-65	1948-65
130	Москва, ГМО . . .	124	1947-65	-
128	Москва, межепод институт . . .	160	1891-12, 14-16, 23-29, 31	-
126	Москва, Соколь- ники . . .	152	1925-32, 46-47, 49-65	1925-32, 46-47, 1949-65
121	Москва, с.-х. акаде- мия . . .	167	1891-44, 48-65	1891-44, 48-65
91	Мостовая . . .	250	1943-60	-
183	Мошок . . .	165	1932-65	1932-65
249	Муравенция и Гре- мичка . . .	157	1891-16, 23-42	1891-16, 23-42
186	Муром . . .	119	1891-1906, 24-65	1891-06, 21-65
115	Мысово . . .	178	1921-34	-
12	Мыс Рожновский . . .	103	1951-65	-
22	Мышкино . . .	119	1895-12, 20-65	1895-12, 20-65
32	Нагорье . . .	160	1903-19	-
151	Наро-Фоминск . . .	166	1941-65	1941-65
24	Некрасовское . . .	100	1937-47, 49-65	-
133	Немчиновка . . .	177	1944-65	1944-65
118	Ново-Иерусалим . . .	159	1926-29, 31-65	1926-29, 31-65
196	Ново-Гречистое . . .	244	1937-40, 44-52, 1957-65	1937-40, 44-52, 1957-65
98	Путинцы . . .	133	1948-65	-
20	Обухово . . .	125	1925-65	1925-65
162	Озера . . .	136	1916-19, 22-35	-
67	Оршинская дача . . .	147	1908-30, 32-40	1908-30, 32-40
59	Осташков . . .	218	1923-65	1923-65
246	Павлово . . .	209	1927-34, 36-55, 1963-65	1927-34, 36-55, 1963-65
129	Павловский Посад . . .	134	1902-03, 31-65	1902-03, 31-65
33	Переславль-Залес- ский . . .	174	1920-23, 34-65	1920-23, 34-65
105	Пестриково . . .	225	1914-35	-
181	Петушки . . .	147	1931-40, 42-65	1931-40, 42-65

Station No.	Station	Altitude (m)	1. Mean number of days with hail	la. Greatest number of days with hail
Years of observations				
261	Плавск и Паточная	180	1928-29, 34-43, 1953-65	-
99	Подмонастырская слобода . . .	125	1911-36	-
131	Подмосковная . . .	177	1946-65	1946-65
169	Покров . . .	130	1904-38	1904-38
137	Полушкино . . .	135	1920-33	-
117	Починки . . .	137	1913-28, 31-65	1913-28, 31-65
213	Починок . . .	206	1936-40, 44-65	1936-40, 44-65
6	Пошехонье-Водяное . . .	109	1899-1901, 03-11, 15, 20-65	1899-1901, 03-11, 15, 20-65
7	Пустынь и Ильинское . . .	150	1937-38, 40-41, 46-65	-
74	Пьяниконо . . .	219	1944-49, 55-65	-
89	Ржев . . .	195	1894-1897, 1901-19, 24-65	1894-1897, 1901-19, 1924-65
217	Рославль . . .	219	1892-1910, 13-14, 19-28, 31-32, 36-40, 44-65	1892-1910, 13-14, 19-28, 31-32, 36-40, 44-65
31	Ростов . . .	99	1899-1904, 23-65	1899-1904, 23-65
207	Рудня . . .	188	1936-46, 44-45, 51-65	1936-40, 44-45, 51-65
15, 18	Рыбник . . .	104	1922-65	1922-65
111	Рыбинки . . .	121	1913-28, 35	-
52	Рид . . .	161	1945-65	-
247	Ряжек . . .	125	1895-96, 1901-04, 28-30, 32-65	1895-96, 1901-04, 28-30, 32-65
237	Рязань . . .	156	1906-08, 11-20, 23-65	1906-08, 11-20, 23-65
72	Савелово . . .	122	1936-65	1936-65
244	Сапожок . . .	150	1928-65	1928-65
239	Сасово . . .	114	1923-65	1923-65
203	Сафоново . . .	210	1944-65	1944-65
180	Селивановское оп. поле . . .	129	1914-16, 19-65	1914-16, 19-65
86	Сергино . . .	150	1897-1917, 19	-
161	Серпухов . . .	163	1928-65	1928-65
164	Сима . . .	150	1934-65	1934-65
28	Симанчицы . . .	148	1946-65	-
246	Сквориц . . .	150	1891-97, 1903-05, 07-16, 35, 37-65	1891-97, 1903-05, 07-16, 35, 37-65
211	Смоленск . . .	233	1891-1908, 10-11, 14, 25-40, 44-65	1891-1908, 10-11, 14, 25-40, 44-65
140	Собакино . . .	187	1915-19, 21-29, 31-41, 43-65	1915-19, 21-29, 31-41, 43-65
208	Соловьево . . .	183	1944-65	1944-65
266	Спас-Деменск . . .	237	1936-40, 44-65	1936-40, 44-65
41	Спас-Забережье . . .	141	1944-65	-
153	Спас-Коеницы . . .	175	1915-36	1915-36
82	Старина . . .	179	1892-99, 1901-04, 10-17, 23, 25-30, 36-40, 1944-1965	1892-99, 1901-04, 10-17, 23, 25-30, 36-40, 44-65
241	Стародубово . . .	149	1893-1897, 1925, 27-29, 31-65	1893-1897, 1925, 27-29, 31-65
107	Стрелецкая слобода . . .	195	1916-33	-
166	Суздаль . . .	125	1925-65	1925-65
228	Суячичи . . .	237	1936-40, 43-65	1936-40, 43-65

Station No.	Station	Altitude (m)	1. Mean number of days with hail	la. Greatest number of days with hail
Years of observations				
132	Сытьково и Руза . . .	186	1914-30, 33-36	14-30, 33-36
191	Сычевка . . .	200	1935, 37-40, 44-48 56-59	-
112	Тимашево . . .	210	1914-35	-
53	Толмачи . . .	186	1938-40, 42-58	-
65	Торжок . . .	171	1903-05, 37-40, 42-65	1903-05, 37-40, 42-65
84	Торопец . . .	187	1923-40, 45-65	1923-40, 45-65
172	Троицы . . .	135	1950-65	-
150	Тропарево . . .	180	1913-23, 29-36	-
255	Тула . . .	165	1897-1917, 25-63	1897-1917, 25-65
233	Тума . . .	123	1925-29, 31-65	1925-29, 31-65
83	Тургиново . . .	130	1913-41, 44-65	1913-41, 44-65
21	Тутнев . . .	126	1902-10, 26-35, 44-65	1902-10, 26-35, 44-65
123	Тушине . . .	140	1935, 38-41, 46, 48-65	1935, 38-41, 46, 48-65
26	Углич . . .	124	1924-31, 33-65	1924-31, 33-65
44	Удомля . . .	210	1946-65	-
256	Узловая . . .	240	1931-41, 43-65	1931-41, 43-65
34	Успенский с.-х. техникум . . .	240	1895-1929, 32-65	1895-1929, 32-65
197	Устье . . .	191	1947-65	-
229	Фаяновская и Киров	208	1937-40, 44-65	1937-40, 44-65
179	Фоминки . . .	120	1907-19, 25-40	1907-19, 25-40
254	Ханино . . .	200	1944-60	-
155	Хлевнико . . .	160	1913-19, 25-29, 33-36, 51-65	1913-19, 25-29, 1933-36, 51-65
116	Черкизово . . .	170	1912-35	-
263	Чернь и Скуратово	245	1893-1904, 11-16, 25-30, 32-41, 44-65	1893-1904, 11-16, 1925-30, 32-41, 44-65
187	Черсово . . .	120	1929-65	1929-65
145	Черусты . . .	127	1926-65	1926-65
9	Шарна . . .	101	1945-55	
109	Шаховская . . .	188	1915-18, 21-29, 33-65	1915-18, 21-29, 33-65
243	Шацк . . .	121	1937-65	1937-65
152	Шебанцево . . .	180	1915-32	-
240	Шилово . . .	98	1932-65	1932-65
47	Шлипинский гидро- узел . . .	202	1951-65	-
206	Шокино . . .	229	1946-65	-
149	Щаповский с.-х. техникум . . .	210	1914-19, 21-31	-
165	Юрьев-Польский	152	1925-65	1925-65
108	Ярополец . . .	158	1913-27	-
25	Ярославль . . .	98	1922-65	1922-65
101	Яхрома, низин- ная ст. . .	126	1915, 17, 22-41	-

LIST OF METEOROLOGICAL STATIONS AND POSTS

Station No.	Station (post)	Station No.	Station (Post)	Station No.	Station (post)
YAROSLAVSKAYA OBLAST		KALININSKAYA OBLAST		68.	Yarovinka
1. Myaksa	35. Ves'yegonsk	69.	Izvedovo		
2. Vladychnoye	36. Kes'ma	70.	Mednoye		
3. Gayutino	37. Berezovskiy	71.	Verkhnevolzh-		
4. Kukoboy	Ryadok		skiy		
5. Semenovskoye	38. Styazhki	72.	beyshlot		
6. Poshekhon'ye-Volodarsk	39. Kotlovan	73.	Savelovo		
7. Pustyn' and Il'inskoye	40. Krasnyy	74.	Kalinin		
8. Fedino	41. Spas-Zaberezh'ye	75.	P'yankovo		
9. Sharna	42. Bologoye	76.	Bdyn'		
10. Breytovo	43. Zaluchka	77.	Davydovo		
11. Milyushino	44. Udomlya	78.	Vidogoshi		
12. Mys Rozhnovskiy	45. Maksatikha	79.	Konakovo		
13. Danilov	46. Bezhetsk		Redokino, TOS		
14. Ignatovo	47. Shlinskiy		[expansion		
15. Rybinsk, GMO [Hydrometeorological station]	hydraulic power system		unknown;		
16. Koprino	48. Usaty		possibly		
17. Isady	49. Rozhdestvo		technical		
18. Rybinsk, city	50. Kesova Gora		experimental		
19. Glebovo	51. Vyshniy	80.	station]		
20. Obukhovo	Volochek	81.	Lukovnikovo		
21. Tutayev	52. Ryad	82.	Yemel'yanovo		
22. Myshkino	53. Tolmachi	83.	Staritsa		
23. Novoye Selo	54. Vysokovo	84.	Turginovo		
24. Nekrasovskoye	55. Kashin	85.	Toropets		
25. Yaroslavl'	56. Bol'shiye Setki	86.	Molodoy Tud		
26. Uglich	57. Semenovskoye	87.	Sergino		
27. Vduli	58. Ivanovskoye	88.	Khlopovo-		
28. Simanitsy	59. Ostashkov		Gorodishche		
29. Vyška	60. Goritsy	89.	Zapadnaya		
30. Vysokovo	61. Likhoslavl'	90.	Dvina		
31. Rostov	62. Troitsa-Nerl'	91.	Rzhev		
32. Nagor'ye	63. Zarech'ye	92.	Nelidovo		
33. Pereslavl'-Zaleskiy	64. Kuvshinovo	93.	Mostovaya		
34. Uspenskiy Agricultural Technical School	65. Tcrzhok	94.	Nikulino		
	66. Vseluki	95.	Bol'shoye Kobyakovo		
	67. Orshinskaya dacha		96.	Belyy	
					MOSKOVSKAYA OBLAST
					96. Dubna

Station No.	Station (post)	Station No.	Station (post)	
97.	Zyat'kovo and Starikovo	128.	Moscow. Mezhevoy institut	
98.	Nushpoly	129.	Pavlovskiy Posad	
99.	Podmonastyrskaya sloboda	130.	Moscow GMO	
100.	Borshchevo	131.	Podmoskovnaya	
101.	Yakhroma, lowland sta.	132.	Syt'kovo and Ruza	
102.	Klin	133.	Nemchinovka	
103.	Dmitrov	134.	Moscow, MGU [Moscow State University]	
104.	Zagorsk	135.	Bogayevo	
105.	Pestrikovo	136.	Moscow, ZIL [ZII auto plant]	
106.	Brenevo	137.	Polushkino	
107.	Streletskaya sloboda	138.	Bykovo	
108.	Yaropolets	139.	Gzhel'	
109.	Shakhovskaya	140.	Sobokino	
110.	Volokolamsk	141.	Lenino-Dachnoye	
111.	Ryabinki	142.	Kurovskoye	
112.	Timashevo	143.	Krivandino	
113.	Mishnevo	144.	Krasnovidovo	
114.	Kryukovo	145.	Cherusti	
115.	Mysovo	146.	Mozhaysk	
116.	Cherkizovo	147.	Zakhar'ino	
117.	Pochinki	148.	Makarovo	
118.	Novo- Ierusalim	149.	Shchapovskiy Agricultural Technical School	
119.	Vatutino	150.	Troparevo	
120.	Losinoostrovskaya	151.	Naro-Fominsk	
121.	Moscow Agricultural Academy	152.	Shebantsevo	
122.	Pavlovskaya sloboda	153.	Spas-Kositsy	
123.	Tushino	154.	Staryy Spas	
124.	Moscow VDNKh [Exhibition of Achievement of the National Economy]	155.	Khlevino	
125.	Pavshino	156.	Kolomna	
126.	Moscow Sokol'niki	157.	Mikhnevo	
127.	Karpovka	158.	Malino	
		159.	Vikhrovo and Novoselki	
		160.	Kurtino	
		161.	Serpukhov	
		162.	Ozery	
		163.	Kashira	

Station No.	Station (post)	Station No.	Station (post)
VLADIMIRSKAYA OBLAST		SMOLENSKAYA OBLAST	
164. Sima		190. Karmanovo	
165. Yur'yev-Pol'skiy		191. Sychevka	
166. Suzdal'		192. Kozeyevshchina	
167. Sannikova and Yablontsy		193. Volshevo	
168. Aleksandrov		194. Velizh	
169. Pokrov		195. Gzhatsk	
170. Kovrov		196. Novo-Prechistoye	
171. Vyazniki		197. Ust'ye	
172. Troitsy		198. Demidov	
173. Kirzhach		199. Vyz'ma	
174. Gorokhovets		200. Batishchevo	
175. Vladimirskoye experimental field		201. Dukhovshchina	
176. Vladimir		202. Nadezhda	
177. Vyatkino and Baraki		203. Safonovo	
178. Milinovo		204. Mukhino	
179. Fominki		205. Temokino	
180. Selivanovskoye experimental field.		206. Shokino	
181. Petushki		207. Rudnya	
182. Berezniki		208. Solov'yev	
183. Moshok		209. Dorogobuzh	
184. Kryukovo		210. Debrya	
185. Gus'-Khrustal'nyy		211. Smolensk	
186. Murom		212. Yel'nya	
187. Chersevo		213. Pochinok	
188. Melenki		214. Krasilovka	
189. Lyakhi		215. Uskosy	
	KALUZHESKAYA OBLAST	216. Aleksadrovka	
		217. Roslavl'	
		218. Yershichi	
		219. Maloyaroslavets	
		220. Malakhovo	

Station No.	Station (post)	Station No.	Station (post)
221.	Mokraya		TUL'SKAYA OBLAST
222.	Belikovo		
223.	Andreyevskoye	250.	Yegnyshevka
224.	Mosal'sk	251.	Zhukovo
225.	Kaluga	252.	Aleksin
226.	Spas-Demensk	253.	Venev
227.	Sobolevka	254.	Khanino
228.	Sukhinichi	255.	Tula
229.	Fayansovaya and Kirov	256.	Uzlovaya
230.	Kozel'sk	257.	Orlovo
231.	Khot'kovo	258.	Mel'gunovo
	RYAZANSKAYA OBLAST	259.	Belev
233.	Tuma	260.	Bogoroditsk
234.	Yelat'ma		Agricultural
235.	Kasimov		Technical
236.	Rybnoye and Staroye Veselovo		School
237.	Ryazan'	261.	Plavsk and Patochnaya
238.	Kadom	262.	Volovo
239.	Sasovo	263.	Chern' and Skuratovo
240.	Shilovo	264.	Arkhangel'skoye
241.	Starozhilovo	265.	Yeffemov
242.	Mikhaylov		
243.	Shatsk		
244.	Sapozhok		
245.	Skopin		
246.	Pavelets		
247.	Ryznsk		
248.	Verda		
249.	Murayevnya and Gremyachka		

259

NECESSARY CORRECTIONS TO "REFERENCE BOOK ON CLIMATE OF THE USSR", 8th EDITION

Page	No. & name of station	Columns	Line	Printed	Should be
------	--------------------------	---------	------	---------	--------------

Part I - Solar radiation, radiation balance,
'and solar aurora
(ed. 1966)

50	1. Пом	VI	Время 0 30 Радиация В	-0.8	-0.08
51	8. Торжок	VI	Время 6 30 Радиация S	0.96	0.94
		VI	Время 6 30 Радиация S'	0.34	0.36
		VIII	Время 6 30 Радиация S	86.0	0.86
53	10. Торопец	I	Время 15 30 Радиация В	0.05	--0.05
57	29. Наволец	XI	Время 6 30 Радиация D	-0.08	
		XI	Время 6 30 Радиация В	--	-0.08
		XII	Время 6 30 Радиация Q	-0.06	
		XII	Время 6 30 Радиация В	--	-0.06

[Note: Время = Time; Радиация = Radiation]

Part II - Wind (ed. 1966)

26	61 Юрьев- Польский	C3	K	66	6в
30	95. Киров	II	SW	19	18
32	103 Михайлов	VII	Calm	6	5
47	106 Рижск	VII, 1 hour		3.1	2.1
156	89. Рославль	Table 4		1942-1950	-

Part IV - Humidity of air, atmospheric precipitation,
snow cover (ed. 1967)

92	413. Рязань	X	19 hour	62	82
143	72. Красный Холм	IX		67	62
		X		56	61
147	233. Москва, ЗИЛ	IV-X		426	440
153	466 Успенское	Year		719	709
178	413. Рязань	'Mean maximum'			34
288	26 Глебово	X, 2d 10-day period		76	78
291	70. Котлован	II, 1st 10-day period		13	3
307	197 Починки	Altitude 6-10			
		Latest date of appearance of snow cover			
198	Ново-Перуса- лин	The same		13 XI	13 XII
200	Лосиноостров- ская	"		15 XI	15 XII
	239 Собакино	"		8 XI	8 XII
309	364. Монастыр- щина	Latest date of snow cover's departure		14 XI	14 XII
				19 IV	19 V

DISTRIBUTION LIST

DISTRIBUTION DIRECT TO RECIPIENT

<u>ORGANIZATION</u>	<u>MICROFICHE</u>	<u>ORGANIZATION</u>	<u>MICROFICHE</u>
A205 DMATC	1	E053 AF/INAKA	1
A210 DMAAC	2	E017 AF/RDXTR-W	1
B344 DIA/RDS-3C	9	E403 AFSC/INA	1
C043 USAMIIA	1	E404 AEDC	1
C509 BALLISTIC RFS LABS	1	E408 AFWL	1
C510 AIR MOBILITY R&D LAB/FIO	1	E410 ADTC	1
C513 PICATINNY ARSENAL	1	E413 ESD	2
C535 AVIATION SYS COMD	1	FTD	
C591 FSTC	5	CCN	1
C619 MIA REDSTONE	1	ASD/FTD/ NIIS	3
D008 NISC	1	NIA/PHS	1
H300 USAICE (USAREUR)	1	NIIS	2
P005 DOE	1		
P050 CIA/CRS/ADD/SD	1		
NAVORDSTA (50L)	1		
NASA/KSI	1		
AFIT/LD	1		
L.I.L/Code L-380	1		