

AD-A066 344

EMMANUEL COLL BOSTON MASS  
INVESTIGATION OF MICROPULSATION ACTIVITY.(U)  
NOV 78 W F BELLEW, M P HAGAN, R L VESPRINI

F/G 9/2

F19628-76-C-0013

UNCLASSIFIED

AFGL-TR-78-0312

NL

1 of 2

AD  
AO 66 34A



**LEVEL III**

12  
6.5.

AFGL-TR-78-0312

AD A066344

INVESTIGATIONS OF MICROPULSATION ACTIVITY

WILLIAM F. BELLEW  
M. PATRICIA HAGAN  
ROBERT L. VESPRINI

The Trustees of Emmanuel College  
400 The Fenway  
Boston, Massachusetts 02115

DDC  
RECEIVED  
MAR 26 1979  
RECEIVED  
C

DDC FILE COPY

~~THIS DOCUMENT IS BEST QUALITY PRACTICES.~~  
THE COPY FURNISHED TO DDC CONTAINED A  
SIGNIFICANT NUMBER OF PAGES WHICH DO NOT  
REPRODUCE LEGIBLY.

November 1978

Final Report: Period 15OCT75 - 30SEP78

Approved for public release; distribution unlimited.

AIR FORCE GEOPHYSICS LABORATORY  
AIR FORCE SYSTEMS COMMAND  
UNITED STATES AIR FORCE  
HANSCOM AFB, MASSACHUSETTS 01731

79 03 22 038

## **DISCLAIMER NOTICE**

**THIS DOCUMENT IS BEST QUALITY  
PRACTICABLE. THE COPY FURNISHED  
TO DDC CONTAINED A SIGNIFICANT  
NUMBER OF PAGES WHICH DO NOT  
REPRODUCE LEGIBLY.**

UNCLASSIFIED

MIL-STD-847A  
31 January 1973

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

9 REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFGL TR-78-0312 ✓	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A 035941 - A 056716 INVESTIGATION OF MICROPULSATION ACTIVITY.	5. TYPE OF REPORT & PERIOD COVERED FINAL 15OCT75 - 30SEP78	
6. AUTHOR(s) WILLIAM F. BELLEW, M. PATRICIA HAGAN ROBERT L. VESPRINI	7. PERFORMING ORG. REPORT NUMBER	
7. PERFORMING ORGANIZATION NAME AND ADDRESS Emmanuel College 400 The Fenway Boston MA 02115	8. CONTRACT OR GRANT NUMBER(s) F19628-76-C-0013 ✓	
11. CONTROLLING OFFICE NAME AND ADDRESS AIR FORCE GEOPHYSICS LABORATORY HANSCOM AFB MA 01731 CONTRACT MONITOR: ROBERT O. HUTCHINSON/	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62101F 7601/08 01	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Final rept. 15 Oct 75 - 30 Sep 78	9. REPORT DATE NOVEMBER 1978	
16. DISTRIBUTION STATEMENT (for this Report) A - Approved for public release; distribution unlimited. 1228p.	12. NUMBER OF PAGES 125	
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)	15. SECURITY CLASS. (of this report) Unclassified	
18. SUPPLEMENTARY NOTES	15a. DECLASSIFICATION DOWNGRADING SCHEDULE	
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Archiving      Magnetic Field      CRT Display Multiple Correlation      Spectral Analysis      Magnetograms Magnetic Activity      Filtering      Data Storage Micropulsations      Magnetometer Network      Status Plot		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Programs, functions, and subroutines were designed to collect, archive, and provide user access to data received from the MAGAF data collection network. Subroutines were written to unpack a data frame from received data order to instrument order, and also to repack data into received → next page		

DD FORM 1473 1 JAN 73 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

79 03 22 038  
128950 LB

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

19. KEY WORDS (cont.)

Tektronix Permutations Data Retrieval

20. ABSTRACT (cont.)

order. A series of plotting routines were added to the system to enable plot files in Varian Dataplot format and to produce magnetograms from the magnetometer network. Mathematical analyses have been performed on the data, including analysis of magnetic pulsations and of micropulsation events.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

CONTENTS

	<u>Page</u>
<b>INTRODUCTION</b>	4
<b>I. MAGAF System</b>	
1. Library Functions and Archiving Procedure	6
2. Unpacking and Repacking Subroutines	48
3. Data Storage and Retrieval Subroutines	57
4. Tektronix Plotting Routines	65
5. Magnetogram Production from Magnetometer Network	73
<b>II. Mathematical Analysis</b>	
1. Multiple Correlation	86
2. Comparison of Solar-Wind Parameter and Geomagnetic Activity Indices	100
3. Spectral Analysis	106
4. Analysis of Magnetic Pulsation Events	111
5. A Study of Micropulsation Events	116
6. Longitudinal Extent - Geomagnetic Pulsations	125

ACCESSION for	
NTIS	<input checked="" type="checkbox"/>
DDC	<input type="checkbox"/>
UNIVERSITY MICROFILMS	<input type="checkbox"/>
J. S. HUGHES	<input type="checkbox"/>
BY	
DISTRIBUTIONAL AVAILABILITY CODES	
U	or SPECIAL
<b>A 23</b>	

## INTRODUCTION

The final report (AFCRL-TR-75-0588) prepared under a previous contract (F19628-73-C-0081) with Emmanuel College detailed the specifications of the mini-computer located at AFGL and installed for data reception in the MAGAF network.

The MAGAF Data Collection system software consists of various programs, functions, and subroutines designed to collect, archive, and provide user access to data received from the MAGAF data collection network. These routines operate under the VORTEX real-time, multitasked, disk operating system on a VARIAN V-72 minicomputer. (Multitasking is a scheme whereby many more or less independent programs compete for system resources under some kind of priority setup.) A brief description of MAGAF system flow follows.

Upon system initialization, a MAGAF initialization program is read in from the Foreground Library and executed. Since this program is on disk, it can be changed as required. Currently, this program checks the presence of the 5 kHz and 10 kHz signals to V-72 counter and interrupt clock and syncs the computer and its counter to the 10 second pulse from the master clock. At this point, control is returned to the VORTEX operating system with the core resident digital data unit, DDU, monitor active

The core resident monitor initiates a read into the first of two buffer areas and releases control to the VORTEX system. Upon receipt of a frame of data from the DDU, VORTEX reactivates the monitor which updates the pointer to the data for user programs and initiates a read into the second buffer area. This procedure continues using alternate buffer areas. Subroutines are available on the system library to access the data, convert the time code, and unpack the data into instrument order.

The data access monitor subroutine, when called by a user program, checks for a change in the data pointer provided by the DDU monitor. If there has been no change in this pointer, the program is deactivated for 50 milliseconds and the pointer is checked again. If the pointer has changed, the frame is moved to the data area defined by the user program and the subroutine returns to the user program. It should be noted at this point that a change in this procedure is contemplated.

The interim archiving procedure takes the frame of data, compresses it when possible, stores it on disk in a circular buffer to maintain a short term history, and schedules the tape writing program when a buffer segment has been completed. Both programs, compression and tape writing are on disk and can therefore be modified.



## 1. MAGAF System

### 1. Library Functions and Archiving Procedure

(a) The library functions listed in Appendix A have been added to the system.

Function Name	Type	Calling Sequence	Result
IAND	Integer	I=IAND(J,K)	Returns logical product of J and K.
IOR	"	I=IOR(J,K)	Returns logical sum of J and K.
IXOR	"	I=IXOR(J,K)	Returns exclusive of J and K.
NOT	"	I=NOT(J)	Returns logical complement of J.
IBIT	"	I=IBIT(J,N)	$I = \begin{cases} 0 \\ 1 \end{cases}$ if Nth bit (mod. 16) of J is $\begin{cases} 0 \\ 1 \end{cases}$ .
MASK	"	I=MASK(N)	Returns $\begin{cases} N \text{ leading ones} \\ 0 \\  N  \text{ leading zeros} \end{cases}$ if $N \begin{cases} > 0 \\ = 0 \\ < 0 \end{cases}$
ISHIFT	"	I=ISHIFT (J,N,ITP)	Returns J shifted n places according to ITP. 0 - Arithmetic left shift 1 - Logical rotation left ITP = 2 - Arithmetic right shift 3 - Logical right shift (0 fill)
ISSET	"	I=ISSET(N)	Returns a mask with bit N set to 1 (others 0). N out of range 0-15 undefined.
IRSET	"	I=IRSET(N)	Returns a mask with bit N set to 0 (others 1). N out of range 0-15 is undefined except, N = 17 returns left byte mask N = 18 " right byte mask

(b) MAGAF data collection interim archiving procedure:

The MAGAF interim archiving procedure consists of two programs which prepare the archive tape and a library subroutine and program for using previously prepared tapes. A description of the programs follows. Program listings are contained in Appendix B. The tape format is given in Appendix C.

I. Program ARCHIV monitors the incoming data, compresses it if possible, and buffers it out to disk. When the disk buffer is full, ARCHIV schedules program ARCTAP, which transfers the data to tape and changes tape units when the current unit is full.

II. Function I\$TPY returns tape status and frame data to user programs, scheduling program DCMPRS when necessary. Program DCMPRS reads in one physical record from tape, decompresses the data, writes it out to disk, and returns to I\$TPY tape status and the number of logical records contained to I\$TPY.

The calling sequence for I\$TPY is:

IST = I\$TPY(IUNIT, IA)

where IST is tape status, IUNIT is the logical unit number of the tape, and IA is an array with dimension 245 which contains frame and status information.

1 - good frame  
0 - device busy  
IST = -1 - end of tape  
-2 - end of file  
-3 - error

The format of IA is as described in AFCRL-TR-75-0588, with the following exceptions:

A. Data words and buffer contents are in the following form:

15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0  

s	s	s	s	s	d	d	d	d	d	d	d	d	d	d	e
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

,

where s = sign bit (replicated)  
d = data bit  
e = error bit

B. IA(242) and IA(243) now contain frame time in seconds and milli-seconds respectively, frame time being reset to zero every time real time reaches zero modulo ten seconds.

The HADAT information-activating procedure consists of two programs which process the archive tapes and a library subprogram and program for using previously prepared tapes. A description of the program follows. Program listings are contained in Appendix B. The tape format is given in Appendix C.

1. Program ARCHIV monitors the incoming data, compresses it if possible, and buffers it out to disk. When the disk buffer is full, ARCHIV schedules program ARCHIB, which transfers the data to tape and changes tape units when the current unit is full.

ii. Function ISTRY returns tape status and frame data to user programs scheduling program BOMRS when necessary. Program BOMRS reads in one physical record from tape, decompresses the data, writes it out to disk and returns to ISTRY tape status and the number of logical records contained in ISTRY.

The calling sequence for ISTRY is:

**Appendix A**

where ISTRY is tape status, UNIT is the logical unit number of the tape, and IA is an array with dimension 255 which contains frame and status information.

- 1 - end frame
- 0 - drive busy
- 1 - end of tape
- 2 - end of file
- 3 - error

The format of IA is as described in A-001-TR-25-028, with the following exceptions:

A. Data words and buffer contents are in the following form:



where a = sign bit (optional)  
b = data bit  
c = error bit

B. IA(25) and IA(24) now contain time in seconds and milliseconds respectively, from the time the tape is read to zero every time real time reaches the number of seconds.

VORTEX DASMR

0014 HOURS

```

1      NAME      IAND
2 IAND  ENTP
3 *
4 *      LOGICAL AND
5 RETU  BES      0      CALLING SEQUENCE: I=IAND(J,K)
6      EXT      #SE
7      CALL     #SE
000001 002000 A
000002 000000 E
000003 000002 A
000004 000000 A
000005 000000 A
000006 000017 A 10      LDAE#   CALL+2
000007 100004 R
000010 000157 A 11      ANAE#   CALL+3
000011 100005 R
000012 001000 A 12      RETUF   RETU
000013 100000 R 13      END

```

ENTRY NAMES

000000 R IAND

EXTERNAL NAMES

000002 E #SE

SYMBOLS

000002 E #SE    000002 R CALL    000000 R IAND    000000 P RETU

0 ERRORS ASSEMBLY COMPLETE

VORTEX DASMR

0014 HOURS

```

1      NAME      IOR
2 IOR   ENTP
3 *
4 *      LOGICAL OR
5 RETU  BES      0      CALLING SEQUENCE: I=IOR(J,K)
6      EXT      #SE
7      CALL     #SE
000001 002000 A
000002 000000 E
000003 000002 A
000004 000000 A
000005 000000 A
000006 000017 A 10      LDAE#   CALL+2
000007 100004 R
000010 000117 A 11      ORAE#   CALL+3
000011 100005 R
000012 001000 A 12      RETUF   RETU
000013 100000 R 13      END

```

ENTRY NAMES

000000 R IOR

EXTERNAL NAMES

000002 E #SE

SYMBOLS

000002 E #SE    000002 R CALL    000000 R IOR    000000 P RETU

0 ERRORS ASSEMBLY COMPLETE

VORTEX DASMR

0015 HOURS

000000 000000 A	1	NAME	IXOP	
	2	IXOR	ENTP	
	3	K		
	4	K		EXCLUSIVE OR
000000	5	PETU	BES	0
	6	ENT	BSE	
	7	CALL	BEE	
000001 000000 A				CALLING SEQUENCE: I=IXOR(J,K)
000002 000000 E				
000003	8	CALL	BES	0
000003 000002 A	9	DATA	2,0,0	
000004 000000 A				
000005 000000 A				
000005 000017 A	10	LDARX	CALL+2	
000007 100004 R				
000010 000137 A	11	EPARF	CALL+3	
000011 100005 R				
000012 001000 A	12	RETUX	RETU	
000013 100000 R				
	13	END		

ENTRY NAMES

000000 R IXOP

EXTERNAL NAMES

000002 E BSE

SYMBOLS

000002 E BSE    000002 R CALL    000000 R IXOR    000000 R RETU

0 ERRORS ASSEMBLY COMPLETE

VORTEX DASMP

0015 HOURS

000000 000000 A	1	NAME	NOT	
	2	NOT	ENTP	
	3	J		
	4	J		LOGICAL COMPLEMENT
000000	5	PETU	BES	0
	6	ENT	BSE	
	7	CALL	BEE	
000001 000000 A				I=NOT(J)
000002 000000 E				
000002	8	CALL	BES	0
000003 000001 A	9	DATA	1,0	
000004 000000 A				
000005 000017 A	10	LDARX	CALL+2	
000006 100004 R				
000007 000211 A	11	CPA		
000010 001000 A	12	PETUX	RETU	
000011 100000 R				
	13	END		

ENTRY NAMES

000000 R NOT

EXTERNAL NAMES

000002 E BSE

SYMBOLS

000002 E BSE    000001 R CALL    000000 R NOT    000000 R RETU

0 ERRORS ASSEMBLY COMPLETE

VORTEX DASMP

0015 HOURS

000000	000000	A	1	NAME	IBIT	
			2	IBIT	ENTR	
			3	*		
			4	*		
			5	*		
000000			6	PETU	BES	0
			7		EXT	ISE
000001	002000	A	8		CALL	ISE
000002	000000	E				
000002			9	CALL	BES	0
000003	000002	A	10		DATA	2,0,0
000004	000000	A				
000005	000000	A				
000006	006017	A	11	LDAE*	CALL+3	
000007	100005	R				
000010	074011	A	12	STX	STX+1	
000011	150472	A	13	ANH	0472	
000012	005014	A	14	TAX		MASK 017
000013	015421	A	15	LDA	0421,1	
000014	006157	A	16	ANAE*	CALL+2	
000015	100004	R				
000016	001010	A	17	JAC	I+3	
000017	000021	P				
000020	005101	A	18	INCP	01	
000021	006030	A	19	STX	LDXI	*
000022	000021	R				
000023	001000	A	20	RETU*	PETU	
000024	100000	R				
			21	END		

J=IBIT(I,N)  
 RETURNS IN J THE VALUE(0,1) OF THE  
 OF I; N IS TAKEN MODULO 16.

ENTRY NAMES  
 000000 P IBIT  
 EXTERNAL NAMES  
 000002 E ISE  
 SYMBOLS  
 000002 E ISE    000002 P CALL    000000 R IPIT    000000 R RETU  
 000021 P STX  
 0 ERPOPS ASSEMBLY COMPLETE

Address	Op Code	Op Name	Mask	Comments
1				
2				
3				
4		NAME	MASK	
000000	000000	A MASK	ENTP	
5				
6				
7				
8				
9	000000	RETU	BES	0
10			EXT	05E
11			CALL	05E
12	000001	CALL	BES	0
13	000002		DATA	1.0
14	000003		LDAX	CALL+2
15	000004		JAZY	PETU
16	000005		STX	STX+1
17	000006		TEX	
18	000007		JAP	LEAD
19	000008		CPA	
20	000009		IAP	
21	000010		LDXT	041
22	000011	LEAD	DAP	
23	000012		ANA	0472
24	000013		OPA	INSTR
25	000014		STA	1+2
26	000015		LDA	0440
27	000016		ASPA	0
28	000017		EPA	0420,1
29	000018	STX	LDXI	4
30	000019		RETUF	PETU
31	000020	INSTR	ASPA	0
32	000021		END	

I=MASK(N) GIVES A MASK OF N L  
IF N IS POSITIVE; N 0'S FOLLOW  
IF N IS NEGATIVE

MASK DISPLACEMENT

MASK 017

SIGN BIT

EITHER 0 OR 177777

ENTRY NAMES  
 000000 R MASK  
 EXTERNAL NAMES  
 000002 E 05E  
 SYMBOLS  
 000002 E 05E    000002 P CALL    000004 P INSTR    000021 R LEAD  
 000000 P MASK    000000 P PETU    000010 P STX  
 0 ERRORS ASSEMBLY COMPLETE

	1			
	2	NAME	ISHIFT	
000000 000000 A	3	ISHIFT ENTR		
	4			I=ISHIFT(IWHAT,N,ITYPE)
	5			SHIFTS IWHAT N PLACES; TYPE OF SHIF
	6			ITYPE: 0=ARITHMETIC SHIFT LEFT
	7			1=LOGICAL ROTATION LEFT(SIGN)
	8			2=ARITHMETIC SHIFT RIGHT
	9			3=LOGICAL SHIFT RIGHT(SHIFTED)
000000	10	PETU	BES	0
	11		EXT	ISE
000001 002000 A	12		CALL	ISE
000002 000000 E				
000002	13	CALL	BES	0
000003 000003 A	14		DATA	3,0,0,0
000004 000000 A				
000005 000000 A				
000006 000000 A				
000007 004016 A	15		STR	STR+1
000010 006017 A	16		LDAEX	CALL+4
000011 100000 P				
000012 006027 A	17		LDBEX	CALL+3
000013 100005 R				
000014 004053 A	18		LPLB	11
000015 004542 A	19		LLSR	2
000016 006010 A	20		LDAI	17
000017 000021 A				
000020 004447 A	21		LLRL	7
000021 054002 A	22		STA	I+3
000022 006017 A	23		LDAEX	CALL+2
000023 100004 R				
000024 005000 A	24		NOP	
000025 006020 A	25	STR	LDBI	*
000026 000025 P				
000027 001000 A	26		PETU*	PETU
000030 100000 R				
	27		END	

ENTRY NAMES

000000 R ISHIFT

EXTERNAL NAMES

000002 E ISE

SYMBOLS

000002 E ISE    000002 P CALL    000000 R ISHIFT    000000 R PETU

000025 R STR

0 ERRORS ASSEMBLY COMPLETE



VORTEX DASMP

0015 HOURS

```

1
2
3
4 NAME      ISET
000000 000000 A 5 ISET     ENTP
6 F
7 F
8 F
000000      9 RETU   BES      0
10          EXT      15E
000001 002000 A 11          CALL      15E
000002 000000 E 12 CALL    BES      0
000003 000001 A 13          DATA    1,0
000004 000000 A
000005 074004 A 14          STX      STX+1
000006 006037 A 15          LDKEY   CALL+2
000007 100004 R
000010 015421 A 16          LDA      0421,1
000011 006030 A 17 STX     LDKI     1
000012 000011 P
000013 001000 A 18          RETUX   RETU
000014 100000 R
19          END
    
```

J-ISET(N)  
 RETURNS A BIT MASK WITH BIT N SET  
 1 (OTHERS 0). N OUT OF RANGE 0-1.

ENTRY NAMES  
 000000 P ISET  
 EXTERNAL NAMES  
 000002 E 15E  
 SYMBOLS  
 000002 E 15E    000002 R CALL    000000 P ISET    000000 R RETU  
 000011 R STX  
 0 ERRORS ASSEMBLY COMPLETE

VORTEX DASMR

0015 HOURS

```

1 NAME      IRSET
000000 000000 A 2 IRSET    ENTP
3 F
4 F
5 F
6 F
000000      7 RETU   BES      0
9          EXT      15E
000001 002000 A 9          CALL      15E
000002 000000 E 10 CALL    BES      0
000003 000001 A 11          DATA    1,0
000004 000000 A
000005 074004 A 12          STX      STX+1
000006 006037 A 13          LDKEY   CALL+2
000007 100004 R
000010 015441 A 14          LDA      0441,1
000011 006030 A 15 STX     LDKI     1
000012 000011 P
000013 001000 A 16          RETUX   RETU
000014 100000 R
17          END
    
```

J-IRSET(N)  
 RETURNS A BIT MASK WITH BIT N SET  
 0 (OTHERS 1). N OUT OF RANGE 0-15  
 EXCEPT 17 GIVES LEFT BYTE MASK...1

ENTRY NAMES  
 000000 R IRSET  
 EXTERNAL NAMES  
 000002 E 15E  
 SYMBOLS  
 000002 E 15E    000002 R CALL    000000 R IRSET    000000 R RETU  
 000011 R STX  
 0 ERRORS ASSEMBLY COMPLETE

Appendix B

PROCTOR ARCHIVE

Program ARCHIV

VORTEX DASMR

0000 HOURS

000422	A	1	TWO	EOU	0422	
000423	A	2	FOUR	EOU	0423	
000424	A	3	EIGHT	EOU	0424	
000425	A	4	SIX	EOU	0425	
000426	A	5	SEVEN	EOU	0426	
000427	A	6	NINE	EOU	0427	
000428	A	7	FIVE	EOU	0428	
000429	A	8	THREE	EOU	0429	
000430	A	9	FIFTH	EOU	0430	
000002	A	10	B	EOU	2	
000001	A	11	X	EOU	1	
000025	A	12	TUNIT	EOU	21	
000041	A	13	DUNIT	EOU	33	
		14	ARC	REW	FCB, DUNIT	
000000	006505	A				
000001	000000	E				
000002	100000	A				
000003	001441	A				
000004	000175	A				
000005	000000	A				
000006	002000	A				
000007	002010	A	15	LDAI	TUNIT	
000010	000025	A				
000011	050005	A	16	STA	5	
000012	006010	A	17	LDAI	DUNIT	
000013	000041	A				
000014	050005	A	18	STA	6	
000015	005010	A	19	LDAI	FCB	
000016	000175	P				
000017	050004	A	20	STA	4	
000020	002000	A	21	ARCH1	CALL	ARCHIV
000021	000211	R				
000022	124147	A	22	ADD	NWD1	
000023	005012	A	23	TAB		
000024	144146	A	24	SUB	DCB	
000025	001004	A	25	JAN	ADD	
000026	000067	F				
000027	005301	A	26	DECP	01	
000030	002000	A	27	CALL	OUT	
000031	000075	F				
000032	014145	A	28	LDA	FCB+2	
000033	124154	A	29	ADD	TMOTWO	
000034	144152	A	30	SUB	NSECT	
000035	054142	A	31	STA	FCB+3	
000036	005001	A	32	TZH		
000037	054147	A	33	STA	NSECT	
000040	014131	A	34	LDA	NWD1	
			35	SCHED	31.1.106. 'F', 'AR', 'CT', 'AP'	
000041	006505	A				
000042	000000	E				
000043	010137	A				
000044	143152	A				
000045	140722	A				

MINUS FIVE

VORTEX DASMP

0000 HOURS

000046	141724	A			
000047	140720	A			
000050	024524	A	36	LDB	NWDS
000051	014110	A	37	LDA	FCB+3
000052	121135	A	38	ADD	TWO TWO
000053	144135	A	39	SUB	FCB+4
000054	001004	A	40	JAN	ADD
000055	000067	R			
000056	001010	A	41	JAN	ADD
000057	000067	R			
			42	REW	FCB, DUNIT
000060	006505	A			
000061	000001	E			
000062	100000	A			
000063	001441	A			
000064	000175	R			
000065	000000	A			
000066	000000	A			
000067	064102	A	43	ADD	STP
000070	014504	A	44	LDA	NWDS
000071	002000	A	45	CALL	OUT
000072	000075	R			
000073	001000	A	46	JMP	ARCH1
000074	000020	R			
			47	*	
			48	*	
			49	*	
000075	000000	A	50	OUT	ENTR
000076	054464	A	51	STA	TMP
000077	000057	A	52	STAE*	ABUF
000100	100171	R			
000101	001004	A	53	JAN	WRITE
000102	000115	R			
000103	014453	A	54	LDA	HEAD
000104	054454	A	55	STA	STRT1
000105	014061	A	56	LFT1	LDA
000106	005014	A	57	TAX	LEFT
000107	144453	A	58	SUB	TMP
000110	005311	A	59	DAP	
000111	001002	A	60	JAP	FILL
000112	000144	R			
000113	000500	A	61	JSR	FILLIN, B
000114	000150	R			
			62	WRITE	WRITE
					FCB, DUNIT
000115	006505	A			
000116	000001	E			
000117	100000	A			
000120	000401	A			
000121	000175	R			
000122	000000	A			
000123	000000	A			
000124	044002	A	63	IMP	NECT
000125	014111	A	64	LDA	STRT1

```

000126 100000 A 09 ADD LEFT
000127 004400 A 60 STA LEFT1
000128 014400 A 62 LDA BUF
000129 100000 A 68 STA LEFT
000130 004000 A 69 LDA LEFT1
000131 084000 A 70 STB ABUF
000132 024000 A 71 LDB D100
000133 064000 A 72 STB LEFT
000134 054400 A 73 STA TMP
000135 005311 A 74 DAP
000136 001000 A 75 JAP LEFT1
000137 000105 R
000138 001000 A 76 RETUX OUT
000139 100075 R
000140 005111 A 77 FILL IAR
000141 054000 A 78 STA LEFT
000142 034414 A 79 LDA TMP
000143 006500 A 80 JSP FILLIN,B
000144 000156 R
000145 014411 A 81 LDA TMP
000146 124016 A 82 ADD ABUF
000147 054015 A 83 STA ABUF
000148 001000 A 84 RETUX OUT
000149 100075 R
95 *
96 *
97 *
98 FILLIN DXP
99 LDWEX STRT1,X,0200
000150 100500 R
000151 006255 A 90 STWEX ABUF,X,0200
000152 100171 R
000153 001046 A 91 JXNZ FILLIN
000154 000156 R
000155 005700 A 92 JMP 0,B
000156 000000 A
93 *
94 *
95 *
000157 000170 A 96 LEFT DATA 120
000158 000170 A 97 D100 DATA 100
000159 001253 R 98 ABUF DATA BUFR
000160 000000 A 99 HMD1 DATA 0
000161 000000 A 100 DCD DCD 0000, BUFR
000162 000000 R
000163 001000 R
000164 000000 A
000165 101 FCB 000 0-1
000166 102 FCB 100, BUFR, 3
000167 000170 A
000168 001000 R
000169 001400 A
000200 000000 A

```

VORTEX DASME

0000 HOURS

000201	000000	A					
000202	000000	A					
000203	000000	A					
000204	000000	A					
000205	000000	A					
000206	000000	A					
000207	000000	A	103	NSECT	DATA	0	
000210	000028	A	104	TWOTWO	DATA	22	
			105	*			
			106	*			
			107	*			
	000211	R	108	ARCHIV	EQU	X	
000211	000212	R	109		DATA	X+1	
			110	DELAY	DELAY	1	
000212	005505	A					
000213	000042	E					
000214	001100	A					
000215	000001	A					
000216	000000	A					
000217	010002	A	111	DELY1	LDA	2	
000220	144351	A	112		SUB	CUR	
000221	001010	A	113		JAZ	DELAY	
000222	000212	R					
000223	020002	A	114		LDX	2	
000224	074345	A	115		STX	CUR	
000225	015364	A	116		LDA	244,X	
000226	054346	A	117		STA	NWDS	
000227	015360	A	118		LDA	240,X	
000230	054345	A	119		STA	STAT	
000231	015363	A	120		LDA	243,X	
000232	054366	A	121		STA	BUFF	
000233	020003	A	122		LDB	3	
000234	005001	A	123		TZA		TIME
000235	004441	A	124		LLRL	1	
000236	004141	A	125		LSRB	1	
000237	006170	A	126		DIVI	5000	
000240	011610	A					
000241	064345	A	127		STB	SEC	SECONDS
000242	120464	A	128		ADD	THREE	ROUND
000243	004560	A	129		LLSR	16	
000244	170465	A	130		DIV	FIVE	
000245	064346	A	131		STB	MILLI	MILLISECONDS
			132		EXT	#UNPK	
000246	000000	A	133		CALL	#UNPK,(CUR)*,SCY	
000247	000000	E					
000250	100570	P					
000251	000012	R					
000252	034364	A	134		LDX	NWDS	
000253	005144	A	135		IXR		
000254	005344	A	136	DXR1	DXR		
000255	000019	A	137		LDHE	BUFF,X	
000256	000011	R					
000257	004501	A	138		LDRP	1	

VORTEX DASMK

0000 HOURS

000260	004304	A	139	ASRA	4
000261	004401	A	140	LACL	1
000262	006055	A	141	STAC	BUFF,X
000263	000811	R			
000264	001048	A	142	JYNC	DXR1
000265	002254	R			
000266	014307	A	143	LDA	STAT
000267	001002	A	144	JAP	PACK
000270	000307	R			
000271	006010	A	145	LDAI	SEC
000272	000607	P			
000273	054255	A	146	STA	STRT1
000274	006010	A	147	LDAI	IPACK
000275	003577	R			
000276	054221	A	148	STA	START
000277	010464	A	149	LDA	THREE
000300	124274	A	150	ADD	NUM5
000301	054002	A	151	STA	#12
000302	006505	A	152	JSR	MOV,X
000303	000542	P			
000304	005000	A	153	NOP	
000305	001000	A	154	JMP	RET1
000306	000353	P			
	000307	P	155	EQU	#
			156	EXT	SNAP
000307	006010	A	157	LDAI	SOX
000310	000012	P			
000311	054240	A	158	STA	START
000312	054246	A	159	STA	STRT1
000313	006010	A	160	LDAI	IPK1
000314	000577	R			
000315	054244	A	161	STA	IFKURT
000316	006010	A	162	LDAI	50
000317	000062	A			
000320	002000	A	163	CALL	CMFRS
000321	000360	R			
000322	002000	A	164	CALL	CMFRS
000323	000300	P			
000324	002000	A	165	CALL	CMFRS
000325	000360	P			
000326	006010	A	166	LDAI	10
000327	000010	A			
000330	002000	A	167	CALL	CMFRS
000331	000360	P			
000332	002000	A	168	CALL	CMFRS
000333	000360	P			
000334	002000	A	169	CALL	CMFRS
000335	000360	P			
000336	006505	A	170	JSR	MOV,X
000337	000540	P			
000340	000011	A	171	DATA	9
000341	006010	A	172	LDAI	23
000342	000027	A			



VORTEX DASMR

0000 HOURS

000343	000000	A	173	CALL	CMPRS
000344	000360	S			
000345	010472	A	174	LDA	FIFTH
000346	000000	H	175	CALL	CMPRS
000347	000360	R			
000350	000505	H	176	JSR	MOV,X
000351	000540	R			
000352	000015	A	177	DATA	13
000353	014204	A	178	RET1	LDA START
000354	144202	A	179	SUB	HEAD
000355	054217	A	180	STA	NUDS
000356	001000	A	181	RETU*	ARCHIV
000357	100211	R			
			182 *		
			183 *		
			184 *		
000360	000000	A	185	CMPRS	ENTRY
000361	005311	A	186	DAR	
000362	054144	A	187	STA	N
000363	006027	A	188	LIBR*	STRT1
000364	100561	R			
000365	000000	A	189	CALL	INSRT
000366	000520	R			
000367	005311	H	190	DAR	
000370	005014	A	191	TAR	
000371	124167	A	192	ADD	STRT1
000372	005012	A	193	TAR	
000373	005001	A	194	TZA	
000374	054166	A	195	STA	TMP
000375	016001	A	196	LDA	1, B
000376	146000	H	197	SUB	0, B
000377	004301	A	198	ASFA	1
000400	006055	A	199	STHE	TEMP, X
000401	001172	P			
000402	001002	A	200	JAR	SUB
000403	000410	P			
000404	005211	A	201	CRA	
000405	001016	A	202	JANZ	#+3
000406	000410	S			
000407	005111	A	203	JAR	
000410	144152	A	204	SUB	TMP
000411	001004	A	205	JAN	#+4
000412	000415	P			
000413	124147	A	206	ADD	TMP
000414	054140	A	207	STA	TMP
000415	005320	A	208	DAR	
000416	005344	A	209	DAR	
000417	001040	H	210	INZ	LDA
000420	000375	R			
000421	010443	A	211	LDA	NS
000422	004140	A	212	LDR	TMP
000423	001000	A	213	JRZ	DONE
000424	000441	R			

NINUS FIVE

VORTEX DASMR

0000 HOURS

000425	005111	A	214	IAR	IAR	
000426	001010	A	215	JAC	DN1	
000427	000435	F				
000430	001020	F	216	JBX	DONE	
000431	000441	F				
000432	004101	A	217	ASPB	1	
000433	001000	F	211	JMP	IAR	
000434	000435	F				
000435	005111	A	219	DN1	IAR	
000436	004102	A	220	ASRB	2	
000437	001036	A	221	JBNZ	TWEL	
000440	000521	R				
000441	120465	A	222	DONE	ADD	FIVE
000442	000057	H	223	STAB*	IPKURT	
000443	100503	R				
000444	054121	H	224	STA	NBITS	
000445	001010	A	225	JAZ	ZBITS	
000446	000510	R				
000447	005001	A	226	TZA		
000450	054114	A	227	STA	N1	
000451	024116	A	228	LDB	TWELVE	
000452	174113	A	229	DIV	NBITS	
000453	064113	A	230	STB	NTOUD	
000454	014114	A	231	LDA	LLSR	
000455	124116	A	232	ADD	NBITS	
000456	054007	A	233	STA	LLS	
000457	000010	A	234	LDAI	TEMP	
000460	001172	R				
000461	054100	A	235	STA	TMP1	
000462	024104	A	236	LDY	NTOUD	
000463	000017	A	237	NXT1	TMP1	
000464	100504	F				
000465	044076	A	238	INR	TMP1	
000466	004540	A	239	LLS	0	
000467	005344	A	240	BYR		
000470	001046	A	241	JBNZ	NXT1	
000471	000463	F				
000472	004544	A	242	LLSR	4	
000473	002000	A	243	CALL	INSRT	
000474	000510	F				
000475	014067	A	244	LDA	N1	
000476	124010	A	245	ADD	NTOUD	
000477	054065	A	246	STA	N1	
000500	144000	A	247	SUB	N	
000501	001004	A	248	JAN	NXT1-1	
000502	003462	R				
000503	004000	A	249	LDY	N	
000504	007025	A	250	LDRE*	STRT1,X,0200	
000505	100501	F				
000506	007000	A	251	CALL	INSRT	
000507	000730	F				
000510	014010	A	252	ZBITS	LDI	STRT1
000511	124015	A	253	ADD	N	

VORTEX DASMR

0000 HOURS

000512	005111	A	254	IAR	
000513	004045	A	255	STA	STRT1
000514	014018	A	256	LODX	N
000515	005111	A	257	IAR	
000516	044043	A	258	INP	IPKURT
000517	001000	T	259	PETU4	CMKPS
000520	100300	R			
000521	034043	A	260	TWEL	LDX TWELVE
000522	006077	A	261	STAE*	IPKURT
000523	100522	R			
000524	044034	A	262	INP	STRT1
000525	006505	A	263	JSR	MOV,X
000526	002540	R			
000527	000000	A	264	N	DATA 0
000530	001000	A	265	JMP	LODX
000531	000514	R			
000532	000000	A	266	INSRT	EN1R
000533	000007	A	267	STBE*	START
000534	100500	R			
000535	044020	A	268	INP	START
000536	001000	A	269	PETU*	INSPT
000537	100538	R			
			270	Y	
			271	Y	
			272	*	
000540	025000	A	273	NOV	LDB 0,X
000541	005144	A	274	IXR	
000542	074013	A	275	STX	JUMP+1
000543	034014	A	276	LDX	START
000544	005302	A	277	DBR1	DBP
000545	000017	A	278	LDRE*	STRT1
000546	100501	R			
000547	044011	A	279	INR	STRT1
000550	055000	A	280	STA	0,X
000551	005144	A	281	IXR	
000552	001000	A	282	JBNZ	DBP1
000553	000544	R			
000554	074002	A	283	STY	START
000555	001000	A	284	JMP	Y
000556	000557	R			
			285	*	
			286	Y	
			287	Y	
000557	000573	R	288	HEAD	DATA HEAD
000560	000000	A	289	START	DATA 0
000561	000000	A	290	STRT1	DATA 0
000562	000000	A	291	IPKURT	DATA 0
000563	000000	A	292	TMP	DATA 0
000564	000000	A	293	TMP1	DATA 0
000565	000000	A	294	HI	DATA 0
000566	000000	A	295	HEHT1	DATA 0
000567	000000	A	296	HEHT2	DATA 0
000570	000011	A	297	HEHT3	DATA 12

VORTEX DASMR

0000 HOU

```

000571 004540 A 292 LLSR LLSR 0
000572 000000 A 300 CUP DATA 0
300 X
301 F
302 F
000573 000000 A 303 HEAD DATA 1,0
000574 000000 A
000575 000000 A 304 NUDS DATA 0
000576 305 STAT BSS 1
000577 000000 A 306 IPACK DATA 0
000577 R 307 IPK1 EQU IPACK
000600 308 BSS 7
000607 309 SEC BSS 1
000610 310 MILLI BSS 1
000611 311 BUFF BSS 1
000612 312 SEC BSS 240
001172 313 TEMP BSS 43
001253 314 BUFF BSS 120
000000 R 315 END ARC
    
```

ENTRY NAMES

EXTERNAL NAMES

000247 E \$UNPK 000000 E SNAP 000213 E V\$EXEC 000116 E V\$IOC

SYMBOLS

```

000247 E $UNPK 000171 R $BUF 000267 R $ADD 000000 P $ARC
000020 P $ARCH 000211 R $ARCHIV 000202 A $B 000511 R $BUFF
001253 R $BUFF 000300 R $CMPSG 000570 R $CUP 000170 P $D120
000544 P $DBR1 000173 P $DCB 000212 P $DELAY 000217 R $DELV1
000435 R $DN1 000441 R $DONE 000041 H $DUNIT 000254 P $DWR1
000424 A $EIGHT 000175 P $FILE 000472 A $FIFTH 000144 P $FILL
000156 R $FILLIN 000465 A $FIVE 000423 A $FOUR 000547 P $HEAD
000573 P $HEAD 000425 P $I05 000534 P $INSPT 000507 P $IPACK
000577 P $IPK1 000563 P $IPKUST 000551 P $JUMP 000370 P $LDN
000167 R $LEFT 000195 P $LFT1 000400 P $LIS 000571 R $LLSR
000514 R $LOAD 000443 A $M5 000610 R $MILLI 000540 P $MOV
000527 R $N 000565 R $N1 000506 P $NBITS 000207 P $NSECT
000567 R $NTGWD 000172 R $NND1 000575 R $NUDS 000463 R $NEXT1
000075 P $OUT 000307 R $PACK 000353 R $PET1 000612 R $SEC
000607 P $SEC 000467 A $SEVEN 000466 A $SIX 000000 Z $SHLP
000560 P $START 000576 R $STAT 000551 R $STRT1 000410 R $SUB
001172 P $TEMP 000464 H $THREE 000563 P $TMP 000564 P $TMP1
000025 A $TUNIT 000521 R $TWEL 000570 P $TWELVE 000420 A $TWO
000219 R $TWOEND 000310 E $V$EXEC 000116 E $V$IOC 000115 P $WRITE
000001 A $X 000510 R $BITS
    
```

0 ERRORS ASSEMBLY COMPLETE

Program ARCTAP

VORTEX DASMR

0000 HOURS

000002	A	1	B	EQV	2	
000462	A	2	LHV	EQV	0462	
000003	A	3	TUNIT	EQV	3	
000004	A	4	DUNIT	EQV	4	
000004	A	5	AFCB	EQV	4	
000000	005111	A	6	START	IAP	
000001	034116	A	7	STA	FCB	
000002	010006	A	8	LDA	DUNIT	
000003	124007	A	9	ADD	REW+3	
000004	054006	A	10	STA	REW+3	
000005	010006	A	11	LDA	DUNIT	
000006	124007	A	12	ADD	READ+3	
000007	054017	A	13	STA	READ+3	
			14	REW	FCB	
000010	006505	A				
000011	000000	E				
000012	100000	A				
000013	001400	A				
000014	000120	R				
000015	000000	A				
000016	000000	A				
000017	020004	A	15	LDB	AFCB	
000020	015003	A	16	LDA	3, B	
000021	005140	A	17	SUBI	02	
000022	000026	A				
000023	054077	A	18	STA	FCB+3	
			19	READ	FCB...3	
000024	002505	A				
000025	000011	E				
000026	100000	A				
000027	030000	A				
000030	000120	R				
000031	000000	A				
000032	000000	A				
000033	002000	A	20	CALL	WRITRY	
000034	000055	R				
000035	001010	A	21	JAZ	EXIT	
000036	000052	R				
000037	000010	A	22	FOR3	LD01	40
000040	000053	A				
000041	140005	A	23	SUB	TUNIT	
000042	050005	A	24	STA	TUNIT	
000043	002000	A	25	CALL	WRITRY	
000044	000055	R				
000045	001010	A	26	JAZ	EXIT	
000046	000052	R				
000047	000000	A	27	HLT		
000050	001000	A	28	JMP	FOR3	
000051	000037	R				
			29	EXIT	EXIT	
000052	000000	A				
000053	000000	A				
000054	000000	A				

VOPTEX DASM P

0000 HOURS

```

000055 000000 A 30 WRITRY ENTR
000056 014000 A 31 LDA WRITE+3
000057 150400 A 32 ANA LHM
000060 130000 A 33 ADD TUNIT
000061 054000 A 34 STA WRITE+3
35 WRITE WRITE FCB,21,,4

000062 000000 A
000063 000000 E
000064 100000 A
000065 040400 A
000066 000100 R
000067 000000 A
000070 000000 A

36 STAT WRITE,NEXT,NEXT,EOT,NEXT

000071 000500 A
000072 000000 E
000073 000000 R
000074 000100 R
000075 000100 R
000076 000100 R
000077 000100 R
000100 005001 A 37 NEXT TZA
000101 001000 A 38 JMPX WRITRY
000102 100055 R
000103 014000 A 39 EOT LDA SPEC+3
000104 150400 A 40 ANA LHM
000105 130000 A 41 ADD TUNIT
000106 054000 A 42 STA SPEC+3
43 SREC SREC FCB,21,,1

000107 006000 A
000110 000000 E
000111 100000 A
000112 012000 A
000113 000100 R
000114 000000 A
000115 000000 A
000116 001000 A 44 JMPX WRITRY
000117 100055 R 45 FCB FCB 2560,BUFR,3

000120 005000 A
000121 000100 R
000122 001400 A
000123 000000 A
000124 000000 A
000125 000000 A
000126 000000 A
000127 000000 A
000130 000000 A
000131 000000 A
000132 46 BUFR BSC 2560
000000 R 47 END START
ENTRY NAMES
EXTERNAL NAMES

```

VORTEX DASM P

0000 HOURS

```

000053 E V$EXEC 000110 E V$IOCC 000072 E V$IOST
SYMBOLS
000004 A AFCS 000002 A P 000132 R BUFR 000006 A DUNIT
000103 R EXT 000052 R EXIT 000130 R FCB 000007 R FOP3
000462 A LHM 000100 R NEXT 000024 R READ 000010 R REV
000107 R SPEC 000000 R START 000005 A TUNIT 000053 E V$EXEC
000110 E V$IOCC 000072 E V$IOST 000002 R WRITE 000055 R WRITRY
@ ERROR ASSEMBLY COMPLETE

```

1980

1980

DATE	DESCRIPTION	AMOUNT
1/1	...	...
1/2	...	...
1/3	...	...
1/4	...	...
1/5	...	...
1/6	...	...
1/7	...	...
1/8	...	...
1/9	...	...
1/10	...	...
1/11	...	...
1/12	...	...
1/13	...	...
1/14	...	...
1/15	...	...
1/16	...	...
1/17	...	...
1/18	...	...
1/19	...	...
1/20	...	...
1/21	...	...
1/22	...	...
1/23	...	...
1/24	...	...
1/25	...	...
1/26	...	...
1/27	...	...
1/28	...	...
1/29	...	...
1/30	...	...

Function I\$TPY

DATE	DESCRIPTION	AMOUNT
2/1	...	...
2/2	...	...
2/3	...	...
2/4	...	...
2/5	...	...
2/6	...	...
2/7	...	...
2/8	...	...
2/9	...	...
2/10	...	...
2/11	...	...
2/12	...	...
2/13	...	...
2/14	...	...
2/15	...	...
2/16	...	...
2/17	...	...
2/18	...	...
2/19	...	...
2/20	...	...
2/21	...	...
2/22	...	...
2/23	...	...
2/24	...	...
2/25	...	...
2/26	...	...
2/27	...	...
2/28	...	...
2/29	...	...



VORTEX DASM

0001 HOURS

Address	Op	Op Code	Op Name	Op Description
	1	EXT	\$SE, \$BUFF	
	2	NAME	1\$TPV	
000001	3	X	EOU	1
000002	4	B	EOU	2
000000	5	START	LDA	INUM
000001	6		LDS	IA
000002	7		STB	FCB+1
000003	8		JANZ	NOSCED
000004				
000005	9		LDBI	ORLSEQ
000006	10		SCHED	5,1,106,'F','DC','MP','RS'
000007				
000010				
000011				
000012				
000013				
000014				
000015				
000016	11		LDA	IST
000017	12		JAN	DECRM
000020				
	13		REW	FCB,10
000021				
000022				
000023				
000024				
000025				
000026				
000027				
	14		NOSCED	PEAD FCB,10,,3
000030				
000031				
000032				
000033				
000034				
000035				
000036				
000037	15		LDB	IA
000040	16		LDA	244,B
000041	17		JAC	WIP
000042				
000043	18		JAF	DECRM-1
000044				
000045	19		INR	FCB+3
000046	20		JMP	NOSCED
000047				
000050	21	WIP	TBA	
000051	22		SUBI	5
000052				
000053	23		STA	FCB+3
000054	24		WRITE	FCB,10,,3

```

000055 000031 E
000056 100000 A
000057 030412 A
000060 000113 F
000061 000000 A
000062 000000 A
000063 001000 A 25 JMP DECRM
000064 000000 F
000065 044027 A 26 INR FCB+3
000066 014020 A 27 DECRM LDA INUM
000067 005311 A 28 DAP
000070 054016 A 29 STA INUM
000071 014016 A 30 LDA IST
000072 001000 A 31 JMP
000073 000000 A
000073 000000 A 32 ISTRY RES 0
000074 002000 A 33 CALL #SE
000075 030000 E
000076 000002 A 34 DATA 2
000077 000000 A 35 IUNIN DATA 0
000100 000000 A 36 IA DATA 0
000101 001000 A 37 JMP START
000102 000000 R
000103 100077 R 38 CALSEQ DATA (IUNIN)*, IST, IUNOT, INUM
000104 000110 R
000105 000111 R
000106 000107 R
000107 000000 A 39 INUM DATA 0
000110 000000 A 40 IST DATA 0
000111 000012 A 41 IUNOT DATA 10
42 FCB FCB 245,0,0
000112 000305 A
000113 000000 A
000114 000000 A
000115 000000 A
000116 000000 A
000117 000000 A
000120 000000 A
000121 000000 A
000122 000000 A
000123 000000 A

```

43 END

ENTRY NAMES

000073 R ISTRY

EXTERNAL NAMES

000000 E #BUFF 000075 E #SE 000010 E VSENEG 000055 E V#100

SYMBOLS

000000 E #BUFF 000075 E #SE 000000 A D 000103 R CALSEQ

000000 R DECRM 000112 R FCB 000073 R ISTRY 000100 R IA

000107 R IUNIN 000110 R IST 000077 R IUNIN 000111 R IUNOT

000030 R #OSCEP 000000 S START 000010 E V#100 FC 000055 E V#100

000056 R JMP 000001 A 1

0 ERRORS ASSEMBLY COMPLETE

2 10000 00000  
 4 10000 00000  
 6 10000 00000  
 8 10000 00000  
 10 10000 00000  
 12 10000 00000  
 14 10000 00000  
 16 10000 00000  
 18 10000 00000  
 20 10000 00000  
 22 10000 00000  
 24 10000 00000  
 26 10000 00000  
 28 10000 00000  
 30 10000 00000  
 32 10000 00000  
 34 10000 00000  
 36 10000 00000  
 38 10000 00000  
 40 10000 00000  
 42 10000 00000  
 44 10000 00000  
 46 10000 00000  
 48 10000 00000  
 50 10000 00000  
 52 10000 00000  
 54 10000 00000  
 56 10000 00000  
 58 10000 00000  
 60 10000 00000  
 62 10000 00000  
 64 10000 00000  
 66 10000 00000  
 68 10000 00000  
 70 10000 00000  
 72 10000 00000  
 74 10000 00000  
 76 10000 00000  
 78 10000 00000  
 80 10000 00000  
 82 10000 00000  
 84 10000 00000  
 86 10000 00000  
 88 10000 00000  
 90 10000 00000  
 92 10000 00000  
 94 10000 00000  
 96 10000 00000  
 98 10000 00000  
 100 10000 00000

Program DCMPRS

VORTEX DASMR

0000 HOURS

		1	EXT	ISE
000001	A	2	X	EQU
000400	A	3	ZERO	EQU
000403	A	4	FOUR	EQU
000002	A	5	B	EQU
		6	EXT	IBUFF
000000	002000	7	START	CALL
000001	000000			IBUFF, (CALSEQ)*, BUFR, D2560, ZERO, FOUR
000002	100037			
000003	000058			
000004	000055			
000005	000420			
000006	000423			
000007	034030	8	LDX	CALSEQ+1
000010	055000	9	STA	0, X
000011	001004	10	JAN	ERROR
000012	000025			
000013	014042	11	LDA	BUFR
000014	001010	12	JAC	START
000015	000000			
000016	054036	13	STB	NWDS
		14	EXT	DNIP
000017	002000	15	CALL	DNIP, (CALSEQ+2)*, (CALSEQ+3)*, BUFR, NWDS
000020	000000			
000021	100041			
000022	100042			
000023	000056			
000024	000055			
		16	ERROR	EXIT
000025	006505			
000026	000000			
000027	000200			
000030	054000	17	ENTPY	STB
000031	001000	18	JMP	++3
000032	000034			++3
000033	000045	19	DATA	TST
000034	002000	20	CALL	ISE
000035	000000			
000036	000004	21	DATA	4
000037	000000	22	CALSEQ	DATA
000040	000000			0, 0, 0, 0
000041	000000			
000042	000000			
000043	001000	23	JMP	START
000044	000000			
	000045	24	TST	EQU
		25	DNIP	4
000045	000051	26	DATA	++4
000046	000052	27	DATA	++4
000047	000053	28	DATA	++4
000050	000054	29	DATA	++4
000051	000057	30	TST	DATA
000052	000000			0, 0, 0, 0

VORTEX DASMP

0000 HOURS

000053 000041 A  
000054 000000 A  
000055 005000 A 30 D2560 DATA 2560  
000056 000055 R 20 NWDS EQU 02560  
000056 000055 R 30 BUFR LSE 2560  
000056 000010 P 31 END ENTRY

ENTRY NAMES

EXTERNAL NAME

000001 E #IBUFF 000035 E SSE 000020 E DCMP 000026 E V\$EXEC  
SYMBOLS

000001 E #IBUFF 000035 E SSE 000002 A B 000056 R BUFR  
000037 R CALSED 000055 P D2560 000020 E DCMP 000030 R ENTRY  
000025 R ERROR 000433 A FOUR 000055 R NWDS 000000 R START  
000045 R TST 000051 P TST1 000026 E V\$EXEC 000001 A X  
000420 A ZERO

0 ERRORS ASSEMBLY COMPLETE

VORTEX DMSR \$BUFF 0000 HOURS

				1	TITLE	\$BUFF
				2	NAME	\$BUFF
				3	NAME	LRECL
				4	EXT	\$SE
	000421	A		5	ONE	EQ
000000	000000	A		6	\$BUFF	ENTR
000001	000000	A		7		CALL
000002	000000	E				\$SE
000003	000005	A		8	DATA	\$
000004				9	UNIT	BSS
000005				10	WHERE	BSS
000006				11	LENG	BSS
000007				12	OP	BSS
000010				13	MODE	BSS
000011	000017	A		14	LDRE	WHERE
000012	000025	R				
000013	054047	A		15	STA	LRECL+1
000014	000017	A		16	LDRE	LENG
000015	100006	P				
000016	054043	A		17	STA	LRECL
000017	000017	A		18	LDRE	MODE
000020	100010	R				
000021	004244	A		19	LRLA	4
000022	006127	A		20	ADRE	OP
000023	100007	P				
000024	004250	A		21	LPLA	3
000025	006127	A		22	ADRE	UNIT
000026	100004	P				
000027	054003	A		23	STA	1+4
	000030	R		24	WRITE	EQ
				25	WRITE	LRECL,0,1 WILL BE MODIFIED
000030	000505	A				
000031	000000	E				
000032	100000	A				
000033	010405	A				
000034	000002	P				
000035	000000	A				
000036	000000	A				
000037	000027	A		26	LDRE	WRITE+5
000040	000035	R				
000041	010421	A		27	LDG	ONE
				28	STAT	WRITE,1,ERR,ERR+1,ERR+2,ERR+3
000042	000005	A				
000043	000000	E				
000044	000000	R				
000045	000000	P				
000046	000000	E				
000047	000000	R				
000050	000000	P				
000051	001000	A		29	RETURN	\$BUFF
000052	100000	E				
000053	000011	A		30	ERR	DSE
000054	000011	A		31	DSE	

VORTEX DASMR \$BUFF 0000 HOURS

000055 005311 A 32 DAP  
000056 005311 A 33 DAP  
000057 031000 A 34 RETUR \$BUFF  
000060 100000 R  
000061 35 STA BSS 1  
36 LRECL FCB 0,0,1

000062 000000 A  
000063 000000 A  
000064 000400 A  
000065 000000 A  
000066 000000 A  
000067 000000 A  
000070 000000 A  
000071 000000 A  
000072 000000 A  
000073 000000 A

37 END

ENTRY NAMES

000000 P \$BUFF 000062 R LRECL

EXTERNAL NAMES

000002 E \$SE 000031 E VSIOC 000043 E VSIOST

SYMBOLS

000000 P \$BUFF 000002 E \$SE 000052 R EPR 000006 R LENG

000062 R LRECL 000010 R MODE 000421 A ONE 000007 R OP

000061 R STA 000004 R UNIT 000031 E VSIOC 000043 E VSIOST

000005 R WHERE 000030 R WRITE

0 ERRORS ASSEMBLY COMPLETE

000000	000037	A	1	NAME	IUNPK
000001	100036	P	2	START	NTOWD
000002	005017	A	3	LDAX	IPK
000003	100034	P			
000004	124033	A	4	ADD	LLS
000005	054010	A	5	STA	LLS1
000006	014032	A	6	LDA	LASL
000007	005147	A	7	SUBEX	IPK
000010	100034	P			
000011	054005	A	8	STA	LSL1
000012	006017	A	9	LDAX	IA
000013	100032	R			
000014	005344	A	10	DXR	DXP
000015	005002	A	11	T2P	
000016	004540	A	12	LLS1	0
000017	004117	A	13	LSL1	ASRB
000020	006067	A	14	SIBEX	IB
000021	100032	R			
000022	044010	A	15	INR	IB
000023	001046	A	16	JXN2	DXR
000024	000014	P			
000025	001000	A	17	JMP	*
000026	000025	P			
000026			18	IUNPK	REG
			19	EXT	\$SE
000027	003000	A	20	CALL	\$SE
000030	000000	E			
000031	000004	A	21	DATA	4
000032	000000	A	22	IA	DATA
000033	000000	A	23	IB	DATA
000034	000000	A	24	IPK	DATA
000035	000000	A	25	NTOWD	DATA
000036	001000	A	26	JMP	START
000037	000000	R			
000040	004540	A	27	LLS	LLSP
000041	004117	A	28	LASL	ASRB
			29		END

ENTRY NAMES

000026 P IUNPK

EXTERNAL NAMES

000030 E \$SE

SYMBOLS

000030 E \$SE	000014 R DXR	000032 R IA	000033 R IB
000034 R IPK	000026 P IUNPK	000041 R LASL	000040 R LLS
000016 R LLS1	000017 R LSL1	000035 R NTOWD	000000 P START

0 ERRORS ASSEMBLY COMPLETE



			1		
			2	NAME	ISHF
	000001 A		3	X	EQU
	000002 100000 F		4	START	LDXEX
	000003 000000 A		5	DXP	DYP
	000004 000000 A		6	LDAXX	IA,X,0200
	000005 000000 A		7	LPLA	4
	000006 000000 A		8	ASFA	4
	000007 000000 A		9	STAXX	IB,X,0200
	000008 100000 F				
	000009 000000 A		10	JXNZ	DYR
	000010 000000 F				
	000011 001000 A		11	JMP	X
	000012 000000 F				
	000013 001000 A				
	000014 000000 F		12	ISHF	BEG
	000014		13		EXT
			14		CALL
	000015 002000 A				\$SE
	000016 000000 F				\$SE
	000017 000000 A		15	DATA	3
	000018		16	IA	BSS
	000019		17	IB	BSS
	000020		18	N	BSS
	000021 001000 A		19	JMP	START
	000022 000000 F				
			20	END	

ENTRY NAMES

000014 R ISHF

EXTERNAL NAMES

000016 E \$SE

SYMBOLS

000016 E \$SE      000000 R DXP      000000 R IA      000001 R IB  
 000014 R ISHF      000022 R N      000000 R START      000001 A X

0 ERRORS ASSEMBLY COMPLETE

VORTEX DASM \$BUFF 0000 HOURS

		1			
		2	NAME	\$SBF1	
		3	EXT	\$SE	
000000	014044	A	4 START	LDA	FRST
000001	001015	A	5	JANZ	WRITE
000002	000025	R			
000003	044041	A	6	INR	FRST
000004	005027	A	7	LDBEX	UNIT
000005	100041	R			
000006	005021	A	8	TBA	
000007	124011	A	9	ADD	REW+3
000010	054010	A	10	STA	REW+3
000011	005021	A	11	TBA	
000012	124015	A	12	ADD	WRITE+3
000013	054014	A	13	STA	WRITE+3
000014	014025	A	14	LDA	IB
000015	054031	A	15	STA	FCB+1
			16 REW	REW	FCB
000016	006505	A			
000017	000000	E			
000020	100000	A			
000021	001400	A			
000022	000046	R			
000023	000000	A			
000024	000000	A			
			17 WRITE	WRITE	FCB...3
000025	006505	A			
000026	000017	E			
000027	100000	A			
000030	030400	A			
000031	000046	R			
000032	000000	A			
000033	000000	A			
000034	001000	A	12	JMP	*
000035	000034	R			
000035			19 \$SBF1	RES	0
000036	002000	A	20	CALL	\$SE
000037	000000	E			
000040	000002	A	21	DATA	2
000041	000000	A	22 UNIT	DATA	0
000042	000000	A	23 IB	DATA	0
000043	001000	A	24	JMP	START
000044	000000	R			
000045	000000	A	25 FRST	DATA	0
			26 FCB	FCB	245,0,1
000046	000365	A			
000047	000000	A			
000050	000400	A			
000051	000000	A			
000052	000000	A			
000053	000000	A			
000054	000000	A			
000055	000000	A			

VORTEX DCOMP 3BUFF 0000 HOURS

```

000056 000000 A
000057 000000 A
          27      END
ENTRY NAMES
000058 R 55E1
EXTERNAL NAMES
000059 E 55E      000026 E VSI00
SYMBOLS
000035 R 55E1      000037 E 55E      000046 R FCE      000045 R FRST
000042 R IB      000016 R FEU      000000 R START      000041 R UNIT
000026 E VSI00      000025 R WRITE
0 ERRORS ASSEMBLY COMPLETE

```

VORTEX FTN IV 0000 HOURS

```

1      SUBROUTINE DCOMP(IUNIT, INUM, IA, NBUFF)
2      DIMENSION IMA(2)
3      DATA NTRP, NN, Q, 1,
4      INUM=0
5 1     CALL IDCOMP(IUNIT, INUM, NTRP, IA(1), NN)
6      NN=NN+IA(1)
7      IF (IA(1).EQ.4095) RETURN
8      GO TO 1
9      END
ENTRY/COMMON BLOCK NAMES
000110 R DCOMP
EXTERNAL NAMES
000002 E 55E
000032 E IDCOMP
SYMBOL TABLE
100004 F IUNIT
100005 F INUM
100006 F IA
100007 R NBUFF
000002 E 55E
000012 R NTRP
000013 F NN
000103 F 000000
000021 F 1
000032 E IDCOMP
000104 F 177777
000105 F 11
000007 F 01
000107 F 007777
000106 F 21 0
0 ERRORS COMPILATION COMPLETE

```

```

1
2
3 SUBROUTINE JDCMP(IUNIT, INUM, NTMP, IA, NN)
4 DIMENSION IA(1), IB(245)
5 IF (IA(1).NE.1) GO TO 99
6 INUM=INUM+1
7 CALL ISHF(IA(4), IA(4), 1)
8 IST=IA(4)+1
9 NWD5=240
10 IF (IST.LT.0) GO TO 1
11 3 IF (NTMP.NE.0) CALL $$$SF1(IUNIT, IB)
12 NB=240
13 IOUT=1
14 NTMP=0
15 IF (IST.GT.0) GO TO 4
16 CALL ISHF(IA(2), IB, NWD5)
17 GO TO 3
18 4 MM=16
19 DO 11 I=1,3
20 LL=50*I-49
21 11 CALL JDCMP(IA(I+4), IA(MM), IB(LL), 50, MM)
22 DO 12 I=1,3
23 LL=10*I+141
24 12 CALL JDCMP(IA(I+7), IA(MM), IB(LL), 10, MM)
25 CALL ISHF(IA(MM), IB(131), 9)
26 MM=MM+9
27 CALL JDCMP(IA(11), IA(MM), IB(190), 23, MM)
28 CALL JDCMP(IA(12), IA(MM), IB(213), 15, MM)
29 CALL ISHF(IA(MM), IB(229), 13)
30 NBEG=13
31 6 IB(NB+1)=IA(4)
32 IB(NB+2)=IA(NBEG)
33 IB(NB+3)=IA(NBEG+1)
34 CALL ISHF(IA(NBEG+2), IB(NB+4), 1)
35 IB(NB+5)=NWD5
36 IF (NTMP.NE.0) IB(NB)=-1
37 IF (NTMP.EQ.43) IOUT=1
38 IF (IOUT.EQ.30) RETURN
39 93 CALL $$$SF1(IUNIT, IB)
40 NTMP=0
41 RETURN
42 99 IF (NTMP.EQ.0) RETURN
43 IF (IA(NN+1).EQ.400) GO TO 98
44 RETURN
45 1 NWD5=16*30-7
46 IF (NWD5.LE.0) GO TO 3
47 IOUT=0
48 NPEG=5
49 NTMP=NTMP+1
50 NB=245-5*NTMP
51 GO TO 6
52 END
ENTRY/COMMON BLOCK LABELS

```

001447 R IDCMP  
 EXTERNAL NAMES  
 000002 E SSE  
 001131 E ISHF  
 001235 E SSEF1  
 001002 E IDCMP  
 000703 E \$D

SYMBOL TABLE

001267 R 000001  
 001444 R 000302  
 100004 R IUNIT  
 100005 R INUM  
 100006 R NTMP  
 100007 R IA  
 100010 R NN  
 000000 E SSE  
 000013 P IS  
 001446 R 000305  
 001237 R \$D  
 001131 E ISHF  
 001365 R 000003  
 001366 R \$I  
 001366 R 03  
 001370 R IST  
 001372 R NUDE  
 001371 R 000360  
 001373 P 000000  
 001306 R 1  
 000462 R 3  
 001235 E SSEF1  
 001374 P NP  
 001375 R IOUT  
 000552 R 4  
 001376 R 000007  
 001002 R 5  
 001400 P MN  
 001377 R 000000  
 000670 R 11  
 001401 R 1  
 001404 R 11  
 001402 P 000002  
 001402 P 000001  
 001002 E IDCMP  
 001405 P 177777  
 001405 P \$I 0  
 001407 P 000010  
 001410 R \$I 1  
 000703 E \$D  
 000646 E 12  
 001411 R 000010  
 001412 R 000010  
 001413 P 000000  
 001415 R 000010

VORTEX FTH IV

0000 HOURS

001414 R 000277  
001420 R 000313  
001417 R 000027  
001416 P 000310  
001422 P 000017  
001421 R 000337  
001424 R 000015  
001423 R 000356  
001425 R 0000  
001426 R 000013  
001427 P 000014  
001430 R \$1 2  
001431 P \$1 3  
001432 R \$1 4  
001433 R 000015  
001434 R \$1 5  
001435 R \$1 6  
001436 R \$1 7  
001437 P 000016  
001440 P \$1 3  
001441 P 000017  
001442 R 000060  
001224 R 20  
001442 P 007777  
001445 P 000005  
0 ERRORS COMPILATION COMPLETE

```

1      SUBROUTINE JDCMP(IPK, IA, IB, N, NN)
2      DIMENSION IB(1), I(1)
3      IF IPK.NE.12000 GO TO 1
4      CALL ISHF(IA, IB, 1)
5      NN=NN+1
6      RETURN
7      1  IF IPK.NE.10000 GO TO 2
8      CALL ISHF(IA, IB, 1)
9      DO 33 I=2, N
10     22  IB(I)=IB(1)
11     NN=NN+1
12     RETURN
13     2  CALL ISHF(IA, IB, 1)
14     NTOWD=12/IPK
15     L=2
16     NN=N-1
17     DO 3 I=1, NN, NTOWD
18     CALL IUNPK(IA(L), IB(I+1), IPK, NTOWD)
19     L=L+1
20     3  CONTINUE
21     NN=NN+L
22     DO 4 I=2, N
23     4  IB(I)=IB(1)+IB(I-1)
24     RETURN
25     END
    
```

ENTRY/COMMON BLOCK NAMES

000341 R JDCMP

EXTERNAL NAMES

000002 F \$DC

000145 E ISHF

000315 E \$DC

000220 E IUNPK

SYMBOL TABLE

000320 P 000001

000327 P 000002

100004 P IPK

100005 P IA

100006 P IB

100007 P N

100010 P NN

000002 E \$DC

000324 P 000014

000311 R 04

000004 P I

000145 E ISHF

000320 P 000000

000144 P 2

000101 R 22

000320 P I

000331 R 127220

000332 P \$I

000115 E \$DC

000132 R NTOWD

000334 R L

000335 P NN

000337 R 3

000145 E IUNPK

000320 P \$I 0

000144 P 4

000337 R 127220

000140 P \$I 1

0 ERRORS: COMPILATION COMPLETE

Each physical record consists of 2550 or more words. Each word is 12 bits long and contains 10 bits of information. All logical records are completely contained in 2550 words. All logical records are completely contained in 2550 words.

Word 1 = 1000000000  
Word 2 = 1000000000  
Word 3 = 1000000000  
Word 4 = 1000000000  
Word 5 = 1000000000


At present, this table of contents has been prepared. Type 0 = header record (not defined). Type 1 = data record (not defined). Type 2 = control record (not defined). Type 3 = control record (not defined).

### Appendix C

The rest of the table of contents for the various records follows.

Word	Address	Length	Unit
Word 1	00000000	10	bits
Word 2	00000000	10	bits
Word 3	00000000	10	bits
Word 4	00000000	10	bits
Word 5	00000000	10	bits

bits and buffer contents are two's complement.



Word	Address	Length	Unit
Word 1	00000000	10	bits
Word 2	00000000	10	bits
Word 3	00000000	10	bits
Word 4	00000000	10	bits
Word 5	00000000	10	bits



Each physical record consists of 2560 or fewer 12-bit words, (512 CDC 6600 words), and contains as many logical records as can be completely contained in 2559 words. All logical records contain 3 control words, except for type -1.

- Word 1 = type of record
- Word 2 = subtype
- Word 3 = number of 12-bit words this logical record (including control words).

At present, three types of records have been reserved.

- Type 0 = header record, not yet defined
- Type 1 = frame data
- Type -1 = end of physical record (12-bit, 2's complement -1).


For type 1 records, subtype 0 has been defined.

- Word 1 = 1
- Word 2 = 0
- Word 3 = N = number of words
  - 1 - good frame
- Word 4 = Status = -1 - error frame
  - 2 - timeout

The rest of the frame is as follows for the various frame statuses.

	Status		
	-2	-1	-1
Word 5	"received"	time	seconds
Word 6	"	"	milliseconds
Word 7	Buffer contents		
Word 8-N	partial frame received, if any.	240 data words received in arranged form by instrument as given in AFCRL-TR-75-0588.	

Data and buffer contents are two's complement



Status 1		
Word 5 -	packing factor	SCX
Word 6 -	" "	SCY
Word 7 -	" "	SCZ
Word 8 -	" "	FFX
Word 9 -	" "	FFY
Word 10 -	" "	FFZ


Word 11 - packing factor    Analog spares  
 Word 12 -       "       "       Digital spares

The rest of the frame is then the same as words 5-N of status -1 frames except that relevant data is compressed according to the scheme detailed below.

Packing Scheme

If a particular instrument gives in readings,  $X_1, \dots, X_m$ ,  $m-1 \Delta X_i$  are calculated where  $\Delta X_i = X_{i+1} - X_i$ . If all the  $\Delta X_i$  are 0, the packing factor  $K$  is chosen to be 0. Otherwise  $K$  is the minimum of 2, 3, 4, 6, 12 such that  $-2^{K-1} \leq \Delta X_i \leq 2^{K-1} - 1$  for all  $i=1, \dots, m-1$ .

When  $K=12$ , actual data is stored. When  $K \neq 12$ , the packed instrument format is as follows, where  $\ell = 12/K$



It should be noted that  $X_1$  and  $X_m$  are stored with error bits (which are zero because we only pack error-free frames) but that the  $\Delta X_i$  are data deltas only, in two's complement form.

Therefore, after the  $\Delta X_i$ 's are expanded to full words,  $X_i = X_{i-1} + 2\Delta X_{i-1}$ .

2. UNPACKING AND PACKING SUBROUTINES  
SUBROUTINES \$UNPK AND \$REPK

SUBROUTINES \$UNPK AND \$REPK HAVE BEEN WRITTEN RESPECTIVELY TO UNPACK A DATA FRAME FROM RECEIVED DATA ORDER TO INSTRUMENT ORDER (DEFINED IN A PREVIOUS REPORT) AND TO REPACK THE DATA INTO RECEIVED DATA ORDER. SUBROUTINE REPACK IS USED PRIMARILY TO OBTAIN DUMPS FOR HARDWARE DIAGNOSTIC PURPOSES.

A PERMUTATION TABLE (\$CYCST THRU Ø\$CYCND) WHICH DEFINES THE PARTICULAR PERMUTATION FOR THIS PURPOSE HAS BEEN ADDED TO THE IN CORE SYSTEM.


USAGE: DIMENSION IA(245), IB(245)  
CALL \$UNPK(IA,IB)  
CALL \$REPK(IA,IB)

RESTRICTION: IA AND IB MUST BE DISJOINT OR IDENTICAL.


BECAUSE THE METHOD USED IS GENERALLY APPLICABLE TO ANY PERMUTATION AND ITS INVERSE, A BRIEF DISCUSSION OF METHOD AND A FLOW CHART OF THE PROCEDURE WILL BE GIVEN.

THEORY:

ANY PERMUTATION CAN BE REPRESENTED AS A PRODUCT OF DISJOINT CYCLES, WHERE A CYCLE IS MERELY A TRACING OF ELEMENTS WHICH PERMUTE INTO EACH OTHER. (SEE ANY TEXT ON MODERN ALGEBRA). FOR EXAMPLE, USING PERMUTATIONS OF A SQUARE, ROTATION THROUGH 90°:



CAN BE REPRESENTED AS (1,2,3,4) i.e. 1 GOES TO 2  
GOES TO 3 GOES TO 4 GOES TO 1 AND REFLECTION ABOUT  
A DIAGONAL



CAN BE REPRESENTED AS (1) (3) (2,4).

THE ADVANTAGE OF THIS REPRESENTATION IS THAT THE  
INVERSE PERMUTATION IS IMPLICITLY DEFINED BY THE PER-  
MUTATION ITSELF - READ THE CYCLES BACKWARDS.

METHOD:


AN INDEX TABLE IS PREPARED WITH NEGATIVE TERMI-  
NATORS AT BOTH ENDS CONTAINING THE CYCLES AUGMENTED  
BY THE START INDEX OF EACH CYCLE.

FOR EXAMPLE THE TABLES FOR THE ROTATION AND  
REFLECTION WOULD BE:

ROTATION	REFLECTION
-1	-1
1	1
2	1
3	3
4	3
1	2
-1	4
	2
	-1

THE PROGRAMS THEN SCAN THE CYCLES IN THE INDEX  
TABLE IN THE PROPER DIRECTION TO PERFORM THE PER-  
MUTATION.

FLOW CHART:



```

000001 A 1 X EQU 1
000002 A 2 B EQU 2
000000 014042 A 3 SETUP LDA AA
000001 054011 A 4 STA AGIN+1
000002 014041 A 5 LDA AA+1
000003 054024 A 6 STA BB1+1
000004 054010 A 7 STA BB2+1
000005 000000 A 8 EXT $CYCST, $CYCND
000006 000000 E 9 LDNI $CYCID ($CYCST FOR $REPK)
000007 001000 A 10 JMP DXR1
000010 000031 R 11 AGINI STB TEMP1
000011 054036 A 12 AGIN LDRE AA, B
000013 000040 R 13 BB2 STAE BB, B
000014 000056 A 14 TXA
000015 000044 R 15 LDX TEMP (1XR FOR $REPK)
000016 005041 A 16 DXP
000017 034027 A 17 STX TEMP
000018 025000 H 18 LDR 0, X
000019 000000 A 19 SRE TEMP1, 7, 020
000024 000050 R 20 JMP AGIN
000025 001000 A 21 BB1 STAE BB, B
000026 000012 R 22 DXR1 DXR (1XR FOR $REPK)
000027 000056 A 23 STX TEMP
000028 000044 R 24 LDR 0, X
000029 000000 A 25 BT 077, AGINI BT0
000030 000011 R 26 JMP 1 ($REPK FOR $REPK)
000031 001000 A 27 NAME $UNPK
000032 000000 E 28 EXT $SE ($REPK FOR $REPK)
000033 000000 A 29 $UNPK BES 0
000034 002000 A 30 CALL $SE, 2
000035 000000 A 31 AA DATA 0, 0
000036 001000 A 32 BB BES 0
000037 000000 P 33 JMP SETUP
000038 000000 A 34 TEMP DATA 0
000039 000000 A 35 TEMP1 DATA 0
000040 000000 A 36 END

```

ENTPY NAMES

000037 P \$UNPK

EXTERNAL NAMES

000006 E \$CYCND 000000 E \$CYCST 000041 E \$SE

SYMBOLS

```

000006 E $CYCND 000000 E $CYCST 000041 E $SE 000037 R $UNPK
000043 R AA 000012 P AGIN 000011 P AGINI 000002 A B
000044 P BB 000027 R BB1 000014 R BB2 000031 R DXR1
000000 R SETUP 000047 R TEMP 000050 R TEMP1 000001 A X

```

0 EPROPS ASSEMBLY COMPLETE

		1		
		2		
		3	NAME	%CYCST, %CYCND
000000	177777	4	%CYCST DATA	-1
		5	NLIS	
		6	DATA	0, 4, 16, 64, 55, 24, 92, 179, 189, 3, 13, 51, 8, 32, 140
000001	000000			
000002	000004			
000003	000020			
000004	000100			
000005	000067			
000006	000030			
000007	000134			
000010	000263			
000011	000275			
000012	000003			
000013	000015			
000014	000063			
000015	000010			
000016	000040			
000017	000214			
000020	000256	7	DATA	174, 78, 125, 117, 69, 74, 93, 182, 212, 215, 218, 221, 224, 227, 95
000021	000116			
000022	000175			
000023	000165			
000024	000105			
000025	000112			
000026	000135			
000027	000266			
000030	000324			
000031	000327			
000032	000332			
000033	000335			
000034	000340			
000035	000343			
000036	000137			
000037	000300	8	DATA	192, 60, 43, 181, 209, 108, 34, 146, 196, 152, 38, 162, 39, 165, 112
000040	000074			
000041	000053			
000042	000265			
000043	000321			
000044	000154			
000045	000042			
000046	000222			
000047	000304			
000050	000230			
000051	000040			
000052	000242			
000053	000047			
000054	000245			
000055	000160			
000056	000062	9	DATA	50, 5, 23, 89, 166, 131, 139, 167, 150, 0
000057	000005			
000060	000027			

000061	000131	A		
000062	000246	A		
000063	000203	A		
000064	000213	A		
000065	000247	A		
000066	000226	A		
000067	000000	A		
000070	000001	A	10	DATA 1,7,29,127,123,91,176,132,142,180,206,105,25,115,63
000071	000007	A		
000072	000035	A		
000073	000177	A		
000074	000173	A		
000075	000133	A		
000076	000260	A		
000077	000204	A		
000100	000216	A		
000101	000264	A		
000102	000316	A		
000103	000151	A		
000104	000031	A		
000105	000163	A		
000106	000077	A		
000107	000064	A	11	DATA 52,11,45,191,41,175,113,53,14,54,17,57,63,71,24
000110	000013	A		
000111	000055	A		
000112	000277	A		
000113	000051	A		
000114	000257	A		
000115	000161	A		
000116	000065	A		
000117	000016	A		
000120	000066	A		
000121	000021	A		
000122	000103	A		
000123	000104	A		
000124	000107	A		
000125	000124	A		
000126	000223	A	12	DATA 147,199,98,201,100,6,26,113,72,87,160,1
000127	000307	A		
000130	000142	A		
000131	000311	A		
000132	000144	A		
000133	000006	A		
000134	000032	A		
000135	000166	A		
000136	000110	A		
000137	000127	A		
000140	000240	A		
000141	000001	A		
000142	000002	A	13	DATA 2,10,42,178,170,2
000143	000012	A		
000144	000052	A		
000145	000262	A		



000146 000252 A  
000147 000002 A  
000150 000011 A  
000151 000043 A  
000152 000231 A  
000153 000071 A  
000154 000036 A  
000155 000206 A  
000156 000224 A  
000157 000312 A  
000160 000145 A  
000161 000011 A  
000162 000014 A  
000163 000060 A  
000164 000310 A  
000165 000143 A  
000166 000314 A  
000167 000147 A  
000170 000017 A  
000171 000075 A  
000172 000056 A  
000173 000302 A  
000174 000162 A  
000175 000070 A  
000176 000033 A  
000177 000171 A  
000200 000126 A  
000201 000232 A  
000202 000114 A  
000203 000107 A  
000204 000113 A  
000205 000164 A  
000206 000102 A  
000207 000101 A  
000210 000076 A  
000211 000051 A  
000212 000313 A  
000213 000146 A  
000214 000014 A  
000215 000022 A  
000216 000100 A  
000217 000121 A  
000220 000212 A  
000221 000244 A  
000222 000115 A  
000223 000172 A  
000224 000130 A  
000225 000243 A  
000226 000072 A  
000227 000041 A  
000230 000217 A  
000231 000267 A  
000232 000317 A

14 DATA 9,35,153,57,30,134,143,202,101,9

15 DATA 12,48,200,99,204,103,15,61,46,194,114,56,27,121,85

16 DATA 154,76,119,75,116,66,65,62,49,203,102,12

17 DATA 18,70,81,138,164,77,122,88,163,58,33,143,193,207,106

000233	000152	A			
000234	000134	A	18	DATA	28, 124, 94, 185, 213, 216, 219, 222, 225, 228, 96, 195, 133, 145, 193
000235	000174	A			
000236	000136	A			
000237	000271	A			
000240	000325	A			
000241	000330	A			
000242	000333	A			
000243	000336	A			
000244	000341	A			
000245	000344	A			
000246	000140	A			
000247	000303	A			
000250	000205	A			
000251	000221	A			
000252	000301	A			
000253	000117	H	19	DATA	79, 128, 126, 120, 82, 141, 177, 151, 19, 73, 90, 173, 59, 36, 156
000254	000200	A			
000255	000176	A			
000256	000170	A			
000257	000122	A			
000260	000215	A			
000261	000261	A			
000262	000227	A			
000263	000023	A			
000264	000111	A			
000265	000132	H			
000266	000255	A			
000267	000073	A			
000270	000044	A			
000271	000234	A			
000272	000202	H	20	DATA	130, 136, 153, 168, 169, 182, 214, 217, 220, 223, 226, 229, 97, 193, 19
000273	000210	A			
000274	000236	A			
000275	000250	A			
000276	000251	A			
000277	000274	A			
000300	000326	A			
000301	000331	A			
000302	000334	A			
000303	000337	A			
000304	000342	A			
000305	000345	A			
000306	000141	H			
000307	000306	A			
000310	000270	A			
000311	000026	A	21	DATA	22, 86, 157, 149, 205, 104, 18
000312	000120	A			
000313	000235	H			
000314	000225	A			
000315	000315	H			
000316	000150	A			
000317	000022	H			

```

000320 000024 A 22 DATA 20, 80, 135, 155, 111, 47, 197, 171, 21, 83, 144, 186, 208, 107, 31
000321 000120 A
000322 000207 A
000323 000233 A
000324 000157 A
000325 000057 A
000326 000305 A
000327 000253 A
000330 000025 A
000331 000123 A
000332 000220 A
000333 000272 A
000334 000320 A
000335 000153 A
000336 000037 A
000337 000211 A 23 DATA 137, 161, 20
000340 000241 A
000341 000024 A
000342 000045 A 24 DATA 37, 159, 187, 211, 110, 44, 124, 210, 109, 37
000343 000237 A
000344 000273 A
000345 000323 A
000346 000156 A
000347 000054 A
000350 000270 A
000351 000322 A
000352 000155 A
000353 000045 A
000354 000050 A 25 DATA 40, 172, 40
000355 000254 A
000356 000050 A
000357 000201 A 26 DATA 129, 129
000360 000201 A
000361 000346 A 27 DATA 230, 230
000362 000346 A
000363 000347 A 23 DATA 231, 231
000364 000347 A
000365 000350 A 29 DATA 232, 232
000366 000350 A
000367 000351 A 30 DATA 233, 233
000370 000351 A
000371 000352 A 31 DATA 234, 234
000372 000352 A
000373 000353 A 32 DATA 235, 235
000374 000353 A
000375 000354 A 33 DATA 236, 236
000376 000354 A
000377 000355 A 34 DATA 237, 237
000400 000355 A
000401 000356 A 35 DATA 238, 238
000402 000356 A
000403 000357 A 36 DATA 239, 239
000404 000357 A
000405 000360 A 37 DATA 240, 240
000406 000360 A
000407 000361 A 38 DATA 241, 241
000410 000361 A
000411 000362 A 39 DATA 242, 242
000412 000362 A
000413 000363 A 40 DATA 243, 243
000414 000363 A
000415 000364 A 41 DATA 244, 244
000416 000364 A
42 LIST
000417 177777 A 43 %CYCND DATA -1
44 END

```

```

ENTRY NAMES
000417 R %CYCND 000000 R %CYCST
EXTERNAL NAMES
SYMBOLS
000417 R %CYCND 000000 R %CYCST
@ ERRORS ASSEMBLY COMPLETE

```

### 3. DATA STORAGE AND RETRIEVAL SUBROUTINES

THE DATA STORAGE AND RETRIEVAL SUBROUTINES ARE DESIGNED TO FACILITATE THE STORAGE AND RETRIEVAL OF TIME SERIES DATA WITHOUT REQUIRING INORDINATE AMOUNTS OF CORE. THERE ARE SIX SUBROUTINES, EACH OF WHICH WILL BE DESCRIBED.

ROUTINE: OP\$N

CALLING SEQUENCE: CALL OP\$N (BUFFER,NVAR)

BUFFER - FLOATING POINT ARRAY OF DIMENSION AT  
LEAST 60\*NVAR (120\*NVAR FOR FIXED POINT)

NVAR - NUMBER OF VARIABLES

OP\$N - MUST BE CALLED BEFORE ANY OTHER ROUTINES TO  
OPEN THE DISKFILE (PLOTFL ON UNTIL 30) AND  
SETUP FOR OTHER ROUTINES

ROUTINE: ADDCMP (ADD COMPONENT)

CALLING SEQUENCE: CALL ADDCMP(A,I)

A - VARIABLE TO BE ADDED

I - INDEX OF VARIABLE SNNAR

ROUTINE: RETRIV

CALLING SEQUENCE: CALL RETRIV(VECT,I)

VECT - VECTOR WHICH IS TO BE RETURNED

I - INDEX OF VARIABLE

ROUTINE: CLOSE

CALLING SEQUENCE: CALL CLOSE

CLOSES DISKFILE AND UPDATES IT. REOPENS IT  
FOR LATER USE

NOTE: FOR PROPER PROGRAM FUNCTIONING, ADDCMP MUST  
HAVE BEEN CALLED THE SAME NUMBER OF TIMES  
FOR EACH INDEX, AND THAT NUMBER MUST BE A  
MULTIPLE OF 60.

ROUTINE: CLOSE  
CALLING SEQUENCE: CALL CLOSE

CLOSE DISK FILE AND UP DATE IT. REOPEN IT  
FOR LATER USE.

NOTE: FOR PROPER PROGRAM FUNCTIONING, ADDCMP MUST HAVE,  
BEEN CALLED THE SAME NUMBER OF TIMES FOR EACH  
INDEX AND THAT NUMBER MUST BE A MULTIPLE OF 60.

ROUTINE: OPSNI, CLOSI  
CALLING SEQUENCE: CALL (OPSNI) (IFIRST, ILAST)  
(CLOSSI)

(OPSNI RETRIEVES) DATA BETWEEN IFIRST AND ILAST (FROM) DISK.  
(CLOSI STORES ) ( TO )

EXAMPLE: A TAPE EXISTS IN THE FOLLOWING CARD IMAGE FORMAT.

RECORD 1 - Alphabetic ID.

RECORD 2 -  $n_1 - X_1 - X_{20}$  - OBSERVATIONS OF 20  
VARIABLES (20F4.0)  $n \leq 2401$

PROBLEM: TO STORE THE DATA MATRIX ON DISK, LATER  
TO PRINT OUT THE DATA VARIABLE BY VARIABLE.

```
DIMENSION ID(40) BUFFER(1200) X(20)
COMMON /XXXX/ ID,N
REWIND 21

READ (21,100) ID
100 FORMAT (40A2)
N=0

CALL OPSN(BUFFER,20)
1 READ (21,101) X
101 FORMAT (20F40)

IF(10CHK(21)2.3.4
2 BACKSPACE 21
GO TO 1

3 N=N+1
DO 5 I=1, 20
5 CALL ADDCMP(X(I),1)

GO TO 1
4 NADD=MOD(N,60)
IF(NADD.EQ. 0) GO TO 99

DO 6 I=1,NADD
DO 6 J=1,20
6 CALL ADDCMP(0.0,J)

99 CALL CLOSI(ID,ID(41))
STOP
END

DIMENSION ID(41), VECT(2400)
CALL OPSN(VECT,20)
CALL OPSNI(ID,ID(41))

N=ID(41)
DO 1 I=1,20
CALL RETRIV (VECT,I)

1 WRITE (5,100) (ID(J),J=1,40), (VECT(J)2
1 WRITE (5,100) (ID(J), J=1,40), (VECT(J)J=1,N)
100 FORMAT(1H1,40A2/(1X,30F4.0))

END
```

		1	NAME	OP\$N, CLOSE, RETRIV, ADDCMP, OP\$N
		2	EXT	\$SE
	000422 A	3 TWO	EQU	0422
	000001 A	4 X	EQU	1
	000002 A	5 B	EQU	2
000000	000000 A	6 OP\$N1	ENTR	.
000001	002000 A	7	CALL	\$SE, 2, 0, 0
000002	000000 E			
000003	000002 A			
000004	000000 A			
000005	000000 A			
000006	002000 A	8	CALL	SAVE
000007	000062 R			
000010	005001 A	9	TZA	
000011	006506 A	10	JSR	RDW, B
000012	000026 R			
000013	000000 A	11 CLOS1	ENTR	
000014	002000 A	12	CALL	\$SE, 2, 0, 0
000015	000002 E			
000016	000002 A			
000017	000000 A			
000020	000000 A			
000021	002000 A	13	CALL	SAVE
000022	000062 R			
000023	005101 A	14	INCR	01
000024	006506 A	15	JSR	RDW, B
000025	000026 R			
000026	004250 A	16 RDW	LPLA	S
000027	124073 A	17	ADD	READ+3
000030	054021 A	18	STA	RDW1+3
000031	005101 A	19	INCP	01
000032	054304 A	20	STA	FCB+3
000033	005021 A	21	TBA	
000034	006140 A	22	SUBI	CLOS1-OP\$N1
000035	000013 A			
000036	005014 A	23	TAX	
000037	015000 A	24	LDA	0, X
000040	054027 A	25	STA	RETRN
000041	015004 A	26	LDA	4, X
000042	054272 A	27	STA	FCB+1
000043	005211 A	28	CPA	
000044	120422 A	29	ADD	TWO
000045	125005 A	30	ADD	5, X
000046	054265 A	31	STA	FCB
		32 RDW1	READ	FCB, 30
000047	006505 A			
000050	000000 E			
000051	100000 A			
000052	000036 A			
000053	000734 R			
000054	000000 A			
000055	000000 A			
000056	014267 A	33	LDA	D120

000057	054254	A	34		STA	FCB
000050	001000	A	35		JMP	PETRN+1
000061	000071	R				
000062	000000	A	36	SAVE	ENTR	
000063	054012	A	37		STA	STA
000064	064012	A	38		STB	STB
000065	074012	A	39		STX	STX
000066	001000	A	40		RETUX*	SAVE
000067	100062	R				
000070	000000	A	41	RETRN	ENTR	
000071	014004	A	42		LDA	STH
000072	024004	A	43		LDB	STB
000073	034004	A	44		LDX	STX
000074	001000	A	45		RETUX*	RETRN
000075	100070	R				
000076	000000	A	46	STA	DATA	0
000077	000000	A	47	STB	DATA	0,0
000100	000000	A				
000100			48	STX	BES	0
			49	*		
			50	*		
000101	002000	A	51	RETR1	CALL	SAVE
000102	000062	R				
000103	014045	A	52		LDA	WHERE
000104	054230	A	53		STA	FCB+1
			54		OPEN	FCB, 30
000105	006505	A				
000106	000050	E				
000107	100000	A				
000110	003036	A				
000111	000334	R				
000112	000000	A				
000113	000000	A				
000114	006017	A	55		LDAE*	ICM1
000115	100152	P				
000116	005111	A	56		IAR	
000117	054217	A	57		STA	FCB+3
			58	READ	READ	FCB, 30
000120	006505	A				
000121	000106	E				
000122	100000	A				
000123	000036	A				
000124	000334	P				
000125	000000	A				
000126	000000	A				
000127	014205	A	59		LDA	FCB+1
000130	124215	A	60		ADD	B120
000131	054203	A	61		STn	FCB+1
000132	014204	A	62		LDA	FCB+3
000133	124175	A	63		ADD	HC0HP
000134	054202	A	64		STn	FCB+3
000135	124203	A	65		ADD	FCB+5
000136	144201	A	66		SUB	FCB+4

000137	005311	A	67	DAP	
000140	001004	A	68	JAN	READ
000141	000120	R			
000142	002000	A	69	CALL	RETRN
000143	000070	P			
000144	001000	A	70	JMP	*
000145	000144	R			
000145			71	RETRIV	BES 0
000146	002000	A	72	CALL	*SE,2
000147	000015	E			
000150	000000	A			
000151	000000	A	73	WHERE	DATA 0
000152	000000	A	74	ICH1	DATA 0
000153	001000	A	75	JMP	RETR1
000154	000101	R			
			76	*	
			77	*	
000155	002000	A	78	ADDCM1	CALL SAVE
000156	000062	R			
000157	005027	A	79	LDBE*	ICOMP
000160	100220	R			
000161	005322	A	80	DBR	
000162	064075	A	81	STB	ICOMP
000163	006216	A	82	LDNE	STRCMP, B, 0200
000164	000427	R			
000165	054147	A	83	STA	FCB11
000166	006306	A	84	ADDE	NCHPS, B, 0200
000167	000377	R			
000170	005014	A	85	TAX	
000171	024025	A	86	LDB	A
000172	016000	A	87	LDA	0, B
000173	055000	A	88	STA	0, X
000174	016001	A	89	LDA	1, B
000175	055001	A	90	STA	1, X
000176	024021	A	91	LDB	ICOMP
000177	006216	A	92	LDNE	NCHPS, B, 0200
000200	000377	R			
000201	120420	A	93	ADD	TWO
000202	005014	A	94	TAX	
000203	144142	A	95	SUB	D120
000204	001010	A	96	JAC	WRITE
000205	000223	R			
000206	000270	A	97	RET1	STXE NCHPS, B, 0200
000207	000377	R			
000210	002000	A	98	CALL	PETRN
000211	000070	R			
000212	001000	A	99	JMP	*
000213	000210	P			
000213			100	ADDCMP	BES 0
000214	002000	A	101	CALL	*SE,2
000215	000147	E			
000216	000000	A			
000217	000000	A	102	A	DATA 0



000220	000000	A	103	ICOMP	DATA	0
000221	001000	A	104		JMP	ADDCM1
000222	000155	R				
000223	000216	A	105	WRITE	LDNE	RECNO, B, 0200
000224	000347	R				
000225	054111	A	106		STA	FCB+3
000226	124102	A	107		ADD	NCOMP
000227	006256	A	108		STAE	RECNO, B, 0200
000230	000347	R				
			109		WRITE	FCB, 30
000231	006505	A				
000232	000121	E				
000233	100000	A				
000234	000436	A				
000235	000334	R				
000236	000000	A				
000237	000000	A				
000240	005004	A	110		TX	
000241	001000	A	111		JMP	RET1
000242	000206	P				
			112	F		
			113	K		
000243	000000	A	114	CLOSE	ENTR	
000244	002000	A	115		CALL	SAVE
000245	000062	R				
000246	014100	A	116		LDA	RECNO
000247	054067	A	117		STA	FCB+3
			118		CLOSE	FCB, 30, , 1
000250	006505	A				
000251	000232	E				
000252	100000	A				
000253	013436	A				
000254	000334	R				
000255	000000	A				
000256	000000	A				
000257	002000	A	119		CALL	RETRN
000260	000070	R				
000261	001000	A	120		RETU*	CLOSE
000262	100243	P				
			121	*		
			122	*		
000263	002000	A	123	OPN1	CALL	SAVE
000264	000062	R				
000265	006037	A	124		LDX*	NCOMP
000266	100331	R				
000267	074041	A	125		STX	NCOMP
000270	005042	R	126		TXB	
000271	014036	A	127		LDA	WORK
000272	164053	A	128		MUL	D120
000273	005021	A	129		TBA	
000274	005021	A	130		TBA	
000275	005002	A	131		TDB	
000276	144047	A	132	NXT1	SUB	D120

000277	006255	A	133	STAE	STRCMP-1,X,0200
000300	000426	R			
000301	006275	A	134	STXE	RECNO-1,X,0200
000302	000346	R			
000303	006245	A	135	INPE	RECNO-1,X,0200
000304	000346	R			
000305	000205	A	136	STBE	NCHPS-1,X,0200
000306	000376	R			
000307	005344	A	137	DXP	
000310	001046	A	138	JXNC	NXT1
000311	000276	R			
			139	OPEN	FCB,30
000312	006505	A			
000313	000251	E			
000314	100000	A			
000315	003036	A			
000316	000334	R			
000317	000000	A			
000320	000000	A			
000321	002000	A	140	CALL	PETRN
000322	000070	R			
000323	001000	A	141	JMP	*
000324	000323	R			
000324			142	OP\$N	BSS 0
000325	002000	A	143	CALL	\$SE,2
000326	000215	E			
000327	000002	A			
000330	000000	A	144	WORK	DATA 0
000331	000000	A	145	NCOMP	DATA 0
000332	001000	A	146	JHP	OPN1
000333	000263	R			
			147	FCB	FCB 120,*,0,, 'PL', 'OT', 'FL'
000334	000170	A			
000335	000334	R			
000336	000000	A			
000337	000000	A			
000340	000000	A			
000341	000000	A			
000342	000000	A			
000343	150314	A			
000344	147724	A			
000345	143314	A			
000346	000170	A	148	D120	DATA 120
000347			149	RECNO	BSS 24
000377			150	NCHPS	BSS 24
000427			151	STRCMP	BSS 24
			152	END	

ENTRY NAMES

000213 R ADDCMP 000013 R CLOS1 000243 R CLOS2 000324 R OP\$N  
000000 R OPN1 000145 P PETRIV

EXTERNAL NAMES

000326 E M.C. 000313 E V\$IOO

SYMBOLS

```

000326 E SSE      000217 R A      000155 R ADDCM1 000213 R ADDCMP
000002 A B        000013 P CLOS#1 000243 P CLOS#E 000346 R D120
000334 R FCB      000152 R ICM1   000220 R ICOMP  000377 R NCMP#S
000331 P HCOMP    000076 R HXT1   000324 P OPIN    000000 P OPINI
000263 R OPH1     000026 R RDW    000047 R RDW1    000120 P READ
000347 R RECNO    000206 R RET1   000101 R RETPL   000145 R PETRIV
000070 R RETRN    000062 R SAVE   000076 R STA     000077 R STB
000427 R STRCMP   000100 R STX    000422 A TWO     000310 E V#100
000151 R WHERE    000330 R WORK   000223 R WRITE  000001 A X
  0 ERRORS ASSEMBLY COMPLETE

```

#### 4. TEKTRONIX PLOTTING ROUTINES

A SERIES OF PLOTTING ROUTINES HAS BEEN ADDED TO THE SYSTEM TO ENABLE PLOT FILES IN VARIAN DATAPLOT FORMAT TO BE OUTPUT TO THE TEKTRONIX 4014. THESE ROUTINES SCALE A STATOS PLOT SO THAT ONE INCH ON THE STATOS EQUALS ONE INCH ON CRT, NOT ON THE HARDCOPY. THESE ROUTINES ARE TRANSPARENT TO THE USER, WITH THE FOLLOWING EXCEPTIONS:

- 1) CARE SHOULD BE USED WITH NEGATIVE ORIGINS (in inches)
- 2) PRINTS BEYOND THE SCREEN LIMITS END UP AT THE RIGHT HAND AND TOP LIMITS OF THE SCREEN
- 3) ALL CHARACTERS ARE PLOTTED AT THE CURRENT CHARACTER SIZE (see TEKFNC below) AND UPRIGHT-ORIENTATION
- 4) SPECIAL CHARACTERS HAVE NOT BEEN IMPLEMENTED
- 5) MINIMIZATION OF STATOS SORT AND PLOT TIMES MAY INCREASE TEKTRONIX PLOT TIMES

IN ADDITION, A SUBROUTINE TEKFNC HAS BEEN WRITTEN TO ENABLE THE USER ACCESS TO TEKTRONIX FUNCTIONS.

#### USAGE:

TO OUTPUT TO THE TEKTRONIX, ADD THE FOLLOWING SUBROUTINES TO ANY DATAPLOT PROGRAM:

```
SUBROUTINE DPSORT
CALL CRTPLT
RETURN
END
SUBROUTINE DPPLLOT
RETURN
END
```

TO USE TEKTRONIX FUNCTIONS:

CALL TEKFN(1)

- | 1----- | FUNCTION                   |
|--------|----------------------------|
| 1----- | LARGEST CHARACTERS         |
| 2----- | 2ND LARGEST CHARACTERS     |
| 3----- | 3RD " "                    |
| 4----- | 4TH "(SMALLEST) CHARACTERS |
| 5----- | SOLID VECTORS              |
| 6----- | DOTTED VECTORS             |
| 7----- | DOT-DASHED VECTORS         |
| 8----- | SHORT-DASHED VECTORS       |
| 9----- | LONG-DASHED VECTORS        |

			1	NAME	CRTPLT, I\$BLD1
			2	EXT	\$SE
	000001	A	3	X EQU	1
	000002	A	4	B EQU	2
	000423	A	5	FOUR EQU	0423
000000	000000	A	6	CRTPLT ENTR	
			7	PEM	FCB, 8
000001	006505	A			
000002	000000	E			
000003	100000	A			
000004	001410	A			
000005	000133	R			
000006	000000	A			
000007	000000	A			
			8	EXT	I\$PLT
000010	006017	A	9	LDAX	I\$PLT
000011	000000	E			
000012	001016	A	10	JANZ	AGAIN
000013	000023	R			
			11	READ	DCB1, 2, , 1
000014	006505	A			
000015	000002	E			
000016	100000	A			
000017	010002	A			
000020	000145	R			
000021	000000	A			
000022	000000	A			
			12	AGAIN READ	FCB, 8
000023	006505	A			
000024	000015	E			
000025	100000	A			
000026	000010	A			
000027	000133	R			
000030	000000	A			
000031	000000	A			
000032	014101	A	13	LDA	FCB+1
000033	054005	A	14	STA	CALSEQ
000034	006020	A	15	LDBI	30
000035	000036	A			
000036	005322	A	16	DBR	DBR
			17	EXT	CONVRT
000037	002000	A	18	CALL	CONVRT, 0
000040	000000	E			
000041	000000	A			
000041			19	CALSEQ	BDS 0
000042	006017	A	20	LDNEX	CALSEQ
000043	100041	R			
000044	006140	A	21	SUBI	32700
000045	077574	A			
000046	001002	A	22	JAP	CLSOT
000047	000051	R			
000050	006017	A	23	LDNE	CALSEQ
000051	000041	R			

000052	120423	A	24	ADD	FOUR	
000053	000057	A	25	STAE	CALLSEQ	
000054	000041	R				
000055	001026	A	26	JBNE	DBR	
000056	000036	R				
000057	001000	A	27	JMP	AGAIN	
000060	000023	R				
000061	014050	A	28	CL50T	LDA	DCBFH
000062	002016	A	29		JAN2M	BUFOUT
000063	000121	R				
000064	001000	A	30	PETUX	CPTPLT	
000065	100000	R				
000066	000000	A	31	I\$BLD1	ENTR	
000067	002000	A	32		CALL	\$SE, 1
000070	000000	E				
000071	000001	A				
000072	000000	A	33	ICAR	DATA	0
000073	054016	A	34		STA	LDA+1
000074	064017	A	35		STB	LDB+1
000075	074020	A	36	STX	STX	LDX+1
000076	000017	A	37		LDGEX	ICAR
000077	100072	R				
000100	034031	A	38		LDX	DCBFH
000101	044030	A	39		INP	DCBFH
000102	006255	A	40		STAE	0BUF, X, 0200
000103	000340	R				
000104	005144	A	41		IXR	
000105	005041	A	42		TXR	
000106	144024	A	43		SUB	FCB
000107	002010	A	44		JAN2M	BUFOUT
000110	000121	R				
000111	006010	A	45	LDA	LDAI	
000112	000000	A				
000113	000020	A	46	LDB	LDBI	
000114	000000	A				
000115	000030	A	47	LDX	LDXI	
000116	000000	A				
000117	001000	A	48		PETUX	I\$BLD1
000120	100066	R				
			49		EXT	OUTK2
000121	000000	A	50	BUFOUT	ENTP	
000122	002000	A	51		CALL	OUTK2, 0BUF, DCBFH
000123	000000	E				
000124	000340	R				
000125	000132	P				
000126	005001	A	52		TCR	
000127	054002	A	53		STR	DCBFH
000130	001000	A	54		PETUX	BUFOUT
000131	100121	R				
			55	*		
000132	000000	A	56	DCBFH	DATA	0
			57	FCR	FCR	100, 1BUF, 1
000133	000170	A				

000134 000150 R  
 000135 000400 A  
 000136 000000 A  
 000137 000000 A  
 000140 000000 A  
 000141 000000 A  
 000142 000000 A  
 000143 000000 A  
 000144 000000 A

58 DCB1 DCB 30,IBUF

000145 000006 A  
 000146 000150 R  
 000147 000000 A

59 IBUF BSS 120  
 60 OBUF BSS 120  
 61 END

ENTRY NAMES

000000 R CRTPLT 000060 R I\$BLD1

EXTERNAL NAMES

000070 E \$SE 000040 E CONVRT 000011 E I\$PLT 000123 E OUTK2  
 000024 E V\$IOO

SYMBOLS

000070 E \$SE 000023 R AGAIN 000002 A B 000121 R BUFOUT  
 000041 R CALSEQ 000061 R CLSOT 000040 E CONVRT 000000 R CRTPLT  
 000036 R DBP 000145 R DCB1 000132 R DCBFN 000133 R FCB  
 000423 A FOUT 000066 P I\$BLD1 000011 E I\$PLT 000150 R IBUF  
 000072 P ICAP 000111 P LDH 000113 P LDB 000115 R LDB  
 000340 P OBUF 000123 E OUTK2 000075 R STM 000024 F V\$IOO  
 000001 A X

\* 0 ERRORS ASSEMBLY COMPLETE



```

1      SUBROUTINE CONVRT(INBLK)
2      DIMENSION INBLK(2,2)
3      DATA IGS/0/
4      DATA MAX,LX,LY,IHIY,IHIX/29700,4*-1/
5      IF(INBLK(1,1).LT.0) GO TO 99
6      IF(INBLK(1,1).GT.32700)GO TO 98
7      IL=1
8      IU=2
9      IF(INBLK(1,2).EQ.32764) IU=1
10     IOUT=0
11     DO 3 I=IL,IU
12     NX=MAX-INBLK(1,I)
13     IF(NX.LT.0)NX=0
14     IF(NX.GT.1430)NX=1430
15     NX=I#PAST(NX)
16     IF(LX.NE.NX)IOUT=1
17     LX=NX
18     IHIX=32+ISHIFT(NX,5,3)
19     LOX=64+IAND(NX,31)
20     NY=INBLK(2,I)
21     IF(NY.GT.1089)NY=1089
22     NY=I#PAST(NY)
23     IF(LY.NE.NY)IOUT=1
24     LY=NY
25     IHIY=32+ISHIFT(NY,5,3)
26     LOY=96+IAND(NY,31)
27     IF(I.EQ.2)GO TO 56
28     IF(IOUT.EQ.1)IGS=0
29     IF(IGS.EQ.0)CALL I#BLD1(29)
30     IF(IGS+IOUT.EQ.0)GO TO 5
31     IF(IOUT.EQ.0)GO TO 55
32 56    IF(IHIY.NE.KHIY)CALL I#BLD1(IHIY)
33     IF(LOY.NE.KLOY.OR.IHIX.NE.KHIX)CALL I#BLD1(LOY)
34     IF(KHIX.NE.IHIX)CALL I#BLD1(IHIX)
35 5    CALL I#BLD1(LOX)
36 55    KHIX=IHIX
37     KLOY=LOY
38     KHIY=IHIY
39 3    IOUT=1
40     IGS=1
41     IF(INBLK(1,2).NE.32764)RETURN
42     CALL I#BLD1(31)
43     CALL I#BLD1(INBLK(2,2))
44     IGS=0
45     RETURN
46 99    CALL I#BLD1(27)
47     CALL I#BLD1(INBLK(2,2))
48     RETURN
49 98    IGS=0
50     LX=-1
51     LY=-1
52     KHIY=-1
53     KHIX=-1
54     RETURN
55     END
0 ERRORS COMPILATION COMPLETE
/PROFILE,PI,,CRTPLT
/DASMR,B

```

			1	NAME	I\$RAST
			2	EXT	\$SE
000000	000000	A	3	I\$RAST ENTR	
000001	002000	A	4	CALL	\$SE
000002	000000	E			
000003	000001	A	5	DATA	1
000004	000000	A	6	NX DATA	0
000005	004014	A	7	STB	STB
000006	006027	A	8	LDRE*	HX
000007	100004	R			
000010	006010	A	9	LDRI	715
000011	001313	A			
000012	006160	A	10	MULI	1023
000013	001777	A			
000014	006170	A	11	DIVI	1430
000015	002626	A			
000016	005021	A	12	TBA	
000017	024002	A	13	LDR	STB
000020	001000	A	14	RETU*	I\$RAST
000021	100000	P			
000022	005000	A	15	STB NOP	
			16	END	

ENTRY NAMES

000000 R I\$RAST

EXTERNAL NAMES

000002 E \$SE

SYMBOLS

000002 E \$SE      000000 R I\$RAST    000004 R NX      000022 R STB

0 ERRORS ASSEMBLY COMPLETE

			1	NAME	TEKFNC
			2	EXT	*SE, V\$DPVE, V\$DPIV
			3	B EQU	2
000000	000000	A	4	TEKFNC ENTR	
000001	002000	A	5	CALL	*SE, 1
000002	000000	E			
000003	000001	A			
000004	000000	A	6	IFUNC DATA	0
000005	054027	A	7	STB	STA
000006	064030	A	8	STB	STB
000007	005027	A	9	LDBE*	IFUNC
000010	100004	R			
000011	005322	A	10	DBR	
000012	005021	A	11	TBA	
000013	001004	A	12	JAN	RET
000014	000034	R			
000015	144035	A	13	SUB	MAX
000016	001002	A	14	JAP	RET
000017	000034	R			
000020	006216	A	15	LDAE	TABLE, B, 0200
000021	000042	R			
000022	006020	A	16	LDBI	V\$DPVE
000023	000000	E			
000024	056003	A	17	STA	3, B
000025	006010	A	18	LDAI	077774
000026	077774	A			
000027	050002	A	19	STA	2, B
000030	005301	A	20	DECP	01
000031	056000	A	21	STA	0, B
000032	002000	A	22	CALL	V\$DPIV
000033	000000	E			
000034	006010	A	23	RET	LDAI 0
000035	000000	A			
000035	000000	A	24	STA	BES 0
000036	000020	A	25	LDBI	0
000037	000000	A			
000037	000000	A	26	STB	BES 0
000040	001000	A	27	RETU*	TEKFNC
000041	100000	R			
000042	000070	A	28	TABLE	DATA 56, 57, 58, 59, 96, 97, 98, 99, 100
000043	000071	A			
000044	000072	A			
000045	000073	A			
000046	000140	A			
000047	000141	A			
000050	000142	A			
000051	000143	A			
000052	000144	A			
000053	000011	A	29	MAX	DATA 9
			30	END	

ENTRY NAMES

000000 R TEKFNC

EXTERNAL NAMES

000002 E \$SE      000033 E V\$DPIV      000023 E V\$DPVE

SYMBOLS

000002 E \$SE      000002 A B      000004 P IFUNC      000053 R MAX  
 000034 R RET      000035 P STA      000037 R STB      000042 R TABLE  
 000000 P TEKFNC      000033 E V\$DPIV      000023 E V\$DPVE

0 EPROS ASSEMBLY COMPLETE

## 5. MAGNETOGRAM PRODUCTION FROM MAGNETOMETER NETWORK

A program to produce magnetograms from the AFGL Magnetometer Network data was written. The program is to be run on the Varian computer and the magnetograms are hard copies of a Cathode Ray Tube (CRT) display.

The program is run by typing in on the CRT keyboard /LOAD, DEMO

The program DEMO then prompts the programmer  
ENTER START HOUR OR 99 FOR BOT.

93 FOR CURRENT TAPE POSITION, 97 FOR DISK DATA

If you want to begin the magnetogram at a particular hour enter that hour as hh. If the magnetogram is to begin at the beginning of the TAPE (BOT) enter 99, if it is to begin from the current position of the tape enter 93.

If the magnetogram is to be made from data already on disk enter 97.

ENTER START TIME FOR GRAPH IF DIFFERENT

The magnetograms should begin on the hour, but if the data to be plotted do not begin on the hour, enter a starting hour. For example say the data begin at 17:37, the programmer may enter 17 as the starting hour of the magnetogram. otherwise enter RETURN

ENTER START DAY IF DIFFERENT FROM CURRENT TAPE DAY

If the tape is positioned on day 213 for example and you want a magnetogram beginning on day 214 then enter 214. Otherwise enter RETURN.

ENTER NUMBER OF HOURS AND NUMBER OF PERIODS IF NOT 1 (HHPP)

Enter the length of the magnetograms in hours and the desired number of magnetograms. If you want seven eight hour magnetograms enter 0708. If only eight hour magnetogram is wanted enter 08.

AUTO HARD COPY (Y,N)?

If you want hard copies of the magnetograms produced automatically enter Y, if not enter N.

INDIVIDUAL PLOTS, OVERLAY PLOT, OR BOTH (I,O,B)?

If you want an individual plot of each station and no overlay

enter 1, if you want an overlay and no individual plots  
enter 0. If you want both enter B.

DEMO is a highly automated program. Once all the entries have been made all that is required of the programmer is that he change the tapes if the magnetogram requires more than one tape and that he terminate the program. The program is terminated by simply entering a / RETURN.

An example of the prompting sequence and the resulting magnetograms is shown in Figures 3 thru 9. These are the plots of X, Y, and Z components of the seven network stations, in order: MA, FL, MI, WI, SD, CA, WA. Figure 10 is a composite of all seven stations.

Figures 1 and 2 are plots of LINCHK for the selected date of the magnetograms, and give an overall view (for that date) of the quality of operation of the network for each station.

#### To use LINCHK

Load the tape of interest and type on the CRT keyboard /LOAD,LINCHK

Each plot contains seven miniature plots, 1 for each station. The abscissa is the time of day in hours, for the day (or days) listed in the heading. In the top plot the ordinate represents the percent of frames for each station which contains errors; in the bottom plot the ordinate represents the percent of frames for each station which is missing. On each miniature plot, the base line refers to zero percent of the frames. The ordinate can take any value from 0-100%, where the value of 100% for a given station would lie just below the baseline of the station just above it.

ENTER START HOUR OR 99 FOR BOT,  
93 FOR CURRENT TAPE POSITION, 97 FOR DISK DATA

08

ENTER START TIME FOR GRAPH IF DIFFERENT

ENTER START DAY IF DIFFERENT FROM CURRENT TAPE DAY

155

ENTER NUMBER OF HOURS AND # OF PERIODS IF NOT 1 (HHPP)


12

AUTO HARD COPY (Y,N)?

Y

INDIVIDUAL PLOTS, OVERLAY PLOT, OR BOTH (I,O,B)?

B



8048/00:04 TO 8048/12:46 FILE 2





Figure 1.

204S 12:46 TO 8050/03:27

FILE 1




Figure 2.






Figure 3.




Figure 4.




Figure 5.




Figure 6.




Figure 7.




Figure 8.




Figure 9.




Figure 10.



## II. MATHEMATICAL ANALYSIS

### 1. MULTIPLE CORRELATION

A multiple correlation program, MLTCOR, (Program 1) was written that yields the partial regression coefficients between ground measured geophysical parameters such as Kp, Ap, and AE and various solar wind parameters such as bulk velocity, magnetic field, and the direction of the magnetic field. Using the derived coefficients predictions were made of Kp, Ap, and AE and these could be plotted and compared with the observed values.

Program 1

BELMO, CM110000, T150.	2261	BELLEW	10
ATTACH, TAPE1, CORDTX3218, ID=BELLEW, MR=1.			11
ATTACH, TAPE2, INFX3218, ID=BELLEW, MR=1.			12
ATTACH, PEN, ONLINESPEN, MR=1.			13
FTN, SL, PL=77777.			14
LOSET(LIB=PEN)			15
LGO.			16

PROGRAM MLTCOR(INPUT, OUTPUT, TAPE1, TAPE2, TAPE3, TAPE6=OUTPUT)	10
	17
	11
CATALOGED AS MLTCORX3218, CY=5	12
	13
DIMENSION B(6), S9(6)	14
DIMENSION PROGID(3)	15
COMMON/SUB/3, SB, SY, BNOT	16
COMMON/DAT/LAG, JMPDT	17
DATA PROGID/6RBELLEW, 4R2261, 2RB9/	18
CALL PLTID3(PROGID, 2JC.0, 11.J, 0.75)	19
F=2.5	20
TOL=.0001	21
N=6	22
M=100	23
SIGN=-1	24
JMPDT=0	25
DO 2 J=1, 2	26
LAG=1	27
DO 1 I=1, 1	28
CALL SETUP(N, M, SIGN)	29
CALL SUB1(F, TOL, M)	30
LAG=LAG+1	31
JMPDT=JMPDT+1	32
CALL ENDPLT	33
STOP	34
END	35
	36

SUBROUTINE SETUP(N,M,SIGN)	37
SETUP READS DATA FROM TAPE1 AND CONSTRUCTS	38
A MATRIX OF THE CROSS CORRELATION COEFFICIENTS	39
	40
	41
DIMENSION A(6,6),Y(600,6),YB(6),SIG(6),R(6,6)	42
COMMON/SET/YB,SIG,P,NM,DF,Y	43
COMMON/DAT/LAG,JMPDT	44
COMMON/MUL/KNT	45
REWIND 3	46
PRINT 100	47
FORMAT(1H1)	48
FORMAT()	49
PRINT 300, SIGN,LAG	50
FORMAT(/* SIGN=*,F5.1,* LAG=*,I2//)	51
N NUMBER OF DEPENDENT AND INDEPENDENT VARIABLES	52
M NUMBER OF OBSERVATIONS	53
MSAV=M	54
CALL DATIN(M)	55
PI=2.0*ACOS(0.0)	56
FP=1.0/(4*PI)	57
REWIND 3	58
NM=N-1	59
DF=M-1	60
KNT=0	61
DO 1 J=1,M	62
READ(3) IDATE,B,BX,BY,BZ,SGBX,SGBY,SGBZ,	63
+VTH,RHO,V,VX,VY,VZ,AE	64
PRINT 75,B,BX,BY,BZ,VTH,RHO,V,VX,VY,VZ,AE	65
FORMAT(4F10.4/7F10.4)	66
IF(SIGN*BZ.LT.C.0) GO TO 1	67
KNT=KNT+1	68
Y(KNT,1)=RHO*V*V	69
SX=FP*((BY*BY+BZ*BZ)*VX-(VY*BY+VZ*BZ)*BX)	70
SY=FP*((BX*BX+BZ*BZ)*VY-(VX*BX+VZ*BZ)*BY)	71
SZ=FP*((BX*BX+BY*BY)*VZ-(VX*BX+VY*BY)*BZ)	72
S=SQRT(SX*SX+SY*SY+SZ*SZ)	73
PRINT 11,S,SX,SY,SZ	74
Y(KNT,2)=S	75
Y(KNT,3)=BZ	76
Y(KNT,4)=V*BZ	77
Y(KNT,5)=SQRT(SGBX*SGBX+SGBY*SGBY+SGBZ*SGBZ)	78
Y(KNT,6)=BZ*BZ*V	79
Y(KNT,7)=Y(KNT,4)*Y(KNT,5)	80
Y(KNT,8)=AE	81
CONTINUE	82
M=KNT	83
PRINT 15,N,M	84
FORMAT(/2I10/)	85
PRINT 11,((Y(J,I),I=1,N),J=1,M)	86
PRINT 200	87

11	FORMAT(1X,1P6E12.3)	83
C	DO 6 FINDS THE MEAN OF EACH VARIABLE	89
	DO 6 I=1,N	91
	YB(I)=0	91
	DO 5 J=1,M	92
5	YB(I)=YB(I)+Y(J,I)	93
6	YB(I)=YB(I)/M	94
	PRINT 11, (YB(I), I=1,N)	95
	PRINT 200	95
C	DO 7 FINDS THE DEVIATIONS	97
	DO 7 I=1,N	98
	DO 7 J=1,M	99
7	Y(J,I)=Y(J,I)-YB(I)	100
	PRINT 12, ((Y(J,I), I=1,N), J=1,M)	101
	PRINT 200	102
C	DO 4 CONSTRUCTS A MATRIX OF SQUARES AND	103
C	CROSS PRODUCTS OF DEVIATIONS	104
	DO 4 I=1,N	105
	DO 4 K=I,N	106
	A(I,K)=0	107
	DO 8 J=1,M	108
8	A(I,K)=A(I,K)+Y(J,I)*Y(J,K)	109
	A(K,I)=A(I,K)	110
4	CONTINUE	111
C	PRINT 12, ((A(J,I), I=1,N), J=1,N)	112
	PRINT 200	113
12	FORMAT(1P6E12.3).	114
C		115
	DO 13 I=1,N	116
13	SIG(I)=SQRT(A(I,I))	117
	PRINT 11, (SIG(I), I=1,N)	118
	PRINT 200	119
	DO 14 I=1,N	120
	DO 14 J=I,N	121
	R(I,J)=A(I,J)/(SIG(I)*SIG(J))	122
14	R(J,I)=R(I,J)	123
	PRINT 12, ((R(I,J), J=1,N), I=1,N)	124
	M=MSAV	125
C		126
	RETURN	127
	END	128

SUBROUTINE SUB1(F,TOL,M)	129
-----	130
DIMENSION B(6),S9(6)	131
DIMENSION Y9(6),SIG(6),R(6,6)	132
DIMENSION Y(600,6)	133
COMMON/SUB/B,S9,SY,BNOT	134
COMMON/SET/Y8,SIG,P,NM,OF,Y	135
-----	136
PRINT 200	137
FORMAT()	138
CLRL=0	139
F1=F	140
N=NM+1	141
F2=F	142
PRINT 940,F1,F2	143
FORMAT(* F1,F2 =*1P2E12.3)	144
VMIN=10**10	145
VMAX=0.0	146
NMAX=0	147
NMIN=0	148
SY=SIG(N)*SQRT(R(N,N)/DF)	149
PRINT 120,SY	150
FORMAT(* SY=*F10.5)	151
DO 10 J=1,NM	152
B(J)=0	153
-----	154
I=1	155
CONTINUE	156
PRINT*,R(I,I),I,I	157
-----	158
THIS TEST REDUCES THE POSSIBILITY OF DEGENERACY	159
WHEN AN INDEPENDENT VARIABLE IS APPROXIMATELY A	160
LINEAR COMBINATION OF OTHER INDEPENDENT VARIABLES.	161
IF(R(I,I).LE.TOL) GO TO 3	162
-----	163
LINEAR COMBINATION OF OTHER INDEPENDENT VARIABLES	164
VI=R(I,N)*R(N,I)/R(I,I)	165
PRINT*,VI,VMAX,I	166
IF(VI.EQ.0) GO TO 3	167
IF(VI.LT.0.0) GO TO 1	168
IF(VI.LE.VMAX) GO TO 3	169
VMAX=VI	170
NMAX=I	171
PRINT*,VMAX,NMAX	172
GO TO 3	173
B(I)=SIG(N)/SIG(I)*R(I,N)	174
PRINT*,B(I),I	175
SB(I)=SY/SIG(I)*SQRT(1.0/R(I,I))	176
SB(I)=SY/SIG(I)*SQRT(R(I,I))	177
PRINT 430,B(I),SB(I),I	178
FORMAT(1P2E12.3,0PI10)	179

IF(ABS(VI).GE.ABS(VMIN)) GO TO 3	180
VMIN=VI	181
NMIN=I	182
IF(I.EQ.NM) GO TO 100	183
I=I+1	184
GO TO 4	185
SUM=0	186
DO 101 J=1,I	187
SUM=SUM+B(J)*YB(J)	188
BNOT=YB(N)-SUM	189
IF(CLRL.NE.0) CALL COMLC(B)	190
FIN=ABS(VMIN)*DF/R(N,N)	191
PRINT 710,FIN,F2,BNOT	192
FORMAT(* FIN,F2,BNOT =*1P3E12.3)	193
IF(FIN.GE.F2) GO TO 6	194
K=NMIN	195
PRINT 620,K	196
FORMAT(* K=NMIN=*I2)	197
DF=DF+1	198
GO TO 5	199
CONTINUE	200
FOUT=VMAX*(DF-1.0)/(R(N,N)-VMAX)	201
PRINT 711,FOUT,F1	202
FORMAT(* FOUT,F1 =*1P2E12.3)	203
CONTINUE	204
- IF(VMAX*(DF-1.0)/(R(N,N)-VMAX).LE.F1) RETURN	205
K=NMAX	206
- PRINT 123,K	207
FORMAT(* K=NMAX=*I2)	208
- DF=DF-1	209
CALL NUMAT(K,N)	210
CLRL=1	211
GO TO 7	212
	213
END	214

```

SUBROUTINE NUMAT(K,N) 215
DIMENSION YB(6),SIG(6),R(6,6),D(6,6) 216
DIMENSION Y(600,6) 217
COMMON/SET/YB,SIG,R,NM,DF,Y 218
PRINT 200 219
PRINT 50,((R(I,J),J=1,N),I=1,N) 220
FORMAT(1P6F12.3) 221
FORMAT() 222
DO 1 I=1,N 223
DO 1 J=1,N 224
IF(I.EQ.K.AND.J.EQ.K) GO TO 10 225
IF(I.EQ.K.AND.J.NE.K) GO TO 9 226
IF(I.NE.K.AND.J.EQ.K) GO TO 8 227
D(I,J)=(R(I,J)*R(K,K)-R(I,K)*R(K,J))/R(K,K) 228
GO TO 1 229
D(I,J)=-R(I,K)/R(K,K) 230
GO TO 1 231
D(I,J)=R(K,J)/R(K,K) 232
GO TO 1 233
D(I,J)=1.0/R(I,J) 234
CONTINUE 235
DO 2 I=1,N 236
DO 2 J=1,N 237
R(I,J)=D(I,J) 238
PRINT 200 239
PRINT 50,((R(I,J),J=1,N),I=1,N) 240
RETURN 241
END 242

```

SUBROUTINE DATIN(M)	243
DIMENSION X(14),IX(14),ID(14)	244
COMMON/OAT/LAG,JMPDT	245
IF(JMPDT.NE.0) GO TO 10	246
REWIND 1	247
REWIND 2	248
REWIND 3	249
LAGL=LAG	250
LAGM=1	251
LLAG=LAG-1	252
KOUNT=0	253
READ(1) IDATE1,(X(I),I=1,13)	254
IF(EOF(1)) 5,2	255
READ(2) IDATE2,IX11	256
IF(EOF(2)) 7,9	257
X(14)=IX11	258
IF(IDATE1.GT.IDATE2) GO TO 2	259
IF(IDATE2.EQ.IDATE1) GO TO 4	260
READ(1) IDATE1,(X(I),I=1,13)	261
IF(IDATE1.GT.IDATE2) GO TO 2	262
IF(EOF(1)) 5,3	263
CONTINUE	264
IF(LAG.EQ.0) GO TO 12	265
IF(LAGL.EQ.LAG.OR.LAG.EQ.1) GO TO 18	266
DO 17 I=1,LLAG	267
ID(I)=ID(I+1)	268
IX(I)=IX(I+1)	269
CONTINUE	270
I=LAG	271
GO TO 22	272
I=1	273
READ(2) ID(I),IX(I)	274
IX11=IX(I)	275
IDD1=IDATE1-(IDATE1/100)*100	276
IDD2=ID(I)-(ID(I)/100)*100	277
IDIF=IDD2-IDD1	278
IF(IDIF.EQ.LAG.OR.IDIF.EQ.LAG-24) GO TO 19	279
IF(I.EQ.LAG.AND.LAGL.EQ.LAG) GO TO 19	280
IF(ID(I)-IDATE1.EQ.LAG) GO TO 19	281
I=I+1	282
GO TO 22	283
LAGM=LAG	284
X(14)=IX11	285
WRITE(3) IDATE1,(X(I),I=1,14)	286
KOUNT=KOUNT+1	287
PRINT 54, IDATE1,(X(I),I=1,7)	288
FORMAT(I10,7F10.3)	289
PRINT 56,(X(I),I=8,14)	290
FORMAT(7F10.3)	291
IF(KOUNT.EQ.M) RETURN	292
LAGL=1	293



IF(LAG.EQ.0) GO TO 1	294
I=1	295
READ(1) IDATE1,(X(J),J=1,13)	295
IF(EOF(1)) 5,55	297
CONTINUE	298
IF(IDATE1.EQ.ID(I)) GO TO 4	299
I=I+1	300
IF(I.LE.LAG) GO TO 55	301
LAGM=1	302
LAGL=LAG	303
GO TO 2	307
PRINT 6	305
FORMAT(* EOF(1)*)	306
RETURN	307
PRINT 8	308
FORMAT(* EOF(2)*)	309
RETURN	310
END	311
SUBROUTINE COMLC(9)	312
	313
THIS SUBROUTINE CALCULATES THE TOTAL CORRELATION	314
- COEFFICIENT OF THE OBSERVED DEPENDENT VARIABLE Y,	315
AND THE PRWDICTED DEPENDENT VARIABLE YJ.	316
	317
DIMENSION YB(6),SIG(6),R(6,6),Y(60),6)	318
DIMENSION B(6)	319
DIMENSION PY(100),PX(100)	320
COMMON/SET/YB,SIG,R,NM,DF,Y	321
COMMON/MUL/M	322
N=NM+1	323
CYJY=0	324
SIGYJ=0	325
DO 2 I=1,M	326
YJ=0	327
DO 1 J=1,NM	328
YJ=YJ+B(J)*Y(I,J)	329
PY(I)=Y(I,N)	330
PX(I)=YJ	331
CYJY=CYJY+YJ*Y(I,N)	332
SIGYJ=SIGYJ+YJ*YJ	333
SIGYJ=SQRT(SIGYJ)	334
RML=CYJY/(SIGYJ*SIG(N))	335
P=0	336
DO 3 I=1,NM	337
IF(B(I).NE.0) P=P+1	338
CONTINUE	339
RR=RML*RML	340
FTEST=RR/(1-RR)*(M-P-1)/P	341
PRINT*," RML,FTEST,M,P=",RML,FTEST,M,P	342
CALL SPLOT(PX,FY,M,99,XMAX,YMAX,X0,Y0)	343
CALL PLOTTER(PX,PY,-1000.0,1000.0,5.0,0.0,6,11,1,M)	344
RETURN	345
END	346

AD-A066 344

EMMANUEL COLL BOSTON MASS  
INVESTIGATION OF MICROPULSATION ACTIVITY.(U)  
NOV 78 W F BELLEW, M P HAGAN, R L VESPRINI  
AFGL-TR-78-0312

F/G 9/2

F19628-76-C-0013  
NL

UNCLASSIFIED

2 OF 2

AD  
AD 66 344



END  
DATE  
FILMED

5-79  
DDC

SUBROUTINE SPLOT(X,Y,N,ISCAL,XMAX,YMAX,X0,Y0)	347
DIMENSION X(1),Y(1),G(101,61)	348
DATA BLANK/1H /,AXIS/1H./,POINT/1H*/	349
***	350
* X(I)= ARRAY FOR X-AXIS	351
* Y(I)= ARRAY FOR Y-AXIS	352
* N= NUMBER OF POINTS	353
* X0,Y0= ORIGIN OF GRAPH	354
* DX,DY= SCALE FACTOR MULTIPLYING POINT VALUES	355
* **NOTE** TOO HIGH OR TOO LOW X,Y WILL CAUSE ERROR IF ISCAL.NE.	356
+99	356
* IF ISCAL=99 THEN DO AUTO-SCALING	357
IF(ISCAL.NE.99) GO TO 99	358
***	359
X0=XMAX=X(1)	360
Y0=YMAX=Y(1)	361
DO 98 K=2,N	362
IF(X(K).LT.X0) X0=X(K)	363
IF(Y(K).LT.Y0) Y0=Y(K)	364
IF(X(K).GT.XMAX) XMAX=X(K)	365
IF(Y(K).GT.YMAX) YMAX=Y(K)	366
98 CONTINUE	367
99 CONTINUE	368
DX=100./(XMAX-X0)	369
DY=60./(YMAX-Y0)	370
DO 1 I=1,101	371
1    G(I,1)=AXIS	372
DO 7 I=1,61	373
7    G(1,I)=AXIS	374
DO 2 I=2,101	375
DO 2 J=2,61	376
2    G(I,J)=BLANK	377
* PLOT POINTS	378
DO 3 I=1,N	379
* 1. IS ADDED SO X=0 DOES NOT GIVE A 0 INDEX	380
IX=(X(I)-X0)*DX+1.	381
IY=(Y(I)-Y0)*DY+1.	382
3    G(IX,IY)=POINT	383
DELX=1./DX	384
DELY=1./DY	385
PRINT 6, X0,XMAX,DELX,Y0,YMAX,DELY,N	386
6    FORMAT(1H1,10X,*XMIN,XMAX,DELX=*,3F10.3,2X,	387
+*YMIN,YMAX,DELY=*,3F10.3,2X,*NO. PTS.=*,I6)	388
DO 4 I=1,61	389
* STEP NECESSARY SO Y-AXIS COMES OUT RIGHT SIDE UP	390
II=62-I	391
4    PRINT 10G,(G(J,II),J=1,101)	392
100  FORMAT(1H ,10X,101A1)	393
RETURN	394
END	395

SUBROUTINE PLOTTER(X,BF,XB,XE,XO,YO,NOX,NNX,NORM,N)	396
DIMENSION X(1),BF(1)	397
COMMON/YMB/YM,B	398
IF(NORM.EQ.0) GO TO 3	399
CALL SLIN(BF,NORM,FB,FS,N)	400
GO TO 2	401
YM=1.0	402
B=5.0	403
CALL BOXER(XO,YO,10.0,10.0,XB,XE,NOX,NNX)	404
PRINT 10	405
FORMAT(* BOXER CALLED*)	406
EX=(X(1)-XB)*10.0/(XE-XB)	407
IF(EX.LT.0.0.OR.EX.GT.10.0) GO TO 25	408
Y=YM*BF(1)+B	409
CALL PLOT(EX,Y,3)	410
CALL SYMBOL(EX,Y,.2,1,0.0,-1)	411
PRINT 9,X(1),BF(1),EX,Y	412
GO TO 21	413
CALL PLOT(0,0,3)	414
DO 1 I=2,N	415
EX=(X(I)-XB)*10.0/(XE-XB)	416
IF(EX.LT.0.0.OR.EX.GT.10.0) GO TO 1	417
Y=YM*BF(I)+B	418
IF(MOD(I,50).EQ.0) PRINT 9,X(I),BF(I),EX,Y,I	419
FORMAT(2(0FF12.4,1PE13.4),I10)	420
CALL PLOT(EX,Y,2)	421
CALL SYMBOL(EX,Y,.2,1,0.0,-1)	422
CONTINUE	423
RETURN	424
END	425

SUBROUTINE BOXER(X0,Y0,XL,YL,XB,XE,NDX,NVX)	426
COMMON/YMB/YM,P	427
COMMON /CONST/PI,XC,ALPHA,XMINUS,X1,X2,X3,X4,XPLUS,XJN,XN	428
+U,XM	428
1,XN,DEL,DEL2,A,EXPA,XNU2,ALFA4,ALFA2,ALFA+2	429
CALL PLOT(X0,Y0,-3)	430
CALL PLOT(XL,C,2)	431
CALL PLOT(XL,YL,2)	432
CALL PLOT(C,YL,2)	433
CALL PLOT(0,0,2)	434
SIGN=1.0	435
YB=C.0	436
DY=YB+SIGN*.12	437
X=XL/NDX	438
LU=NDX-1	439
WRITE(6,130) X,LU	440
FORMAT(F12.5,I10)	441
DO 1 I=1,LU	442
CALL PLOT(X,YB,3)	443
CALL PLOT(X,DY,2)	444
X=X+XL/NDX	445
IF(SIGN.LT.0.0) GO TO 5	446
SIGN=-SIGN	447
YB=10.0	448
GO TO 4	449
XFI=0.0	450
WRITE(6,110)	451
FORMAT(* X-AXIS COMPLETED *)	452
SIGN=1.0	453
DX=XFI+SIGN*.12	454
Y=.5	455
DO 2 I=1,19	456
CALL PLOT(XFI,Y,3)	457
CALL PLOT(DX,Y,2)	458
Y=Y+.5	459
IF(SIGN.LT.0.0) GO TO 7	460
SIGN=-SIGN	461
XFI=XL	462
GO TO 6	463
CONTINUE	464
WRITE(6,120)	465
FORMAT(* Y-AXIS COMPLETED *)	466
CALL PLOT(X0,Y0,3)	467
Y=-1.0	468
X=1.0	469
DO 3 I=1,9	470
XI=X*(XE-XB)/XL+XB	471
IF(XI.LT.XC) GO TO 3	472
SO=SQRT(X0/XI)	473
DEG=57.2958*ACOS(SQ)	474
PRINT 10,X,XI,DEG,I	475

434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475

```
      FORMAT(3F12.5,I10)  
CALL NUMBER(X,Y,.15,DEG,0.),1)  
X=X+1.0  
XNUM=XB  
Y=-.5  
X=0  
DO 8 I=1,NNX  
  XNUM=X*(XE-XB)/XL+XB  
  PRINT 100,X,XNUM  
  FORMAT(2F12.5)  
  CALL NUMBER(X,Y,.15,XNUM,0.0,1)  
  X=X+XL/(NNX-1)  
  X=-1.0  
  Y=0  
  YNUM=(Y-B)/YM  
DO 9 I=1,11  
  CALL NUMBER(X,Y,.15,YNUM,0.0,1)  
  PRINT 10,X,Y,YNUM,I  
  Y=Y+1.0  
  YNUM=(Y-B)/YM  
RETURN  
END
```

476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497

SUBROUTINE SLIN(F,NORM,FB,FS,N)	493
DIMENSION F(1)	499
COMMON/YMB/YM,B	500
FB=F(1)	501
FS=F(1)	502
DO 1 I=2,N	503
IF(F(I).GT.FB) FB=F(I)	504
IF(F(I).LT.FS) FS=F(I)	505
CONTINUE	506
IF(NORM.NE.1) GO TO 25	507
IF(ABS(FS).GT.FB) FB=FS	508
DO 20 I=1,N	509
F(I)=F(I)/FB	510
B=0.0	511
YM=10.0	512
PRINT 12,FB,FS,YM,B	513
IF(FS.LT.0.0) GO TO 10	514
RETURN	515
YM=5.0	516
B=5.0	517
PRINT 12,FB,FS,YM,B	518
RETURN	519
IF(FS.LT.0) GO TO 2	520
B=0	521
U=.00001	522
IF(U.GT.FB) GO TO 3	523
U=U*10.0	524
GO TO 4	525
YM=10.0/U	526
IF(YM*FB.LE.5.0) YM=2.0*YM	527
PRINT 12,FB,FS,YM,B	528
RETURN	529
IF(FB.LT.0) GO TO 7	530
B=5.0	531
IF(ABS(FS).GT.FB) FB=ABS(FS)	532
U=.00001	533
IF(U.GT.FB) GO TO 5	534
U=U*10.0	535
GO TO 6	536
YM=5.0/U	537
IF(YM*FB.LE.2.5) YM=2.0*YM	538
PRINT 12,FB,FS,YM,B	539
RETURN	540
B=10.0	541
FB=ABS(FS)	542
U=.00001	543
IF(U.GT.FB) GO TO 8	544
U=U*10.0	545
GO TO 9	546
YM=10.0/U	547
IF(YM*FB.LE.5) YM=2.0*YM	548
PRINT 12,FB,FS,YM,B	549
FORMAT(4F12.5)	550
RETURN	551
END	552

## 2. COMPARISON OF SOLAR-WIND PARAMETERS AND GEOMAGNETIC ACTIVITY INDICES

Philip M. Fazich

William F. Bellew

March 1976

Magnetospheric Dynamics Branch

Space Physics Division

### I. DATA

A comparison of solar-wind parameters and geomagnetic indices was made to determine the parameters that could best be used for prediction purposes. The solar-wind data consisted of 1000 hourly averages of plasma ( $v$  and  $\rho$ ) and magnetic field data ( $B_x, B_y, B_z, \sigma_x, \sigma_y, \sigma_z$ ) from the Explorer 33 satellite. The data were measured between 19 January and 6 April 1968. An earlier study by Garrett et al. (1974) also used data from the Explorer 33 satellite measured during this period. Approximately half of the data used in the current study coincided with the data set of Garrett et al.

Solar-wind data for each hour were recorded on magnetic tape along with the  $A_E$  index for the same hour and the following two hours so that correlations could be done easily. The  $K_p$  and  $a_p$  indices were read from an additional data file as needed. A given hour of solar-wind data was correlated with the  $K_p$  and  $a_p$  indices for both the three-hour interval in which the solar-wind data were measured and the following three-hour interval.



## II. CORRELATIONS

Functions of solar-wind variables were determined on the basis of physical arguments and previous studies to be those that gave the highest correlations with magnetic activity indices.

The indices are:

- |                          |   |
|--------------------------|---|
| AE 0, AE 1, AE 2         | - Auroral electrojet index lagged 0, 1, and 2 hours   |
| Kp 0, Kp 3<br>ap 0, ap 3 | - Kp and ap indices from the same 3-hour interval as the solar-wind data (Kp 0, ap 0) and from the following 3-hour interval (kp 3, ap 3) |

The solar-wind variables are:

- |            |   |
|------------|---|
| BZSE       | - magnetic field component Bz, SE coordinates (gammas)                  |
| BZSM       | - " " " " SM " "  |
| RHO        | - solar wind ion density (#/cm <sup>3</sup> )                           |
| v          | - solar wind velocity (km/sec)  |
| SIGT or ST | - $(\sigma_x^2 + \sigma_y^2 + \sigma_z^2)^{1/2}$ for the hourly average |

Correlations between the magnetic indices and functions determined from the solar-wind variables are listed in Table I. Brackets indicate that only negative values of the quantity were used; values  $> 0$  were set equal to 0.

## III. MULTIPLE REGRESSION

A multiple linear regression was performed using the functions and indices listed in Table I. The highest, consistent correlations were for the functions  $v \cdot \langle BZSM \rangle$  and  $v \cdot \text{SIGT}$  for indices AE 1, Kp 0, ap 0. The regression equations for these three indices as determined from the entire data set are given in Table II. The function  $\langle BZSM \rangle$  is the solar magnetospheric Bz component when that component is negative and is set equal to zero for positive values of the component. In the 1000 hours of data

there were 509 hours with an average negative Bz and 491 hours with an average positive Bz. Additional terms to the regression equation did not significantly improve the multiple correlation coefficient.

The data was divided into two 500 hour segments to determine the effect of a specific data sample on the regression. The results of these regression analyses are listed in Table III. For the Kp and ap equations, the solar-wind functions were selected in opposite order by the regression procedure for the two data segments. This indicates that the inclusion of the additional term serves only to increase the accuracy of the fit for the specific data.

The regression analyses for the AE index lagged by one hour always gave the highest multiple correlation coefficient and the computed coefficients in the regression equation were the most consistent between data samples. An equation for Kp and ap determined by multiple linear regression on specific data of v,  $\langle BZSM \rangle$ , and SIGT could be expected to result in correlation coefficients of between .5 and .6 when applied to another data set. An equation to predict AE 1 would give a somewhat better correlation of between .6 and .7 when applied to a different data set

#### REFERENCE

Garrett, H.B., A.J. Dessler, and T.W. Hill, Influence of solar wind variability on geomagnetic activity, JGR, 79, No. 31, November 1974, p. 4603.

Table I. CORRELATIONS FOR 1000 HOURLY AVERAGES OF SOLAR-WIND DATA AND GEOMAGNETIC INDICES

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
AE 1	-																			
ap 0	.521	-																		
Kp 0	.638	.878	-																	
-⟨BZSM⟩	.660	.403	.466	-																
-v⟨BZSM⟩	.700	.418	.492	.982	-															
v⟨BZSM⟩ <sup>2</sup>	.542	.404	.419	.919	.888	-														
-⟨BZSI⟩ <sup>ST</sup>	.499	.451	.447	.813	.795	.841	-													
-v⟨BZSI⟩ <sup>ST</sup>	.555	.470	.479	.816	.828	.823	.984	-												
SIGT	.217	.463	.440	.070	.085	.124	.372	.387	-											
v·SIGT	.228	.463	.457	.028	.016	.029	.235	.273	.939	-										
-v·BZSM	.627	.262	.362	.816	.836	.673	.637	.671	.044	.117	-									
-v·BZSE	.563	.254	.311	.654	.688	.534	.488	.532	.012	.021	.846	-								
-EZSM	.620	.279	.376	.850	.848	.718	.669	.684	.035	.106	.984	.330	-							
-EZSE	.550	.248	.307	.678	.695	.566	.504	.534	.016	.020	.830	.985	.842	-						
RfO·v <sup>2</sup>	.227	.402	.390	.258	.210	.303	.350	.316	.373	.254	.030	.054	.054	.062	-					
-⟨WZSE⟩	.592	.313	.383	.782	.792	.730	.594	.621	.037	.001	.682	.793	.694	.809	.156	-				
AE 0	.765	.599	.699	.557	.594	.466	.428	.478	.237	.249	.519	.461	.515	.447	.270	.483	-			
AE 2	.770	.407	.534	.531	.557	.437	.402	.441	.173	.181	.513	.439	.511	.434	.172	.457	.533	-		
Kp 3	.620	.560	.678	.477	.498	.438	.435	.466	.398	.411	.361	.299	.373	.297	.369	.386	.544	.679	-	
ap 3	.582	.564	.602	.475	.490	.479	.483	.506	.359	.370	.351	.297	.365	.293	.387	.388	.504	.632	.917	-

Table II. MULTIPLE LINEAR REGRESSION FOR 1000 HOURS OF SOLAR-WIND DATA

R= Multiple Correlation Coefficient

Kp 0 =	-0.00219	v.<BZSM>	+ 5.43	R= 0.492
	= -0.00216	v.<BZSM>	+ .00332 v.SIGT + 2.68	R= 0.666
ap 0 =	.0117	v.SIGT	+ 2.99	R= 0.463
	= .0115	v.SIGT	- .00546 v BZSM + .00319	R= 0.618
AE 1 =	-.146	v.<BZSM>	+ 114.5	R= 0.699
	= -.145	v.<BZSM>	+ .0863 v.SIGT + 52.3	R= 0.732

Table III. MULTIPLE LINEAR REGRESSION FOR TWO SEGMENTS OF DATA

a) First 500 Hours

$$\begin{aligned} Kp\ 0 &= -.00242\ v\langle BZSM \rangle + 5.23 & R= 0.470 \\ &= -.00249\ v\langle BZSM \rangle + .00344\ v\cdot SIGT + 2.54 \end{aligned}$$

$$\begin{aligned} ap\ 0 &= -.00572\ v\langle BZSM \rangle + 78.5 & R= 0.450 \\ &= -.00590\ v\langle BZSM \rangle + .00817\ v\cdot SIGT + 1.47 & R= 0.621 \end{aligned}$$

$$\begin{aligned} AE\ 1 &= -.140\ v\langle BZSM \rangle + 102.9 & R= 0.631 \\ &= -.142\ v\langle BZSM \rangle + .101\ v\cdot SIGT + 23.6 & R= 0.701 \end{aligned}$$

b) Second 500 Hours

$$\begin{aligned} Kp\ 0 &= .00510\ v\cdot SIGT + 3.59 & R= 0.532 \\ &= .00467\ v\cdot SIGT - .00183\ v\langle BZSM \rangle + 2.61 & R= 0.695 \end{aligned}$$

$$\begin{aligned} ap\ 0 &= .0185\ v\cdot SIGT + .0140 & R= 0.569 \\ &= .0175\ v\cdot SIGT - .00459\ v\langle BZSM \rangle - 2.46 & R= 0.658 \end{aligned}$$

$$\begin{aligned} AE\ 1 &= -.145\ v\langle BZSM \rangle + 129.5 & R= 0.731 \\ &= -.142\ v\langle BZSM \rangle + .0767\ v\cdot SIGT + 79.7 & R= 0.749 \end{aligned}$$

### 3. SPECTRAL ANALYSIS

The second area of data handling was in preparing micropulsation data for power spectral analysis. The completed programs from this effort

- a. take the data from the archive tape and convert it into engineering units and give a quick plot of the data (Program 2) and
- b. filter the data so that it will be in a form suitable for spectral analysis (Program 3).

Work is going on to produce a contour plotting routine to display dynamic spectra, that is, spectral density contours will be plotted on a time - frequency graph.

## PROGRAM 2

This program unpacks data from the archive tape and plots it on the printer for a quick look.

The subroutine LEVELER suppresses points that differ from the average by more than one RMS. This is to ensure that the whole plot will not be dominated by a few large spurious values.

## PROGRAM 3

In order to properly frequency analyze a time series it must first be filtered to avoid aliasing. We assume what we are analyzing is a continuous process in time, however it is sampled at discrete intervals, say  $\Delta\tau$ .

For instance let the power spectrum,  $P(f)$ , of a stationary process,  $X(t)$ , be

$$P(f) = \int_{-\infty}^{\infty} C(\tau) e^{-i\omega\tau} d\tau \quad (\omega=2\pi f)$$


where

$$C(\tau) = \lim_{T \rightarrow \infty} \frac{1}{2T} \int_{-T}^T X(t) X(t+\tau) dt$$

is the auto covariance. Let the values of  $C(\tau)$  be given only at uniformly spaced values of  $\tau$ ,  $\tau=0, \pm\Delta\tau, \pm2\Delta\tau \pm \dots$  we can calculate the aliased power spectrum  $P_a(f)$  by

$$P_a(f) = \int_{-\infty}^{\infty} \nabla(\tau, \Delta\tau) C(\tau) e^{-i\omega\tau} d\tau \quad (1)$$

where  $\nabla(\tau, \Delta\tau)$  is an infinite Dirac comb



The teeth of the comb are  $\delta$ -functions. Applying the convolution theorem to equation (1) we get

$$P_a(f) = A(f; 1/\Delta\tau) \cdot P(f)$$


where A is also an infinite Dirac comb

$$A(f; 1/\Delta\tau) = \sum_{q=-\infty}^{q=\infty} \delta(f - q/\Delta\tau)$$


Explicitly we have

$$P_a(f) = \sum_{q=-\infty}^{q=\infty} P(f - q/\Delta\tau) \quad (2)$$

From eq.(2) it is easy to see how high frequency components make contributions to low frequency components in the spectrum, see Fig. 1



The only way to eliminate aliasing is for  $P_a(f)$  to cut off for  $f \geq 1/2\Delta\tau$





With this cut off  $P_a(f)$  is equal to  $P(f)$  for  $f < f_N = 1/2\Delta\tau$ , this frequency is defined as the Nyquist frequency.


To avoid aliasing the stationary time series  $I(t)$  must be passed through a filter  $F(\tau)$

$$\phi(t) = \int_{-\infty}^{\infty} F(\tau) I(t-\tau) d\tau$$

Transforming to frequency space we have


$$\phi(f) = R(f) I(f)$$

If  $\phi(f)$  is to reproduce  $I(f)$  exactly for  $f < f_N$  then  $R(f)$ , the filter response must be of the form



To achieve such a filter response requires an infinitely long filter in the time domain (This is analogous to a finite wave packet in space requiring an infinite number of frequency components). Taking only a finite amount of data - letting the filter cut off after some time leads to Gibbs phenomenon, that is the filter response oscillates in the neighborhood of the cut off frequency.

This can be mitigated by not requiring a sharp cut off. This is affected in Program 3 by replacing the sharp cut off by a sine-terminator, adding half a sine wave to the filter response



With this cut off  $P(f)$  is equal to  $P(f)$  for  $f < f_c$  and zero for  $f > f_c$ . This frequency is defined as the Nyquist frequency.

The program then calculates the weights  $W_n = F(k\Delta\tau)$  that make up the filter. This filter is described in a NASA report by Behannon and Ness (Design of Numerical Filters for Geomagnetic Data Analysis, NASA TN-D-3341).



To achieve such a filter response requires an infinitely long filter in the time domain (this is analogous to a finite wave packet in space requiring an infinite number of frequency components). Taking only a finite amount of data - setting the filter cut off after some time leads to Gibbs phenomenon. That is the filter response oscillates in the neighborhood of the cut off frequency.

This can be alleviated by not requiring a sharp cut off. This is achieved in Program 7 by replacing the sharp cut off by a sine-cosine filter, adding half a sine wave to the filter response.




#### 4. ANALYSIS OF MAGNETIC PULSATION EVENTS

Magnetic pulsation events from the AFGL magnetometer network are being analyzed. Pulsation events with periods longer than 80s have been studied for the day June 3, 1977. So far it has been noted that pulsations of Pc with small amplitudes are located in a sector of 1 or 2 hours extent while pulsations with larger amplitude ( $> 10\gamma$ ) and longer period are found over a longitudinal extent of three hours. These findings will be compared with theoretical models for the pulsations.

Work was done to determine a reasonable graphics presentation for dynamic spectra. Examples of 3 possible presentations are shown. In these examples pitch and yaw were changed. For the three plots these are:  $80^\circ$ ,  $0^\circ$ ,  $45^\circ$ ,  $45^\circ$ ,  $60^\circ$ ,  $45^\circ$ .


ORIENTATION RUN  
130WIDE=55DEEP  
BAD BAD!

YAW - 0°  
PITCH - 80°



- 1 COVERSE
- 2 COMSALE
- 3 EXIT
- ENTER OPTION

POWER SPECTRAL DENSITY




ORIENTATION RUN  
 130WIDE=SSDEEP  
 BAD BADI

YAW - 45°  
 PITCH - 45°

- 1 GC/ERASE
- 2 GS/SAVE
- 3 EXIT
- ENTER OPTICH

POWER SPECTRAL DENSITY



ORIENTATION RUN  
130H10E#550EEP  
BAD BAD1

YAW - 45°  
PITCH - 60°

- 1 COVERASE
- 2 COVERASE
- 3 EXIT
- ENTER OPTION

Work was begun to speed up the program that filters the data before they are spectrally analyzed. Since the output of a filter is a convolution

$$O(x) = \int F(x')I(x-x')dx'$$

its Fourier transform is simply the product of the Fourier transform of the filter and the Fourier transform of the data. So to find the output we need only find the inverse Fourier transform of this product. It is by means of the Fast Fourier Transform that we hope to speed up the filtering.

## 5. A Study of Micropulsation Events

A study has been undertaken to determine how best to use data from the MAGAF Network to specify and predict status of the magnetosphere by means of micropulsations.

A first step a number of magnetically quiet days on which all seven stations were active has been selected for study to establish the quiet time behavior of micropulsations. A list of these days and some representative magnetograms are given.

9 April 78  
15 April 78  
16 April 78  
27 May 78  
28 May 78

Data have been taken from the Varian System and inputted to the CDC 6600 System at AFGL.

Modifications have been made to the existing program for filtering the data; this filtering is now in progress.


Maximum entropy program will be used to obtain the frequency spectrum of the filtered data.

After obtaining the frequency spectrum, results will be presented in the form of a dynamic spectrum.





5/28/78 WA


S148




UNIVERSAL TIME








8148 5/28/78 MI



UNIVERSAL TIME


5/28/78 FL

8148




UNIVERSAL TIME

8148 5/28/78 MA



5/28/78 ED

8148



UNIVERSAL TIME

8148

8148



## 6. LONGITUDINAL EXTENT - GEOMAGNETIC PULSATIONS

A search was carried out of the network data on the 5 quietest days of the month up to December 1977. From this search 9 days were selected as promising: 4 May, 27 Apr, 26 May, 27 July, 5 Sept, 9 Oct, 23 Nov, 24 Nov, 8 Dec and 18 Dec. However these proved unsatisfactory because of gaps in the data or noisy data. The search will be resumed for the period when all seven stations are operating.

A talk was given at the spring meeting of the AGU. The abstract is attached below.

### LONGITUDINAL EXTENT OF OCCURRENCE OF Pc4 AND Pc5 GEOMAGNETIC PULSATIONS

W. Bellew (Physics Research Division, Emmanuel  
College, Boston MA 02115)

V.L. Patel\* (Dept. of Physics, Massachusetts  
Institute of Technology, Cambridge MA 02139)

P. Fougere (Air Force Geophysics Laboratory,  
Hanscom AFB MA 01731)

We have analyzed magnetic pulsation events from the AFGL magnetometer network located at  $\sim 55^\circ\text{N}$  geomagnetic latitude and covering 3 hours of local time sector. Pulsation events with period greater than 80s have been studied on June 3, 1977. The results indicate that the pulsations of Pc4 with small amplitudes (few gammas) are localized in a longitudinal sector of 1 or 2 hours extent. However, the pulsations with large amplitudes ( $\geq 10\gamma$ ) and longer periods are observed over a longitudinal extent of 3 hours. Detailed results of wave characteristics will be presented and will be compared with theoretical models for the pulsations.

1. 023872 FOUGERE
2. 1978 Spring Meeting
3. Solar-Planetary Relations
4. Micropulsations
5. No
6. No
7. None
8. Bill to:  
Emmanuel College  
Physics Research Div.  
400 The Fenway  
Boston MA 02115
9. 1143