

AD-A070 563

ARMY ELECTRONICS COMMAND WHITE SANDS MISSILE RANGE N--ETC F/6 4/2
1970A GSRS, MISSILE NUMBER 361, ROUND NUMBER B-4. (U)
MAR 79


UNCLASSIFIED

ECOM-DR-991

NL

| OF |
AD
A070563

1
OF
1



END
DATE
FILMED
8-79
DDC

END
DATE
FILMED
8-79
DDC

LEVEL

DR 991
MARCH 1979

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

AD

12
b.s.

ADA 070 563

METEOROLOGICAL DATA REPORT

19702A GSRS
Missile No. 361
Round No. B-4
(5 March 1979)

DDC
RECEIVED
JUN 28 1979
C

by

WSMR Meteorological Team

DDC FILE COPY

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

ECOM

79 06 26 030

UNITED STATES ARMY ELECTRONICS COMMAND

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 14 DR-991	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 19702A GSRS Missile Number 361 Round Number B-4	5. TYPE OF REPORT & PERIOD COVERED	
	6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) WSMR Meteorological Team	8. CONTRACT OR GRANT NUMBER(s) 16 DA Task 1T665702D127-02	
9. PERFORMING ORGANIZATION NAME AND ADDRESS 9) Meteorological data report	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 1702	
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Command Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico	12. REPORT DATE 17 March 1979	
	13. NUMBER OF PAGES 12/19p	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Command	15. SECURITY CLASS. (of this report) UNCLASSIFIED	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) 1. Ballistics 2. Meteorology 3. Wind		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of 19702A GSRS, Missile Number 361, Round Number B-4, are presented in tabular form.		

CONTENTS

	PAGE
INTRODUCTION -----	1
DISCUSSION -----	1
MAP -----	2
TABLES	
I. SURFACE OBSERVATIONS TAKEN AT LC-33 AT 0900 MST -----	3
II. LC-33 FIXED POLE ANEMOMETER MEASURED WIND SPEED AND DIRECTION, POLES 1, 2, AND 3 AT 0900 MST -----	4
III. ANEMOMETER-MEASURED WIND SPEED AND DIRECTION, TOWER LEVELS 1, 2, 3, AND 4 AT 0900 MST -----	5
IV. PILOT-BALLOON-MEASURED WIND DATA AT 0847 MST -----	6
V. PILOT-BALLOON-MEASURED WIND DATA AT 0900 MST -----	7
VI. WSD SIGNIFICANT LEVEL DATA AT 0900 MST -----	8
VII. WSD UPPER AIP DATA AT 0900 MST -----	9-13
VIII. MRN SIGNIFICANT LEVEL DATA AT 0900 MST -----	14
IX. WSD MANDATORY LEVELS AT 0900 MST -----	15
X. MRN MANDATORY LEVELS AT 0900 MST -----	16

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DDC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification _____	
By _____	
Distribution/ _____	
Availability Codes	
Dist	Avail and/or special

INTRODUCTION

GSRS 19702A, Missile Number(s) 361, Round Number(s) B-4, were launched from LC-33, White Sands Missile Range (WSMR), New Mexico, at 0900 MST, 5 March 1979. The scheduled launch time(s) were 0900 and _____ MST.

DISCUSSION

Meteorological data were recorded and reduced by the White Sands Meteorological Team, Atmospheric Sciences Laboratory (ASL), White Sands Missile Range, New Mexico. The data were obtained by the following methods:

1. Observations

a. Surface

(1) Standard surface observations to include pressure, temperature ($^{\circ}\text{C}$), relative humidity, dew point ($^{\circ}\text{C}$), density (gm/m^3), wind direction, wind velocity and cloud cover were made at the LC-33 Met Site at T-0 minutes.

(2) Anemometer data were provided from existing pole mounted and tower mounted anemometers at LC-33. Monitor of wind speed and direction from one anemometer was also provided in the launch control room.


b. Upper Air

(1) Low level wind data were obtained from RAPT S T-9 pibal observation as follows:

SITE AND ALTITUDE

LC-33 1 kilometer (50 meter inc)
at 0847 MST and 0900 MST

(2) Air structure data (rawinsonde) were collected at the WSD Met Site at T-0 minutes. Data were collected from surface to 125% of apogee in 500-foot increments.



1. MET TOWER - 4 Bendix Model T-120 Anemometers at 12 ft, 62 ft, 102 ft and 202 ft with E/A recorders in Wind Shack.
2. POLE ANEMOMETER - Bendix Model T-120 with E/A recorders in Wind Shack
 - (a) Pole #1 - 38.7 ft
 - (b) Pole #2 - 53.0 ft
 - (c) Pole #3 - 83.6 ft
3. 225 FT WIND TOWER - 5 Bendix Model T-120 Anemometers at 35 ft, 88 ft, 128 ft, 168 ft and 200 ft with 5 X-Y visual indicators in Blockhouse.
4. RAPTS T-9 - Radar Automatic Pilot-Balloon Tracking System T-9 Radar

The data are presented in the following tabulations:

ELEVATION	3977.30	FEET/MSL
PRESSURE	887.9	MBS
TEMPERATURE	6.6	°C
RELATIVE HUMIDITY	35	%
DEW POINT	-7.7	°C
DENSITY	1102	GM/M ³
WIND SPEED	02	MPH
WIND DIRECTION	360	DEGREES
CLOUD COVER	Clear	

TABLE I. SURFACE OBSERVATIONS TAKEN AT LC-33
AT 0900 MST/5 MARCH 1979
19702A GRS, Missile Number 361
Round Number B-4.

LC-33 FIXED POLE ANEMOMETER MEASURED WINDS

POLE #1			POLE #2			POLE #3		
T-TIME SEC	DIR DEG	SPEED MPH	T-TIME SEC	DIR DEG	SPEED MPH	T-TIME SEC	DIR DEG	SPEED MPH
-30	340	M	-30	M	04	-30	355	05
-20	360	M	-20	M	04	-20	350	06
-10	360	M	-10	M	04	-10	350	06
0.0	355	M	0.0	M	04	0.0	355	06
+10	360	M	+10	M	04	+10	350	05

POLE #1 = X485,874.29 Y185,958.90 H4018.74 38.7 ft. AGL

POLE #2 = X485,874.93 Y186,012.00 H4033.57 53.0 ft. AGL

POLE #3 = X485,877.29 Y186,116.06 H4063.92 83.6 ft. AGL

* Pen not inking.

TABLE II

TYPE 19702A GSRS MISSILE NO. 361 ROUND NO. B-4

LAUNCHED FROM LC-33 DATE 5 March 1979 TIME 0900 LST

NOTE: WIND DIRECTIONS ARE REFERENCED TO THE FIRING AZIMUTH

OR TRUE NORTH 360°

LC33 METEOROLOGICAL TOWER ANEMOMETER MEASURED WINDS (202 FT TOWER)

LEVEL #1 12 ft			LEVEL #2 62 ft		
T-TIME SEC	DIR DEG	SPEED MPH	T-TIME SEC	DIR DEG	SPEED MPH
-30	345	02	-30	355	06
-20	010	04	-20	360	09
-10	360	08	-10	360	09
0.0	350	07	0.0	355	10
+10	350	07	+10	355	09
LEVEL #3 102 ft			LEVEL #4 202 ft		
T-TIME SEC	DIR DEG	SPEED MPH	T-TIME SEC	DIR DEG	SPEED MPH
-30	360	04	-30	355	08
-20	360	08	-20	005	08
-10	355	08	-10	005	09
0.0	360	09	0.0	345	07
+10	355	08	+10	355	08

WTSM COORDINATES: X484,982.64 Y185,957.73 H3983.00(base)

TABLE III

TYPE (AL) 19702A GSRS MISSILE NO. 361 ROUND NO. B-4

LAUNCHED FROM LC-33 DATE 5 March 1979 TIME 0900 MST

NOTE: WIND DIRECTIONS ARE REFERENCED TO THE FIRING AZIMUTH

OR TRUE NORTH 360°

PILOT BALLON MEASURED WIND DATA

HEIGHT METERS	DIRECTION DEGREES	SPEED MPH
SUR	360	20
50	Calm	Calm
100	036	1.4
150	006	6.2
200	004	9.0
250	004	11.0
300	013	16.0
350	012	18.5
400	002	14.4
450	013	14.5
500	013	13.0

HEIGHT METERS	DIRECTION DEGREES	SPEED MPH
550	023	11.0
600	021	9.0
650	011	12.0
700	009	12.0
750	026	12.0
800	030	10.0
850	046	7.3
900	009	3.9
950	010	3.3
1000	038	4.1
1050		

TABLE IV

RELEASED FROM LC-33 Mobile T-9 DATE 5 March 1979 TIME 0847 LST

RELEASE POINT COORDINATES (WSTM) X=486,037.24 Y=182,350.16 H=3977.30

MISSILE TYPE (AL) 19702A GSRS MISSILE NO. 361 ROUND NO. B-4

MISSILE LAUNCHED FROM LC-33 DATE 5 March 1979 TIME 0900 LST

NOTE: WIND DIRECTIONS ARE REFERENCED TO THE FIRING AZIMUTH _____

OR TRUE NORTH 360°

PILOT BALLON MEASURED WIND DATA

HEIGHT METERS	DIRECTION DEGREES	SPEED MPH
SUR	360	20
50	CalM	CalM
100	006	1.0
150	015	4.6
200	018	10.0
250	023	11.0
300	022	14.5
350	011	16.0
400	017	14.0
450	010	13.0
500	017	13.0

HEIGHT METERS	DIRECTION DEGREES	SPEED MPH
550	010	12.0
600	005	11.5
650	007	11.5
700	012	13.0
750	013	12.0
800	029	10.0
850	036	7.2
900	033	3.1
950	024	3.4
1000	035	6.3
1050		

TABLE V

RELEASED FROM LC-33 T-9 Mobile DATE 5 March 1979 TIME 0900 LST

RELEASE POINT COORDINATES (WSTM) X=486,037.24 Y=182,350.16 H=3977.30

MISSILE TYPE (AL) 19702A GSR MISSILE NO. 361 ROUND NO. B-4

MISSILE LAUNCHED FROM LC-33 DATE 5 March 1979 TIME 0900 LST

NOTE: WIND DIRECTIONS ARE REFERENCED TO THE FIRING AZIMUTH _____

OR TRUE NORTH 360°

STATION ALTITUDE 3989.00 FEET MSL
 5 MAR. 79 0900 HRS MST
 ASCENSION NO. 113

SIGNIFICANT LEVEL DATA
 0640020113
 WHITE SANDS

GEODETIC COORDINATE
 32.40073 LAT DEG
 106.937033 LON DEG

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT
888.2	3989.0	7.8	34.0
862.4	4781.3	-9.7	36.0
850.0	5167.9	4.0	35.0
797.4	6366.5	-10.0	32.0
787.0	7217.2	-12.5	31.0
700.0	10336.5	-12.7	44.0
675.5	11199.0	-15.3	41.0
665.0	11535.0	-18.4	18.0
656.4	11936.7	-27.9	18.0
574.2	15233.1	-27.1	18.0
500.0	18761.2	-12.3	18.0
400.0	24065.6	-19.6	18.0
377.0	25426.3	-33.3	24.0
300.0	30501.0	-36.2	24.0
250.0	34378.3	-49.3	
232.2	35915.3	-56.0	
207.2	38304.9	-58.9	
200.0	39054.9	-52.6	
184.2	40796.0	-54.2	
179.8	41309.7	-53.7	
150.0	45160.4	-52.3	
142.8	46202.4	-53.8	
139.0	46772.1	-55.0	
100.0	53650.4	-58.9	
79.0	61007.2	-60.7	
65.9	62243.8	-61.9	
62.8	63236.3	-58.5	
50.0	67970.0	-58.5	
39.2	73028.6	-58.3	
33.8	76146.7	-53.5	
30.0	78679.5	-54.3	
27.4	80598.6	-55.0	
25.6	82044.5	-52.1	
20.0	87336.2	-51.9	
15.1	93462.0	-44.9	

STATION ALTITUDE 3989.00 FEET MSL
 5 MAR 79 CROO HRS MST
 ASCENSION NO. 113

UPPER AIR DATA
 064020113
 WHITE SANDS

GEODETIC COORDINATES
 32.0043 LAT DEG
 106.37033 LONG DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	TEMPERATURE DEWPOINT DEGREES	HUMIDITY PERCENT	DENSITY GRAMS PER CUBIC METER	SPEED OF SOUND KNOTS	WIND DIRECTION DEGREES (TN)	WIND SPEED KNOTS	INDEX OF REFRACTION
3989.0	868.2	7.8	-7.1	34.0	1099.6	653.5	0	0	1.000262
4000.0	887.8	7.7	-7.1	34.0	1099.4	653.4	24.8	0.1	1.000262
4500.0	871.5	5.3	-8.7	35.3	1088.6	650.6	24.8	2.7	1.000258
5000.0	855.4	4.0	-9.9	35.4	1073.8	649.0	24.8	5.4	1.000253
5500.0	839.5	3.7	-10.5	34.4	1055.0	648.8	24.8	8.1	1.000249
6000.0	823.8	3.3	-11.2	33.5	1037.1	648.1	27.7	8.1	1.000244
6500.0	808.5	2.8	-12.0	32.7	1019.4	647.6	36.3	5.8	1.000239
7000.0	793.5	2.6	-12.6	31.6	1001.4	647.3	49.8	4.3	1.000235
7500.0	778.6	2.0	-12.9	32.2	984.7	646.6	59.0	3.4	1.000231
8000.0	763.8	1.7	-13.2	34.3	970.5	645.1	1.2	2.1	1.000227
8500.0	747.4	1.5	-13.6	36.4	956.5	643.6	1.2	1.2	1.000224
9000.0	735.2	1.8	-14.0	38.6	942.8	642.1	301.9	3.1	1.000221
9500.0	721.3	1.0	-14.5	40.7	929.3	640.6	297.2	5.8	1.000217
10000.0	707.7	1.3	-15.0	42.8	916.0	639.1	297.6	8.6	1.000214
10500.0	694.2	1.6	-16.0	43.3	902.9	637.6	303.0	9.6	1.000210
11000.0	680.8	1.9	-17.7	41.7	890.0	636.0	310.9	9.5	1.000206
11500.0	667.7	2.7	-25.6	22.1	876.0	634.8	330.8	7.7	1.000199
12000.0	654.8	6.9	-27.2	18.0	856.4	635.8	346.7	7.7	1.000194
12500.0	642.0	7.7	-27.8	18.0	842.3	634.8	356.8	8.6	1.000191
13000.0	629.5	8.5	-28.5	18.0	828.4	633.9	352.7	10.9	1.000188
13500.0	617.2	9.3	-29.2	18.0	814.7	632.9	351.4	13.8	1.000184
14000.0	605.2	10.1	-29.9	18.0	801.3	631.9	351.1	17.1	1.000181
14500.0	593.4	11.0	-30.5	18.0	788.1	630.9	350.4	19.1	1.000178
15000.0	581.8	11.8	-31.2	18.0	775.1	629.9	349.5	20.8	1.000175
15500.0	570.3	12.7	-31.9	18.0	762.5	628.9	348.2	22.0	1.000172
16000.0	558.9	13.7	-32.7	18.2	750.4	627.8	343.0	23.9	1.000169
16500.0	547.8	14.8	-33.5	18.3	738.4	626.3	337.5	26.1	1.000166
17000.0	536.8	15.8	-34.4	18.5	726.7	625.0	334.9	27.2	1.000164
17500.0	526.1	16.9	-35.2	18.6	715.1	623.7	334.3	27.7	1.000161
18000.0	515.6	18.0	-36.0	18.8	703.8	622.4	335.9	27.7	1.000158
18500.0	505.3	19.0	-36.8	18.9	692.6	621.1	335.5	29.1	1.000156
19000.0	495.0	20.2	-37.7	19.4	681.6	619.6	334.6	31.0	1.000153
19500.0	484.7	21.5	-38.5	19.7	670.9	618.0	333.4	33.5	1.000151
20000.0	474.6	22.8	-39.4	20.2	660.3	616.5	331.9	35.4	1.000148
20500.0	464.7	24.1	-40.3	20.6	649.9	614.9	329.9	36.4	1.000146
21000.0	455.1	25.4	-41.2	21.1	639.7	613.3	328.1	36.4	1.000143
21500.0	445.6	26.7	-42.1	21.6	629.7	611.7	326.5	36.1	1.000141
22000.0	436.3	28.0	-43.0	22.1	619.9	610.1	326.0	37.6	1.000139
22500.0	427.2	29.3	-43.9	22.5	610.2	608.4	324.1	39.0	1.000137
23000.0	418.3	30.5	-44.8	23.0	600.7	606.8	324.6	40.3	1.000134

STATION ALTITUDE 3989.00 FEET MSL
 5 MAR. 79 0900 HRS MST
 ASCENSION NO. 113

UPPER AIR DATA
 0540020113
 WHITE SANDS

GEOMETRIC COORDINATES
 32.440043 LAT DEG
 106.470333 LONG DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GR./CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES (TM)	SPEED KNOTS	
23500.0	409.6	-31.8	23.5	591.3	605.2	328.8	41.7	1.000134
24000.0	401.1	-32.1	23.7	582.1	603.6	326.9	43.1	1.000130
24500.0	392.5	-34.2	24.0	572.3	602.2	324.7	44.5	1.000129
25000.0	384.1	-35.3	24.0	562.5	600.9	322.4	45.9	1.000126
25500.0	375.8	-36.4	23.7	552.8	599.5	322.1	46.1	1.000124
26000.0	367.4	-37.7	21.3	543.5	597.8	322.3	46.2	1.000121
26500.0	359.2	-37.0	18.7	534.3	596.2	324.1	46.1	1.000119
27000.0	351.2	-40.3	16.6	525.3	594.5	325.3	46.1	1.000117
27500.0	343.4	-41.6	14.2	516.5	592.9	326.0	46.2	1.000115
28000.0	335.8	-42.8	11.6	507.9	591.2	326.0	47.1	1.000113
28500.0	328.3	-44.1	9.5	499.4	589.6	325.7	48.4	1.000111
29000.0	321.0	-45.4	7.1	491.0	587.9	325.1	47.9	1.000109
29500.0	313.8	-46.7	4.7	482.8	586.2	324.5	46.9	1.000108
30000.0	306.8	-48.0	2.4	474.8	584.6	323.4	45.9	1.000106
30500.0	300.0	-49.3	.0	466.9	582.9	322.3	44.9	1.000104
31000.0	293.0	-50.2		457.8	581.7	322.0	44.6	1.000102
31500.0	286.2	-51.0		448.9	580.6	321.9	44.6	1.000100
32000.0	279.6	-51.9		440.2	579.5	319.5	43.4	1.000098
32500.0	273.1	-52.8		431.6	578.4	316.5	42.2	1.000096
33000.0	266.7	-53.6		423.3	577.2	308.3	41.9	1.000094
33500.0	260.5	-54.5		415.1	576.1	299.2	42.8	1.000092
34000.0	254.5	-55.3		407.0	574.9	294.7	47.4	1.000091
34500.0	248.5	-56.2		399.1	573.8	291.8	52.7	1.000089
35000.0	242.6	-57.2		391.4	572.5	294.3	56.0	1.000087
35500.0	236.9	-58.1		383.8	571.3	297.5	59.1	1.000085
36000.0	231.3	-58.7		375.6	570.5	302.5	56.7	1.000084
36500.0	225.8	-57.4		364.5	572.3	310.2	54.3	1.000081
37000.0	220.5	-56.0		353.8	574.0	311.0	49.4	1.000079
37500.0	215.3	-54.7		343.4	575.8	314.2	44.6	1.000076
38000.0	210.2	-53.4		333.3	577.5	309.5	42.4	1.000074
38500.0	205.3	-53.0		324.9	578.0	304.3	40.6	1.000072
39000.0	200.5	-54.1		318.9	578.6	299.4	40.9	1.000071
39500.0	195.8	-54.1		311.4	576.6	294.6	41.8	1.000069
40000.0	191.3	-53.9		303.9	576.8	292.1	42.3	1.000068
40500.0	186.8	-53.8		296.6	577.0	292.1	42.1	1.000066
41000.0	182.4	-53.1		288.9	577.8	292.4	41.9	1.000064
41500.0	178.2	-52.4		281.2	578.9	294.1	41.3	1.000063
42000.0	174.1	-52.6		274.9	578.6	295.7	40.7	1.000061
42500.0	170.0	-52.8		268.7	578.3	293.8	41.3	1.000060
43000.0	166.1	-53.0		262.7	578.1	292.0	41.9	1.000059

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 3989.00 FEET MSL
 5 MAR. 79 0900 HRS MST
 ASCENSION NO. 113

UPPER AIR DATA
 0640020113
 WHITE SANDS

GEOMETRIC COORDINATES
 32.40043 LAT DEG
 106.57033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DIRECTION (DEGREES TRUE)	SPEED (KNOTS)	INDEX OF REFRACTION
43500.0	162.2	-53.2		256.3	577.8	291.4	41.9	1.000057
44000.0	159.4	-53.3		251.1	577.6	291.3	41.7	1.000056
44500.0	154.7	-53.5		245.5	577.3	293.0	40.9	1.000055
45000.0	151.1	-53.7		240.0	577.1	297.0	39.4	1.000053
45500.0	147.6	-53.8		234.4	577.0	300.6	38.2	1.000052
46000.0	144.2	-53.8		229.0	577.0	301.1	36.5	1.000051
46500.0	140.8	-54.4		224.3	576.2	301.6	34.8	1.000050
47000.0	137.5	-55.1		219.7	575.2	300.0	32.8	1.000049
47500.0	134.2	-55.4		214.8	574.9	297.7	30.7	1.000048
48000.0	131.1	-55.7		210.0	574.5	295.1	29.2	1.000047
48500.0	128.0	-56.0		205.3	574.1	292.4	28.4	1.000046
49000.0	124.9	-56.3		200.7	573.7	289.7	27.9	1.000045
49500.0	122.0	-56.5		196.2	573.4	288.1	28.4	1.000044
50000.0	119.1	-56.8		191.8	573.0	286.5	25.0	1.000043
50500.0	116.3	-57.1		187.5	572.6	284.4	28.3	1.000042
51000.0	113.5	-57.4		183.3	574.2	282.1	27.5	1.000041
51500.0	110.8	-57.7		179.2	571.9	280.4	26.4	1.000040
52000.0	108.2	-58.0		175.2	571.5	279.2	25.0	1.000039
52500.0	105.7	-58.2		171.3	571.1	279.2	24.0	1.000038
53000.0	103.2	-58.5		167.5	570.7	265.8	24.5	1.000037
53500.0	100.7	-58.8		163.7	570.4	292.0	25.4	1.000036
54000.0	98.3	-59.0		159.9	570.1	293.6	26.1	1.000036
54500.0	96.0	-59.1		156.2	570.0	293.8	26.7	1.000035
55000.0	93.7	-59.2		152.5	569.8	293.6	27.5	1.000034
55500.0	91.4	-59.4		149.0	569.6	292.9	26.6	1.000033
56000.0	89.2	-59.5		145.5	569.5	292.6	29.7	1.000032
56500.0	87.1	-59.6		142.1	569.3	299.5	29.7	1.000032
57000.0	85.0	-59.7		138.8	569.1	306.4	30.0	1.000031
57500.0	83.0	-59.8		135.5	569.0	313.1	27.3	1.000030
58000.0	81.0	-60.0		132.3	568.8	321.8	23.5	1.000029
58500.0	79.0	-60.1		129.2	568.7	330.9	20.0	1.000029
59000.0	77.2	-60.2		126.2	568.5	337.6	16.2	1.000028
59500.0	75.3	-60.3		123.3	568.3	347.7	12.8	1.000027
60000.0	73.5	-60.5		120.4	568.2	353.9	10.1	1.000027
60500.0	71.7	-60.6		117.6	568.0	4.3	7.7	1.000026
61000.0	70.0	-60.7		114.8	567.8	9.3	5.8	1.000026
61500.0	68.3	-61.2		112.3	567.2	12.4	4.2	1.000025
62000.0	66.7	-61.7		109.9	566.5	352.7	2.7	1.000024
62500.0	65.1	-61.0		106.9	567.4	298.6	3.2	1.000024
63000.0	63.5	-59.3		103.5	569.7	278.0	4.9	1.000023

UPPER AIR DATA
0540020113
WHITE SANDS

STATION ALTITUDE 3989.00 FEET ASL
5 MAR, 79 0900 HRS MST
ASCENSION NO. 113

GEOGRAPHIC COORDINATE-
32.40043 LAT DEG
106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(T)	SPEED KNOTS	
63500.0	62.0	-56.5	100.6	570.8	278.4	278.4	4.9	1.000022
64000.0	60.5	-56.5	98.2	570.8	276.8	276.8	5.0	1.000022
64500.0	59.1	-56.5	95.9	570.8	276.5	276.5	4.0	1.000021
65000.0	57.7	-56.5	93.6	570.8	324.4	324.4	3.6	1.000021
65500.0	56.3	-56.5	91.4	570.8	346.0	346.0	4.1	1.000020
66000.0	55.0	-56.5	89.2	570.8	358.1	358.1	4.7	1.000020
66500.0	53.7	-56.5	87.1	570.8	4.2	4.2	5.7	1.000019
67000.0	52.4	-56.5	85.0	570.8	0.1	0.1	5.9	1.000019
67500.0	51.1	-56.5	83.0	570.8	0.1	0.1	6.1	1.000018
68000.0	49.9	-56.5	81.0	570.8	0.1	0.1	5.1	1.000018
68500.0	48.7	-56.5	79.1	570.8	21.3	21.3	4.2	1.000018
69000.0	47.6	-56.5	77.2	570.8	32.8	32.8	3.8	1.000017
69500.0	46.5	-56.4	75.4	570.9	34.2	34.2	4.1	1.000017
70000.0	45.3	-56.4	73.6	570.9	35.4	35.4	4.4	1.000016
70500.0	44.3	-56.4	71.8	570.9	38.2	38.2	4.6	1.000016
71000.0	43.2	-56.4	70.1	570.9	41.1	41.1	4.9	1.000016
71500.0	42.2	-56.4	68.4	571.0	46.8	46.8	5.1	1.000015
72000.0	41.2	-56.3	66.8	571.0	69.9	69.9	5.3	1.000015
72500.0	40.2	-56.3	65.2	571.0	86.6	86.6	6.2	1.000015
73000.0	39.3	-56.3	63.6	571.0	101.3	101.3	6.3	1.000014
73500.0	38.3	-57.6	61.9	572.0	115.5	115.5	5.5	1.000014
74000.0	37.4	-56.8	60.3	573.0	133.0	133.0	5.1	1.000013
74500.0	36.6	-56.0	58.6	574.0	141.0	141.0	4.8	1.000013
75000.0	35.7	-55.3	57.1	575.1	146.7	146.7	4.4	1.000013
75500.0	34.9	-54.5	55.5	576.1	155.1	155.1	3.9	1.000012
76000.0	34.0	-53.7	54.0	577.1	152.6	152.6	2.6	1.000012
76500.0	33.2	-53.6	52.7	577.2	145.2	145.2	1.3	1.000012
77000.0	32.5	-53.8	51.6	577.0	120.1	120.1	0.8	1.000011
77500.0	31.7	-53.9	50.4	576.9	99.5	99.5	1.0	1.000011
78000.0	31.0	-54.1	49.3	576.6	86.0	86.0	1.2	1.000011
78500.0	30.3	-54.2	48.1	576.4	101.5	101.5	2.0	1.000011
79000.0	29.5	-54.4	47.1	576.2	108.8	108.8	2.9	1.000010
79500.0	29.9	-54.6	46.0	575.9	110.3	110.3	3.6	1.000010
80000.0	28.2	-54.8	45.0	575.7	104.4	104.4	3.3	1.000010
80500.0	27.5	-55.0	44.0	575.5	97.6	97.6	3.1	1.000010
81000.0	26.9	-54.2	42.8	576.5	96.2	96.2	3.0	1.000010
81500.0	26.3	-53.2	41.6	577.8	103.6	103.6	3.1	1.000009
82000.0	25.7	-52.2	40.4	579.1	106.7	106.7	3.2	1.000009
82500.0	25.1	-52.1	39.5	579.2	122.7	122.7	4.3	1.000009
83000.0	24.5	-52.1	38.6	579.3	131.2	131.2	5.5	1.000009

STATION ALTITUDE 3989.00 FEET WSL
 5 MAR. 79 0900 HRS MST
 ASCENSION No. 113

UPPER AIR DATA
 0540020113
 WHITE SANDS

GEODETIC COORDINATE-
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GR/CUBIC METER	SPEED OF SOUND KNOTS	WIND DIRECTION DEGREES (TM)	WIND SPEED KNOTS	INDEX OF REFRACTION
83500.0	23.9	-52.0		37.7	579.3	137.6	6.7	1.000000
84000.0	23.4	-52.0		36.8	579.3	145.4	7.6	1.000000
84500.0	22.8	-52.0		36.0	579.3	151.6	8.5	1.000000
85000.0	22.3	-52.0		35.1	579.4	155.8	8.9	1.000000
85500.0	21.8	-52.0		34.3	579.4	159.3	8.9	1.000000
86000.0	21.3	-52.0		33.5	579.4	162.8	8.9	1.000007
86500.0	20.8	-51.9		32.7	579.4	169.7	9.3	1.000007
87000.0	20.3	-51.9		32.0	579.5	177.1	10.0	1.000007
87500.0	19.9	-51.7		31.2	579.7	183.4	10.9	1.000007
88000.0	19.4	-51.1		30.4	580.5	191.8	10.6	1.000007
88500.0	19.0	-50.6		29.7	581.2	201.7	10.2	1.000007
89000.0	18.5	-50.0		28.9	582.0	212.2	10.1	1.000006
89500.0	18.1	-49.4		28.2	582.7	215.3	9.2	1.000006
90000.0	17.7	-48.9		27.5	583.5	217.8	8.1	1.000006
90500.0	17.3	-48.3		26.8	584.2	221.1	7.1	1.000006
91000.0	16.9	-47.7		26.1	584.9	236.9	6.2	1.000006
91500.0	16.5	-47.1		25.5	585.7	248.8	9.9	1.000006
92000.0	16.1	-46.6		24.8	586.4			1.000006
92500.0	15.8	-46.0		24.2	587.2			1.000005
93000.0	15.4	-45.4		23.6	587.9			1.000005

STATION ALTITUDE 3900000 FEET MSL
 5 MAR. 77 0900 HRS MST
 ASCENSION NO. 113

WKN SIGNIFICANT LEVEL DATA
 0640020113
 WHITE SANDS

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOPOTENTIAL ALTITUDE DECAMETERS	DIRECTION DEG (TN)	WIND DATA		E-W MPS	DEW PT DEF DEG C	TEMPERATURE		PRESSURE MILLIBARS
		SPEED MPS	MS MPS			AIR DEG C		
2835.	999.000	9999.000	-9999.000	-9999.000	99	-44.9	1.510+1	
2650.	101.	5.	5.	0.	99	-51.9	2.000+1	
2490.	110.	2.	1.	-2.	99	-52.1	2.550+1	
2446.	96.	2.	0.	-2.	99	-55.0	2.740+1	
2398.	105.	1.	0.	-1.	99	-54.3	3.000+1	
2311.	151.	1.	1.	-1.	99	-53.5	3.360+1	
2217.	102.	3.	1.	-3.	99	-58.3	3.920+1	
2064.	7.	3.	-3.	-0.	99	-56.5	5.000+1	
1921.	278.	3.	-0.	2.	99	-56.5	6.260+1	
1891.	324.	1.	-1.	1.	99	-61.9	6.570+1	
1853.	9.	3.	-3.	-0.	99	-60.7	7.000+1	
1630.	294.	13.	-5.	12.	99	-56.9	1.000+2	

.. WIND DATA NOT COMPUTED DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.

STATION ALTITUDE 3989.00 FEET WSL
 5 MAR. 79 0900 HRS MST
 ASCENSION NO. 113

MANDATORY LEVELS
 U6H0020113
 WHITE SANDS

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUMID. PERCENT	WIND DATA	
MILLIBARS	FEET	AIR DEGREES CENTIGRADE	TEMP. POINT DEGREE CENTIGRADE		DIRECTION DEGREES(TN)	SPEED KNOTS
850.0	5164.	4.0	-10.0	35.	24.8	6.3
800.0	6777.	2.6	-12.4	32.	43.2	4.9
750.0	8482.	-0.5	-13.6	30.	5.1	1.2
700.0	10276.	-5.0	-15.3	41.	300.7	9.2
650.0	12175.	-7.2	-17.4	18.	351.0	7.9
600.0	14208.	-10.5	-20.2	16.	350.8	18.1
550.0	16369.	-14.6	-23.4	18.	338.1	25.9
500.0	18735.	-19.6	-27.2	19.	335.1	30.0
450.0	21270.	-26.1	-31.5	21.	327.1	36.2
400.0	24026.	-33.3	-36.8	24.	326.7	43.3
350.0	27060.	-40.5	-43.3	16.0*	325.4	46.1
300.0	30441.	-49.3	-56.3		322.3	44.9
250.0	34305.	-56.0			292.5	51.2
200.0	38963.	-54.2			299.0	40.9
175.0	41782.	-52.5			295.3	40.9
150.0	45040.	-53.8			298.1	39.1
125.0	48863.	-56.3			289.8	27.9
100.0	53486.	-58.9			293.5	25.6
80.0	58068.	-60.0			326.8	21.9
70.0	60799.	-50.7			4.2	5.9
60.0	63955.	-58.5			282.0	4.7
50.0	67715.	-58.5			6.8	5.2
40.0	72320.	-58.3			90.7	6.4
30.0	78345.	-54.3			104.1	2.3
25.0	82186.	-52.1			122.9	4.3
20.0	86929.	-51.9			180.9	10.3

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

MRN MALVATORY LEVELS
 0010020113
 WHITE SANDS

STATION ALTITUDE 3909.000 FEET MSL
 5 MAR. 79 0907 HRS MST
 ASCENSION YJ. 113

GEOMETRIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOPOTENTIAL ALTITUDE DECAMETERS	DIRECTION DEG (TM)	SPEED MPS	WIND DATA		E-W MPS	DEM PT DEP DEG C	TEMPERATURE		PRESSURE MILLIBARS
			N-S MPS	MPS			AIR DEG C		
2650.	181.	5.	5.	5.	0.	99	-51.9	2.000+1	
2505.	123.	2.	1.	1.	-2.	99	-52.1	2.500+1	
2389.	104.	1.	0.	0.	-1.	99	-54.3	3.000+1	
2204.	91.	3.	0.	0.	-3.	99	-58.3	4.000+1	
2054.	7.	3.	-3.	-3.	-0.	99	-58.5	5.000+1	
1947.	282.	2.	-1.	-1.	2.	99	-58.5	6.000+1	
1893.	9.	3.	-3.	-3.	-0.	99	-60.7	7.000+1	
1773.	327.	11.	-9.	-9.	6.	99	-60.0	8.000+1	
1630.	294.	13.	-5.	-5.	12.	99	-58.9	1.000+2	
1489.	270.	14.	-5.	-5.	13.	99	-56.3	1.250+2	
1373.	298.	20.	-9.	-9.	16.	99	-53.8	1.500+2	
1274.	295.	21.	-9.	-9.	19.	99	-52.5	1.750+2	
1158.	299.	21.	-10.	-10.	18.	99	-54.2	2.000+2	
1046.	293.	26.	-10.	-10.	24.	99	-56.0	2.500+2	
928.	322.	23.	-16.	-16.	14.	99	-49.3	3.000+2	
825.	325.	24.	-20.	-20.	13.	16	-40.5	3.500+2	
732.	327.	22.	-19.	-19.	12.	14	-33.3	4.000+2	
648.	327.	19.	-16.	-16.	10.	16	-26.1	4.500+2	
571.	335.	15.	-14.	-14.	7.	18	-19.6	5.000+2	
500.	338.	13.	-12.	-12.	5.	19	-14.6	5.500+2	
433.	351.	9.	-9.	-9.	1.	20	-10.5	6.000+2	
371.	301.	4.	-4.	-4.	4.	20	-7.2	6.500+2	
313.	5.	5.	-2.	-2.	4.	10	-5.0	7.000+2	
259.	5.	1.	-1.	-1.	-0.	13	-5	7.500+2	
207.	43.	3.	-2.	-2.	-2.	15	2.6	8.000+2	
157.	25.	3.	-3.	-3.	-1.	14	4.0	8.500+2	