



SOLAR VARIABILITY AND **TERRESTRIAL WEATHER**

O LEVEL #

by

Philip H. Scherrer

Office of Naval Research Contract N00014-76-C-0207

National Aeronautics and Space Administration Grant NGR 05-020-559 Contract NAS5-24420

National Science Foundation Grant ATM77-20580



SUIPR Report No. 786

April 1979

DISTRIBUTION STATEMENT A Approved for public release; Distribution Unlimited



MA070962

ODC FILE COPY.

INSTITUTE FOR PLASMA RESEARCH STANFORD UNIVERSITY, STANFORD, CALIFORNIA

SECURITY CLASSFICATION OF THIS PAGE IMPRO DUAL Entered REPORT DOCUMENTATION PAGE REPORT DOCUMENTATION PAGE INFORM FUNCTIONS SEFOR COMPLETING FORM SUPR Report No. 786 INFORM FUNCTIONS OPENFORMING ONGANIZATION NAME AND ADDRESS INSTITUTE OF Plasma Research Stanford University Stanford California 94305 INCOMPRETING FORMA AND ADDRESS INCOMPRETING FORMATION ADDRESS INCOMPRETING FORMA AND ADDRESS <td< th=""><th>14 SU-IPR-786</th></td<>	14 SU-IPR-786
REPORT DOCUMENTATION PAGE READ INSTITUTIONS BEFORE COMPLETING FORM 1 heronit NUMBER 2 GOVI ACCESSION NO. 3 RECIPIENTS CATALOG RUMBER SUIPR Report No. 786 2 GOVI ACCESSION NO. 3 RECIPIENTS CATALOG RUMBER International Burnet Solar Variability and Terrestrial Weather. 5. TYPE OF REFORMING ONG. REPORT NUMBER International Burnet Solar Variability and Terrestrial Weather. 5. TYPE OF REFORMING ONG. REPORT NUMBER International Burnet Scientifical Formation Modella-T6-C-6203 MAS 5-24-123 1. NO. OF I MAS 5-24-123 Institute for Plasma Research Stanford, California 94305 1. NO. OF I MAS 5-24-123 1. NO. OF I MAS 5-24-123 Institute for Plasma Research Electronics Program Office Arlington, Virginia 22217 1. NO. OF I MAS 5-24-123 1. NO. OF I MAS 5-24-123 14. MONITORING OFFICE NAME & ADDRESS Aprim 79 12. NO. OF I MAS 5-24-123 1. NO. OF I MAS 5-24-123 15. CONTROLLING OFFICE NAME & ADDRESS Aprim 79 12. NO. OF I MAS 5-24-123 1. NO. OF I MAS 5-24-123 16. CONTROLLING OFFICE NAME & ADDRESS Aprim 79 12. NO. OF I MAS 5-24-123 1. NO. OF I MAS 5-24-123 16. CONTROLLING OFFICE NAME & ADDRESS Aprim 79 12. NO. OF I MAS 5-24-123 1. NO. OF I MAS 5-24-123 16. DISTRUCTIONI STATEMENT (of this report) T	en Data Entered)
1 HEPORT NUMBER 2. GOVT ACCESSION NO. 3. RECIPICE CONTROL COMMET 4 HIPPORT NUMBER Solar Variability and Terrestrial 5. TYPE OF pEOR COMMET 4 HIPPORT NUMBER Solar Variability and Terrestrial 5. TYPE OF pEOR COMMET 5 Solar Variability and Terrestrial 5. TYPE OF pEOR COMMET Scientific 7 AUTHORS Solar Variability and Terrestrial 5. TYPE OF pEOR Scientific 7 AUTHORS Solar Variability and Terrestrial 5. TYPE OF pEOR Scientific 7 AUTHORS Scientific Femore and the second terrestrial Scientific 7 AUTHORS Femore and terrestrial Scientific Femore and terrestrial 8 CONTROLING ONG ANDADORES Scientific Femore and terrestrial Nodolid-76-c-e2001 11 CONTROLING ONG AND ADDRESS Scientific The proved for any more control of the second of the second terrestrial Nodolid-76-c-e2001 12 CONTROLING CONTROLING ONG AND ADDRESS The proved for public release and sale; its distribution is unlimited. The second terrestrial terrestrial 14 MONITORING AGENCY NAME & ADDRESS The second terresterestrial terestrial The second terreste	ION PACE READ INSTRUCTIONS
 SUIPR Report No. 786 SUIPR Report No. 786 The or phone summer substance entered in Block 20, if different from report DECLASSIFICATION/DOWNGRAD Solar Variability Terrestrial Weather . Scientific Philip H. Scherrer Philip H. Scherrer Philip H. Scherrer Scientific Philip H. Scherrer Philip H. Scherrer Scientific Philip H. Scherrer Philip H. Scherrer Scientific Philip H. Scherrer Scientific Philip H. Scherrer Philip H. Scherrer Scientific Philip H. Science Scientific Philip H. Science Scientific Philip H. Science Scientific Philip H. Science Science Philip H. S	2 COVE ACCESSION NO. 2 RECIPIENT'S CATALOG NUMBER
If If a Tail and the solution of the solu	
AUTHONS AUTHONS AUTHONS AUTHONS AUTHONS AUTHON A	Terrestrial (9) Scientific Technical
Philip H. Scherrer Philip H. Scherrerer Philip H. Scherrer Philip H. Scherrer	
 BENEFORMING ORGANIZATION NAME AND ADDRESS Institute for Plasma Research Stanford University Stanford, California 94305 CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Electronics Program Office Arlington, Virginia 22217 MONITORING AGENCY NAME & ADDRESS (L. diff. Concentrating office) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentrating office) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentrating office) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentrating office) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentrating office) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentrating office) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentrating office) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration office) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration office) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration office) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration office) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration of the report) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration of the report) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration of the report) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration of the report) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration of the report) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration of the report) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration of the report) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration of the report) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration of the report) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration of the report) MONITORING AGENCY NAME & ADDRESS (L. diff. Concentration of the report) MONITORING AGENCY (L. diff. Concentration of the report) <	15 NODO14-76-C-0207 NAS5-24420
Institute for Plasma Research Stanford University Stanford, California 94305 11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Electronics Program Office Arlington, Virginia 22217 14. MONITORING AGENCY NAME & ADDRESS (Li diff. tom Consense office) Arlington, Virginia 22217 15. DECLASSIFICATION/DOWNGRAD SCHEDULE 16. DISTRIBUTION STATEMENT (of the report) This document has been approved for public release and sale; its distribution is unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from report) 18. SUPPLEMENTARY NOTES Tech; Other 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Solar Variability Terrestrial Weather Sun-Weather/Climate 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships betweet terrestrial weather and solar or solar wind variability. Most of the work in sun- weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term variability tions in the solar putput, (2) Climate changes correlated with the 22-year solar solar events. While if has not been conclusively shown that there is a sun-weath torm experts in weather wind wariability is block than there is a sun-weath torm of on on yo these time scales, in each case there exists enough support	DRESS TO PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Aprim 79 27 11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Electronics Program Office Aprim 79 27 14. MONITORING AGENCY NAME & ADDRESS (IL diff. transformed office) Unclassified Unclassified Unclassified 16. DISTRIBUTION STATEMENT (of this report) Image: transformed office Image: transformed office Image: transformed office 17. DISTRIBUTION STATEMENT (of this report) This document has been approved for public release and sale; its distribution is unlimited. Image: transformed office Image: transformed office 18. SUPPLEMENTARY NOTES Tech; Other Image: transformed office Image: transformed office 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Image: transformed office Image: transformed office 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Image: transformed office Image: transformed office 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Image: transformed office Image: transformed office 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Image: transformed office Image: transformed office 20. ABSTRACT (Continue on reverse side if necess	Research 94305
 DITICE OF NAVAL RESEARCH Electronics Program Office Arlington, Virginia 22217 MONITORING AGENCY NAME & ADDRESS (II diff. tom Conversions Office) MONITORING AGENCY NAME & ADDRESS (II diff. tom Conversions Office) DECLASSIFICATION/DOWNGRAD DECLASSIFICAT	s Apria 79 27
 14. MONITORING AGENCY NAME & ADDRESS III diff. tom Consume offices 15. DECLASSIFICATION/DOWNGRAD 15. DECLASSIFICATION/DOWNGRAD 16. DISTRIBUTION STATEMENT (of this report) 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from report) 18. SUPPLEMENTARY NOTES Tech; Other 19. KEY WOHDS (Continue on reverse side if necessary and identify by block number) Solar Variability Terrestrial Weather Sun-Weather/Climate 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships betweet terrestrial weather and solar or solar wind variability. Most of the work in sun- weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term variations on the scale of a few days, in response to trat solar events. While it has not been conclusively shown that there is a sun-weath 	ffice 22217 Unclassified
16. DISTRIBUTION STATEMENT (of this report) This document has been approved for public release and sale; its distribution is unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from report) 18. SUPPLEMENTARY NOTES Tech; Other 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Solar Variability Terrestrial Weather Sun-Weather/Climate 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships betweet terrestrial weather and solar or solar wind variability. Most of the work in sun- weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term variations in the solar putput, (2) Climate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to transolar events. While it has not been conclusively shown that there is a sun-weath solar events. While it has not been conclusively shown that there is a sun-weather solar events. While it has not been conclusively shown that there is a sun-weather solar events. While it has not been conclusively shown that there is a sun-weather solar events. While it has not been conclusively shown that there is a sun-weather solar events. While it has not been conclusively shown that there is a sun-weather solar events. While it has not been conclusively shown that there is a sun-weather solar events. While it has not been conclusively shown that there is a sun-weather solar events. While it has not been conclusively shown that there is a sun-weather solar events. While it has not been conclusively shown that there is a sun-weather solar events. While it has not been conclusively shown that there is a sun-weather solar events. While it has not been conclusively shown that there is a sun-weather solar events. While it has not been conclusively s	I diff. trom Controlling Office)
 16. DISTRIBUTION STATEMENT (of this report) This document has been approved for public release and sale; its distribution is unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from report) 18. SUPPLEMENTARY NOTES Tech; Other 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Solar Variability Terrestrial Weather Sun-Weather/Climate 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships betweet terrestrial weather and solar or solar wind variability. Most of the work in sun- weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term variat cycle, and (3) weather variations on the scale of a few days, in response to transolar events. While it has not been conclusively shown that there is a sun-weather 	2300 150. DECLASSIFICATION/DOWNGRADING
This document has been approved for public release and sale; its distribution is unlimited.	
 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from report) 18. SUPPLEMENTARY NOTES Tech; Other 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Solar Variability Terrestrial Weather Sun-Weather/Climate 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships betweet terrestrial weather and solar or solar wind variability. Most of the work in sunweather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term variations in the solar putput, (2) Climate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to transional putputs. While it has not been conclusively shown that there is a sun-weather connection on any of these time scales, in each case there exists enough support is a sun-weath support in the solar putput. 	n approved for public release and on is unlimited.
 18. SUPPLEMENTARY NOTES Tech; Other JUL 10 1979 JUL 10 1979 JUL 10 1979 JUL 10 1979 Solar Variability Terrestrial Weather Sun-Weather/Climate 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships betweet terrestrial weather and solar or solar wind variability. Most of the work in sun- weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term variations in the solar putput, (2) Climate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to transolar events. While it has not been conclusively shown that there is a sun-weather	ntered in Block 20, if different from report)
Tech; Other 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Solar Variability Terrestrial Weather Sun-Weather/Climate 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships betweet terrestrial weather and solar or solar wind variability. Most of the work in sunweather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term variations in the solar putput, (2) Climate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to transolar events. While it has not been conclusively shown that there is a sun-weather connection on any of these time scales, in each case there exists enough support	
 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Solar Variability Terrestrial Weather Sun-Weather/Climate 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships betweet terrestrial weather and solar or solar wind variability. Most of the work in sun- weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term variations in the solar putput, (2) Climate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to trans solar events. While it has not been conclusively shown that there is a sun-weather connection on any of these time scales, in each case there exists enough support 	JUL 10 1979
Solar Variability Terrestrial Weather Sun-Weather/Climate 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships betweet terrestrial weather and solar or solar wind variability. Most of the work in sun- weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term varia- tions in the solar putput, (2) Climate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to tran- solar events. While it has not been conclusively shown that there is a sun-weath connection on any of these time scales, in each case there exists enough support	ary and identify by block number)
Terrestrial Weather Sun-Weather/Climate 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships between terrestrial weather and solar or solar wind variability. Most of the work in sun- weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term variations in the solar putput, (2) ¢limate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to trans solar events. While it has not been conclusively shown that there is a sun-weath connection on any of these time scales, in each case there exists enough support	B
Sun-Weather/Climate 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships between terrestrial weather and solar or solar wind variability. Most of the work in sun- weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term variations in the solar putput, (2) ¢limate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to tran- solar events. While it has not been conclusively shown that there is a sun-weather connection on any of these time scales, in each case there exists enough support	
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships betwee terrestrial weather and solar or solar wind variability. Most of the work in sun- weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term varia- tions in the solar putput, (2) ¢limate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to tran- solar events. While it has not been conclusively shown that there is a sun-weath connection on any of these time scales, in each case there exists enough support	A.
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The past four years have seen a growing interest in possible relationships between terrestrial weather and solar or solar wind variability. Most of the work in sun- weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term varia- tions in the solar putput, (2) Climate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to tran- solar events. While it has not been conclusively shown that there is a sun-weath connection on any of these time scales, in each case there exists enough support	332 630 Ma
The past four years have seen a growing interest in possible relationships betwee terrestrial weather and solar or solar wind variability. Most of the work in sun- weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term varia- tions in the solar putput, (2) ©limate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to tran- solar events. While it has not been conclusively shown that there is a sun-weath connection on any of these time scales, in each case there exists enough support	'y and identify by block number)
weather (and climate) studies have sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term variations in the solar putput, (2) \mathscr{O} limate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to transolar events. While it has not been conclusively shown that there is a sun-weath connection on any of these time scales, in each case there exists enough support	rowing interest in possible relationships between solar wind variability. Most of the work in sun-
tions in the solar putput, (2) Climate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to transolar events. While it has not been conclusively shown that there is a sun-weath connection on any of these time scales, in each case there exists enough support	e sought correlations on three time scales: (1)
cycle, and (3) weather variations on the scale of a few days, in response to transolar events. While it has not been conclusively shown that there is a sun-weath connection on any of these time scales, in each case there exists enough support	imate changes correlated with the 22-year solar
solar events. While it has not been conclusively shown that there is a sun-weath connection on any of these time scales, in each case there exists enough support	on the scale of a few days, in response to transie
connection on any of these time scales, in each case there exists enough support	een conclusively shown that there is a sun-weather
evidence to suggest that further study is warranted	cales, in each case there exists enough supporting
DD FORM 1473 UNCLASSIFIED	UNCLASSIFIED
EDITION OF 1 NOV 65 IS OPSOLETE SECURITY CLASSIFICATION OF THIS PAGE (When Data Ent	SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SOLAR VARIABILITY AND TERRESTRIAL WEATHER

by

Philip H. Scherrer

Office of Naval Research Contract N00014-76-C-0207

National Aeronautics and Space Administration Grant NGR 05-020-559 Contract NAS5-24420

> National Science Foundation Grant ATM77-20580

> > SUIPR Report No. 786

April 1979

Institute for Plasma Research Stanford University Stanford, California

Invited Review: 1975 - 1978 IUGG Quadrennial Report To Be Published In: Reviews of Geophysics and Space Physics



SOLAR VARIABILITY AND TERRESTRIAL WEATHER

Philip H. Scherrer

Institute for Plasma Research, Stanford University, Stanford, California 94305

Introduction

The past four years have seen a growing interest in possible relations between terrestrial weather and solar or solar wind variability. Most of the work in sun-weather (and climate) studies has sought correlations on three time scales: (1) climate changes over hundreds to thousands of years, related to longer term variations in the solar output, (2) climate changes correlated with the 22-year solar cycle, and (3) weather variations on the scale of a few days, in response to transient solar events. While it has not been conclusively shown that there is a sun-weather connection on any of these time scales, in each case there exists enough supporting evidence to suggest that further study is warranted.

The most convincing evidence is that concerning long-term climate changes which could be connected to changes in the solar luminosity below the threshold of all but the most recent observations, but still involving relatively large amounts of solar energy. Short-term weather changes correlated with solar phenomena cannot be explained in this way, since the effect of such transient phenomena on the Sun's energy output is far too small. There remains, however, the possibility that such phenomena affect some sensitive links in the sun-solar wind-magnetosphere- stratosphere-troposphere causal chain, such that a small variation of the input can trigger relatively large-scale consequences. Most of this review will be concerned with developments in the short-time scale connections.

In sun-weather work, as with most scientific fields, much of the exchange of ideas and results takes place at meetings and symposia. Because of the interdisciplinary and often controversial nature of sun-weather work, such meetings play a rather central role in it. During the past four years many symposia and special sessions devoted to this topic were held in the United States, in addition to several international meetings with important contributions from U.S. authors. Some of these meetings are listed below, with references to published proceedings or summaries where available.

The quadrennium began with a joint meeting of the AAS Solar Physics Division and the AMS in Denver, Colorado in January 1975. This was followed by a symposium on Global Effects of Interplanetary Medium-Magnetospheric- Lower Atmosphere interactions at the IUGG General Assembly in Grenoble, 1975. Next came the International Symposium on Solar-Terrestrial Physics in Boulder (Williams, 1976), the Joint Symposium on Influence of Solar Activity and Geomagnetic Change on Weather and Climate at the IAGA/IAMAP Assembly, Seattle 1977 (Johnson and Belmont, 1978), the Solar Terrestrial Coupling Conference at Yosemite, 1978, and the Symposium/Workshop "Solar-Terrestrial Influences

on Weather and Climate" at the Ohio State University, also in 1978 (McCormac and Seliga, 1979). Sun-weather relationships have also been the topic of Working Group VIII of the US-USSR Agreement on Protection of the Environment with a number of meetings in both countries.

Workers in the field have greatly benefited from Working Documents I and II prepared by Shapley et al. (1975) and Shapley and Kroehl (1977) for the Special Committee on Solar Terrestrial Physics (SCOSTEP) of the IUGG. A number of general reviews of work in the field have been published, including those by Wilcox (1975,1976), Pittock (1978), and Siscoe (1978). There have also appeared a number of reports and collections which provide important background information for continued studies of the sun-climate and weather question, including an excellent examination of the solar output and its variations (White,1977). The many separate contributions to this book describe the solar input to the terrestrial system over the entire spectrum of radiative and particle fluxes for all time scales.

In 1975 the Panel on Climatic Variation of the U.S. Committee for the Global Atmospheric Research Project (GARP), prepared a broad summary of knowledge about climate variations and their causes (NAS,1975). This report provides a basic introduction into the study of climate for the solar and magnetospheric physicist. Mitchell (1976) has reviewed climate variability and its causal mechanisms over the entire range of time scales. He distinguishes between changes depending primarily on internal stochastic processes of the atmosphere and changes due to processes outside the atmospheric system. In the proceedings of a

recent Symposium/Workshop (McCormac and Seliga 1979), Livingston (1979) reviewed the physical origin, spectral nature, energetics and variability of the solar output; Hones (1979) described the influence of the Sun's particulate emissions on the Earth's magnetosphere and ionosphere; Markson (1979) discussed the possible role of atmospheric electricity in providing a mechanism to explain sun-weather correlations; and Roberts (1979) and Wilcox (1979) described the development and present state of sun-weather connections. Herman and Goldberg (1978a) have published a book which should serve both as a comprehensive review and as a handbook of terms and methods for this interdisciplinary field.

Solar Activity and Climate

Eddy (1976) has re-examined the long term variability of the general level of solar activity and has noted that many historical climate records suggest a sun-climate connection. By the use of proxy data for the level of solar activity, primarily the ^{14}C : ^{12}C ratio in tree rings controlled by the solar modulation of galactic cosmic rays, a tentative record of the average level of solar activity has been extended from recent historic times to 7500 years b.p. (Eddy, 1977). Figure 1 shows the reconstructed solar activity index (curves a,b) compared with four measures of climate (curves c): The long-term correlation of solar activity and climate is clearly evident. Eddy has used the solar wind modulation of cosmic rays to measure solar activity and he has suggested the Sun-climate correlation may be due to a slow modulation in the

"solar constant", of the order of 1%, in phase with the mean level of solar activity. Alternative explanations are that variations in solar UV radiation or cosmic ray modulation of stratospheric chemical processes may be the source of such climate variations (e.g. Chamberlain, 1977). As a result of these and other studies, the solar-climate connection on the long time scale seems well established.

In order to asses the reality of suggested sun-climate correlations accurate information about variations in the solar constant and the effects of such variation on climate is needed. Schneider (1977) has briefly described the sensitivity of the climate system to solar constant variations (see also Schneider and Mass, 1975). He concluded that a global surface temperature change of 1K could result from a change in the solar irradiance of from 0.2% to 2% depending on the model and assumptions used.

Several authors have suggested a correlation between solar activity and the solar constant. There is at this time no confirmed observation of a systematic variation of the solar constant. Direct long term observations since about 1900 show that any variation on that time scale was less than 1%. Several recent high altitude studies with accuracies near 0.2% have not been able to exclude the possibility of a variation with the sunspot cycle (Frohlick, 1977). More recent observations from rockets and spacecraft (Duncan, 1979) suggest that there may be an increase of a few tenths of a percent since sunspot minimum. In order to unambiguously answer these questions, frequent observations must be made with accuracies better than 0.1% over the next decade or so.

Pittock (1977) has recently critically examined reported correlations between the 22-year solar cycle (and its 11-year harmonic) and found that most claims have a poor statistical basis at best. However, one set of correlations on this time scale has so far survived close scrutiny and is accepted by many investigators as "real". This is the work of Mitchell and Stockton (1979) on the relationship between drought occurance areas in the western U.S. and the 22-year solar magnetic cycle. Previous work (reviewed by Roberts, 1973) which relied on historical records of drought occurance in the high plains states of the western U.S. showed evidence for a connection between the solar cycle and droughts. However, due to the short time span of recorded climate data the correlation remained uncertain. Mitchell and Stockton (1979) have used tree-ring measurements as proxy data to extend knowledge of the duration and areas of droughts through about 360 years. Using this data to construct a drought area index they found an increased chance of rainfall deficiency in an above average number of regions in the western U.S. during the period of several years near the start of each 22-year solar cycle.

Atmospheric Electricity and Cnemistry

The chemical or electrical processes in the atmosphere may be an essential part of the causal chain for sun-weather connections. A number of authors including Ruderman and Chamberlain (1975), Ruderman et al. (1976), Chamberlain (1977), Heath et al. (1975,1977) and Keating (1978) have discussed solar modulation of ozone by UV, particle flux, or

cosmic ray variations. Most of the studies have been concerned with 11-year modulation but Keating found an apparent monthly time scale variation of ozone. More studies along these lines can be expected to yield a better understanding of possible mechanisms as atmospheric models and data improve.

Possible solar flare or interplanetary sector boundary modulation of the Earth's fair weather electric field has been discussed by Park (1976) and by Reiter (1977). These studies reached different conclusions about the sense of such variations but since they were concerned with quite different environments (Antarctica and Europe), it is not clear whether there exists a discrepancy or not. Herman and Goldberg (1978b) have suggested a connection between solar activity and the initiation of non-tropical thunderstorms. Markson (1978,1979) reviewed the question of links between solar activity, atmospheric electricity and weather and found that "the argument that solar modulation of atmospheric conductivity would change the Earth's electric field (is) on firm ground but the possibility of variable solar activity modulating thunderstorm activity, which in turn influences other parts of meteorology, is speculative and awaits further investigation."

Vorticity Area Index

Much of the current interest in sun-weather connections began with the reports of a characteristic change in the size of tropospheric regions of high vorticity in the northern hemisphere near the times of

sharp rises in the geomagnetic Ap index (Roberts and Olson, 1973a,b) and near the times when the earth crossed interplanetary magnetic field sector boundaries (Wilcox et al., 1973, 1974). The principal result from the work of Wilcox et al. is shown in Figure 2. The vorticity area index (VAI) used in that work was originally computed by Roberts and Olson for individual low pressure troughs in the Gulf of Alaska. For the studies using sector boundaries (SBs), the VAI was summed over all latitudes north of 20N. The SBs used were those in the winter months November through March for the years 1964-1970. This work was extended by examining the dependence of the correlation on height in the atmosphere (Svalgaard, 1974), on season (Wilcox et.21.,1975), and on latitude (Wilcox et.al., 1976). In the latter studies the analysis was extended to to the years 1963-1973, raising the total of key dates from 54 to 133. The conclusion of the additional studies was that there exists a persistent hemispheric response of the tropospheric vorticity to the sector structure.

Shapiro (1976) and Hines and Halevy (1975, 1977) have examined the statistical significance of this result. Their conclusion was that for the winter season used by Wilcox et al. (1975) the effect had less than 1 chance in 20 of being due to chance. Hines and Halevy concluded, after a thorough study of the statistical properties of the data that the result appeared to be statistically significant and that a search for the physical cause was justified. They also found that the effect could be explained if solar modulation was able to shift slightly the timing of natural meteorological variations, a process by which a

relatively small energy input (like that available in short-term solar events) can influence much more energetic processes in the lower atmosphere.

In a different search for short-term sun-weather connections, Bhatnagar and Jakobsson (1978) found no sector boundary related response in hemispheric average kinetic energy or mean square vorticity. This work was examined by Larsen (1978) who pointed out that the parameters investigated by Bhatnagar and Jakobsson would be insensitive to the variation in VAI that Wilcox et al. found. Williams (1978) also investigated the energetics in the atmosphere for correlations with SBs. He examined separately zonal available potential, eddy available potential, zonal kinetic, and eddy kinetic energy parameters for winter and summer seasons. While not as statistically significant as the VAI effect, he found some resemblance between the signature from Figure 2 and corresponding variations of the wintertime eddy kinetic energy parameter. This effect was stronger for the first half of the interval (1963-1969) than for the latter half (1969-1976).

Using a different data set (Limited Fine Mesh grid covering North America) Larsen and Kelley (1977) examined the VAI effect for the years 1972-1974 and found the same 10% dip in VAI as was found in earlier work. They also examined the vorticity maps produced by one of the National Weather Service's prognostic models and found a decrease in the accuracy of the forecast for the time corresponding to the dip in VAI (Figure 3). This result is one of the first in which the sun-weather effect has a potential practical significance, in addition to the

statistical and physical significance.

Many tentative sun-weather correlations, proposed on the basis of limited study periods, have been abandoned after additional data failed to support the initial hypothesis. It was to a large extent the stability of the VAI effect when the SB list was extended from 54 to 133 key times that convinced Hines and Halevy that the effect warranted further study. Following the observations of Williams (1978) that the eddy kinetic energy showed a larger response for the years before 1969 than for 1969-1976, Williams and Gerety (1978) examined the VAI response for the years 1974-1977. They found a similiarly shaped but probably not statistically significant response for the 300mb VAI and essentially no response at 500mb. Although Williams and Gerety noted "...the simplest interpretation is that the years 1963-1973 yielded an anomalous result which was of unusually high statistical significance and which was self consistent for an unusually long time," they also suggested that it is necessary to examine possible changes in the physical conditions on the sun, in the solar wind, and in the atmosphere which may altered a real sun-weather connection.

Wilcox and Scherrer (1979) did investigate year-to-year changes in the VAI and found that the sun-weather effect may actually be rather constant for the years 1963-1978. They first confirmed the observation of Hines and Halevy(1975,1977) that the size of the VAI response is larger when the variance of the VAI is larger. It was found that for the group of SBs associated with larger VAI variance, the size of the VAI response was rather constant for 1963-1978. For the SBs associated

with smaller VAI variance there was essentially no response. In the last few winters the VAI mean value and variance have decreased thus the number of SBs associated with larger variance has decreased. This change in the VAI apparently explains the null result found by Williams and Gerety (1978). While the change in the VAI in recent years may be the cause of the diminished effect when all SBs are used, the reason for the lack of an effect prior to 1962 (Wilcox and Scherrer, 1979) has not been fully studied and may be due to several factors including a lower level of VAI mean value, VAI variance, the poorer timing accuracy of inferred as compared to spacecraft observed SBs, some other difference in solar or atmospheric conditions or to the absence of a sun-weather connection. These questions probably will not be satisfactorily answered until we are several years into the present solar cycle and have several additional years of spacecraft determined SBs.

Further Sun-Weather Studies

Along the lines of earlier work, Olson et al. (1975,1978) have examined changes in VAI correlated with major events of solar activity. They have found VAI increases followed by decreases, in a form suggesting a solar activity - sector structure - geomagnetic activity -VAI variation chain. Wilcox et al. (1979) have used the original data of Roberts and Olson (1973a) for individual trough areas and found a correlation depending on the polarity (toward or away from the sun) of the interplanetary magnetic field at the time when the trough was in the Gulf of Alaska. While these studies and the VAI vs SBs effect do not

yet merge to form a unified picture of a sun-weather response, they may do so in time.

Shapiro and Stolov (1978) examined skill scores of the National Meteorological Center atmosphere model and found no appreciable change in forecast skill near the times of SBs or geomagnetic disturbed or quiet days. This may not be too surprising since the index used is sensitive to changes in the entire atmosphere as was the case for the null result of Bhatnagar and Jakobsson(1978). It is interesting to note that most investigations which have found a significant correlation beetween a solar quantity and an atmospheric index have used an index which is a measure of the <u>area</u> of extremes of weather conditions rather than the actual <u>value</u> of an atmospheric index.

In conclusion, it can be said that the past four years have been very active for sun-weather research in the U.S. Some quite specific questions have been posed by recent work: the time variation of the VAI vs SB effect, the nature of the clear-air electric field and the relationship of the ionospheric potential to thunderstorm formation, and the constancy of the solar "constant" both in terms of the total luminosity on the climatic time scale and for near UV radiation on the time scale of days to 11 years.

No doubt, the existence of short time sun-weather connections will still be a controversial topic four years from now. One can hope though, that continued research will help to at least solve the problems mentioned above and will resolve in one way or the other the major questions raised by work in the past four years.

<u>Acknowledgements.</u> This work was supported in part by the Office of Naval Research under Contract N00014-76-C-0207, by the National Aeronautics and Space Administration under Grant NGR 05-020-559 and Contract NAS5-24420, and by the Division of Atmospheric Sciences, Solar Terrestrial Research Program of the National Science Foundation under Grant ATM77-20580.

References

- Bandeen, W. R. and S. P. Maran (eds.), Possible relationships between solar activity and meteorological phenomena, proceedings of a symposium, Greenbelt, Maryland, Nov. 1973, <u>NASA SP-366.</u>
- Belmont, A. D., G. D. Nastrom, and H. G. Mayr, Significance of semiannual waves in the mesospheric zonal wind and evidence of influence by the geomagnetic field, <u>J. Geophys. Res.</u>, <u>79</u>, 5049, 1974.
 Bhatnagar, V.P. and T. Jakobsson, Lack of effects of solar magnetic

sector crossings on the troposphere, Geophys.Res.Lett. 5, 180, 1978.

- Bruzek, A. and C. J. Durrant (eds.), Illustrated glossary for solar and solar-terrestrial physics, <u>Astrophysics and Space Science Library</u>, <u>69</u>, D. Reidel Co., 1977.
- Callis, L.B. and J.E. Nealy, Solar UV variability and its effect on stratosheric thermal structure and trace constituents, <u>Geophys.Res.Lett., 5,</u> 249-252, 1978.
- Chamberlain, J. W., A mechanism for inducing climatic variations through the stratosphere: Screening of cosmic rays by solar and terrestrial magnetic fields, <u>J. Atmos. Sci., 34</u>, 737-743, 1977.

Crutzen, P. J., I. S. A. Isaken, and G. C. Ried, Solar proton events: Stratospheric sources of nitric oxide, <u>Science, 189</u>, 457-459, 1975.

Dickinson, R. E., Solar variability and the lower atmosphere, <u>Bull.</u> <u>American Meterol. Soc., 56,</u> 1240-1248, 1975.

Duncan, C. H., personal communication, 1979.

- Duncan, C. H., R. G. Harrison, J. R. Hickey, J. M. Kendall, Sr., M. P. Thekaekara, R. C. Willson, <u>Appl. Optics, 16,</u> 2690-2697, 1977.
- Eddy, J. A., A new look at solar-terrestrial relations, <u>Bull. Am.</u> <u>Astron. Soc., 7,</u> 410, 1975.

Eddy, J. A., The Maunder minimum, Science, 192, 1189-1202, 1976.

- Eddy, J. A., Climate and the changing sun, <u>Climatic Change, 1</u>, 173-190, 1977.
- Fairbridge, R. W., Global climate change during the 13,500-b.p. Gothenburg geomagnetic excursion, <u>Nature, 265,</u> 430-431, 1977.
- Fairbridge, R. W. and C. Hillaire-Marcel, An 8,000-yr paleoclimatic record of the 'double-Hale' 45-yr solar cycle, <u>Nature, 268,</u> 413-416, 1977.

Foukal, P. V., P. E. Mack, and J. E. Vernazza, The effect of sunspots and faculae of the solar constant, <u>Astrophys. J., 215,</u> 952-959, 1977.

Frederick, J. E., Solar corpuscular emission and neutral chemistry in the Earth's middle atmosphere, <u>J. Geophys., Res., 81,</u> 3179-3186, 1976.

Frederick, J. E., Chemical response of the middle atmosphere to changes in the ultraviolet flux, <u>Planet. Spa. Sci., 25,</u> 1-4, 1977.

Frohlich, C., Contemporary measures of the solar constant, in <u>The solar</u> <u>output and its variation</u>, O. R. White (ed.), Colo. Assoc. Univ. Press, Boulder 1977.

- Gerety, E. J., J. M. Wallace, and C. S. Zerefos, Sunspots, geomagnetic indices and the weather: A cross-spectral analysis between sunspots, geomagnetic activity and global weather data, <u>J. Atmos. Sci., 34</u>, 673-678, 1977.
- Gerety, E. J., R. H. Olson, and W. O. Roberts, Analysis of a possible sun-weather correlation, <u>Nature, 272,</u> 231-232, 1978.
- Hale, L. C., Particulate transport through the mesosphere and stratosphere, <u>Nature, 268,</u> 710-711, 1977.
- Heath, D. F., J. M. Wilcox, L. Svalgaard, and T. L. Duvall, Relation of the observed far ultraviolet solar irradiance to the solar magnetic sector structure, <u>Solar Phys.</u>, <u>45</u>, 79-82,1975.
- Heath, D. F., A. J. Krueger, and P. J. Crutzen, Solar proton event: Influence on stratospheric ozone, <u>Science, 197</u>, 886-889, 1977.
- Herman, J. R. and R. A. Goldberg, <u>Sun weather and climate. NASA SP-426.</u> 1978a.
- Herman, J. R. and R. A. Goldberg, Initiation of non-tropical thunderstorms by solar activity, <u>J. Atmos. Terr. Phys., 40,</u> 121-134, 1978b.
- Hines, C.O., A possible mechanism for the production of sun-weather correlations, <u>J.Atmos.Sci.</u>, <u>31</u>, 589-591, 1974.
- Hines, C. O. and I. Halevy, Reality and nature of a Sun-weather correlation, <u>Nature</u>, <u>258</u>, 313-314, 1975.
- Hines, C. O. and I. Halevy, On the reality and nature of a certain sun-weather correlation, <u>J. Atmos. Sci., 34,</u> 382-404, 1977.

- Hones, E. W. Jr., Solar wind-magnetosphere-ionosphere coupling, in <u>Solar</u> <u>terrestrial influences on weather and climate</u>, B. M. McCormac and T. A. Seliga (eds.), D. Reidel Publ. Co., 1979.
- Jenne, R.L., Data sets for meteorological research, NCAR Technical Note <u>NCAR-TN/IA-111,</u> 1975.
- Johnson, F.S. and A.D. Belmont (eds.) Collections of extended summaries of contribution presented at joint symposium C, IAGA/IAMAP Joint Assembly, 22 August-3 September 1977, Seattle, Washington, U.S.A., available from General Secretary, IAMAP, NCAR, Boulder, Colorado, 1978.
- Keating, G.M., Relation between monthly variations of global ozone and solar activity <u>Nature, 274,</u> 873-874, 1978.
- King, J. W., A. J. Slater, A. D. Stevens, P. A. Smith, and D. M. Willis, Large-amplitude standing planetary waves induced in the troposphere by the Sun, J. Atmos. Terr. Phys., 39, 1357-1367, 1977.
- Knight, J. W. and P. A. Sturrock, Solar activity, geomagnetic field and terrestrial weather, <u>Nature, 264</u>, 239-240, 1976.
- Larsen, M.F., Comments on the paper 'Lack of effects of solar magnetic sector crossings on the troposphere' by V.P. Bhatnagar and T. Jakobsson, <u>Geophys.Res.Lett., 5,</u> 619, 1978.
- Larsen, M.F. and M.C. Kelley, A study of an observed and forecasted meteorological index and its relation to the interplanetary magnetic field, <u>Geophys.Res.Lett.</u>, <u>4</u>, 337, 1977.
- Livingston, W. C., Cooling of the Sun's photosphere coincident with increased sunspot activity, <u>Nature, 272, 340-341, 1978</u>.

Livingston, W. C., Solar input to the Terrestrial System, in, <u>Solar</u> <u>terrestrial influences on weather and climate</u>, B. M. McCormac and T. A. Seliga (eds.), D. Reidel Publ. Co., 1979.

- Lockwood, G. W., Planetary brightness changes: Evidence for solar variability, <u>Science, 190,</u> 560-562, 1975.
- Markson, R., Ionospheric potential variations obtained from <u>J.Geophys.Res.</u>, <u>81</u>, 1980-1990, 1976.
- Markson, R., Solar modulation of atmospheric electrification and possible implications for the Sun-weather relationship, <u>Nature, 273,</u> 103-109, 1978.
- Markson, R., Atmospheric electricity and sun-weather, in <u>Solar</u> <u>terrestrial influences on weather and climate</u>, B. M. McCormac and T. A. Seliga (eds.), D. Reidel Publ. Co., 1979.
- McCormac, B. M. and T. A. Seliga (eds.), <u>Solar terrestrial influences on</u> weather and climate. D. Reidel Publ. Co., 1979.
- McGuirk, J.P., E.R. Reiter and A.M. Barbieri, On the variability of hemispheric scale energy parameters, Colorado State University, Preprint January 1975.
- Meng, C. I., and H. W. Kroel, Intense uniform precipitation of low-energy electrons over the polar cap, <u>J. Geophys. Res.</u>, <u>82</u>, 2305-2313, 1977.
- Mitchell, J. M. Jr., An overview of climatic variability and its causal mechanisms, <u>Quaternary Research</u>, <u>6</u>, 481-493, 1976.

Mitchell, J. M. Jr. and C. W. Stockton, Evidence of a 22-year rhythm of

drought in the western United States related to the Hale solar cycle since the 17th century, in <u>Solar terrestrial influences on weather and</u> <u>climate.</u> B. M. McCormac and T. A. Seliga (eds.), D. Reidel Publ. Co., 1979.

- Mock, S. J. and W. D. Hibler III, The 20-year oscillation in eastern North American temperature records, <u>Nature, 261,</u> 484-486, 1976.
- National Academy of Science, US Committee for GARP, <u>Understanding</u> <u>Climate Change.</u> 1975.
- National Academy of Sciences Studies in Geophysics, <u>Geophysical</u> Predictions. 1978.

Olson, R. H., The Sun and the weather, Nature, 270, 11, 1977.

- Olson, R. H., W. O. Roberts, and C. S. Zerefos, Short term relationships between solar flares, geomagnetic storms, and tropospheric vorticity patterns, <u>Nature</u>, <u>257</u>, 113-115, 1975.
- Olson, R. H., W. O. Roberts, H. Dodson-Prince, and E. R. Hedeman, Solar plages and the vorticity of the Earth's atmosphere, <u>Nature, 274</u>, 140-142, 1978.
- Park, C.G. Solar magnetic sector effects on the vertical atmosheric electric field at Vostok, Antarcticia, <u>Geophys.Res.Lett.</u>, <u>3</u>, 475, 1976.
- Penner, J. E. and J. S. Chang, Possible variations in atmospheric ozone related to the eleveen-year solar cycle, <u>Geophys. Res. Lett., 5.</u> 817-820, 1978.
- Pittock, A. B., A critical look at long-term Sun-weather relationships, Rev. Geophys. Spa. Sci., 16, 400-420, 1978.

- Pomerantz, M. A., The ancestry of solar-terrestrial research, EQS. 55. 955-957, 1974.
- Reiter, R., The electric potential of the ionosphere as controlled by the solar magnetic sector structure. Result of a study over the period of a solar cycle, J. Atmos. Terr. Phys., 39, 95-99, 1977.
- Roberts, W. O., Relationships between solar activity and climate change, in Possible relationships between solar activity and meteorological phenomena, <u>NASA SP-366</u>, 1973.
- Roberts, W.O., Introductory review of solar-terrestrial climatic relationships, in <u>Solar terrestrial infuences on weather and climate</u>.
 B.M. McCormac and T.A. Seliga (eds.), D. Reidel Publishing Co., 1979.
- Roberts, W. O. and R. H. Olson, Geomagnetic storms and wintertime 300 mb trough development in the north Pacific - North American area, <u>J.</u> <u>Atmos. Sci., 30,</u> 135-140, 1973a.
- Roberts, W.O. and R.H. Olson, New evidence for effects of variable solar corpuscular emission on the weather <u>Rev.Geophys.Space Phys.</u>, <u>11</u>, 731-740, 1973b.
- Roberts, W. O. and R. H. Olson, Great plains weather, <u>Nature, 254,</u> 380, 1975.
- Rosenberg, R.L. and P.J. Coleman, Jr., 27-Day cycle in the rainfall at Los Angeles, <u>Nature, 250,</u> 481, 1974.
- Ruderman, M. A., H. M. Foley, and J. W. Chamberlain, Eleven-year variation in polar ozone and stratospheric-ion chemistry, <u>Science</u>, <u>192.</u> 555-557, 1976.

Ruderman, M. A., and J. W. Chamberlain, Origin of the sunspot modulation

of ozone: Its implications for stratospheric NO injection, <u>Planet.</u> <u>Spa. Sci., 23, 247-268, 1975.</u>

- Rust, B. W., Influence of the solar cycle on the abundance of carbon dioxide in the Earth's atmosphere, <u>Bull. American Astron. Soc., 9</u>, 565, 1978.
- Schlegel, K., G. Rose and H.U. Widdel, Interplanetary magnetic field polarity changes and D-region radio wave absorption, <u>J.Atmos.Terr.Phys., 39,</u> 101-103, 1977.
- Schneider, S. H. and C. Mass, Volcanic dust, sunspots, and temperature trends, <u>Science</u>, <u>180</u>, 741-746, 1975.
- Schneider, S. H. and C. Mass, Volcanic dust, sunspots and long term climate trends: Theories in search of verification, WMO/IAMAP Symposium on Long Term Climatic Fluctuations, August 1975.
- Shapiro, R., Solar magnetic sector structure and terrestrial atmospheric vorticity, J. Atmos. Sci., 33, 865-870, 1976.
- Shapiro, R. and H. L. Stolov, A search for a solar influence on the skill of weather forecasts, <u>J. Atmos. Sci., 35,</u> 2334-2345, 1978.
- Shapley, A. H., H. W. Kroel, and J. W. Allen, Solar-terrestrial physics and meteorology: A working document, SCOSTEP, c/o Nat'l. Acad. Sci., Washington, D. C., 1975.
- Shapley, A. H., and H. W. Kroel, Solar-terrestrial physics and meteorology: Working document II, SCOSTEP, c/o Nat'l. Acad. Sci., Washington, D. C., 1977.
- Siscoe, G.L., Solar-terrestrial influences on weather and climate, Nature, 276, 348-352, 1978.

- Somerville, R. C. J., W. J. Quirk, J. E. Hansen, A. A. Lacis, and P. H. Stone, A search for short-term meteorological effects of solar variability in an atmospheric circulation model, <u>J. Geophys. Res.</u>, <u>81</u>, 1572-1576, 1976.
- Stockton, C. W. and D. M. Meko, A long-term history of drought occurance in western United States as inferred from tree rings, <u>Weatherwise</u>, 244, 1975.
- Stolov, H.L. and R. Shapiro, Investigation of the responses of the general circulation at 700mbar to solar geomagnetic disturbances, <u>J.Geophys.Res.</u>, 79, 2161, 1974.
- Sugiura, M., Quasi-biennial geomagnetic variation caused by the sun, Geophys. Res. Lett., 3, 643-646, 1976.
- Sugiura, M., Solar-generated quasi-biennial geomagnetic variation, J. Geophys. Res., 82, 5621-5628, 1977.
- Svalgaard, L., Solar activity and the weather, in D. E. Page (ed.), Correlated interplanetary and magnetospheric observations, D. Reidel Publ. Co., 627-639, 1974.
- Svalgaard, L. and J. M. Wilcox, Structure of the extended solar magnetic field and the sunspot cycle variation in cosmic ray intensity, <u>Nature</u>, <u>262.</u> 766-768, 1976.
- Talbot, R. J. Jr., D. M. Butler, and M. J. Newman, Climatic effects during the passage of the solar system through interstellar clouds, <u>Nature, 262, 561-563, 1976.</u>
- Ulrich, R. K., Solar neutrinos and variations in the solar luminosity, Science, 190, 619-624, 1975.

- Volland, H. and H. G. Mayr, Theoretical aspects of tidal and planetary wave propagation at thermospheric heights, <u>Rev. Geophys. Spa. Phys.</u>, <u>15,</u> 203-226, 1977.
- White, O. R. (ed.), <u>The solar output and its variation</u>, Colo. Assoc. Univ. Press, Boulder, 526 pp., 1977.
- Wilcox, J. M., Solar activity and the weather, <u>J. Atmos. Terr. Phys.</u> <u>37.</u> 237-256, 1975.
- Wilcox, J. M., A synoptic approach to sun-weather investigations, <u>J.</u> <u>Atmos. Terr. Phys., 39,</u> 173-178, 1977.
- Wilcox, J. M., Solar structure and terrestrial weather, <u>Science</u>, <u>192</u>, 745-748, 1976.
- Wilcox, J.M., Influence of the solar magnetic field on tropospheric circulation, in <u>Solar terrestrial influences on weather and influences</u> <u>on weather and climate.</u> B.M. McCormac and T.A. Seliga (eds.), D. Reidel Publ. Co., 1979.
- Wilcox, J.M., P.H. Scherrer, L. Svalgaard, W.O.Roberts and R.H. Olson, Solar magnetic sector structure: Relation to circulation of the Earth's atmosphere, <u>Science, 180,</u> 185-186, 1973.
- Wilcox, J.M., P.H. Scherrer, L. Svalgaard, W.O. Roberts, R.H. Olson and R.L. Jenne Influence of solar magnetic sector structure on terrestrial atmospheric vorticity, <u>J.Atmos.Sci.</u>, <u>31</u>, 581, 1974.
- Wilcox, J. M., L. Svalgaard, and P. H. Scherrer, Seasonal variation and magnitude of the solar sector-atmospheric vorticity effect, <u>Nature</u>, <u>255</u>, 539-540, 1975.

Wilcox, J. M., L. Svalgaard, and P. H. Scherrer, On the reality of a

sun-weather effect, J. Atmos. Sci., 33, 1113-1116, 1976.

- Wilcox, J.M., P.B. Duffy, K.H. Schatten, L. Salgaard, P.H. Scherrer W.O. Roberts and R. H. Olson, Interplanetary magnetic field polarity and the size of low-pressure troughs near 1800 W longitude, <u>Science</u>, <u>204</u>, 60-62, 1979.
- Wilcox, J.M., P.H. Scherrer and L. Svalgaard, Intensity of troposheric circulation associated with solar magnetic sector boundary transits, <u>J.Atmos.Terr.Phys.</u>, 1979 (in press). Wilcox, J. M. and P. H. Scherrer, The variation with time of a sun-weather effect, Stanford Univ. Inst. for Plasma Res. Rept. #771, 1979 (submitted to <u>Nature</u>).
- Williams, D. J. (ed.), <u>Physics of solar planetary environments</u>, Proceedings of the International Symposium on Solar-Terrestrial Physics, AGU Pub., 2 vols., 1038 pp., 1976.
- Williams, R.G., A study of the energetics of a particular sun-weather relation, <u>Geophys.Res.Lett.</u>, 5, 519-522, 1978.
- Williams, R.G. and E.J. Gerety, Does the troposphere respond to day-to-day changes in solar magnetic field?, <u>Nature, 275</u>, 200-201, 1978.
- Zerefos, C. S., Circulation changes in the free atmosphere during proton events associated with type IV radio bursts, <u>Planet. Space Sci., 23,</u> 1035-1043, 1975.
- Zerefos, C. S. and P. J. Crutzen, Stratospheric thickness variations over the northern hemisphere and their possible relation to solar activity, <u>J. Geophys. Res., 80,</u> 5041-5043, 1975.

Zerefos, C. S., E. J. Gerety, R. H. Olson, and W. O. Roberts, A study on

Meteorological Periodicities, <u>J. Interdiscipl. Cycle Res., 8,</u> 230, 1977.

Zirin, H., R. L. Moore, and J. Walter (eds.), <u>Proceedings of the</u> workshop: The solar constant and the Earth's atmosphere, Big Bear Solar Observatory, 1975. Summary in <u>Solar Phys.</u>, <u>46</u>, 377-409, 1976.



Fig. 1. Curve <u>a</u> shows persistent deviations in 14C plotted schematically and normalized to the Maunder minimum (feature 2). Downward excursions refer to increased relative 14C and imply decreased solar activity. Curve <u>b</u> is an interpretation of curve <u>a</u> as the long-term envelope of solar activity. Curves <u>c</u> are four estimates of past climate as measured by glacial advance and retreat times (G1 and G2), England mean annual temperature (T), and Paris-London area winter severity index (C). From Eddy (1977).



Fig. 2. Average response of the vorticity area index to the solar magnetic sector structure. The sector boundaries were carried past the Earth by the solar wind on day 0. The vorticity area index is the area in the northern hemisphere where the vorticity exceeded 20 x 10-5s-1 plus the area where it exceeded 24 x 10-5s-1 (Wilcox et al., 1974).



Fig. 3. An analysis of the accuracy of forecasts of tropospheric vorticity near the times of sector boundary passages. The ordinate is a cross correlation between the forecast and observed vorticity area indices. During the first two days after the boundary the correlation coefficient appears to be systematically lower by about 0.15 units (Larsen and Kelley, 1977).

