

AD-A071 787

ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/G 4/2  
MICROPHYSICAL AND OPTICAL PROPERTIES OF CALIFORNIA COASTAL FOGS--ETC(U)  
JUN 79 R D LOW, L D DUNCAN, Y Y ROGER


UNCLASSIFIED

ERADCOM

NL

| OF |  
AD  
A071787





AD A 071 787

ASL-TR-0034

# LEVEL

12

AD

Reports Control Symbol  
OSD 1366

## MICROPHYSICAL AND OPTICAL PROPERTIES OF CALIFORNIA COASTAL FOGS AT FORT ORD

JUNE 1979

DDC  
RECEIVED  
JUL 27 1979  
C

By

**Richard D.H. Low and Louis D. Duncan**  
Atmospheric Sciences Laboratory

**Y.Y. Roger R. Hsiao**  
Physical Science Laboratory  
New Mexico State University, Las Cruces, NM

DDC FILE COPY

Approved for public release; distribution unlimited



US Army Electronics Research and Development Command  
**ATMOSPHERIC SCIENCES LABORATORY**  
White Sands Missile Range, NM 88002

79 07 26 031

## NOTICES

### Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

### Disposition

Destory this report when it is no longer needed. Do not return it to the originator.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

14

ERA/DCOM/REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS BEFORE COMPLETING FORM

1. REPORT NUMBER: ASL-TR-80347 2. GOVT ACCESSION NO. 3. RESUME/CATALOG NUMBER

4. TITLE (and Subtitle): MICROPHYSICAL AND OPTICAL PROPERTIES OF CALIFORNIA COASTAL FOGS AT FORT ORD

5. TYPE OF REPORT & PERIOD COVERED: R&D Technical Report

6. PERFORMING ORG. REPORT NUMBER

7. AUTHOR(s): Richard D. H. Low, Louis D. Duncan, Y. Y. Roger R. Hsiao, ASL, WSMR, NM PSL, NMSU, Las Cruces, NM

9. PERFORMING ORGANIZATION NAME AND ADDRESS: Atmospheric Sciences Laboratory, White Sands Missile Range, NM 88002

10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS: DA Task Nos. 1L162111AH 71 and 1T161101A 91A

11. CONTROLLING OFFICE NAME AND ADDRESS: US Army Electronics Research and Development Command, Adelphi, MD 20783

12. REPORT DATE: June 1979

13. NUMBER OF PAGES: 34

14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office): 12 38p.

15. SECURITY CLASS. (of this report): UNCLASSIFIED

15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report): Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES: \*Under contract to Atmospheric Sciences Laboratory

19. KEY WORDS (Continue on reverse side if necessary and identify by block number): Coastal fogs, Advection fog, Microphysics, Liquid water content, Radiation fog, Visible extinction

20. ABSTRACT (Continue on reverse side if necessary and identify by block number): During the period of 12 April through 12 May 1978, the Atmospheric Sciences Laboratory obtained meteorological, optical, and microphysical data in support of the Copperhead optical system performance test under inclement weather conditions. On 3 and 9 May, two well-developed heavy fogs occurred which would seriously degrade the performance of the Copperhead optical system. The first fog was of the advection type and the latter the radiation type but aided by gentle advection. While their synoptic geneses were only briefly touched upon, their microphysical features were examined in greater detail. The radiation fog

410663

Copy [Signature]

20. ABSTRACT (cont)

CONT

on 9 May contained twice as much liquid water as the advection fog on 3 May although they both had a haze regime. Comparisons were made with other California coastal fogs to draw a general picture of their microstructures. On the basis of limited data, these fogs appeared to share certain common features such as mean and mode radii and liquid water content.

For their optical properties in the visible region, the data points of these two fogs were plotted against Low's generalized or equivalent regression line. About 83 percent of them fall within 15 percent deviation, and all lie within 50 percent deviation. Moreover, the line holds better for the 3 May case than for the 9 May case. Pending further verification, the present study seems to indicate that Low's scaling law may be incorporated as an interim model.

Accession For	
NTIS	GRA&I
DDC	TAB
Unannounced	
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avalland/or special

## CONTENTS

	<u>Page</u>
INTRODUCTION	2
MICROPHYSICAL FEATURES OF FORT ORD FOGS	3
The 3 May Fog	4
The 9 May Fog	8
DISCUSSION OF THE TWO FOGS	12
COMPARISON WITH OTHER CALIFORNIA COASTAL FOGS	12
VISUAL EXTINCTION AND LIQUID WATER CONTENT	17
DISCUSSIONS AND CONCLUSIONS	18
RECOMMENDATIONS	20
REFERENCES	22

## INTRODUCTION

The Army Combat Development Experimental Command at Fort Ord, California, conducted the Copperhead optical system performance test under adverse weather conditions during the period of 12 April to 12 May 1978. In support of this test, the Operational Test and Evaluation Agency tasked the Atmospheric Sciences Laboratory<sup>1</sup> to provide a description of the meteorological conditions under which the test was to be carried out and directed the Laboratory to compare the meteorological, optical, and microphysical measurements made during the test period at Fort Ord with similar ones at various localities in West Germany to elucidate whether such test results show general applicability. The Fort Ord measurements together with other relevant information may be found in the cited reference.<sup>1</sup>

During this period, thin patchy ground fogs drifted over the test site for short durations occasionally on some days in early morning or late evening hours, but they did not seem to noticeably impair the performance of the Copperhead optical system. However, on 3 and 9 May, two thick fogs occurred in which visibility dropped to a few tens of meters. Of no less interest were their differences in microphysical and hence optical characteristics, not to mention synoptic conditions, although they were both California coastal fogs.

Instead of addressing the problem of comparing these fogs with the German fogs at various localities (which will be dealt with in a subsequent report), it would perhaps be more instructive to examine the microphysical properties of the Fort Ord fogs and compare them to other California coastal fogs since they all share nearly the same synoptic genesis--the wind flow patterns governing these fogs are dominated by the subtropical high off the California coast and to a lesser extent by the inland thermal low during the summer and fall.

The Fort Ord test site is located on the top of a hill, about 300 m above mean sea level (MSL) and about 8 km south of the Monterey Bay shoreline. The nearest town of any consequence is Monterey, about 7 km south of Fort Ord. Monterey is a resort town with very few industries nearby. Los Angeles lies some 400 km to the southeast and the San Francisco Bay area some 80 km to the north. The influence of the latter cannot be overlooked, especially when the flow is northerly. A very informative discussion of

---

<sup>1</sup>R. B. Loveland, J. D. Lindberg, J. B. Mason, H. L. Newman, A. F. Lewis, and J. C. Devine, 1978, "Atmospheric Characterization Measurements for Copperhead Ground Fog Experiment, Fort Ord, California," Internal Report, Atmospheric Sciences Laboratory, White Sands Missile Range, New Mexico, 329 pp.

the general synoptic situations conducive to the formation of advection fogs along the California fogs can be found in a report by Goodman.<sup>2</sup>

In view of the modeling requirements in the formulation of the Electro-Optical System Atmospheric Effects Library (EO SAEL), this report shall first examine the microphysics of the Fort Ord fogs in some detail. Then a comparison will be made with the Vandenberg AFB and Los Angeles fogs<sup>3</sup> and with the San Francisco fogs;<sup>2</sup> however, the comparison will be brief and general since their data were not presented in any detail. The optical or extinction properties of the Fort Ord fogs will next be studied in the light of Low's theoretical or generalized regression line<sup>4</sup> governing unimodal and quasi-unimodal drop-size distributions, and the deviations of these fogs will be interpreted. Findings will be discussed, and conclusions will be drawn. Since certain deficiencies were found in the methodology of data collection and presentation in the data report on the Fort Ord fogs,<sup>1</sup> a few afterthoughts will be offered.

#### MICROPHYSICAL FEATURES OF FORT ORD FOGS

In the past, mechanical droplet impactors have been used by most cloud physicists to collect cloud/fog droplet samples. These devices are not capable of capturing droplets below 1 to 2 micrometers radius because their collection efficiency decreases with droplet size. As a result, the cloud/fog drop-size spectra usually exhibit, on the average, a unimodal or quasi-unimodal shape; and a gamma or lognormal function has often been used to represent them. Mason<sup>5</sup> describes some representative

---

<sup>2</sup>Jindra Goodman, 1975, "The Microstructure of California Coastal Fog and Stratus (preliminary report), Report No. 75-02, Department of Meteorology, San Jose State University, San Jose, California, 61 pp

<sup>3</sup>E. J. Mack, W. J. Eadie, C. W. Rogers, W. C. Kocmond, and R. J. Pilié, 1972, "A Field Investigation and Numerical Simulation of Coastal Fog," CAL No. CJ-5055-M-1, Cornell Aeronautical Laboratory (now Calspan Corporation), Buffalo, NY, 136 pp

<sup>4</sup>R. D. H., Low, 1978, "A Theoretical Investigation of Cloud/Fog Extinction Coefficients and Their Spectral Correlations," Beitr. Phys. Atmos. (accepted)

<sup>1</sup>R. B. Loveland, J. D. Lindberg, J. B. Mason, H. L. Newman, A. F. Lewis, and J. C. Devine, 1978, "Atmospheric Characterization Measurements for Copperhead Ground Fog Experiment, Fort Ord, California," Internal Report, Atmospheric Sciences Laboratory, White Sands Missile Range, New Mexico, 329 pp

<sup>5</sup>B. J., Mason, 1971, The Physics of Clouds, London, Oxford University Press, 671 pp

droplet impactors. With the advent of optical particle counters, Hindman<sup>6</sup> observed that a background of smaller particles lying below 1 micrometer radius is invariably superimposed upon the fog drop-size spectra. These are the so-called haze particles. Therefore, it appears that a drop-size spectrum may be arbitrarily separated into two regimes: a stable sub-micron regime consisting of haze particles and an unstable supermicron regime of fog droplets. However, the optical counters are not without their limitations; their upper size limit is often restricted by the individual optical design as well as by the individual aspiration rate or sampling volume the light beam intercepts.

The optical counter used at Fort Ord is Model FSSP-100C manufactured by the Particle Measuring Systems, Incorporated, of Colorado. The counter can collect one drop-size sample every 10 seconds covering droplet sizes of 0.25 to 23 micrometers radius. Note that at this rate of sampling a mountain of droplet data would have been collected during a single fog episode. A cloud physicist interested in the dynamics of cloud/fog evolution may wish to examine the temporal changes of a fog's fine microstructure at 1- to 3-minute intervals. For electro-optical applications, such a fine time interval would serve no useful purpose. Instead, a 5-minute average of 10-second samples is considered to be more than adequate to meet our needs, that is, an average of some 30 individual samples. The following discussion will present the two Fort Ord fogs separately.

#### The 3 May Fog

The sky was overcast most of the day. In the afternoon, there was a gentle on-shore breeze from the northwest through the northeast at about 5 mps. This northerly flow pattern persisted throughout the fog period, decreasing in speed from about 4 mps when thin, patchy ground fogs formed in low spots along the hillside near midnight (2 May) to about 1.5 mps when the fog lifted with the rising sun near 0700 PDT (Pacific Daylight Time) on 3 May. A weak inversion was reported to be located at about 700 m; however, the fog, which was really low-hanging stratus drifting over the 300 m MSL test site, reached only about 90 m in thickness and stood nearly isothermal. Good droplet samples were taken from about 0116 to about 0600. As a result of the 5-minute averaging procedure, 45 drop-size spectra were obtained during the entire fog episode. Figure 1 is an example of the spectral evolution of this advection fog at nearly 50-minute intervals.

<sup>6</sup>E. E. Hindman II and O. E. R. Heimdahl, 1977, "Submicron Haze Droplets and Their Influence on Visibility in Fog," preprints: 6th Conference on Inadvertent and Planned Weather Modification, American Meteorological Society, Boston, MA, pp 10-13




Figure 1A




Figure 1B

Figure 1 (A through F). Fog drop-size evolution at about 30 to 40-minute intervals, 3 May 1978.




Figure 1C




Figure 1D




Figure 1E




Figure 1F

Two features in these spectra are notable: two distinct regimes and similarity of the spectral shapes throughout the fog period. The mode radii of the two regimes hardly shifted at all; however, upon closer examination, it was discovered that the number concentration of the first mode radius and that of the second fluctuated with time. At the beginning, their concentrations differed by less than one particle per cubic meter. It may be presumed that as the supersaturation of the fog rose, some of the larger haze particles grew into fog droplets, thereby reducing the number of haze particles at the first mode radius of about 0.5 micrometer. At 0514 (figure 1E), the number concentration of the second mode radius at 3.5 micrometers was about three times larger than that of the first mode radius at 0.5 micrometer. As the fog began to dissipate while the sun was rising, evaporation took place. At about 0603 (figure 1F), smaller fog droplets returned to haze particles, resulting in higher concentration of the first mode radius. These figures show a gradual depletion of the larger fog droplets during this entire period. Therefore, one may infer that as the supersaturation of a fog rose or fell in response to cloud (or fog) dynamics and thermodynamics there was a corresponding transfer of larger particles from the haze to the fog regime or vice versa. While this particle transport was proceeding, the microphysical processes of coalescence and sedimentation took their toll of the total concentration.

#### The 9 May Fog

May 8 was a clear warm day with daytime temperature in the 20's centigrade. The wind varied from calm to a couple of meters per second from the west and persisted through the following day. The inversion extended to about 670 m and the surface moist layer to about 121 m. Fog was first reported in the Monterey-Salinas area shortly after midnight and slowly spread to the test site at Fort Ord in the form of scattered ground fogs to about 0530 PDT. By 0530, the surface visibility dropped to less than 100 m. This fog was predominantly a radiation fog, aided to some extent by gentle advection. It was at least 200 m thick for most of the fog period and persisted to about 0800. Fog data were collected from about 0430 to 0800, the first hour of data consisting entirely of scattered ground fogs. Twenty-three drop-size spectra were obtained. Figures 2A through 2E depict the spectral evolution approximately 30 minutes apart.

The two regimes were quite discernible in the radiation fog, but in the fog regime sometimes two modes appeared, giving rise to a trimodal drop-size distribution. The spectral shapes during the fog period were no longer quite similar, owing to the appearance or disappearance of a second mode in the fog regime. By contrast, the haze regime did not vary too much. No appreciable transfer of particles between the two regimes was apparent, although it must have occurred. Instead, the transport of droplets between the two modes in the fog regime seemed to be quite active. It may be surmised that the dominant mechanism for this activity was coalescence rather than supersaturation.




Figure 2A




Figure 2B

Figure 2 (A through E). Fog drop-size evolution at about 30 to 40-minute intervals, 9 May 1978.




Figure 2C




Figure 2D




Figure 2E

## DISCUSSION OF THE TWO FOGS

Although these two Fort Ord fogs came from different origins, they both shared one common characteristic; that is, both had a haze regime in the background which had nearly the same shape and which fluctuated within narrow boundaries, except perhaps during the last period of the 3 May advection fog. In lieu of tabulation, as is usually the practice in the literature, figures 3 and 4 give the mean radius (M), RMS radius (S), mean volume radius (V), and the total number concentration (C) as a function of time, corresponding to the 3 and 9 May fogs, respectively. Moreover, while the total concentration of the radiation fog was less, it was substantially wetter than the advection fog. In fact, the former's liquid water content was slightly more than twice the latter's, as can be calculated from the average mean volume radius and the average concentration.

Assume that submicron particles below 1 micrometer radius constitute the so-called haze regime. To summarize the differences between the two Fort Ord fogs, table 1 gives the fractional contribution of this regime to the total (haze plus fog) in terms of number concentration, liquid water content, and visible extinction for the same time periods as in figures 1 and 2. The haze regimes in both were comparable in magnitude, as may also be noted in the figures, resulting in comparable contributions to total extinction. The radiation fog (more than twice as wet as the advection fog) actually contained a much smaller number of droplets. This smaller number implies that the droplets of the fog regime in the former were larger in size, hence causing greater attenuation in the visible region. The haze sectors in both fogs were quite negligible in terms of either liquid water content or visible extinction, though much more so in the former. Such small haze regimes could be easily brought about by the relatively unpolluted environment at Fort Ord as well as by the high supersaturation existing in those fogs.

To conclude this section, another feature is mentioned. At the 23-micrometer cutoff radius of the optical particle counter used in this field experiment, the number concentration at this radius in the radiation fog was about one order of magnitude higher than that in the advection fog, as can be estimated from figures 1 and 2. There was certainly some loss of larger particles in the former, if not significantly in the latter. The loss of a fraction of a 25-micrometer droplet, for instance, is by no means insignificant, considering its contribution to total liquid water content.

## COMPARISON WITH OTHER CALIFORNIA COASTAL FOGS

Despite the local character of all fog occurrences, as discussed at some length by Low et al.,<sup>7</sup> a comparison with other California coastal fogs

<sup>7</sup>R. D. H. Low, L. D. Duncan, and R. B. Gomez, 1978, "The Microphysical Basis of Fog Optical Characterization," ASL-TR-0011, Atmospheric Sciences Laboratory, White Sands Missile Range, New Mexico, 24 pp




Figure 3. Temporal variations of droplet number concentration (C), mean radius (M), rms radius (S), and mean volume radius (V) in the fog, 3 May 1978.




Figure 4. Temporal variations of droplet number concentration (C), mean radius (M), rms radius (S), and mean volume radius (V) in the fog, 9 May 1978.

TABLE 1. FRACTIONAL CONTRIBUTION OF THE HAZE REGIME TO THE TOTAL (HAZE PLUS FOG) NUMBER CONCENTRATION, LIQUID WATER CONTENT, AND VISIBLE EXTINCTION

Time	Number Concentration (cm <sup>-3</sup> )		Percent	Liquid Water Content (mg m <sup>-3</sup> )		Percent	Visible Extinction (km <sup>-1</sup> )		Percent
	Haze	Total		Haze	Total		Haze	Total	
Advection Fog									
3 May 78									
0146	16.6	145.6	11.4	0.022	123.1	0.02	0.065	25.86	0.25
0235	12.3	140.1	8.8	0.017	75.2	0.02	0.049	18.97	0.26
0315	14.3	174.7	8.2	0.021	58.8	0.04	0.057	17.58	0.33
0428	11.8	167.3	7.0	0.016	83.4	0.02	0.046	22.02	0.21
0514	10.0	164.1	6.1	0.014	90.8	0.02	0.040	22.73	0.17
0603	17.0	80.7	21.0	0.019	33.2	0.06	0.062	9.26	0.67
Mean	13.7	145.4	9.4	0.018	77.4	0.02	0.053	19.40	0.27
Radiation Fog									
9 May 78									
0539	19.4	76.1	25.4	0.025	175.8	0.01	0.077	22.98	0.33
0617	23.2	81.7	23.2	0.029	266.4	0.01	0.090	35.04	0.26
0639	16.3	99.8	16.3	0.021	168.9	0.01	0.063	27.28	0.23
0703	21.1	107.1	19.7	0.032	165.6	0.02	0.091	27.89	0.32
0723	20.8	93.9	22.2	0.032	161.4	0.02	0.090	25.15	0.36
Mean	20.2	91.7	22.0	0.028	187.6	0.01	0.082	27.67	0.30

may not be entirely unfruitful. Moreover, such an undertaking may be found quite instructive from either a microphysical or an optical point of view. The advection fogs at Vandenberg, about 250 km south-southeast of Fort Ord, as well as the radiation fogs at Los Angeles examined by Mack et al.<sup>3</sup> and the advection fogs over San Francisco analyzed by Goodman<sup>2</sup> are selected for comparison because they are presented in great detail in their reports. A condensed version of the latter may be found in Goodman.<sup>8</sup> The comparison here will, necessarily, be brief because: (1) both used mechanical impactors for data collection, making it rather laborious, if not impossible, to take droplet samples at frequent intervals, and (2) as a result, descriptions of fine temporal fog microphysical evolution were not available. Therefore, only the average gross features of these fogs were compared with ours.

In terms of condensation nucleus levels, the count at Los Angeles was about  $3 \times 10^4$ , at San Francisco about  $6 \times 10^3$ , and at Vandenberg about  $3 \times 10^3$  on the average over the duration of field measurements. In terms of cloud condensation nucleus (CCN) at 0.3 percent supersaturation concentrations, the number at Los Angeles was about  $2 \times 10^3$  and at Vandenberg about  $2.5 \times 10^2$ . Goodman's CCN counter was inoperative. Neither CN nor CCN was monitored at Fort Ord, which was unfortunate since the former would provide some insight in the haze regime and the latter in the fog regime. Table 2 lists a few pertinent parameters for comparison.

In spite of the preceding discussion on instrumentation and local influence, the radiation and advection fogs along the California coast do bear some remarkable resemblance among their respective types in terms of the mean radius, mode radius, liquid water content, and concentration. Except for some indication in Los Angeles fogs where there might be a haze regime, none of the other fogs, because of their measured ranges, showed a haze regime.

<sup>3</sup>E. J. Mack, W. J. Eadie, C. W. Rogers, W. C. Kocmond, and R. J. Pilié, 1972, "A Field Investigation and Numerical Simulation of Coastal Fog," CAL No. CJ-5055-M-1, Cornell Aeronautical Laboratory (now Calspan Corporation), Buffalo, NY, 136 pp

<sup>2</sup>Jindra Goodman, 1975, "The Microstructure of California Coastal Fog and Stratus (preliminary report), Report No. 75-02, Department of Meteorology, San Jose State University, San Jose, California, 61 pp

<sup>8</sup>Jindra Goodman, 1977, "The Microstructure of California Coastal Fog and Stratus," J. Appl. Meteorol., 16:1056-1067

TABLE 2. A COMPARISON OF CALIFORNIA COASTAL FOGS

Site	Mean Radius ( $\mu\text{m}$ )	Mode Radius ( $\mu\text{m}$ )	Measured Drop-Size Range	Liquid Water Content ( $\text{g m}^{-3}$ )	Concentration ( $\text{cm}^{-3}$ )
Vandenberg (advection)	-----	6 - 10	1.5 - 100	0.080	-----
San Francisco* (advection)	3.73	3, 5	2.0 - 20	0.044	142.3
Fort Ord (advection)	3.75	0.6, 3.5	0.25 - 23 <sup>†</sup>	0.076	147.4
Los Angeles (radiation)	-----	( $\frac{<1.0}{6}$ - 10)	$\leq 1$ - 30	0.170	-----
Fort Ord (radiation)	5.11	0.6, 3.5, 11	0.25 - ?	0.156	80.8

\*The mean radius is an average of the first three cases, the last one being rejected because it came from a single sample. The mode is an estimate from histograms at the 2 m level.

†The number concentration at 23 $\mu\text{m}$  radius falls to the order of 10<sup>-3</sup> cm<sup>-3</sup>.

## VISUAL EXTINCTION AND LIQUID WATER CONTENT

The foregoing brief discussions of the complex microstructures of the Fort Ord fogs serve to illustrate the difficulties encountered in an attempt to find a unique universal relationship between the liquid water content of a fog and its visibility. Mindful of these difficulties, Low<sup>4</sup> adopted a novel approach by constructing 30 cloud/fog models on the basis of the gamma and lognormal distribution functions of different spectral widths. Considering the extinction at the visible 0.55-micrometer wavelength according to exact Mie calculations,<sup>9</sup> he derived the following generalized regression equation relating liquid water content to extinction for unimodal or quasi-unimodal drop-size spectra with mean radius 3 micrometers and larger:

$$\beta = 93.2 W^{0.638} \text{ km}^{-1}, \quad (1)$$

where  $\beta$  is the volume extinction coefficient and  $W$  liquid water content in  $\text{g m}^{-3}$ . Although derived from a mixture of the gamma and lognormal distributions of different spectral widths, the relationship between visible extinction and liquid water content may, in fact, be deduced from the usual assumption that the efficiency factor for extinction is 2 in fogs and clouds. Then the extinction coefficient of a single fog particle is given by

$$\beta = 2 \pi r^2, \quad (2)$$

where  $r$  is the radius of a monodispersion. It is related exactly to the liquid water content by

$$\beta = 3W/2r, \quad (3)$$

from which it follows that

$$\frac{d\beta}{\beta} = \frac{2}{3} \frac{dW}{W}. \quad (4)$$

<sup>4</sup>R. D. H. Low, 1978, "A Theoretical Investigation of Cloud/Fog Extinction Coefficients and Their Spectral Correlations," Beitr. Phys. Atmos. (accepted)

<sup>9</sup>D. Deirmendjian, 1969, Electromagnetic Scattering on Spherical Polydispersion, New York, Elsevier, 290 pp

The exponent (0.638) in equation (1) differs from  $2/3$  partly because the cloud/fog models in our theoretical analysis simply did not use 2 as the efficiency factor.

However, the fogs in figures 1 and 2 are not unimodal or even quasi-unimodal. Despite their bumpy appearances, the fog regimes in figure 1 may be considered quasi-unimodal. By contrast, those in figure 2 are not, except perhaps the one in figure 2D. Nevertheless, it would be of interest to find out how the fog data fit Low's theoretical regression line. Figure 5 is a plot of the line together with the data entered at every 5-minute interval. The dashed line on either side of the line represents a 15 percent deviation. Considering the complexities of fog microstructures as well as the nature of the fog data, the 15 percent error bounds set here are quite reasonable. There were 45 and 23 data points, respectively, from the 3 and 9 May fogs. Because of their close proximity, several data points from 3 May lying between the dashed and solid lines were not entered.

Despite the bimodal nature of these fogs, note that a great majority of the points (about 83 percent) are within the error bounds, indicating that Low's generalized relationship can predict the extinction property of the 3 May advection fog at Fort Ord nearly all the time and that of the 9 May radiation fog most of the time (better than 60 percent). It may be recalled from our meteorological analysis that the 9 May radiation fog was not, strictly speaking, a typical radiation fog but one somewhat aided by advection. If one is not averse to a 50 percent deviation, as indicated by the dot-dashed line in the figure, then Low's regression line can predict the extinction properties of both the radiation and the advection fogs at Fort Ord all the time.

Those data points of the 9 May fog which lie beyond the 15 percent deviation line can be readily explained by the fact that their drop-size spectra showed an unmistakable trimodal distribution, as represented by figure 2A. In spite of the bimodality of all the fog samples, the haze regimes given in table 1 apparently were not significant enough to have appreciable effect on their overall optical properties in the visible region. On the other hand, if the haze sector were prominent, as is quite likely in a highly polluted environment, the agreement with Low's theoretical line might not be as favorable.

#### DISCUSSIONS AND CONCLUSIONS

In this report, the microphysical and optical properties of two different California coastal fogs which occurred at Fort Ord near Monterey have been analyzed. A cursory comparison with other California coastal fogs was made and their similarities noted. Since different droplet sampling devices were used, the haze regime observed in the background of the Fort Ord fogs was not measured by the other investigators. It can be surmised




Figure 5. Fog extinction and liquid water content data plotted against Low's theoretical regression line.

that such a regime would be found in many fogs to a greater or lesser extent, depending upon the state of pollution at a locality and the degree of supersaturation attained. In a barely saturated environment, only the stable haze regime may exist, particularly in the absence of large sea-salt condensation nuclei which are often found along the sea coast. In the Fort Ord fogs, the magnitude of this regime fluctuated as the fog evolved. Near the beginning and the end of the fog period, the magnitude of the haze regime appeared to rise in relation to that of the fog regime. Low<sup>10</sup> showed also the same trend in the case of CCN concentration. During the fog period, there was a constant transport of particles from the haze to the fog regime and vice versa while the larger ones were being depleted as a result of gravitational settling.

The existence of a haze regime has microphysical as well as optical implications. It serves as an internal source and in the meantime a sink for fog droplets. Its contribution to the total liquid water content of a fog is quite small, if not completely negligible; yet its contribution to the total extinction may be quite out of proportion to its magnitude.<sup>6</sup> It is thus not surprising that different fogs at different localities give rise to different relationships between liquid water content and visible extinction (or visibility). Nevertheless, note that Low's theoretical relationship appeared to hold quite well for the Fort Ord fogs. If one is willing to accept a 50 percent deviation, then the relationship holds for all data points. Finally, there is some indication that the departure from the theoretical relationship became greater as the liquid water content became smaller--for reasons already discussed.

#### RECOMMENDATIONS

The relationship between visible extinction and liquid water content varies from one fog to another and one place to another, which would also be true of the relationship between visible and infrared extinctions. The goal in EO modeling work is to find ways to generalize or categorize this relationship so that it may be applicable under a variety of circumstances. Considering the quality of the Knollenberg counter's drop-size

---

<sup>10</sup>R. D. H. Low, 1975, "Microphysical Evolution of Fog," J. Rech. Atmos., 2:23-32

<sup>6</sup>E. E. Hindman II and O. E. R. Heimdahl, 1977, "Submicron Haze Droplets and Their Influence on Visibility in Fog," preprints: 6th Conference on Inadvertent and Planned Weather Modification, American Meteorological Society, Boston, MA, pp 10-13

measurements, researchers have insinuated (e.g., Cress and Fenn<sup>11</sup>) that relative error in number concentration may reach as high as 50 percent. Therefore, any relationship derived from the Knollenberg data alone must be expected to incur an error as much as 50 percent. According to private conversation with Dr. G. Hänel, an atmospheric model (unless custom-made) can do no better than predict the mean conditions; thus a model may be considered quite respectable if its relative error is no worse than 50 percent all the time. Nevertheless, the authors of this report feel that the situation may be improved somewhat, and hence the following recommendations.

1. To serve as a cross-check on the Knollenberg data, an accurately calibrated EG&E forward scattering meter should be placed side by side with the Knollenberg counter so that the measured extinction may be compared with the calculated one, thereby lending some confidence to the derived relations.

2. An additional cross-check may be accomplished through the use of the haze particle, the CCN and the CN or Aitken particle counters. The last device will furnish information on the state of pollution at a place, the second on the concentration of particles which may contribute to haze as well as fog formation, and the first on haze formation only. These counters should be operated continuously during a field trip. The data so obtained will throw some light on the fog/haze conditions to be expected at that place. The following table extracted from the report by Mack et al.<sup>3</sup> may illustrate the importance of these measurements.

	Haze Particles (cm <sup>-3</sup> )			CCN (cm <sup>-3</sup> )		CN (cm <sup>-3</sup> )
	Relative Humidity (%)			Supersaturation (%)		
	<u>97</u>	<u>99</u>	<u>100</u>	<u>0.3</u>	<u>1.0</u>	
Vandenberg	25	35	40	250	630	0.3 x 10 <sup>4</sup>
Los Angeles	310	370	580	1800	2800	2.9 x 10 <sup>4</sup>

<sup>11</sup>T. S. Cress and R. W. Fenn, Ed., 1978, "OPAQUE Aerosol Counter Inter-comparison," 25 April 1977 - 4 May 1977, AFGL-TR-78-0004, USAF Geophysical Laboratory, Hanscom Air Force Base, MA, 56 pp

<sup>3</sup>E. J. Mack, W. J. Eadie, C. W. Rogers, W. C. Kocmond, and R. J. Pilié, 1972, "A Field Investigation and Numerical Simulation of Coastal Fog," CAL No. CJ-5055-M-1, Cornell Aeronautical Laboratory (now Calspan Corporation), Buffalo, NY, 136 pp

#### REFERENCES

1. Loveland, R. B., J. D. Lindberg, J. B. Mason, H. L. Newman, A. F. Lewis, and J. C. Devine, 1978, "Atmospheric Characterization Measurements for Copperhead Ground Fog Experiment, Fort Ord, California," Internal Report, Atmospheric Sciences Laboratory, White Sands Missile Range, New Mexico, 329 pp.
2. Goodman, Jindra, 1975, "The Microstructure of California Coastal Fog and Stratus (preliminary report), Report No. 75-02, Department of Meteorology, San Jose State University, San Jose, California, 61 pp.
3. Mack, E. J., W. J. Eadie, C. W. Rogers, W. C. Kocmond, and R. J. Pilié, 1972, "A Field Investigation and Numerical Simulation of Coastal Fog," CAL No. CJ-5055-M-1, Cornell Aeronautical Laboratory (now Calspan Corporation), Buffalo, NY, 136 pp.
4. Low, R. D. H., 1978, "A Theoretical Investigation of Cloud/Fog Extinction Coefficients and Their Spectral Correlations," Beitr. Phys. Atmos. (accepted).
5. Mason, B. J., 1971, The Physics of Clouds, London, Oxford University Press, 671 pp.
6. Hindman II, E. E., and O. E. R. Heimdahl, 1977, "Submicron Haze Droplets and Their Influence on Visibility in Fog," preprints: 6th Conference on Inadvertent and Planned Weather Modification, American Meteorological Society, Boston, MA, pp 10-13.
7. Low, R. D. H., L. D. Duncan, and R. B. Gomez, 1978, "The Microphysical Basis of Fog Optical Characterization," ASL-TR-0011, Atmospheric Sciences Laboratory, White Sands Missile Range, New Mexico, 24 pp.
8. Goodman, Jindra, 1977, "The Microstructure of California Coastal Fog and Stratus," J. Appl. Meteorol., 16:1056-1067.
9. Deirmendjian, D., 1969, Electromagnetic Scattering on Spherical Polydispersion, New York, Elsevier, 290 pp.
10. Low, R. D. H., 1975, "Microphysical Evolution of Fog," J. Rech. Atmos., 2:23-32.
11. Cress, T. S., and R. W. Fenn, Ed., 1978, "OPAQUE Aerosol Counter Inter-comparison," 25 April 1977 - 4 May 1977, AFGL-TR-78-0004, USAF Geophysical Laboratory, Hanscom Air Force Base, MA, 56 pp.

DISTRIBUTION LIST

Dr. Frank D. Eaton  
Geophysical Institute  
University of Alaska  
Fairbanks, AK 99701

Commander  
US Army Aviation Center  
ATTN: ATZQ-D-MA  
Fort Rucker, AL 36362

Chief, Atmospheric Sciences Div  
Code ES-81  
NASA  
Marshall Space Flight Center,  
AL 35812

Commander  
US Army Missile R&D Command  
ATTN: DRDMI-CGA (B. W. Fowler)  
Redstone Arsenal, AL 35809

Redstone Scientific Information Center  
ATTN: DRDMI-TBD  
US Army Missile R&D Command  
Redstone Arsenal, AL 35809

Commander  
US Army Missile R&D Command  
ATTN: DRDMI-TEM (R. Haraway)  
Redstone Arsenal, AL 35809

Commander  
US Army Missile R&D Command  
ATTN: DRDMI-TRA (Dr. Essenwanger)  
Redstone Arsenal, AL 35809

Commander  
HQ, Fort Huachuca  
ATTN: Tech Ref Div  
Fort Huachuca, AZ 85613

Commander  
US Army Intelligence Center & School  
ATTN: ATSI-CD-MD  
Fort Huachuca, AZ 85613

Commander  
US Army Yuma Proving Ground  
ATTN: Technical Library  
Bldg 2100  
Yuma, AZ 85364

Naval Weapons Center (Code 3173)  
ATTN: Dr. A. Shlanta  
China Lake, CA 93555

Sylvania Elec Sys Western Div  
ATTN: Technical Reports Library  
PO Box 205  
Mountain View, CA 94040

Geophysics Officer  
PMTC Code 3250  
Pacific Missile Test Center  
Point Mugu, CA 93042

Commander  
Naval Ocean Systems Center (Code 4473)  
ATTN: Technical Library  
San Diego, CA 92152

Meteorologist in Charge  
Kwajalein Missile Range  
PO Box 67  
APO San Francisco, CA 96555

Director  
NOAA/ERL/APCL R31  
RB3-Room 567  
Boulder, CO 80302

Library-R-51-Tech Reports  
NOAA/ERL  
320 S. Broadway  
Boulder, CO 80302

National Center for Atmos Research  
NCAR Library  
PO Box 3000  
Boulder, CO 80307

R. B. Girardo  
Bureau of Reclamation  
E&R Center, Code 1220  
Denver Federal Center, Bldg 67  
Denver, CO 80225

National Weather Service  
National Meteorological Center  
W321, WWB, Room 201  
ATTN: Mr. Quiroz  
Washington, DC 20233

Mil Assistant for Atmos Sciences  
Ofc of the Undersecretary of Defense  
for Rsch & Engr/E&LS - Room 3D129  
The Pentagon  
Washington, DC 20301

Defense Communications Agency  
Technical Library Center  
Code 205  
Washington, DC 20305

Director  
Defense Nuclear Agency  
ATTN: Technical Library  
Washington, DC 20305

HQDA (DAEN-RDM/Dr. de Percin)  
Washington, DC 20314

Director  
Naval Research Laboratory  
Code 5530  
Washington, DC 20375

Commanding Officer  
Naval Research Laboratory  
Code 2627  
Washington, DC 20375

Dr. J. M. MacCallum  
Naval Research Laboratory  
Code 1409  
Washington, DC 20375

The Library of Congress  
ATTN: Exchange & Gift Div  
Washington, DC 20540  
2

Head, Atmos Rsch Section  
Div Atmospheric Science  
National Science Foundation  
1800 G. Street, NW  
Washington, DC 20550

CPT Hugh Albers, Exec Sec  
Interdept Committee on Atmos Science  
National Science Foundation  
Washington, DC 20550

Director, Systems R&D Service  
Federal Aviation Administration  
ATTN: ARD-54  
2100 Second Street, SW  
Washington, DC 20590

ADTC/DLODL  
Eglin AFB, FL 32542

Naval Training Equipment Center  
ATTN: Technical Library  
Orlando, FL 32813

Det 11, 2WS/OI  
ATTN: Maj Orondorff  
Patrick AFB, FL 32925

USAFETAC/CB  
Scott AFB, IL 62225

HQ, ESD/TOSI/S-22  
Hanscom AFB, MA 01731

Air Force Geophysics Laboratory  
ATTN: LCB (A. S. Carten, Jr.)  
Hanscom AFB, MA 01731

Air Force Geophysics Laboratory  
ATTN: LYD  
Hanscom AFB, MA 01731

Meteorology Division  
AFGL/LY  
Hanscom AFB, MA 01731

US Army Liaison Office  
MIT-Lincoln Lab, Library A-082  
PO Box 73  
Lexington, MA 02173

Director  
US Army Ballistic Rsch Lab  
ATTN: DRDAR-BLB (Dr. G. E. Keller)  
Aberdeen Proving Ground, MD 21005

Commander  
US Army Ballistic Rsch Lab  
ATTN: DRDAR-BLP  
Aberdeen Proving Ground, MD 21005

Director  
US Army Armament R&D Command  
Chemical Systems Laboratory  
ATTN: DRDAR-CLJ-I  
Aberdeen Proving Ground, MD 21010

Chief CB Detection & Alarms Div  
Chemical Systems Laboratory  
ATTN: DRDAR-CLC-CR (H. Tannenbaum)  
Aberdeen Proving Ground, MD 21010

Commander  
Harry Diamond Laboratories  
ATTN: DELHD-CO  
2800 Powder Mill Road  
Adelphi, MD 20783

Commander  
ERADCOM  
ATTN: DRDEL-AP  
2800 Powder Mill Road  
Adelphi, MD 20783  
2

Commander  
ERADCOM  
ATTN: DRDEL-CG/DRDEL-DC/DRDEL-CS  
2800 Powder Mill Road  
Adelphi, MD 20783

Commander  
ERADCOM  
ATTN: DRDEL-CT  
2800 Powder Mill Road  
Adelphi, MD 20783

Commander  
ERADCOM  
ATTN: DRDEL-EA  
2800 Powder Mill Road  
Adelphi, MD 20783

Commander  
ERADCOM  
ATTN: DRDEL-PA/DRDEL-ILS/DRDEL-E  
2800 Powder Mill Road  
Adelphi, MD 20783

Commander  
ERADCOM  
ATTN: DRDEL-PAO (S. Kimmel)  
2800 Powder Mill Road  
Adelphi, MD 20783

Chief  
Intelligence Materiel Dev & Support Ofc  
ATTN: DELEW-WL-I  
Bldg 4554  
Fort George G. Meade, MD 20755

Acquisitions Section, IRDB-D823  
Library & Info Service Div, NOAA  
6009 Executive Blvd  
Rockville, MD 20852

Naval Surface Weapons Center  
White Oak Library  
Silver Spring, MD 20910

The Environmental Research  
Institute of MI  
ATTN: IRIA Library  
PO Box 8618  
Ann Arbor, MI 48107

Mr. William A. Main  
USDA Forest Service  
1407 S. Harrison Road  
East Lansing, MI 48823

Dr. A. D. Belmont  
Research Division  
PO Box 1249  
Control Data Corp  
Minneapolis, MN 55440

Director  
Naval Oceanography & Meteorology  
NSTL Station  
Bay St Louis, MS 39529

Director  
US Army Engr Waterways Experiment Sta  
ATTN: Library  
PO Box 631  
Vicksburg, MS 39180

Environmental Protection Agency  
Meteorology Laboratory  
Research Triangle Park, NC 27711

US Army Research Office  
ATTN: DRXRO-PP  
PO Box 12211  
Research Triangle Park, NC 27709

Commanding Officer  
US Army Armament R&D Command  
ATTN: DRDAR-TSS Bldg 59  
Dover, NJ 07801

Commander  
HQ, US Army Avionics R&D Activity  
ATTN: DAVAA-0  
Fort Monmouth, NJ 07703

Commander/Director  
US Army Combat Surveillance & Target  
Acquisition Laboratory  
ATTN: DELCS-D  
Fort Monmouth, NJ 07703

Commander  
US Army Electronics R&D Command  
ATTN: DELCS-S  
Fort Monmouth, NJ 07703

US Army Materiel Systems  
Analysis Activity  
ATTN: DRXSY-MP  
Aberdeen Proving Ground, MD 21005

Director  
US Army Electronics Technology &  
Devices Laboratory  
ATTN: DELET-D  
Fort Monmouth, NJ 07703

Commander  
US Army Electronic Warfare Laboratory  
ATTN: DELEW-D  
Fort Monmouth, NJ 07703

Commander  
US Army Night Vision &  
Electro-Optics Laboratory  
ATTN: DELNV-L (Dr. Rudolf Buser)  
Fort Monmouth, NJ 07703

Commander  
ERADCOM Technical Support Activity  
ATTN: DELSD-L  
Fort Monmouth, NJ 07703

Project Manager, FIREFINDER  
ATTN: DRCPM-FF  
Fort Monmouth, NJ 07703

Project Manager, REMBASS  
ATTN: DRCPM-RBS  
Fort Monmouth, NJ 07703

Commander  
US Army Satellite Comm Agency  
ATTN: DRCPM-SC-3  
Fort Monmouth, NJ 07703

Commander  
ERADCOM Scientific Advisor  
ATTN: DRDEL-SA  
Fort Monmouth, NJ 07703

6585 TG/WE  
Holloman AFB, NM 88330

AFWL/WE  
Kirtland, AFB, NM 87117

AFWL/Technical Library (SUL)  
Kirtland AFB, NM 87117

Commander  
US Army Test & Evaluation Command  
ATTN: STEWS-AD-L  
White Sands Missile Range, NM 88002

Rome Air Development Center  
ATTN: Documents Library  
TSLD (Bette Smith)  
Griffiss AFB, NY 13441

Commander  
US Army Tropic Test Center  
ATTN: STETC-TD (Info Center)  
APO New York 09827

Commandant  
US Army Field Artillery School  
ATTN: ATSF-CD-R (Mr. Farmer)  
Fort Sill, OK 73503

Commandant  
US Army Field Artillery School  
ATTN: ATSF-CF-R  
Fort Sill, OK 73503

Director CFD  
US Army Field Artillery School  
ATTN: Met Division  
Fort Sill, OK 73503

Commandant  
US Army Field Artillery School  
ATTN: Morris Swett Library  
Fort Sill, OK 73503

Commander  
US Army Dugway Proving Ground  
ATTN: MT-DA-L  
Dugway, UT 84022

Dr. C. R. Sreedrahan  
Research Associates  
Utah State University, UNC 48  
Logan, UT 84322

Inge Dirmhirn, Professor  
Utah State University, UNC 48  
Logan, UT 84322

Defense Documentation Center  
ATTN: DDC-TCA  
Cameron Station Bldg 5  
Alexandria, VA 22314  
12

Commanding Officer  
US Army Foreign Sci & Tech Center  
ATTN: DRXST-IS1  
220 7th Street, NE  
Charlottesville, VA 22901

Naval Surface Weapons Center  
Code G65  
Dahlgren, VA 22448

Commander  
US Army Night Vision  
& Electro-Optics Lab  
ATTN: DELNV-D  
Fort Belvoir, VA 22060

Commander and Director  
US Army Engineer Topographic Lab  
ETL-TD-MB  
Fort Belvoir, VA 22060

Director  
Applied Technology Lab  
DAVDL-EU-TSD  
ATTN: Technical Library  
Fort Eustis, VA 23604

Department of the Air Force  
OL-C, 5WW  
Fort Monroe, VA 23651

Department of the Air Force  
5WW/DN  
Langley AFB, VA 23665

Director  
Development Center MCDEC  
ATTN: Firepower Division  
Quantico, VA 22134

US Army Nuclear & Chemical Agency  
ATTN: MONA-WE  
Springfield, VA 22150

Director  
US Army Signals Warfare Laboratory  
ATTN: DELSW-OS (Dr. R. Burkhardt)  
Vint Hill Farms Station  
Warrenton, VA 22186

Commander  
US Army Cold Regions Test Center  
ATTN: STECR-OP-PM  
APO Seattle, WA 98733

Dr. John L. Walsh  
Code 5560  
Navy Research Lab  
Washington, DC 20375

Commander  
TRASANA  
ATTN: ATAA-PL  
(Dolores Anguiano)  
White Sands Missile Range, NM 88002

Commander  
US Army Dugway Proving Ground  
ATTN: STEDP-MT-DA-M (Mr. Paul Carlson)  
Dugway, UT 84022

Commander  
US Army Dugway Proving Ground  
ATTN: STEDP-MT-DA-T  
(Mr. William Peterson)  
Dugway, UT 84022

Commander  
USATRADO  
ATTN: ATCD-SIE  
Fort Monroe, VA 23651

Commander  
USATRADO  
ATTN: ATCD-CF  
Fort Monroe, VA 23651

Commander  
USATRADO  
ATTN: Tech Library  
Fort Monroe, VA 23651

## ATMOSPHERIC SCIENCES RESEARCH PAPERS

1. Lindberg, J.D., "An Improvement to a Method for Measuring the Absorption Coefficient of Atmospheric Dust and other Strongly Absorbing Powders," ECOM-5565, July 1975.
2. Avara, Elton P., "Mesoscale Wind Shears Derived from Thermal Winds," ECOM-5566, July 1975.
3. Gomez, Richard B., and Joseph H. Pierluissi, "Incomplete Gamma Function Approximation for King's Strong-Line Transmittance Model," ECOM-5567, July 1975.
4. Blanco, A.J., and B.F. Engebos, "Ballistic Wind Weighting Functions for Tank Projectiles," ECOM-5568, August 1975.
5. Taylor, Fredrick J., Jack Smith, and Thomas H. Pries, "Crosswind Measurements through Pattern Recognition Techniques," ECOM-5569, July 1975.
6. Walters, D.L., "Crosswind Weighting Functions for Direct-Fire Projectiles," ECOM-5570, August 1975.
7. Duncan, Louis D., "An Improved Algorithm for the Iterated Minimal Information Solution for Remote Sounding of Temperature," ECOM-5571, August 1975.
8. Robbiani, Raymond L., "Tactical Field Demonstration of Mobile Weather Radar Set AN/TPS-41 at Fort Rucker, Alabama," ECOM-5572, August 1975.
9. Miers, B., G. Blackman, D. Langer, and N. Lorimier, "Analysis of SMS/GOES Film Data," ECOM-5573, September 1975.
10. Manquero, Carlos, Louis Duncan, and Rufus Bruce, "An Indication from Satellite Measurements of Atmospheric CO<sub>2</sub> Variability," ECOM-5574, September 1975.
11. Petracca, Carmine, and James D. Lindberg, "Installation and Operation of an Atmospheric Particulate Collector," ECOM-5575, September 1975.
12. Avara, Elton P., and George Alexander, "Empirical Investigation of Three Iterative Methods for Inverting the Radiative Transfer Equation," ECOM-5576, October 1975.
13. Alexander, George D., "A Digital Data Acquisition Interface for the SMS Direct Readout Ground Station - Concept and Preliminary Design," ECOM-5577, October 1975.
14. Cantor, Israel, "Enhancement of Point Source Thermal Radiation Under Clouds in a Nonattenuating Medium," ECOM-5578, October 1975.
15. Norton, Colburn, and Glenn Hoidale, "The Diurnal Variation of Mixing Height by Month over White Sands Missile Range, N.M.," ECOM-5579, November 1975.
16. Avara, Elton P., "On the Spectrum Analysis of Binary Data," ECOM-5580, November 1975.
17. Taylor, Fredrick J., Thomas H. Pries, and Chao-Huan Huang, "Optimal Wind Velocity Estimation," ECOM-5581, December 1975.
18. Avara, Elton P., "Some Effects of Autocorrelated and Cross-Correlated Noise on the Analysis of Variance," ECOM-5582, December 1975.
19. Gillespie, Patti S., R.L. Armstrong, and Kenneth O. White, "The Spectral Characteristics and Atmospheric CO<sub>2</sub> Absorption of the Ho<sup>+3</sup> YLF Laser at 2.05 $\mu$ m," ECOM-5583, December 1975.
20. Novlan, David J. "An Empirical Method of Forecasting Thunderstorms for the White Sands Missile Range," ECOM-5584, February 1976.
21. Avara, Elton P., "Randomization Effects in Hypothesis Testing with Autocorrelated Noise," ECOM-5585, February 1976.
22. Watkins, Wendell R., "Improvements in Long Path Absorption Cell Measurement," ECOM-5586, March 1976.
23. Thomas, Joe, George D. Alexander, and Marvin Dubbin, "SATTEL - An Army Dedicated Meteorological Telemetry System," ECOM-5587, March 1976.
24. Kennedy, Bruce W., and Delbert Bynum, "Army User Test Program for the RDT&E-XM-75 Meteorological Rocket," ECOM-5588, April 1976.

25. Barnett, Kenneth M., "A Description of the Artillery Meteorological Comparisons at White Sands Missile Range, October 1974 - December 1974 ('PASS' - Prototype Artillery [Meteorological] Subsystem)," ECOM-5589, April 1976.
26. Miller, Walter B., "Preliminary Analysis of Fall-of-Shot From Project 'PASS'," ECOM-5590, April 1976.
27. Avara, Elton P., "Error Analysis of Minimum Information and Smith's Direct Methods for Inverting the Radiative Transfer Equation," ECOM-5591, April 1976.
28. Yee, Young P., James D. Horn, and George Alexander, "Synoptic Thermal Wind Calculations from Radiosonde Observations Over the Southwestern United States," ECOM-5592, May 1976.
29. Duncan, Louis D., and Mary Ann Seagraves, "Applications of Empirical Corrections to NOAA-4 VTPR Observations," ECOM-5593, May 1976.
30. Miers, Bruce T., and Steve Weaver, "Applications of Meteorological Satellite Data to Weather Sensitive Army Operations," ECOM-5594, May 1976.
31. Sharenow, Moses, "Redesign and Improvement of Balloon ML-566," ECOM-5595, June, 1976.
32. Hansen, Frank V., "The Depth of the Surface Boundary Layer," ECOM-5596, June 1976.
33. Pinnick, R.G., and E.B. Stenmark, "Response Calculations for a Commercial Light-Scattering Aerosol Counter," ECOM-5597, July 1976.
34. Mason, J., and G.B. Hoidale, "Visibility as an Estimator of Infrared Transmittance," ECOM-5598, July 1976.
35. Bruce, Rufus E., Louis D. Duncan, and Joseph H. Pierluissi, "Experimental Study of the Relationship Between Radiosonde Temperatures and Radiometric-Area Temperatures," ECOM-5599, August 1976.
36. Duncan, Louis D., "Stratospheric Wind Shear Computed from Satellite Thermal Sounder Measurements," ECOM-5800, September 1976.
37. Taylor, F., P. Mohan, P. Joseph and T. Pries, "An All Digital Automated Wind Measurement System," ECOM-5801, September 1976.
38. Bruce, Charles, "Development of Spectrophones for CW and Pulsed Radiation Sources," ECOM-5802, September 1976.
39. Duncan, Louis D., and Mary Ann Seagraves, "Another Method for Estimating Clear Column Radiances," ECOM-5803, October 1976.
40. Blanco, Abel J., and Larry E. Taylor, "Artillery Meteorological Analysis of Project Pass," ECOM-5804, October 1976.
41. Miller, Walter, and Bernard Engebos, "A Mathematical Structure for Refinement of Sound Ranging Estimates," ECOM-5805, November, 1976.
42. Gillespie, James B., and James D. Lindberg, "A Method to Obtain Diffuse Reflectance Measurements from 1.0 to 3.0  $\mu\text{m}$  Using a Cary 17I Spectrophotometer," ECOM-5806, November 1976.
43. Rubio, Roberto, and Robert O. Olsen, "A Study of the Effects of Temperature Variations on Radio Wave Absorption," ECOM-5807, November 1976.
44. Ballard, Harold N., "Temperature Measurements in the Stratosphere from Balloon-Borne Instrument Platforms, 1968-1975," ECOM-5808, December 1976.
45. Monahan, H.H., "An Approach to the Short-Range Prediction of Early Morning Radiation Fog," ECOM-5809, January 1977.
46. Engebos, Bernard Francis, "Introduction to Multiple State Multiple Action Decision Theory and Its Relation to Mixing Structures," ECOM-5810, January 1977.
47. Low, Richard D.H., "Effects of Cloud Particles on Remote Sensing from Space in the 10-Micrometer Infrared Region," ECOM-5811, January 1977.
48. Bonner, Robert S., and R. Newton, "Application of the AN/GVS-5 Laser Rangefinder to Cloud Base Height Measurements," ECOM-5812, February 1977.
49. Rubio, Roberto, "Lidar Detection of Subvisible Reentry Vehicle Erosive Atmospheric Material," ECOM-5813, March 1977.
50. Low, Richard D.H., and J.D. Horn, "Mesoscale Determination of Cloud-Top Height: Problems and Solutions," ECOM-5814, March 1977.

51. Duncan, Louis D., and Mary Ann Seagraves, "Evaluation of the NOAA-4 VTPR Thermal Winds for Nuclear Fallout Predictions," ECOM-5815, March 1977.
52. Randhawa, Jagir S., M. Izquierdo, Carlos McDonald and Zvi Salpeter, "Stratospheric Ozone Density as Measured by a Chemiluminescent Sensor During the Stratcom VI-A Flight," ECOM-5816, April 1977.
53. Rubio, Roberto, and Mike Izquierdo, "Measurements of Net Atmospheric Irradiance in the 0.7- to 2.8-Micrometer Infrared Region," ECOM-5817, May 1977.
54. Ballard, Harold N., Jose M. Sema, and Frank P. Hudson Consultant for Chemical Kinetics, "Calculation of Selected Atmospheric Composition Parameters for the Mid-Latitude, September Stratosphere," ECOM-5818, May 1977.
55. Mitchell, J.D., R.S. Sagar, and R.O. Olsen, "Positive Ions in the Middle Atmosphere During Sunrise Conditions," ECOM-5819, May 1977.
56. White, Kenneth O., Wendell R. Watkins, Stuart A. Schleusener, and Ronald L. Johnson, "Solid-State Laser Wavelength Identification Using a Reference Absorber," ECOM-5820, June 1977.
57. Watkins, Wendell R., and Richard G. Dixon, "Automation of Long-Path Absorption Cell Measurements," ECOM-5821, June 1977.
58. Taylor, S.E., J.M. Davis, and J.B. Mason, "Analysis of Observed Soil Skin Moisture Effects on Reflectance," ECOM-5822, June 1977.
59. Duncan, Louis D. and Mary Ann Seagraves, "Fallout Predictions Computed from Satellite Derived Winds," ECOM-5823, June 1977.
60. Snider, D.E., D.G. Murcray, F.H. Murcray, and W.J. Williams, "Investigation of High-Altitude Enhanced Infrared Background Emissions" (U), SECRET, ECOM-5824, June 1977.
61. Dubbin, Marvin H. and Dennis Hall, "Synchronous Meteorological Satellite Direct Readout Ground System Digital Video Electronics," ECOM-5825, June 1977.
62. Miller, W., and B. Engebos, "A Preliminary Analysis of Two Sound Ranging Algorithms," ECOM-5826, July 1977.
63. Kennedy, Bruce W., and James K. Luers, "Ballistic Sphere Techniques for Measuring Atmospheric Parameters," ECOM-5827, July 1977.
64. Duncan, Louis D., "Zenith Angle Variation of Satellite Thermal Sounder Measurements," ECOM-5828, August 1977.
65. Hansen, Frank V., "The Critical Richardson Number," ECOM-5829, September 1977.
66. Ballard, Harold N., and Frank P. Hudson (Compilers), "Stratospheric Composition Balloon-Borne Experiment," ECOM-5830, October 1977.
67. Barr, William C., and Arnold C. Peterson, "Wind Measuring Accuracy Test of Meteorological Systems," ECOM-5831, November 1977.
68. Ethridge, G.A. and F.V. Hansen, "Atmospheric Diffusion: Similarity Theory and Empirical Derivations for Use in Boundary Layer Diffusion Problems," ECOM-5832, November 1977.
69. Low, Richard D.H., "The Internal Cloud Radiation Field and a Technique for Determining Cloud Blackness," ECOM-5833, December 1977.
70. Watkins, Wendell R., Kenneth O. White, Charles W. Bruce, Donald L. Walters, and James D. Lindberg, "Measurements Required for Prediction of High Energy Laser Transmission," ECOM-5834, December 1977.
71. Rubio, Robert, "Investigation of Abrupt Decreases in Atmospherically Backscattered Laser Energy," ECOM-5835, December 1977.
72. Monahan, H.H. and R.M. Cionco, "An Interpretative Review of Existing Capabilities for Measuring and Forecasting Selected Weather Variables (Emphasizing Remote Means)," ASL-TR-0001, January 1978.
73. Heaps, Melvin G., "The 1979 Solar Eclipse and Validation of D-Region Models," ASL-TR-0002, March 1978.

74. Jennings, S.G., and J.B. Gillespie, "M.I.E. Theory Sensitivity Studies - The Effects of Aerosol Complex Refractive Index and Size Distribution Variations on Extinction and Absorption Coefficients Part II: Analysis of the Computational Results," ASL-TR-0003, March 1978.
75. White, Kenneth O. et al, "Water Vapor Continuum Absorption in the 3.5 $\mu$ m to 4.0 $\mu$ m Region," ASL-TR-0004, March 1978.
76. Olsen, Robert O., and Bruce W. Kennedy, "ABRES Pretest Atmospheric Measurements," ASL-TR-0005, April 1978.
77. Ballard, Harold N., Jose M. Serna, and Frank P. Hudson, "Calculation of Atmospheric Composition in the High Latitude September Stratosphere," ASL-TR-0006, May 1978.
78. Watkins, Wendell R. et al, "Water Vapor Absorption Coefficients at HF Laser Wavelengths," ASL-TR-0007, May 1978.
79. Hansen, Frank V., "The Growth and Prediction of Nocturnal Inversions," ASL-TR-0008, May 1978.
80. Samuel, Christine, Charles Bruce, and Ralph Brewer, "Spectrophone Analysis of Gas Samples Obtained at Field Site," ASL-TR-0009, June 1978.
81. Pinnick, R.G. et al., "Vertical Structure in Atmospheric Fog and Haze and its Effects on IR Extinction," ASL-TR-0010, July 1978.
82. Low, Richard D.H., Louis D. Duncan, and Richard B. Gomez, "The Microphysical Basis of Fog Optical Characterization," ASL-TR-0011, August 1978.
83. Heaps, Melvin G., "The Effect of a Solar Proton Event on the Minor Neutral Constituents of the Summer Polar Mesosphere," ASL-TR-0012, August 1978.
84. Mason, James B., "Light Attenuation in Falling Snow," ASL-TR-0013, August 1978.
85. Blanco, Abel J., "Long-Range Artillery Sound Ranging: "PASS" Meteorological Application," ASL-TR-0014, September 1978.
86. Heaps, M.G., and F.E. Niles, "Modeling the Ion Chemistry of the D-Region: A case Study Based Upon the 1966 Total Solar Eclipse," ASL-TR-0015, September 1978.
87. Jennings, S.G., and R.G. Pinnick, "Effects of Particulate Complex Refractive Index and Particle Size Distribution Variations on Atmospheric Extinction and Absorption for Visible Through Middle-Infrared Wavelengths," ASL-TR-0016, September 1978.
88. Watkins, Wendell R., Kenneth O. White, Lanny R. Bower, and Brian Z. Sojka, "Pressure Dependence of the Water Vapor Continuum Absorption in the 3.5- to 4.0-Micrometer Region," ASL-TR-0017, September 1978.
89. Miller, W.B., and B.F. Engebos, "Behavior of Four Sound Ranging Techniques in an Idealized Physical Environment," ASL-TR-0018, September 1978.
90. Gomez, Richard G., "Effectiveness Studies of the CBU-88/B Bomb, Cluster, Smoke Weapon" (U), CONFIDENTIAL ASL-TR-0019, September 1978.
91. Miller, August, Richard C. Shirkey, and Mary Ann Seagraves, "Calculation of Thermal Emission from Aerosols Using the Doubling Technique," ASL-TR-0020, November, 1978.
92. Lindberg, James D. et al., "Measured Effects of Battlefield Dust and Smoke on Visible, Infrared, and Millimeter Wavelengths Propagation: A Preliminary Report on Dusty Infrared Test-I (DIRT-I)," ASL-TR-0021, January 1979.
93. Kennedy, Bruce W., Arthur Kinghorn, and B.R. Hixon, "Engineering Flight Tests of Range Meteorological Sounding System Radiosonde," ASL-TR-0022, February 1979.
94. Rubio, Roberto, and Don Hoock, "Microwave Effective Earth Radius Factor Variability at Wiesbaden and Balboa," ASL-TR-0023, February 1979.
95. Low, Richard D.H., "A Theoretical Investigation of Cloud/Fog Optical Properties and Their Spectral Correlations," ASL-TR-0024, February 1979.

96. Pinnick, R.G., and H. J. Auvermann, "Response Characteristics of Knollenberg Light-Scattering Aerosol Counters," ASL-TR-0025, February 1979.
97. Heaps, Melvin G., Robert O. Olsen, and Warren W. Berning, "Solar Eclipse 1979, Atmospheric Sciences Laboratory Program Overview," ASL-TR-0026 February 1979.
98. Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' GR-8 Sound Ranging Data," ASL-TR-0027, March 1979.
99. Kennedy, Bruce W., and Jose M. Serna, "Meteorological Rocket Network System Reliability," ASL-TR-0028, March 1979.
100. Swingle, Donald M., "Effects of Arrival Time Errors in Weighted Range Equation Solutions for Linear Base Sound Ranging," ASL-TR-0029, April 1979.
101. Umstead, Robert K., Ricardo Pena, and Frank V. Hansen, "KWIK: An Algorithm for Calculating Munition Expenditures for Smoke Screening/Obscuration in Tactical Situations," ASL-TR-0030, April 1979.
102. D'Arcy, Edward M., "Accuracy Validation of the Modified Nike Hercules Radar," ASL-TR-0031, May 1979.
103. Rodriguez, Ruben, "Evaluation of the Passive Remote Crosswind Sensor," ASL-TR-0032, May 1979.
104. Barber, T. L., and R. Rodriguez, "Transit Time Lidar Measurement of Near-Surface Winds in the Atmosphere," ASL-TR-0033, May 1979.
105. Low, Richard D. H., Louis D. Duncan, and Y. Y. Roger R. Hsiao, "Microphysical and Optical Properties of California Coastal Fogs at Fort Ord," ASL-TR-0034, June 1979.

96. Pinnick, R.G., and H.J. Auvermann, "Response Characteristics of Knollenberg Light-Scattering Aerosol Counters," ASL-TR-0025, February 1979.
97. Heaps, Melvin G., Robert O. Olsen, and Warren W. Berning, "Solar Eclipse 1979, Atmospheric Sciences Laboratory Program Overview," ASL-TR-0026 February 1979.
98. Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' GR-8 Sound Ranging Data," ASL-TR-0027, March 1979.
99. Kennedy, Bruce W., and Jose M. Serna, "Meteorological Rocket Network System Reliability," ASL-TR-0028, March 1979.
100. Swingle, Donald M., "Effects of Arrival Time Errors in Weighted Range Equation Solutions for Linear Base Sound Ranging," ASL-TR-0029, April 1979.
101. Umstead, Robert K., Ricardo Pena, and Frank V. Hansen, "KWIK: An Algorithm for Calculating Munition Expenditures for Smoke Screening/Obscuration in Tactical Situations," ASL-TR-0030, April 1979.
102. D'Arcy, Edward M., "Accuracy Validation of the Modified Nike Hercules Radar," ASL-TR-0031, May 1979.
103. Rodriguez, Ruben, "Evaluation of the Passive Remote Crosswind Sensor," ASL-TR-0032, May 1979.
104. Barber, T.L., and R. Rodriguez, "Transit Time Lidar Measurement of Near-Surface Winds in the Atmosphere," ASL-TR-0033, May 1979.
105. Low, Richard D.H., Louis D. Duncan, and Y.Y. Roger R. Hsiao, "Microphysical and Optical Properties of California Coastal Fogs at Fort Ord," ASL-TR-0034, June 1979.