URBAN RESEARCH AND DEVELOPMENT CORP BETHLEHEM PA F/G 13/2 RECREATION CARRYING CAPACITY FACTS AND CONSIDERATIONS. REPORT 4--ETC(U) JUL 80 DACU39-78-C-0106 AD-A090 599 DACW39-78-C-0096 UNCLASSIFIED 1 or 2



RECREATION CARRYING CAPACITY FACTS AND CONSIDERATIONS

Report 4

LAKE OUACHITA PROJECT AREA



bν

Urban Research and Development Corporation

528 North New Street Bethlehem, Pa. 18018

FVF

MISCELLANEOUS PAPER R-80-1

JULY 1980

REPORT 4 OF A SLATES







Approved For Public Release; Distribution Unlimited

rile COPY

, i,



Prepared for

Office, Chief of Engineers, U. S. Army Washington, D. C. 20314

Under

Contract No. DACW39-78-C-0096

Monitored by

Environmental Laboratory

U. S. Army Engineer Waterways Experiment Station

P. O. Box 631, Vicksburg, Miss. 39180

"Original contains color plates: All DTIC reproductations will be in black and white"



E

80 10 9 057

MISCELLANEOUS PAPER R-80-1

RECREATION CARRYING CAPACITY FACTS AND CONSIDERATIONS

Title	Date
Report 1: Barkley Lock and Dam, Lake Barkley Project Area	Jul 1980
Report 2: Benbrook Lake Project Area	Jul 1980
Report 3: Hartwell Lake Project Area	Jul 1980
Report 4: Lake Quachita Project Area	Jul 1980
Report 5: Lake Shelbyville Project Area	Jul 1980
Report 6: McNary Lock and Dam, Lake Wallula Project Area	Jul 1980
Report 7: Milford Lake Project Area	Jul 1980
Report 8: New Hogan Lake Project Area	Jul 1980
Report 9: Shenango River Lake Project Area	Jul 1980
Report 10: Somerville Lake Project Area	Jul 1980
Report 11: Surry Mountain Lake Project Area	Jul 1980

Acknowledgements

We gratefully acknowledge the enthusiasm and excellent cooperation of the resource managers, rangers, and other Corps personnel at Lake Ouachita and the representatives from the Vicksburg District Office. Their contribution of practical experience and knowledge, along with their assistance in arranging schedules, have made this carrying capacity research effort possible.

Destroy this report when no longer needed. Do not return it to the originator.

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

	SECURITY CLASSIFICATION OF THIS PAGE (When Date REPORT DOCUMENTATION		READ INSTRUCTIONS
	1. REPORT NUMBER		BEFORE COMPLETING FORM 3. RECIPIENT'S CATALOG NUMBER
	Miscellane pur Paper R-80-1	A090599	·
	RECREATION CARRYING	CAPACITY FACTS	5. TYPE OF REPORT & PERIOD COVER
À	AND CONSIDERATIONS Report 4 IAKI PROJECT AREA	E QUACHITA	Report 4 of a series
7	THOUSE ATELA		6. PERFORMING ORG. REPORT NUMBER
_		-	8. CONTRACT OR GRANT NUMBER(*)
0	40 0 00 XX 111		Contract No.
4	MP-K-80-1-4	(15)	DACW39-78-C-0096
نـ	CONTRACTOR OF THE STATE OF THE	(13)	
	9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TAS AREA & WORK UNIT NUMBERS
	Urban Research and Development Co 528 North New Street	rporacion	Recreation Research Progr
	Bethlehem, Pa. 18018		
	11. CONTROLLING OFFICE NAME AND ADDRESS		WEPORT DATE
	Office, Chief of Engineers, U. S. Washington, D. C. 20314	Army	July 80
			96
	U. S. Army Engineer Waterways Expe	eriment Station	15. SECURITY CLASS. (of this report)
	Environmental Laboratory	_	Unclassified
	P. O. Box 631, Vicksburg, Miss.	39180	DECLASSIFICATION DOWNGRADING
	16. DISTRIBUTION STATEMENT (of this Report)	10	<u> </u>
		ribution unlimited	d.
	Approved for public release; dist		
	Approved for public release; dist		
	Approved for public release; dist		
	Approved for public release; dist.	in Block 20, if different from	n Report)
		in Block 20, if different from	n Report)
		In Black 20, If different from	n Report)
		In Block 20, If different from	n Report)
	17. DISTRIBUTION STATEMENT (of the abetract entered		
	17. DISTRIBUTION STATEMENT (of the abetract entered 18. SUPPLEMENTARY NOTES A project map of Lake Ouachita is	enclosed in an en	
	17. DISTRIBUTION STATEMENT (of the abetract entered	enclosed in an en	
	17. DISTRIBUTION STATEMENT (of the abetract entered 18. SUPPLEMENTARY NOTES A project map of Lake Ouachita is	enclosed in an en	
	17. DISTRIBUTION STATEMENT (of the abetract entered 18. SUPPLEMENTARY NOTES A project map of Lake Ouachita is	enclosed in an en	
	17. DISTRIBUTION STATEMENT (of the abetract entered 18. SUPPLEMENTARY NOTES A project map of Lake Ouachita is inside the back cover of this repo	enclosed in an en	
	18. SUPPLEMENTARY NOTES A project map of Lake Ouachita is inside the back cover of this repo 19. KEY WORDS (Continue on reverse side if necessary as Recreation carrying capacity Resource capacity	enclosed in an en rt. Ind identify by block number) Factors Indicators	velope attached Overuse Recreation resource
	17. DISTRIBUTION STATEMENT (of the abetract entered 18. SUPPLEMENTARY NOTES A project map of Lake Ouachita is inside the back cover of this repo 19. KEY WORDS (Continue on reverse side if necessary as Recreation carrying capacity	enclosed in an en rt. nd identify by block number) Factors	velope attached Overuse

This report provides selected recreation carrying capacity-related information for the Lake Ouachita Project. The information is based upon: 1) user and management surveys conducted at Lake Ouachita, and Urban Research and Development Corporation's observations and perceptions of the situations at the project's activity areas. The report provides information regarding activity situations, user characteristics, carrying capacity findings, and other findings; it then focuses on selected problem situations and their possible solutions.

DD 1 JAN 73 1473 EDITION OF 1 NOV 68 IS OBSOLETE

Unclassified

ECUMTY CLASSIFICATION OF THIS PAGE (When Date Entered)

11947 Du

THE PARTY OF THE P

PREFACE

This report presents the findings and recommendations of the Urban Research and Development Corporation (URDC) relative to recreational carrying capacity at the Lake Ouachita Project Area. Results of site analyses and user surveys are presented as they relate to existing carrying capacity conditions on the project. The study was conducted under Contract with the U. S. Army Engineer Waterways Experiment Station (WES), Vicksburg, Mississippi, (Contract No. DACW39-78-C-0096).

Mr. Donald R. Detwiler, President of URDO, was Principal-In-Charge of this study, assisted by Mr. Martin C. Gilchrist, Executive Vice-President and Mr. David H. Humphrey, Vice-President. Mr. B. Thomas Palmer, Project Director, had the major responsibility for technical project direction; Messrs. Phillip D. Hunsberger and Paul L. Sabrosky were involved in the site analysis, conducting surveys, and the success analysis; and Mr. Timothy A. Fluck was involved in conducting surveys, survey analysis, and development of methodologies.

Mr. R. Scott Jackson, WES was the Project Monitor. Dr. Adolph Anderson, WES, was Program Manager of the Environmental Laboratory (EL) Recreation Research Program. The study was supervised by Dr. Conrad J. Kirby, Chief, Environmental Resources Division, EL, under the general supervision of Dr. John Harrison, Chief, EL.

COL John L. Cannon, CE, and COL Nelson P. Conover, CE, were Commanders and Directors of WES during this study. Technical Director was Mr. F. R. Brown.

Accessi	on For	
NTIS G DDC TAB Unannou Justifi	}	X
	ont ton L	
Dist	Avalla speci	w1/ or

CONTENTS

33.11.2.11.0	PAGE
PREFACE	i
CONVERSION FACTORS, U. S. CUSTOMARY TO METRIC (SI) UNITS OF MEASUREMENT	iv
PART 1: INTRODUCTION	1
This Report	3
Purpose	3
Relationship to Technical Report and Handbook	4 4
Summary Project Area Description	5
PART 2: SURVEY FINDINGS BY ACTIVITY	7
Camping	9
Orientation	9
User characteristics	10
User opinions	11
Spacing preferences	11
Reasons for pleasant/unpleasant experience	12
Acceptability of techniques	18
Boating/Waterskiing	21
Orientation	21
User characteristics	22
User opinions	23
Spacing preferences	23
Reasons for pleasant/unpleasant experience	24
Acceptability of techniques	26
Sunbathing/Swimming	29
Orientation	29
User characteristics	30
User opinions	31
Spacing preferences	31
Reasons for pleasant/unpleasant experience	32
Acceptability of techniques	38
Boat Launching	41
Orientation	41
User characteristics	42
User opinions	43
Preferred launch times	43
Reasons for pleasant/unpleasant experience	43
Acceptability of techniques	48
Picnicking	51
Orientation	51
liger characteristics	52

Spacing preferences	53 53 54 56
Boat Fishing	59
	59 60
	61
obecame breathanness and a second sec	61 62
	64
PART 3: ANALYSIS OF SELECTED PROBLEMS/SITUATIONS	67
APPENDICES	77
Appendix A: Key Terms	A1
Appendix B: Example Survey Forms	B1
Appendix C: Project Area Description	C1

CONVERSION FACTORS, U. S. CUSTOMARY TO METRIC (SI) UNITS OF MEASUREMENT

U. S. customary units of measurement used in this report can be converted to metric (SI) units as follows:

Multiply	Ву	To Obtain
acres	4046.856	square metres
Fahrenheit degrees	5/9	Celsuis degrees or Kelvins
feet	0.3048	metres
horsepower (550 foot and pounds per second)	745.6999	watts
inches	2.54	centimetres
miles per hour (U. S. statute)	1.609344	kilometres per hour
miles (U. S. statute)	1.609344	kilometres
square feet	0.09290304	square metres
yards	0.9144	metres

^{*} To obtain Celsius (C) temperature readings from Fahrenheit (F) readings, use the following formula: C = (5/9) (F - 32). To obtain Kelvin (K) readings, use K = (5/9) (F - 32) + 273.15.

PART 1: INTRODUCTION

PRECEDING PACE BLANK-NOT FILMED

RECREATION CARRYING CAPACITY FACTS AND CONSIDERATIONS

LAKE OUACHITA PROJECT AREA

PART 1: INTRODUCTION

This Report

Purpose

This report, prepared as the fourth in a series of the U. S. Army Engineer Waterways Experiment Station's (WES) Recreational Carrying Capacity Design and Management Study reports, provides selected carrying capacity-related information for the Lake Ouachita Project Area which cannot be found in the Technical Report. The information is based upon:

1) the user and management surveys conducted at Lake Ouachita, and 2)

Urban Research & Development Corporation's (URDC) observations and perceptions of the situations at the project's study activity areas.

Some observations and suggestions dealing with project area planning, design, and/or management are included, even though they are not specifically carrying capacity related. The report also suggests specific solutions and treatments of specific recreation activity areas.

The report first provides information regarding activity situations, user characteristics, carrying capacity findings, and other findings; it then focuses on selected problem situations and their possible solutions. Although suggestions regarding possible solutions to problems are included, this report is not intended to be a substitute for master planning or to provide answers to all project area capacity problems. Instead, this report should be viewed as a constructive, informative document which points out directions and techniques for consideration by project managers and designers in the near or distant future.

Relationship to Technical Report and Handbook

In addition to this Project Area Report and similar reports on the other ten study project areas,* the overall capacity study effort produced a Technical Report and a Capacity Handbook:

- <u>a.</u> The <u>Technical Report</u> describes the overall study process, reports detailed study findings, and suggests and demonstrates methods and techniques for capacity management.
- b. The <u>Capacity Handbook</u> is a more graphic, "how-to-do-it" type of report, designed to serve as a useful field tool for determining carrying capacity and applying techniques for capacity design and management.

This project area report is different from the Technical Report and Handbook in several ways: it includes information not found in the Technical Report and Capacity Handbook; it reports and examines user survey information by activity area and project area, rather than from the total survey population; it addresses specific problems and examines possible solutions; and it does not include the methodologies for determining and monitoring social and resource capacity. For these reasons, this report is intended to compliment the Technical Report and the Handbook, and is not intended to substitute for them.

Qualifications

The information in this report is based on the Management/Site Survey conducted on November 15-17, 1978 and the User Survey conducted on June 15-17, 1979 by Urban Research and Development Corporation (URDC). (See Appendix B.) The user survey information was collected over a one-weekend period, which may or may not have been representative of a typical or heavy use weekend at Ouachita. Interviews were limited at some activity areas because of such factors as lack of users and weather conditions. For these reasons and because carrying capacity analysis is dynamic rather than static, this report is not intended to provide the final answers. Rather, it is a foundation for future analysis and carrying capacity progress.

^{*} See definition of "Study Project Area" in Appendix A for a listing of these project areas.

Summary Project Area Description*

Blakely Mountain Dam and Reservoir** was authorized for the purposes of flood control and hydroelectric power generation. Lake Ouachita is located in west central Arkansas, 13 miles northwest of Hot Springs and 60 miles southwest of Little Rock. Approximately 2.8 million persons live within 150 miles of the lake. The total project area is 82,373 acres with a lake surface area of 40,060 acres, a lake shoreline of 690 miles, and a land area of 48,300 acres when the lake is at the average recreational pool elevation of 578 feet msl. The steep sloped and heavily wooded landscape distinguishes Lake Ouachita from many other projects visited. Normal summer temperatures are in the middle 80's (degrees F.) with extremes to 100 degrees F., and the average annual precipitation consists of 48 inches of rain and two inches of snow.

Access to the more developed southern portions of the lake is provided by state and county roads leading from U.S. 270. State roads provide access to the northern and western shores. The eastern shore is accessible at two locations (the damsite and at Ouachita State Park) via state roads. The travel distances of the Corps recreation areas from the primary highway vary from two to seven miles. In 1978, attendance reached almost three million recreation days.

^{*} Appendix C contains a more detailed project area description for your future use.

^{**} See map inside back cover.

[§] A table of factors for converting U. S. Customary units of measurement to metric (SI) units is found on page iv.

CAMPING

Orientation

The campgrounds at Ouachita provide opportunities for walk-in tent camping and trailer camping. Camping is permitted only at designated sites and each campsite may have no more than two camping units (e.g. trailer, tent, etc.). Most of the campgrounds visited provide 60 to 80 sites and contain overflow areas, registration stations, dump stations, and nearby boat launching facilities. No individual electric or water hook-ups are provided at the Corps campsites. Most campsites enjoy easy access to the lake. Camping on islands is popular.

The remaining findings of this section are based on the User Survey. The User Survey at Ouachita obtained 80 responses from campers at Brady Mountain, Crystal Springs, and Joplin campgrounds.

User characteristics

Table 1 indicates the characteristics of the campers surveyed at Ouachita. The most significant differences in the characteristics of the campers surveyed at Ouachita from those of other study project areas are:

1) the relatively few campers from nearby areas, and 2) the relatively large number of tent campers.

Table 1
Camper Characteristics

	Camper Cha	racteristics	
Age	Percent of Campers	Group Size	Percent of Campers
<18	3	1	0
18 - 25	16	2	17**
26 - 40	46	3 - 4	49
41 - 55	20	5 - 8	27
56 - 65	11	9 - 12	6
>65	4	>12	1
Travel Time to Project Area	Percent of Campers	Visit Duration	Percent of Campers
<15 minutes	0		
15 - 30 minutes	0 7 **	1 - 4 hours	0
30 - 60 minutes	11**	5 - 8 hours	0
1 - 2 hours	34	l day	6
	21	2 days	28
	-	3 days	10
3 3 110415	13	4 days	17
>5 hours	13	5 - 7 days	17
		>7 days	21
No. of Other Activities	Percent of Campers	England 6	Percent of
ACCIVILIES	Campers	Equipment	<u>Campers</u>
0	4	Tent	40*
1	6	Tent Camper	15
2	11	Truck-Mounted Ca	mper 13
3	14	Travel Trailer	30
4	20	Van	1
5	24	Motor Home	ī
6	11		
>6	8		

^{*}Significantly higher than total survey sample. **Significantly lower than total survey sample.

User opinions

Spacing preferences - Tables 2 and 3 indicate the spacing (as measured on center of each site) that campers surveyed at Ouachita and elsewhere prefer.

Table 2 Preferred Distance Responses* - Camping

Sample	Sample Size	Range	Mean	Median	Mode
All Campers Surveyed (11 projects)	511	10 - a	79	60	75
Ouachita	55	35 - a	74	60	60
Brady Mountain Crystal Springs Joplin	26 19 10	35 - 100 40 - a 35 - 300	66 65 123	70 60 80	70 60

^{*}in feet; See Appendix A for definitions of terms.

a - response of "alone" or "out of sight."

Table 3 Preferred Distance Responses in Planning Range and Preference Groupings*

Sample	% in Planning Range ¹ (20'-120')	% in A ² (20'-39')	% in B ² (40'-59')	% in C ² (60'-79')	% in D ² (80'-120')
All Campers Surveyed	90%	20%	28%	31%	21%
Ouachita	94	4	29	39	37
Brady Mountain Crystal Springs Joplin	100 89 80	4 0 13	27 35 25	50 41 0	19 24 63

See Appendix A for definitions of terms; See Technical Report for full development of spacing preference information.

While the preferences of campers at the three areas differ from each other, the preferences of campers at Joplin are significantly different from those at Brady and Crystal Springs. Spacing in the range of group A (20-39 feet) is greatly disfavored at all three Ouachita activity areas.

Percentage of all preferred distance responses.

Percentage of all preferred distance responses within the Planning Range.

Reasons for pleasant/unpleasant experience - Tables 4, 5, and 6 indicate the impact that different factors had on making the camping experience pleasant or unpleasant for users surveyed at the three camping areas surveyed. The responses of the campers surveyed vary greatly from one campground to another. Campers at Brady found their experience to be generally the most pleasant, followed by those at Joplin, and finally those at Crystal Springs. The enforcement of rules and regulations, car parking facilities, and the steepness of slopes were the factors which most often made the experience at Crystal Springs unpleasant. The steepness of slopes, lack of visual privacy, distance from others, and noise were the factors which most often made the experience at Joplin unpleasant.

Table 7 shows the number and percent of campers that indicated they would not return to the activity areas and lists their reasons for not wanting to return.

Tables 8 and 9 indicate the positive and negative changes that campers reported in the physical condition and people's use of the three study camping areas from their previous visit.

Table 4

Reasons Making Recreation Experience Pleasant or Unpleasant--Camping
Brady Mountain Camping Area

	Percentage* of Users Responding:			
Reasons	Pleasant	Unpleasant	Not Important	
General Reasons Characteristics and behavior of other people	89	11	_	
Distance from other people	93	7	-	
Number of people in other visitor groups	96	-	4	
Number and type of other activities occurring here	100	-	-	
Fees charged	89	7	4	
Scenic views	100	-	-	
Noise	85	15	-	
Accidents or near accidents	96	4	-	
Enforcement of rules/regulations	70	30	-	
Car parking facilities	78	22	-	
Theft	100	_	-	
Vandalism	100	-	-	
Land-Based Reasons Visual privacy from other people	100	_	-	
Amount of facilities (restrooms, water, etc.)	89	11	-	
Convenience to facilities (restrooms, water, etc.)	93	7	-	
Nearness to the water body	100	-	_	
Steepness of slopes	93	7	_	
Maintenance of facilities	89	11	-	
Condition of trees and landscape	93	7	-	
Condition of grass or soil	93	7	-	
Water-Based Reasons				
Water quality	100	_	-	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 5

Reasons Making Recreation Experience Pleasant or Unpleasant--Camping
Crystal Springs Camping Area

	Percentage* of Users Responding:			
Reasons		Unpleasant	Not Important	
General Reasons				
Characteristics and behavior of other people	68	21	11	
Distance from other people	79	11	11	
Number of people in other visitor groups	53	5	37	
Number and type of other activities occurring here	74	5	16	
Fees charged	68	21	11	
Scenic views	100	-	-	
Noise	42	47	2	
Accidents or near accidents	53	11	11	
Enforcement of rules/regulations	63	21	11	
Car parking facilities	79	21	-	
Theft	63	5	5	
Vandalism	63	11	5	
Land-Based Reasons Visual privacy from other people	63	26	11	
Amount of facilities (restrooms, water, etc.)	95	5	-	
Convenience to facilities (restrooms, water, etc.)	84	11	5	
Nearness to the water body	100	-	-	
Steepness of slopes	68	16	16	
Maintenance of facilities	100	-	-	
Condition of trees and landscape	95	5	-	
Condition of grass or soil	95	5	-	
Water-Based Reasons				
Water quality	100	-	-	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 6

Reasons Making Recreation Experience Pleasant or Unpleasant--Camping Joplin Camping Area

Percentage* of Users Res			
Reasons	Pleasant	Unpleasant	Not Important
General Reasons Characteristics and behavior of other people	100		-
Distance from other people	69	31	-
Number of people in other visitor groups	58	4	38
Number and type of other activities occurring here	78	9	13
Fees charged	92	-	8
Scenic views	100	-	-
No1se	58	21	13
Accidents or near accidents	79	8	-
Enforcement of rules/regulations	100	-	-
Car parking facilities	70	30	-
Theft	90	-	-
Vandalism	90	-	-
Land-Based Reasons Visual privacy from other people	60	35	5
Amount of facilities (restrooms, water, etc.)	100	-	-
Convenience to facilities (restrooms, water, etc.)	92	4	4
Nearness to the water body	100	-	-
Steepness of slopes	63	37	
Maintenance of facilities	100	-	-
Condition of trees and landscape	95	5	_
Condition of grass or soil	95	5	-
Water-Based Reasons			
Water quality	100	-	-

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 7

Number and Percent of Users That Indicated They Would Not Return to the Activity Area and Their Reasons

Area	and perce surveyed w	mber nt of users ho indicated d not return %	Reasons for not wanting to return
Brady Mt.	О	o	(None mentioned)
Crystal Springs	3	16%	"Noise - partying all night in overflow area"
			"Lack of enforcement of rules"
			"Faucet connector - no provi- sion for screwing on a hose for camper water supply"
Joplin	1	5%	"Sites too close"
1			"No privacy"
			"Grass/soil in bad condition"

Table 8

Positive and Negative Changes Noticed in the <u>People's Use</u>
of the Area - Items Mentioned by Campers

Area	Positive Changes	3	Negative Changes	
Brady Mt.	(None mentioned)		"More rowdier"	(1)
Crystal Springs	"Quieter"	(1)	"Crowded"	(1)
	"Less crowded"	(1)	"Noisier"	(1)
	"More people"	(1)	"Parking in areas they shouldn't be"	(1)
			"Lawlessness"	(1)
			"Minor vandalism and thievery"	(1)
Joplin	"More campers, fewer		"Overcrowded"	(3)
}	tents"	(1)	"Game Warden"	(1)
			"Too many cars"	(1)
			"Generators on motor ho	mes" (1)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 9

Positive and Negative Changes Noticed in the Physical Conditions of the Area - Items Mentioned by Campers

Area	Positive Changes		Negative Changes	
Brady Mt.	"Fewer sites"	(4)	"Fewer sites"	(3)
	"Bathrooms & showers"	(4)	"Have to park on pads"	(2)
	"Cleaner/better mainter ance"	n- (4)	"Roads in worse condition	(2)
	"Paved roads"	(4)	1	
	"Reseeding"	(3)	been left as a road"	(2)
	"Separate tent camping areas"	(3)	"Paved pads for tenters"	(1)
	"More distance between sites"	(2)		
	"Designated sites"	(2)		
	"Better roads"	(1)		ļ
Crystal Springs	"Bathrooms and facili- ties"	(5)	"Best sites for tenting only"	(1)
	"Leveling of sites"	(1)		ļ
Joplin	"New bathroom facili- ties"	(7)	"Need more garbage cans (trash)"	(4)
	"Clean area"	(3)	"Wear and tear"	(1)
	"Maintenance"	(2)	"Noise of sewage pump"	(1)
	"Electric, hot and col	d	"Designated tent areas"	(1)
	water"		"Too many sites removed"	(1)
	"Paved road"		"Condition of road"	(1)
			1	

NOTE: The number in parenthesis (#) indicates times change was mentioned.

<u>Acceptability of techniques</u> - Table 10 indicates the acceptability of different techniques for solving problems to the campers surveyed at Ouachita.

The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the 3 levels of acceptability for 14 of the 22 techniques. But even for those techniques which most respondents found to be acceptable, up to 46 percent found them to be unacceptable. Thus, project management should expect some opposition to any technique used.

In general, the more apparent and widespread that a problem of overcrowding or overuse is, the more likely users may accept a technique which addresses it. Thus, remedial techniques (which solve existing problems) are generally more acceptable than preventative techniques (which correct a problem before it becomes readily apparent).

The more users can understand the rationale and operation of a technique, the more likely they will accept the use of the technique. Education, therefore, would seem to be an important method of improving user acceptance of different techniques.

It also seems as though the more directly a technique impacts only the problem, and the less it operates to diminish recreational opportunities generally, the more likely users will accept the use of the technique. Thus, techniques which can be applied in the short-term or selectively to problem areas are favored (particularly if done in a crisis setting).

Techniques which call for reductions in existing opportunities to use recreational resources and facilities are strongly disfavored. User expectations of the opportunities available are critical in this determination. Consideration should be given initially to avoiding overdeveloping an area with the idea that selective cutbacks in services and facilities can be accomplished later. Users expectations will be based on the initial level, and subsequent reductions will be disfavored.

Table 10
User Acceptability of Techniques--Camping
Lake Ouachita

Techniques Volume	ery	* of Users R Mildly Acceptable 19 13 9 21	esponding: Unacceptable 26 72 78
General Planning Techniques Keep major recreation areas more separated Make vehicle access to areas less convenient Make area's existence less obvious Site Planning Techniques Redesign area to accommodate fewer users Design for greater distance between people Reduce number of parking spaces Change natural surface by hardening Change natural surface by paving Provide landscaped buffers	51 15 13 51	19 13 9 21	26 72 78
General Planning Techniques Keep major recreation areas more separated Make vehicle access to areas less convenient Make area's existence less obvious Site Planning Techniques Redesign area to accommodate fewer users Design for greater distance between people Reduce number of parking spaces Change natural surface by hardening Change natural surface by paving Provide landscaped buffers	51	19 13 9	26 72 78
Keep major recreation areas more separated Make vehicle access to areas less convenient Make area's existence less obvious Site Planning Techniques Redesign area to accommodate fewer users Design for greater distance between people Reduce number of parking spaces Change natural surface by hardening Change natural surface by paving Provide landscaped buffers	51	13 9 21	72 78
Make vehicle access to areas less convenient Make area's existence less obvious Site Planning Techniques Redesign area to accommodate fewer users Design for greater distance between people Reduce number of parking spaces Change natural surface by hardening Change natural surface by paving Provide landscaped buffers	51	9 21	78
Convenient Make area's existence less obvious Site Planning Techniques Redesign area to accommodate fewer users Design for greater distance between people Reduce number of parking spaces Change natural surface by hardening Change natural surface by paving Provide landscaped buffers	51	9 21	78
Site Planning Techniques Redesign area to accommodate fewer users Design for greater distance between people Reduce number of parking spaces Change natural surface by hardening Change natural surface by paving Provide landscaped buffers	51	21	
Redesign area to accommodate fewer users Design for greater distance between people Reduce number of parking spaces Change natural surface by hardening Change natural surface by paving Provide landscaped buffers	52		16
Reduce number of parking spaces Change natural surface by hardening Change natural surface by paving Provide landscaped buffers		24	! <i> </i>
Change natural surface by hardening Change natural surface by paving Provide landscaped buffers	33		13
Change natural surface by paving Provide landscaped buffers		16	49
Provide landscaped buffers	25	12	63
riovide landscaped bullers	44	30	26
Management Techniques	4	24	31
Management Techniques			
Procedures:	5	10	(7
Require prior reservations	וס	18	67
Require permits	4	17	79
Charge/increase fees	10	23	66
Rules and Regulations: Impose more rules	13	9	79
Provide stricter enforcement of rules	39	16	46
Close areas when natural resource destruction reaches critical point	34	7	9
Close areas when they become "too full"	34	7	9
Reduce number of activities in same area	37	19	37
Limit number of people in visitor groups	23	19	54
Keep unnecessary vehicles out	70	11	19
Services: Provide more and better information	55	29	10
Increase maintenance and restoration		20	, ,]
Reduce facilities and services	71		7

^{*}Percentages may not total 100% because of those responding "Does Not Apply." \$19\$

BOATING/WATERSKIING

Orientation

Boating and waterskiing are both popular activities at Lake Ouachita. Although overcrowding is not a problem across the entire lake surface, nodal crowding sometimes occurs. Heavy use areas include the cove areas and the other water areas adjacent to the ramps, camping areas, and marinas. There is no zoning on the lake per se, but "no wake" and "no ski areas" exist. Like most Corps project areas, conflicts exist between boaters and boat fishermen.

The remainder of the findings in this section are based on the User Survey. This survey obtained 30 responses from boaters and waterskiers, who were surveyed predominantly at Brady Mountain, Crystal Springs and Joplin areas.

User characteristics

Table 11 indicates the characteristics of the boaters and water-skiers surveyed at Ouachita. The most significant differences in the characteristics of the boaters and waterskiers who were surveyed at Ouachita from those of other project areas are: 1) the relatively fewer users from nearby areas, and 2) the relatively fewer number of users participating in no or in only one other activity.

Table 11 Boater/Waterskier Characteristics

	Boater/Waterskier	Characteristics	
	Percent of	Group	Percent of
Age	Boaters/Waterskiers	Size	Boaters/Waterskiers
<18	7	1	0
18 - 25	37	2	20
26 - 40	27	3 - 4	47
41 - 55	30	5 - 8	27
56 - 65	0	9 - 12	3
>65	0	>12	3
Travel Time to	Percent of	Visit	Percent of
Project Area	Boaters/Waterskiers	Duration	Boaters/Waterskiers
<15 minutes	3**	1 - 4 hours	13
15 - 30 minutes	7 **	5 - 8 hours	20
	•		
30 - 60 minutes	10**	1 day	13
1 - 2 hours	43	2 days	27
2 - 3 hours	23	3 days	17
3 - 5 hours	10	4 days	3
>5 hours	3	5 - 7 days	7
		>7 days	0
N 6 0 - 1	D		Damasukas
No. of Other	Percent of	D 4	Percent of
Activities	Boaters/Waterskiers	Equipment	Boaters/Waterskiers
0	3**	Day sailer	0
1	10**	Sailer (cabin)	0
2	7	Canoe	0
3	23	Row boat	0
4	17	Power boat	
5	23	(<25 h.p.)	0
	10	D	

^{**}Significantly lower than total survey sample.

6

10

6

Power boat

(>25 h.p.)

Houseboat or cruiser 0

100

User opinions

<u>Spacing preferences</u> - Tables 12 and 13 indicate the spacing that the boaters and waterskiers surveyed at Ouachita and elsewhere prefer.

Table 12
Preferred Distance Responses*

Sample	Sample Size	Range	Mean	Median	Mode
All Boaters Surveyed	135	30- a	531	300	300
Ouachita	15	100-2640	618	150	-
All Waterskiers Surveyed	95	30- a	5 2 0	300	300
Ouachita	15	50-2640	546	300	600

^{*}In feet; see Appendix A for definitions of terms.

Table 13

Preferred Distance Responses in Planning Range and Preference Groupings*

Sample	% in Planning	% in A ²	% in B ²	% in C ²
	Range ¹ (100'-1500')	(100'-199')	(200'-450')	(451'-1500')
All Boaters Surveyed	79%	29 %	37%	34%
Ouachita	80	50	O	50
Sample	% in Planning	% in A ²	% in B ²	% in C ²
	Range ¹ (100'-1500')	(100'-199')	(200'-400')	(401'-1500')
All Waterskiers Surveyed Ouachita	91% 87	22% 8	50% 46	2 8% 46

^{*}See Appendix A for definitions of terms; see Technical Report for a full development of spacing preference information.

a - response of "alone" or "out of sight."

¹Percentage of all preferred distance responses.

²Percentage of all preferred distance responses in the Planning Range.

Reasons for pleasant/unpleasant experience - Table 14 indicates the impact that different factors had on making the boating or waterskiing experience pleasant or unpleasant for the users surveyed at Ouachita. Users found their experience to be generally pleasant. The amount of car parking facilities was the factor which was most frequently unpleasant. No factor was unpleasant enough to cause the boaters and waterskiers surveyed to indicate they would not return.

Tables 15 and 16 indicate the positive and negative changes that boaters/waterskiers reported in the physical condition and people's use of the area from their previous visit.

Table 15

Positive and Negative Changes Noticed in the <u>Physical Conditions</u> of the Area - Items Mentioned by Boaters/Waterskiers

Area	Positive Changes		Negative Changes
Lake (or adjacent areas)	"Cleaner" "New bathrooms" "Everything better"	(T)	"People park cars in center of ramp" (2) "Need more picnic tables"(1)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 16

Positive and Negative Changes Noticed in the People's Use of the Area - Items Mentioned by Boaters/Waterskiers

Area	Positive Chang	es	Negative Changes	
Lake	"Less crowded" "More sailboats"	(1) (1)	"Day users not always for just a day" "Rangers too strict" "More people"	stay (1) (1) (1)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 14

Reasons Making Recreation Experience Pleasant or Unpleasant--Boating/Waterskiing
Lake Ouachita

	Percentage	* of Users R	
Reasons	Pleasant	Unpleasant	Not Important
General Reasons			
Characteristics and behavior of other people	97	3	
Distance from other people	90	3	7
Number of people in other visitor groups	83	7	10
Number and type of other activities occurring here	83	-	17
Scenic views	97	-	3
Noise	80	-	10
Accidents or near accidents	93	7	-
Enforcement of rules/regulations	90	10	-
Car parking facilities	50	47	3
Theft	93	3	3
Vandalism	93	3	3
Land-Based Reasons			
Amount of facilities (restrooms, water, etc.)	87	10	- !
Convenience to facilities (restrooms, water, etc.)	90	7	3
Maintenance of facilities	97	-	3
Condition of trees and landscape	73	-	<u>-</u>
Condition of grass or soil	73	-	-
Water-Based Reasons			
Water quality	100	ļ	
Formal designation of places for your activity	62		3
Waiting time to launch boat	97	-	
People in areas they shouldn't be	90	3	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

<u>Acceptability of techniques</u> - Table 17 indicates the acceptability of different techniques for solving problems to the boaters and waterskiers surveyed at Ouachita.

The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the 3 levels of acceptability for 12 of the 17 techniques. But even for those techniques which most respondents found to be acceptable, up to 47 percent found them to be unacceptable. Thus, project management should expect some opposition to any technique used.

Table 17
User Acceptability of Techniques--Boating/Waterskiing
Lake Ouachita

	Level	s of Accepta	bility
	Percentage	* of Users R	esponding:
Techniques	Very	Mildly	Unacceptable
	Acceptable_	Acceptable	onacceptable
General Planning Techniques			
Keep major recreation areas more separated	27	37	37
Make vehicle access to areas less convenient	10	30	60
Make area's existence less obvious	3	30	67
Site Planning Techniques			
Design for greater distance between people	17	40	13
Reduce number of parking spaces	37	17	47
Management Techniques			
Procedures:	1		
Require prior reservations	7	30	63
Require permits	8	14	78
Charge/increase fees	3	47	50
Rules and Regulations:			
Impose more rules	13	3	83
Provide stricter enforcement of rules	23	17	60
Close areas when natural resource destruction reaches critical point	78	14	8
Close areas when they become "too full"	65	28	7
Reduce number of activities in same area	24	34	41
Keep unnecessary vehicles out	63	25	6
<u>Services</u> :			
Provide more and better information	63	27	10
Increase maintenance and restoration	60	30	7
Reduce facilities and services	3	10	87

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

SUNBATHING/SWIMMING

Orientation

Some camping and day-use conflicts occur because of the location of sunbathing/swimming areas (i.e., at Brady Mountain and Crystal Springs). Separate swimming beach areas are currently being planned and designed for both campers and day users. Overuse has been a problem at Crystal Springs. In the past, beaches have been maintained and the sand replenished to solve overuse. Crystal Springs, Joplin, and Brady Mountain are popular and receive very heavy use.

The remainder of the findings of this section are based on the User Survey. This survey obtained 41 responses from sunbathers and swimmers at Brady Mountain, Crystal Springs, and Joplin recreation areas.

User characteristics

Table 18 indicates the characteristics of the sunbathers and swimmers surveyed at Ouachita. The only significant difference in the characteristics of the sunbathers and swimmers surveyed at Ouachita from those of other study project areas are in travel time.

Table 18
Sunbather/Swimmer Characteristics

Age	Percent of Sunbathers/Swimmers	Group <u>Size</u>	Percent of Sunbathers/Swimmers
<18	12	1	0
18 - 25	33	2	48
26 - 40	38	3 - 4	36
41 - 55	12	5 - 8	14
56 - 65	0	9 - 12	0
>65	2	>12	0
Travel Time to	Percent of	Visit	Percent of
Project Area	Sunbathers/Swimmers	Duration	Sunbathers/Swimmers
Project Area <15 minutes	Sunbathers/Swimmers 0**	<u>Duration</u> 1 - 4 hours	Sunbathers/Swimmers 51
<15 minutes	0**	1 - 4 hours	51 15 17
<15 minutes 15 - 30 minutes	0** 17**	1 - 4 hours 5 - 8 hours 1 day	51 15 17 10
<15 minutes 15 - 30 minutes 30 - 60 minutes	0** 17** 36*	1 - 4 hours 5 - 8 hours	51 15 17 10 2
<15 minutes 15 - 30 minutes 30 - 60 minutes 1 - 2 hours	0** 17** 36* 21*	1 - 4 hours 5 - 8 hours 1 day 2 days	51 15 17 10 2 2
<15 minutes 15 - 30 minutes 30 - 60 minutes 1 - 2 hours 2 - 3 hours	0** 17** 36* 21* 12*	1 - 4 hours 5 - 8 hours 1 day 2 days 3 days	51 15 17 10 2
<15 minutes 15 - 30 minutes 30 - 60 minutes 1 - 2 hours 2 - 3 hours 3 - 5 hours	0** 17** 36* 21* 12*	1 - 4 hours 5 - 8 hours 1 day 2 days 3 days 4 days	51 15 17 10 2 2

No. of Other Activities	Percent of Sunbathers/Swimmers		
0	5		
1	55		
2	24		
3	5		
4	2		
5	5		
6	5		
>6	0		

^{*}Significantly higher than total survey sample.
**Significantly lower than total survey sample.

User opinions

Spacing preferences - Tables 19 and 20 indicate the spacing that sunbathers and swimmers surveyed at Ouachita and elsewhere prefer.

Table 19 Preferred Distance Responses*

Sample Sample	Sample Size	Range	Mean	Median	Mode
All Sunbathers surveyed	161	3- a	30	20	15, 20
Ouachita	23	5- 50	17	15	10, 15
Brady Mountain	11	15- 50	23	20	15
Crystal Springs	11	5- 20	12	10	10
Joplin	1	10	10	10	10
All Swimmers surveyed	120	2-200	25	20	20
Ouachita	13	5- 50	21	18	10
Brady Mountain	2	20- 50	35	20	-
Crystal Springs	9	5- 50	20	18	10
Joplin	2	10- 12	11	10	-

^{*}In feet; See Appendix A for definitions of terms.

Table 20 Preferred Distance Responses in Planning Range and Preference Groupings*

	r - 		w . 57	I # 1 67	w , 52
Sample	% in Planning	% in A ²	% in B ²	% in C ²	% in D ²
	Range ¹ (5'-50')	(5'-14')	(15'-20')	(21'-30')	(31'-50')
All Sunbathers surveyed	88%	27%	39%	20%	14%
Ouachita	100	39	44	9	9
Brady Mt.	100	0	64	18	18
Crystal Sprin	gs 100	73	27	0	0
Joplin	100	100	0	0	0
Sample	% in Planning	% in A ²	% in B ²	% in C ²	% in D ²
	Range ¹ (5'-50')	(5'-14')	(15'-24')	(2 <u>5'-34')</u>	(35'-50')
All Swimmers surveyed	90%	25%	41%	19%	15%
Ouachita	100	46	31	0	23
Brady Mt.	100	0	50	0	50
Command Comed	gs 100	44	33	0	22
Crystal Sprin					

^{*}See Appendix A for definitions of terms; See Technical Report for a full development of spacing preference information.

Percentage of all preferred distance responses.

Percentage of all preferred distance responses in Planning Range.

a - response of "alone" or "out of sight."

Most of the differences between the percentages for the different activity areas can most likely be attributed to the small sample sizes for sunbathing at Joplin and for swimming at Brady Mountain and Joplin. In general, the sunbathers and swimmers surveyed at Ouachita preferred somewhat closer spacing than those surveyed at other project areas.

Reasons for pleasant/unpleasant experience - Tables 21, 22, and 23 indicate the impact that different factors had on making the experience of the sunbathers and swimmers surveyed pleasant or unpleasant at the three areas. The responses vary greatly from one area to another.

Sunbathers and swimmers at Brady Mountain generally found their experience to be pleasant, with only the condition of the grass or soil causing unpleasantness in a significant number of cases.

Sunbathers and swimmers at Joplin also generally found their experience to be pleasant, with only the amount of parking facilities causing unpleasantness in a significant number of cases.

However, sunbathers and swimmers at Crystal Springs found their experience to be more frequently unpleasant than those at the other two areas. Car parking facilities, crowding and noise were the major unpleasant factors, but all the factors seemed unpleasant to at least one user.

Table 24 shows the number and percentage of sunbathers/swimmers that indicated they would not return to the activity area and their reasons.

Table 25 indicates the positive and negative changes that sunbathers/swimmers reported on the physical condition of the three areas surveyed from the previous visit (no changes were reported regarding people's use of the areas).

Table 21

Reasons Making Recreation Experience Pleasant or Unpleasant--Sunbathing/Swimming Brady Mountain

	Percentage* of Users Responding:			
Reasons	Pleasant	Unpleasant	Not Important	
General Reasons Characteristics and behavior of other people	100	_	-	
Distance from other people	92	8	-	
Number of people in other visitor groups	100	-	-	
Number and type of other activities occurring here	100	-	-	
Scenic views	100	-	-	
No 1se	100	-	-	
Accidents or near accidents	92	8	-	
Enforcement of rules/regulations	100	-	_	
Car parking facilities	100	-	-	
Theft	100	-	-	
Vandalism	100	-	-	
Land-Based Reasons Amount of facilities (restrooms, water, etc.)	100	-	-	
Convenience to facilities (restrooms, water, etc.)	100	-	-	
Maintenance of facilities	100	-	-	
Condition of trees and landscape	100	-	-	
Condition of grass or soil	83	17	-	
<u>Water-Based Reasons</u> Water quality	100	-	-	
Formal designation of places for your activity	38	-	-	
People in areas they shouldn't be	100	-	-	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 22

Reasons Making Recreation Experience Pleasant or Unpleasant--Sumbathing/Swimming
Crystal Springs

	Percentage* of Users Responding:			
Reasons	r	Unpleasant	Not Important	
General Reasons Characteristics and behavior of other people	88	4	8	
Distance from other people	56	40	4	
Number of people in other visitor groups	76	8	16	
Number and type of other activities occurring here	72	12	16	
Scenic views	100	-	-	
Noise	56	36	8	
Accidents or near accidents	64	8	12	
Enforcement of rules/regulations	76	4	8	
Car parking facilities	44	56	-	
Theft	68	4	28	
Vandalism	68	4	28	
Land-Based Reasons Amount of facilities (restrooms, water, etc.)	100	-	-	
Convenience to facilities (restrooms, water, etc.)	96	4	_	
Maintenance of facilities	100	-	-	
Condition of trees and landscape	92	8	-	
Condition of grass or soil	88	12	-	
Water-Based Reasons Water quality	88	12	-	
Formal designation of places for your activity	86	5	9	
People in areas they shouldn't be	72	4	20	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 23

Reasons Making Recreation Experience Pleasant or Unpleasant--Sunbathing/Swimming Joplin

Jopiin			
	Percentage* of Users Responding:		
Reasons	Pleasant	Unpleasant	Not Important
General Reasons Characteristics and behavior of other people	100	_	_
Distance from other people	100	-	
Number of people in other visitor groups	67	-	33
Number and type of other activities occurring here	33	-	67
Scenic views	100	-	<u>-</u>
Noise	100	-	-
Accidents or near accidents	100	_	-
Enforcement of rules/regulations	100	-	-
Car parking facilities	33	67	-
Theft	100	_	-
Vandalism	100	-	
Land-Based Reasons Amount of facilities (restrooms, water, etc.)	100	_	-
Convenience to facilities (restrooms, water, etc.)	100	-	-
Maintenance of facilities	100	-	-
Condition of trees and landscape	100	-	
Condition of grass or soil	100	-	_
Water-Based Reasons Water quality	100	-	-
Formal designation of places for your activity	100	-	-
People in areas they shouldn't be	100	-	-

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 24

Number and Percent of Users That Indicated They Would Not Return to the Activity Area and Their Reasons

Area	and perce surveyed w	umber ent of users who indicated d not return %	Reasons for not wanting to return
Brady Mountain	2	15%	"Poor condition of beach"
Crystal Springs	2	8%	"Water quality" "Behavior of people" "Too crowded"
Joplin	0	0	(None mentioned)

Table 25

Positive and Negative Changes Noticed in <u>Physical Conditions</u> of the Area - Items Mentioned by Sunbathers/Swimmers

Area	Positive Changes	Negative Changes	
Brady Mountain	(None mentioned)	"Water too high"	(4)
		"Very little sand"	(2)
		"Big roads"	(1)
		"More rocks"	(1)
Crystal Springs	(None mentioned)	"Beach eroded"	(2)
Joplin	"Beach is nice and sunny" (1)	"Water too high"	(1)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Acceptability of techniques - Table 26 indicates the acceptability of different techniques for solving problems to the sunbathers and swimmers surveyed at Ouachita.

The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the 3 levels of acceptability for 10 of the 18 techniques. But even for those techniques which most respondents found to be acceptable, up to 40 percent found them to be unacceptable. Thus, project management should expect some opposition to any technique used.

Table 26
User Acceptability of Techniques--Sunbathing/Swimming
Lake Ouachita

	Level	s of Accepta	bility
	Percentage* of Users Responding:		
Techniques	Very	Mildly	Unacceptable
	Acceptable	Acceptable	Ullacceptable
General Planning Techniques		J	
Keep major recreation areas more separated	30	48	32
Make vehicle access to areas less	10		
convenient	13	20	67
Make area's existence less obvious	3	13	85
Site Planning Techniques			
Redesign area to accommodate fewer users	33	34	33
Design for greater distance between people	55	40	5
Reduce number of parking spaces	23	15	62
Management Techniques			
Procedures:			1
Require permits	3	13	84
Charge/increase fees	-	23	77
n 1			
Rules and Regulations:	10		
Impose more rules	10	27	73
Provide stricter enforcement of rules	43	17	40
Close areas when natural resource	82	13	5
destruction reaches critical point	02		ļ
Close areas when they become "too full"	57	38	5
Reduce number of activities in same area	38	27	35
Limit number of people in visitor groups	8	25	67
Keep unnecessary vehicles out	57	13	30
Services:			
Provide more and better information	56	33	8
Increase maintenance and restoration	62	33	5
Reduce facilities and services	3	5	92

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

BOAT LAUNCHING

Orientation

The Crystal Springs, Joplin and Brady Mountain launch ramps are heavily used because of their location. Although the ramps are 6-lanes wide, each lane is not individually marked. Inadequate parking and circulation limits the usefulness of the ramps and sometimes results in overcrowding. Courtesy docks are not provided. In regard to overuse, compaction, erosion, and damage to ground cover is most likely to occur at the shoreline areas between the hardened surfaces (parking and ramp) and the water.

The remainder of the findings in this section are based on the User Survey. This survey obtained 20 responses from boat launchers at the Brady Mountain and Crystal Springs ramps.

User characteristics

Table 27 indicates the characteristics of the boat launchers surveyed at $\mathtt{Ouachita}$.

Table 27

Boat Launcher Characteristics

	Boat Launcher Ch	aracteristics	
Age	Percent of Boat Launchers	Group Size	Percent of Boat Launchers
<18	0	1	10
18 - 25	25	2	30
26 - 40	40	3 - 4	50
41 - 55	30	5 - 8	10
56 - 65	5	9 - 12	0
>65	0	>12	0
Fravel Time to Project Area	Percent of Boat Launchers	Visit <u>Duration</u>	Percent of Boat Launchers

Travel Time to Project Area	Percent of Boat Launchers	Visit <u>Duration</u>	Percent of Boat Launchers
<15 minutes	5	1 - 4 hours	23
15 - 30 minutes	10	5 - 8 hours	35
30 - 60 minutes	20	l day	17
1 - 2 hours	50	2 days	5
2 - 3 hours	5	3 days	10
3 - 5 hours	5	4 days	0
>5 hours	5	5 - 7 days	10
		>7 days	0

No. of Other Activities	Percent of Boat Launchers
0	25
1	30
2	25
3	0
4	0
5	5
6	0
>6	15

User opinions

<u>Preferred waiting times</u> - The average (preferred) time to launch a boat at the Crystal Springs and Brady Mountain ramps were 6 and 11 minutes, respectively.

Reasons for pleasant/unpleasant experience - Tables 28 and 29 indicate the impact that different factors had on making launching pleasant or unpleasant at the two ramps surveyed. While the percentages of responses differ between the two areas, in most cases these differences are not significant. However, the amount of car parking facilities seemed to have been unpleasant more frequently at Brady Mountain than at Crystal Springs. People being in areas where they shouldn't be (beach users) also caused unpleasantness to boat launchers in a significant number of cases at Brady Mountain. One respondent indicates that he would not return to the Crystal Springs ramp because of the parking problem. Tables 30 and 31 show the positive and negative changes from their previous visit mentioned by the Brady Mt. and Crystal Springs boat launchers.

Table 28

Reasons Making Recreation Experience Pleasant or Unpleasant--Boat Launching
Brady Mountain

	Percentage	Percentage* of Users Responding:			
Reasons	Pleasant	Unpleasant	Not Important		
General Reasons Characteristics and behavior of other people	100	_			
Distance from other people	80	-	-		
Number of people in other visitor groups	40	-	40		
Number and type of other activities occurring here	60	-	40		
Scenic views	40	_	60		
Noise	40	-	60		
Accidents or near accidents	100	-	-		
Enforcement of rules/regulations	100	-	-		
Car parking facilities	20	80	-		
Theft	100	-	-		
Vandalism	100	-	-		
Land-Based Reasons Amount of facilities (restrooms, water, etc.) Convenience to facilities (restrooms, water, etc.)	100				
Steepness of slopes	100	-	-		
Maintenance of facilities	100	-	-		
Condition of trees and landscape	80	-	20		
Condition of grass or soil	80	-	20		
Water-Based Reasons Water quality	100	-			
Formal designation of places for your activity	40	-	_		
Waiting time to launch boat	40	-	-		
People in areas they shouldn't be	80	20	-		

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 29

Reasons Making Recreation Experience Pleasant or Unpleasant--Boat Launching
Crystal Springs

	Percentage* of Users Responding:			
Reasons	Pleasant	Unpleasant	Not Important	
General Reasons Characteristics and behavior of other people	93	_	7	
Distance from other people	80	-	13	
Number of people in other visitor groups	87	-	13	
Number and type of other activities occurring here	80	7	7	
Scenic views	87	-	13	
Noise	93	7	-	
Accidents or near accidents	93	-	-	
Enforcement of rules/regulations	93	7	-	
Car parking facilities	60	40	-	
Theft	87	-	7	
Vandalism	87	7	-	
Land-Based Reasons Amount of facilities (restrooms, water, etc.)	93	7		
Convenience to facilities (restrooms, water, etc.) etc.)	100	-	-	
Steepness of slopes	60	13	-	
Maintenance of facilities	100	_	-	
Condition of trees and landscape	100	-	-	
Condition of grass or soil	93	-	-	
Water-Based Reasons Water quality	100		<u>-</u>	
Formal designation of places for your activity	80	-	_	
Waiting time to launch boat	60	_	_	
People in areas they shouldn't be	80	_	-	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Positive and Negative Changes Noticed in the Physical Conditions
of the Area - Items Mentioned by Boat Launchers

Area	Positive Changes		Negative Changes
Brady Mountain	"Enlarge parking"	(1)	(None mentioned)
Crystal Springs	"More parking"	(1)	
	"New bathrooms"	(1)	
	"New lights"	(1)	
	\		

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 31

Positive and Negative Changes Noticed in the <u>People's Use</u>
of the Area - Items Mentioned by Boat Launchers

Area	Positive Changes	Negative Changes
Brady Mountain	(None mentioned)	(None mentioned)
Crystal Springs	"People are faster" (1)	"Trash" (1)
		"Overcrowded" (1)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Acceptability of techniques - Table 32 indicates the acceptability of different techniques for solving problems to the boat launchers surveyed at Ouachita.

The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the 3 levels of acceptability for 10 of the 19 techniques. But even for those techniques which most respondents found to be acceptable, up to 33 percent found them to be unacceptable. Thus, project management should expect some opposition to any technique used.

Table 32
User Acceptability of Techniques--Boat Launching
Lake Ouachita

	Level	s of Accepta	bility	
	Percentage* of Users Responding:			
Techniques	Very	Mildly	ı `	
	Acceptable	Acceptable	Unacceptable	
Congral Planeiro Tocheleuro				
General Planning Techniques			l	
Keep major recreation areas more separated	66	17	17	
Make vehicle access to areas less convenient	-	15	85	
Make area's existence less obvious	12	23	64	
Site Planning Techniques				
Redesign area to accommodate fewer users	12	20	1 ,	
	14	30	40	
Design for greater distance between people	24	28	12	
Reduce number of parking spaces	12	30	58	
Management Techniques				
Procedures:				
Require prior reservations	12	6	82	
Require permits	12	12	76	
		<u> </u>	/0	
Charge/increase fees	12	23	65	
Rules and Regulations:				
Impose more rules	12	18	69	
				
Provide stricter enforcement of rules	33	28	33	
Close areas when natural resource destruction reaches critical point	52	30	18	
Close areas when they become "too full"	39	44	18	
Reduce number of activities in same area	56	11	27	
Limit number of people in visitor groups	-	6	62	
Keep unnecessary vehicles out	54	28	18	
Services:	7,5	9.5		
Provide more and better information	75	25		
Increase maintenance and restoration	55	33	-	
Reduce facilities and services	12	6	82	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

PRECEDING PAGE BLANK-NOT FILLED

PICNICKING

Orientation

Picnickers were interviewed at the spillway area. This day use area is popular undoubtedly because it is located adjacent to an attractive and popular sailboating area and it is comparatively close to the City of Hot Springs. The area has moderately steep slopes and is wooded. Some soils are compacted, but overuse is not a major problem. Many other picnic areas are located at the lake; small picnic areas with only a few tables are provided within some camping areas (e.g., Joplin).

The remainder of the findings made in this section are based on the User Survey. This survey obtained 10 responses from picnickers at the Spillway Day Use Area.

User characteristics

Table 33 indicates the characteristics of the picnickers surveyed at Ouachita. The most significant differences in the characteristics of the picnickers surveyed at Ouachita from those of other study project areas are: 1) the relatively fewer older users, 2) the relatively fewer large groups, 3) the relatively greater number of users from close by locations, and 4) the relatively greater number of users who participate in no other activity or in only 2 other activities.

Table 33
Picnicker Characteristics

Age	Percent of Picnickers	Group Size	Percent of Picnickers
<18	0	1	0
18 - 25	30	2	10
26 - 40	50	3 - 4	60
41 - 55	20	5 - 8	30
56 - 65	0**	9 - 12	0**
>65	0**	>12	0**
Travel Time to Project Area	Percent of Picnickers	Visit Duration	Percent of Picnickers
<15 minutes	40*	1 - 4 hours	30
15 - 30 minutes	50*	5 - 8 hours	70
30 - 60 minutes	10**	1 day	0
1 - 2 hours	0	2 days	0
2 - 3 hours	0	3 days	0
3 - 5 hours	0	4 days	0
>5 hours	0	5 - 7 days	0
		>7 days	0

No. of Other Activities	Percent of Picnickers
0	30*
1	0**
$\overline{2}$	70*
3	0**
4	0**
5	0**
6	0
>6	0

*Significantly higher than total survey sample.
**Significantly lower than total survey sample.

User opinions

Spacing preferences - Tables 34 and 35 indicate the spacing that picnickers surveyed at Ouachita and elsewhere prefer.

Table 34 Preferred Distance Responses*

Sample	Sample Size	Range	Mean	Median	Mode
All Picnickers Surveyed	190	1 - a	62	50	50
Ouachita (Spillway)	10	25 - 50	36	40	40

*In feet; See Appendix A for definitions of terms. a - response of "alone" or "out of sight."

Table 35 Preferred Distance Responses in Planning Range and Preference Groupings*

Sample	% in Planning Range ¹ (20'-100')	% in A ² (20'-39')	% in B ² (40'-59')	% in C ⁴ (60'-79')	% in D ² (80'-100')
All Picnickers surveyed	93%	23%	42%	20%	15%
Ouachita (Spillway)	100	20	80	0	0

*See Appendix A for definitions of terms; See Technical Report for a full development of spacing preference information.

Percentage of all preferred distance responses.

Percentage of all preferred distance responses in the Planning Range.

Reasons for pleasant/undle point emperioned - Table 36 indicates the impact that different factors had on making the picnic experience pleasant or unpleasant for users surveyed at the spillway area. The factors most frequently contributing to an unpleasant experience were convenient to facilities and nearness to the water body, while noise was also a significant contributing factor to unpleasantness. All 10 respondents reported there were no factors unpleasant enough to prevent them from coming back.

Table 36

Reasons Making Recreation Experience Pleasant or Unpleasant--Picnicking Spillway

Spillway	Percentage	of Users R	esponding:
	Pleasant	Unpleasant	Not Important
General Reasons Characteristics and behavior of other people	100	-	-
Distance from other people	90	10	-
Number of people in other visitor groups	90	10	-
Number and type of other activities occurring here	90	10	-
Scenic views	90	-	10
Noise	80	20	_
Accidents or near accidents	100		-
Enforcement of rules/regulations	100		-
Car parking facilities	90	10	-
Theft	100	-	-
Vandalism	100	-	-
Land-Based Reasons Visual privacy from other people	90	-	10
Amount of facilities (restrooms, water, etc.)	100	-	
Convenience to facilities (restrooms, water, etc.)	70	30	-
Nearness to the water body	70	30	-
Steepness of slopes	100	_	-
Maintenance of facilities	90	10	_
Condition of trees and landscape	1.00	-	_
Condition of grass or soil	100	-	-
<u>Water-Based Reasons</u> Water quality	100		

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Acceptability of techniques - Table 37 indicates the acceptability of different techniques for solving problems to the picnickers surveyed at Ouachita.

The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the 3 levels of acceptability for 16 of the 21 techniques. But even for those techniques which most respondents found to be acceptable, up to 40 percent found them to be unacceptable. Thus, project management should expect some opposition to any technique used.

Table 51
User Acceptability of Techniques--Picnicking
Lake Ouachita

		s of Accepta * of Users R	
Techniques	Verv	- or users k Mildly	1
		Acceptable	Unacceptable
General Planning Techniques			
Keep major recreation areas more separated	50	40	10
Make vehicle access to areas less			
convenient	20	20	60
Make area's existence less obvious	60	30	10
Site Planning Techniques			
Redesign area to accommodate fewer users	10	60	30
Design for greater distance between people	20	60	20
Reduce number of parking spaces	10	80	10
Change natural surface by paving	-	30	70
Provide landscaped buffers	20	60	20
Management Techniques			
Procedures:			
Require prior reservations	_	10	90
Require permits	-	10	90
Charge/increase fees	-	40	60
Rules and Regulations:			
Impose more rules	20	40	40
Provide stricter enforcement of rules	70	20	10
Close areas when natural resource destruction reaches critical point	40	60	-
Close areas when they become "too full"	10	70	20
Reduce number of activities in seam area	10	50	40
Limit number of people in visitor groups	_	50	50
Keep unnecessary vehicles out	90	10	-
Services: Provide more and better information	60	20	20
Increase maintenance and restoration	10	70	20
Reduce facilities and services	-	40	60

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

BOAT FISHING

Orientation

Boat fishing is very popular at Lake Ouachita, especially in the Spring and Fall. The more popular areas include the areas near Crystal Springs, Joplin, Little Fir, and Twin Creek. Some conflicts occur between boat fishermen and boaters/waterskiers. "No wake" and "no ski" areas exist at some of the coves and standing timber was allowed to remain in most of the narrow inlets of the lake.

The remainder of the findings of this section are based on the User Survey. This survey obtained 23 responses from boat fishermen who were surveyed predominantly in the areas of the lake near Highway 27 and Little Fir areas.

User characteristics

Table 38 indicates the characteristics of the boat fishermen surveyed at Ouachita. The most significant differences in the characteristics of the boat fishermen who were surveyed at Ouachita from those of other project areas are: 1) the relatively greater proportion of older users, 2) the relatively fewer users from nearby locations, and 3) the relatively fewer number of users participating in no other activities or in four or more activities.

Table 38
Boat Fishermen Characteristics

	Boat Fishermen Ch	aracteristics	
<u>Age</u>	Percent of Boat Fishermen	Group Size	Percent of Boat Fishermen
		<u> </u>	
<18	0	1	4
18 - 25	4**	2	57
26 - 40	30	3 - 4	26
41 - 55	26	5 - 8	13
56 - 65	22*	9 - 12	0
>65	17*	>12	0
Travel Time to	Percent of	Visit	Percent of
Project Area	Boat Fishermen	Duration	Boat Fishermen
<15 minutes	4**	1 - 4 hours	26
15 - 30 minutes	4 * *	5 - 8 hours	39
30 - 60 minutes	13**	l d ay	0
1 - 2 hours	48	2 days	9
2 - 3 hours	26	3 days	9
3 - 5 hours	4	4 days	0
>5 hours	0	5 - 7 days	13
		>7 days	4
No. of Other	Percent of		Percent of
Activities	Boat Fishermen	Equipment	Boat Fishermen
0	17**	Day sailer	0
1	17	Sailer (cabin)	0
2	52	Canoe	0
3	4	Row boat	0
4	0**	Power boat (<25	h.p.) 40
5	9**	Power boat (>25	• •
6	0	Houseboat or cr	uiser 0
>6	0		

*Significantly higher than total survey sample.
**Significantly lower than total survey sample.

User opinions

Spacing preferences - Tables 39 and 40 indicate the spacing that the boat fishermen surveyed at Ouachita and elsewhere prefer.

Table 39 Preferred Distance Responses*

Sample	Sample Size	Range	Mean	Median	Mode
All Boat Fishermen Surveyed	111	30 - 5280	555	200	100
Ouachita	23	45 - 1320	345	200	150

^{*}In feet; See Appendix A for definitions of terms.

Table 40 Preferred Distance Responses in Planning Range and Preference Groupings*

Sample	% in Planning Range ¹ (50'-1500')	% in A ² (50'-199')	% in B ² (200'-599')	% in C ² (600'-1500')
All Boat Fishermen Surveyed	91%	49%	27%	24%
Ouachita	91	43	33	24

^{*}See Appendix A for definitions of terms; See Technical Report for a full development of spacing preference information.

Percentage of all preferred distance responses.

Percentage of all preferred distance responses in Planning Range.

Reasons for pleasant/unpleasant experience - Table 41 indicates the impact that different factors had on making the boat fishing experience pleasant or unpleasant for the users surveyed at Ouachita. Users found their experience to be generally pleasant. The amount, size, and type of fish being caught was the factor which was most frequently unpleasant. Tables 42 and 43 show the positive and negative changes reported by boat fishermen in the physical conditions and people's use of the area from their previous visit.

Positive and Negative Changes Noticed in the <u>Physical Conditions</u> of the Area - Items Mentioned by Boat Fishermen

Area	Positive Changes		Negative Changes	
Lake (and/or adjacent area)	"More picnic tables" "Water high" "Better and bigger boa being used"	(1) (1) ats (1)	"Fishing bad" "High water" "Fewer trees" "More ramps brought mor boats" "Less underwater cover' "Put in big ramp at Lit Fir"	(1)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 43

Positive and Negative Changes Noticed in the People's Use of the Area - Items Mentioned by Boat Fishermen

Positive Changes	Negative Changes	
(None mentioned)	"Local people greedy"	(1)
	"Crowded"	(1)
	"Fewer fish"	(1)
		(None mentioned) "Local people greedy" "Crowded"

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 41

Reasons Making Recreation Experience Pleasant or Unpleasant--Boat Fishing Lake Ouachita

Lake Quachita				
	Percentage	Percentage* of Users Responding:		
Reasons	Pleasant	Unpleasant	Not Important	
General Reasons Characteristics and behavior of other people	87	13	-	
Distance from other people	92	4	4	
Number of people in other visitor groups	91	-	9	
Number and type of other activities occurring here	95	-	5	
Scenic views	100	-	-	
Noise	100	-	-	
Accidents or near accidents	96	4	-	
Enforcement of rules/regulations	95	5	_	
Car parking facilities	100		-	
Theft	100	-	-	
Vandalism	95	-	-	
Land-Based Reasons Visual privacy from other people	65	4	22	
Amount of facilities (restrooms, water, etc.)	82	9	9	
Convenience to facilities (restrooms, water, etc.)	87	14	9	
Maintenance of facilities	100	-	-	
Condition of trees and landscape	87	13	-	
Condition of grass or soil	87	13	-	
Water-Based Reasons Water quality	96	4	-	
Catching fish	55	45	-	
People in areas they shouldn't be	95	5	-	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Acceptability of techniques - Table 44 indicates the acceptability of different techniques for solving problems to the boat fishermen surveyed at Ouachita.

The acceptability of some techniques is very clear: at least 60 percent of the respondents agreed on one of the 3 levels of acceptability for 7 of the 17 techniques. But even for those techniques which most respondents found to be acceptable, up to 48 percent found them to be unacceptable. Thus, project management should expect some opposition to any technique used.

Table 44
User Acceptability of Techniques--Boat Fishing
Lake Ouachita

	-		
	Levels of Acceptability		
	_	* of Users R	esponding:
Techniques	Very	Mildly	Unacceptable
	Acceptable	Acceptable	
General Planning Techniques			
Keep major recreation areas more separated	56	22	22
Make vehicle access to areas less	,		
convenient	4	22	74
Make area's existence less obvious	4	48	48
Site Planning Techniques			
Reduce number of parking spaces	26	30	44
	 		
Management Techniques			
Procedures:			
Require prior reservations	13	22	65
Require permits	22	39	39
nequite permits	ļ		
Charge/increase fees	4	44	52
Rules and Regulations:	30	22	44
Impose more rules	 		44
Provide stricter enforcement of rules	87	9	4
Close areas when natural resource	63	27	10
destruction reaches critical point	03	<i></i>	10
Close areas when they become "too full"	26	35	39
	 		ļ
Reduce number of activities in same area	36	36	28
Limit number of people in visitor groups	14	9	18
Keep unnecessary vehicles out	32	27	_
	ļ	ļ	ļ — ———
Services:	1		1
Provide more and better information	70	17	13
Increase maintenance and restoration	83	13	4
			
Reduce facilities and services	13	13	74

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

PART 3: ANALYSIS OF SELECTED PROBLEMS/SITUATIONS

This final section identifies and examines selected problems and situations at Lake Ouachita. The section is not intended to provide solutions to all project area problems. Nor is it a substitute for project area master planning. The solutions/techniques are intended to be only suggestions for further consideration by project area personnel, for they are most familiar with the intricacies associated with these problems.

In many cases, the project area staff is already aware of these problems or situations and is in the process of dealing with them. And in some cases, the solutions/techniques listed in Table 45 may not be practical or possible because of management, budget, or other constraints.

Table 45
Analysis of Selected Problems/Situations

Area/Subject	Problem/Situation	Possible Solutions/Techniques
Crystal Springs & Joplin Recrea- tion Areas	Overuse—The steep terrain & shallow soil are extremely susceptible to erosion. The steep slopes & narrow fingers make circulation difficult in Joplin. Overuse is evident at Joplin & Crystal Springs. Unlike at Brady Mt., reseeding, fertilizing & restoration efforts have met with marginal success at Joplin & Crystal Springs Recreation Areas because of the more random traffic movement.	 eliminate random traffic movement. provide hardened pads (gravel or paved) camp pads or "impact sites." continue reseeding/fertilizing with hydroseeder. continue restoration efforts. monitor use and, when necessary, close down areas or parts of areas until restored. provide walk-in tenting areas in the more sensitive locations. provide better site delineation.

Area/Subject	Problem/Situation	Possible Solutions/Techniques
		o evaluate reducing the number of campsites
		o determine the areas social and resource capacity & manage accordingly.
		o See Figures 1, 2 and 3 at the end of Part 3 which show example concept plans which might help solve overuse & overcrowding at Joplin Recreation Area if implemented. Special features are noted directly on each plan.
Crystal Springs & Joplin Recreation Areas	Overcrowding was observed & reported at both Joplin & Crystal Springs during the user surve.	o provide more information, directions, & signs to encourage recreators to use other project recreation areas.
		o separate camping and day use activities.
		o determine social capacity & close gate when areas get full.
		o provide better site delineation
		o provide open space corridors (like at Brady Mt.) along the lake shore
Brady Mountain	Some of the campers surveyed felt that "too many" sites were removed	o consider adding a few more sites when the occasion arises (e.g., old sites wear out)
	Some trailer campers com- plain about <u>tenters usurping</u> <u>trailer spots</u> .	o provide more separate locations for tent campers
Overflow area is used on a fee basis, even when regular campground is not	o encourage campers to use other project area campgrounds, instead of overflow areas.	
	totally full.	o provide stricter enforcement (e.g., require overflow campers to move to regular sites as they become available)
Denby Point	<u>Underuse</u> historically this recreation area has always	o encourage more use through more directions, signs, & information
	been underused because of its comparatively remote location, trees (less se- curity), wind conditions,	o urge overflow campers at Joplin, Brady Mt., & Crystal Springs to use Denby Point.
	situation away from lake.	o monitor use levels & talk with campers about possible improvements

Possible





Figure 1. Joplin Recreation Area, Plan 1

15 (35%) at 65' spacing - Impact 7 (16%) at 82' spacing 10 (23%) at 114' spacing - walk-in tent

11 (26%) common pad - group

43 (100%)



Joplin Recreation Area, Plan 2 Figure 2.

24 (35%) at 114' spacing - 21 walk-in tent

12 (17%) common pad - group

70 (100%)

72




Figure 3. Joplin Recreation Area, Plan 3

67 (100%)

Area/Subject	Problem/Situation	Possible Solutions/Techniques
		o provide more improvements (e.g. electric hookups?)
Crystal Springs Boat Launching		o designate parking spaces more formally
Ramp		o enforce parking regulations more strictly
		o add gate & close it when area gets full. Allow people in a people leave.
		o on holiday weekends provide ranger to direct traffic & circulation
		o See Figure 4, which demonstrates ways the carrying capacity at a launch ramp might be increased
Crystal Springs Beach/Campground	User Conflictswere ob- served & reported between	o develop separate day use beach/ area outside of campground
	campers & users of the swimming beach.	o close gate when area gets "too full" $$
		o enforce parking regulations (none on grass or on campsites)
Crystal Springs overflow camping	Overflow legpoorly developed. The few sites can only provide marginal usefulness when overflow occurs.	o re-examine costs & benefits of area; consider closing to allow vegetation to regrow & act as more effective buffer between camping area & launch ramp.
Lake	ake Conflicts between water- skiers & boat fishermen; boaters speeding too close to shore.	o continue to identify "no ski" and "no wake areas"
		o consider using floating "ski docks" to attract skiers to appro- priate areas on the lake
		o encourage waterskiers & power boaters to stay a certain distance from shore (this may also reduce shoreline erosion)
		o provide more information to boaters, waterskiers & boat fish- ermen regarding this problem & their role in helping to achieve pleasant recreation experiences
		o provide strict enforcement of regulations




Figure 4

Area/Subject	Problem/Situation	Possible Solutions/Techniques			
Lake	Underwater obstructions.	o continue to place warning buoys & identify obstructions.			
Picnicking	Few areas are available for picnicking.	o examine the demand for picnick-ing at Lake Ouachita.			
		o provide picnic areas at access- ible locations closest to poten- tial users.			
		o provide for a variety of pic- nicking activities (e.g. family, small group, large groups).			
Beaches	Few improved beaches are provided for swimming/sunbathing; erosion has been a problem at some of the beaches.	o provide more improved swimming areas at better locations.			
		o provide separate beach areas for campers & day users			
		o continue to maintain beaches, replenish sand, & divert drainage away from beaches			
Hiking	During the User Survey, the three hiking trails appeared underused.	o provide more directional signs to the trails.			
		o make more people aware of these trails			
		o consider providing additional trails which link activity areas together.			

APPENDIX A: KEY TERMS

- 1. Activity area The specific area where an individual primary activity occurs (e.g., a campground, the lake, a hiking trail, a picnic area, etc.).
- 2. <u>Capacity, recreational carrying</u> The capability of a recreational resource to provide opportunity for certain types of satisfactory recreation experiences over time without significant degradation of the resource. Inherent in this view of carrying capacity are resource (biophysical) and social (psycho-social) capacities.
- 3. <u>Capacity, resource</u> The level of recreational use of a resource beyond which irreversible biological deterioration takes place or degradation of the physical environment makes the resource no longer suitable or attractive for that recreational use.
- 4. <u>Capacity, social</u> The level of recreational use of a resource or area beyond which the user's expectation of the experience is not realized and he/she does not achieve a reasonable level of satisfaction.
- 5. Carrying capacity guidelines The levels of use and the methods used to obtain and achieve them which are recommended in this report.
- 6. Factors The characteristics and phenomena which influence carrying capacity.
- 7. Indicators The phenomena which can be used to identify or measure the degree of overcrowding or overuse, and which can be used in conjunction with a monitoring system to help predict when problems of overuse and overcrowding will occur if preventive measures are not taken.
- 8. Management/site survey The initial survey conducted at the study project areas where resource managers, rangers, and maintenance personnel were interviewed and a reconnaissance was made of "overused," "overcrowded," "underused," and "well-balanced" recreation areas. (See Appendix B)
- 9. Mean The measure of central value defined as the sum of all observations divided by the number of observations.
- 10. Median The measure of central value defined as the point on the scale of observations which is the middle observation (if there is an odd number of cases) or which is the mean of the two central observations (if there is an even number of cases).
- 11. Mode The measure of central value defined as the observation with the largest frequency.
- 12. Monitoring The periodic assessment of the impact that use levels have on the social capacity or resource capacity of an area.
- 13. Overcrowding A condition where the user does not achieve a satisfactory recreational experience because of too many people, inadequate distances between sites, etc.

- 14. Overuse A condition where (during the course of a season/year) degradation of the physical environment makes the resource no longer suitable or attractive for recreational use.
- 15. Planning range The range of spacing distances for an activity which satisfies the spacing preferences of the majority of recreators participating in that activity, which at the same time accounts for other considerations (e.g., cost, safety, equity, etc.).
- 16. Preference distribution The set of preference groupings for an activity which can be modified to develop the social carrying capacity of an area.
- 17. Preference groupings The range of spacing distances for an activity which satisfies the similar spacing preferences of a group of recreators participating in that activity.
- 18. Primary activity The major recreation activity which brought the visitor to the recreation area.
- 19. Project area The land and water area of the total Corps of Engineers Project.
- 20. <u>Project management</u> The project area staff, district personnel, and other people involved with project area management.
- 21. Recreation area Corps-managed areas specifically identified for recreational use within the total Project Boundary; usually named.
- 22. Recreation day A standard unit of use consisting of a visit by one individual to a recreation development or area for recreation purposes during any reasonable portion or all of a 24-hour period.
- 23. Recreation environment An activity area together with its various recreation settings.
- 24. Recreation resource The land and/or water areas, with associated facilities, which provide a base for outdoor recreation activities.
- 25. Recreation setting The physical, development/control, activity/use relationship components of an activity area; taken as a whole, the various settings comprise a particular "recreation environment" for each activity area.
- 26. Recreation unit A campsite, picnic table, boat, off-road vehicle, user group, or other unit which when spaced together with other units represents a use level or density.
- 27. Representative recreation setting The most typical recreation setting for a particular activity.
- 28. Secondary activities Incidental activities; activities which are supplemental to the primary activity.
- 29. Study activity area An activity area at which the management/ site survey and the user survey was conducted.

- 30. Study project area One of the 11 project areas at which the management/site survey and the user survey were conducted. These project areas are: Barkley Lock and Dam, Benbrook Lake, Hartwell Lake, McNary Lock and Dam, Milford Lake, New Hogan Lake, Lake Ouachita, Lake Shelbyville, Shenango River Lake, Somerville Lake, and Surry Mountain Lake.
- 31. <u>Title 36</u> Part 327, Chapter III, of Title 36 of the Code of Federal Regulations which provides rules and regulations governing the public use of water resource development projects administered by the Army Corps of Engineers.
- 32. Underuse A condition where use levels are significantly less than their potential service level.
- 33. <u>User survey</u> The survey that provided user preference information used in developing social capacity guidelines; information was obtained from users at the study project areas by means of a questionnaire (see Appendix <u>B</u>).
- 34. Well-balanced use A condition which exhibits just the right amount of use to satisfy users and protect the resource.

APPENDIX B: EXAMPLE SURVEY FORMS

This Appendix includes on the following pages examples of the survey forms that were used during the Management/Site Survey and the User Survey.

MANAGEMENI/SITE SURVEY PICNICKING QUESTIONNAIRE

(Resource Manager, Head Ranger, Maintenance Foreman)

			When
			List Primary Activities Adjacent to Area
	Title		Total Picnic Sites
			Acres Total Activity ie Area Area Only
		areas)	Acres Total Use Ares
		N (selected	Fee
Project Area Name	Respondent Name Interviewer	PICNICKING USE AREA INFORMATION (selected areas)	Support Facilities
Project	Respondent Interviewer	1. PICNICKING US	Recreation Area/Use Area Names

OVERUSED

UNDERUSED

WELL-BALANCED

OVERCROWDED

2. VISITOR CHARACTERISTICS RELATED TO OVERCROWDING/OVERUSE

of picnicking groups on typical recreation season weekend day (Same as in #1) Recreation Area/Use Area Names

Typical Length of Stay

Typical Ages

Typical Group Size

Origin of visitors travel to use area of visits X X R High Avarran

High

Average

Average

Approximate # of miles

per year

OVERCROWDED

OVERUSED

NOTES: ^{1}U = Urban location (city), S = Suburban location, R = Rural

UNDERUSED

WELL-BALANCED

3. CAUSES & EFFECTS OF OVERCROWDING/OVERUSE

Use Area Names (same as in #1 6 #2)

Actual Complaints (list in order of frequency)

Observed (

Causes

Surmised

Effects Surmised Observed .

OVERCROWDED

OVERUSED

В4

UNDERUSED

WELL-BALANCED

OCCURRENCE OF OVERUSE/DEGRADATION

When highest degradation is reached	Approx.	visitor	x. groups to date
<u>त</u> ्य के न			Approx.
When signs of degradation first occur	occur Approx.		groups to date
When of degr			Approx.
	Approximate	Dates of	Recreation season
	ຼ	Beyond	off-season restoration
Off-season			Requires treatment
			Recovers naturally
	Use areas which	experience	(from #1)

5. INDICATORS (SIGNS) OF OVERCROUDING

Comments

3	Assign relative importance insing a numerical
	Indicators 1 (least) to 10 (most)
0	Increase in the # of complaints
0	Arguments/conflicts between picnickers
0	Shorter stays
0	Fewer returnees
O	Increase in crime
0	Increase in noise
O	Picnicking, in non-picnic areas
0	Crowded support facilities
0	Increase in litter
0	Increase in resource and facility destruction
0	Occurrence of displacement/succession (changes in visitor characteristics)
0	increase in number of accidents involving vehicles
0	Increase in use levels
Ξ	(Please list others below)

-
న
$\stackrel{\smile}{=}$
H
⋖
9
3
5
ŭ
ᅙ
_
Ä
Ñ
굺
$\overline{\omega}$
5
0
5
ر.
S
ž
0
5
.5
\simeq
_
5.
-
_
'n
~

(most)
의
2

o Ground cover wearing away.

Indicators

Comments

)

c

•

В7

FACTORS APPECTING RESOURCE CARRYING CAPACITY

Assign relative importance using a numerical

rating on a scale of 1 (least) to 10 (most)

Factors

Comments

Degree of normal maintenance applied -Degree of off-season restoration applied Resiliency of vegetation type Resiliency of wildlife --Climate/micro-climate -Resiliency of soils -Slope orientation -Slope/topography -Site drainage --Group size ---

Level of development (e.g. paved roads/paths) --

(Please list others below)

o

0

2 88

Tree cover --

FACTORS AFFECTING SOCIAL CARRYING CAPACITY တဲ့

Factors

Assign relative importance using a numerical

1 (least) to 10 (most) rating on a scale of

Origin of user (urban, suburban, rural) Visual screening between picnickers --Quality/variety of natural amenities Number, type, and degree of man-made intrusions or disturbances (power lines, buildings, etc.) Proximity to support facilities Compatibility of nearby primary Single purpose or multi-purpose Distance between picnic sites Level of support facilities -Distance from highway access Similarity of visitor groups Density/type of vegetation -Size of picnicking area -Proximity to the water -(Please list other factors) Scenic views or vistas Degree of designation -Configuration of area -Degree of maintenance Frequency of visits -Distance traveled -Slope orientation recreation area -Charging of fees activities o 89 o ٥ 0

Comments

Assessment of managemen feasibility (pros/cons why the technique oul or could not be implemented)

9. PRESENT/PAST CAPACITY MANAGEMENT

Describe	level of effective-	ness (pros/cons	regarding visitor	satisfaction and	resource protection)
		List capacity	management	techniques (s)	nsed
				Present	3
				Past	3
"se areas where	capacity	management	echniques were,	or are now,	applied (Name)

Use Area Names

THE MOST OVERCROWDED

Present Capacity actual or estimated

Best guess as to what the capacity should be


Principal factors

THE MOST OVERUSED AREA:

THE MOST UNDERUSED AREA:

THE MOST WELL-BALANCED AREA:

(Use as a general guide when estimating what the capacity should be) EXAMPLES FROM BUREAU OF OUTDOOR RECREATION CAPACITY RESEARCH:



MANAGEMENT/S.TE BURVEY

CAMPING

USE AREA ANALYSIS SHEET

(for URDC staff use)

Project	Area Name		riei	d Analyst	(8)		
Recreati	ion Area and/o	or Use Arca					
			Weat	her			
Code #	Code #			Date			
-							
			E S	ENT.			
			ANSWER COLUMN	CODE CODE	COMMENTS:		
	Signage	Between main highway		T T			
SITE	(camping	and use area entrance	L				
AWARE-	or name)	At use area entrance		├			
	Exposure	Between main highway and	İ	1 1			
NESS	of	use area entrunce	}	1			
	Site Relation-	At use area entrance		 	•		
ł	ship to	Distance to area from main		1 1			
1	Main	highway					
1	Highway		Ì	1 1			
Ţ		Road to site from main					
SITE		highway					
		Paved(P) or Unpaved(U)					
ACCESS	Road	Condition (E, G, P)	├				
1		Estimated Width		1			
1	Conditions	Road within use area	 -	 			
		Paved(P) or Unpaved(U)		├ ─{			
i		Condition (E, G, P) Estimated Width		 - 			
1		Presence of informal roads		 			
		% of agea () - 5%		1			
1	Slopes	% of agea 6 - 9%		1 1			
	Stobes	Z of area 10%+					
1		Existence of unique land form					
SLOPES		Density of trees					
		% dense	L				
		% moderate					
		% sparse		 			
GETATION	Vegetation	2 little or none Density of understory		├			
1		7 dense		 			
!		% moderate		 			
1		% sparse		 			
1		% little or none					
		Geologic, cultural, archeo-					
1	On the	logic features					
	Use Area	Abundance of wildlife					
1		Water feature		! -7			

			:		
		1,			
	1	Charact	8		
	}	0 = outstanding	property of ted		
			Moderately		:
NATURAL	ļ	G - good	obstructed		
MICKAL	1		Midly		
	From	U - undesitable	obstructed		
	FIOU		Unobstructed		
AMENITTES	the .	Visibility to ot	her natural		
Cacultins	ine	areas			
		(Insert)	Severely]
	lise Area	0 - outstanding	obstructed		
	1		Moderacely		i
	ł.	G - good	obstructed		
	1		Mildly		i
	1	V - undestrable	obstructed		1
	i		Unobstructed		
		Distance to lake			
COMPTETAL	Vegetation	Dead or trampled			
CONDITION	6	Evidence of taki			
OF	Soils	Compacted soils			l
NATURAL	limute and	Wet soils/standi	ng water	L	
PEATURES	Drainage	Erosion			
		Electric hook-up	s		
		Water hook-up			
		Improved pad			
		Picnic tables			
		Cooking grill			
	Facility/	Firewood			
	Service	Drinking water (cold)		
· · · · · · · · · · · · · · · · · · ·	l	Hot water			
CULITIES	Distribution	Showers			
		Flush toilets			
&		Vault toilets			
	(S - Site	Pit toilets			
ERVICES	D-Distributed	Dumping station			
		Shelter			
	C - Centra-	First ald statio	<u>n</u>		
	lized)	Telephone			
		Lighting (R - ro			
		W - Walkway, C			
		Recreation area			
		Convenience stor	<u>e</u>		
	Condition	Excellent			
	Condition	Good North on the			├~~~┤
	Distance	Need attention Minimum			
	between	Maximum			
	campsites	· · · · · · · · · · · · · · · · · · ·			
	Distance	Average			
	between	Minimum	1		
	campsites				
	and	Maximum		'	
	the				
I.ANN ING	facilities	Average			'
	Space for				
	camper	Ample	· · · · · · · · · · · · · · · · · · ·		
DESTGN	unit	Acceptable		ļ	
	maneuver-				
	ability	Restrictive			[
5 54.5		ot.o) led (gate	, attendant)		
	temperate	Terential hid			

Camping

	Car Parking	site Road parking		ст. сатр-			
	Buffer	Man-made Natural vege	tation			7	
	between Campsites	Planted land					
Use \rea .ame	Estin direct o from ca Activity use a	a mated to d listance mping	Pedestri ccessibi other us Mod-	an lity	,	Visibility other use a Semi-ob-	Reasons for accessibility and/or visibility situation

ANALYST'S PERCEPTION OF ACTIVITY AREA'S CARRYING CAPACITY

List the resource/physical factors you feel most affect carrying capacity on this site	
Should resource/physical carrying capacity of this site be: h	igher lower same
List possible techniques which might ton this site.	pe used to <u>increase</u> and/or to <u>limit</u> capacity

31.

CORPS OF ENGINEERS USER CAPACITY SURVEY

			Notations
Date	Day	OMB Clearance #	49-R0419
Time (hour)			October 1983
Weather		Project Area Nam	ne
Interviewer		Recreation Area	Name
Activity			Code
We are conducting a survey fo throughout the Country. Thro crowding and overuse of these make decisions about the use take fifteen minutes of your	ugh these surve recreation are and protection	ys, we will discover as. The Corps will of its recreation as	how visitors feel about over use this information to help
BASIC VISITOR CHARACTERISTICS			
	large is c	Is this your main destination or a stopover on a trip?	4. How long did it take you to travel here from your home(\(\sqrt{)} \) or last destination(\(\sqrt{)} \)?
18 - 25	1	topover on trip	15-30 minutes
VISITOR FARTICIPATION 5. How many times did you participate in this activity anywhere last year	yo th · ?	ow many times have ou participated in his activity at his Lake?	7. How long are you staying on this visit?
(if "0", go to Question 7) 0	a) Last ye 0 1- 2 3- 4 5- 7 8-10 11-19 20+	0	1 day(overnight) 2 days 3 days
8. Have you participated in the No	list any chang		in the physical condition of
Physical condition	n:	People'	s use of the area:
Positive		Positive	
☐ N∷gative		Negative	
9. Would you say the number o	f people who ar	e now participating	in this activity are:
too many 🗍	too few 🗌	ju	st the right number
WES Form 2159	в	15	

to.	a) would you say that the distance	e between you and	other peo	ple is:		
	too for [] (no 10c) post r.	1 _c ht [] (to 10c)	t	luse []		
	(Actual or estimated distance	to be recorded by	interview	er		,
	b) It other people are too close,	how far away woo	ıld you lik	e them to be	e? 🔲 Not A	Applia die
	just a little 🔲 twice as far farther	r 🗌 three t farther		more than 3 times		
	c) What is the closest distance ye d) What distance would you like th	ou would accept? nem to be?				
!1.	. a) Which of the following reasons pleasant or unpleasant?				his locatio	on
			Plaggant	Un-	Not	Does Not
· ·	FERAL REASONS		. Teasant	pressure	rapor carre	прргу
2. 3. 4. 5. 6. 7. 8. 9. 10. 12. Othe	Characteristics and behavior of or Distance from other people	groups				
13. 14. 15. 16. 17. 18. 19. 20. 21. 0:the	Trees/natural landscape	water, etc.)				
	Water quality	your activity.				
	No Yes		Coming HE			
	If ves, which reasons (selected	d trom reasons ch	ecked "unp	leasant" ab	ove)?	

12. It recreation areas have too many people for each to enjoy the activity or if areas become damaged by too much use, there are some solutions for reducing that overcrowding or overuse. Please indicate which of the following possible solutions you would find very acceptable, mildly acceptable, or unacceptable for reducing crowding and/or natural resource destruction in this location. (If this location is not overcrowded or overused, assume that it is for this question.)

Fos	SIBLE SOLUTIONS FOR OVERCROWDING OR OVERUSE	Very Accept- able	•	Un- accept- able	Does Not Apply
PUB	LIC AWARENESS/EASE OF ACCESS SOLUTIONS				
1.	Make the area's existence less obvious to the general publi	C			
3.	(fewer signs and directions) Provide more and better information on how to use the area		-:		- []
ACT	IVITY RELATIONSHIPS & USE DENSITY				
4.	Keep major recreation activities more separated from one	_			
5.	another				
5. 7.	Design for greater distance between people	$\cdot \cdot \cap \cdot$	$\cdot \cap \cdot$	$\cdot \cdot \sqcap \cdot \cdot$	· 🖂 ·
8.	Change natural surfaces by hardening them to withstand more use				
9.	Increase maintenance and restoration to allow more use	5	_ 🖰 —	🗀	🗀 -
PLA	NNING & DESIGN SOLUTIONS				
0. 11.	Reduce the type and number of facilities and services provi Keep unnecessary vehicles out of areas Reduce number of parking spaces to limit number of users .		^	n	_ 🗀 .
3.	Provide landscaped buffers between visitor groups to increa	se			
4.	Redesign area to accommodate fewer users			🗇	- 🗀
RUL.	ES & REGULATIONS SOLUTIONS				
.5.	Have stricter enforcement of regulations				
7.	Impose more rules and regulations				_ []
8. 9.	Require permits to use areas Close down areas when natural resource destruction reaches critical point				
20. 21.	Charge fees or increase fees now charged	ñ	M	Ē	<u> – </u>
··тн	f us				
		🗆	. 🗆	🗀	+ []
	and the second s		[]		- D
	· · · · · · · · · · · · · · · · · · ·	🗀 · ·	. 🗆 · ·	🗆	. []

13.	ficase answer ti Visit.	a) What are you other recreasectivities on this visit?	from this lor r (use launch tion for boat ac n (1) Walking	thin wolking the cocation? ing location trivities (2) Driving	
	(amoin e				
2.			· · · · · · · · · · · · · · · · · · ·		
1.		_		_	
•			· · · · · · · · · · · · · · · · · · ·		
,			· · · · · · · · · · · · · · · · · · ·		
5.					
···					
٠ ٠					
,					
10.		-	· · · · · · · · · · · · · · · · · · ·		
1.			· · · · · · · · · · · · · · · · · · ·	_	
12.				_	_
13.		- -	· · · · · · · · · · · · · · · · · · ·		
14.				_	
15.					
16.					
	RECREATION EQUIP				
	Department Department				Off-Road
	Camping		Boat Activities		Vehicle Riding
	Tent		Day sailer 🗌		Trail bike
	Tent camper		Sailer (cabin)		Motorcycle [
	Truck-mounted camper		Canoe Row boat		ATV Dune buggy
	Travel trailer		Power boat		4-wheel drive
	Van		(less than 25 hp)		
	Motor home		Power boat		
			(25+ hp) Houseboat or		_
			cruiser		
	COMMENTS.				

REPLACEMENT QUESTIONS TO ASK DURING BOAT LAUNCHING INTERVIEWS
(Write answers and comments directly on the User Survey Interview Sheet)

	too long long, but tolerable just right
	(Approximately how long does it take to launch your boat at this ramp? Actual or estimated time to be recorded by interviewer
b)	How long would you prefer it to take:
	just a little twice as three times more than three taster fast faster times faster
c)	What could be done to expedite boat launching at this ramp:
c)	what could be done to expedite boat faunching at this lamp.



APPENDIX C: PROJECT AREA DESCRIPTION

Location

Lake Ouachita (Vicksburg District) is located on the Ouachita River in West Central Arkansas. The dam and powerhouse are situated 13 miles northwest of Hot Springs, Arkansas.

Authorization and purpose

The Blakely Mountain Dam and Reservoir was authorized by the Flood Control Act of 1944 for the purposes of flood control and hydroelectric power generation.

Project area size and features

The drainage area above the dam is 1105 square miles. At the average recreational pool elevation of 578 feet msl, the lake has a surface area of 40,060 acres and a 690-mile shoreline. Project land acreage at this elevation is 42,313 acres. Total project land and water acreage amounts to 82,373 acres. Fluctuation of the water level during the summer recreation season may be as great as eight feet.

Corps personnel assigned to the project area include a Resource Manager, two full-time rangers, and clerical and maintenance personnel. Additional rangers are hired on a temporary basis during the summer recreation season.

Topography

The reservoir lies within the Ouachita Mountains, and the topography of the land surrounding the lake ranges from hilly to rugged. Well-defined ridges range in elevation up to 1250 feet msl on the southern shore. The northern shore is less rugged. Water courses flow generally northerly or southerly toward the lake.

Climate

The climate of the region is characterized by short moderate winters and long summers. Normal temperatures range from the mid-90 degrees F. (with extremes to 110 degrees F.) in summer to the mid-30 degrees F. (with extremes to -10 degrees F.) in the winter. Average annual temperature is 62 degrees F. Prevailing winds are from the south-

west at about eight mph. The average rainfall is approximately 51 inches, with an average of six inches of snow. Precipitation is well distributed throughout the year and is ample for plant growth. The days are sunny 65 percent of the year, although 75 percent of the days are sunny during the summer.

Soils and vegetation

Soils in the area are shallow, and are composed of gravelly and sandy clay loams generally underlain by shale. The steep terrain of the area makes the shallow soil especially susceptible to erosion.

The area is forested with a heavy second-growth mixture of pine-hardwoods, with the shortleaf pine being the predominant species. Hardwoods include a mixture of oaks, sweet gum, blackgum, and hickory. Greenbrier, French mulberry, strawberry bush, and huckleberry are also scattered throughout the project area.

Fish and wildlife

The lake has provided excellent sport fishing, with large-mouth, smallmouth, and spotted bass, black crappie, bluegill, redear and longear sunfish, and walleye as the major game species. The reservoir lands support game animals including gray and fox squirrels, wild turkey, and whitetail deer. Bobwhite quail, mourning doves, and rabbit are also present near areas of cultivation. Several pairs of bald eagles nest on project lands each year, and their number is increasing.

Population areas served and accessibility

Approximately 2.8 million persons live within 150 miles of the lake.

Access to the more developed, southern portions of the lake is provided by State and county roads leading from U. S. 270. State Route 298 provides access to the northern shore, and State Route 37 provides access to the western shore. The eastern shore is accessible at two locations (the damsite and at Ouachita State Park) via State Route 227.

Recreation areas

Recreation areas are distributed around the entire lake. However, because the southern shore of the lake has better access, it has more developed recreation areas than the northern shore. The Corps presently has 15 developed recreation areas, two primitive areas, and one wilderness area. These areas occupy over 2000 acres. Corpsdeveloped sites generally provide areas for camping, boat launching, and picnicking, as well as comfort facilities. Swimming areas and group picnic shelters are provided at several areas. Ouachita State Park, on the eastern shore of the lake, offers a marina and restaurant, picnicking, camping, cabins, and a variety of naturalist programs on 370 acres.

Commercial concessionaires lease 236 acres from the Corps at nine of the developed recreational sites. Facilities provided by commercial concessions include housekeeping cabins, motel rooms, transient trailer spaces, boat docks and rentals, boat slips, launching ramps, eating establishments, and grocery or general supply stores.

Visitation


In 1978, 2,960,400 recreation days were reported at Lake Ouachita; highest visitation occurs during the months of May, June, and July.

In accordance with letter from DAEN-RDC, DAEN-ASI dated 22 July 1977, Subject: Facsimile Catalog Cards for Laboratory Technical Publications, a facsimile catalog card in Library of Congress MARC format is reproduced below.

Urban Research & Development Corporation.
Recreation carrying capacity facts and considerations;
Report 4: Lake Ouachita Project Area / by Urban Research and
Development Corporation, Bethlehem, Pa. Vicksburg, Miss.:
U. S. Waterways Experiment Station; Springfield, Va.: available from National Technical Information Service, 1980.
iv, 77, [25] p.: ill.; 27 cm. (Miscellaneous paper - U. S.
Army Engineer Waterways Experiment Station; R-80-1, Report 4)
Prepared for Office, Chief of Engineers, U. S. Army, Washington, D. C., under Contract No. DACW39-78-C-0096.
Project map of Lake Ouachita in pocket at end of report.

1. Recreation carrying capacity. 2. Resource capacity.
3. Social capacity. 4. Activity area. 5. Factors. 6. Indicators. 7. Monitoring. 8. Overcrowding. 9. Overuse. 10. Recreation resource. 11. Underuse. 12. Well-balanced use. I. United States. Army. Corps of Engineers. II. Series: United States. Waterways Experiment Station, Vicksburg, Miss. Miscellaneous paper; R-80-1, Report 4.
TA7.W34m no.R-80-1 Report 4

Lake Ouachita



Corps
other
gover

Corps recreation area other recreation area government-owned land municipal boundary

lake shoreline highway secondary ros

prepared by Urban Research and Development Corporation - Bethlehem, Pa.

CORPS OF ENGINEERS
RECREATION AREAS

BRADY MOUNTAIN
CRYSTAL SPRINGS
JOPLIN
LAKE OUACHITA
SPILLWAY

CORPS OF ENGINEERS
O O O O O

- O denotes activity offered in re
- denotes interviews conducted

