

AD-A100 449

ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/8 8/1  
EXPERIMENTALLY DETERMINED RELATIONSHIP BETWEEN EXTINCTION AND L--ETC(U)  
APR 81 D BRUCE, C W BRUCE, Y P YEE  
ERADCOM/ASL-TR-0083

UNCLASSIFIED

NL

1 of 1  
AD A  
700 449



12

END  
DATE  
FILMED  
7-81  
DTIC

ASL-TR-0083

12  
AD

Reports Control Symbol

OSD-1366

EXPERIMENTALLY DETERMINED RELATIONSHIP BETWEEN  
EXTINCTION AND LIQUID WATER CONTENT

AD 1000-19  
APRIL 1981

By

Dorothy Bruce  
Charles W. Bruce  
Young Paul Yee

US Army Atmospheric Sciences Laboratory  
White Sands Missile Range, New Mexico 88002

Lynn Cahenzli  
Hans Burket

New Mexico State University  
Physical Science Laboratory  
Las Cruces, New Mexico 88003

DTIC  
JUN 22 1981

A

Approved for public release; distribution unlimited

WING FILE COPY



US Army Electronics Research and Development Command  
**ATMOSPHERIC SCIENCES LABORATORY**

White Sands Missile Range, NM 88002

## NOTICES

### Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

### Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

| REPORT DOCUMENTATION PAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                             | READ INSTRUCTIONS<br>BEFORE COMPLETING FORM                                                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|----------------------------------------------------------------------------------------------|
| 1. REPORT NUMBER<br>ASL-TR-0083                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 2. GOVT ACCESSION NO.<br><b>AD-A100 449</b> | 3. REPORTS CATALOG NUMBER                                                                    |
| 4. TITLE (and Subtitle)<br>EXPERIMENTALLY DETERMINED RELATIONSHIP BETWEEN<br>EXTINCTION AND LIQUID WATER CONTENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                             | 5. TYPE OF REPORT & PERIOD COVERED<br>R&D Technical Report                                   |
| 7. AUTHOR(s)<br>Dorothy Bruce<br>Charles W. Bruce<br>Young Paul Yee                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                             | 6. PERFORMING ORG. REPORT NUMBER                                                             |
| 8. CONTRACT OR GRANT NUMBER(s)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                             | 10. PROGRAM ELEMENT, PROJECT, TASK<br>AREA & WORK UNIT NUMBERS<br>DA Task No. IL1F1102453AD1 |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS<br>Atmospheric Sciences Laboratory<br>White Sands Missile Range, New Mexico 89002                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                             | 12. REPORT DATE<br>April 1981                                                                |
| 11. CONTROLLING OFFICE NAME AND ADDRESS<br>JC Army Electronics Research<br>and Development Command<br>Adelphi, MD 20703                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                             | 13. NUMBER OF PAGES<br>29                                                                    |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                             | 15. SECURITY CLASS. (of this report)<br><br>UNCLASSIFIED                                     |
| 16. DISTRIBUTION STATEMENT (of this Report)<br><br>Approved for public release; distribution unlimited.                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                             |                                                                                              |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                             |                                                                                              |
| 18. SUPPLEMENTARY NOTES<br><br>*New Mexico State University<br>Physical Science Laboratory<br>Las Cruces, New Mexico 88003                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                             |                                                                                              |
| 19. KEY WORDS (Continue on reverse side if necessary; use block number)<br><br>Aerosols<br>Fog<br>Extinction<br>Liquid water content                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                             |                                                                                              |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number)<br><br>Simultaneous environmental chamber measurements have been made of 10.27 $\mu$ m extinction coefficients and liquid water content of droplet distributions with sizes spanning those of light to heavy fogs. The measurements yield a linear relation which is nearly independent of droplet size distribution, in agreement with recent calculated results and predictions. Liquid water content varied from 0.01 to 3.3 gm/m <sup>3</sup> , and droplet size distributions with single mode |                                             |                                                                                              |

## 20. ABSTRACT (cont)

and bimodal differential extinction coefficient curves (extinction coefficient as a function of droplet size) were included. The spectral variation of extinction coefficient between  $9.2\mu\text{m}$  and  $10.8\mu\text{m}$  was also measured. The results are in good agreement with the variation calculated for typical droplet size distributions.

## CONTENTS

|                              |    |
|------------------------------|----|
| INTRODUCTION.....            | 5  |
| EXPERIMENTAL APPROACH.....   | 5  |
| PRELIMINARY EXPERIMENTS..... | 6  |
| EXPERIMENTAL PROCEDURES..... | 8  |
| RESULTS.....                 | 10 |
| CONCLUSIONS.....             | 11 |
| FIGURES.....                 | 12 |

A

## INTRODUCTION

An understanding of the effects of atmospheric constituents on the effectiveness of Army electro-optical systems, both actual and proposed, requires a basic understanding of relationships between propagation and meteorological or other source parameters.

This report describes simultaneous but independent measurements of the extinction coefficient due to various size distributions of water aerosols and the mass density of the water aerosol distributions. The liquid water content (LWC) measurements were made with two recently developed systems which are described in detail in Bruce et al.<sup>1</sup> The results are in general agreement with calculated results of Pinnick et al.<sup>2</sup> based on measured fog droplet size distributions and give further verification to Chylek's<sup>3</sup> prediction of a unique linear relation between extinction at approximately 11 $\mu$ m and LWC of fogs for all size distributions with maximum particle radii less than or approximately equal to 14 $\mu$ m.

## EXPERIMENTAL APPROACH

The measurements were made in an environmental chamber having a volume of approximately 1 cubic meter. Water droplets were generated within the chamber, and minimum stirring was used to ensure uniform spatial distribution of the particles.

Figure 1 is a diagram of the optical system used in the extinction coefficient measurements. The (half power) diameter of the laser beam is approximately 1 cm in the measurement region. Early measurements made with a larger diameter (x 3) beam did not significantly improve the steadiness of the transmitted signal. The laser path through the chamber is in the vertical direction with a total length of 1.79 m. Warm dry air in the form of a thin sheet is blown across the (exterior) mirrors at the top and bottom of the chamber to prevent accumulation of water droplets on the mirror surfaces. A sample of the input beam is monitored by a reference power meter. Calculations and parametric measurements have been used to determine the attenuation necessary to prevent significant heating and evaporation of the water droplets. A mirror is rotated into the beam path to direct the beam to a spectrum analyzer during tuning of the laser.

---

<sup>1</sup>C. W. Bruce, R. J. Brewer, and H. Burket, A System for Measurement of Liquid Water Content, to be published as an ERADCOM report

<sup>2</sup>R. G. Pinnick, S. G. Jennings, P. Chylek, and J. H. Auvermann, 1979, "Verification of a Linear Relation Between IR Extinction, Absorption and Liquid Water Content of Fogs," J Atmos Sci, 37:1577-1586

<sup>3</sup>P. Chylek, 1978, "Extinction and Liquid Water Content of Fogs," J Atmos Sci, 35:296-300

Sampling throats for the LWC measuring systems are located approximately in the lower center of the chamber. Sampling is at a rate of 10 to 15 liters per minute. The sampling throat of a commercial light scattering counter extends through one side of the chamber to a point close to the extinction path and the LWC sampling throats. This instrument is used to monitor the droplet size distributions and, through these, the contributions of different size particles to the extinction coefficient (differential extinction coefficient).

#### PRELIMINARY EXPERIMENTS

Although the measurement systems used in this study are relatively simple, several extensive preliminary investigations were conducted to ensure the existence of appropriate experimental operating conditions.

The first of these investigations involved the commercial instrument used to monitor the particle size distributions--a Particle Measuring Systems (PMS) classical scattering aerosol spectrometer. This instrument is sensitive to water droplets with radii from 0.1  $\mu\text{m}$  to 16  $\mu\text{m}$ .

This instrument counts particles of different sizes by pulse height analysis of laser light (0.63  $\mu\text{m}$ ) scattered by single particles into a particular solid angle. Determination of particle size is indirect because the scattering depends on particle refractive index and on the geometry of the optical system.

The instrument used in this study was checked to be sure that particles were counted in the correct size range channels. Single-size nearly transparent beads were used for channels counting particles with radii up to about 4  $\mu\text{m}$  and calibrated bead mixtures were used for channels counting particles with radii between 4  $\mu\text{m}$  and 16  $\mu\text{m}$ . Particle counting efficiency was not measured. The results from the studies with mixed bead sizes indicate that counting efficiency was relatively constant for all channels since the curves obtained with calibrated bead mixtures had the correct shapes for the size mixtures used.

Care must be exercised to limit the density of aerosol sampled by the counter since counting is based on the assumption of single scattering by individual particles and distortion of results may occur at high count rates. A variety of dilution techniques were tried in which droplet-free air was mixed with the droplet sample stream from the chamber in the inlet throat of the PMS counter. Care was taken to minimize disturbance of the flow character. The results obtained indicate that use of these techniques extended the number density range of the instrument by a factor of about 3, but that further dilution caused definite distortion of the differential extinction curves. The differential extinction curves were used only in a relative sense; that is, the shape of the curve and the particle radius,  $r_p$ , at which peak extinction occurred were used as characteristic parameters of the chamber droplet distributions since an absolute calibration was not available to relate a measured size distribution to actual extinction coefficients and LWC.

The second of these preliminary studies was an investigation of the conditions for generation of droplet size distributions and differential extinction profiles within the ranges found in naturally occurring light to heavy fogs. Differential extinction profiles show the contribution to extinction of particles with radii in relatively small size ranges. Peak extinction for fogs normally occurs in the particle radius range of  $2\mu\text{m}$  to  $10\mu\text{m}$ . No attempt was made to specifically tailor size distributions to be representative of any particular type of fog but rather to span typical fog droplet sizes. Maximum droplet size was approximately  $16\mu\text{m}$  to permit accurate monitoring of the size distributions by the PMS spectrometer.

Commercially available "cool mist vaporizers" were used to generate droplet distributions which had monomodal differential extinction curves. The radius of peak extinction,  $r_p$ , could be varied from about  $8\mu\text{m}$  to  $16\mu\text{m}$  by using a variety of throttling and impaction techniques. A stable mode of operation with peak extinction at particle radii of  $10\mu\text{m} \pm 1\mu\text{m}$  was finally used. Condensation droplet distributions were produced by introducing cold gaseous nitrogen into the saturated vapor of the chamber. These distributions are characterized by relatively narrow, monomodal differential extinction curves with peak extinction for droplet radii of  $4\mu\text{m} \pm 1\mu\text{m}$ . Both types of droplet distributions were generated with densities ranging from about  $0.01$  to  $4.0 \text{ gm/m}^3$ . The shape and peak position of the differential extinction curves were not particularly sensitive to variation of the droplet number density. Typical differential extinction curves are shown in figure 2.

A study of the spatial uniformity of the droplet distributions was made by varying the location of the droplet generators and using several stirring mechanisms. Most of the mixing results from the circulation caused by the droplet generators. A small fan with specially tailored blades provides the small additional circulation (in the form of a donut within the chamber) required to obtain spatially uniform distributions.

The last of the preliminary studies involved characterization of two new sensing systems which give real-time measurements of LWC. These instruments and their characterization will be reported in detail elsewhere.<sup>1</sup> Only a summary will be given here.

One system involves a mass accumulation technique in which droplets are collected on a three-dimensional filter consisting of layers of flannel on a screen base. If the accumulated mass is measured and divided by the sampling time and the volume flow rate through the filter, an absolute measurement of LWC is obtained in units of mass density. The three-dimensional filter is critical to successful measurements since water droplets would clog a two-dimensional filter and lead to inaccurate sampling. Sampling times between  $15 \text{ s}$  and  $4 \text{ min}$  were used for light and heavy mass density droplet distributions and have yielded reproducible results.

---

<sup>1</sup>C. W. Bruce, R. J. Brewer, and H. Burket, A System for Measurement of Liquid Water Content, to be published as an ERADCOM report

Caution is necessary in this measurement to apply a time-dependent correction factor which results from quite rapid initial absorption of water by the dry filter fibers. This effect actually represents equilibration of the flannel to the relative humidity of the chamber. Since this effect is rapid and reproducible, the necessary correction is straightforward. Mass collection was studied to determine an adequate number of layers of flannel.

For the environmental chamber measurements, filters are preweighed in sealed containers, inserted into a sampling throat with O-ring seals, and replaced in their original container for post sampling weighing. They are then dried with a stream of ambient air for later use. A similar but real-time system incorporated into a top loading electronic balance is also used.

The second LWC measurement system uses a differential sampling technique and phase-sensitive detection. The system has two sampling throats. One throat is vertical and unobstructed, and the flow through it contains both vapor and water droplets; the other throat contains a series of flannel filters with offset openings which create free-flow conditions through a tortuous path so that the resulting sample contains only vapor. A rotating half disc alternately selects samples from the two throats and permits them to flow through a heated woven wire grid which evaporates the droplets. The wire diameter was chosen to be much larger than the water droplets to provide a good collection efficiency. Evaporation of water from the grid causes cooling and a change in the grid resistance. This change results in an approximately linear change in the voltage applied across the grid by a constant current power supply. A reference signal for a lock-in amplifier is obtained from the throat selecting half disc, and the synchronous voltage change across the grid is measured. The resulting signal has been shown to be proportional to the total mass density measured with the filter system in a series of measurements over a wide range of environmental chamber conditions. Single and multiple layer grids have been used, and no significant difference in results was found.

The mass collection (filter) system is used to establish the calibration of the differential system. For these measurements, the system has been used as a continuing check on the calibration; but the stability of the differential system is sufficient that such monitoring is not actually necessary.

#### EXPERIMENTAL PROCEDURES

Most of the extinction coefficient measurements in this study were made with the laser tuned to the  $10\mu\text{m}$  R-16  $\text{CO}_2$  transition line at a wavelength of  $10.27\mu\text{m}$ . However, several sets of spectral scans of both the  $9\mu\text{m}$  and  $10\mu\text{m}$  R and P bands of  $\text{CO}_2$  were made. The laser beam power was monitored continuously, prior to the input mirror for the fog chamber (sampled by a beam splitter) and after it left the chamber. The length of the path within the chamber was  $1.79\text{ m}$ .

Optical alignment and laser line stability were periodically checked and no problems were encountered. The power meters and the differential LWC system were stabilized, and baselines were established on the chart recorders used for data collection.

The droplet generators were then turned on, and the chamber was brought to a droplet equilibrium condition which was characterized by constant values for both transmitted laser power and differential LWC signals. After recording these values, the droplet generators were turned off, and the chamber was again allowed to reach an equilibrium with only vapor present. This procedure establishes a baseline for the measurement of changes in transmission of laser power due to droplets only.

The droplet generators were again turned on; and after equilibrium conditions were reached, a set of three filter measurements of LWC was made. PMS counter measurements were then made, and the droplet generators were turned off. After a settling time to return to vapor-only conditions, the same measurement process was repeated with a different power supplied (by use of a Variac) to the droplet generators. Variac settings between 60 and 100 percent were used to provide a variety of droplet number densities. Size distributions and the shape and position ( $r_p = 10\mu\text{m} \pm 1\mu\text{m}$ ) of the differential extinction coefficient curves remained almost constant for all similar sets of experiments.

Different droplet size distributions were obtained by following the above procedure for establishing vapor saturation as well as equilibrium droplet conditions and then introducing cold nitrogen gas into the center of the chamber. After an initial mixing period of about 1 min, chamber conditions became essentially uniform; then both the transmitted laser power and differential LWC signals decayed (over a period of 6 to 10 min) back to those representative of ambient temperature conditions.

For some of these condensation droplet measurements, the droplet generators were turned off before the cold nitrogen was introduced. Under these conditions, the position of  $r_p$  for the differential extinction coefficient curves was at about  $4\mu\text{m} \pm 1\mu\text{m}$ .

When the droplet generators continued operation, the position of  $r_p$  either occurred at an intermediate position or the size distribution was bimodal with a variety of shapes and the two peak extinction positions within the range of  $4\mu\text{m}$  to  $10\mu\text{m}$ .

Since chamber conditions varied with time for these condensation experiments, the LWC filter measurements were made only under the original equilibrium conditions to establish a calibration value for the differential LWC measurement.

The PMS counter measurements also required a special procedure. Since the counter significantly depleted the chamber's contents, size distributions were measured on alternate measurement sets for repeated conditions. There was an equilibration period when the counter was first turned on. The data for this period (about 3 s) were discarded. Then, several valid 2 s sampling sets of data were obtained.

The spectral variation of extinction was also measured. Two types of experiments were performed. In the first the specially modified laser was operated in a scanning mode. In this mode the laser can be scanned through the  $9\mu\text{m}$  R and P bands and then, with a minor adjustment, through the  $10\mu\text{m}$  R and P

bands. A complete scan of these bands takes approximately 1 h. These data were somewhat noisy so another experimental procedure was also used.

The second set of spectral data was obtained by manually tuning the laser to four separate spectral lines in each of the four bands and measuring the extinction. The lines used (10, 16, 24, and 30) were chosen to be fairly evenly distributed across each band. Data were taken by using the same general procedures as those used in the other experiments, with droplet generation conditions typical of those which produced differential extinction peaks at approximately 10 $\mu$ m.

Environmental chamber conditions for these spectral scans were the same as the conditions for equilibrium droplet generation for the detailed 10.7 $\mu$ m experiments. No condensation droplet distributions were included since these were unstable, and the experiments would be time-consuming and difficult to interpret.

## RESULTS

The measured relationship between the extinction coefficient at 10.7 $\mu$ m and the LWC of environmental chamber droplet distributions is shown in figures 2 through 3c.

Each type of size distribution clearly shows a linear relation between the measured quantities. The ratio between them shows some variation as a function of the droplet distribution generation mechanism: the slope for mechanically generated distributions (figure 3a) is 152 km<sup>2</sup>/((gm/m<sup>3</sup>)), for condensation droplet distributions (figure 3b) 158 km<sup>2</sup>/((gm/m<sup>3</sup>)), and for the combination of distributions (figure 3c) 156 km<sup>2</sup>/((gm/m<sup>3</sup>)), although it could presumably vary anywhere between the other two values.

However, the data for all of the distributions may be combined to yield a linear relation with a slope of 154 km<sup>2</sup>/((gm/m<sup>3</sup>)) with a combined experimental error of 12 km<sup>2</sup>/((gm/m<sup>3</sup>)) or 8 percent.

The PMS counter measurements of the size distributions were used in a Mie scattering program calculation of LWC and extinction coefficient (using a previously measured value for the complex index of refraction for water at this wavelength by Hale et al.). The ratio of the calculated quantities of 156  $\pm$  12 km<sup>2</sup>/((gm/m<sup>3</sup>)) agrees within the experimental error with that of the measured slopes. This agreement was true even though the calculated values of the extinction coefficients and LWC were close to the measured values for one counter used but were very different for another similar unit.

Figure 4 is a comparison of the average measured extinction for each spectral band with the values calculated from measured droplet size distributions.

---

\*G. M. Hale and M. R. Querry, 1973, "Optical Constants of Water in the 200-nm to 20 $\mu$ m Wavelength Region," Appl Opt, 12:555-563

Averages of both sets of measurements are shown, with the RMS data spread shown for the data set obtained by manually tuning the laser. The data taken with automatic tuning have a larger spread. Some of the lines measured in this mode of operation were not included in the band averages. These averages were chosen by plotting measured power for all lines in a band and discarding points which did not fall close to a Boltzmann-like profile. Approximately six lines (38 percent of total) were included in each average. The measured averages are plotted at the median wavelength for the lines used.

Two sets of calculated extinction coefficients are shown. These sets give the calculated spectral dependence of the extinction coefficient for typical droplet distributions with primarily large and small droplet sizes. The peak differential extinction coefficients occurred at approximately 8.8 $\mu$ m and 4.2 $\mu$ m for the droplet distributions used.

All data have been scaled to agree at 10.3 $\mu$ m since the other measurements reported here show that the extinction coefficient is independent of droplet size distribution and linearly dependent on LWC at that wavelength.

#### CONCLUSIONS

Measurements have been made of the extinction coefficient at 10.2 $\mu$ m and, independently, of the LWC of a large number of environmental chamber droplet size distributions with radii spanning those of a variety of fogs. A linear relation has been found which is approximately independent of the size distribution. The measured ratio of extinction coefficient to LWC is 159 km<sup>-1</sup>/((gm/m<sup>3</sup>)).

These results are in good agreement with the linear relation predicted by Chylek<sup>1</sup> and calculated by Pinnick et al.<sup>2</sup> at 11 $\mu$ m based on size distribution measurements of fogs and hazes.

Measurements of the spectral dependence of the extinction coefficient (between 9.2 $\mu$ m and 10.8 $\mu$ m) have been made and are in good agreement with the dependence calculated for two typical droplet size distributions.

Systems for the measurement of LWC under field conditions have been developed from those used in this study and were used in the Meppen 80 field tests.

The results obtained from the experiments reported here suggest that it would be possible to use measurements of LWC to predict performance in fogs and hazes of EO systems operating in the 10 $\mu$ m atmospheric window.

---

<sup>1</sup>P. Chylek, 1978, "Extinction and Liquid Water Content of Fogs," J Atmos Sci. 35:296-300

<sup>2</sup>R. G. Pinnick, S. G. Jennings, P. Chylek, and J. H. Auvermann, 1979, "Verification of a Linear Relation Between IR Extinction, Absorption and Liquid Water Content of Fogs," J Atmos Sci. 37:1577-1586




Figure 1. Optical system. M represents mirrors. B represents beam splitter. One mirror is rotatable to permit laser line identification. The  $\text{CO}_2$  laser incorporates automatic line scanning and stabilization. An optical beam chopper is retained so that an aerosol spectrophone measures absorption coefficient) and alternate detectors for other lasers may be used. An adjustable aperture for the  $\text{CO}_2$  laser beam, window flush for the input and output mirrors, liquid water content measurement systems, and particle counter are omitted in this diagram.







Figure 2. Typical differential extinction curves for condensation droplet (left peak) and mechanically generated (right peak) size distributions.



(a) Mechanically generated droplet size distributions.



(b) Condensation droplet size distributions.



(c) Droplet distributions generated by combinations of the mechanical and condensation techniques.

Figure 3. Extinction coefficients as functions of liquid water content for mechanically generated, condensation, and combination droplet size distributions.




Figure 4. Measured and calculated extinction coefficients. The measured data points are averages for the spectral band plotted at the median wavelength for the lines used. The RMS data spread is indicated for the manually tuned measurement set ( $\Phi$ ). The data spread for the automatically scanned measurements ( $\nabla$ ) is of the same order of magnitude. The calculations are for typical droplet size distributions with peak differential extinction at droplet radii  $r_p$  of approximately  $8.8\mu\text{m}$  (O) and  $4.5\mu\text{m}$  (X).

#### ATMOSPHERIC SCIENCES RESEARCH REPORTS

1. Lindberg, J. D., "An Improvement to a Method for Measuring the Absorption Coefficient of Atmospheric Dust and other Strongly Absorbing Powders," ECOM-5565, July 1975.
2. Avara, Elton P., "Mesoscale Wind Shears Derived from Thermal Winds," ECOM-5566, July 1975.
3. Gomez, Richard B., and Joseph H. Pierluissi, "Incomplete Gamma Function Approximation for King's Strong-Line Transmittance Model," ECOM-5567, July 1975.
4. Blanco, A. J., and B. F. Engebos, "Ballistic Wind Weighting Functions for Tank Projectiles," ECOM-5568, August 1975.
5. Taylor, Fredrick J., Jack Smith, and Thomas H. Pries, "Crosswind Measurements through Pattern Recognition Techniques," ECOM-5569, July 1975.
6. Walters, D. L., "Crosswind Weighting Functions for Direct-Fire Projectiles," ECOM-5570, August 1975.
7. Duncan, Louis D., "An Improved Algorithm for the Iterated Minimal Information Solution for Remote Sounding of Temperature," ECOM-5571, August 1975.
8. Robbiani, Raymond L., "Tactical Field Demonstration of Mobile Weather Radar Set AN/TPS-41 at Fort Rucker, Alabama," ECOM-5572, August 1975.
9. Miers, R., G. Blackman, D. Langer, and N. Lorimier, "Analysis of SMS/GOES Film Data," ECOM-5573, September 1975.
10. Manquero, Carlos, Louis Duncan, and Rufus Bruce, "An Indication from Satellite Measurements of Atmospheric CO<sub>2</sub> Variability," ECOM-5574, September 1975.
11. Petracca, Carmine, and James D. Lindberg, "Installation and Operation of an Atmospheric Particulate Collector," ECOM-5575, September 1975.
12. Avara, Elton P., and George Alexander, "Empirical Investigation of Three Iterative Methods for Inverting the Radiative Transfer Equation," ECOM-5576, October 1975.
13. Alexander, George D., "A Digital Data Acquisition Interface for the SMS Direct Readout Ground Station - Concept and Preliminary Design," ECOM-5577, October 1975.
14. Cantor, Israel, "Enhancement of Point Source Thermal Radiation Under Clouds in a Nonattenuating Medium," ECOM-5578, October 1975.

15. Norton, Colburn, and Glenn Hoidale, "The Diurnal Variation of Mixing Height by Month over White Sands Missile Range, NM," ECOM-5579, November 1975.
16. Avara, Elton P., "On the Spectrum Analysis of Binary Data," ECOM-5580, November 1975.
17. Taylor, Fredrick J., Thomas H. Pries, and Chao-Huan Huang, "Optimal Wind Velocity Estimation," ECOM-5581, December 1975.
18. Avara, Elton P., "Some Effects of Autocorrelated and Cross-Correlated Noise on the Analysis of Variance," ECOM-5582, December 1975.
19. Gillespie, Patti S., R. L. Armstrong, and Kenneth O. White, "The Spectral Characteristics and Atmospheric CO<sub>2</sub> Absorption of the Ho<sup>3</sup>:YLF Laser at 2.95  $\mu$ m," ECOM-5583, December 1975.
20. Novlan, David J., "An Empirical Method of Forecasting Thunderstorms for the White Sands Missile Range," ECOM-5584, February 1976.
21. Avara, Elton P., "Randomization Effects in Hypothesis Testing with Autocorrelated Noise," ECOM-5585, February 1976.
22. Watkins, Wendell R., "Improvements in Long Path Absorption Cell Measurement," ECOM-5586, March 1976.
23. Thomas, Joe, George D. Alexander, and Marvin Dubbin, "SATTEL - An Army Dedicated Meteorological Telemetry System," ECOM-5587, March 1976.
24. Kennedy, Bruce W., and Delbert Bynum, "Army User Test Program for the RDT&E-XM-75 Meteorological Rocket," ECOM-5588, April 1976.
25. Barnett, Kenneth M., "A Description of the Artillery Meteorological Comparisons at White Sands Missile Range, October 1974 - December 1974 ('PASS' - Prototype Artillery [Meteorological] Subsystem)," ECOM-5589, April 1976.
26. Miller, Walter B., "Preliminary Analysis of Fall-of-Shot From Project 'PASS'," ECOM-5590, April 1976.
27. Avara, Elton P., "Error Analysis of Minimum Information and Smith's Direct Methods for Inverting the Radiative Transfer Equation," ECOM-5591, April 1976.
28. Yee, Young P., James D. Horn, and George Alexander, "Synoptic Thermal Wind Calculations from Radiosonde Observations Over the South-western United States," ECOM-5592, May 1976.
29. Duncan, Louis D., and Mary Ann Seagraves, "Applications of Empirical Corrections to NOAA-4 VTPR Observations," ECOM-5593, May 1976.

30. Miers, Bruce T., and Steve Weaver, "Applications of Meteorological Satellite Data to Weather Sensitive Army Operations," ECOM-5594, May 1976.
31. Sharenow, Moses, "Redesign and Improvement of Balloon ML-566," ECOM-5595, June 1976.
32. Hansen, Frank V., "The Depth of the Surface Boundary Layer," ECOM-5596, June 1976.
33. Pinnick, R. G., and E. R. Stenmark, "Response Calculations for a Commerical Light-Scattering Aerosol Counter," ECOM-5597, July 1976.
34. Mason, J., and G. B. Hoidale, "Visibility as an Estimator of Infrared Transmittance," ECOM-5598, July 1976.
35. Bruce, Rufus E., Louis D. Duncan, and Joseph H. Pierluissi, "Experimental Study of the Relationship Between Radiosonde Temperatures and Radiometric-Area Temperatures," ECOM-5599, August 1976.
36. Duncan, Louis D., "Stratospheric Wind Shear Computed from Satellite Thermal Sounder Measurements," ECOM-5800, September 1976.
37. Taylor, F., P. Mohan, P. Joseph, and T. Pries, "An All Digital Automated Wind Measurement System," ECOM-5801, September 1976.
38. Bruce, Charles, "Development of Spectrophones for CW and Pulsed Radiation Sources," ECOM-5802, September 1976.
39. Duncan, Louis D., and Mary Ann Seagraves, "Another Method for Estimating Clear Column Radiances," ECOM-5803, October 1976.
40. Blanco, Abel J., and Larry E. Taylor, "Artillery Meteorological Analysis of Project Pass," ECOM-5804, October 1976.
41. Miller, Walter, and Bernard Engebos, "A Mathematical Structure for Refinement of Sound Ranging Estimates," ECOM-5805, November 1976.
42. Gillespie, James B., and James D. Lindberg, "A Method to Obtain Diffuse Reflectance Measurements from 1.0 and 3.0um Using a Cary 171 Spectrophotometer," ECOM-5806, November 1976.
43. Rubio, Roberto, and Robert O. Olsen, "A Study of the Effects of Temperature Variations on Radio Wave Absorption," ECOM-5807, November 1976.
44. Ballard, Harold N., "Temperature Measurements in the Stratosphere from Balloon-Borne Instrument Platforms, 1968-1975," ECOM-5808, December 1976.

45. Monahan, H. H., "An Approach to the Short-Range Prediction of Early Morning Radiation Fog," ECOM-5809, January 1977.
46. Engebos, Bernard Francis, "Introduction to Multiple State Multiple Action Decision Theory and Its Relation to Mixing Structures," ECOM-5810, January 1977.
47. Low, Richard D. H., "Effects of Cloud Particles on Remote Sensing from Space in the 10-Micrometer Infrared Region," ECOM-5811, January 1977.
48. Bonner, Robert S., and R. Newton, "Application of the AN/6VS-5 Laser Rangefinder to Cloud Base Height Measurements," ECOM-5812, February 1977.
49. Rubio, Roberto, "Lidar Detection of Subvisible Reentry Vehicle Erosive Atmospheric Material," ECOM-5813, March 1977.
50. Low, Richard D. H., and J. D. Horn, "Mesoscale Determination of Cloud-Top Height: Problems and Solutions," ECOM-5814, March 1977.
51. Duncan, Louis D., and Mary Ann Teagraves, "Evaluation of the NOAA-4 VTPR Thermal Winds for Nuclear Fallout Predictions," ECOM-5815, March 1977.
52. Randhawa, Jagin S., M. Izquierdo, Carlos McDonald, and Zvi Salpeter, "Stratospheric Ozone Density as Measured by a Chemiluminescent Sensor During the Stratos VI-A Flight," ECOM-5816, April 1977.
53. Rubio, Roberto, and Mike Izquierdo, "Measurements of Net Atmospheric Irradiance in the 0.7- to 2.8-Micrometer Infrared Region," ECOM-5817, May 1977.
54. Ballard, Harold N., Jose M. Serna, and Frank P. Hudson, Consultant for Chemical Kinetics, "Calculation of Selected Atmospheric Composition Parameters for the Mid-Latitude, September Stratosphere," ECOM-5818, May 1977.
55. Mitchell, J. D., R. S. Sagar, and R. O. Olsen, "Positive Ions in the Middle Atmosphere During Sunrise Conditions," ECOM-5819, May 1977.
56. White, Kenneth O., Wendell R. Watkins, Stuart A. Schleusener, and Ronald L. Johnson, "Solid-State Laser Wavelength Identification Using a Reference Absorber," ECOM-5820, June 1977.
57. Watkins, Wendell R., and Richard G. Dixon, "Automation of Long-Path Absorption Cell Measurements," ECOM-5821, June 1977.
58. Taylor, S. E., J. M. Davis, and J. B. Mason, "Analysis of Observed Soil Skin Moisture Effects on Reflectance," ECOM-5822, June 1977.

59. Duncan, Louis D., and Mary Ann Seagraves, "Fallout Predictions Computed from Satellite Derived Winds," ECOM-5823, June 1977.
60. Snider, D. E., D. G. Murcray, F. H. Murcray, and W. J. Williams, "Investigation of High-Altitude Enhanced Infrared Background Emissions," (U), SECRET, ECOM-5824, June 1977.
61. Dubbin, Marvin H., and Dennis Hall, "Synchronous Meteorological Satellite Direct Readout Ground System Digital Video Electronics," ECOM-5825, June 1977.
62. Miller, W., and B. Engebos, "A Preliminary Analysis of Two Sound Ranging Algorithms," ECOM-5826, July 1977.
63. Kennedy, Bruce W., and James K. Luers, "Ballistic Sphere Techniques for Measuring Atmospheric Parameters," ECOM-5827, July 1977.
64. Duncan, Louis D., "Zenith Angle Variation of Satellite Thermal Sounder Measurements," ECOM-5828, August 1977.
65. Hansen, Frank V., "The Critical Richardson Number," ECOM-5829, September 1977.
66. Ballard, Harold N., and Frank P. Hudson (Compilers), "Stratospheric Composition Balloon-Borne Experiment," ECOM-5830, October 1977.
67. Barr, William C., and Arnold C. Peterson, "Wind Measuring Accuracy Test of Meteorological Systems," ECOM-5831, November 1977.
68. Ethridge, G. A., and F. V. Hansen, "Atmospheric Diffusion: Similarity Theory and Empirical Derivations for Use in Boundary Layer Diffusion Problems," ECOM-5832, November 1977.
69. Low, Richard D. H., "The Internal Cloud Radiation Field and a Technique for Determining Cloud Blackness," ECOM-5833, December 1977.
70. Watkins, Wendell R., Kenneth D. White, Charles W. Bruce, Donald L. Walters, and James D. Lindberg, "Measurements Required for Prediction of High Energy Laser Transmission," ECOM-5834, December 1977.
71. Rubio, Robert, "Investigation of Abrupt Decreases in Atmospherically Backscattered Laser Energy," ECOM-5835, December 1977.
72. Monahan, H. H., and R. M. Cionco, "An Interpretative Review of Existing Capabilities for Measuring and Forecasting Selected Weather Variables (Emphasizing Remote Means)," ASL-TR-0001, January 1978.
73. Heaps, Melvin G., "The 1979 Solar Eclipse and Validation of D-Region Models," ASL-TR-0002, March 1978.

74. Jennings, S. G., and J. R. Gillespie, "M.I.E. Theory Sensitivity Studies - The Effects of Aerosol Complex Refractive Index and Size Distribution Variations on Extinction and Absorption Coefficients, Part II: Analysis of the Computational Results," ASL-TR-0003, March 1978.
75. White, Kenneth O., et al, "Water Vapor Continuum Absorption in the 3.5um to 4.0 um Region," ASL-TR-0004, March 1978.
76. Olsen, Robert O., and Bruce A. Kennedy, "ARRES Pretest Atmospheric Measurements," ASL-TR-0005, April 1978.
77. Ballard, Harold W., Lee M. Ching, and Frank R. Hudson, "Calculation of Atmospheric Composition in the High Latitude Stratosphere," ASL-TR-0006, May 1978.
78. Watkins, Wendell R., et al, "Water Vapor Absorption Coefficients at HF Laser Wavelengths," ASL-TR-0007, May 1978.
79. Hansen, Frank V., "The Shower and Prediction of Nocturnal Inversions," ASL-TR-0008, May 1978.
80. Samuel, Christine, Charles R. Jones, and Ralph Brewer, "Spectrophone Analysis of Gas Samples Obtained at Field Sites," ASL-TR-0009, June 1978.
81. Pinnick, R. G., et al., "Vertical Structure in Atmospheric Fog and Haze and its Effects on Extinction," ASL-TR-0010, July 1978.
82. Low, Richard D. H., Louis D. Hudson, and Richard R. Gomez, "The Microphysical Basis of Fog Optical Characterization," ASL-TR-0011, August 1978.
83. Heaps, Melvin G., "The Effect of a Solar Proton Event on the Minor Neutral Constituents of the Summer Polar Mesosphere," ASL-TR-0012, August 1978.
84. Mason, James R., "Light Attenuation in Falling Snow," ASL-TR-0013, August 1978.
85. Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' Meteorological Application," ASL-TR-0014, September 1978.
86. Heaps, M. G., and F. E. Niles, "Modeling of Ion Chemistry of the D-Region: A Case Study Based Upon the 1966 Total Solar Eclipse," ASL-TR-0015, September 1978.
87. Jennings, S. G., and R. G. Pinnick, "Effects of Particulate Complex Refractive Index and Particle Size Distribution Variations on Atmospheric Extinction and Absorption for Visible Through Middle-Infrared Wavelengths," ASL-TR-0016, September 1978.

88. Watkins, Wendell R., Kenneth O. White, Lanny R. Bower, and Brian Z. Sojka, "Pressure Dependence of the Water Vapor Continuum Absorption in the 3.5- to 4.0-Micrometer Region," ASL-TR-0017, September 1978.
89. Miller, W. B., and B. F. Engebos, "Behavior of Four Sound Ranging Techniques in an Idealized Physical Environment," ASL-TR-0018, September 1978.
90. Gomez, Richard G., "Effectiveness Studies of the CBU-88/B Bomb, Cluster, Smoke Weapon," (U), CONFIDENTIAL ASL-TR-0019, September 1978.
91. Miller, August, Richard C. Shirkey, and Mary Ann Seagraves, "Calculation of Thermal Emission from Aerosols Using the Doubling Technique," ASL-TR-0020, November 1978.
92. Lindberg, James D., et al, "Measured Effects of Battlefield Dust and Smoke on Visible, Infrared, and Millimeter Wavelengths Propagation: A Preliminary Report on Dusty Infrared Test-I (DIRT-I)," ASL-TR-0021, January 1979.
93. Kennedy, Bruce W., Arthur Kinghorn, and B. R. Hixon, "Engineering Flight Tests of Range Meteorological Sounding System Radiosonde," ASL-TR-0022, February 1979.
94. Rubio, Roberto, and Don Hock, "Microwave Effective Earth Radius Factor Variability at Wiesbaden and Balboa," ASL-TR-0023, February 1979.
95. Low, Richard D. H., "A Theoretical Investigation of Cloud/Fog Optical Properties and Their Spectral Correlations," ASL-TR-0024, February 1979.
96. Pinnick, R. G., and H. J. Auvermann, "Response Characteristics of Knollenberg Light-Scattering Aerosol Counters," ASL-TR-0025, February 1979.
97. Heaps, Melvin G., Robert O. Olsen, and Warren W. Berning, "Solar Eclipse 1979, Atmospheric Sciences Laboratory Program Overview," ASL-TR-0026, February 1979.
98. Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' GR-8 Sound Ranging Data," ASL-TR-0027, March 1979.
99. Kennedy, Bruce W., and Jose M. Serna, "Meteorological Rocket Network System Reliability," ASL-TR-0028, March 1979.
100. Swingle, Donald M., "Effects of Arrival Time Errors in Weighted Range Equation Solutions for Linear Base Sound Ranging," ASL-TR-0029, April 1979.
101. Umstead, Robert K., Ricardo Pena, and Frank V. Hansen, "KWIK: An Algorithm for Calculating Munition Expenditures for Smoke Screening/Obscuration in Tactical Situations," ASL-TR-0030, April 1979.

102. D'Arcy, Edward M., "Accuracy Validation of the Modified Wike Hercules Radar," ASL-TR-0031, May 1979.
103. Rodriguez, Ruben, "Evaluation of the Passive Remote Crosswind Sensor," ASL-TR-0032, May 1979.
104. Barber, T. L., and R. Rodriguez, "Transit Time Lidar Measurement of Near-Surface Winds from an Aircraft," ASL-TR-0033, May 1979.
105. Low, Richard D. H., Louis J. Duncan, and Y. Y. Hsu, "The Physical and Chemical Properties of Aerosols from the Los Angeles Area," ASL-TR-0034, June 1979.
106. Rodriguez, Ruben, and William J. Lechene, "Validation of the Saturating Aerosol Generator," ASL-TR-0035, June 1979.
107. Ohmstedt, William G., "The Dynamics of Material," ASL-TR-0036, July 1979.
108. Pinnick, R. L., "The Role of Water in the Formation of Aerosols," ASL-TR-0037, August 1979.
109. Rodriguez, Ruben, and William J. Lechene, "Performance Evaluation of the Laser Doppler Anemometer," ASL-TR-0038, August 1979.
110. Mendenhall, J. R., "An Estimation of the Aerosol Concentration," ASL-TR-0039, September 1979.
111. Dickey, Paul, and William J. Lechene, "Helicopter Remote Sensing," ASL-TR-0040, September 1979.
112. Heaps, Melvin L., and Joseph K. Heimerl, "Validation of the Bairchem Aerosol Generator under Field Conditions," ASL-TR-0041, September 1979.
113. Bonner, Robert A., and William J. Lechene, "The Visioceilometer: A Portable Cloud and Visibility Indicator," ASL-TR-0042, October 1979.
114. Corn, Stephen L., "The Role of Atmospheric Sulfates in Battlefield Obscurations," ASL-TR-0043, October 1979.
115. Fawbush, S. L., et al., "Characterization of Atmospheric Conditions at the High Energy Laser System Test Facility (HELSTF), White Sands Missile Range, New Mexico, Part I, 24 March to 8 April 1977," ASL-TR-0044, November 1979.
116. Barber, Ted L., "Short-Time Mass Variation in Natural Atmospheric Dust," ASL-TR-0045, November 1979.

117. Low, Richard D. H., "Fog Evolution in the Visible and Infrared Spectral Regions and its Meaning in Optical Modeling," ASL-TR-0046, December 1979.
118. Duncan, Louis D., et al, "The Electro-Optical Systems Atmospheric Effects Library, Volume I: Technical Documentation," ASL-TR-0047, December 1979.
119. Shirkey, R. C., et al, "Interim E-O SAEL, Volume II, Users Manual," ASL-TR-0048, December 1979.
120. Kobayashi, H. K., "Atmospheric Effects on Millimeter Radio Waves," ASL-TR-0049, January 1980.
121. Seagraves, Mary Ann, and Louis D. Duncan, "An Analysis of Transmittances Measured Through Battlefield Dust Clouds," ASL-TR-0050, February 1980.
122. Dickson, David H., and Jon E. Ottesen, "Helicopter Remote Wind Sensor Flight Test," ASL-TR-0051, February 1980.
123. Pinnick, R. G., and S. G. Jennings, "Relationships Between Radiative Properties and Mass Content of Phosphoric Acid, HC, Petroleum Oil, and Sulfuric Acid Military Smokes," ASL-TR-0052, April 1980.
124. Hinds, B. D., and J. B. Gillespie, "Optical Characterization of Atmospheric Particulates on San Nicolas Island, California," ASL-TR-0053, April 1980.
125. Miers, Bruce T., "Precipitation Estimation for Military Hydrology," ASL-TR-0054, April 1980.
126. Stenmark, Ernest B., "Objective Quality Control of Artillery Computer Meteorological Messages," ASL-TR-0055, April 1980.
127. Duncan, Louis D., and Richard D. H. Low, "Bimodal Size Distribution Models for Fogs at Meppen, Germany," ASL-TR-0056, April 1980.
128. Olsen, Robert O., and Jagir S. Randhawa, "The Influence of Atmospheric Dynamics on Ozone and Temperature Structure," ASL-TR-0057, May 1980.
129. Kennedy, Bruce W., et al, "Dusty Infrared Test-II (DIRT-II) Program," ASL-TR-0058, May 1980.
130. Heaps, Melvin G., Robert O. Olsen, Warren Berning, John Cross, and Arthur G. Grease, "1979 Solar Eclipse, Part I - Atmospheric Sciences Laboratory Field Program Summary," ASL-TR-0059, May 1980.
131. Miller, Walter B., "User's Guide for Passive Target Acquisition Program Two (PTAP-2)," ASL-TR-0060, June 1980.

132. Holt, E. H., editor, "Thermodynamic Data Requirements for Battlefield Obscuration Applications," ASL-TR-0061, June 1980.
133. Shirkey, Richard W., August Koller, George A. Goedert, and Roger Berry, "Single Scattering Code RAUSX: Theory, Applications, Documentation, and Listing," ASL-TR-0062, July 1980.
134. Sojka, Brian Z., and Kenneth A. White, "Evaluation of Specularized Photoacoustic Absorption Chambers for Near-Millimeter Wave (200- $\mu$ m) Propagation Measurements," ASL-TR-0063, August 1980.
135. Bruce, Charles W., Young-Pil Yee, and R. G. Pinnick, "Direct Measurements of the Scattering of Aerosol Absorption Coefficients," ASL-TR-0064, August 1980.
136. Yee, Young-Pil, Charles W. Bruce, and Ralph C. Brewer, "Measurements of the Scattering of Aerosol Absorption Coefficients," ASL-TR-0065, August 1980.
137. Lindberg, James D., Robert A. Loveland, Melvin Heaps, Daniel B. Jensen, and Andrew F. Burt, "Characterization of German Fog Conditions in Support of Grafenwohr Tests," ASL-TR-0066, August 1980.
138. Vecchione, W. J., "Evaluation of the Environmental Instruments Incorporated Series 100 Dual Component Wind Set," ASL-TR-0067, September 1980.
139. Bruce, C. W., Y. P. Yee, R. G. Pinnick, R. C. Brewer, and J. Mingos, "Initial Field Measurements of Atmospheric Absorption at 90- $\mu$ m Wavelengths," ASL-TR-0068, October 1980.
140. Heaps, M. G., R. O. Olsen, K. D. Baker, D. A. Burt, L. C. Howlett, L. L. Jensen, L. F. Pound, and G. D. Allred, "1979 Solar Eclipse: Part I: Initial Results for Ionization Sources, Electron Density, and Minor Neutral Constituents," ASL-TR-0069, October 1980.
141. Low, Richard D. H., "One-Dimensional Cloud Microphysical Models for Central Europe and Their Optical Properties," ASL-TR-0070, October 1980.
142. Jordan, Louis D., James D. Lindberg, and Radon B. Loveland, "An Empirical Model of the Vertical Structure of German Fogs," ASL-TR-0071, November 1980.
143. Duncan, Louis D., 1981, "EOSAEL 80, Volume I, Technical Documentation," ASL-TR-0072, January 1981.
144. Shirkey, R. C., and S. G. O'Brien, "EOSALL 80, Volume II, Users Manual," ASL-TR-0073, January 1981.
145. Bruce, C. W., "Characterization of Aerosol Nonlinear Effects on a High-Power CO<sub>2</sub> Laser Beam," ASL-TR-0074, February 1981.

146. Duncan, Louis D., and James D. Lindberg, "Air Mass Considerations in Fog Optical Modeling," ASL-TR-0075, February 1981.
147. Kunkel, Kenneth E., "Evaluation of a Tethered Kite Anemometer," ASL-TR-0076, February 1981.
148. Kunkel, K. E., et al, "Characterization of Atmospheric Conditions at the High Energy Laser System Test Facility (HELSTF) White Sands Missile Range, New Mexico, August 1977 to October 1978, Part II, Optical Turbulence, Wind, Water Vapor Pressure, Temperature," ASL-TP-0077, February 1981.
149. Miers, Bruce I., "Weather Scenarios for Central Germany," ASL-TR-0078, February 1981.
150. Cogan, James L., "Sensitivity Analysis of a Mesoscale Moisture Model," ASL-TR-0079, March 1981.
151. Brewer, R. J., C. W. Bruce, and J. E. Peter, "Photoacoustic Spectroscopy of  $\text{CO}_2$  at the 9 $\mu\text{m}$  and 10 $\mu\text{m}$   $\text{CO}_2$  Laser Wavelengths," ASL-TR-0080, March 1981.
152. Swingle, Donald M., "Reducible errors in the Artillery Sound Ranging Solution, Part I: The Curvature Correction" (U), SECRET, ASL-TP-0081, April 1981.
153. Miller, Walter B., "The Existence and Implications of a Fundamental System of Linear Equations in Sound Ranging" (U), SECRET, ASL-TR-0082, April 1981.
154. Bruce, Dorothy, Charles W. Bruce, and Young Paul Yee, "Experimentally Determined Relationship between Extinction and Liquid Water Content," ASL-TR-0083, April 1981.

# DISTRIBUTION LIST

Commander  
US Army Aviation Center  
ATTN: ATZQ-D-MA  
Fort Rucker, AL 36362

Chief, Atmospheric Sciences Div  
Code ES-81  
NASA  
Marshall Space Flight Center, AL 35812

Commander  
US Army Missile Command  
ATTN: DRDMI-RRR (R. L. M. Esserwanger)  
Redstone Arsenal, AL 35899

Commander  
US Army Missile Command  
ATTN: DRSMI-CG (B. W. Fowler)  
Redstone Arsenal, AL 35899

Commander  
US Army Missile R&D Command  
ATTN: DRDMI-TEM (R. Haraway)  
Redstone Arsenal, AL 35899

Redstone Scientific Information Center  
ATTN: DRSMI-RRPD (Documents)  
US Army Missile Command  
Redstone Arsenal, AL 35899

Commander  
HQ, Fort Huachuca  
ATTN: Tech Ref Div  
Fort Huachuca, AZ 85613

Commander  
US Army Intelligence  
Center & School  
ATTN: ATSI-CD-MD  
Fort Huachuca, AZ 85613

Commander  
US Army Yuma Proving Ground  
ATTN: Technical Library  
Bldg 2105  
Yuma, AZ 85364

Dr. Frank D. Eaton  
Geophysical Institute  
University of Alaska  
Fairbanks, AK 99701

Naval Weapons Center  
Code 3918  
ATTN: Dr. A. Shlanta  
China Lake, CA 93555

Commanding Officer  
Naval Envir Prediction Rsch Facility  
ATTN: Library  
Monterey, CA 93940

Sylvania Elec Sys Western Div  
ATTN: Technical Reports Lib  
PO Box 205  
Mountain View, CA 94040

Geophysicist Officer  
PMTI Code 3251  
Pacific Missile Test Center  
Point Mugu, CA 93042

Commander  
Naval Ocean Systems Center  
Code 4473  
ATTN: Technical Library  
San Diego, CA 92162

Meteorologist in Charge  
Kwajalein Missile Range  
PO Box 67  
APO San Francisco, CA 96559

Director  
NOAA/ERL/APOL R31  
RB3-Room 567  
Boulder, CO 80302

Dr. B. A. Silverman D-1200  
Office of Atmos Resources Management  
Water and Power Resources Service  
PO Box 25007 Denver Federal Center, Bldg. 67  
Denver, CO 80225

Hugh W. Albers (Executive Secretary)  
CAO Subcommittee on Atmos Rsch  
National Science Foundation Room 510  
Washington, DC 20555

Dr. Eugene W. Bierly  
Director, Division of Atmos Sciences  
National Science Foundation  
1800 G Street, N.W.  
Washington, DC 20550

Commanding Officer  
Naval Research Laboratory  
Code 2627  
Washington, DC 20375

Defense Communications Agency  
Technical Library Center  
Code 222  
Washington, DC 20305

Director  
Naval Research Laboratory  
Code 5530  
Washington, DC 20375

Dr. J. M. MacCallum  
Naval Research Laboratory  
Code 1409  
Washington, DC 20375

HODA (DAEN-RDM/Dr. de Percin)  
Washington, DC 20314

The Library of Congress  
ATTN: Exchange & Gift Div  
Washington, DC 20540

Mil Asst for Atmos Sci Ofc of  
the Undersecretary of Defense  
for Rsch & Engr/E&LS - RM 3D129  
The Pentagon  
Washington, DC 20301

AFATL/DLODL  
Technical Library  
Eglin AFB, FL 32542

Naval Training Equipment Center  
ATTN: Technical Information Center  
Orlando, FL 32813

Technical Library  
Chemical Systems Laboratory  
Aberdeen Proving Ground, MD 21010

US Army Materiel Systems  
Analysis Activity  
ATTN: DRXSY-MP  
APG, MD 21005

Commander  
ERADCOM  
ATTN: ORDEL-PA/ILS/-ED  
2800 Powder Mill Road  
Adelphi, MD 20783

Commander  
ERADCOM  
ATTN: ORDEL-ST-T (Dr. B. Zarwyn)  
2800 Powder Mill Road  
Adelphi, MD 20783  
02

Commander  
Harry Diamond Laboratories  
ATTN: DELHD-CO  
2800 Powder Mill Road  
Adelphi, MD 20783

Chief  
Intel Mat Dev & Spt Ofc  
ATTN: DELEW-WL-I  
Bldg 4554  
Fort George G. Mead, MD 20755

Acquisitions Section, IRDB-D823  
Library & Info Svc Div, NOAA  
6009 Executive Blvd.  
Rockville, MD 20752

Naval Surface Weapons Center  
White Oak Library  
Silver Spring, MD 20910

Air Force Geophysics Laboratory  
ATTN: LCC (A. S. Carten, Jr.)  
Hanscom AFB, MA 01731

Air Force Geophysics Laboratory  
ATTN: LYD  
Hanscom AFB, MA 01731

Meteorology Division  
AFGL/LY  
Hanscom AFB, MA 01731

The Environmental Research  
Institute of MI  
ATTN: IRIA Library  
PO Box 8618  
Ann Arbor, MI 48107

Mr. William A. Main  
USDA Forest Service  
1407 S. Harrison Road  
East Lansing, MI 48823

Dr. A. D. Belmont  
Research Division  
PO Box 1249  
Control Data Corp  
Minneapolis, MN 55440

Commander  
Naval Oceanography Command  
Bay St. Louis, MS 39529

Commanding Officer  
US Army Armament R&D Command  
ATTN: ORDAR-TSS Bldg 59  
Dover, NJ 07801

Commander  
ERADCOM Scientific Advisor  
ATTN: DRDEL-SA  
Fort Monmouth, NJ 07703

Commander  
ERADCOM Tech Support Activity  
ATTN: DELSD-L  
Fort Monmouth, NJ 07703

Commander  
HQ, US Army Avionics R&D Actv  
ATTN: DAVAA-O  
Fort Monmouth, NJ 07703

Commander  
USA Elect Warfare Lab  
ATTN: DELEW-DA (File Cy)  
Fort Monmouth, NJ 07703

Commander  
US Army Electronics R&D Command  
ATTN: DELCS-S  
Fort Monmouth, NJ 07703

Commander  
US Army Satellite Comm Agency  
ATTN: DRCPM-SC-3  
Fort Monmouth, NJ 07703

Commander/Director  
US Army Combat Survl & Target  
Acquisition Laboratory  
ATTN: DELCS-D  
Fort Monmouth, NJ 07703

Director  
Night Vision & Electro-Optics Laboratory  
ATTN: DELNV-L (Dr. R. Ruser)  
Fort Belvoir, VA 22060

Project Manager, FIREFINDER  
ATTN: DRCPM-FF  
Fort Monmouth, NJ 07703

PM, Firefinder/PEMBASS  
ATTN: DRCPM-FFR-TM  
Fort Monmouth, NJ 07703

6585 TG/WE  
Holloman AFB, NM 88330

AFWL/Technical Library (SUL)  
Kirtland AFB, NM 87117

AFWL/WE  
Kirtland, AFB, NM 87117

TRASANA  
ATTN: ATAA-SL (D. Anguiano)  
WSMR, NM 88002

Commander  
US Army White Sands Missile Range  
ATTN: STEWS-PT-AL  
White Sands Missile Range, NM 88002

Rome Air Development Center  
ATTN: Documents Library  
TSLD (Bette Smith)  
Griffiss AFB, NY 13441

Environmental Protection Agency  
Meteorology Laboratory, MD 80  
Rsch Triangle Park, NC 27711

US Army Research Office  
ATTN: DRXRO-PP  
PO Box 12211  
Rsch Triangle Park, NC 27709

Commandant  
US Army Field Artillery School  
ATTN: ATSF-CD-MS (Mr. Farmer)  
Fort Sill, OK 73503

Commandant  
US Army Field Artillery School  
ATTN: ATSF-CF-R  
Fort Sill, OK 73503

Commandant  
US Army Field Artillery School  
ATTN: Morris Swett Library  
Fort Sill, OK 73503

Commander  
US Army Dugway Proving Ground  
ATTN: STEDP-MT-DA-M  
(Mr. Paul Carlson)  
Dugway, UT 84022

Commander  
US Army Dugway Proving Ground  
ATTN: MT-DA-L  
Dugway, UT 84022

US Army Dugway Proving Ground  
ATTN: STEDP-MT-DA-T  
(Dr. W. A. Peterson)  
Dugway, UT 84022

Inge Dirmhirn, Professor  
Utah State University, UMC 48  
Logan, UT 84322

Defense Technical Information Center  
ATTN: DTIC-DDA-2  
Cameron Station, Bldg. 5  
Alexandria, VA 22314  
12

Commanding Officer  
US Army Foreign Sci & Tech Cen  
ATTN: DRXST-IS1  
220 7th Street, NE  
Charlottesville, VA 22901

Naval Surface Weapons Center  
Code 065  
Dahlgren, VA 22448

Commander  
US Army Night Vision  
& Electro-Optics Lab  
ATTN: DELNV-D  
Fort Belvoir, VA 22060

Commander  
USATRADOC  
ATTN: ATCD-FA  
Fort Monroe, VA 23651

Commander  
USATRADOC  
ATTN: ATCD-IR  
Fort Monroe, VA 23651

Dept of the Air Force  
5WW/DN  
Langley AFB, VA 23665

US Army Nuclear & Cml Agency  
ATTN: MCNA-WE  
Springfield, VA 22150

Director  
US Army Signals Warfare Lab  
ATTN: DELSW-OS (Dr. Burkhardt)  
Vint Hill Farms Station  
Warrenton, VA 22186

Commander  
US Army Cold Regions Test Cen  
ATTN: STECR-OP-PM  
APO Seattle, WA 98733