

AD-A101 075 CONSTRUCTION ENGINEERING RESEARCH LAB (ARMY) CHAMPAIGN IL F/G 13/2  
EVALUATION OF LANDS FOR RECREATIONAL SNOWMOBILE USE (GUIDELINES--ETC (U))  
MAY 81 R M LACEY, R S BARAN, W D SEVERINGHAUS  
UNCLASSIFIED CERL-TR-N-105

ML

1 of 1

AL 00076



END  
DATE  
FILMED  
7 ' 81  
DTIC

50  
construction  
engineering  
research  
laboratory



United States Army  
Corps of Engineers  
*Serving the Army  
Serving the Nation*

TECHNICAL REPORT N-105

May 1981

Guidelines for Natural Resources Management  
and Land Use Compatibility

EVALUATION OF LANDS FOR  
RECREATIONAL SNOWMOBILE USE

LEVEL II

12

AD A101075

by  
R. M. Lacey  
R. S. Baran  
W. D. Severinghaus  
D. J. Hunt

DTIC  
ELECTE  
JUL 08 1981



Approved for public release; distribution unlimited.

81 8 08 008

DTIC FILE COPY

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official indorsement or approval of the use of such commercial products. The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

**DESTROY THIS REPORT WHEN IT IS NO LONGER NEEDED  
DO NOT RETURN IT TO THE ORIGINATOR**

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER CERL-TR-N-105	2. GOVT ACCESSION NO. AD-A101 075	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) EVALUATION OF LANDS FOR RECREATIONAL SNOWMOBILE USE (GUIDELINES FOR NATURAL RESOURCES MANAGE- MENT AND LAND USE COMPATIBILITY).		5. TYPE OF REPORT & PERIOD COVERED FINAL
7. AUTHOR(s) R. M. Lacey R. S. Baran W. D. Severinghaus		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS U.S. ARMY CONSTRUCTION ENGINEERING RESEARCH LABORATORY P.O. BOX 4005, Champaign, IL 61820		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 4A762720A8964B-024
13. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE May 1981
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 74
15. SECURITY CLASS. (of this report)		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES  Copies are obtainable from the National Technical Information Service Springfield, VA 22151		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)  snow vehicles snowmobiling land use		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  This report describes a recommended method to evaluate land areas on Army installations for use by recreational snowmobiles. Personnel normally charged with land management responsibilities can perform this evaluation. →		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

405711

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

BLOCK 20 CONTINUED

The method includes recommended procedures to identify incompatible land uses, establish noise buffer zones, evaluate biological and terrain suitability, choose candidate areas or corridors, and establish trails. Factors considered in the evaluation method include user participation, existing trail systems, user demand, trail signing, vehicle operating conditions, and environmental assessment and monitoring.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

# FOREWORD

This investigation was performed for the Directorate of Military Programs, Office of the Chief of Engineers (OCE), under Project 4A762720A896, "Environmental Quality for Construction and Operation of Military Facilities"; Task B, "Land Use Planning"; Work Unit 024, "Guidelines for Natural Resources Management and Land Use Compatibility." The applicable QCR is 3.01.001. The OCE Technical Monitor was Mr. Donald Bandel, DAEN-MPO-B.

The research was performed by the Environmental Division (EN), U.S. Army Construction Engineering Research Laboratory (CERL). Dr. R. K. Jain is Chief of EN.

COL Louis J. Circeo is Commander and Director of CERL, and Dr. L. R. Shaffer is Technical Director.

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution	
Availability Codes	
Avail and/or	
Dist	Special
<b>A</b>	

## CONTENTS

DD FORM 1473	1
FOREWORD	3
LIST OF TABLES AND FIGURES	6
1 INTRODUCTION.....	7
Background	
Purpose	
Approach	
Scope	
Mode of Technology Transfer	
Overview of the Evaluative Method	
2 HOW TO EXAMINE EXISTING LAND USE.....	10
Input	
Incompatible Land Uses	
Special Considerations	
Mapping of Incompatible Land Uses	
3 HOW TO ESTABLISH NOISE BUFFER ZONES.....	15
Input	
Distance Necessary for Noise Attenuation	
Mapping Noise Buffer Zones	
Limited-Use Alternative	
4 HOW TO CHOOSE CANDIDATE AREAS.....	17
Input	
General Criteria	
Choosing the Areas	
5 PROCEDURES FOR EVALUATING BIOLOGICAL SUITABILITY.....	19
Input	
Endangered Species	
Biological Ranking	
6 HOW TO EXAMINE TERRAIN CHARACTERISTICS.....	21
Suitable Terrain Characteristics	
Unsuitable Terrain Characteristics	
Elimination of Areas With Unsuitable Terrain Characteristics	
Consideration of Other Environmental Factors	
7 PROCEDURES FOR ESTABLISHING A SNOWMOBILE AREA OR TRAIL.....	23
Site Selection	
Trail Development	
Operating Conditions	
Supervision and Violations	
Maintenance and Monitoring	
8 SUMMARY.....	29
REFERENCES	30

APPENDIX A:	Points of Contact in Development of ORRV Evaluation Procedures	36
APPENDIX B:	How to Determine the Distance Necessary for Noise Attenuation (DNNA) When Establishing Snowmobile Trails	43
APPENDIX C:	Method To Biologically Rate Areas for Recreational Snowmobile Use	56
APPENDIX D:	Trail Signing Guidelines for Recreational Snowmobile Trails	65
APPENDIX E:	Monitoring the Environmental Effects of Recreational Snowmobile Use	72
DISTRIBUTION		



## TABLES

<u>Number</u>		<u>Page</u>
1	Land Uses and Areas Which Are Incompatible With Snowmobile Use	11
B1	Maximum Acceptable Equivalent Sound Level (Leq) Requirements for Selected Land Uses	44
B2	The Distance Necessary for Noise Attenuation for Establishment of Snowmobile Use Areas	46
C1	Scales for Susceptibility to Damage	63
E1	Method of Monitoring Environmental Effects of Recreational Snowmobile Use	72

## FIGURES

1	Base Map Identification of Incompatible Land Uses	13
B1	Example of Finding the DNNA of an Area Using Table B2	51
B2	Noise-Sensitive Land Uses and Noise Buffer Zones	52
C1	The "Relative Value" Approach to ORRV-Use Potential	57
C2	The "Susceptibility to ORRV Damage" Approach to ORRV-Use Potential	58
C3	Biological Rating for ORRV-Use Potential	59
D1	Standard Sign Sizes	66
D2	Regulatory Signs	67
D3	Caution Signs	68
D4	Trail Markers	68
D5	Informational Signs	69
D6	Bridges, Barriers, and Gate Markers	70

## EVALUATION OF LANDS FOR RECREATIONAL SNOWMOBILE USE

### 1 INTRODUCTION

#### Background

About 10 million off-road vehicles (ORVs) in the United States are used for recreational purposes.<sup>1</sup> Off-road recreational vehicles (ORRVs) include snowmobiles, dune buggies, trail bikes, all-terrain vehicles, and four-wheel vehicles.

Pressure from ORRV enthusiasts for land on which to operate their vehicles, and the concerns of environmental groups have made the ORRV issue controversial. Presidential Executive Orders require Federal agencies which manage publicly owned land to consider both sides of the issue.<sup>2</sup> In response to these Executive Orders, Army Regulation (AR) 210-9 establishes uniform policies, procedures, and criteria for controlling off-road travel by ORRVs and prescribes appropriate operating conditions for such vehicles.<sup>3</sup> The goal of AR 210-9 is to allow persons to enjoy ORRV use while considering the long-term stability of environmental resources.

To help Army personnel meet this goal, researchers at the U.S. Army Construction Engineering Research Laboratory (CERL) have developed a recommended method to evaluate land areas for ORRV use.

#### Purpose

The purpose of this report is to describe a recommended systematic method for evaluating land for recreational snowmobile use.

#### Approach

Much of the technical information necessary to develop the evaluative method was obtained in three ways. First, CERL conducted a literature search of available documentation on snowmobiles' environmental impact, user characteristics, and trail development. Second, Federal and State snowmobile program managers and industry representatives were contacted for all their available information about existing programs (Appendix A). Third, natural-resource personnel at Army major commands were asked how many requests they had received for use of Army land.

<sup>1</sup> David Sheridan, Off-Road Vehicles on Public Land (President's Council on Environmental Quality, 1979), p 2.

<sup>2</sup> Executive Order No. 11644, "Use of Off-Road Vehicles on the Public Lands," Federal Register, Vol 37, No. 27 (8 February 1972), pp 2877-2878; and Executive Order No. 11989, "Off-Road Vehicles on Public Lands," Federal Register, Vol 42, No. 101 (24 May 1977), pp 26,959-26,960.

<sup>3</sup> Installations -- Use of Off-Road Vehicles on Army Land, Army Regulation (AR) 210-9 (Headquarters [HQ], Department of the Army [DA], 1 July 1978).

CERL then decided to examine Fort McCoy, WI, to learn how to apply this technical information. Fort McCoy has worked with State and county officials and user groups to establish two trails through the installation. With the cooperation of the Facilities Engineer's staff at Fort McCoy, CERL researchers examined in detail the establishment of these trails.

### Scope

The recommended method described in this report focuses on the purely recreational use of snowmobiles. Neither competitive events nor other types of ORRVs are considered.

### Mode of Technology Transfer

The information and method described in this report will be distributed to field personnel in an Engineer Technical Note. This guidance -- and guidance which considers other types of ORRVs, as well as competitive events -- will be incorporated into a new Technical Manual.

### Overview of the Evaluative Method

The method described in this report was developed as part of the Army's environmental research program. Initial guidance to evaluate areas for trail-bike use has been issued as Engineer Technical Note (ETN) No. 80-9 and CERL Technical Report N-86.<sup>4</sup> However, not all the trailbike information is applicable to snowmobiles. The various types of ORRVs were designed to be used for different purposes and to travel across different surfaces. For example, trailbikes generally run on a system of loop trails, and are operated mostly to test rider and machine. But snowmobiles usually operate along longer, straighter trails to transport the rider from point to point. Moreover, the various ORRVs are used in different seasons, so the vehicles' effects on the environment also differ. Therefore, flexible techniques are needed for evaluating areas where ORRVs might be used.

The evaluative method explained here primarily deals with the environmental factors considered in AR 210-9. However, other factors, such as user participation, trail design, and operating conditions are also considered.

CERL recognizes that lands under Army control were acquired solely for national defense purposes and that other uses are secondary to mission needs. Therefore, the method begins by eliminating from consideration lands necessary to meet mission requirements. The method continues with procedures to establish noise buffer zones, choose candidate areas, evaluate biological

<sup>4</sup> Evaluation of Areas for Off-Road Recreational Motorcycle Use, Engineer Technical Note (ETN) 80-9 (DA, Office of the Chief of Engineers [OCE], 4 March 1980); R. M. Lacey, H. E. Balbach, R. S. Baran, and R. G. Graff, Evaluation of Areas for Off-Road Recreational Motorcycle Use, Volume I: Evaluation Method, and Volume II: Alternate Soil Suitability Determination Methods, Technical Report N-86 (U.S. Army Construction Engineering Research Laboratory [CERL], September 1980).

suitability, examine terrain characteristics, designate trails, and choose alternative candidate areas.

The procedures included in the method are designed for persons in installation natural resource, environmental, and master planning offices. Use of the procedures should be coordinated with all appropriate offices having responsibilities under the authority of AR 28-1, AR 190-5, AR 190-5-1, AR 200-2, AR 210-20, AR 405-80, and AR 420-74.<sup>5</sup>

<sup>5</sup> Welfare, Recreation, and Morale -- Army Morale Support Activities, AR 28-1 (HQ, DA, 15 February 1979); Military Police -- Motor Vehicle Traffic Supervision, AR 190-5 (Departments of the Army, Navy, Air Force, and the Defense Supply Agency, 1 August 1973); Military Police -- Registration of Privately-Owned Motor Vehicles, AR 190-5-1 (HQ, DA, 15 July 1978); "Environmental Quality: Environmental Effects of Army Actions," AR 200-2, Federal Register, Vol 45, No. 204 (20 October 1980), pp 69,215-69,238. Master Planning for Army Installations, AR 210-20 (HQ, DA, 26 January 1976); Real Estate -- Granting Use of Real Estate, AR 405-80 (HQ, DA, 1 February 1979); and Natural Resources -- Land, Forest, and Wildlife Management, AR 420-74 (HQ, DA, 1 July 1977).

## 2 HOW TO EXAMINE EXISTING LAND USE

### Input

Major sources of information about current land uses include the Installation Master Plan, Land Management Plan, Endangered Species Inventory, Historic/Archaeologic Resources Management Program, and the Office of the Director of Plans and Training. These sources are not exclusive. Any source which identifies the location of sensitive, fragile, and unique land uses or areas should be consulted.

### Incompatible Land Uses

After all available sources of information have been studied, certain parts of an installation must be eliminated from consideration as areas for snowmobile use. Incompatible land use categories are based on the principles and examples in AR 210-9, or are land uses generally known to conflict with ORRV operation. AR 210-9 generally describes several categories of lands which are to be specifically declared unavailable for ORRV use -- areas that are:

1. Necessary to the safe and secure military function of an installation
2. Used for purposes which are assumed to be incompatible with ORRVs
3. Known or believed to be unsafe to ORRV participants or nonparticipants
4. Identified as containing a valuable natural, historic, or other resource which would be compromised by other use.

Table 1 lists not only several examples of sensitive and incompatible land uses, but also points to be considered when suspect areas are examined for possible classification under any of these categories. Table 1 is not all-inclusive, and any land use which uniformly conflicts with snowmobile operation should be eliminated from consideration as an ORRV-use area and should be marked on a base map. (See Figure 1 for a simplified example.)

### Special Considerations

Two very controversial environmental impacts were identified during the development of the evaluative method described in this report. Since there is information both supporting and disputing these impacts, qualified biologists and foresters should be consulted for recommendations.

Table 1  
Land Uses and Areas Which Are Incompatible  
With Snowmobile Use

Examples of Land Uses Which Conflict With ORRV Use (Listed by Category of Conflict)	Considerations Which Place Land Uses in Categorical Conflict
<u>Safety and Security of Military Function</u>	
<u>Land Uses</u>	<u>Conflict Considerations</u>
Active bivouac areas Active maneuver areas Airfield aprons & approach zones Demolition areas Explosives storage Impact areas Motor pools	National security Personal safety of Army personnel Physical security of personal property Live fire Unexploded ordnance Quantity-distance limits Tactical vehicle operations
<u>Incompatible Uses</u>	
<u>Land Uses</u>	<u>Conflict Considerations</u>
Administrative areas Agricultural outleases Campgrounds Churches Family housing Hospitals Libraries Outdoor theaters Schools (military and dependent) Troop housing	Noise Dust Aesthetics Traffic congestion Vehicle operation Property security Vandalism
<u>Participant and Nonparticipant Safety</u>	
<u>Land Uses</u>	<u>Conflict Considerations</u>
Active hunting areas Active landfills Active maneuver areas Frozen bodies of water Impact areas Potable water storage Active quarries	Live fire Steep slopes Loose surface materials Moving tactical vehicles Unexploded ordnance Water quality Thin ice Recreation conflict

Table 1 (Cont'd)

Examples of Land Uses Which Conflict With ORRV Use (Listed by Category of Conflict)	Considerations Which Place Land Uses in Categorical Conflict
---	---

Natural and Other Resources Locations

<u>Land Uses</u>	<u>Conflict Considerations</u>
Archaeological sites	Noise
Breeding, migration, or nesting areas	Soil compaction
Food plots and feeding areas	Vegetation damage
Historic sites and structures	Air emissions
Paleontologic sites	Petroleum spills
Petroglyphs	Vandalism
Rare, endangered, or threatened	Human presence and disruption
plants, animals, and fish	Soil erosion
Timber plantations	Dust
Wetlands	Animal harassment
	Aesthetics
	Siltation
	Turbidity
	Poaching

*Wildlife*

During the winter months, wildlife are generally weak from lack of food. This condition can be compounded, and can result in death from exhaustion or exposure, if animal activity increases as a result of the presence of man and machine. The wintering condition of resident animals in candidate areas should be examined before an area or trail is opened for use. Special attention should be given to identifying -- and eliminating from consideration for trail development -- areas where wildlife concentrate and feed during winter months, e.g., deer yards.

*Vegetation*

When snowmobiles run over plants or compact the snow too firmly, the early spring growth of vegetation can be affected. As a result, special consideration should be given to prohibiting snowmobile operation where predominant vegetation is being managed for commercial or other use -- e.g., winter wheat or alfalfa fields, timber plantations, and grassland preserves. (Note also the snow cover and use conditions recommended in Chapter 7.)




Figure 1. Base map identification of incompatible land uses.



#### *Other Considerations*

Studies identifying the impact of snowmobile use over wetlands and ice are limited and lack quantitative information. For environmental as well as safety concerns, it is recommended that areas containing wetlands and frozen bodies of water be eliminated from consideration for use. A certain amount of acreage next to these areas should also be eliminated so users will not be tempted to leave developed trails and cross wet or frozen surfaces.

#### Mapping of Incompatible Land Uses

Once all incompatible land uses and areas have been identified, they should be marked on an installation map. (See Figure 1 for a simplified example.) This map is then used as a working base map for other parts of the evaluation method. A publishable map will not be needed.

### 3 HOW TO ESTABLISH NOISE BUFFER ZONES

#### Input

It will be necessary to locate noise-sensitive land uses on and adjacent to an installation, estimate the number of snowmobiles expected to use an area or trail, and estimate the average noise level generated by the snowmobiles.

#### *Noise Sensitive Land Uses*

Many land uses are sensitive to excessive noise levels. A hospital or nursing home would be "sensitive" to a nearby snowmobile-use area. Appendix B explains a method for determining the distance necessary for noise attenuation (DNNA). Table B1 has been adapted from Figure 4-5 of Technical Manual (TM) 5-803-2, which identifies sound-level requirements for buildings and land uses.<sup>6</sup> Each land use identified in the table is considered noise-sensitive and has a value indicating a maximum acceptable sound-level requirement. Any of these land uses existing on the installation, or adjacent to an installation boundary, should be identified on the base map.

#### *Projected Demand*

Projected demand is the average daily seasonal use expected for the area. It is determined by projecting the number of vehicles which will be using a trail during each day of the snowmobile season (including days of no use), adding the numbers, and dividing by the number of days in the season. (For the procedures provided in this report, a season is defined as the number of days between the dates of the first and last adequate snow accumulation, but not fewer than 60 days.) A quantitative procedure to estimate this use is not included in this guidance since little information is currently available for projecting such demand. The best sources for determining demand are users and persons from an installation's outdoor recreation staff -- specifically, individuals who know how to project recreation demand or who may have received requests from users. Assistance from representatives of the Heritage Conservation and Recreation Service or appropriate State agencies could be of value.

#### *Noise Levels*

Noise levels generated by snowmobiles vary depending on the year of manufacture and the amount of user modification. Snowmobile industry standards, which were adopted in 1976, place sound levels at no greater than 73 decibels (dBA) at 15.24 m (50 ft) for a snowmobile traveling at 15 mph, and 78 dBA for a snowmobile at full throttle. Older models and modified machines can generate up to 120 dBA. To estimate noise levels accurately, users and recreation staffs should be consulted to find out what types of vehicles will probably be used. On many installations, the Preventive Medicine Office,

<sup>6</sup> Environmental Protection -- Planning in the Noise Environment, Technical Manual (TM) 5-803-2 (Departments of the Air Force, Army, and Navy, 15 June 1978).

Environmental Office, or the Provost Marshal may be able to supply equipment which can measure snowmobile noise levels. Generally, users will cooperate in taking sound-level measurements of their vehicles.

#### Distance Necessary for Noise Attenuation

Based on projected demand and estimated average noise level, the DNNA for each noise-sensitive land use can be computed. The DNNA is the distance a snowmobile trail would have to be located from a noise-sensitive land use to meet recommended maximum acceptable noise-level requirements. For example, a snowmobile trail for which the projected average daily seasonal use is 20 snowmobiles, each generating an average of 78 dBA at full throttle, cannot be within 542 m (590 yd) of family housing.

#### Mapping Noise Buffer Zones

Once DNNA's for each noise-sensitive land use are identified, they must be marked on the base map (see p 13). To do this, lines are drawn around each noise-sensitive land use at that distance, corresponding to the scale of the map, which illustrates the minimum distance outside which a snowmobile trail could be located (Appendix B). The areas between these lines and the noise-sensitive land uses are the noise buffer zones. The acreage in these zones, as well as the acreage in the noise-sensitive land use, should be eliminated from consideration as snowmobile-use areas. It is recommended that the noise buffer zones be based on generous estimates of projected demand to accommodate both any unexpected growth in demand and increased use during severe winters with more than the usual number of days with adequate snow accumulation.

#### Limited-Use Alternative

On many installations, there may be so much demand that the area required for buffer zones will eliminate nearly all available acreage. In these cases, use at any established snowmobile trail will have to be limited, despite demand. The limited-use alternative for ensuring that maximum acceptable sound levels are not exceeded requires altering the order in which the evaluation steps are completed. This is done by choosing candidate areas (Chapter 4), evaluating terrain (Chapter 6), and examining biological and other environmental factors (Chapters 5 and 7) before using the noise equation or the tables in Appendix B. If an environmentally acceptable area is identified by these examinations, a candidate trail's distance from noise-sensitive land uses becomes a known variable. The number of snowmobiles which may be allowed on the trail is the unknown factor. By using all known variables as input and solving Eq B1, the average daily number of snowmobiles which can reasonably use the trail during the season is determined. If a snowmobile trail is established, this average number cannot be exceeded without unacceptable noise impacts on adjacent land uses.

## 4 HOW TO CHOOSE CANDIDATE AREAS

### Input

The base map described in Chapters 2 and 3 is used to decide which areas (corridors) on an installation may be candidates for snowmobile trail development. Other factors which must be considered are projected demand, user preferences, and site accessibility.

### General Criteria

Research indicates that areas now used by ORRVs range from 5 to 800 ha (12 to 2000 acres) or greater, depending on the type of vehicle, intensity of user demand, type of terrain, available land area, and trail configuration. The length of trails can range from about 3.2 km (2 mi) to greater than 161 km (100 mi).

### Acreage

It is recommended that candidate areas (corridors) developed for snowmobile use should be no greater than 150 ha (375 acres). This is estimated to be the maximum which the average installation could devote to such use. Further site evaluation may indicate that portions of candidate areas are unacceptable, and the actual area available will have to be reduced. The exact size of a specific candidate area will depend upon available acreage. Generally, areas chosen for snowmobile use are specific corridors to allow for trail development rather than general cross-country use.

### Site Requirements

Candidate areas should be easy to reach by road; this will reduce cross-country travel to the site. If possible, areas should have variable terrain and vegetation, since these characteristics are preferred by users. Candidate areas should also have some form of existing trail system -- e.g., trailbike trails, bridal trails which are not used during winter months, fire breaks, or a road system that could be closed in winter. Generally, installations which receive requests from users for snowmobile trail development are located in snowbelt States, where State or local governments are already involved in the trail development or have completed trail systems. It is recommended that candidate corridors be chosen which, through cooperative agreement, can be readily connected to existing trails. This will eliminate duplication and may reduce the long-term development and maintenance costs of support facilities and labor -- e.g., sanitary facilities and trail grooming.

### Choosing the Areas

Two or more alternative areas should be chosen from the acreage which remains after all incompatible and noise-sensitive land uses and the noise buffer zones have been eliminated from consideration. (If it becomes necessary to select the limited-use alternative [p 16], the acreage in noise buffer zones is not eliminated before candidate areas are chosen; instead, use limits are

established based on the noise-sensitivity of adjacent land uses.) Natural-resource personnel who have worked on an installation for some time can supply general information about an installation's physical and environmental resources -- information which can be very useful in choosing candidate areas. Candidate areas should be marked on the base map.

## 5 PROCEDURES FOR EVALUATING BIOLOGICAL SUITABILITY

As noted on p 8, the evaluation method for ORRV use will vary depending on the type of vehicle being considered. For example, once candidate areas are chosen for trailbike use, the main analytical procedure is an elaborate evaluation of soil suitability (ETN 80-9, paragraph 10). Since snowmobiles operate on snow, this elaborate evaluation is not required; instead, an examination of biological suitability is the next step.

### Input

Each candidate area or corridor should be field checked by a professional biologist with field qualifications. If a biologist is not assigned to the installation, the U.S. Fish and Wildlife Service (USFWS) should be consulted. AR 420-74 outlines the procedures and conditions for arranging USFWS cooperative agreements.<sup>7</sup>

### Endangered Species

Any candidate area which contains a rare, endangered, or threatened plant species (as defined by Federal or State law), or locally important plant and animal populations (e.g., remnant prairie land) should be eliminated from consideration. No area containing a rare, endangered, or threatened animal species at any season of the year should be opened to snowmobile use until a site visit by the USFWS has confirmed that the species will not be adversely affected by the use of snowmobiles on or near that area.

### Biological Ranking

After thoroughly examining each alternative site, the biologist should rank areas or corridors according to their acceptability for use. Research designed to identify the biological effects of snowmobile operation and to describe the mechanism of such effects is available.<sup>8</sup> However, an exact prediction of how much damage will be caused by how many machines is not possible. Therefore, the biological ranking of an area depends on the biologist's professional judgment. The impacts of snowmobile operation vary with the time of day, intensity of use, depth of snow cover, slope and slope orientation. Large mammal habitat generally is affected by noise, destruction of plant matter, disturbance of yarding areas, and increased predator access along trails. Noise causes increased movement of deer and other large mammals at times of

<sup>7</sup> Natural Resources -- Land, Forest, and Wildlife Management, AR 420-74 (HQ, DA, 1 July 1977).

<sup>8</sup> D. F. Holecek, ed., Proceedings of the 1973 Snowmobile and Off the Road Vehicle Research Symposium, Technical Report No. 9 (Recreation Research and Planning Unit, Department of Park and Recreation Resources, College of Agriculture and Natural Resources, Michigan State University, June 1974); W. J. Wanek, A Continuing Study of the Ecological Impact of Snowmobiling in Northern Minnesota: Final Research Report for 1974-75 (The Center for Environmental Studies, Bemidji State College, 1975).

high stress during extremely cold weather. This may cause the energy budgets of these mammals to be depleted, resulting in death due to exposure. Small mammal runways may be crushed, thus restricting these animals from moving from one area to another for food or shelter. Snowmobiles tend to shear off woody plants. Spring regrowth will be slow for snow-covered herbaceous plants that the machines have run over; however, by midsummer the effects are generally not noticeable.

#### *Rating System*

To be effectively ranked, alternative corridors must be rated with comparable factors. A system of rating biological resources, including user instructions, is described in Appendix C. This rating system allows the biologist to evaluate alternative areas in either of two ways: the first asks the biologist to determine the "relative value" of the biological resources found in each corridor by comparing the resources of the area with those of the rest of the installation. If the biologist is more familiar with the damage which biological communities can sustain from ORRV use, the second method is used -- the biologist predicts an area's "susceptibility to ORRV damage."

#### *Rank Determination*

The final rating for alternative corridors is based on a simple manipulation of the "relative" or "susceptibility" values assigned by the biologist. Once each corridor has received a final rating, the rating values are compared and the corridors ranked. The corridor with the lowest biological rating is most acceptable for snowmobile use and should be ranked No. 1. The area with the second lowest rating should be ranked No. 2, and so on.

#### *Rank Interpretation*

The ranking of alternative candidate corridors provides the decision-maker with valuable, documented information for selecting areas for potential trail development. Areas or corridors with ranks of No. 1 or No. 2 should receive more consideration during site selection because, from a biological point of view, they are the most acceptable for snowmobile use.

## 6 HOW TO EXAMINE TERRAIN CHARACTERISTICS

A site visit and visual survey of candidate areas or corridors should be conducted to examine their suitability for trail development. As noted in Chapter 4, prime candidate areas should include some existing trail system or cleared pathways -- e.g., firebreaks -- which could be used as potential right-of-ways. During the site visit, the surveyor should identify other terrain characteristics which are both suitable and unsuitable for development. To determine these characteristics most effectively, local user groups both on and off post should be consulted. However, for general guidance, the following points should be considered.

### Suitable Terrain Characteristics

Users consider variety the most desirable terrain characteristic. This includes variety in trail alignment, trailside vegetation, and scenic views.

#### *Topography*

Topography for trail and area development should include long, wide, flat areas as well as slopes. However, slopes for trail development should never exceed 30 percent. Rolling topography interrupted by wide floodplain areas should receive primary consideration.

#### *Vegetation*

Vegetation in candidate areas or along corridors should include timber stands (mature trees), brush or brush-covered openings in the tree stands, and open clearings.

#### *Vistas*

If possible, there should be points along corridors which allow for scenic vistas. These, along with proper signing and enforcement, can provide users with incentives for staying on trails.

### Unsuitable Terrain Characteristics

Although terrain variety does provide certain desirable elements for trail development, there are terrain characteristics to be avoided.

#### *Topography*

For user safety as well as environmental considerations, a maximum of 25 to 30 percent slopes in candidate areas or along corridors is recommended. Areas with major streams, or streams with high, steep banks should be avoided. In fact, any area which contains a significant number of steep banks, cliffs, or deep gullies should be avoided.



### *Vegetation*

There are few limits on the types of suitable vegetation in candidate areas, except for those places identified as incompatible because of commercial use (Chapter 2) or environmental sensitivity (Chapter 5). However, it is important to note that immature trees can be damaged by snowmobile use, and a significant number of stumps in a candidate area can present a safety hazard to users. Areas where planting or harvesting are in progress should be avoided.

### *Surfaces*

It is recommended that areas with extremely rocky soil surfaces or wetlands be avoided. Rocky surfaces are avoided for user safety; wetlands for environmental reasons -- i.e., certain wetland soils, even when snow covered, cannot support snowmobile traffic; so the delicate biological balance of the area could be affected.

### Elimination of Areas With Unsuitable Terrain Characteristics

Based on the field survey, candidate areas, or portions of candidate areas, with unsuitable terrain characteristics are eliminated from consideration. If the remaining acreage with suitable terrain characteristics is insufficient for snowmobile use, new candidate areas may have to be chosen and their biological and terrain characteristics evaluated. Of course, certain areas with unsuitable terrain characteristics may still be considered if trails are developed properly -- e.g., bridges built over streams and large stones removed from a potential trail corridor. Certain trail development procedures can be expensive but may be provided through cooperative agreement with users, organizations, or local governments. This is addressed in Chapter 7.

### Consideration of Other Environmental Factors

During the site visit by the biologist or other surveyors, special attention should be paid to identifying any other significant environmental or safety factor which could adversely affect, or be affected by, snowmobile use. These factors must be considered during the site selection process and should be addressed in the environmental assessment for trail development.

## 7 PROCEDURES FOR ESTABLISHING A SNOWMOBILE AREA OR TRAIL

One of several goals of AR 210-9 is that ORRV operators think a designated ORRV-use area is better than areas they have been using without authorization. If this goal cannot be met, then unregulated use will create environmental and safety problems. More vigorous enforcement could theoretically confine ORRV use to a designated area, but the program would then be perceived as punitive, rather than constructive.

### Site Selection

Many factors -- e.g., frozen bodies of water -- presented in this report as restrictions on the development of areas for snowmobile use will be desired by at least some users. In general, terrain variety is an absolute requirement for all users. Areas where snowmobiles may be operated, therefore, may include some "restricted" terrain or land use. However, trails should meet all exclusionary criteria discussed in Chapters 2 through 7. Site selection should be approached from the point of view of trying to provide an area that will be used voluntarily by most snowmobile operators, rather than of trying to find some place to "stick" an unattractive nuisance.

### *Alternative Selection*

It is recommended that at least two to three alternative sites or trail corridors be selected which meet the criteria discussed in this report. The maximum acreage allowed for development is open to judgement, but it appears that no more than 100 ha (247 acres) may be safely maintained and monitored by most installations. As noted in Chapters 4 and 6, sites or corridors which have some sort of existing trail system should be chosen. For maximum effectiveness, the ideal system could be connected to existing trails of clubs or of State and local governments -- provided installation security would not be affected by offpost, onpost, or through-post travel. The benefits of this are discussed in Chapter 6. If onpost personnel are the primary users, or if onpost, offpost or through-post use is not allowed, it should be remembered that these areas may eventually have to support sanitary facilities, safe parking areas, resting areas, and possibly picnic areas. For this development, the guidance in TM 5-803-12 should be followed.<sup>9</sup> Access near installation entrances should be considered, since travel to remote areas will cause difficult or congested public travel routes within the installation.

### *Public Involvement*

ORRV-use areas should be established only in response to an expressed need. In practice, extensive unauthorized use may inform the Army planner that such need exists. The initial demand may come from offpost organizations seeking a place to operate their snowmobiles. These organizations become one segment of the public from which ideas must be solicited before the ORRV-use area is finally established. However, the concept of public participation is that all identifiable groups and persons, not just known ORRV proponents, should

<sup>9</sup> Planning and Design of Outdoor Recreation Facilities, TM 5-803-12 (DA, 1 October 1975).

have an opportunity to comment during the process of selecting an ORRV-use area. Appropriate, informal workshops and meetings should be held at least twice: first when initial plans and use criteria are being established, and again when candidate sites have been selected. These meetings are intended to allow constructive observations from the public before any firm decisions have been made.

A pamphlet describing public involvement as it applies to Corps of Engineers Civil Works actions is available from the command natural resource offices of the U.S. Army Training and Doctrine Command (TRADOC) and the U.S. Army Forces Command (FORSCOM), and the Natural Resources Section of the Installation and Services Activity, U.S. Army Materiel Development and Readiness Command (DARCOM).<sup>10</sup> Further guidance relating to the concept of public involvement as it applies to water resources planning, including associated ORRV development, may be found in Engineer Regulation (ER) 1105-2-800.<sup>11</sup> Once information from users and the public sector has been obtained, a use area can be chosen from the alternative sites. An area which fails to meet the needs of the potential users will be a failure.

#### *Environmental Assessment*

Before areas or trails are opened to snowmobiles, an environmental impact assessment or statement must be prepared. This is required in every case because of the controversial nature of ORRV operation. Much of the information obtained from the evaluation procedures described here should be used in preparing these documents. Information from monitoring the effects of snowmobiles should also be used in the preparation of these documents.

#### *Outgrants for Use*

Costs can be reduced if trails on installation land can be connected with existing club, State, or local trails. The trail corridor or right-of-way can be leased or outgranted to these clubs or governmental units. Through this granting process, the lessee can be required to construct facilities -- e.g., bridges and sanitary facilities -- during the season of use and provide for trail signing and maintenance. Many other requirements for use can be negotiated to benefit both the Army and the lessee. If this is done, the procedures and policies (including a report of availability) of AR 405-80 and all other appropriate regulations apply.

#### Trail Development

Until detailed criteria are established, the following brief outline of development suggestions should be used. Additional assistance in trail development can be obtained through user participation, public involvement, State and local agencies, the Snowmobile Safety and Certification Committee,

<sup>10</sup>James R. Hanchey, Public Involvement in the Corps of Engineers' Planning Process, IWR Research Report 75-R4 (U.S. Army Engineer Institute for Water Resources, October 1975).

<sup>11</sup>Planning -- Public Involvement: General Policies, Engineer Regulation (ER) 1105-2-800 (DA, OCE, 2 April 1975).

Inc., the International Snowmobile Industry Association, and snowmobile and trail grooming equipment manufacturers.

Trail development should ensure that the safety of snowmobile operators is not compromised. User participation and public involvement will help identify potential safety hazards; regular inspection by qualified safety personnel is also recommended.

#### *Length*

Trail length will vary considerably depending on available acreage and system design. If trails connect with existing offpost systems, trail length is determined by access point. However, if the trail system is completely within the installation, length is determined by demand. According to Bombardier Limited, a leading manufacturer of snowmobiles and trail maintenance equipment, a well-designed trail can handle 80 snowmobiles for each 8 km (5 mi) of trail.<sup>12</sup> It is recommended that internal trail length be at least 6.5 km (4 mi).

#### *Width*

All trails should have a cleared surface (see *Clearances*, below) width of 3 m (10 ft) for one-way traffic and 5 m (16 ft) for two-way traffic. Trail width through turns should be larger than on straightaways to allow for safe execution of turns.

#### *Slope*

Portions of trails can climb slopes of up to 30 percent, but a maximum of 25 percent is recommended. For safety reasons, trails normally should not laterally cross slopes. But if this is necessary, the trail should be cut and filled to provide a level surface for operation. Precautionary erosion control measures should be taken for summer months. (See TM 5-630 for initial guidance on possible erosion control measures.<sup>13</sup>)

#### *Turns*

Curves in trails should be as gradual as possible. To ensure safe operation, no trail curve should have a radius of less than 7.5 m (25 ft). Banked curves are to be avoided because they may encourage high speed and unwarranted operator confidence.

#### *Water Hazards*

If trails cross natural perennial streams, culverts or bridges should be provided. Culvert and bridge crossings should be designed to be at least 2 m (6 ft) wide and equipped with sturdy guard rails. They should also be well signed (Appendix D).

<sup>12</sup>Bombardier Limited, *A Guide to the Development and Maintenance of Good Snowmobile Trails* (Bombardier Limited, Valcourt, Quebec, Canada, 1972).

<sup>13</sup>Repairs and Utilities: Ground Maintenance and Land Management, TM 5-630 (DA, 4 December 1967).

### *Clearances*

Trees, brush, fences, and other obstacles should be removed to provide clearance for the snowmobile's runners, and for the rider's arms and legs. A lateral cleared distance of 0.3 m (1 ft) from the edge of the defined trail is necessary; vertical clearance should be at least 2.5 m (8 ft) above average snow depth. Clearance should also be provided for sight along the trail, particularly on trails with two-way traffic.

### *Surfaces*

Before snow cover, trail surfaces should be made as level as possible. This can be done by grading and cut and fill operations. However, care should be taken to ensure proper erosion control measures (see TM 5-630).

### *Snow Cover*

Snowmobile use on installation lands should not be allowed until the snow is 130-mm (5-in.) deep on the trail. Once this depth has been reached and use has compacted the snow, a minimum recommended depth of 75 mm (3 in.) of compacted snow should be present for continued trail use. All trails which have spots where soil is exposed must be closed to use at once, or the bare spots replenished with snow. Extensive replacement of snow is not normally warranted.

### *Signing*

Trails should be properly signed. If trails are outgranted or leased to clubs, or to State or local governments, signing should meet the recommended standards of the lessee. In addition, all trails, whether leased or not, should be signed according to the guidelines provided in Appendix D.

## Operating Conditions

In the absence of existing requirements to the contrary, it is recommended that the following minimum operation criteria initially be adopted.

### *License and Inspection*

All vehicles operated by military personnel or their dependents should be inspected for compliance with all applicable safety regulations -- even if the vehicles do not have to be licensed or registered for operation within the State. Noncomplying vehicles should not be allowed to use the OPRV area.

All vehicles operated by unsponsored civilians residing offpost should be licensed, registered, or inspected as necessary to meet State and local requirements before being operated onpost. If applicable to State requirements, all operators should be licensed or registered as snowmobile operators in the State or in their State of residence. Young operators 10 years of age or older may be allowed to operate a complying vehicle while under the direct supervision of a parent or legal guardian who is also operating a complying vehicle.

### *Muffler*

All snowmobiles must be equipped with factory-equivalent mufflers in good working condition.

### *Passengers*

Passengers may be carried on a snowmobile if the number of passengers does not exceed recommended industry capacity for the particular vehicle. However, a maximum of three persons per vehicle is recommended. Trailing sleds for passengers or cargo may be allowed. A maximum of one trailing sled per vehicle is recommended.

### *Direction of Traffic*

All trails are to be clearly and conspicuously posted for either one- or two-way traffic and are to conform to the appropriate width recommendations for one- or two-way traffic. All traffic must use trails, and no general use of off-trail lands is permitted. However, a flat, cleared area restricted to beginners may be provided.

### *Hours of Operation*

Snowmobiles may be allowed to operate after sunset, but it is recommended that this not be permitted between 2300 and 0700 hours. It is important to note that many users prefer nighttime operation. All vehicles operated after dark must have functioning headlights and taillights. These lights must be used if snowmobiles run on or next to roadways, or on trails designated for two-way use. Vehicles may be operated along one-way trails, at night, without headlights in operation. Again, many users prefer this type of operation. If nighttime operation is not allowed, it is recommended that no snowmobile be permitted to use the trail between 15 minutes after sunset and 15 minutes before sunrise, and that no operation be allowed between 2300 and 0700 hours, regardless of the time of sunrise and sunset. This operating condition should be imposed to avoid disturbing nonparticipants during normal sleeping hours.

### *Roadway Operation*

It is recommended that snowmobiles not be allowed on roadways normally used by other vehicles unless these roadways are closed to other traffic. Snowmobiles which are allowed to use roadways open to other vehicles should be operated on the road's right shoulder. If snowmobiles must cross roadways, they should only be allowed to cross perpendicular to the roadway.

### *Rules of the Road*

It is recommended that snowmobiles be operated according to all applicable rules and regulations for road or highway travel, as specified by installation and State requirements. These and all operating conditions above should be adequately publicized and posted.

### Supervision and Violations

To ensure that operating regulations are followed and to restrict use to designated trails and areas, it is recommended that there be supervision or patrol of the snowmobile-use areas during periods of peak use. These organized recreational activities involving ORRVs are within the scope of the Outdoor Recreation Program, and supervision or patrol may be by Recreation Services personnel or by the Military Police. Violations of the conditions listed above and other posted operating regulations are to be treated as traffic violations. Citations may be issued upon the complaint of a trail supervisor or other officer, or by any installation enforcement person authorized to issue other vehicle and traffic citations.

### Maintenance and Monitoring

Once snowmobile areas and trails have been established, it will be necessary to provide appropriate trail maintenance and to monitor environmental effects.

#### *Trail Maintenance*

During use periods, grooming equipment may have to be bought or rented for trail maintenance. If trails are outgranted or leased, it is recommended that the lessee be required to provide such maintenance. If installation personnel provide maintenance, guidance on appropriate activities can be obtained from any manufacturer of trail grooming equipment and many snowmobile clubs. During summer months, periodic checks should be made to identify any maintenance problems. The most common difficulty will be erosion. Erosion control guidance in TM 5-630 should be used to provide for summer maintenance and erosion control.

#### *Monitoring Environmental Effects*

AR 201-9, paragraph 6f, provides for the development of appropriate procedures to monitor the effects of ORRV use. Once an ORRV area has been established, use and changes in use intensity can significantly impact the area. Appendix E outlines a method of monitoring this impact.

## 8 SUMMARY

This report has suggested a method of evaluating lands for snowmobile use. The report describes recommended procedures for identifying incompatible land uses, establishing noise buffer zones, and evaluating biological and terrain suitability. User demand and participation, environmental assessment, operating conditions, and supervision are other factors that have been considered. Guidance for choosing candidate areas, establishing and signing trails, and performing environmental monitoring also has been provided.



## CITED REFERENCES

- Bombardier Limited, A Guide to the Development and Maintenance of Good Snowmobile Trails (Bombardier Limited, Valcourt, Quebec, Canada, 1972).
- Environmental Protection -- Planning in the Noise Environment, Technical Manual (TM) 5-803-2 (Departments of the Air Force, Army, and Navy, 15 June 1978).
- "Environmental Quality: Environmental Effects of Army Actions," Army Regulation (AR) 200-2, Federal Register, Vol 45, No. 204 (20 October 1980), pp 69,215-69,238.
- Evaluation of Areas for Off-Road Recreational Motorcycle Use, Engineer Technical Note (ETN) 80-9 (Department of the Army [DA], Office of the Chief of Engineers [OCE], 4 March 1980).
- Executive Order No. 11644, "Use of Off-Road Vehicles on the Public Lands," Federal Register, Vol 37, No. 27 (8 February 1972), pp 2877-2878.
- Executive Order No. 11989, "Off-Road Vehicles on Public Lands," Federal Register, Vol 42, No. 101 (24 May 1977), pp 26,959-26,960.
- Hanchey, James R., Public Involvement in the Corps of Engineers' Planning Process, IWR Research Report 75-R4 (U.S. Army Engineer Institute for Water Resources, October 1975).
- Harrison, Robin T., Roger N. Clark, and George H. Stankey, Predicting Impact of Noise on Recreationists, ED&T Project No. 2688, Project Record 8023, 1202 (U.S. Department of Agriculture, Forest Service, San Dimas Equipment Development Center, April 1980).
- Holecek, D. F., ed., Proceedings of the 1973 Snowmobile and Off The Road Vehicle Research Symposium, Technical Report No. 9 (Recreation Research and Planning Unit, Department of Park and Recreation Resources, College of Agriculture and Natural Resources, Michigan State University, June 1974).
- Installations -- Use of Off-Road Vehicles on Army Land, AR 210-9 (HQ, DA, 1 July 1978).
- Lacey, R. M., H. E. Balbach, R. S. Baran, and R. G. Graff, Evaluation of Areas for Off-Road Recreational Motorcycle Use, Volume I: Evaluation Method, and Volume II: Alternate Soil Suitability Determination Methods, Technical Report N-86 (U.S. Army Construction Engineering Research Laboratory [CERL], September 1980).
- Master Planning for Army Installations, AR 210-20 (HQ, DA, 26 January 1976).
- Military Police -- Motor Vehicle Traffic Supervision, AR 190-5 (Departments of the Army, Navy, Air Force, and the Defense Supply Agency, 1 August 1973).

Military Police -- Registration of Privately Owned Motor Vehicles, AR 190-5-1 (HQ, DA, 15 July 1978).

Natural Resources -- Land, Forest, and Wildlife Management, AR 420-74 (HQ, DA, 1 July 1977).

Planning and Design of Outdoor Recreation Facilities, TM 5-803-12 (DA, 1 October 1975).

Planning -- Public Involvement: General Policies, Engineer Regulation (ER) 1105-2-800 (DA, OCE, 2 April 1975).

Project Operation: Use of Off-Road Vehicles on Civil Works Projects, ER 1130-2-405 (DA, OCE, 17 January 1974).

Real Estate -- Granting Use of Real Estate, AR 405-80 (HQ, DA, 1 February 1979).

Repairs and Utilities: Ground Maintenance and Land Management, TM 5-630 (DA, 4 December 1967).

Sheridan, David, Off-Road Vehicles on Public Land (President's Council on Environmental Quality, 1979).

Wanek, W. J., A Continuing Study of the Ecological Impact of Snowmobiling in Northern Minnesota: Final Research Report for 1974-75 (The Center for Environmental Studies, Bemidji State College, 1975).

Welfare, Recreation, and Morale -- Army Morale Support Activities DA, 15 February 1979).

#### UNCITED REFERENCES

Baldwin, M. F., "The Snowmobile and Environmental Quality," The Living Wilderness, No. 104 (Winter 1968-69), pp 14-17.

Bissell, L. P., "The Social and Political Impact of Snowmobiles," Northern Logger Timber Processor (March 1971), pp 21, 32-34.

Boucher, J. and T. A. Tattar, "Snowmobile Impact on Vegetation," Forest Notes, Vol 120 (Winter 1974-1975), pp 27-28.

Butcher, D., "Snowmobiles and the National Parks," American Forests, Vol 78, No. 4 (April 1972), pp 28-31, 46-49.

Carlson, W. L. and D. Klein, "Behavioral Patterns of Snowmobile Operators -- A Preliminary Report," Journal of Safety Research, Vol 3, No. 4 (December 1971), pp 150-156.

- Carpenter, N., Design and Application of Skidozer Snowmobile Trail Grooming Equipment (Society of Automotive Engineers, Inc., September 1973).
- Chubb M., ed., Proceedings of the 1971 Snowmobile and Off The Road Vehicle Symposium, Technical Report No. 8 (Recreation Research and Planning Unit, Department of Park and Recreation Resources, College of Agriculture and Natural Resources, Michigan State University, August 1971).
- Conservation and Rehabilitation Program on Military and Public Lands, P.L. 93-452 (1974), 88 Stat. 1369.
- Cooper, R. B., S. P. Sadowske, and M. D. Kantor, Winter Recreation Visitor Study: Wisconsin 1979 (University of Wisconsin-Extension, Recreation Resources Center, 1979).
- Curtis, J. and R. C. Saver, "An Analysis of Recreational Snowmobile Noise," Sound and Vibration, Vol 7, No. 5 (May 1973), pp 49-50.
- Dadisman, Q., "Taming the Snowmobiles," American Forests, Vol 80, No. 9 (September 1974), pp 38-41, 61-62.
- Davy, B. A., Control of Snowmobile Noise, Volume I: Technology and Cost Information (Wyle Labs, June 1974).
- Dewar, R. E., "A Review and Critique of Snowmobile Accident Reports," Journal of Safety Research, Vol 5, No. 1 (March 1973), pp 36-44.
- Doan, K. H., "Effects of Snowmobiles on Fish and Wildlife Resources," Proceedings: International Association of Game, Fish, and Conservation Commissioners (1970).
- Dorrance, M. J., P. J. Savage, and D. E. Huff, "Effects of Snowmobiles on White-Tailed Deer," Journal of Wildlife Management, Vol 39, No. 3 (1975), pp 563-569.
- Eckstein, R. G., T. F. O'Brien, O. J. Rongstad, and J. G. Ballinger, "Snowmobile Effects on Movements of White-Tailed Deer: A Case Study," Environmental Conservation, Vol 6, No. 1 (1979).
- Facilities Engineering -- General Provisions, Organization, Functions, and Personnel, AR 420-10 (Department of the Army, 20 December 1977).
- Foresman, C. L., D. K. Ryerson, R. N. Walejko, W. H. Paulson and J. W. Pendleton, "Effect of Snowmobile Traffic on Bluegrass," Journal of Environmental Quality, Vol 5, No. 2 (1976), pp 129-131.
- Foster, C. R. and S. J. Knight, A Review of Soil and Snow Trafficability, U.S. Army Engineer Waterways Experiment Station (Paper prepared for Symposium on Problems Related to Army Vehicle Mobility Progress, 18-20 April 1955).

- Greenberg, A. and C. R. Redmond, III, eds., Trends in Parks and Recreation, Vol 9, No. 3 (The Park Practice Program, 1972).
- Hill, G. A., "Central New York Snowmobilers and Patterns of Vehicle Use," Journal of Leisure Research, Vol 6, No. 4 (1974), pp 280-294.
- Hill, G. A., Towards Enhancing and Controlling Recreational Snowmobiling: A Study of Central New York Participants and Vehicle Use, Master's Thesis (Cornell University, December 1971).
- Hirabayashi, T., "Noise and the Snowmobile," Proceedings of Purdue Noise Control Conference, July 1971 (Noise and Vibration Control Engineering, 1971).
- Hogan, A. W., "Snowmelt Delay by Oversnow Travel," Water Resources Research, Vol 8, No. 1 (February 1972), pp 174-175.
- Horney, R. L., Snowmobiling ... Guidelines, Environmental Impact, Legislation, Programming, Bulletin No. 89 (National Recreation and Park Association, 1970).
- International Snowmobiling Industry Association (ISIA), Man, Nature, and Wilderness, (ISIA, n.d.).
- \_\_\_\_\_, The Role of Recreation In the Life of Man (ISIA, 1979).
- \_\_\_\_\_, Snowmobiling and Our Environment: Facts and Fantasies (ISIA, October 1976).
- \_\_\_\_\_, Snowmobiling Fact Book (ISIA, 1979).
- \_\_\_\_\_, Sounds of Snowmobiling in Winter, (ISIA, May 1976).
- \_\_\_\_\_, Who's Who in Snowmobiling: 1979, (ISIA, 1979).
- Janosi, Z. J., R. A. Liston, and L. A. Martins, "Commercial Off-Road Vehicles," Automotive Engineering Congress, Detroit, MI, January 12-16, 1970 (Society of Automotive Engineers, Inc., 1970).
- Keir Nash, A. E., "Nature Aesthetics, The Public Interest, and ORV Users' Perspectives," Presented at Conference sponsored by the School of Natural Resources, University of Michigan and the Office of Environmental Quality, U.S. Department of Agriculture, Ann Arbor, MI (March 17, 1980).
- Kopischke, E. D., Effects of Snowmobile Activity on the Distribution of White-Tailed Deer in South-Central Minnesota (Minnesota Game Research Special Report, 8 September 1972).
- Malaher, G. W., "Improper Use of Snow Vehicles for Hunting," North American Wildlife and Natural Resource Conference Transcript (1967), pp 429-433.

- Michaelson, M., "Time to Tame the Abominable Snowmobiler," Today's Health (December 1970), pp 47-49, 66-68.
- Moeller, G. H., Landowner and Snowmobiler: Problem or Profit, Research Paper NE-206 (U.S. Department of Agriculture, Northeastern Forest Experiment Station, 1971).
- National Environmental Policy Act of 1969, P.L. 91-190, 83 Stat. 852 (1970).
- National Research Council of Canada, Snowmobile Noise, Its Sources, Hazards and Control (Acoustics Section, Division of Physics, National Research Council of Canada, 1970).
- Neumann, P. W. and G. H. Merriam, "Ecological Effects of Snowmobiles," The Canadian Field-Naturalist, Vol 86 (1972), pp 207-212.
- Olsen, J., "Bad Show Out in the Cold Snow," Sports Illustrated, Vol 2, No. 32 (16 March 1970), pp 28-30, 33-35.
- Outdoor Recreation, State-Federal Programs, P.L. 88-29 (1963), 77 Stat. 49.
- Percy, E. C., "The Snowmobile: Friend or Foe?" Journal of Trauma, Vol 12, No. 5 (May 1972), pp 444-446.
- Price, V. J., "Snowmobiles, The Winter Revolution," Soil Conservation (March 1975), pp 12-15.
- Rabideau, G. F., "Human, Machine, and Environment: Aspects of Snowmobile Design and Utilization," Human Factors, Vol 16, No. 5 (October 1974), pp 481-494.
- Rice, B., "The Snowmobile is an American Dream Machine," New York Times Magazine (13 February 1972), pp 14-15, 26-30.
- Ryerson, D. K., D. A. Schlough, C. L. Foresman, G. H. Tenpas, and J. W. Pendleton, "Effects of Snowmobile Traffic on Several Forage Species and Winter Wheat," Agronomy Journal, Vol 69 (September-October 1977), pp 769-772.
- Snowmobile Handbook (Connecticut Motor Vehicle Department, 1973).
- Snowmobile Riders Handbook (Manitoba Department of Highways, n.d.).
- Snowmobile Safety and Certification Committee, Trails: A Strategy for Snowmobile Fun and Safety, Draft Manuscript (Snowmobile Safety and Certification Committee, Inc., 1 May 1975).
- "Snowmobiles and the Environment," Yale Law Journal, Vol 82 (1973), pp 772-786.
- Soom, A., J. G. Bollinger, and O. J. Rongstad, "Studying the Effects of Snowmobile Noise on Wildlife," in Inter-Noise 72 Proceedings, ed., M. J. Crocker (Institute of Noise Control Engineering, 1972), pp 236-241.

Swanson, C., ed., Snotrack's Trail Guide, Vol 4, No. 1 (Market Communications, Inc., Fall/Winter 1979).

United States Department of the Interior, Bureau of Outdoor Recreation, Lake Central and Northeast Regions and the New York State Conservation Commission, Proceedings of the International Snowmobile Conference, Albany, NY, May 20-21, 1969 (U.S. Government Printing Office, 1969).

Vint, W., ed., SnoTrack's Guide to Snowmobile Trail Grooming, Vol 1, No. 1 (Market Communications, Inc., Fall/Winter 1976).

\_\_\_\_\_, SnoTrack's Guide to Snowmobile Trail Grooming, Vol 2, No. 1 (Market Communications, Inc., Fall/Winter 1977).

\_\_\_\_\_, SnoTrack's Guide to Snowmobile Trail Grooming, Vol 3, No. 1 (Market Communications, Inc., Fall/Winter 1978).

Wallace, C., The Complete Snowmobiler (Peter Martin, 1971).

Wanek, W. J., A Continuing Study of the Ecological Impact of Snowmobiling in Northern Minnesota: Final Research Report for 1971-72 (The Center for Environmental Studies, Bemidji State College, 1972).

\_\_\_\_\_, A Continuing Study of the Ecological Impact of Snowmobiling in Northern Minnesota: Final Research Report for 1972-73 (The Center for Environmental Studies, Bemidji State College, 1973).

\_\_\_\_\_, A Continuing Study of the Ecological Impact of Snowmobiling in Northern Minnesota: Final Research Report for 1973-74 (The Center for Environmental Studies, Bemidji State College, 1974).

Weddle, F., "Snowmobiles and Wildlife," Defenders of Wildlife News (July-August-September 1968), pp 310-315.

Whittaker, J. C. and D. S. Wentworth, Snowmobile Compaction and Forage Grass Yields in Maine, Miscellaneous Report 143 (Life Sciences and Agricultural Experiment Station, University of Maine, September 1972).

Wilshire, H. G., Chairman, Impacts and Management of Off-Road Vehicles, Report of the Committee on Environment and Public Policy (The Geological Society of America, May 1977).

Wisconsin Department of Natural Resources, Snowmobile Trail Signing Snowmobile Trails (Wisconsin Department of Natural Resources, 1978).

Wisconsin Department of Natural Resources, Wisconsin's Snowmobile Trail Plan -- 1978 (Wisconsin Department of Natural Resources, 1978).

APPENDIX A:

POINTS OF CONTACT IN DEVELOPMENT  
OF ORRV EVALUATION PROCEDURES

The following persons were information sources for the development of the ORRV evaluation procedures. On one or more occasions, matters relative to ORRVs or the evaluation procedures were discussed with these persons. These discussions were conducted through telephone conversations, written correspondence, person-to-person interviews, or informal conference discussions.

Trailbikes

Anderson, Mark W., Recreation Planner, Motorcycle Industry Council, Newport Beach, CA

Anderson, Robert, Director of Planning and Research, New York State Department of Parks and Recreation, Albany, NY

Andrews, Wells, USDA, Soil Conservation Service, Champaign, IL

Berry, Kristin H., Staff Leader, Wildlife, U.S. Bureau of Land Management, Riverside, CA

Bertolino, Bart, U.S. Forest Service, Wayne-Hoosier National Forest, Bedford, IN

Boston, Robert, Recreation Resources Planning Staff, U.S. Forest Service, Washington, DC

Bury, R. Bruce, U.S. Fish and Wildlife Service, Fort Collins, CO

Cole, David N., Research Ecologist, Forestry Sciences Laboratory, U.S. Forest Service, Missoula, MT

Cotrell, Richard, Project Supervisor, Land Between the Lakes, Tennessee Valley Authority

Diviny, Carl, Fish and Wildlife Biologist, Fort Benning, GA

Dolfy, Mike, U.S. Forest Service, Wenatchee National Forest, Wenatchee, WA

Dubsky, Paul, Fish and Wildlife Biologist, Fort Ord, CA

Emetaz, Roland V., Forester, Recreation, U.S. Forest Service, Pacific Northwest Region, Portland, OR

Freel, Dick, California State Office, U.S. Bureau of Land Management, Riverside, CA

Freidig, Larry, Coordinator, Off-Road Recreation Program, State of Wisconsin, Department of Natural Resources, Madison, WI

Grossman, Robert B., Research Soil Scientist, National Soil Survey Laboratory,  
USDA, Soil Conservation Service, Lincoln, NE

Groves, Judy, Resources Planner, Illinois Department of Conservation, Spring-  
field, IL

Harrison, Robin T., San Dimas Equipment Development Center, U.S. Forest Ser-  
vice, San Dimas, CA

Harry, Joe, Environmental Offices, Fort Dix, NJ

Hasset, John J., Agronomy Department, University of Illinois, Champaign, IL

Huber, Phil, Environmental Offices, Fort Benning, GA

Jackson, Gary, U.S. Forest Service, Los Padres National Forest, Goleta, CA

Karson, William V., New York State Motorcycle Trail Riders Association,  
Schenectady, NY

Kearny, Kevin, American Motorcyclist Association, Westerville, OH

Kemsley, William, Editor, Backpacker Magazine, Bedford Hills, NY

Kenney, David, Director, Illinois Department of Conservation, Springfield, IL

Kermode, Randy, Outdoor Recreation Director, Fort Ord, CA

Lammers, Duane A., Soil Scientist, USDA, Soil Conservation Service, Moab, UT

Langan, Lucien N., Soil Scientist, West Technical Service Center, USDA, Soil  
Conservation Service, Portland, OR

Massera, Jack, Natural Resources Office, Fort Ord, CA

McCormack, Donald E., Director, Soil Survey Interpretations Division, USDA,  
Soil Conservation Service, Washington, DC

Nicholes, Garrell E., President, The People Planners, Salt Lake City, UT

Patterson, Lowell, Recreation, Information, Education and Planning Staff Off-  
icer, U.S. Forest Service, Shawnee National Forest, Harrisburg, IL

Pierson, Nancy, Recreation Planner, New York State Department of Parks and  
Recreation, Albany, NY

Rasor, Robert, Associate Director, Government Relations, American Motorcyclist  
Association, Westerville, OH

Ray, Burt, Agronomy Department, University of Illinois, Champaign, IL

Rice, Oliver, Soil Scientist, Northeast Technical Service Center, USDA, Soil  
Conservation Service, Broomall, PA



Sanderson, David, Executive Director, New England Trailriders Association, West Newburg, MA

Scott, Ronald E., Recreation-Fire Staff Officer, U.S. Forest Service, Allegheny National Forest, Warren, PA

Slusher, David, Soil Scientist, Soil Survey Interpretations Division, USDA, Soil Conservation Service, Washington, DC

Stahl, Melvin R., Vice President, Government Relations, Motorcycle Industry Council, Washington, DC

Suchousky, Warren, Secretary, Michigan Association of Conservation Districts, Stephenson, MI

Wegner, Glenn, Trails Specialist, Illinois Department of Conservation, Springfield, IL

Wetzel, John F., Legislative Analyst, Motorcycle Industry Council, Newport Beach, CA

Wilshire, Harold G., U.S. Geological Survey, Menlo Park, CA

Yamauchi, Jack, Environmental Officer, Fort Ord, CA

Young, Keith, Assistant Director, Soil Survey Interpretations Division, USDA, Soil Conservation Service, Washington, DC

#### Snowmobile

Abbs, Richard, Real Estate Officer, Fort McCoy, WI

Brady, John, Monroe County Snowmobile Coordinator, Monroe County, WI

Crandall, Derrick A., Vice President, Public Affairs, International Snowmobile Industry Association, Washington, DC

Dolfy, Mike, U.S. Forest Service, Wenatchee National Forest, Wanatchee, WA

Doyle, Morton B., Executive Director, International Snowmobile Industry Association, Washington, DC

Emetaz, Roland V., Forester, Recreation, U.S. Forest Service, Pacific Northwest Region, Portland, OR

Freidig, Larry, Coordinator, Off-Road Recreation Program, State of Wisconsin, Department of Natural Resources, Madison, WI

Groves, Judy, Resources Planner, Illinois Department of Conservation, Springfield, IL

Hambly, Ron, Past President, Illinois Association of Snowmobile Clubs, Inc., Plainfield, IL

Harrison, Robin T., San Dimas Equipment Development Center, U.S. Forest Service, San Dimas, CA

Hill, Jim, Recreation Resources, St. Louis District, Corps of Engineers, St. Louis, MO

Hoff, Robert, Outdoor Recreation Director, Fort McCoy, WI

Hoffstetter, Duane, Coordinator, Snowmobile Recreation Program, State of Wisconsin Department of Natural Resources, Madison, WI

Houser, James, Forester, Fort McCoy, WI

Hutchinson, Julian, Land Manager, Fort McCoy, WI

Kemsley, William, Editor, Backpacker Magazine, Bedford Hills, NY

Kenney, David, Director, Illinois Department of Conservation, Springfield, IL

Marchack, John, Chief, Recreation Resources, St. Louis District, Corps of Engineers, St. Louis, MO

Prock, Mike, Snowmobile Liaison, Installation Beautification Committee, Fort McCoy, WI

Suchousky, Warren, Secretary, Michigan Association of Conservation Districts, Stephenson, MI

Wanek, Wallace J., Center for Environmental Studies, Bemidji State University, Bemidji, MN

Wegner, Glenn, Trails Specialist, Illinois Department of Conservation Springfield, IL

Yarborough, Ron, Environmental Analysis Section, St. Louis District, Corps of Engineers, St. Louis, MO

#### Four-Wheel Drive

Anderson, Robert, Director of Planning and Research, New York State Department of Parks and Recreation, Albany, NY

Berry, Kristin H., Staff leader, Wildlife, U.S. Bureau of Land Management, Riverside, CA

Bertolino, Bart, U.S. Forest Service, Wayne-Hoosier National Forest, Bedford, IN

Bury, R. Bruce, U.S. Fish and Wildlife Service, Fort Collins, CO

Chauvet, Lee, State Liaison Officer, California Association of 4WD Clubs, Inc., Charmingichael, CA

Cole, David N., Research Ecologist, Forestry Sciences Laboratory, U.S. Forest Service, Missoula, MT

Dolfy, Mike, U.S. Forest Service, Wenatchee National Forest, Wenatchee, WA

Doty, Peter, Land Use Chairman, United Four-Wheel Drive Associations, Denver, CO

Emetaz, Roland V., Forester, Recreation, U.S. Forest Service, Pacific Northwest Region, Portland, OR

Freel, Dick, California State Office, U.S. Bureau of Land Management, Riverside, CA

Freidig, Larry, Coordinator, Off-Road Recreation Program, State of Wisconsin, Department of Natural Resources, Madison, WI

Groves, Judy, Resources Planner, Illinois Department of Conservation Springfield, IL

Harrison, Robin T., San Dimas Equipment Development Center, U.S. Forest Service, San Dimas, CA

Hoff, Robert, Outdoor Recreation Director, Fort McCoy, WI

Houser, James, Forester, Fort McCoy, WI

Hutchinson, Julian, Land Manager, Fort McCoy, WI

Jackson, Gary, U.S. Forest Service, Los Padres National Forest, Goleta, CA

Kemsley, William, Editor, Backpacker Magazine, Bedford Hills, NY

Kenney, David, Director, Illinois Department of Conservation, Springfield, IL

Patterson, Lowell, Recreation, Information, Education and Planning Staff Officer, U.S. Forester Service, Shawnee National Forest, Harrisburg, IL

Schade, George, General Counsel, United Four-Wheel Drive Associations, Phoenix, AZ

Scott, Ronald E., Recreation-Fire Staff Officer, U.S. Forest Service, Allegheny National Forest, Warren, PA

Suchousky, Warren, Secretary, Michigan Association of Conservation Districts, Stephenson, MI

Wegner, Glenn, Trails Specialist, Illinois Department of Conservation, Springfield, IL

Wilshire, Harold G., U.S. Geological Survey, Menlo Park, CA

General, or All Vehicles

Berry, Kristin H., Staff Leader, Wildlife, U.S. Bureau of Land Management,  
Riverside, CA

Boston, Robert, Recreation Resources Planning Staff, U.S. Forest Service, Wash-  
ington, DC

Bury, R. Bruce, U.S. Fish and Wildlife Service, Fort Collins, CO

Click, Gerry, Installations and Services Activity, DARCOM, Rock Island, IL

Cole, David N., Research Ecologist, Forestry Sciences Laboratory, U.S. Forest  
Service, Missoula, MT

Cook, Gene, Environmental Engineer, Luke Air Force Base, AZ

Dickerson, Dave R., Outdoor Recreation Director, Fort Meade, MD

Dolfy, Mike, U.S. Forest Service, Wenatchee National Forest, Wenatchee, WA

Duckworth, Robert, Forester, FORSCOM, Fort McPherson, GA

Emetaz, Roland V., Forester, Recreation, U.S. Forest Service, Pacific Northwest  
Region, Portland, OR

Flaig, Paul, Outdoor Recreation Director, FORSCOM, Fort McPherson, GA

Freel, Dick, California State Office, U.S. Bureau of Land Management, River-  
side, CA

Freidig, Larry, Coordinator, Off-Road Recreation Program, State of Wisconsin,  
Department of Natural Resources, Madison, WI

Groves, Judy, Resources Planner, Illinois Department of Conservation, Spring-  
field, IL

Harrison, Robin T., San Dimas Equipment Development Center, U.S. Forest Ser-  
vice, San Dimas, CA

Hutchinson, Julian, Land Manager, Fort McCoy, WI

Kemsley, William, Editor, Backpacker Magazine, Bedford Hills, NY

Kenney, David, Director, Illinois Department of Conservation, Springfield, IL

Labyak, Leo, TRADOC, Fort Monroe, VA

Nash, A. Kier, Department of Political Science, University of California, Santa  
Barbara, CA

Nicholes, Garrell E., President, The People Planners, Salt Lake City, UT

Nowak, Paul, Department of Agriculture, School of Natural Resources, University of Michigan, Ann Arbor, MI

Patterson, Lowell, Recreation, Information, Education and Planning Staff Officer, U.S. Forest Service, Shawnee National Forest, Harrisburg, IL

Robinson, Gary, Environmental Management Officer, Fort Benning, GA

Schade, George, General Counsel, United Four-Wheel Drive Associations, Phoenix, AZ

Scott, Ronald E., Recreation-Fire Staff Officer, U.S. Forest Service, Allegheny National Forest, Warren, PA

Shay, Russell, Editor, ORV Monitor, Sierra Club, Sacramento, CA

Smyser, Michelle, Northeast Region, Heritage Conservation and Recreation Service, Philadelphia, PA

Stout, Gene, Fish and Wildlife Biologist, Fort Sill, OK

Stronsnider, Robert, Unit Planning, U.S. Forest Service, Daniel Boone National Forest, Winchester, KY

Suchousky, Warren, Secretary, Michigan Association of Conservation Districts, Stephenson, MI

Tschirhart, William, Command Agronomist, FORSCOM, Fort McPherson, GA

Tuttle, Roland, Chief Landscape Architect, USDA, Soil Conservation Service, Washington, DC

Wegner, Glenn, Trails Specialist, Illinois Department of Conservation, Springfield, IL

Wilshire, Harold G., U.S. Geological Survey, Menlo Park, CA

Wolfe, Eric, Natural Resources Planner, Edwards Air Force Base, CA

## APPENDIX B:

### HOW TO DETERMINE THE DISTANCE NECESSARY FOR NOISE ATTENUATION (DNNA) WHEN ESTABLISHING SNOWMOBILE TRAILS

This appendix provides: (1) a step-by-step example of how to calculate the DNNA, or to establish use limits, (2) a list of maximum equivalent sound level ( $L_{eq}$ ) requirements for selected land uses (Table B1), and (3) a listing of DNNAs which are already calculated for various noise requirement situations (Table B2).<sup>\*</sup> Figure B1 shows how to use Table B2; Figure B2 is a simplified example of a base map marked with noise-sensitive land uses and noise buffer zones.

#### Calculation Description and Examples

The DNNA is determined by the following equation:

$$DNNA = A \times 10^{\left[ \frac{B + 10(\log C) - (D - 5)**}{20} \right]} \quad [Eq B1]$$

where: DNNA = The Distance Necessary for Noise Attenuation

<sup>\*</sup> There are several other factors which could be considered and alternative techniques which can be applied to determine the DNNA for ORRV use. The technique provided in this report was chosen because it is simple to use. However, it does yield very conservative results -- i.e., the resulting distances may be more than are actually needed to ensure that noise-level requirements are not exceeded. If more precise measures of DNNA are desired, the user may wish to consider additional factors -- e.g. ground cover or the presence of a noise barrier -- and use an alternative technique. Two excellent sources for alternative considerations and techniques are: (1) Environmental Protection: Planning in the Noise Environment, TM 5-803-2 (Departments of the Air Force, the Army, and the Navy, 15 June 1978), and (2) Robin T. Harrison, Roger N. Clark, and George H. Stankey, Predicting Impact of Noise on Recreationists, ED&T Project No. 2688, Project Record 8023, 1202 (U.S. Department of Agriculture, Forest Service, San Dimas Equipment Development Center, April 1980).

<sup>\*\*</sup>The term "D-5" in the argument of Eq B1 represents a 5 dB penalty in the  $L_{eq}$  for land uses. This penalty is included as a precaution because the sound of snowmobiles can be intrusive and annoying if their muffling systems are modified.

Table B1  
Maximum Acceptable Equivalent Sound Level ( $L_{eq}$ )  
Requirements for Selected Land Uses\*

Land Use	Maximum Acceptable Sound Level (in dBA)
Agricultural (except livestock)	80
Bachelor housing	65
Campgrounds and picnic areas (not associated with ORRVs)	65
Classrooms, libraries, and churches	65
Commercial and retail stores, exchanges, movie theaters, restaurants, and cafeterias, banks, credit unions, enlisted/officers clubs	70
Dental clinic, medical dispensaries	70
Family housing	65
Flight line operations, maintenance and training	80
Gymnasiums, indoor pools	70
Hospitals, medical facilities, nursing homes (24-hr occupancy)	65
Industrial, manufacturing and laboratories	70
Livestock farming, animal breeding	75
Neighborhood parks	70
Offices and administration buildings -- military	70
Offices -- business and professional	70
Outdoor music shells, outdoor theaters and cultural events	65

\*Adapted from Figure 4-5, TM 5-803-2.

Table B1 (Cont'd)

Land Use	Maximum Acceptable Sound Level (in dBA)
Outdoor sports arenas, outdoor spectator sports	70
Playgrounds, active sport recreational areas	70
Transient lodging -- hotel, motel, etc.	65
Troop housing	65

A = The distance (feet or meters) from which sound-level measurements were taken to determine the average noise level of the snowmobiles which will use the trail

B = The average noise level (in dBA) of the snowmobiles which will use the trail

C = The estimated average daily seasonal use of the trail (projected demand). (Determined by projecting the number of vehicles which will use the trail daily, adding these numbers, including days of no use, and dividing by 60 or the number of days in the season, whichever is greater.)

D = The  $L_{eq}$  for the land use for which a buffer zone is being established or for which adjacent limited use is necessary (Table B1).

For example, assume that the projected demand for a potential snowmobile trail is an average daily seasonal use of 30 snowmobiles and that each snowmobile generates an average of 76 dBA at full throttle at 15.24 m (50 ft). Further assume that a noise buffer zone must be established around a family housing area. From Table B1 it is known that the maximum acceptable equivalent sound level for family housing is 65 dBA.



Table B2

The Distance Necessary for Noise Attenuation for  
Establishment of Snowmobile Use Areas  
(Distance in Meters)

Maximum Acceptable Equivalent Sound Level (Leq) for Land Use (dBA)	Estimated Number of Snowmobiles Using the Area										Average Sound Level for Snowmobiles Using the Area (dBA at 15 m [50 ft])
	10	15	20	25	30	40	50	60	80		
65	215	264	305	341	373	431	482	527	609		73 dBA
70	121	148	171	192	210	242	271	297	343		
75	68	83	96	108	118	136	152	167	193		
80	38	47	54	61	66	77	94	94	108		
65	242	296	342	382	419	483	540	592	683		74 dBA
70	136	166	192	215	235	272	304	333	384		
75	76	94	108	121	132	153	171	187	216		
80	43	53	61	68	74	86	96	105	122		
65	271	332	383	429	470	542	606	664	767		75 dBA
70	152	187	216	241	264	305	341	373	431		
75	86	105	121	136	149	172	192	210	243		
80	48	59	68	76	84	96	108	118	136		
65	304	373	430	481	527	608	680	745	860		76 dBA
70	171	210	242	270	296	342	383	419	484		
75	96	118	136	152	167	192	215	236	272		
80	54	66	77	86	94	108	121	133	153		
65	341	418	483	540	591	683	763	836	965		77 dBA
70	192	235	271	303	332	384	429	470	543		
75	108	132	153	171	187	216	241	264	305		
80	61	74	86	96	105	121	136	149	172		
65	383	469	542	605	663	766	856	938	1083		78 dBA
70	215	264	305	341	373	431	482	527	609		
75	121	148	171	192	210	242	271	297	343		
80	68	83	96	108	118	136	152	167	193		

Table B2 (Cont'd)

Maximum Acceptable Equivalent Sound Level ( $L_{eq}$ ) for Land Use (dBA)	Estimated Number of Snowmobiles Using the Area									Average Sound Level for Snowmobiles Using the Area (dBA at 15 m [50 ft])
	10	15	20	25	30	40	50	60	80	
65	430	526	608	679	744	859	961	1052	1215	79 dBA
70	242	296	342	382	419	483	540	592	683	
75	136	166	192	215	235	272	304	333	384	
80	76	94	108	121	132	153	171	187	216	
65	482	590	682	762	835	964	1078	1181	1364	80 dBA
70	271	332	383	429	470	542	606	664	767	
75	152	187	216	241	264	305	341	373	431	
80	86	105	121	136	149	172	192	210	243	
65	541	662	765	855	937	1082	1209	1325	1530	81 dBA
70	304	373	430	481	527	608	680	745	860	
75	171	210	242	270	296	342	383	419	484	
80	96	118	136	152	167	192	215	236	272	
65	607	743	858	960	1051	1214	1357	1487	1717	82 dBA
70	341	418	483	540	591	683	763	836	965	
75	192	235	271	303	332	384	429	470	543	
80	108	132	153	171	187	216	241	264	305	
65	681	834	963	1077	1179	1362	1523	1668	1926	83 dBA
70	383	469	542	605	663	766	856	938	1083	
75	215	264	305	341	373	431	482	527	609	
80	121	148	171	192	210	242	271	297	343	
65	764	936	1081	1208	1323	1528	1704	1871	2161	84 dBA
70	430	526	608	679	744	859	961	1052	1215	
75	242	296	342	382	419	483	540	592	683	
80	136	166	192	215	235	272	304	333	384	
65	857	1050	1212	1355	1485	1715	1917	2100	2425	85 dBA
70	482	590	682	762	835	964	1078	1181	1364	
75	271	332	383	429	470	542	606	664	767	
80	152	187	216	241	264	305	341	373	431	

Table 82 (Cont'd)

Maximum Acceptable Equivalent Sound Level (L <sub>eq</sub> ) for Land Use (dBA)	Estimated Number of Snowmobiles Using the Area									Average Sound Level for Snowmobiles Using the Area (dBA at 15 m [50 ft])
	10	15	20	25	30	40	50	60	80	
65	962	1178	1360	1521	1666	1924	2151	2356	2721	86 dBA
70	541	662	765	855	937	1082	1209	1325	1530	
75	304	373	430	481	527	608	680	745	860	
80	171	210	242	270	296	342	383	419	484	
65	1079	1322	1526	1706	1869	2158	2413	2644	3052	87 dBA
70	607	743	858	960	1051	1214	1357	1487	1717	
75	341	418	483	540	591	683	763	836	965	
80	192	235	271	303	332	384	429	470	543	
65	1211	1483	1712	1915	2097	2422	2708	2966	3245	88 dBA
70	681	834	963	1077	1179	1362	1523	1668	1926	
75	383	469	542	605	663	766	856	938	1083	
80	215	264	305	341	373	431	482	527	609	
65	1359	1664	1921	2148	2353	2717	3038	3328	3843	89 dBA
70	764	936	1081	1208	1323	1528	1704	1871	2161	
75	430	526	608	679	744	859	961	1052	1215	
80	242	296	342	382	419	483	540	592	683	
65	1524	1867	2156	2410	2640	3048	3409	3734	4312	90 dBA
70	857	1050	1212	1355	1485	1715	1917	2100	2425	
75	482	590	682	762	835	964	1078	1181	1364	
80	271	332	383	429	470	542	606	664	767	
65	1710	2095	2419	2704	2963	3421	3825	4190	4838	91 dBA
70	962	1178	1360	1521	1666	1924	2151	2356	2721	
75	541	662	765	855	937	1082	1209	1325	1530	
80	304	373	430	481	527	608	680	745	860	
65	1929	2350	2714	3034	3324	3838	4291	4701	5428	92 dBA
70	1079	1322	1526	1706	1869	2158	2413	2644	3052	
75	607	743	858	960	1051	1214	1357	1487	1717	
80	341	418	483	540	591	683	763	836	965	

Table B2 (Cont'd)

Maximum Acceptable Equivalent Sound Level (Leq) for Land Use (dBA)	Estimated Number of Snowmobiles Using the Area									Average Sound Level for Snowmobiles Using the Area (dBA at 15 m [50 ft.])
	10	15	20	25	30	40	50	60	80	
65	2153	2637	3045	3405	3730	4306	4815	5274	6090	93 dBA
70	1211	1483	1712	1915	2097	2422	2708	2966	3245	
75	681	834	963	1077	1179	1362	1521	1668	1926	
80	383	469	541	605	663	766	856	938	1083	
65	2416	2959	3417	3820	4185	4832	5402	5918	6834	94 dBA
70	1359	1664	1921	2148	2353	2717	3038	3328	3843	
75	764	936	1081	1208	1323	1528	1704	1871	2161	
80	430	526	608	679	744	859	961	1052	1215	
65	2711	3320	3834	4286	4695	5422	6062	6640	7667	95 dBA
70	1524	1867	2156	2410	2640	3048	3409	3734	4312	
75	857	1050	1212	1355	1485	1715	1917	2100	2425	
80	482	590	682	762	835	964	1078	1181	1364	
65	3042	3725	4301	4809	5268	6083	6801	7450	8603	96 dBA
70	1710	2095	2419	2704	2963	3421	3825	4190	4838	
75	962	1178	1360	1521	1666	1924	2151	2356	2721	
80	541	662	765	855	937	1082	1209	1325	1530	
65	3413	4180	4826	5396	5911	6925	7631	8359	9653	97 dBA
70	1919	2350	2714	3034	3324	3838	4291	4701	5428	
75	1079	1322	1526	1706	1869	2158	2413	2644	3052	
80	607	743	858	960	1051	1214	1357	1487	1717	
65	3829	4690	5415	6054	6632	7658	8562	9379	10830	98 dBA
70	2153	2637	3045	3405	3730	4306	4815	5274	6090	
75	1211	1483	1712	1915	2097	2422	2708	2966	3425	
80	681	834	963	1077	1179	1362	1523	1668	1926	
65	4296	5262	6076	6793	7441	8593	9607	10524	12152	99 dBA
70	2416	2959	3417	3820	4185	4832	5402	5918	6834	
75	1359	1664	1921	2148	2353	2717	3038	3328	3843	
80	764	936	1081	1208	1323	1528	1704	1871	2161	

Table B2 (Cont'd)

Maximum Acceptable Equivalent Sound Level (Leq) for Land Use (dBA)	Estimated Number of Snowmobiles Using the Area								Average Sound Level for Snowmobiles Using the Area (dBA at 15 m [50 ft])
	10	15	20	25	30	40	50	60	80
65	4821	5904	6817	7622	8349	9641	10779	11808	13635
70	2711	3320	3834	4286	4695	5422	6062	6640	7667
75	1524	1867	2156	2410	2640	3048	3409	3734	4312
80	857	1050	1212	1355	1485	1715	1917	2100	2425
									100 dBA

Maximum Acceptable Equivalent Sound Level (L <sub>eq</sub> ) for Land Use (dBA)	Estimated Number of Snowmobiles Using the Area Daily							Average Sound Level for Snowmobiles Using the Area (dBA at 15 m [50 ft])	
	10	15	20	25	30	40	50	60	80
65	215	264	305	341	373	431	482	527	609
70	121	148	171	192	210	242	271	297	343
75	68	83	96	108	118	136	152	167	193
80	38	47	54	61	66	77	86	94	108
65	242	296	342	382	419	483	540	592	683
70	136	166	192	215	235	272	304	333	384
75	76	94	108	121	132	153	171	187	216
80	43	53	61	68	74	86	96	105	122
65	271	332	383	429	470	542	606	664	767
70	152	187	216	241	264	305	341	373	431
75	86	105	121	136	149	172	192	210	243
80	48	59	68	76	84	96	108	118	136
65	304	373	430	481	527	608	680	745	860
70	171	210	242	270	296	342	383	419	484
75	96	118	136	152	167	192	215	236	272
80	54	66	77	86	94	108	121	133	153
65	341	418	483	540	591	683	763	836	965
70	192	235	271	303	332	384	429	470	543
75	108	132	153	171	187	216	241	264	305
80	61	74	86	96	105	121	136	149	172

Figure B1. Example of finding the DNNA of an area using Table B2.




Figure B2. Noise-sensitive land uses and noise buffer zones.

Therefore:

A = 15.24 m  
B = 76 dBA  
C = 30 snowmobiles  
D = 65 dBA for family housing

and:  $DNNA = 15.24 \times 10^{\left[\frac{76 + 10(\log 30) - (65 - 5)}{20}\right]}$

$$DNNA = 15.24 \times 10^{\left[\frac{76 + 10(1.477) - 60}{20}\right]}$$

$$DNNA = 15.24 \times 10^{\left[\frac{76 + 14.77 - 60}{20}\right]}$$

$$DNNA = 15.24 \times 10^{\left[\frac{30.77}{20}\right]}$$

$$DNNA = 15.24 \times 10^{(1.539)}$$

$$DNNA = 15.24 \times 34.59$$

$$DNNA = 527 \text{ m.}$$

Based on this DNNA calculation, a noise buffer zone of a minimum of 527 m should be established around the family housing area. In other words, any trail with a projected average daily seasonal demand of 30 snowmobiles, each generating an average of 76 dBA at full throttle, should be no closer than 527 m from family housing.

The same example is used to illustrate the limited-use alternative for ensuring that maximum acceptable sound levels for noise-sensitive land uses are not exceeded. Assume that the projected demand for a potential snowmobile trail is an average daily seasonal use of 50 snowmobiles, each generating 76 dBA at full throttle at 15.24 m (50 ft). Further assume that the area is 527 m from family housing. Based on the above calculation, if a snowmobile trail is established at the potential site, the use must be limited to a daily average of 30 snowmobiles. Therefore, by inserting different known variables into the equation, either the size of buffer zones or use limits are determined.



### Sound Level ( $L_{eq}$ ) Requirements for Noise-Sensitive Land Uses

Table B1 lists the  $L_{eq}$  ratings of various noise-sensitive areas. This table was adapted from TM 5-803-2, Figure 4-5. The levels shown in TM 5-803-2 assume that a new facility is to be constructed in an existing noise environment, while Table B1 assumes that a new noise-generating land use is being developed next to an existing facility or land use. Therefore, the sound-level requirements from TM 5-803-2 had to be modified somewhat for Table B1. Since all noise-sensitive land uses could not be listed, any land use suspected to be noise sensitive should be included in the category that seems appropriate. Good judgment is essential in this determination.

### Precalculated DNNAs

Table B2 lists the DNNA for various  $L_{eq}$ s and projected use parameters. All distances in the table were calculated using Eq B1. To find an appropriate DNNA on Table B2, decide:

1. The  $L_{eq}$  of the land use for which a buffer zone is needed or for which use limits must be determined.
2. The average daily seasonal use in numbers of snowmobiles (projected demand).
3. The average sound level (in dBA) which is generated by these snowmobiles.

The  $L_{eq}$  for various noise-sensitive land uses is found by examining Table B1.

The average daily seasonal use of a proposed snowmobile trail is perhaps the most difficult parameter to establish. Users and installation outdoor recreation personnel who know how to project recreation demand or who have received user requests are the best sources of local information.

To compute average daily seasonal use, estimate the number of snowmobiles which will use the trail each day of the season, including days with no use. (A season is defined as the number of days between the dates of the first and last adequate snow cover, but not fewer than 60 days. This 60-day minimum is imposed since the use of a shorter length of time is not appropriate to the principles of  $L_{eq}$  in the DNNA calculation.) Add these numbers and divide their sum by the number of days in the season. It is recommended that estimates of daily use be generous to accommodate any unexpected demand during severe winters and to allow for future increases in demand.

The average sound levels generated by snowmobiles vary. Snowmobile industry standards adopted in 1976 require that snowmobiles at a distance of 15.24 m (50 ft) generate no more than 73 dBA at 15 mph, and 78 dBA at full throttle. Older models, and especially modified models, can generate up to 120 dBA.

A user survey can help determine the model years and types of snowmobiles expected to use the trail. In addition, it is recommended that the sound

levels of a representative sample of snowmobiles which will use the trail actually be measured. If the average sound levels generated by snowmobiles cannot be accurately estimated, the following are recommended:

1. Use 78 dBA for the average noise level if most of the snowmobiles expected to use the ORRV trail were made during or after 1976. (Life expectancy of the average snowmobile is less than 3 years.)
2. Use 86 dBA for the average noise level if most of the snowmobiles expected to use the trail were made before 1976.
3. Do not allow on the trail unregulated, unregistrable, modified vehicles, or snowmobiles without mufflers.

Once use parameters are known, the DNNAs for many noise-sensitive land uses can easily be found in Table B2. The example in Figure B1 assumes an  $L_{eq}$  of 75 dBA and projected average daily seasonal use of 40 snowmobiles generating an average sound level of 77 dBA. The DNNA is 216 m (225 yd).

Once the DNNAs for each noise-sensitive land use are determined, noise buffer zones should be marked on an appropriate base map. These lines should be drawn at that distance, corresponding to the scale of the map, which illustrates the minimum distance outside which a snowmobile trail could be located. (See Figure B2 for an example.)

Table B2 can also be used to establish limits on the use of a potential snowmobile trail. Using the example shown in Figure B1, assume that a proposed trail is located 216 m (225 yd) from a livestock grazing area ( $L_{eq}$  is 75 dBA in Table B1). Also, the snowmobiles expected to use the trail generate an average sound level of 77 dBA. Therefore, use of the proposed trail must be limited to an average daily seasonal use of 40 snowmobiles to ensure that maximum acceptable sound levels are not exceeded.

## APPENDIX C:

### METHOD TO BIOLOGICALLY RATE AREAS FOR RECREATIONAL SNOWMOBILE USE

AR 210-9 requires that an evaluation of areas for potential ORRV use include an examination and assessment of the biological resources of those areas. This examination should, at the minimum, determine the value of the biological elements within candidate areas. If possible, it should also consider the possible impact of ORRV use on biological resources.

#### Biological Rating Method

The following method will help in making a biological examination and assessment of potential snowmobile use areas. The method is systematic and is designed to be used even if quantitative data are not available. Use of the method requires a site visit and visual survey of each alternative area, and the input of a professional biologist with field qualifications. Alternative candidate areas can be rated in either of two ways: (1) the "relative value" of the biological resources of alternative areas can be examined in relation to the rest of the installation, or (2) the "susceptibility to ORRV damage" of alternative areas can be examined. (The latter is used if the biologist is familiar with the types of damage that will result from ORRV operation.) or both methods, year-round as well as seasonal conditions should be considered.

#### User Instructions

The following instructions are accompanied by an example for a hypothetical area. The example for the "relative value" approach is illustrated in Figure C1. The example for the "susceptibility to ORRV damage" approach is illustrated in Figure C2. A blank copy of the form used in Figures C1 and C2 is provided in Figure C3 for photocopying. The circled numbers by each step in the instructions of Figures C1 and C2 refer to corresponding numbers in the figures. They are provided to illustrate the portion of the rating form which relates to each step.

#### *The "Relative Value" Approach*

① Area. Assign a special designation to each alternative area or trail corridor. The designation is used to identify one area or corridor from another (e.g., "Area 1"). If a candidate area or corridor contains two or more distinct biological communities, the areas covered by the different communities should be considered separately.

① Area AREA 2

⑥ Rating 3.4 Rank 2 ⑧

Biological Limitation 1-ROUND COVER AND ACTIVE WINTERING TERRESTRIAL  
ANIMALS, PARTICULARLY THE PRESENCE OF JACK-IN-THE-PULPIT, DEER, AND RED FOX ⑦

② Biological Resources	③ Relative Value	④ Categorical Value	Susceptibility to ORRV Damage	Categorical Susceptibility	Combined Resource Value	Notes
Ground Cover		4				SOUTH SLOPE
<u>GRASSES</u> <u>JACK-IN-THE-PULPIT</u>	4					
Understory		3				
<u>PINE</u> <u>MAPLE</u> <u>BLUEBERRY</u> <u>HONEYSUCKLE</u>	3 2 3 3					
Active Wintering Terrestrial Animals		4				
<u>DEER</u> <u>RED FOX</u> <u>WOLF</u>	4 4 3					
Inactive Wintering Terrestrial Animals		3				
<u>SQUIRREL</u> <u>BOX TURTLE</u>	3 2					
Pest species		3				
<u>FERAL DOGS</u> <u>STARLING</u>	3 2					
Other		—				
<u>—</u> <u>—</u> <u>—</u> <u>—</u>	—					
⑤ Total Area Value		17	Total Combined Resource Value			

Figure C1. The "relative value" approach to ORRV-use potential.

Area AREA 2

⑤ Rating 10.4 Rank 2 ⑦

Biological Limitation ACTIVE WINTERING TERRESTRIAL ANIMALS, PARTICULARLY ⑥  
THE CLOSE PROXIMITY TO A DEER YARD

Biological Resources	① Relative Value	Categorical Value	② Susceptibility to ORRV Damage	③ Categorical Susceptibility	④ Combined Resource Value	Notes
Ground Cover		4		3	12	SOUTH SLOPE
<u>GRASSES</u> <u>WAX IN THE PULPIT</u>	2 4		1 3			
Understory		3		3	9	OOD FIELD
<u>PINE</u> <u>MAPLE</u> <u>BLUEBERRY</u> <u>HONEYSUCKLE</u>	3 3 3 3		1 1 2 3			
Active Wintering Terrestrial Animals		4		4	16	EXTREMELY CLOSE TO DEER YARD
<u>DEER</u> <u>RED FOX</u> <u>QUAIL</u>	4 4 3		4 3 2			
Inactive Wintering Terrestrial Animals		3		2	6	GREATER ACCESS TO DEER
<u>SQUIRREL</u> <u>BOX TURTLE</u>	3 2		2 2			
Pest species		3		3	9	GREATER ACCESS TO DEER
<u>FERAL DOGS</u> <u>STARLING</u>	3 3		3 1			
Other		—		—	—	
	—		—			
Total Area Value {			Total Combined Resource Value {		52	

Figure C2. The "susceptibility to ORRV damage" approach to ORRV-use potential.

Area \_\_\_\_\_

Rating \_\_\_\_\_ Rank \_\_\_\_\_

Biological Limitation \_\_\_\_\_

Biological Resources	Relative Value	Categorical Value	Susceptibility to ORRV Damage	Categorical Susceptibility	Combined Resource Value	Notes
Ground Cover						
_____						
_____						
_____						
_____						
Understory						
_____						
_____						
_____						
_____						
Active Wintering Terrestrial Animals						
_____						
_____						
_____						
_____						
_____						
Inactive Wintering Terrestrial Animals						
_____						
_____						
_____						
_____						
_____						
Pest species						
_____						
_____						
_____						
Other						
_____						
_____						
_____						
_____						
Total Area Value			Total Combined Resource Value			

Figure C3. Biological rating for ORRV-use potential.

② Biological Resources. Several categories of biological resources are listed in this column; i.e., "Ground Cover," "Understory," "Active Wintering Terrestrial Animals," "Inactive Wintering Terrestrial Animals," "Pest Species," and "Other." List under each resource category the most sensitive or easily impacted species in the candidate area and applicable to the category. There is no limitation on the absolute number of species. The number covered will vary with the habitat involved and is dependent upon the biologist's professional judgment. The biological resource "Ground Cover" should include ecologically, economically, and aesthetically important herbaceous species -- e.g., "Grasses" or "Jack-in-the-Pulpit." "Understory" is all woody plants that are susceptible to damage, including berry patches and young tree seedlings and saplings. Overstory is not considered in any aspect of the rating scheme because snowmobiles do not affect larger woody plants. "Active Wintering Terrestrial Animals" should include both animals and birds. Animals that are active in the winter, such as deer and fox, should especially be considered. "Inactive Wintering Terrestrial Animals" considers animals that hibernate or are inactive for the winter, such as ground squirrels and black bears. The category "Other" should include aspects of the biological environment that have not been considered in any of the other categories. For example, a yarding area or a particularly critical watershed that the biologist feels could be easily impacted should be included. This category should be used to include any factor which is not easily categorized. The list of biological resources may be compiled from existing data, but remember that a site visit is also required. The last column in the special rating form provides space for any remarks or notes which may be necessary to help rate an area or corridor.

③ Relative Value. In this column of the evaluation form, rate each listed biological resource. The value of the resources at each site should be rated relative to their value on the rest of the installation. When determining this value, consider the past, present, and future carrying capacity of the area in relation to the rest of the installation. The relative value is determined using the following five-point scale:

1. The resource has little importance at this location when compared to the rest of the installation.
2. The resource has some importance at this location, but its value is somewhat below average as compared to the rest of the installation.
3. The resource at this location is representative of the entire installation.
4. This location is one of the better examples of this resource relative to the rest of the installation. The value of the resource at this location can be described as somewhat above average.
5. This location is one of the very best examples of this resource as compared to the rest of the installation. The resource is much more valuable at this location than at other locations on the installation.

④ Categorical Value. Next, determine the "relative value" of each of the resource categories for which biological resources were identified. To do this, take the highest individual biological resource value under each category and assign that value to the entire category. For example, in Figure C1, the

biological resources "Grasses" and "Jack-in-the-Pulpit" have been given values of 2 and 4, respectively. Since "Jack-in-the-Pulpit" was given a value of 4, the entire resource category "Ground Cover" should be given a value of 4, the highest "relative value" in the category.

⑤ Total Area Value. Determine the "relative value" of the entire area or corridor by adding the category values. For example, the total area value of 17 in Figure C1 was determined by adding the values for the categories "Ground Cover," "Active Wintering Terrestrial Animals," and "Inactive Wintering Terrestrial Animals," and "Pest Species."

⑥ Rating. Determine the biological rating of the area or corridor by dividing the total area value by the number of resource categories for which values have been determined. In Figure C1, 17 has been divided by 5 for a value of 3.4. If the category "Other" had contained a value, the total area value would have been divided by 6. After determining the area rating, write it in the space provided near the top of the form. This allows for a quick comparison of alternative areas.

⑦ Biological Limitation. For decision-making purposes, the biological limitation of the area or corridor must be noted. The biological limitation is the resource category which has received the highest "categorical value." For example, in Figure C1, the biological limitations for the hypothetical area are "Ground Cover" and "Active Wintering Terrestrial Animals," particularly the presence of Jack-in-the-Pulpit, and deer and fox. The biological limitation shows which resources place the greatest restriction on possible ORRV use in the area. When describing the limitation, briefly explain the importance of the resource. Word the explanation so a nonbiologist can understand the logic.

⑧ Rank. The final step in this approach is to rank alternative areas. To do this, compare the biological ratings and limitation of each area or corridor. Rank the area with the lowest numerical rating No. 1. This indicates that the area is the most acceptable for ORRV use. Rank the area with the second lowest rating No. 2. Indicate any area with a biological rating of greater than or equal to 4 as unacceptable. An area with an overall rating of 4 indicates that it is one of the better examples of biological resources relative to the rest of the installation. Therefore, the area should not be used. If two areas receive the same rating, use individual judgment to determine the importance of the biological limitation before assigning the areas a ranking number. The area which is most important biologically should always receive the highest numerical value.

#### *The "Susceptibility to Damage" Approach*

This approach is used only if the biologist examining the alternative areas feels qualified to determine the susceptibility to damage of those biological resources known to exist in the area.

① Initial Steps. The first steps of this approach are the same as the first four listed in the "relative value" approach. After completing those steps, follow the procedure listed below.

② Susceptibility to Snowmobile Damage. Determine the susceptibility to damage of each of the biological resources listed under the resource categories



and, in this column, assign a susceptibility value to each resource. Impacts to "Ground Cover" species can be a result of snow compaction. When snow becomes compacted, its insulating properties decrease, resulting in lower soil temperatures. This causes slower spring growth; if spring flowers are delayed until canopy closure, these species may be lost. Outleaves planted in winter crops will have reduced yields in spring. "Understory" is affected primarily by the physical destruction of the plants. The principal impacts to "Active Wintering Terrestrial Animals" result from disturbance of the habitat and noise, both on and off trail. The increased movement of both animals and birds caused by this disturbance will adversely affect the individuals' energy budgets. The severity of this impact will depend on the harshness of the winter and the duration of use; however, light use can have as much impact as heavy use within the same amount of time. If "Inactive Wintering Terrestrial Animals" are disturbed enough to merely wake up during the winter season, death could result since stored energy reserves (fat) are depleted much more rapidly when animals are awake.

Use the two separate scales described in Table C1 to assign susceptibility values. One scale applies to all resource categories except "Pest Species"; the other is used exclusively for "Pest Species." Snowmobile use can increase "Pest Species" by making prey species, such as deer, more vulnerable to predator species, such as feral dogs. The snowmobile trail may allow greater and easier access for carnivores at a time most prey animals are least able to withstand any type of stress.

③ Categorical Susceptibility. Determine the "susceptibility to snowmobile damage" for each resource category by assigning to the entire category the highest susceptibility value of that resource which received the highest relative value. For example, in Figure C2, the biological resources "deer" and "red fox" have relative values of 4. Since 4 is the highest "relative value" for resources in the category "Active Wintering Terrestrial Animals," the entire category receives a "susceptibility to ORRV damage" value of 4, the highest susceptibility value for either resource.

④ Combined Resource Value. Determine the combined resource value of each resource category by multiplying the relative values by the susceptibility to damage values. In Figure C2, the "relative value" of the category "Ground Cover," 4, is multiplied by the "susceptibility to ORRV damage" value 3. This results in a combined resources value of 12. Determine the combined resource value of the entire area by adding the combined resource values for each category. In Figure C2, this results in a total combined resource value of 52.

⑤ Rating. Determine the biological rating for the entire area by dividing the total combined resource value by the number of resource categories for which combined resource values have been determined. In Figure C2, 52 has been divided by 5 for a rating value of 10.4. (Note that if the category "Other" had contained a susceptibility value, the area's combined resource value would have been divided by 6.) As in the "relative value" approach, the area rating is placed in the space provided on the evaluation form.

Table C1

Scales for Susceptibility to Damage

SUSCEPTIBILITY TO DAMAGE FOR ALL NONPEST CATEGORIES

1. This resource will receive some damage as a result of ORRV use. Recovery time for the resource would be within 1 year; or the area is already so badly damaged from other factors that it has no logical present or future biological value.
2. This resource will be damaged by ORRV use. Recovery time for the resource would be from 1 to 5 years.
3. ORRV use will be destructive to this resource. Recovery time would be from 5 to 10 years.
4. ORRV use will be highly destructive. Recovery time for this resource would be from 10 to 100 years.
5. ORRV use will be extremely destructive to this resource. If use is allowed, the recovery time would be greater than 100 years.

SUSCEPTIBILITY TO DAMAGE FOR PEST SPECIES

1. ORRV use would not cause an increase in this species through habitat improvement or a reduction in competition; or a decrease in the species predicted.
2. ORRV use would cause a slight increase in this species.
3. A moderate increase in this species is expected as a result of ORRV use.
4. A large increase in this species is expected as a result of ORRV use.
5. ORRV use would reduce competition or improve habitat for this species such that a very large increase in the pest population is expected.

---

⑥ Biological Limitation. To help in the decision-making process, the biological limitation of an area must be recorded. Determine the limitation by examining the combined resource value of each resource category. The highest individual category value determines the biological limitation. In Figure C2, the limiting factor is "Active Wintering Terrestrial Animals." This category has a combined resource value of 16, the highest of all categories. In this case, the presence of a nearby deer yard (which could be significantly affected by ORRV use) presents the greatest biological restriction.

⑦ Rank. To rank areas, compare the biological rating for each alternative site. Rank No. 1 the area with the lowest numerical rating. The area with this ranking is the most acceptable for ORRV use. Any area which has a rating of greater than or equal to 16 is not normally acceptable for ORRV use. A rating of 16 or greater indicates that the area has excellent resources relative to the rest of the installation, and ORRV use would be relatively more destructive.

#### Ranking Interpretation

As stated in the instructions to both approaches, the area which receives the lowest numerical rating is ranked No. 1; the area with the second lowest numerical rating is ranked No. 2. The area ranked No. 1 is more acceptable for ORRV use than the area ranked No. 2. To make evaluations comparable, the same rating approach is used for each area being evaluated. When choosing a site for snowmobile use, special consideration should be given to areas ranked No. 1 or 2. If possible, the use area should be the one ranked No. 1. This will help minimize damage to the biological resources of the installation.

## APPENDIX D:

### TRAIL SIGNING GUIDELINES FOR RECREATIONAL SNOWMOBILE TRAILS

To ensure safe operation along snowmobile trails and to route traffic only along designated trails, the following guidelines for posting signs are recommended. These were adopted primarily from the State of Wisconsin's trail signing handbook. For general guidance, and in the absence of any regulatory criteria, trail signing, except where specified, should also follow Federal and State requirements for roads and highways.

#### General Guidelines

1. All trail signs should be reflectorized. Many types of materials are being used to manufacture trail signs. Most are acceptable as long as color, size, and shape standards are followed. Lightweight signs will require backing material. Reflective material can be added to nonreflective signs.
2. Signs should be placed as late in the fall as possible and, where feasible, removed at the end of the season to reduce the potential for vandalism.
3. Generally, all trail signs should be placed to the right of the trail to conform to the user's familiarity with highway signs.
4. Adequately sized posts should be used to provide stability and to deter vandalism. For caution and stop signs, 4-in. square or 3-in. round posts can be used. Metal posts can also be used.
5. Signs should be attached to posts with bolts or lag screws; cardboard signs can be stapled. Normally only one sign should be placed on a post. If two signs must be used, the more important one should be placed on top.
6. Trail signing should be done by a small group or groups familiar with trail signing guidelines to retain as much uniformity as possible.
7. Overuse of all signs should be avoided. Only authorized trail signs should be allowed on trails to avoid clutter and confusion.
8. Extra signs should be carried with trail patrols so that vandalized signs can be replaced.
9. Signs and posts should be carefully placed with regard to brush, line-of-sight, and anticipated snow depths.
10. If installation roads are used as part of the trail system, permanent road signs can be used if applicable. Trail blazer signs should be attached directly under the road sign.
11. Sign sizes should be standard; see Figure D1.

### Sign Language and Interpretation

1. Regulatory (Figure D2).
2. Caution. Posted with appropriate warnings. Universal symbols and warnings are used. Figure D3 presents some examples.
3. Trail markers (Figure D4).
4. Informational. Posted with appropriate information -- e.g., miles of trail ahead, emergency medical assistance ahead. These are optional and should conform to universal signing. Figure D5 presents some examples.
5. Bridges, barriers, and gate markers. Bridges, barriers, and gates should be posted with the same types of markers. Figure D6 shows where the signs should be placed.










- |    |   |   |
|----|---|---|
| a. |    | BLAZER -- 15.24cm X 15.24cm (6 IN. X 6 IN.)                                     |
| b. |    | STOP -- 30.48cm X 30.48cm (12 IN. X 12 IN.)                                     |
| c. |  | CAUTION -- 30.48 cm X 30.48cm (12 IN. X 12 IN.)                                 |
| d. |  | DIRECTIONAL ARROW -- 22.86cm X 22.86cm (9 IN. X 9 IN.)                          |
| e. |  | INFORMATIONAL -- AS APPROPRIATE   |
| f. |  | BRIDGE -- 15.24 cm X 30.48cm (6 IN. X 12 IN.)                                   |
| g. |  | SNOWMOBILE PERMITTED / NOT PERMITTED --<br>30.48cm X 30.48 cm (12 IN. X 12 IN.) |
| h. |  | SNOWMOBILE ROUTE -- 45.72 cm X 60.96 cm (18 IN. X 24 IN.)                       |
| i. |  | SNOWMOBILE ROUTE ARROW -- 15.24 cm X 60.96 cm (6 IN. X 24 IN.)                  |

Figure D1. Standard sign sizes.



STOP SIGN

PURPOSE: TO HALT USERS AT ROAD AND  
RAILROAD CROSSINGS. OPTIONAL  
AT TRAIL INTERSECTIONS. IN  
SITUATIONS OF EXTREME DANGER  
THEY SHOULD BE PLACED ON  
BOTH SIDES OF TRAIL.



BACKGROUND: RED  
BORDER AND LEGEND: SILVER

SNOWMOBILES PERMITTED

PURPOSE: TO INDICATE SNOWMOBILE TRAILS  
AND USE AREAS.

BACKGROUND: SILVER

LEGEND: GREEN CIRCLE, BLACK  
SNOWMOBILE SYMBOL



SNOWMOBILING NOT PERMITTED

PURPOSE: TO INDICATE AREAS WHERE  
SNOWMOBILING IS NOT  
PERMITTED.

BACKGROUND: SILVER

LEGEND: RED CIRCLE AND SLASH, BLACK  
SNOWMOBILE SYMBOL




ONE-WAY: DO NOT ENTER

PURPOSE: TO INDICATE THE WRONG DIRECTION  
OF TRAVEL ALONG A ONE-WAY TRAIL.

BACKGROUND: SILVER

LEGEND: RED CIRCLE AND SLASH  
BLACK ARROW SYMBOL

Figure D2. Regulatory signs.



WARNING SIGNS

PURPOSE TO INDICATE HAZARDS ALONG  
THE TRAIL



BACKGROUND: YELLOW

BORDER AND LEGEND: BLACK

Figure D3. Caution signs.



SNOWMOBILE ROUTE AND ARROW

PURPOSE: TO ALERT TRAIL USER THAT  
TRAIL MAY BE USED. TO ALERT  
ROADWAY TRAFFIC THAT SNOWMOBILES  
ARE USING ROUTE.

BACKGROUND: GREEN

LEGEND: WHITE SNOWMOBILE SYMBOL AND LETTERS,  
BLACK ARROW



TRAIL BLAZER

PURPOSE: TO REASSURE THE USER THAT  
HE OR SHE IS ON THE TRAIL.

BACKGROUND: ORANGE



DIRECTIONAL ARROW


PURPOSE: TO WARN THE TRAIL USER  
OF A SUDDEN CHANGE IN  
TRAIL DIRECTION

BACKGROUND: ORANGE

LEGEND: BLACK

Figure D4. Trail markers.

INFORMATIONAL SIGNS



PURPOSE: TO PROVIDE USER

WITH ANY APPROPRIATE

INFORMATION ABOUT

HIS LOCATION, THE

LOCATION OF FACILITIES,

OR DISTANCES.

BACKGROUND: BROWN OR BLUE

LEGEND: WHITE

Figure D5. Informational signs.





#### BRIDGE MARKERS

PURPOSE: TO WARN OF BRIDGE  
OBSTRUCTIONS.


BACKGROUND: WHITE (REFLECTORIZED)

LEGEND: BLACK (REFLECTORIZED)

45-DEGREE DIAGONAL

STRIPES FACING INWARD

#### *BRIDGE MARKER PLACEMENT (RAILINGS)*



#### *BRIDGE MARKER PLACEMENT (NO RAILINGS)*




Figure D6. Bridges, barriers, and gate markers.




# BARRICADE AND GATE MARKERS

PURPOSE: TO WARN OF BARRIER AND  
GATE OBSTRUCTIONS.

BACKGROUND: WHITE (REFLECTORIZED)

LEGEND: ORANGE (REFLECTORIZED) 45-DEGREE  
DIAGONAL STRIPES ALL FACING THE  
SAME DIRECTION



## BARRIER AND GATE MARKING STANDARDS






Figure D6. (Cont'd).

## APPENDIX E:

### MONITORING THE ENVIRONMENTAL EFFECTS OF RECREATIONAL SNOWMOBILE USE

AR 210-9 requires establishment of appropriate procedures to monitor the effects of the use of ORRVs on Army installations. This monitoring is to be the basis for changes in installation policy concerning ORRV use.

Table E1 outlines a method of monitoring the environmental effects of snowmobile use, and was adopted from Appendix D of ER 1130-2-405.<sup>14</sup> Table E1 is not intended to take the place of a disciplined scientific study, but is a limited method designed to monitor effects while taking into consideration budgetary constraints and personnel ceilings. This monitoring plan is very similar to those established by other Federal agencies with similar constraints.

A comparison of all data records collected over 5 years will help to determine the environmental effects of snowmobile use. However, at this time only professional judgment can be used to determine if impacts are significant and if installation policy concerning ORRV use in a specific area should be changed. This judgment should be solicited from professionals with expertise in various environmental disciplines, particularly biology, earth science, and soils.

Table E1

#### Method of Monitoring Environmental Effects of Recreational Snowmobile Use

1. Estimate use of the area or trails by snowmobile users.
2. Determine impact of ORRV use on vegetation and soil.
  - a. Map existing trails in designated ORRV area.
  - b. Record mileage and average width of existing trails.
  - c. Rate existing trails according to light, medium, or heavy use.
  - d. On and along existing trails, select random sample plots which are representative of a variety of terrain, vegetative, and soil conditions.
    - (1) Photograph sample plots.
    - (2) Record trail width at selected intervals. Also record other notable features, such as potholes and ruts, along entire trail length.

<sup>14</sup>Project Operation: Use of Off-Road Vehicles on Civil Works Projects, ER 1130-2-405 (DA, OCE, 17 January 1974).

Table E1 (Cont'd)

(3) Record inventory of vegetative community along trails. Inventory should include species composition, size of woody vegetation, and number of dead stems greater than 20 mm in diameter.

(4) Record general condition of vegetation along trail. Note damaged tree bark and roots, and condition of herbaceous vegetation.

e. Record initially, and at intervals of 1, 3, and 5 years, those items included in d, above.

f. Define control plots near test plots to determine impact with and without ORRV use. Control plots should be approximately 18 m (60 ft) from trail center. Record all appropriate information on control plots for comparison with sample plots.

g. Permanently but inconspicuously mark all control and test plots so that photographs and data collection can be done in the same area in subsequent years.

h. Determine the following from test sections:

(1) Impact on young vegetative growth.

(2) Impact on larger trees and shrubs (compaction, direct damage, root exposure).

(3) Impact on soil (erosion, compaction, lateral movement).

(4) Trail width and depth variation from year to year.

(5) Extent of impact on either side of trail. Changes in trail, such as expansion of potholes and ruts.

(6) Comparison of ORRV impact on test plots with control plots.

i. Annually spot-check vulnerable areas such as steep slopes, creek banks, and lake shoreline. Record any noticeable increases in erosion or other damage.

3. Determine ORRV impact on wildlife.

a. Record track counts of big game animals such as deer, antelope, and elk in ORRV area and compare to those outside ORRV area.

b. Count game birds and nongame birds by their songs.

c. If hunting is permitted, compare wildlife harvest in ORRV area to that of other areas on the installation.

d. Record sightings of game and nongame species in and outside ORRV-use area.

Table E1 (Cont'd)

4. Determine ORRV impact on other activities.

a. Survey type and amount of recreation and other use in areas adjacent to designated ORRV-use area.

b. Record as accurately as possible the attitudes of persons who are surveyed.

c. Record distance between area where survey is made and the ORRV area.

# CERL DISTRIBUTION

Chief of Engineers  
ATTN: Tech Monitor  
ATTN: DAEN-ASI-L (2)  
ATTN: DAEN-CCP  
ATTN: DAEN-CW  
ATTN: DAEN-CWE  
ATTN: DAEN-CWM-R  
ATTN: DAEN-CWO  
ATTN: DAEN-CWP  
ATTN: DAEN-MP  
ATTN: DAEN-MPC  
ATTN: DAEN-MPE  
ATTN: DAEN-MPO  
ATTN: DAEN-MPR-A  
ATTN: DAEN-RD  
ATTN: DAEN-RDC  
ATTN: DAEN-RDM  
ATTN: DAEN-RM  
ATTN: DAEN-ZC  
ATTN: DAEN-ZCI  
ATTN: DAEN-ZCM

## US Army Engineer Districts

ATTN: Library  
Alaska  
Al Batn  
Albuquerque  
Baltimore  
Buffalo  
Charleston  
Chicago  
Detroit  
Far East  
Fort Worth  
Galveston  
Huntington  
Jacksonville  
Japan  
Kansas City  
Little Rock  
Los Angeles  
Louisville  
Memphis  
Mobile  
Nashville  
New Orleans  
New York  
Norfolk  
Omaha  
Philadelphia  
Pittsburgh  
Portland  
Riyadh  
Rock Island  
Sacramento  
San Francisco  
Savannah  
Seattle  
St. Louis  
St. Paul  
Tulsa  
Vicksburg  
Walla Walla  
Wilmington

## US Army Engineer Divisions

ATTN: Library  
Europe  
Huntsville  
Lower Mississippi Valley  
Middle East  
Middle East (Rear)  
Missouri River  
New England  
North Atlantic  
North Central  
North Pacific  
Ohio River  
Pacific Ocean  
South Atlantic  
South Pacific  
Southwestern

## Waterways Experiment Station

ATTN: Library

## Cold Regions Research Engineering Lab

ATTN: Library

## US Government Printing Office

Receiving Section/Depository Copies (2)

## Defense Technical Information Center

ATTN: DDA (12)

## Engineering Societies Library

New York, NY

FESA, ATTN: Library

ETL, ATTN: Library

Engr. Studies Center, ATTN: Library

Inst. for Water Res., ATTN: Library

Army Instl. and Major Activities (CONUS)

DARCOM - Dir., Inst., & Svcs.

ATTN: Facilities Engineer

ARRADCOM  
Aberdeen Proving Ground  
Army Matls. and Mechanics Res. Ctr.  
Corpus Christi Army Depot  
Harry Diamond Laboratories  
Dugway Proving Ground  
Jefferson Proving Ground  
Fort Monmouth  
Letterkenny Army Depot  
Natick Research and Dev. Ctr.  
New Cumberland Army Depot  
Pueblo Army Depot  
Red River Army Depot  
Redstone Arsenal  
Rock Island Arsenal  
Savanna Army Depot  
Sharpe Army Depot  
Seneca Army Depot  
Tobyhanna Army Depot  
Tooele Army Depot  
Watervliet Arsenal  
Yuma Proving Ground  
White Sands Missile Range

## FORSCOM

FORSCOM Engineer, ATTN: AFEN-FE

ATTN: Facilities Engineers

Fort Buchanan  
Fort Bragg  
Fort Campbell  
Fort Carson  
Fort Devens  
Fort Drum  
Fort Hood  
Fort Indiantown Gap  
Fort Irwin  
Fort Sam Houston  
Fort Lewis  
Fort McCoy  
Fort McPherson  
Fort George G. Meade  
Fort Ord  
Fort Polk  
Fort Richardson  
Fort Riley  
Presidio of San Francisco  
Fort Sheridan  
Fort Stewart  
Fort Wainwright  
Vancouver Bks.

## TRADOC

HQ, TRADOC, ATTN: ATEN-FE

ATTN: Facilities Engineer

Fort Belvoir  
Fort Benning  
Fort Bliss  
Carlisle Barracks  
Fort Chaffee  
Fort Dix  
Fort Eustis  
Fort Gordon  
Fort Hamilton  
Fort Benjamin Harrison  
Fort Jackson  
Fort Knox  
Fort Leavenworth  
Fort Lee  
Fort McClellan  
Fort Monroe  
Fort Rucker  
Fort Sill  
Fort Leonard Wood

## INSCOM - Ch. Instl. Div.

ATTN: Facilities Engineer

Vint Hill Farms Station  
Arlington Hall Station

## WESTCOM

ATTN: Facilities Engineer

Fort Shafter

## MDW

ATTN: Facilities Engineer  
Cameron Station  
Fort Lesley J. McNair  
Fort Myer

## MSC

HQ USAHSC, ATTN: HSLO-F  
ATTN: Facilities Engineer  
Fitzsimons Army Medical Center  
Walter Reed Army Medical Center

## USACC

ATTN: Facilities Engineer  
Fort Huachuca  
Fort Ritchie

## MTMC

HQ, ATTN: MTMC-SA  
ATTN: Facilities Engineer  
Oakland Army Base  
Bayonne MOT  
Sunny Point MOT

## US Military Academy

ATTN: Facilities Engineer  
ATTN: Dept of Geography &  
Computer Science

## USAES, Fort Belvoir, VA

ATTN: ATZA-DT-EM  
ATTN: ATZA-DTE-SU  
ATTN: Engr. Library

Chief Inst. Div., I&SA, Rock Island.

USA ARRCOM, ATTN: Dir., Instl & Svc

TARCOM, Fac. Div.

TECOM, ATTN: DRSTE-LG-F

TSARCOM, ATTN: STSAS-F

NARAD COM, ATTN: DRDMA-F

AMMRC, ATTN: DRXMR-WE

HQ, XVIII Airborne Corps and

Ft. Bragg

ATTN: AFZA-FE-EE

HQ, 7th Army Training Command

ATTN: AETTG-DEH (5)

HQ USAREUR and 7th Army

ODCS/Engineer

ATTN: AEAEN-EH (4)

## V Corps

ATTN: AETVOEH (5)

## VII Corps

ATTN: AETSDEH (5)

## 21st Support Command

ATTN: AEREN (5)

## US Army Berlin

ATTN: AEBA-EN (2)

## US Army Southern European Task Force

ATTN: AESE-ENG (5)

## US Army Installation Support Activity

Europe

ATTN: AEUES-RP

## 8th USA, Korea

ATTN: EAFE

Cdr, Fac Engr Act (8)

AFE, Yongsan Area

AFE, 2D Inf Div

AFE, Area II Spt Det

AFE, Cp Humphreys

AFE, Pusan

AFE, Taegu

## DLA ATTN: DLA-WI

## USA Japan (USARJ)

Ch. FE Div, AJEN-FE

Fac Engr (Honshu)

Fac Engr (Okinawa)

## ROK/US Combined Forces Command

ATTN: EUSA-HMC-CFC/Engr

## 416th Engineer Command

ATTN: Facilities Engineering

## Norton AFB

ATTN: AFRC-EN/DEE

ENR Team Distribution

Chief of Engineers ATTN: DAEN-MPP-B	Institute for Water Resources Kingman Building ATTN: J. Della Priscilla Ft. Belvoir, VA 22060	Troop Support and Aviation Materiel Readiness Command ATTN: DPT-1A St. Louis, MO 63120
ATTN: DAEN-CWZ-R (2)		
ATTN: DAEN-CWR-R (2)		
ATTN: DAEN-MPE-1		
ATTN: DAEN-MPE-1 (10)		
ATTN: DAEN-MPP (2)		
ATTN: DAEN-RDL		
US Military Academy ATTN: Dept of Mechanics ATTN: Library West Point, NY 10996	Ft. Richardson, AK 99505 ATTN: Facility Engr/Env Office  Schofield Barracks, HI 96857 ATTN: Facility Engr/Env Office  Ft. Wainwright, AK 99703 ATTN: Facility Engr/Env Office	Dugway Proving Ground ATTN: STEP-1A ATTN: STEP-1MT-1A (2)  Chief, Civil Engr. Research Div. Air Force Weapons Lab ATTN: DE Portland AFB, NM 87117
Learning Resources Center US Army Engineer School ATTN: ATSEN-DT-LD (2) ATTN: Archives Section/Bldg 270 ATTN: Kingman Bldg. Library ATTN: Canadian Liaison Officer (2) Ft. Belvoir, VA 22060	Ft. Shafter, HI 96558 ATTN: Facility Engr/Env Office  Ft. Greely ATTN: Facility Engr/Env Office  US Army Engr Command, Europe APO New York, NY 09403	Tyndall AFB, FL 32403 ATTN: AFESC-DE (3) ATTN: AFESC/ECA ATTN: AFESC/ST  HQ USAF/LEEW WASH DC 20330
US Army Combined Arms Combat Development Activity ATTN: ATZLCA-SA Ft. Leavenworth, KS 66027	US Army HQ FORSCOM ATTN: AFEN-EQ (4) Ft. McPherson, GA 30330	Chief, Naval Operations ATTN: The Library WASH DC 20360
Assistant Chief of Engineers ATTN: DAEN-ZGE (10) WASH DC 20310	Aberdeen Proving Ground ATTN: STEAP-PE-E (2) Aberdeen Proving Ground, MD 21005	US Naval Academy Political Science Dept ATTN: Prof Skove ATTN: Prof Cochran Annapolis, MD 21402
The Army Library (ANRAL-R) ATTN: Army Studies Section WASH DC 20310	Armament Materiel Readiness Command ATTN: DRSA-R-ISE Rock Island, IL 61201	Transportation Research Board National Research Council (2) WASH DC 20418
Ft. Monroe, VA 23651 ATTN: ATEN-ADCSN (3) ATTN: ATEN-FE-NR (4)	Armament R&D Command ATTN: DRDAR-LCM-5 Dover, NJ 07801	Office of Mgmt Svc, MS 110-FAR WASH DC 20553
USA ARRAACOM ATTN: Fac Engr/Env Ofc Dover, NJ 07801	Aviation R&D Command ATTN: DRDAV-EQP St. Louis, MO 63166	Jefferson Proving Ground ATTN: STEJP-LD-N Madison, IN 47250
Each US Army Engr Dist ATTN: Regulatory Functions ATTN: Military Planning Section* *Kansas City, Omaha, Baltimore, New York, Norfolk, Alaska, Mobile, Savannah, Los Angeles Sacramento, Fort Worth	Depot System Command ATTN: DRSDS-S Chambersburg, PA 17201	Anniston Army Depot ATTN: SDSAN-DS-FE Anniston, AL 36201
US Army Engr Dist, Chicago ATTN: Chief, NCCPE-PES	Electronic Proving Ground ATTN: STEEP-LS-S Ft. Huachuca, AZ 85613	Red River Army Depot ATTN: SDSRP-S Texarkana, TX 75501
US Army Engr Div, North Central ATTN: Chief, Engr Div Chicago, IL 60605	Communications and Electronics Materiel Readiness Command ATTN: DRSEL-PL-ST Ft. Monmouth, NJ 07703	Tooele Army Depot ATTN: SDSTE-FW ATTN: SDSTE-NA ATTN: SDSPU-A ATTN: SDSTE-UM ATTN: SDSTE-SE Cedarville, UT 84074
US Army Engr Div, New England ATTN: Regulatory Functions Waltham, MA 02154	Electronics R&D Command ATTN: DELHD-FA Adelphi, MD 20783	Indian Army Ammunition Plant ATTN: SARHO-EN Kingsport, TN 37662
Indicated Fac. listed in DA PAM 210-1 ATTN: Facility Engr/Env Office	Installations and Services Act. ATTN: DRCIS-RI Rock Island, IL 61201	Indiana Army Ammunition Plant ATTN: SARIO-EN Charlestown, IN 47111
7th US Army ATTN: AETTM-HRD-EHD	Missile Materiel Readiness Command ATTN: DRSMI-KL Redstone Arsenal, AL 35809	Iowa Army Ammunition Plant ATTN: SARIO-EN Middletown, IA 52638
Director, USA-WES ATTN: WES-EA ATTN: Library Vicksburg, MS 39181	Missile R&D Command ATTN: DRDMI-MS Redstone Arsenal, AL 35809	Kansas Army Ammunition Plant ATTN: SARKA-FE Parsons, KS 67357
Ft. Sam Houston, TX 78234 ATTN: HQ, HSCM-R	Mobility Equipment R&D Command ATTN: DRDME-U Ft. Belvoir, VA 22060	Milan Army Ammunition Plant ATTN: SARMI-EN Milan, TN 38358
Env Mgmt Committee Army Logistics Mgmt Center ATTN: DRXMC-MR-1 (5) Ft. Lee, VA 23801	Tank-Automotive Materiel Readiness Command ATTN: DRSTA-SP Warren, MI 48090	Sharpe Army Depot ATTN: SDSSH-ASF Lathrop, CA 95331
HQ Defense Logistics Agency ATTN: DLA-OSC (3) ATTN: DLA-WS (2) Alexandria, VA 22314	Tank-Automotive R&D Command ATTN: DRDTA-J Warren, MI 48090	Sierra Army Depot ATTN: SDSSI-FE Merlong, CA 96113
193d Inf BDE (C2) ATTN: AFZU-FE-E (3) Miami, FL 34004	Test and Evaluation Command ATTN: DRSTE-PP-E Aberdeen Proving Ground, MD 21005	
Ft. Buchanan, PR 00934 ATTN: Facility Engr/Env Office	HQ DARCOM ATTN: DRCIS-A (2) Alexandria, VA 22333	

Tobyhanna Army Depot  
ATTN: SDSTO-AF  
Tobyhanna, PA 18466

Rocky Mountain Arsenal  
ATTN: SARRM-F  
Commerce City, CO 80022

Lake City Army Ammunition Plant  
ATTN: SARLC-O-F  
Independence, MO 64056

Volunteer Army Ammunition Plant  
ATTN: SARVO-O  
Chattanooga, TN 34701

Watervliet Arsenal  
ATTN: SARWV-FEE  
Watervliet, NY 12189

Savanna Army Depot Activity  
ATTN: SDSLE-A  
Savanna, IL 61074

Pine Bluff Arsenal  
ATTN: SARPB-ETD  
Pine Bluff, AR 71611

Yuma Proving Ground  
ATTN: STEYP-PL  
Yuma, AZ 85364

Chemical Systems Laboratory  
ATTN: ORDAR-CLT-E  
Edgewood Area  
Aberdeen Proving Ground, MD 21010

Lone Star Army Ammunition Plant  
ATTN: SARLS-EN  
Texarkana, TX 75501

Longhorn Army Ammunition Plant  
ATTN: SARLO-O  
Marshall, TX 75670

Louisiana Army Ammunition Plant  
ATTN: SARLA-S  
Shreveport, LA 71130

Radford Army Ammunition Plant  
ATTN: SARRA-IE  
Radford, VA 24141

Sacramento Army Depot  
ATTN: SDSSA-SDF  
Sacramento, CA 95813

US Army Operational Test and  
Evaluation Agency  
ATTN: CSTE-POO  
ATTN: CSTE-POP  
Falls Church, VA 22041

US Army Medical Bioengineering Res.  
and Development Laboratory  
ATTN: Env. Protection and Res. Div.  
Ft. Detrick  
Frederick, MD 21701

Dept of Transportation Library  
Acquisitions Section (SR) TAD-491.1  
WASH DC 20590

Library of Congress  
Exchange and Gift Div  
ATTN: Federal Documents Section (2)  
WASH DC 20540

Institute of Defense Analysis  
Arlington, VA 22202

Veterans Administration  
Environmental Planning Div (088C)  
WASH DC 20420

USA Intelligence and Security Command  
ATTN: IALOG-IF  
Arlington, VA 22212

Environmental Protection Agency (EPA)  
ATTN: International Env Referral Cntr  
ATTN: Office of Environmental Review  
WASH DC 20460

Defense Logistics Agency  
Defense Property Disposal Service  
ATTN: DPDS-OP  
Battle Creek, MI 49016

Patrick AFB, FL 32925  
ATTN: XRQ

McClellan AFB, CA 95652  
ATTN: APG/DE

Chief, Construction and Maintenance  
Standards Branch, AAS-580  
Federal Aviation Administration  
WASH DC 20591

ENR

369  
+5



Lacey, Robert M.  
Evaluation of lands for recreational snowmobile use / by R. M. Lacey - - -  
et al. -- Champaign, IL : Construction Engineering Research Laboratory ,  
Springfield, VA : available from NTIS, 1981.  
74 p. (Technical report ; N-105)

1. Snowmobiling. 2. Land use. I. Baran, Robert S. II. Severinghaus,  
William D. III. Hunt, David. IV. Title. V. Series: U.S. Army Construction  
Engineering Research Laboratory. Technical report ; N-105.

DATE  
FILMED  
— 8