

LEVEL #

①

AD A 1 0 6 8 6 3

# MISSOURI - KANSAS CITY RIVER BASIN

A.C. SCHNEIDER LAKE DAM  
GASCONADE COUNTY, MISSOURI  
MO. 31563

## PHASE I INSPECTION REPORT NATIONAL DAM SAFETY PROGRAM

DTIC  
ELECTE  
S NOV 9 1981 D  
A



United States Army  
Corps of Engineers

...Serving the Army  
...Serving the Nation

### St. Louis District

THIS DOCUMENT IS BEST QUALITY PRACTICABLE.  
THE COPY FURNISHED TO DDC CONTAINED A  
SIGNIFICANT NUMBER OF PAGES WHICH DO NOT  
REPRODUCE LEGIBLY.  
PREPARED BY: U. S. ARMY ENGINEER DISTRICT, ST. LOUIS

This document has been approved  
for public release and sale; its  
distribution is unlimited.

FOR: STATE OF MISSOURI

DTIC FILE COPY

SEPTEMBER, 1980

81 11 02 036

**Best  
Available  
Copy**

## **DISCLAIMER NOTICE**

**THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.**

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO. <b>AD-A106 868</b>	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Phase I Dam Inspection Report National Dam Safety Program A.C. Schneider Lake Dam (MO 31563) Gasconade County, Missouri		5. TYPE OF REPORT & PERIOD COVERED <b>Final Report</b>
7. AUTHOR(s)  Consoer, Townsend & Associates		6. PERFORMING ORG. REPORT NUMBER <b>15</b> DACW43-80-C-0094
9. PERFORMING ORGANIZATION NAME AND ADDRESS U.S. Army Engineer District, St. Louis Dam Inventory and Inspection Section, LMS-ED-PD 210 Tucker Blvd., North, St. Louis, Mo. 63101		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS U.S. Army Engineer District, St. Louis Dam Inventory and Inspection Section, LMS-ED-PD 210 Tucker Blvd., North, St. Louis, Mo. 63101		10. PROGRAM ELEMENT PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) <b>12</b> 149		12. REPORT DATE <b>September 1980</b>
		13. NUMBER OF PAGES Approximately 100
		15. SECURITY CLASS. (of this report) <b>UNCLASSIFIED</b>
16. DISTRIBUTION STATEMENT (of this Report)  Approved for release; distribution unlimited. <b>10</b> Walter G. Shittrick		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)  <b>9</b> National Dam Safety Program, A. C. Schneider Lake Dam (MO 31563), Missouri - Kansas City River Basin, Gasconade County, Missouri. Phase I: Inspection Report.		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)  Dam Safety, Lake, Dam Inspection, Private Dams		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  This report was prepared under the National Program of Inspection of Non-Federal Dams. This report assesses the general condition of the dam with respect to safety, based on available data and on visual inspection, to determine if the dam poses hazards to human life or property.		



848 2019-01

## INSTRUCTIONS FOR PREPARATION OF REPORT DOCUMENTATION PAGE

**RESPONSIBILITY.** The controlling DoD office will be responsible for completion of the Report Documentation Page, DD Form 1473, in all technical reports prepared by or for DoD organizations.

**CLASSIFICATION.** Since this Report Documentation Page, DD Form 1473, is used in preparing announcements, bibliographies, and data banks, it should be unclassified if possible. If a classification is required, identify the classified items on the page by the appropriate symbol.

### COMPLETION GUIDE

**General.** Make Blocks 1, 4, 5, 6, 7, 11, 13, 15, and 16 agree with the corresponding information on the report cover. Leave Blocks 2 and 3 blank.

**Block 1.** Report Number. Enter the unique alphanumeric report number shown on the cover.

**Block 2.** Government Accession No. Leave Blank. This space is for use by the Defense Documentation Center.

**Block 3.** Recipient's Catalog Number. Leave blank. This space is for the use of the report recipient to assist in future retrieval of the document.

**Block 4.** Title and Subtitle. Enter the title in all capital letters exactly as it appears on the publication. Titles should be unclassified whenever possible. Write out the English equivalent for Greek letters and mathematical symbols in the title (see "Abstracting Scientific and Technical Reports of Defense-sponsored RDT/E," AD-667 000). If the report has a subtitle, this subtitle should follow the main title, be separated by a comma or semicolon if appropriate, and be initially capitalized. If a publication has a title in a foreign language, translate the title into English and follow the English translation with the title in the original language. Make every effort to simplify the title before publication.

**Block 5.** Type of Report and Period Covered. Indicate here whether report is interim, final, etc., and, if applicable, inclusive dates of period covered, such as the life of a contract covered in a final contractor report.

**Block 6.** Performing Organization Report Number. Only numbers other than the official report number shown in Block 1, such as series numbers for in-house reports or a contractor/grantee number/assigned by him, will be placed in this space. If no such numbers are used, leave this space blank.

**Block 7.** Author(s). Include corresponding information from the report cover. Give the name(s) of the author(s) in conventional order (for example, John R. Doe or, if author prefers, J. Robert Doe). In addition, list the affiliation of an author if it differs from that of the performing organization.

**Block 8.** Contract or Grant Number(s). For a contractor or grantee report, enter the complete contract or grant number(s) under which the work reported was accomplished. Leave blank in in-house reports.

**Block 9.** Performing Organization Name and Address. For in-house reports enter the name and address, including office symbol, of the performing activity. For contractor or grantee reports enter the name and address of the contractor or grantee who prepared the report and identify the appropriate corporate division, school, laboratory, etc., of the author. List city, state, and ZIP Code.

**Block 10.** Program Element, Project, Task Area, and Work Unit Numbers. Enter here the number code from the applicable Department of Defense form, such as the DD Form 1498, "Research and Technology Work Unit Summary" or the DD Form 1634, "Research and Development Planning Summary," which identifies the program element, project, task area, and work unit or equivalent under which the work was authorized.

**Block 11.** Controlling Office Name and Address. Enter the full, official name and address, including office symbol, of the controlling office. (Equates to funding/sponsoring agency. For definition see DoD Directive 5200.20, "Distribution Statements on Technical Documents.")

**Block 12.** Report Date. Enter here the day, month, and year or month and year as shown on the cover.

**Block 13.** Number of Pages. Enter the total number of pages.

**Block 14.** Monitoring Agency Name and Address (if different from Controlling Office). For use when the controlling or funding office does not directly administer a project, contract, or grant, but delegates the administrative responsibility to another organization.

**Blocks 15 & 15a.** Security Classification of the Report: Declassification/Downgrading Schedule of the Report. Enter in 15 the highest classification of the report. If appropriate, enter in 15a the declassification/downgrading schedule of the report, using the abbreviations for declassification/downgrading schedules listed in paragraph 4-207 of DoD 5200.1-R.

**Block 16.** Distribution Statement of the Report. Insert here the applicable distribution statement of the report from DoD Directive 5200.20, "Distribution Statements on Technical Documents."

**Block 17.** Distribution Statement (of the abstract entered in Block 20, if different from the distribution statement of the report). Insert here the applicable distribution statement of the abstract from DoD Directive 5200.20, "Distribution Statements on Technical Documents."

**Block 18.** Supplementary Notes. Enter information not included elsewhere but useful, such as: Prepared in cooperation with . . . Translation of (or by) . . . Presented at conference of . . . To be published in . . .

**Block 19.** Key Words. Select terms or short phrases that identify the principal subjects covered in the report, and are sufficiently specific and precise to be used as index entries for cataloging, conforming to standard terminology. The DoD "Thesaurus of Engineering and Scientific Terms" (TEST); AD-672 000, can be helpful.

**Block 20.** Abstract. The abstract should be a brief (not to exceed 200 words) factual summary of the most significant information contained in the report. If possible, the abstract of a classified report should be unclassified and the abstract to an unclassified report should consist of publicly-releasable information. If the report contains a significant bibliography or literature survey, mention it here. For information on preparing abstracts see "Abstracting Scientific and Technical Reports of Defense-Sponsored RDT&E," AD-667 000.



REPLY TO  
ATTENTION OF

**DEPARTMENT OF THE ARMY**  
ST. LOUIS DISTRICT, CORPS OF ENGINEERS  
210 TUCKER BOULEVARD, NORTH  
ST. LOUIS, MISSOURI 63101

SUBJECT: A. C. Schneider Lake Dam (MO 31563)

This report presents the results of field inspection and evaluation of the A. C. Schneider Lake Dam. It was prepared under the National Program of Inspection of Non-Federal Dams.

**SIGNED**

**9 JUL 1981**

SUBMITTED BY:

Chief, Engineering Division

Date

**SIGNED**

APPROVED BY:

Colonel, CE, Commanding

**10 JUL 1981**

Date

Accession For	
NIIS GR&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A 231 [Signature]	

A. C. SCHNEIDER LAKE DAM  
GASCONADE COUNTY, MISSOURI

MISSOURI INVENTORY NO. 31563

PHASE I INSPECTION REPORT  
NATIONAL DAM SAFETY PROGRAM

PREPARED BY  
CONSOER, TOWNSEND AND ASSOCIATES, LTD.  
ST. LOUIS, MISSOURI  
AND  
PRC ENGINEERING CONSULTANTS, INC.  
ENGLEWOOD, COLORADO  
A JOINT VENTURE

UNDER DIRECTION OF  
ST. LOUIS DISTRICT, CORPS OF ENGINEERS  
FOR  
GOVERNOR OF MISSOURI

SEPTEMBER 1980

PHASE I INSPECTION REPORT  
NATIONAL DAM SAFETY PROGRAM

Name of Dam: A.C. Schneider Lake Dam, Missouri Inv. No. 31563  
State Located: Missouri  
County Located: Gasconade  
Stream: An unnamed tributary of the Frene Creek  
Date of Inspection: April 24, 1980

Assessment of General Condition

A.C. Schneider Lake Dam was inspected by the engineering firms of Consoer, Townsend and Associates, Ltd. and PRC Engineering Consultants, Inc. (A Joint Venture) of St. Louis, Missouri according to the U. S. Army Corps of Engineers "Engineer Regulation No. 1110-2-106" dated September 26, 1979, and additional guidelines furnished by the St. Louis District of the Corps of Engineers. Based upon the criteria in the guidelines, the dam is in the high hazard potential classification, which means that urban development with more than a small number of habitable structures could be affected in the event of failure of the dam. Within the estimated damage zone of two miles downstream of the dam are two dwellings, seven buildings, two trailers, an oil depot, sewage lagoons and a state highway (Hwy 100) which may be subjected to flooding, with possible damage and/or destruction, and possible loss of life. A.C. Schneider Lake Dam falls below the small size classification since it is less than 25 feet in height, and impounds less than 50 acre-feet of water.

7403

The dam appears to be in satisfactory condition. However, the dam does not have adequate spillway capacity. Considering the number of inhabited dwellings, a state highway and an oil depot being located downstream of the dam, the PMF is considered the appropriate spillway design flood for A.C. Schneider Lake Dam. <sup>The</sup> Our inspection and evaluation indicates that the reservoir/spillway system can accommodate approximately 5 percent of the Probable Maximum Flood without overtopping the dam. Our evaluation <sup>I</sup> also indicates that the reservoir/spillway system can not accommodate the one-percent chance flood without overtopping, however, the reservoir/spillway system of A.C. Schneider Lake Dam can accommodate the ten-percent chance flood without overtopping.


The Probable Maximum Flood is defined as the flood discharge that may be expected from the most severe combination of critical meteorological and hydrologic conditions that are reasonably possible in the region.


Other deficiencies noted by the inspection team were: the erosion gully along the downstream left abutment/embankment contact, the trees on the downstream and upstream slopes of the dam, wave erosion on the upstream slope, the unsupported length of the principal spillway pipe at the outlet, the eroded gully in the emergency spillway channel, some vegetative growth around the principal spillway inlet, a need for periodic inspection by a qualified engineer and a lack of maintenance schedule. The lack of seepage and stability analyses on record is also a deficiency that should be corrected. ↙

It is recommended that the owner take action to correct or control the deficiencies described above.

*Walter G. Shifrin*

Walter G. Shifrin, P.E.





Overview of A. C. Schneider Lake Dam

PHASE I INSPECTION REPORT  
NATIONAL DAM SAFETY PROGRAM

A. C. SCHNEIDER LAKE DAM, I.D. No. 31563

TABLE OF CONTENTS

<u>Sect. No.</u>	<u>Title</u>	<u>Page</u>
SECTION 1	PROJECT INFORMATION . . . . .	1
	1.1 General . . . . .	1
	1.2 Description of Project . . . . .	3
	1.3 Pertinent Data . . . . .	8
SECTION 2	ENGINEERING DATA . . . . .	11
	2.1 Design . . . . .	11
	2.2 Construction . . . . .	11
	2.3 Operation . . . . .	11
	2.4 Evaluation . . . . .	11
SECTION 3	VISUAL INSPECTION . . . . .	13
	3.1 Findings . . . . .	13
	3.2 Evaluation . . . . .	20



TABLE OF CONTENTS

(Continued)

<u>Sect. No.</u>	<u>Title</u>	<u>Page</u>
SECTION 4	OPERATION PROCEDURES . . . . .	23
	4.1 Procedures . . . . .	23
	4.2 Maintenance of Dam . . . . .	23
	4.3 Maintenance of Operating Facilities . . . . .	23
	4.4 Description of Any Warning System in Effect . . . . .	24
	4.5 Evaluation . . . . .	24
SECTION 5	HYDRAULIC/HYDROLOGIC . . . . .	25
	5.1 Evaluation of Features . . . . .	25
SECTION 6	STRUCTURAL STABILITY. . . . .	31
	6.1 Evaluation of Structural Stability. . . . .	31
SECTION 7	ASSESSMENT/REMEDIAL MEASURES. . . . .	34
	7.1 Dam Assessment . . . . .	34
	7.2 Remedial Measures. . . . .	36

TABLE OF CONTENTS

(Continued)

LIST OF PLATES

	<u>Plate No.</u>
LOCATION MAP . . . . .	1
PLAN AND SECTIONS OF DAM . . . . .	2
GEOLOGIC MAP . . . . .	3-4
SEISMIC ZONE MAP . . . . .	5

APPENDICES

APPENDIX A	-	PHOTOGRAPHS
APPENDIX B	-	HYDROLOGIC AND HYDRAULIC COMPUTATIONS

PHASE I INSPECTION REPORT  
NATIONAL DAM SAFETY PROGRAM

A. C. SCHNEIDER LAKE DAM, Missouri Inv. No. 31563

SECTION 1: PROJECT INFORMATION

1.1 General

a. Authority

The Dam Inspection Act, Public Law 92-367 of August, 1972, authorizes the Secretary of the Army, through the Corps of Engineers, to initiate a national program of dam inspections. Inspection for A C. Schneider Lake Dam was carried out under Contract DACW 43-80-C-0094 between the Department of the Army, St. Louis District, Corps of Engineers, and the engineering firms of Consoer, Townsend & Associates, Ltd., and PRC Engineering Consultants, Inc. (A Joint Venture), of St. Louis, Missouri.

b. Purpose of Inspection

The visual inspection of A. C. Schneider Lake Dam was made on April 24, 1980. The purpose of the inspection was to make a general assessment regarding the structural integrity and operational adequacy of the dam embankment and its appurtenant structure .

### c. Scope of Report

This report summarizes available pertinent data relating to the project, presents a summary of visual observations made during the field inspection, presents an assessment of hydrologic and hydraulic conditions at the site, presents an assessment of the structural adequacy of the various project features and assesses the general condition of the dam with respect to safety.

Subsurface investigations, laboratory testing and detailed analyses were not within the scope of this study. No warranty as to the absolute safety of the project features is implied by the conclusions presented in this report.

It should be noted that in this report reference to left or right abutments is viewed as looking downstream. Where left abutment or left side of the dam is used in this report, this also refers to the south abutment or side, and right to the north abutment or side.

### d. Evaluation Criteria

The inspection and evaluation of the dam is performed in accordance with the U.S. Army Corps of Engineers "Recommended Guidelines for Safety Inspection of Dams", and additional guidelines furnished by the St. Louis District office of the Corps of Engineers for Phase I Dam Inspection.

Description of the Project

## a. Description of Dam and Appurtenances

The following description is based upon observations and measurements made during the visual inspection and from conversations with Mr. A. C. Schneider, the owner. No design drawings were located for the dam or appurtenant structures. There is a dam adjacent to A. C. Schneider Lake Dam. The descriptions given below pertain to only A. C. Schneider Lake Dam (Mo. 31563).

The dam is a homogeneous rolled earthfill structure between earth abutments. The top of dam has a total length of 321 feet between the emergency spillway and the right abutment. The dam has a slight curvature in its alignment, convex in the downstream direction (Photo overview). The top of dam is 18 feet wide. The maximum top of dam elevation is 701 feet above mean sea level (MSL) adjacent to the emergency spillway; and this elevation extends to a point 150 feet to the right of the emergency spillway. At the point 150 feet to the right of the emergency spillway, the top of dam elevation drops approximately 2 feet from that point to the right abutment. The maximum height of the dam from the downstream streambed is 20.4 feet. The upstream slope was measured as 1 vertical to 3 horizontal (1V to 3H) from the top of dam to the water surface. The downstream slope was measured as 1V to 3H. No riprap was provided as slope protection on the upstream slope.

The dam was constructed incorporating two spillways into the embankment, a principal spillway consisting of a welded steel pipe and an emergency spillway consisting of an open channel through the top of dam. The principal spillway

has a 14 inch inside diameter and is approximately 92 feet in length. The pipe was laid through the embankment on about a 15 percent slope and the last 29 feet of it extends unsupported from the downstream slope (Photo 6). This allows the outflow to fall a few feet from the end of the pipe into the downstream channel. The inlet end of the pipe has a flat steel plate, approximately 16 inches square, welded in a parallel position to the outside top of the pipe. The end of the pipe is cut on a 45 degree angle with the top of the pipe protruding over the bottom (Photo 5). The elevations of the invert at the inlet and outlet ends respectively are 697.3 and 682.5 feet above M.S.L.

The emergency spillway crest is approximately 2.5 feet lower than the maximum elevation of the top of dam, whereas the principal spillway inlet crest is approximately 3.7 feet lower than the maximum elevation of the top of dam. The emergency spillway crest area is well protected with grass over its entire surface; it functions as an open channel and has a 35 foot top width with a 16 foot bottom width (Photo 8). However, once flow passes over the crest it falls over a 1 foot drop and enters a steep narrower channel that appears to have been eroded into the slope due to surface runoff from the surrounding slopes above the dam and discharges through the spillway. This eroded channel allows the excess reservoir water to enter the downstream channel at the same point as that from the principal spillway (Photo 6).

A small low level drain was provided for the dam. It consists of a 1-1/4-inch diameter steel pipe which passes through the embankment. On the upstream end, a 3-foot high perforated standpipe was provided to keep the intake of the system off of the reservoir floor. The system is controlled at the downstream end by a 1-1/4-inch gate valve. The gate

valve is housed in a vertical 12 inch diameter corrugated metal pipe located near the center of the dam just downstream of the toe of the embankment. The system is mainly used to provide drinking water for livestock.

b. Location

A. C. Schneider Lake Dam is located in the state of Missouri, Gasconade County, across an unnamed tributary to Frene Creek, which is tributary to the Missouri River. The damsite is approximately 5 miles southwest of Hermann, a community on the Missouri River, and can be found on the 7.5 minute series of the Hermann, Mo. Quadrangle Sheet in Section 15 of Range 5 West and Township 45 North.

c. Size Classification

According to the "Recommended Guidelines for Safety Inspection of Dams" by the U.S. Department of the Army, Office of the Chief Engineer, the dam falls below the small size classification, since it is less than 25 feet high and impounds less than 50 acre-feet of water.

d. Hazard Classification

The dam has been classified as having a "High" hazard potential in the National Inventory of Dams, on the basis that in the event of failure of the dam or its appurtenances, excessive damage could occur to downstream property, together with the possibility of the loss of life. Our findings concur with this classification. Within the estimated damage zone, which extends approximately two miles downstream of the dam, are two dwellings, two trailers, seven buildings, sewage lagoons, an oil depot, and a state highway (Hwy 100).

e. Ownership

A. C. Schneider Lake Dam is owned privately by Mr. & Mrs. A. C. Schneider. The mailing address is Mr. & Mrs. A. C. Schneider, 317 West 16th Street, Hermann, Missouri 65041.

f. Purpose of Dam

The main purpose of the dam is to impound water for recreational use as a private lake. Another purpose is as a reserve for livestock watering.

g. Design and Construction History

According to the owner, Mr. A. C. Schneider, the dam was built in 1967 (est.) by Mr. Glennon Epple of Hermann, Missouri. There were no plans or specifications for the dam.

The original emergency spillway was at the right abutment of the dam. Another lake was built adjacent to the northwest side of the dam in 1970. A 15-inch diameter culvert was installed at this time to connect the two lakes and the emergency spillway for A. C. Schneider Lake Dam was relocated to the left abutment.

A 14-inch diameter spillway pipe was installed about five years after the dam was completed. The pipe was installed on the basis of the recommendations of Mr. Elmer Kuhn, who was the local soil conservationist in Hermann, Missouri.



h. Normal Operational Procedures

A. C. Schneider Lake Dam is used to impound water for recreational use. Normal procedure is to allow the lake level to remain as high as rainfall, runoff, evaporation and the 14-inch diameter spillway pipe will allow.

1.3 Pertinent Data

a. Drainage Area (square miles):	0.12
b. Discharge at Damsite	
Estimated experienced maximum flood (cfs):	30
Estimated ungated spillway capacity with reservoir at minimum top of dam elevation (cfs):	34
c. Elevation (feet above MSL)	
Top of dam (minimum):	699
Spillway crest:	
Principal Spillway:	697.3
Emergency Spillway:	698.5
Normal Pool:	697.3
Maximum Experienced Pool:	698.7
Observed Pool:	697.3
d. Reservoir	
Length of pool with water surface at minimum top of dam elevation (feet):	400 <sub>+</sub>
e. Storage (Acre-Feet)	
Top of dam (minimum):	20
Spillway crest:	
Principal Spillway:	16
Emergency Spillway:	20-
Normal Pool:	16
Maximum Experienced Pool:	20-
Observed Pool:	16

f. Reservoir Surfaces (Acres)

Top of dam (minimum):	2.4
Spillway crest:	
Principal Spillway:	2
Emergency Spillway	2.3
Normal Pool:	2
Maximum Experienced Pool:	2.3+
Observed Pool:	2+

g. Dam

Type:	Earthfill
Length:	356 feet
Structural Height:	20.4 feet
Hydraulic Height:	20.4 feet
Top width:	18 feet
Side slopes:	
Downstream	1V to 3H (measured)
Upstream	1V to 3H (from crest to W.S., remainder unknown)
Zoning:	Homogeneous
Impervious core:	N/A
Cutoff:	Core trench
Grout curtain:	Unknown

h. Diversion and Regulating Tunnel                      None

i. Spillway

Type:	
Principal:	14-inch inside diameter welded steel conduit
Emergency:	Trapezoidal open channel, uncontrolled
Length of crest:	
Principal:	14-inch I.D. steel conduit
Emergency:	16 feet

j. Regulating Outlets

Type: 1-1/4-inch diameter steel pipe  
Length: 100+  
Closure: 1-1/4-inch diameter gate valve

## SECTION 2: ENGINEERING DATA

### 2.1 Design

No design data is available for the dam and appurtenant structures.

### 2.2 Construction

The dam was built by Mr. Glennon Epple of Hermann, Missouri. No construction records or data are available for the dam and appurtenant structures. According to Mr. A. C. Schneider, the embankment was mostly constructed of clay removed from the reservoir area. A cutoff trench was provided; however, the trench was not excavated to bedrock. The compaction of the embankment was achieved by the activity of the earthmoving equipment used for the placement of the fill. No compaction tests were performed.

### 2.3 Operation

No operational records or data are available for A. C. Schneider Lake Dam.

### 2.4 Evaluation

#### a. Availability

No design drawings, design computations, construction data or operation data are available.

Also, no pertinent data were available for review of hydrology, spillway capacity, flood routing through the reservoir, outlet capacity, slope stability, seepage analyses, or foundation conditions.

b. Adequacy

The lack of engineering data did not allow a definitive review and evaluation. Therefore, the adequacy of this dam could not be assessed from the standpoint of reviewing and evaluating design, operation and construction data, but is based primarily on visual inspection, past performance history, and sound engineering judgement.

Seepage and stability analyses comparable to the requirements of the "Recommended Guidelines for Safety Inspection of Dams" were not available, which is considered a deficiency. These seepage and stability analyses should be performed for appropriate loading conditions (including earthquake loads) and made a matter of record.

c. Validity

No engineering data were available which would allow a valid evaluation of original design concepts.

### SECTION 3: VISUAL INSPECTION

#### 3.1 Findings

##### a. General

A visual inspection of the A. C. Schneider Lake Dam was made on April 24, 1980. The following persons were present during the inspection:

<u>Name</u>	<u>Affiliation</u>	<u>Disciplines</u>
Dr. M.A. Samad	PRC Engineering Consultants, Inc.	Project Engineer, Hydraulics and Hydrology
Mark R. Haynes	PRC Engineering Consultants, Inc.	Soils and Mechanical
Robert G. McLaughlin	PRC Engineering Consultants, Inc.	Civil
Razi Quraishi	PRC Engineering Consultants, Inc.	Geology
John Lauth	Consoer, Townsend & Assoc., Ltd.	Civil and Structural
Mr. A. C. Schneider	Owner of dam	

Specific observations are discussed below.

b. Dam

The top of dam is protected against surface erosion by a well maintained vegetative cover. The curvature in the alignment and the difference in elevation between the right and left abutments does not appear to be due to an instability in the embankment. The dam appears to have been constructed this way. No other deviations in horizontal or vertical alignment were apparent. Minor shrinkage cracks were observed. There was no evidence observed on the top of dam of significant settlement or cracking which would indicate an instability of the embankment. According to Mr. A. C. Schneider, the dam has never been overtopped and no evidence was observed indicating the contrary (Photo 1).

The upstream slope has no riprap protection. Some minor erosion has occurred on the slope near the water surface due to wave action. The slope above the water surface was protected from surface erosion by an adequate vegetative growth. No depressions, cracks or settlements which would indicate an instability of the slope were apparent. Several trees were observed growing on the slope near the water surface (Photo 4).

The downstream slope of the dam is well protected against surface erosion by a dense growth of vegetative cover (Photo 3). One large erosion gully was observed along the left embankment/abutment contact. The gully appears to have been formed by surface runoff and discharges through the emergency spillway. The gully extends from near the crest of the emergency spillway to the downstream channel. The gully varies in size from 1-foot wide and 1-foot deep near the crest



of the emergency spillway to 6-foot wide and 6-foot deep near the toe of the embankment. The erosion appears to have undermined a portion of the principal spillway pipe. (Photo 9). No seepage was observed on the downstream slope or downstream of the toe. Several large trees were observed on the downstream slope. No bulges, depressions or cracks which would indicate an instability of the slope were apparent. (Photo 3).

No rodent activity was apparent on the embankment or abutments. According to Mr. A. C. Schneider, there has been some muskrat activity in the reservoir in the past. The muskrats are trapped during the winter when present.

The top of the right abutment is at approximately the same elevation as the top of dam and supports a gravel access road. The road is constructed along the right downstream embankment/abutment contact. The left abutment area slopes gently upward from the contact and supports a heavily wooded area. No erosion which would affect the safety of the embankment or appurtenant structures was observed on either abutment, except for the previously mentioned erosion along the left embankment/abutment contact. No seepage or instabilities which would affect the safety or stability of the dam were apparent on either abutment.

## c. Project Geology and Soils

### (1) Project Geology

The damsite is located on an unnamed tributary of the Frene Creek in the Salem Plateau Section of the Ozark Plateaus Physiographic Province.

Deep dissection of topography by major streams is one of the important characteristics of the Salem Plateau Section. Cuestaform topography is exhibited in this plateau section consisting of two major escarpments, namely the Crystal Escarpment and Burlington Escarpment. Deep dissection in dolomites and limestones is a major factor in the development of many springs in this area. The topography of the damsite is rolling to hilly with U- to V-shaped valleys. Elevation ranges from 927 feet above M.S.L. (nearly 0.5 miles southwest of the damsite) to 700 feet above M.S.L. at the A. C. Schneider Lake. The reservoir slopes are generally  $5^{\circ}$  to  $20^{\circ}$  from horizontal. The reservoir appears to be water tight and free of any potential slide activity. The area at the damsite is covered with slope wash deposits of glacial fluvial and loess origin. They consist of reddish brown, clayey silt with some fine to medium sand. Inlet and outlet areas of the unnamed tributary to the Frene Creek contain Quaternary alluvium. Outcrops of Ordovician moderately weathered yellowish-white hard Dolomitic rocks are interbedded with moderately weathered light-brown hard sandstones. These are exposed at the spillway cut and at the downstream channel of the spillway. These rocks have a horizontal jointing pattern. These rocks are horizontally bedded.

The areal geology beneath the slope wash deposits in the site vicinity, as shown on the Geologic Map of Missouri (1979), Plate 3, consists of Pennsylvanian rock undifferentiated, Ordovician St. Peters Sandstone, and Ordovician Dolomitic rocks.

No faults have been identified in the vicinity of the damsite. The closest trace of any fault to the damsite is the Cuba Fault nearly 22.5 miles south of the damsite. The Cuba Fault had its last movement in post-Pennsylvanian time. This fault appears to have no effect on the damsite.

A. C. Schneider Lake Dam consists of a homogeneous earthfill embankment, an emergency spillway located at the left end of the embankment, and an outlet pipe located near the mid-section of the embankment. No boring logs or construction reports were available which would indicate foundation conditions encountered during the dam construction. Based on discussions with the owner, the embankment probably rests on slope wash deposits of brown clayey silt. Hard Dolomitic rock interbedded with shales and sandstone are exposed in the downstream channel at the outlet of the spillway. The foundation material underneath the spillway outlet pipe consists of compacted embankment material (brown clayey silt, with some fine to medium sand). The downstream channel rock cut slopes are relatively stable. Minor localized rock debris were observed at the foot of the slope in the downstream channel walls of the spillway.

## (2) Project Soils

According to the "Missouri General Soil Map and Soil Association Descriptions" published by the Soil Conservation Service, the materials in the general area of the dam belong to the soil series of Gerald-Union-Goss in the Ozarks family. The soils were basically formed from loess and cherty limestone residuum. The permeability of these soils ranges from moderate to very slow.

Materials were removed from both the left and right embankments at approximately 1 foot below the vegetative cover. The material examined on the left embankment appeared to be a tan, silty, fine to medium sand with some fine to coarse gravel. Based upon the Unified Soil Classification System, the soil would probably be classified as an SM. This soil type generally has the following characteristics: semipervious to impervious with a coefficient of permeability less than 100 feet per year, medium to high shear strength, and a low to intermediate resistance to piping. The material examined on the left abutment appeared to be a tan, clayey, fine to medium, sand with some fine to coarse gravel. Based upon the Unified Soil Classification System, the soil would probably be classified as an SM-SC. This soil type generally has the following characteristics: semipervious to impervious with a coefficient of permeability less than 100 feet per year, medium to high shear strength, and a low to intermediate resistance to piping.

d. Appurtenant Structures

(1) Principal Spillway

The principal spillway conduit probably has no protective coating along its entire length which would prevent rust and corrosion from taking place. Also, under a full conduit, velocities could be high and set up severe vibrations in the latter 29 feet of unsupported spillway conduit. There are trees, grass and brush growing immediately adjacent to the spillway opening, plus a small pile of brush seemingly floating in front of the inlet, approximately 10 feet away (Photo 5).

(2) Emergency Spillway

The emergency spillway crest seems to be adequately protected with a dense grass cover (Photo 8), however, the discharge channel appears to be an erosion gully which grows larger as the downstream end is approached (Photo 9). It seems likely that the erosion is due to runoff from the nearby surrounding slopes and perhaps, partially from flow over the emergency spillway crest. It appears quite possible that the gully has undermined the end of the principal spillway pipe thus causing the 29 feet of unsupported extension (Photo 6).

(3) Outlet Works

The gate valve which controls the low level drain is operable and was operated on the day of the inspection (Photo 7). If needed, the system can be used to drain the reservoir. Nevertheless, the reservoir has never been drained. No seepage was observed around the outlet end of the system. The inlet of the drain was not located due to the

reservoir level on the day of the inspection.

e. Reservoir Area

The reservoir water surface elevation was 697.3 feet above M.S.L. on the day of the inspection. The reservoir rim has mild to steep slopes and is mostly grass and/or tree covered. There were no indications of instability or severe erosion observed. The slopes above the left rim area are steep and tree covered; those towards the rear of the reservoir are mild and tree covered and those on the right are mild and grass covered. There are no homes or other structures in the immediate vicinity of the reservoir, however, there is a barn or shed sitting about 100 feet downstream and below the top of dam and a dwelling sitting about 400 feet upstream and above the top of dam.

f. Downstream Channel

The downstream channel is well defined. The channel has a bottom width of approximately five feet and a side slope of 1V to 1H on both sides. The channel is approximately three feet deep. Some trees were observed growing in the channel. The trees could affect the hydraulic efficiency of the channel.

3.2 Evaluation

The visual inspection did not reveal any items which were sufficiently significant to indicate a need for immediate remedial action. The following conditions were observed which could affect the safety of the dam or which will require maintenance within a reasonable period of time.

1. The large erosion gully along the downstream left embankment/abutment contact affects the stability of the embankment. Continual erosion could possibly lead to an eventual failure of the embankment (Photo 9).

2. The trees observed on the downstream and upstream slopes pose a potential danger to the safety of the dam depending upon the extent of the root system. The roots of trees present possible paths for piping through the embankment. The root systems can also do damage to the embankment if the tree is uprooted by a storm (Photos: overview,3,4).

3. The minor wave erosion on the upstream slope does not appear to affect the stability of the dam at its present state. Nevertheless, continual erosion of the slope could be detrimental to the stability of the dam.

4. The growth of grass, brush, and trees immediately adjacent to the principal spillway inlet, plus the floating debris in front of the inlet could cause at least a partial blocking of the inlet, thus causing water to rise faster during a large storm (Photo 5).

5. The vibrations set up in the unsupported conduit at the outlet end of the principal spillway, when running full, could cause repercussions along the full length of the pipe which could eventually lead to seepage (Photo 6).

6. The discharge channel for the emergency spillway could further erode and not only continue to undermine the conduit but also create a weakening along the abutment contact area. (See no. 1. above), (Photo 6).

7. Although no severe rust conditions or corrosion were observed along the pipe, the rust reaction was taking place and could progress to a severely worsened state in the future.



## SECTION 4: OPERATIONAL PROCEDURES

### 4.1 Procedures

There are no specific procedures which are followed for the operation of this dam. As mentioned in Section 1.2, the lake is allowed to remain as full as possible as a result of rainfall, runoff, evaporation and the crest elevation of the 14-inch diameter principal spillway.

### 4.2 Maintenance of Dam

The dam is maintained by the owner, Mr. A. C. Schneider. Periodically, the grass on the dam is mowed. A few small trees, saplings and brush have been allowed to grow on the upstream and downstream slope of the dam. The upstream and downstream slopes should be maintained in such fashion that trees are not allowed to grow.

There is an erosion gully forming at the left abutment contact at the downstream side of the emergency spillway. Gullies on the embankment should be repaired as a part of the maintenance routine.

### 4.3 Maintenance of Operating Facilities

The only operable facility at the damsite is a 1 1/4-inch gate valve located at the downstream toe. The valve and associated 1 1/4-inch piping is used for livestock watering.

4.4 Description of Any Warning System in Effect

The inspection team is not aware of any existing warning system for this dam.

4.5 Evaluation

The operation and maintenance for this dam seem to be adequate, however, the corrective measures listed in Section 7 should be undertaken within a reasonable period of time.

## SECTION 5: HYDRAULIC/HYDROLOGIC

### 5.1 Evaluation of Features

#### a. Design

There is a dam adjacent to A.C. Schneider Lake Dam, and the reservoirs of these two dams are connected by a culvert. A roadway separates these two reservoirs. These two reservoirs are considered separately in the overtopping analysis. The watershed area of A.C. Schneider Lake Dam consists of approximately 78 acres. There are two significant upstream dams above A.C. Schneider Lake Dam and one upstream dam above the Adjacent Dam. Most of the watershed area is wooded with some range and pasture land. Land gradients in the watershed average roughly 18 percent. A.C. Schneider Lake Dam is located on an unnamed tributary of Frene Creek. The reservoir is about 2-1/4 miles upstream from the confluence of the unnamed tributary and Frene Creek. At its longest arm the watershed is approximately one-half mile long. A drainage map showing the watershed and the downstream hazard zone is presented as Plate 1 in Appendix B.

Evaluation of the hydraulic and hydrologic features of A.C. Schneider Lake Dam was based on criteria set forth in Corps of Engineers' "Recommended Guidelines for Safety Inspection of Dams" and additional guidance provided by the St. Louis District of the Corps of Engineers. The Probable Maximum Flood (PMF) was calculated from the Probable Maximum Precipitation (PMP) using the methods outlined in the U.S. Weather Bureau Publication, Hydrometeorological Report No. 33.

The probable maximum storm duration was set at 24 hours, and storm rainfall distribution was based on criteria given in EM 1110-2-1411 (Standard Project Storm). The SCS method was used for deriving the unit hydrographs, utilizing the Corps of Engineers' computer program HEC-1 (Dam Safety Version). The SCS method was also used for determining the loss rates. The hydrologic soil group of each dam's watershed was determined from published soil maps. The curve number, the unit hydrograph parameters, and the PMP rainfall were directly input to the HEC-1 (Dam Safety Version) computer program to obtain the PMF hydrographs. Both the PMF and the one-half PMF inflow hydrographs at the upstream dams were routed through the upstream reservoirs by the Modified Puls Method, utilizing the HEC-1 (Dam Safety Version) computer program. Storms of 50 percent and 25 percent PMF, respectively, preceded the PMF and 50 percent PMF routing by four days. It was assumed, at the beginning of the antecedent storm, that the upstream reservoir water levels were at their mean annual high water elevations, which were, in turn, estimated at their respective spillway crests. The reservoir water levels remain at their respective spillway crest elevations immediately following the above mentioned four day antecedent routing period. Thus, the respective reservoir water levels were assumed at the spillway crests during the start of the routing computations for the PMF, the one-half PMF, and other PMF-ratio floods. The failure elevations of the upstream dams were set at the minimum elevations of each top of dam. The breach dimensions for the upstream dams were determined according to the guidelines furnished by the St. Louis District Corps of Engineers and by taking into consideration the water surface elevation of the downstream reservoir in case the reservoir backs up against the upstream dam.

The outflow hydrographs at the dam immediately upstream of A. C. Schneider Lake Dam were combined with the PMF and the one-half PMF hydrographs for A.C. Schneider Lake Dam. The peaks of the combined hydrographs are 1,738 cfs for the PMF and 823 cfs for the one-half PMF. The combined hydrographs for both the PMF and the one-half PMF, were then routed through A.C. Schneider Lake Dam reservoir. Flow through the culvert connecting A.C. Schneider Lake and the Adjacent Reservoir was neglected in the routing computation. The reservoir water level was assumed at mean annual high water elevation in the beginning of the routing computation. The peak outflow discharges for the PMF and the one-half PMF at A.C. Schneider Lake Dam are 1,738 cfs and 810 cfs respectively. Both the PMF and the one-half PMF when routed through the reservoir resulted in overtopping of A.C. Schneider Lake Dam.

An approximate similiar flood routing was done for the Adjacent Dam. The routing computations showed that the maximum water level in the Adjacent Reservoir during the PMF was lower than the maximum water level in A.C. Schneider Lake Dam Reservoir. The maximum difference in water surface elevation was approximately one foot. The water level fluctuations in both the reservoirs during the PMF are presented in the form of a graph in Appendix B.

The sizes of physical features utilized to develop the stage-outflow relation for the spillways and overtopping of the dams were prepared from field notes and sketches prepared during the field inspection. The reservoir elevation-area data were obtained from the U.S.G.S. Hermann, Missouri Quadrangle topographic map (7.5 minute series). The spillway and dam overtop-rating curve and the reservoir-elevation-area curve for A.C. Schneider Lake Dam are presented in Appendix B.

The hydrologic design of a dam, regarding dam safety, must have as an objective, the prevention of overtopping. Overtopping is especially dangerous for an earth dam because of its erodable characteristics. The safe hydrologic design of an embankment dam requires a spillway discharge capability combined with an embankment crest height the combination of which can handle a very large and exceedingly rare flood without overtopping.

The Corps of Engineers designs dams to safely pass the Probable Maximum Flood that could be generated from the dam's watershed. This is generally the standard for dam safety where overtopping would pose any threat to human life. Accordingly, the hydrologic requirement for safety for this dam is the capability to pass the Probable Maximum Flood without overtopping.

b. Experience Data

It is believed that records of reservoir stage or spillway discharge are not maintained for this site. However, according to the owner, the maximum reservoir level was approximately a few inches above the emergency spillway at the left abutment.

c. Visual Observations

Observations made of the spillways during the visual inspection are discussed in Section 3.1.d and evaluated in Section 3.2.

#### d. Overtopping Potential

As indicated in Section 5.1.a, both the Probable Maximum Flood, and one-half of the Probable Maximum Flood when routed through the reservoir, resulted in overtopping of A.C. Schneider Lake Dam. The peak outflow discharges for the PMF and the one-half PMF are 1,738 and 810 cfs, respectively. The maximum capacity of the spillways of A.C. Schneider Lake Dam just before going over the minimum elevation of the top of the dam is 34 cfs. The PMF overtopped the dam by 2.44 feet and the one-half PMF overtopped the dam by 1.65 feet. The total duration of overflow over the lowest point at the top of the dam is 10.33 hours during the PMF and 6.17 hours during the one-half PMF. The spillway/reservoir system of A.C. Schneider Lake Dam is capable of accommodating a flood equal to approximately 5 percent of the PMF just before overtopping. The reservoir/spillway system will not accommodate the one-percent chance flood without overtopping, however, the reservoir/spillway system can accommodate the ten-percent chance flood without overtopping. The results of the flood routings are summarized in the following table:

Summary of Routing of Floods

Flood Routed	Max. Pool Elevation (M.S.L.)	Maximum Discharge (cfs.)	Depth of Overtopping (feet)	Duration of Overtopping (hrs.)
10-yr.	698.87	27	0	0
100-yr.	699.32	128	0.32	1.17
5%PMF	698.96	32	0.00	0
6%PMF	699.04	45	0.04	0.5
50%PMF	700.65	810	1.65	6.15
100%PMF	701.44	1738	2.44	10.33

The surface soils in the embankment and the emergency spillway appears to be a sand-silt mixture. The dam is overtopped by over 2 feet during the occurrence of the PMF. The maximum velocity of flow in the emergency spillway during the PMF will be about 7 ft./sec. The velocity in the emergency spillway will thus exceed the permissible velocity of 5 ft/sec. The dam would also be susceptible to erosion due to high velocity of flow on its downstream slope, due to overtopping of the dam.



## SECTION 6: STRUCTURAL STABILITY

### 6.1 Evaluation of Structural Stability

#### a. Visual Observations

There were no major signs of settlement or distress observed on the embankment or foundation during the visual inspection. The erosion gully along the downstream left embankment/abutment contact affects the stability of the embankment, however, on the day of the inspection the embankment appeared to be stable. The minor erosion of the upstream slope due to wave action was not serious enough to constitute an unsafe condition. In the absence of seepage and stability analyses, no quantitative evaluation of the structural stability can be made.

Although there were no visible signs of instability connected with the principal spillway or the emergency spillway, they were not observed under the high flow conditions which would test their stability. The creation of unstable conditions can however be surmised from observing the cantilevered position of the spillway pipe and the previously eroded downstream discharge channel of the emergency spillway. It seems apparent that the pipe was not designed to take this kind of load (especially when running full) and the discharge channel erosion gully is removing support from under the pipe as it erodes (due especially to the fact that there is a curve in the discharge channel alignment) (Photo 6).

b. Design and Construction Data

No design computations were uncovered during the report preparation phase. Seepage and stability analyses fitting the requirements of the "Recommended Guidelines for Safety Inspection of Dams" were not available. No embankment or foundation soil parameters are available for carrying out a conventional stability analysis on the embankment. No construction data or specifications relating to the degree of embankment compaction are available for use in a stability analysis.

c. Operating Records

No operating records are available relating to the stability of the dam or appurtenant structures. The water level on the day of inspection was near the crest of the principal spillway, and according to Mr. Schneider, the reservoir remains close to full at all times. A 1-1/4-inch diameter low level drain is the only operating facility provided for this dam.

d. Post Construction Changes

No post construction changes exist which will affect the structural stability of the dam.

However, the principal spillway conduit was placed in its position, approximately, 30 feet right of the emergency spillway centerline, five years after construction of the dam. It was placed without the construction of seepage collars.

Also, three years after construction of the dam, the emergency spillway was moved from the right abutment to the left abutment in order to accommodate another lake immediately adjacent to A.C. Schneider Lake; a culvert was installed connecting the two lakes (See 1.2.g).

e. Seismic Stability

The dam is located in Seismic Zone 1, as defined in "Recommended Guidelines For Safety Inspection of Dams" as prepared by the Corps of Engineers, and will not require a seismic stability analysis. An earthquake of the magnitude which would be expected in a Seismic Zone 1 will not cause distress to a well designed and constructed earth dam. Available literature indicates that no active faults exist near the vicinity of the damsite.

## SECTION 7: ASSESSMENT/REMEDIAL MEASURES

### 7.1 Dam Assessment

The assessment of the general condition of the dam is based upon available data and visual inspections. Detailed investigations, testing, and detailed computational evaluations are beyond the scope of a Phase I investigation; however, the Phase I investigation is intended to identify any need for such studies.

It should be realized that the reported condition of the dam is based on observations of field conditions at the time of inspection along with data available to the inspection team.

It is also important to note that the condition of a dam depends upon numerous and constantly changing internal and external conditions, and is evolutionary in nature. It would be incorrect to assume that the present condition of the dam will continue to represent the condition of the dam at some point in the future. Only through continued care and inspection can there be assurance that an unsafe condition could be detected.

#### a. Safety

The spillway capacity of A.C. Schneider Lake Dam is found to be "Seriously Inadequate". The spillway/reservoir system of A.C. Schneider Lake Dam and the adjacent dam will accommodate approximately 5 percent of the PMF without overtopping A. C. Schneider Lake Dam. The surface soils in the embankment and the emergency spillway appears to be a sand-silt mixture. The dam is overtopped by over 2 feet during the

occurrence of the PMF. The maximum velocity of flow in the emergency spillway during PMF will be about 7 ft/sec. The velocity in the emergency spillway will thus exceed the permissible velocity of 5 ft/sec (Kentucky Blue Grass-sandy silt). The dam would also be susceptible to erosion due to high velocity of flow on its downstream slope, due to overtopping of the dam during the occurrence of the PMF.

No quantitative evaluation of the safety of the embankment can be made in view of the absence of seepage and stability analyses. The present embankment, however, has reportedly performed satisfactorily since its construction without failure or evidence of instability. Reportedly, the dam has never been overtopped and there was no evidence indicating the contrary.

The safety of the dam can be improved if the observed deficiencies are remedied as described in Section 7.2 and the dam is properly maintained in the future.

The spillway system generally appears to be functioning properly, however, remedial measures described in Section 7.2b could improve its structural adequacy.

b. Adequacy of Information

Information relating to the design and construction of the dam is lacking. The conclusions presented in this report are based on field measurement, past performance and present condition of the dam. Information on the design hydrology, hydraulic design, and the operation and maintenance of the dam were not available. Seepage and stability analyses fitting to the requirements of the "Recommended Guidelines for Safety Inspection of Dams" were not available, which is considered a deficiency.

c. Urgency

The remedial measures recommended in Paragraph 7.2 should be accomplished within a reasonable period of time. The items recommended in Paragraph 7.2.a should be pursued on a high priority basis.

d. Necessity for Phase II Inspection

Based on results of the Phase I inspection, a Phase II inspection is not felt to be necessary. However, the measures recommended in Paragraph 7.2 should be undertaken within a reasonable period of time.

7.2 Remedial Measures

a. Alternatives

There are several general options which may be considered to reduce the possibility of dam failure or to diminish the harmful consequences of such a failure. Some of these options are:

1. Increase the spillway capacity to pass the Probable Maximum Flood without overtopping the dam.
2. Increase the height of the dam enough to pass the PMF without overtopping the dam; an investigation should also be done that includes studying the effects on the structural stability of the existing embankment and the emergency spillway. The overtopping depth during the occurrence of the PMF, stated in Section 5.1d, is not the required or recommended increase in the height of the dam.

3. A combination of 1 and 2 above.


b. O & M Procedures

1. The erosion gully along the downstream right embankment/abutment contact should be backfilled with a suitable material and proper compaction attained. The damaged area should be properly protected from further erosional discharges through the emergency spillway; and/or the discharges through the emergency spillway should be rechanneled away from the embankment and embankment/abutment contact.
2. Remove the trees from the downstream and upstream slopes of the dam. Removal of large trees should be under the guidance of an engineer experienced in the design and construction of earthen dams.
3. The erosion due to wave action on the upstream slope should be monitored and if the erosion continues, protective measures should be employed to protect the slope from further damage.
4. The area in and around the principal spillway inlet should be cleared of any brush, debris, or grass and maintained in this cleared condition.
5. The principal spillway outlet pipe should in some way be supported or braced in order to relieve the present cantilevered condition to the extent that it is unaffected by vibratory stresses when flowing under head.

6. The emergency spillway discharge channel appears to be serving a two-fold purpose: (a) to channel the excess flow not taken by the principal spillway to the downstream channel, and, (b) to direct the runoff from nearby slopes above the dam into the downstream channel. Therefore, the eroded gully part of the emergency spillway discharge channel should be properly repaired and a larger semi-circular swale or a different shape could be created in its place, properly protected, e.g. with a grass cover. The runoff from the adjacent slopes should be rechanneled with some kind of a berm or in some other way in order to insure that it does not run off within the confines of the dam or its abutment contact areas, either upstream or downstream.
  
7. Seepage and stability analyses should be performed by a professional engineer experienced in the design and construction of earth dams.
  
8. The owner should initiate the following programs:
  - (a) Periodic inspection of the dam by a professional engineer experienced in the design and construction of earthen dams.
  
  - (b) Set up a maintenance schedule and log all visits to the dam for operation, repairs and maintenance.





PLATES




LOCATION MAP - A. C. SCHNEIDER LAKE DAM

MO 31563




SCALE:  
 HORIZ. 1" = 100'  
 VERT. 1" = 60'



**SECTION I-I**  
 PRINCIPAL SPILLWAY


SCALE 1" = 20'



**SECTION A-A**

SCALE 1" = 10'

**A.C. SCHNEIDER LAKE DAM (MO. 31563)  
 AND ADJACENT DAM  
 PLAN AND SECTIONS**




⊕ LOCATION OF DAM  
 NOTE LEGEND OF THIS DAM IS ON PLATE 4

REFERENCE:  
 GEOLOGIC MAP OF MISSOURI  
 DEPARTMENT OF NATURAL RESOURCES  
 MISSOURI GEOLOGICAL SURVEY  
 KENNETH H ANDERSON, 1979

REGIONAL GEOLOGICAL MAP  
 OF  
 A. C. SCHNEIDER LAKE DAM

LEGEND

<u>PERIOD</u>	<u>SYMBOL</u>	<u>DESCRIPTION</u>
QUATERNARY	Qal	ALLUVIUM: SAND, SILT, GRAVEL
PENNSYLVANIAN	Pu	PENNSYLVANIAN UNDIFFERENTIATED
	Pm	MARMATON GROUP: CYCLIC DEPOSITS OF SHALE, LIMESTONE AND SANDSTONE
	Pcc	CHEROKEE GROUP: CYCLIC DEPOSITS OF SHALE, LIMESTONE AND SANDSTONE
MISSISSIPPIAN	Mm	ST. LOUIS FORMATION: LIMESTONE INTERBEDDED WITH SHALE.
	Mm	SALEM FORMATION: LIMESTONE INTERBEDDED WITH SHALE AND SILTSTONE
	Mm	WARSAW FORMATION: ARGILLACEOUS LIMESTONE AND CALCAREOUS SHALE
	Mo	KEOKUK-BURLINGTON FORMATION: CHERTY GRAYISH BROWN SANDY LIMESTONE
	Mk	NORTHVIEW-COMPTON AND BACHELOR FORMATION
DEVONIAN	D	CHATTANOOGA SHALE, SYLAMORE SANDSTONE
ORDOVICIAN	Omk	MAQUOKETA SHALE, KIMMSWICK LIMESTONE
	Odp	DECORAH FORMATION: GREEN TO GRAY CALCAREOUS SHALE WITH THIN FOSSILIFEROUS LIMESTONE
	Osp	ST PETER SANDSTONE
	Ojc	SMITHVILLE FORMATION POWELL DOLOMITE
	Or	ROUBIDOUX FORMATION



1060

350

1060

1060

350

SEISMIC ZONE MAP  
of  
CONTIGUOUS STATES

APPROXIMATE LOCATION OF A.C. SCHNEIDER

1060

APPENDIX A

PHOTOGRAPHS




PHOTO INDEX  
FOR  
A. C. SCHNEIDER LAKE DAM



## A.C. Schneider Lake Dam

### Photographs

- Photo 1 - Top of dam showing driveway road along right abutment contact and grass protection.
- Photo 2 - View of conduit under road between A.C. Schneider Lake and adjacent lake.
- Photo 3 - Downstream slope of dam showing grass cover protection, trees, and brush growth.
- Photo 4 - Upstream slope of dam showing freeboard, brush growth, and grass protection.
- Photo 5 - View of principal spillway inlet, showing brush growth in vicinity.
- Photo 6 - Principal spillway outlet into downstream creek showing runoff gully from emergency spillway and 30-foot pipe free length.
- Photo 7 - View of low-level outlet at toe of embankment.
- Photo 8 - View of emergency spillway inlet area on top of dam; reservoir to the right.
- Photo 9 - View looking downward at runoff gully towards principal spillway outlet, from emergency spillway inlet area.
- Photo 10 - View of downstream channel.
- Photo 11 - View of barn or shed below dam.
- Photo 12 - View of property and road below dam.

A.C. Schneider Lake Dam




Photo 1



Photo 2

A.C. Schneider Lake Dam



Photo 3



Photo 4

A.C. Schneider Lake Dam



Photo 5




Photo 6

A.C. Schneider Lake Dam



Photo 7



Photo 8

64

A.C. Schneider Lake Dam




Photo 9



Photo 10



A.C. Schneider Lake Dam




Photo 11





Photo 12

APPENDIX B

HYDROLOGIC AND HYDRAULIC COMPUTATIONS






--- DRAINAGE BOUNDARY



HERMANN, MO.

SCALE 1:24,000



CONTOUR INTERVAL 20 FEET  
 DOTTED LINES REPRESENT 5 FOOT CONTOURS  
 NATIONAL GEODETIC VERTICAL DATUM OF 1929

**A. C. SCHNEIDER LAKE DAM (MO. 31563)  
 DRAINAGE BASIN**



DAM SAFETY INSPECTION - MISSOURI

SHEET NO. \_\_\_\_\_ OF \_\_\_\_\_


DAM NAME: A.C. SCHNEIDER LAKE DAM / ID NO.: 31563

JOB NO. 1263

RESERVOIR ELEVATION - AREA DATE:


BY JFK DATE 10/1/80

ELEV. (M.S.L.) (Ft.)	RESERVOIR SURFACE AREA (Acres)	REMARKS
681	0	Estimated Proposed Elev. U/S of Dam
688	1	Interpolated from Graph
697.3	2	Principal Spillway Crest
698.5	2.3	Emergency Spillway Crest
699	2.4	Top of Dam
710	4	Interpolated from Graph
720	5	Measured on USGS Quad
740	6	Measured on USGS Quad



A. C. SCHNEIDER LAKE DAM (MO.31563),  
 ADJACENT DAM AND U/S DAMS  
 RESERVOIR ELEVATION-AREA CURVES

17 17



$V_1$	$A_1$	$T_1$	$V_{c1}$	$\frac{V_1^2}{2g}$	$Q_1 = \frac{V_1^2 A_1}{c_1}$	W.S.E.L.	$H_2$	$C_2$	$L_2$	$Q_2 = C_2 H_2^3$	$Y_2$	$T_3$	$A_{c3}$	$Q_{c3} = \sqrt{\frac{A_{c3}^3}{T_3}}$	Yes	$T_{c4}$	$A_{c4}$	$Q_{c4} = \sqrt{\frac{A_{c4}^3}{T_4}}$	
0	0	0	0	0	0	698.5	—	—	—	—	—	53	23.9	90.8	—	25.2	4.23	9.9	
0.17	3.8	19.5	5.2	.42	102.9	699.0	.5	3.02	30	77.4	0.7	53	23.9	90.8	0.34	25.2	4.23	9.9	
0.27	8.05	27.4	6.2	.23	34.2	699.2	.2	2.97	30	8.0	—	53	47.2	252.5	—	50	25.2	101.6	
0.37	22.0	37.4	6.5	.09	201.3	700.0	1.5	3.04	30	184.6	1.4	53	58.3	347.0	0.84	50	37.3	154.2	
0.47	38.2	31.2	7.0	.06	249.1	700.9	1.9	3.04	30	238.9	1.35	53	71.0	466.5	1.05	50	47.6	243.3	
0.56	47.2	28.9	7.4	.04	329.4	701.3	2.3	3.05	30	318.1	1.22	53	88.0	589.8	1.29	50	58.8	361.4	
0.63	56.9	25	7.7	.03	421.1	701.6	2.6	3.05	30	383.6	1.02	53	93.8	708.2	1.51	50	69.2	462.2	
0.7	63.8	25	8.7	.02	485.2	701.9	2.9	3.06	30	451.9	2.02	53	120.5	1031.0	1.72	50	94.2	764.0	
0.78	71.2	25	11.6	.01	721.2	702.7	3.7	3.06	30	652.3	2.52	53	120.5	1031.0	2.22	50	94.2	764.0	
$V_2$	$T_{c4}$	$A_{c4}$	$Q_{c4} = \sqrt{\frac{A_{c4}^3}{T_4}}$	$H_6$	$C_2$	$L_6$	$Q_6 = C_2 H_6^3$	TOTAL											
0.34	70.6	3.39	7.9	—	—	—	—												
0.49	203	7.2	20.2	—	—	—	—												
0.87	50	22.5	85.5	0.13	3.00	150	739	1010											
1.1	50	33.8	157.0	0.16	3.02	150	210.5	1537											
1.3	50	44.7	235.5	0.19	3.03	150	388.4	2124											
1.5	0	69.1	461.0	0.17	3.04	150	1010.7	4593											
								281											
								42											
								248											

Check assumption for dam 4.

$$S = \frac{.5}{20} = .025 \quad n = .03$$


for  $yc = 1$

$$S_c = \left[ \frac{Q_c n}{1.49 A R_H^{2/3}} \right]^2 = \left[ \frac{1029 (.03)}{1.49 (19.8) \left( \frac{19.8}{23.6} \right)^{2/3}} \right]^2 = .014 < .025 \text{ ok}$$

for  $yc = 2$

$$S_c = \left[ \frac{329.4 (.03)}{1.49 (47.2) \left( \frac{47.2}{31.2} \right)^{2/3}} \right]^2 = .011 < .025 \text{ ok}$$

∴ Flow will be supercritical in the emergency spillway.



GIVEN: Hooded Inlet Culvert Spillway  
 $D = 14''$ , Welded Steel Conduit  
 $L = 92' \pm$

ASSUME:  $n = 0.012$

REQD: Stage-Discharge Curve

SOLN:

① For values of head in the range  $0 \leq \frac{h}{D} \leq 1.1$   
 the inlet controls the discharge:

Res. W.S. Elevation (M.S.L.)	$h$ (FT)	$\frac{h}{D}$	$\frac{Q}{15\%}$	$Q$ cfs
697.3	0	0	0	0
698.0	0.7	0.6	0.88	1.30
698.5	1.2	1.03	2.29	3.4
698.58	1.28	1.10	2.50	3.7

② Determine the value of  $\frac{h}{D}$  at which full pipe flow starts:

$$M = 1 + K_e + K_p L$$

Assume,  $K_e = 1.0$

$$K_p L = \frac{5087 h^2}{D^{5/2}} (92) = \frac{5087 \times (0.012)^2 (92)}{(14)^{5/2}} = 2.0$$

$B = 9$



$$M = 1 + 1 + 2 = 4$$

$$\left(\frac{Q}{D^{5/2}}\right)^2 - \frac{0.932}{M} \left(\frac{Q}{D^{5/2}}\right) - \frac{39.68}{M} \left(0.528 + \frac{Z}{D}\right) = 0$$

$$Z = 682.5 \quad 697.3 = 11.2'$$

$$\left(\frac{Q}{D^{5/2}}\right)^2 - 0.248 \left(\frac{Q}{D^{5/2}}\right) - 100.57 = 0$$

$$\Rightarrow \frac{Q}{D^{5/2}} = 10.15 \Rightarrow \underline{Q = 15 \text{ cfs}}$$

$$\frac{h_r}{D} = 1.1 + 0.25 \left(\frac{Q}{D^{5/2}} - 2.5\right)$$

$$= 1.1 + 0.25 (10.15 - 2.5) = 1.29$$

Thus full pipe starts at  $\frac{h_r}{D} = 1.29$   
which places reservoir W.S. at Elev. 698.8

at Elev. 698.8

Thus  $Q$  increases linearly from 3.7 cfs  
at elevation 698.58 to 15 cfs at  
elevation 698.8.

(3) Full pipe flow:

Full-pipe flow exists for values of  $Q$   
greater than 15 cfs. The total head  
 $H_T$  is effective in producing discharge  
under full pipe flow conditions.

DAM SAFETY INSPECTION / MISSOURI - 1980 SHEET NO 6 OF 8

J. C. SCHNEIDER LAKE DAM (MO. 21563) JOB NO. 1263

PRINCIPAL SPILLWAY RATING CURVE BY MAS DATE 10/13/80

$$H_T = M \frac{V^2}{2g} = 4 \frac{V^2}{2g}$$


$$\Rightarrow Q = 4 \sqrt{H_T} = 4 \sqrt{\text{U/S W.S. Elev.} - 683.1}$$

U/S W.S. Elev. (M.S.L.)	Q cfs
698.8	15
699.0	15.9
699.9	16.4
700.6	16.7
700.9	16.9
701.3	17.1
701.6	17.2
701.9	17.3
702.7	17.7
707.0	19.6

46 1327

THE NATIONAL ENGINEERING SOCIETY

(C)



1980

B-12

DISCHARGE (CFS)

RESERVOIR WATER SURFACE ELEVATION (FEET) (P.S.F.)


DAM SAFETY INSPECTION / MISSOURI-1980 SHEET NO. 8 OF 8

A.C. SCHNEIDER LAKE DAM (MO. 31563) JOB NO. 1263


COMBINED FLOWING CURVE

BY JAS DATE 10/14/80

Reservoir W.S. Elev. (M.S.L.)	Q <sub>PRIN SPWY</sub> (cfs)	Q <sub>OVERTOP+ E. SPWY</sub> (cfs)	Q <sub>TOTAL</sub> (cfs)
697.3	0	0	0
698.0	1.3	0	1.3
698.5	3.4	0	3.4
698.58	3.7	1	4.7
698.8	15	8	23
699.0	15.9	17	34
699.9	16.4	281	297
700.6	16.7	748	765
700.9	16.9	1010	1027
701.3	17.1	1537	1554
701.6	17.2	2124	2141
701.9	17.3	2734	2751
702.7	17.7	4593	4611



A. C. SCHNEIDER LAKE DAM (MO. 31563)  
SPILLWAY & OVERTOP RATING CURVE



U/S DAMS TO A.C. SCHNEIDER LAKE DAM (MO. 31563)  
 AND ADJACENT DAM  
 SPILLWAY & OVERTOP RATING CURVES

DAM SAFETY INSPECTION / MISSOURI

SHEET NO. 1 OF 1

DAM NAME: AC. SCHNEIDER LAKE DAM (4) (MO 31563)

JOB NO. 1263

UNIT HYDROGRAPH PARAMETERS

BY DC JFR DATE 6-16-80

1) DRAINAGE AREA,  $A = 0.01269 \text{ mi}^2 = (7.8 \text{ acres})$

2) LENGTH OF STREAM,  $L (0.20' \times 2000' = 400') = 0.076 \text{ mi.}$

3) ELEVATION AT DRAINAGE DIVIDE ALONG THE LONGEST STREAM,

$$H_1 = 780$$

4) ELEVATION OF RESERVOIR AT SPILLWAY CREST,  $H_2 = 697.3$

5) ELEVATION OF CHANNEL BED AT  $0.85L$ ,  $E_{85} = 760'$

6) ELEVATION OF CHANNEL BED AT  $0.10L$ ,  $E_{10} = 710'$

7) AVERAGE SLOPE OF THE CHANNEL,  $S_{AVG} = (E_{85} - E_{10}) / 0.75L = \frac{760 - 710}{300} = 16.6\%$

8) TIME OF CONCENTRATION:

A) BY KIRPICH'S EQUATION,

$$t_c = [(14.9 \times L^3) / (H_1 - H_2)]^{0.385} = \left[ \frac{14.9 \times 0.076^3}{82.7} \right]^{0.385} = 0.024 \text{ hr}$$

B) BY VELOCITY ESTIMATE,

SLOPE = 16.6%  $\Rightarrow$  AVG. VELOCITY = 5 ft/s

$$t_c = L/V = 400 / 5(60)(60) = 0.22$$

USE  $t_c = 0.024$

9) LAG TIME,  $t_l = 0.6 t_c = 0.0144$

10) UNIT DURATION,  $D \leq t_l / 3 = 0.0048$

$< 0.083 \text{ hr.}$

USE  $D = 0.083$

multiple of 5 min

11) TIME TO PEAK,  $T_p = D/2 + t_l = 0.046$

12) PEAK DISCHARGE,

$$q_p = (484 \times A) / T_p = 126 \text{ cfs}$$

$\uparrow$   $34 \times 11.4$

DAM SAFETY INSPECTION / MISSOURI SHEET NO. 1 OF 1

DAM NAME: A.C. Schneider Lake Dam, Adjacent Dam JOB NO. 1263

PROBABLE MAXIMUM PRECIPITATION <sup>and U/S DAMS</sup> BY DC DATE 6-16-8

43560 sq ft = 1 acre

DETERMINATION OF PMP

1) Determine drainage area of the basin.

D.A. = 101 Ac = 0.18 sq mile

2) Determine PMP Index Rainfall (for D.A. = 200 sq. mi., & 24 hr. duration)

Location of centroid of basin,

Long. = 91° 28' 30"

Lat. = 38° 38' 37"

PMP = 25.1" (from Fig. 1, HMR 33)

Zone = 7

3) Determine basin rainfall in terms of percentage of PMP Index Rainfall for various durations.  
(from Fig. 2, HMR 33)

Duration (Hrs.)	Percent of Index Rainfall (%)	Total Rainfall (Inches)	Rainfall Increments (Inches)	Duration of Increment (Hrs.)
6	100	25.1"	25"	6
12	120	30.1"	5"	6
24	130	32.6"	2.5"	12






Figure 1  
 PROBABLE MAXIMUM PRECIPITATION  
 For 200 Square Miles - 24 Hours (in Inches)  
 THE ALL SEASON ENVELOPE

● LOCATION OF BASIN CENTROID

A.C. SCHNEIDER LAKE DAM (MD 31563)

B-18











FIGURE 2  
SEASONAL VARIATION  
DEPTH-AREA-DURATION RELATIONSHIPS  
Percentage to be applied to 200 square miles  
24 hour probable maximum precipitation values  
for: THE ALL SEASON ENVELOPE

# PRC ENGINEERING CONSULTANTS, INC.

DAM SAFETY INSPECTION / MISSOURI - 1980 SHEET NO. 1 OF 1  
DAM NAME: Ar Schneider Lake Dam (4) (Mo 31563) JOB NO. 1263  
CURVE NUMBER DETERMINATION BY DC DATE 6-16-80

## I) SOIL GROUP

WATERSHED SOILS IN THE BASIN CONSIST OF GROUP A.

Union - Goss - Gp concrete bridge

- A.
- B.
- C.
- D.

GROUP B SOILS SEEM TO PREDOMINATE THE BASIN. THEREFORE,  
 ASSUME GROUP B SOILS FOR THE ENTIRE WATERSHED  
 FOR HYDROLOGIC PURPOSES.

## II) COVER COMPLEX

ASSUMED LAND USE	ASSUMED HYDROLOGIC CONDITION	PER CENT AREA	CN (AMC II)
Forest	Fair	50%	60
Pasture & Range	Fair	50%	69




$$.5(60) + .5(69) = 64.5$$


## III) CURVE NUMBER

WEIGHTED AVERAGE CN = 65 FOR AMC II

CURVE NUMBER = 82 FOR AMC III

For all dams, assume 1 hr for breach to develop, initial water level at spillway crest and water will breach dam when it reaches top of dam. Also left bottom width and .5 slope for all dams.





A.C. SCHNEIDER LAKE DAM AND ADJACENT DAM RESERVOIR STAGE VS. TIME DURING PMF ROUTING

HEC1DB INPUT DATA

\*\*\*\*\*  
 FLOOD HYDROGRAPH PACKAGE (HEC-1)  
 DAM SAFETY VERSION JULY 1978  
 LAST MODIFICATION 26 FEB 79  
 \*\*\*\*\*

1	11	AC	0	5	0	0	0	0	0
2	12	SCHNEIDER LAKE DAM ( MO 31563)							
3	13	PMF AND FIFTY PERCENT PMF							
4	14		300						
5	15		5						
6	16		1	1					
7	17		1	.5					
8	18	LAKE 2	0						1
9	19	LAKE 2							
10	20	RUNOFF CALCULATION FOR DRAINAGE AREA 2							
11	21		1	.022	.022				1
12	22		25.1	100	120	130			
13	23								-1
14	24								-78
15	25								
16	26								
17	27								
18	28								
19	29								
20	30								
21	31								
22	32								
23	33								
24	34								
25	35								

26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50

K	0	LAKE 1					1	
K1	1	RUNOFF	CALCULATION FOR DRAINAGE AREA 1					
K	2		.089					
F	1		100	120	130			
T								-78
K	0		.073					
K	1	LAKE 1		1				
K1	2	COMBINE	HYDROGRAPHS FROM LAKE 2 AND 1					
K	1	LAKE 1						
K1	1	ROUTE	COMBINED HYDROGRAPH THROUGH DAM 1					
K	1			1				
K1	1							-700.25
K	1		703.7	703.1	703.8	704.5	705.2	
K1	0		43	127	451	957	1646	
K	0		1	1	2.5	5	9.5	
K	1		701	703	710	720	730	
K1	0							14
K	1							740
K	1							
K	0		.5	700	1	700.25	703	
K1	1							
K	1							
K1	1							
K	1							
K1	1							
F	1		100	120	130			
T								-82



400

Station	Value	Description	Value	Station	Value	Description	Value
51	0.0144						
52	0	LAKE 4	1				
53	2	LAKE 4	1				
54	1	COMBINE HYDROGRAPHS FROM LAKE 1 AND RUNOFF 4	1				
55	1	LAKE 4	1				
56	1	ROUTE COMBINED HYDROGRAPHS THROUGH DAM 1	1				
57	1		1				
58	1		1				
59	697.3	698	698.5	698.58	698.6	699	-697.3
60	701.6	701.9	702.7				700.6
61		3.4	4.7	23	24	297	700.9
62		2751	4511				765
63	2141	1	2	2.4	4	5	1027
64	691	698	697.3	698.5	710	720	740
65	697.3						
66	599						
67	99						

U.S. GOVERNMENT PRINTING OFFICE: 1964 O 348000

INFLOW PMF AND ONE-HALF PMF HYDROGRAPHS

PREVIEW OF SEQUENCE OF STREAM NETWORK CALCULATIONS

RUNOFF HYDROGRAPH AT LAKE 2  
ROUTE HYDROGRAPH TO LAKE 2  
ROUTE HYDROGRAPH AT LAKE 1  
COMBINE HYDROGRAPHS AT LAKE 1  
ROUTE HYDROGRAPH TO LAKE 1  
RUNOFF HYDROGRAPH AT LAKE 4  
COMBINE HYDROGRAPHS AT LAKE 4  
ROUTE HYDROGRAPH TO LAKE 4  
END OF NETWORK

.....  
 FLOOD HYDROGRAPH PACKAGE (HLS-1)  
 FOR SAFETY INSPECTION JULY 1974  
 LAST MODIFICATION 10/11/74  
 .....

WPA DAT = 06/10/74  
 11 = 060814

SAFETY INSPECTION - WINDSONE  
 AC JOHN RPP LANE (VD STREET)  
 109 AND FIFTY PERCENT LPA

.....  
 JOB SPECIFICATION  
 LAY THE WINDSONE FILL 1091 VSTAY 0  
 JOSEPH UNIT LOOP1 TRACE J

.....  
 MULTIPLE PERIODS TO BE USED  
 PERIODS TO BE USED

PERIOD 1000 00

.....  
 SUMMARY WATER COMPUTATION  
 WATER CALCULATION FOR 1000 PERIODS  
 PERIOD 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000  
 LAGS 0 0 0 0 0 0 0 0 0 0

.....  
 HYDROGRAPH DATA  
 PERIOD 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000  
 LOSS DATA  
 PERIOD 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000  
 LOSS DATA  
 PERIOD 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000  
 LOSS DATA

.....  
 SURVEY NO = 78090 METHODS = 1000 EFFECT UN = 78090  
 UNIT HYDROGRAPH DATA  
 PERIOD 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000  
 LOSS DATA

.....  
 STEPS 0.00 REVISION 0.00  
 PERIOD 1000 1000 1000 1000 1000 1000 1000 1000 1000 1000  
 LOSS DATA

.....  
 FIVE PERCENT 100 LAGS=(100, 1, 1 LAG/2)  
 UNIT HYDROGRAPH 9 PERIOD OPERATIONS PER 0.00 HOURS LAGS 0.04 VOL= 1.00

PO.DA	HR.MG	HF.FLUT	MAIA	FACU	LUSS	CHUP-OF-BERION FLOS	MO.A	14.00	BERION	MAIA	EXCS	LOSS	COMP O
1.01	0.5	1	0.1	0.071	0.1	1.01	17.15	151	0.1	0.2	33.		
1.01	0.7	2	0.1	0.092	0.1	1.01	12.40	132	0.1	0.2	35.		
1.01	0.7	3	0.1	0.090	0.1	1.01	12.40	133	0.1	0.2	35.		
1.01	0.20	6	0.1	0.090	0.1	1.01	17.50	134	0.1	0.2	35.		
1.01	0.30	7	0.1	0.090	0.1	1.01	17.50	135	0.1	0.2	35.		
1.01	0.34	7	0.1	0.090	0.1	1.01	17.50	136	0.1	0.2	35.		
1.01	0.4	7	0.1	0.090	0.1	1.01	17.50	137	0.1	0.2	35.		
1.01	0.45	7	0.1	0.090	0.1	1.01	17.50	138	0.1	0.2	35.		
1.01	0.48	32	0.1	0.090	0.1	1.01	17.50	139	0.1	0.2	35.		
1.01	0.5	32	0.1	0.090	0.1	1.01	17.50	140	0.1	0.2	35.		
1.01	0.54	32	0.1	0.090	0.1	1.01	17.50	141	0.1	0.2	35.		
1.01	0.57	32	0.1	0.090	0.1	1.01	17.50	142	0.1	0.2	35.		
1.01	0.6	32	0.1	0.090	0.1	1.01	17.50	143	0.1	0.2	35.		
1.01	0.64	32	0.1	0.090	0.1	1.01	17.50	144	0.1	0.2	35.		
1.01	0.67	32	0.1	0.090	0.1	1.01	17.50	145	0.1	0.2	35.		
1.01	0.7	32	0.1	0.090	0.1	1.01	17.50	146	0.1	0.2	35.		
1.01	0.74	32	0.1	0.090	0.1	1.01	17.50	147	0.1	0.2	35.		
1.01	0.77	32	0.1	0.090	0.1	1.01	17.50	148	0.1	0.2	35.		
1.01	0.8	32	0.1	0.090	0.1	1.01	17.50	149	0.1	0.2	35.		
1.01	0.84	32	0.1	0.090	0.1	1.01	17.50	150	0.1	0.2	35.		
1.01	0.87	32	0.1	0.090	0.1	1.01	17.50	151	0.1	0.2	35.		
1.01	0.9	32	0.1	0.090	0.1	1.01	17.50	152	0.1	0.2	35.		
1.01	0.94	32	0.1	0.090	0.1	1.01	17.50	153	0.1	0.2	35.		
1.01	0.97	32	0.1	0.090	0.1	1.01	17.50	154	0.1	0.2	35.		
1.01	1.0	32	0.1	0.090	0.1	1.01	17.50	155	0.1	0.2	35.		
1.01	1.04	32	0.1	0.090	0.1	1.01	17.50	156	0.1	0.2	35.		
1.01	1.07	32	0.1	0.090	0.1	1.01	17.50	157	0.1	0.2	35.		
1.01	1.1	32	0.1	0.090	0.1	1.01	17.50	158	0.1	0.2	35.		
1.01	1.14	32	0.1	0.090	0.1	1.01	17.50	159	0.1	0.2	35.		
1.01	1.17	32	0.1	0.090	0.1	1.01	17.50	160	0.1	0.2	35.		
1.01	1.2	32	0.1	0.090	0.1	1.01	17.50	161	0.1	0.2	35.		
1.01	1.24	32	0.1	0.090	0.1	1.01	17.50	162	0.1	0.2	35.		
1.01	1.27	32	0.1	0.090	0.1	1.01	17.50	163	0.1	0.2	35.		
1.01	1.3	32	0.1	0.090	0.1	1.01	17.50	164	0.1	0.2	35.		
1.01	1.34	32	0.1	0.090	0.1	1.01	17.50	165	0.1	0.2	35.		
1.01	1.37	32	0.1	0.090	0.1	1.01	17.50	166	0.1	0.2	35.		
1.01	1.4	32	0.1	0.090	0.1	1.01	17.50	167	0.1	0.2	35.		
1.01	1.44	32	0.1	0.090	0.1	1.01	17.50	168	0.1	0.2	35.		
1.01	1.47	32	0.1	0.090	0.1	1.01	17.50	169	0.1	0.2	35.		
1.01	1.5	32	0.1	0.090	0.1	1.01	17.50	170	0.1	0.2	35.		
1.01	1.54	32	0.1	0.090	0.1	1.01	17.50	171	0.1	0.2	35.		
1.01	1.57	32	0.1	0.090	0.1	1.01	17.50	172	0.1	0.2	35.		
1.01	1.6	32	0.1	0.090	0.1	1.01	17.50	173	0.1	0.2	35.		
1.01	1.64	32	0.1	0.090	0.1	1.01	17.50	174	0.1	0.2	35.		
1.01	1.67	32	0.1	0.090	0.1	1.01	17.50	175	0.1	0.2	35.		
1.01	1.7	32	0.1	0.090	0.1	1.01	17.50	176	0.1	0.2	35.		
1.01	1.74	32	0.1	0.090	0.1	1.01	17.50	177	0.1	0.2	35.		
1.01	1.77	32	0.1	0.090	0.1	1.01	17.50	178	0.1	0.2	35.		
1.01	1.8	32	0.1	0.090	0.1	1.01	17.50	179	0.1	0.2	35.		
1.01	1.84	32	0.1	0.090	0.1	1.01	17.50	180	0.1	0.2	35.		
1.01	1.87	32	0.1	0.090	0.1	1.01	17.50	181	0.1	0.2	35.		
1.01	1.9	32	0.1	0.090	0.1	1.01	17.50	182	0.1	0.2	35.		
1.01	1.94	32	0.1	0.090	0.1	1.01	17.50	183	0.1	0.2	35.		
1.01	1.97	32	0.1	0.090	0.1	1.01	17.50	184	0.1	0.2	35.		
1.01	2.0	32	0.1	0.090	0.1	1.01	17.50	185	0.1	0.2	35.		
1.01	2.04	32	0.1	0.090	0.1	1.01	17.50	186	0.1	0.2	35.		
1.01	2.07	32	0.1	0.090	0.1	1.01	17.50	187	0.1	0.2	35.		
1.01	2.1	32	0.1	0.090	0.1	1.01	17.50	188	0.1	0.2	35.		
1.01	2.14	32	0.1	0.090	0.1	1.01	17.50	189	0.1	0.2	35.		
1.01	2.17	32	0.1	0.090	0.1	1.01	17.50	190	0.1	0.2	35.		
1.01	2.2	32	0.1	0.090	0.1	1.01	17.50	191	0.1	0.2	35.		
1.01	2.24	32	0.1	0.090	0.1	1.01	17.50	192	0.1	0.2	35.		
1.01	2.27	32	0.1	0.090	0.1	1.01	17.50	193	0.1	0.2	35.		
1.01	2.3	32	0.1	0.090	0.1	1.01	17.50	194	0.1	0.2	35.		
1.01	2.34	32	0.1	0.090	0.1	1.01	17.50	195	0.1	0.2	35.		
1.01	2.37	32	0.1	0.090	0.1	1.01	17.50	196	0.1	0.2	35.		
1.01	2.4	32	0.1	0.090	0.1	1.01	17.50	197	0.1	0.2	35.		
1.01	2.44	32	0.1	0.090	0.1	1.01	17.50	198	0.1	0.2	35.		
1.01	2.47	32	0.1	0.090	0.1	1.01	17.50	199	0.1	0.2	35.		
1.01	2.5	32	0.1	0.090	0.1	1.01	17.50	200	0.1	0.2	35.		
1.01	2.54	32	0.1	0.090	0.1	1.01	17.50	201	0.1	0.2	35.		
1.01	2.57	32	0.1	0.090	0.1	1.01	17.50	202	0.1	0.2	35.		
1.01	2.6	32	0.1	0.090	0.1	1.01	17.50	203	0.1	0.2	35.		
1.01	2.64	32	0.1	0.090	0.1	1.01	17.50	204	0.1	0.2	35.		
1.01	2.67	32	0.1	0.090	0.1	1.01	17.50	205	0.1	0.2	35.		

1.01	3.40	54	.01	.00	.01	U.	1.01	17.11	206	.23	.23	.00	39.
1.01	4.45	57	.01	.00	.01	0.	1.01	17.15	207	.23	.23	.00	39.
1.01	4.50	58	.01	.00	.01	0.	1.01	17.20	208	.23	.23	.00	39.
1.01	4.55	59	.01	.00	.01	0.	1.01	17.25	209	.23	.23	.00	39.
1.01	5.00	60	.01	.00	.01	0.	1.01	17.30	210	.23	.23	.00	39.
1.01	5.05	61	.01	.00	.01	0.	1.01	17.35	211	.23	.23	.00	39.
1.01	5.10	62	.01	.00	.01	0.	1.01	17.40	212	.23	.23	.00	39.
1.01	5.15	63	.01	.00	.01	0.	1.01	17.45	213	.23	.23	.00	39.
1.01	5.20	64	.01	.00	.01	0.	1.01	17.50	214	.23	.23	.00	39.
1.01	5.25	65	.01	.00	.01	0.	1.01	17.55	215	.23	.23	.00	39.
1.01	5.30	66	.01	.00	.01	0.	1.01	18.00	216	.23	.23	.00	39.
1.01	5.35	67	.01	.00	.01	1.	1.01	18.05	217	.02	.02	.00	13.
1.01	5.40	68	.01	.00	.01	1.	1.01	18.10	218	.02	.02	.00	5.
1.01	5.45	69	.01	.00	.01	1.	1.01	18.15	219	.02	.02	.00	4.
1.01	5.50	70	.01	.00	.01	1.	1.01	18.20	220	.02	.02	.00	4.
1.01	5.55	71	.01	.00	.01	1.	1.01	18.25	221	.02	.02	.00	4.
1.01	5.60	72	.01	.00	.01	1.	1.01	18.30	222	.02	.02	.00	4.
1.01	5.65	73	.01	.00	.01	3.	1.01	18.35	223	.02	.02	.00	4.
1.01	5.70	74	.01	.00	.01	3.	1.01	18.40	224	.02	.02	.00	4.
1.01	5.75	75	.01	.00	.01	3.	1.01	18.45	225	.02	.02	.00	4.
1.01	5.80	76	.01	.00	.01	4.	1.01	18.50	226	.02	.02	.00	4.
1.01	5.85	77	.01	.00	.01	4.	1.01	18.55	227	.02	.02	.00	4.
1.01	5.90	78	.01	.00	.01	4.	1.01	18.60	228	.02	.02	.00	4.
1.01	5.95	79	.01	.00	.01	4.	1.01	18.65	229	.02	.02	.00	4.
1.01	6.00	80	.01	.00	.01	4.	1.01	18.70	230	.02	.02	.00	4.
1.01	6.05	81	.01	.00	.01	6.	1.01	18.75	231	.02	.02	.00	4.
1.01	6.10	82	.01	.00	.01	6.	1.01	18.80	232	.02	.02	.00	4.
1.01	6.15	83	.01	.00	.01	7.	1.01	18.85	233	.02	.02	.00	4.
1.01	6.20	84	.01	.00	.01	7.	1.01	18.90	234	.02	.02	.00	4.
1.01	6.25	85	.01	.00	.01	7.	1.01	18.95	235	.02	.02	.00	4.
1.01	6.30	86	.01	.00	.01	7.	1.01	19.00	236	.02	.02	.00	4.
1.01	6.35	87	.01	.00	.01	7.	1.01	19.05	237	.02	.02	.00	4.
1.01	6.40	88	.01	.00	.01	7.	1.01	19.10	238	.02	.02	.00	4.
1.01	6.45	89	.01	.00	.01	7.	1.01	19.15	239	.02	.02	.00	4.
1.01	6.50	90	.01	.00	.01	7.	1.01	19.20	240	.02	.02	.00	4.
1.01	6.55	91	.01	.00	.01	7.	1.01	19.25	241	.02	.02	.00	4.
1.01	6.60	92	.01	.00	.01	7.	1.01	19.30	242	.02	.02	.00	4.
1.01	6.65	93	.01	.00	.01	7.	1.01	19.35	243	.02	.02	.00	4.
1.01	6.70	94	.01	.00	.01	8.	1.01	19.40	244	.02	.02	.00	4.
1.01	6.75	95	.01	.00	.01	8.	1.01	19.45	245	.02	.02	.00	4.
1.01	6.80	96	.01	.00	.01	8.	1.01	19.50	246	.02	.02	.00	4.
1.01	6.85	97	.01	.00	.01	8.	1.01	19.55	247	.02	.02	.00	4.
1.01	6.90	98	.01	.00	.01	8.	1.01	19.60	248	.02	.02	.00	4.
1.01	6.95	99	.01	.00	.01	8.	1.01	19.65	249	.02	.02	.00	4.
1.01	7.00	100	.01	.00	.01	8.	1.01	19.70	250	.02	.02	.00	4.
1.01	7.05	101	.01	.00	.01	8.	1.01	19.75	251	.02	.02	.00	4.
1.01	7.10	102	.01	.00	.01	8.	1.01	19.80	252	.02	.02	.00	4.
1.01	7.15	103	.01	.00	.01	8.	1.01	19.85	253	.02	.02	.00	4.
1.01	7.20	104	.01	.00	.01	8.	1.01	19.90	254	.02	.02	.00	4.
1.01	7.25	105	.01	.00	.01	8.	1.01	19.95	255	.02	.02	.00	4.
1.01	7.30	106	.01	.00	.01	8.	1.01	20.00	256	.02	.02	.00	4.
1.01	7.35	107	.01	.00	.01	8.	1.01	20.05	257	.02	.02	.00	4.
1.01	7.40	108	.01	.00	.01	8.	1.01	20.10	258	.02	.02	.00	4.
1.01	7.45	109	.01	.00	.01	8.	1.01	20.15	259	.02	.02	.00	4.
1.01	7.50	110	.01	.00	.01	8.	1.01	20.20	260	.02	.02	.00	4.
1.01	7.55	111	.01	.00	.01	8.	1.01	20.25	261	.02	.02	.00	4.
1.01	7.60	112	.01	.00	.01	8.	1.01	20.30	262	.02	.02	.00	4.
1.01	7.65	113	.01	.00	.01	8.	1.01	20.35	263	.02	.02	.00	4.
1.01	7.70	114	.01	.00	.01	8.	1.01	20.40	264	.02	.02	.00	4.
1.01	7.75	115	.01	.00	.01	8.	1.01	20.45	265	.02	.02	.00	4.
1.01	7.80	116	.01	.00	.01	8.	1.01	20.50	266	.02	.02	.00	4.
1.01	7.85	117	.01	.00	.01	8.	1.01	20.55	267	.02	.02	.00	4.

1.01	9.49	119	.07	.06	.01	6.	1.01	22.10	266	.02	.02	.00	4.
1.01	9.45	117	.07	.06	.01	10.	1.01	22.11	267	.02	.02	.00	4.
1.01	9.79	119	.07	.04	.01	10.	1.01	22.20	268	.02	.02	.00	4.
1.01	9.45	119	.07	.06	.01	10.	1.01	22.25	269	.02	.02	.00	4.
1.01	10.00	120	.07	.01	.01	10.	1.01	22.30	270	.02	.02	.00	4.
1.01	10.00	121	.07	.01	.01	10.	1.01	22.35	271	.02	.02	.00	4.
1.01	10.00	122	.07	.06	.01	10.	1.01	22.40	272	.02	.02	.00	4.
1.01	10.15	123	.07	.04	.01	10.	1.01	22.45	273	.02	.02	.00	4.
1.01	10.20	124	.07	.05	.01	10.	1.01	22.50	274	.02	.02	.00	4.
1.01	10.25	125	.07	.02	.01	10.	1.01	22.55	275	.02	.02	.00	4.
1.01	10.30	126	.07	.02	.01	10.	1.01	23.00	276	.02	.02	.00	4.
1.01	10.35	127	.07	.02	.01	10.	1.01	23.05	277	.02	.02	.00	4.
1.01	10.40	128	.07	.01	.01	10.	1.01	23.10	278	.02	.02	.00	4.
1.01	10.45	129	.07	.06	.01	10.	1.01	23.15	279	.02	.02	.00	4.
1.01	10.50	130	.07	.06	.01	10.	1.01	23.20	280	.02	.02	.00	4.
1.01	11.00	131	.07	.04	.01	10.	1.01	23.25	281	.02	.02	.00	4.
1.01	11.05	132	.07	.04	.01	10.	1.01	23.30	282	.02	.02	.00	4.
1.01	11.10	133	.07	.02	.01	10.	1.01	23.35	283	.02	.02	.00	4.
1.01	11.15	134	.07	.02	.01	10.	1.01	23.40	284	.02	.02	.00	4.
1.01	11.20	135	.07	.02	.01	10.	1.01	23.45	285	.02	.02	.00	4.
1.01	11.25	136	.07	.02	.01	10.	1.01	23.50	286	.02	.02	.00	4.
1.01	11.30	137	.07	.01	.01	10.	1.01	23.55	287	.02	.02	.00	4.
1.01	11.35	138	.07	.01	.01	10.	1.01	23.60	288	.02	.02	.00	4.
1.01	11.40	139	.07	.01	.01	10.	1.01	23.65	289	.02	.02	.00	4.
1.01	11.45	140	.07	.01	.01	10.	1.01	23.70	290	.02	.02	.00	4.
1.01	11.50	141	.07	.01	.01	10.	1.01	23.75	291	.02	.02	.00	4.
1.01	11.55	142	.07	.01	.01	10.	1.01	23.80	292	.02	.02	.00	4.
1.01	11.60	143	.07	.01	.01	10.	1.01	23.85	293	.02	.02	.00	4.
1.01	11.65	144	.07	.01	.01	10.	1.01	23.90	294	.02	.02	.00	4.
1.01	11.70	145	.07	.01	.01	10.	1.01	23.95	295	.02	.02	.00	4.
1.01	11.75	146	.07	.01	.01	10.	1.01	24.00	296	.02	.02	.00	4.
1.01	11.80	147	.07	.01	.01	10.	1.01	24.05	297	.02	.02	.00	4.
1.01	11.85	148	.07	.01	.01	10.	1.01	24.10	298	.02	.02	.00	4.
1.01	11.90	149	.07	.01	.01	10.	1.01	24.15	299	.02	.02	.00	4.
1.01	11.95	150	.07	.01	.01	10.	1.01	24.20	300	.02	.02	.00	4.
1.01	12.00	151	.07	.01	.01	10.	1.01	24.25	301	.02	.02	.00	4.
1.01	12.05	152	.07	.01	.01	10.	1.01	24.30	302	.02	.02	.00	4.
1.01	12.10	153	.07	.01	.01	10.	1.01	24.35	303	.02	.02	.00	4.
1.01	12.15	154	.07	.01	.01	10.	1.01	24.40	304	.02	.02	.00	4.
1.01	12.20	155	.07	.01	.01	10.	1.01	24.45	305	.02	.02	.00	4.
1.01	12.25	156	.07	.01	.01	10.	1.01	24.50	306	.02	.02	.00	4.
1.01	12.30	157	.07	.01	.01	10.	1.01	24.55	307	.02	.02	.00	4.

SUM 12.63 29.47 3.16 5945.  
 (422.3)(749.3) ( 80.3) ( 142.86)

PLAN	4-HOUR	5-HOUR	72-HOUR	TOTAL VOLUME
39%	17.	17.	17.	5019.
11.	0.	0.	0.	132.
	28.28	25.47	32.47	29.47
	616.95	74.40	742.62	745.52
	38.	35.	35.	35.
	35.	43.	43.	43.

HYDROGRAPH AT STALAKE 2 FOR PLAN 1% RATIO

0.	0.	0.	0.	0.	0.	0.
0.	0.	0.	0.	0.	0.	0.
0.	0.	0.	0.	0.	0.	0.
0.	0.	0.	0.	0.	0.	0.
0.	0.	0.	0.	0.	0.	0.
0.	0.	0.	0.	0.	0.	0.
0.	0.	0.	0.	0.	0.	0.
0.	0.	0.	0.	0.	0.	0.
1.	3.	4.	4.	4.	5.	5.
6.	6.	6.	6.	7.	7.	7.
7.	8.	8.	8.	8.	8.	8.





	2:	0:	2:	0:	2:	0:	2:	0:	2:	0:	2:	0:	2:	0:
INFAA	197	0	29	0	9	0	2	0	2	0	2	0	2	0
CFS	1	0	1	0	0	0	0	0	0	0	0	0	0	0
CNS	1	0	1	0	0	0	0	0	0	0	0	0	0	0
INCHFC	1	0	1	0	0	0	0	0	0	0	0	0	0	0
AC-FIT	17	0	17	0	17	0	17	0	17	0	17	0	17	0
THOUS CU V	17	0	17	0	17	0	17	0	17	0	17	0	17	0

ROUTE HYDROGRAPH THROUGH VAN 2

HYDROGRAPH ROUTING

STAGE	759.00	756.50	755.00	754.20	753.40	752.60	751.80	751.00	750.20	750.00	749.20	748.40	747.60	746.80	746.00
FLUX	0.0	60.0	70.0	143.00	284.00	606.90	1314.00	2291.00	3880.00	5470.00	7060.00	8650.00	10240.00	11830.00	13420.00
SURFACE AREA	0	0	1	2	5	7	9	11	13	15	17	19	21	23	25
CAPACITY	0	1	2	5	9	13	17	21	25	29	33	37	41	45	49
ELEVATIONS	727	734	737	740	743	746	749	752	755	758	761	764	767	770	773

INFL	IC	IFCON	ITABE	JFLT	JFMC	ISTAGE	IAUTO
1	1	1	1	1	1	1	1

GLUCS	GLUSS	GLSFC	LAG	AMCCN	X	ISCHN	ISPRIT
0.0	0.0	0.0	0	0.000	0.000	0.000	-1

TOPEL	COOD	EXFD	TANWID
737.0	0.0	0.0	0.0

URATIO	ELSH	TFAIL	MSEL	FAILEL
10	50	731.00	1.00	735.00

STATION LAKE 2, PLAN 1, RATIO 1

ENG-OF-PERIOD HYDROGRAPH ORDINATES

OUTFLOW	0:	2:	0:	2:	0:	2:	0:	2:	0:
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0





THE DAP BREACH HYDROGRAPH WAS DEVELOPED USING A TIME INTERVAL OF .021 HOURS DURING BREACH FORMATION.  
 DOWNSTREAM CALCULATIONS WILL USE A TIME INTERVAL OF .003 HOURS.  
 THIS TABLE COMPARES THE HYDROGRAPH FOR SUBSTANTIAL CALCULATIONS WITH THE COMPUTED BREACH HYDROGRAPH.  
 INTERPOLATED VALUES ARE INTERPOLATED FROM END-OF-PERIOD VALUES.

TIME (HOURS)	TIME FROM REMAINING OF BREACH (HOURS)	INTERPOLATED BREACH HYDROGRAPH (CFS)	COMPUTED BREACH HYDROGRAPH (CFS)	ERROR (CFS)	ACCUMULATED ERROR (CFS)	ACCUMULATED ERROR (AC-FT)
15.530	0.520	176	176	0	0	0
15.551	0.541	229	247	-23	-23	-7.2
15.572	0.562	273	260	13	-10	-3.2
15.593	0.583	322	330	-8	-18	-5.7
15.614	0.604	371	371	0	-18	-5.7
15.635	0.625	393	377	16	-2	-0.6
15.656	0.646	317	393	-76	74	23.6
15.677	0.667	243	303	-60	14	10.2
15.698	0.688	251	261	6	20	6.3
15.719	0.709	200	204	-4	16	5.1
15.740	0.730	147	209	-62	54	16.8
15.761	0.751	176	176	0	54	16.8
15.782	0.772	147	141	6	60	18.4
15.803	0.793	157	147	10	70	21.0
15.824	0.814	176	143	33	103	31.3
15.845	0.835	176	127	49	152	46.5
15.866	0.856	157	120	37	189	58.4
15.887	0.877	117	110	7	196	61.0
15.908	0.898	117	110	7	203	63.6
15.929	0.919	105	109	-4	199	63.2
15.950	0.940	105	109	-4	195	62.8
15.971	0.961	96	91	5	190	62.4
15.992	0.982	87	87	0	185	61.9
16.013	1.003	87	87	0	180	61.5
16.034	1.024	87	87	0	175	61.0
16.055	1.045	87	87	0	170	60.6
16.076	1.066	87	87	0	165	60.1
16.097	1.087	87	87	0	160	59.7
16.118	1.108	87	87	0	155	59.2
16.139	1.129	87	87	0	150	58.8
16.160	1.150	87	87	0	145	58.3
16.181	1.171	87	87	0	140	57.9
16.202	1.192	87	87	0	135	57.4
16.223	1.213	87	87	0	130	57.0
16.244	1.234	87	87	0	125	56.5
16.265	1.255	87	87	0	120	56.1
16.286	1.276	87	87	0	115	55.6
16.307	1.297	87	87	0	110	55.2
16.328	1.318	87	87	0	105	54.7
16.349	1.339	87	87	0	100	54.3
16.370	1.360	87	87	0	95	53.8
16.391	1.381	87	87	0	90	53.4
16.412	1.402	87	87	0	85	52.9
16.433	1.423	87	87	0	80	52.5
16.454	1.444	87	87	0	75	52.0
16.475	1.465	87	87	0	70	51.6
16.496	1.486	87	87	0	65	51.1
16.517	1.507	87	87	0	60	50.7
16.538	1.528	87	87	0	55	50.2
16.559	1.549	87	87	0	50	49.8
16.580	1.570	87	87	0	45	49.3
16.601	1.591	87	87	0	40	48.9
16.622	1.612	87	87	0	35	48.4
16.643	1.633	87	87	0	30	48.0
16.664	1.654	87	87	0	25	47.5
16.685	1.675	87	87	0	20	47.1
16.706	1.696	87	87	0	15	46.6
16.727	1.717	87	87	0	10	46.2
16.748	1.738	87	87	0	5	45.8
16.769	1.759	87	87	0	0	45.3
16.790	1.780	87	87	0	-5	44.9
16.811	1.801	87	87	0	-10	44.4
16.832	1.822	87	87	0	-15	44.0
16.853	1.843	87	87	0	-20	43.5
16.874	1.864	87	87	0	-25	43.1
16.895	1.885	87	87	0	-30	42.6
16.916	1.906	87	87	0	-35	42.2
16.937	1.927	87	87	0	-40	41.7
16.958	1.948	87	87	0	-45	41.3
16.979	1.969	87	87	0	-50	40.8
17.000	1.990	87	87	0	-55	40.4

•QVW•

STATION LAKE 2, PLAK, 1, PAFID 2

BEGIN DAM FAILURE AT 15:00 HOURS

END-OF-PERIOD HYDROGRAPH COORDINATES

Time (H:M)	Storage	Inflow	Outflow	End-Of-Period Hydrograph Coordinates
00:00	100	0	0	0
01:00	100	0	0	0
02:00	100	0	0	0
03:00	100	0	0	0
04:00	100	0	0	0
05:00	100	0	0	0
06:00	100	0	0	0
07:00	100	0	0	0
08:00	100	0	0	0
09:00	100	0	0	0
10:00	100	0	0	0
11:00	100	0	0	0
12:00	100	0	0	0
13:00	100	0	0	0
14:00	100	0	0	0
15:00	100	0	0	0
16:00	100	0	0	0
17:00	100	0	0	0
18:00	100	0	0	0
19:00	100	0	0	0
20:00	100	0	0	0
21:00	100	0	0	0
22:00	100	0	0	0
23:00	100	0	0	0
24:00	100	0	0	0
25:00	100	0	0	0
26:00	100	0	0	0
27:00	100	0	0	0
28:00	100	0	0	0
29:00	100	0	0	0
30:00	100	0	0	0
31:00	100	0	0	0
32:00	100	0	0	0
33:00	100	0	0	0
34:00	100	0	0	0
35:00	100	0	0	0
36:00	100	0	0	0
37:00	100	0	0	0
38:00	100	0	0	0
39:00	100	0	0	0
40:00	100	0	0	0
41:00	100	0	0	0
42:00	100	0	0	0
43:00	100	0	0	0
44:00	100	0	0	0
45:00	100	0	0	0
46:00	100	0	0	0
47:00	100	0	0	0
48:00	100	0	0	0
49:00	100	0	0	0
50:00	100	0	0	0
51:00	100	0	0	0
52:00	100	0	0	0
53:00	100	0	0	0
54:00	100	0	0	0
55:00	100	0	0	0
56:00	100	0	0	0
57:00	100	0	0	0
58:00	100	0	0	0
59:00	100	0	0	0
60:00	100	0	0	0





STATIONLAKE 2

(1) INTERPOLATED HYDRAH HYDROGRAPH

(2) COMPUTED HYDRAH HYDROGRAPH

(3) POINTS AT NORMAL TIME INTERVAL

TIME (HRS)	40	80	120	160	200	240	280	320	360	400
15:58 1										
15:59 2										
15:59 3										
15:59 4										
15:59 5										
15:59 6										
15:59 7										
15:59 8										
15:59 9										
15:59 10										
15:59 11										
15:59 12										
15:59 13										
15:59 14										
15:59 15										
15:59 16										
15:59 17										
15:59 18										
15:59 19										
15:59 20										
15:59 21										
15:59 22										
15:59 23										
15:59 24										
15:59 25										
15:59 26										
15:59 27										
15:59 28										
15:59 29										
15:59 30										
15:59 31										
15:59 32										
15:59 33										
15:59 34										
15:59 35										
15:59 36										
15:59 37										
15:59 38										
15:59 39										
15:59 40										
15:59 41										
15:59 42										
15:59 43										
15:59 44										
15:59 45										
15:59 46										
15:59 47										
15:59 48										
15:59 49										



00VNO

SUN-APR7 MUMOFF COMPUTATION

MUMOFF CALCULATION FOR DRAINAGE AREA 1

DATE 12/20/66 TIME 9:00 AM JMT JMT 1540H LOCAL

HYDROGRAPH DATA

INFLUENCE CURVE DATA: INFLUENCE CURVE DATA: INFLUENCE CURVE DATA

LOSS DATA: LOSS DATA: LOSS DATA: LOSS DATA

UNIT HYDROGRAPH DATA: UNIT HYDROGRAPH DATA: UNIT HYDROGRAPH DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

PERIOD DATA: PERIOD DATA: PERIOD DATA: PERIOD DATA

1.01	1.40	26	.91	0.00	.01	0.	1.01	19.10	170	.51	.30	.01	201.
1.01	1.45	21	.01	0.00	.01	0.	1.01	19.15	171	.31	.30	.01	206.
1.01	1.50	22	.01	0.00	.01	0.	1.01	19.20	172	.31	.30	.01	208.
1.01	1.55	23	.01	0.00	.01	0.	1.01	19.25	173	.31	.30	.01	209.
1.01	1.60	24	.01	0.00	.01	0.	1.01	19.30	174	.31	.30	.01	209.
1.01	1.65	25	.01	0.00	.01	0.	1.01	19.35	175	.31	.30	.01	209.
1.01	1.70	26	.01	0.00	.01	0.	1.01	19.40	176	.31	.30	.01	209.
1.01	1.75	27	.01	0.00	.01	0.	1.01	19.45	177	.31	.30	.01	210.
1.01	1.80	28	.01	0.00	.01	0.	1.01	19.50	178	.31	.30	.01	210.
1.01	1.85	29	.01	0.00	.01	0.	1.01	19.55	179	.31	.30	.01	210.
1.01	1.90	30	.01	0.00	.01	0.	1.01	19.60	180	.31	.30	.01	210.
1.01	1.95	31	.01	0.00	.01	0.	1.01	19.65	181	.31	.30	.01	210.
1.01	2.00	32	.01	0.00	.01	0.	1.01	19.70	182	.31	.30	.01	210.
1.01	2.05	33	.01	0.00	.01	0.	1.01	19.75	183	.31	.30	.01	210.
1.01	2.10	34	.01	0.00	.01	0.	1.01	19.80	184	.31	.30	.01	210.
1.01	2.15	35	.01	0.00	.01	0.	1.01	19.85	185	.31	.30	.01	210.
1.01	2.20	36	.01	0.00	.01	0.	1.01	19.90	186	.31	.30	.01	210.
1.01	2.25	37	.01	0.00	.01	0.	1.01	19.95	187	.31	.30	.01	210.
1.01	2.30	38	.01	0.00	.01	0.	1.01	20.00	188	.31	.30	.01	210.
1.01	2.35	39	.01	0.00	.01	0.	1.01	20.05	189	.31	.30	.01	210.
1.01	2.40	40	.01	0.00	.01	0.	1.01	20.10	190	.31	.30	.01	210.
1.01	2.45	41	.01	0.00	.01	0.	1.01	20.15	191	.31	.30	.01	210.
1.01	2.50	42	.01	0.00	.01	0.	1.01	20.20	192	.31	.30	.01	210.
1.01	2.55	43	.01	0.00	.01	0.	1.01	20.25	193	.31	.30	.01	210.
1.01	2.60	44	.01	0.00	.01	0.	1.01	20.30	194	.31	.30	.01	210.
1.01	2.65	45	.01	0.00	.01	0.	1.01	20.35	195	.31	.30	.01	210.
1.01	2.70	46	.01	0.00	.01	0.	1.01	20.40	196	.31	.30	.01	210.
1.01	2.75	47	.01	0.00	.01	0.	1.01	20.45	197	.31	.30	.01	210.
1.01	2.80	48	.01	0.00	.01	0.	1.01	20.50	198	.31	.30	.01	210.
1.01	2.85	49	.01	0.00	.01	0.	1.01	20.55	199	.31	.30	.01	210.
1.01	2.90	50	.01	0.00	.01	0.	1.01	20.60	200	.31	.30	.01	210.
1.01	2.95	51	.01	0.00	.01	0.	1.01	20.65	201	.31	.30	.01	210.
1.01	3.00	52	.01	0.00	.01	0.	1.01	20.70	202	.31	.30	.01	210.
1.01	3.05	53	.01	0.00	.01	0.	1.01	20.75	203	.31	.30	.01	210.
1.01	3.10	54	.01	0.00	.01	0.	1.01	20.80	204	.31	.30	.01	210.
1.01	3.15	55	.01	0.00	.01	0.	1.01	20.85	205	.31	.30	.01	210.
1.01	3.20	56	.01	0.00	.01	0.	1.01	20.90	206	.31	.30	.01	210.
1.01	3.25	57	.01	0.00	.01	0.	1.01	20.95	207	.31	.30	.01	210.
1.01	3.30	58	.01	0.00	.01	0.	1.01	21.00	208	.31	.30	.01	210.
1.01	3.35	59	.01	0.00	.01	0.	1.01	21.05	209	.31	.30	.01	210.
1.01	3.40	60	.01	0.00	.01	0.	1.01	21.10	210	.31	.30	.01	210.
1.01	3.45	61	.01	0.00	.01	0.	1.01	21.15	211	.31	.30	.01	210.
1.01	3.50	62	.01	0.00	.01	0.	1.01	21.20	212	.31	.30	.01	210.
1.01	3.55	63	.01	0.00	.01	0.	1.01	21.25	213	.31	.30	.01	210.
1.01	3.60	64	.01	0.00	.01	0.	1.01	21.30	214	.31	.30	.01	210.
1.01	3.65	65	.01	0.00	.01	0.	1.01	21.35	215	.31	.30	.01	210.
1.01	3.70	66	.01	0.00	.01	0.	1.01	21.40	216	.31	.30	.01	210.
1.01	3.75	67	.01	0.00	.01	0.	1.01	21.45	217	.31	.30	.01	210.
1.01	3.80	68	.01	0.00	.01	0.	1.01	21.50	218	.31	.30	.01	210.
1.01	3.85	69	.01	0.00	.01	0.	1.01	21.55	219	.31	.30	.01	210.
1.01	3.90	70	.01	0.00	.01	0.	1.01	21.60	220	.31	.30	.01	210.
1.01	3.95	71	.01	0.00	.01	0.	1.01	21.65	221	.31	.30	.01	210.
1.01	4.00	72	.01	0.00	.01	0.	1.01	21.70	222	.31	.30	.01	210.
1.01	4.05	73	.01	0.00	.01	0.	1.01	21.75	223	.31	.30	.01	210.
1.01	4.10	74	.01	0.00	.01	0.	1.01	21.80	224	.31	.30	.01	210.
1.01	4.15	75	.01	0.00	.01	0.	1.01	21.85	225	.31	.30	.01	210.
1.01	4.20	76	.01	0.00	.01	0.	1.01	21.90	226	.31	.30	.01	210.
1.01	4.25	77	.01	0.00	.01	0.	1.01	21.95	227	.31	.30	.01	210.
1.01	4.30	78	.01	0.00	.01	0.	1.01	22.00	228	.31	.30	.01	210.
1.01	4.35	79	.01	0.00	.01	0.	1.01	22.05	229	.31	.30	.01	210.

1.01	6.90	97	.07	.03	.04	21.	1.01	19.10	230	.02	.02	.00	14.
1.01	6.95	91	.07	.03	.04	22.	1.01	19.15	231	.02	.02	.00	14.
1.01	6.99	82	.07	.03	.04	22.	1.01	19.20	232	.02	.02	.00	14.
1.01	7.05	83	.07	.03	.05	23.	1.01	19.25	233	.02	.02	.00	14.
1.01	7.10	84	.07	.04	.05	24.	1.01	19.30	234	.02	.02	.00	14.
1.01	7.15	85	.07	.04	.05	25.	1.01	19.35	235	.02	.02	.00	14.
1.01	7.20	86	.07	.04	.05	26.	1.01	19.40	236	.02	.02	.00	14.
1.01	7.25	87	.07	.04	.05	27.	1.01	19.45	237	.02	.02	.00	14.
1.01	7.30	88	.07	.04	.05	28.	1.01	19.50	238	.02	.02	.00	14.
1.01	7.35	89	.07	.04	.05	29.	1.01	19.55	239	.02	.02	.00	14.
1.01	7.40	90	.07	.04	.05	29.	1.01	20.00	240	.02	.02	.00	14.
1.01	7.45	91	.07	.04	.05	30.	1.01	20.05	241	.02	.02	.00	14.
1.01	7.50	92	.07	.04	.05	30.	1.01	20.10	242	.02	.02	.00	14.
1.01	7.55	93	.07	.04	.05	31.	1.01	20.15	243	.02	.02	.00	14.
1.01	7.60	94	.07	.05	.05	31.	1.01	20.20	244	.02	.02	.00	14.
1.01	7.65	95	.07	.05	.05	31.	1.01	20.25	245	.02	.02	.00	14.
1.01	7.70	96	.07	.05	.05	32.	1.01	20.30	246	.02	.02	.00	14.
1.01	7.75	97	.07	.05	.05	32.	1.01	20.35	247	.02	.02	.00	14.
1.01	7.80	98	.07	.05	.05	33.	1.01	20.40	248	.02	.02	.00	14.
1.01	7.85	99	.07	.05	.05	33.	1.01	20.45	249	.02	.02	.00	14.
1.01	7.90	100	.07	.05	.05	34.	1.01	20.50	250	.02	.02	.00	14.
1.01	7.95	101	.07	.05	.05	34.	1.01	20.55	251	.02	.02	.00	14.
1.01	8.00	102	.07	.05	.05	34.	1.01	21.00	252	.02	.02	.00	14.
1.01	8.05	103	.07	.05	.05	35.	1.01	21.05	253	.02	.02	.00	14.
1.01	8.10	104	.07	.05	.05	35.	1.01	21.10	254	.02	.02	.00	14.
1.01	8.15	105	.07	.05	.05	35.	1.01	21.15	255	.02	.02	.00	14.
1.01	8.20	106	.07	.05	.05	36.	1.01	21.20	256	.02	.02	.00	14.
1.01	8.25	107	.07	.05	.05	36.	1.01	21.25	257	.02	.02	.00	14.
1.01	8.30	108	.07	.05	.05	36.	1.01	21.30	258	.02	.02	.00	14.
1.01	8.35	109	.07	.05	.05	37.	1.01	21.35	259	.02	.02	.00	14.
1.01	8.40	110	.07	.05	.05	37.	1.01	21.40	260	.02	.02	.00	14.
1.01	8.45	111	.07	.05	.05	37.	1.01	21.45	261	.02	.02	.00	14.
1.01	8.50	112	.07	.05	.05	37.	1.01	21.50	262	.02	.02	.00	14.
1.01	8.55	113	.07	.05	.05	38.	1.01	21.55	263	.02	.02	.00	14.
1.01	8.60	114	.07	.05	.05	38.	1.01	21.60	264	.02	.02	.00	14.
1.01	8.65	115	.07	.05	.05	38.	1.01	21.65	265	.02	.02	.00	14.
1.01	8.70	116	.07	.05	.05	38.	1.01	21.70	266	.02	.02	.00	14.
1.01	8.75	117	.07	.05	.05	38.	1.01	21.75	267	.02	.02	.00	14.
1.01	8.80	118	.07	.05	.05	39.	1.01	21.80	268	.02	.02	.00	14.
1.01	8.85	119	.07	.05	.05	39.	1.01	21.85	269	.02	.02	.00	14.
1.01	8.90	120	.07	.05	.05	39.	1.01	21.90	270	.02	.02	.00	14.
1.01	8.95	121	.07	.05	.05	39.	1.01	21.95	271	.02	.02	.00	14.
1.01	9.00	122	.07	.05	.05	39.	1.01	22.00	272	.02	.02	.00	14.
1.01	9.05	123	.07	.05	.05	40.	1.01	22.05	273	.02	.02	.00	14.
1.01	9.10	124	.07	.05	.05	40.	1.01	22.10	274	.02	.02	.00	14.
1.01	9.15	125	.07	.05	.05	40.	1.01	22.15	275	.02	.02	.00	14.
1.01	9.20	126	.07	.05	.05	40.	1.01	22.20	276	.02	.02	.00	14.
1.01	9.25	127	.07	.05	.05	40.	1.01	22.25	277	.02	.02	.00	14.
1.01	9.30	128	.07	.05	.05	40.	1.01	22.30	278	.02	.02	.00	14.
1.01	9.35	129	.07	.05	.05	41.	1.01	22.35	279	.02	.02	.00	14.
1.01	9.40	130	.07	.05	.05	41.	1.01	22.40	280	.02	.02	.00	14.
1.01	9.45	131	.07	.05	.05	41.	1.01	22.45	281	.02	.02	.00	14.
1.01	9.50	132	.07	.05	.05	41.	1.01	22.50	282	.02	.02	.00	14.
1.01	9.55	133	.07	.05	.05	41.	1.01	22.55	283	.02	.02	.00	14.
1.01	9.60	134	.07	.05	.05	41.	1.01	22.60	284	.02	.02	.00	14.
1.01	9.65	135	.07	.05	.05	41.	1.01	22.65	285	.02	.02	.00	14.
1.01	9.70	136	.07	.05	.05	41.	1.01	22.70	286	.02	.02	.00	14.
1.01	9.75	137	.07	.05	.05	42.	1.01	22.75	287	.02	.02	.00	14.
1.01	9.80	138	.07	.05	.05	42.	1.02	22.80	288	.02	.02	.00	14.
1.01	9.85	139	.07	.05	.05	42.	1.02	22.85	289	.02	.02	.00	14.
1.01	9.90	140	.07	.05	.05	42.	1.02	22.90	290	.02	.02	.00	14.
1.01	9.95	141	.07	.05	.05	42.	1.02	22.95	291	.02	.02	.00	14.
1.01	10.00	142	.07	.05	.05	42.	1.02	23.00	292	.02	.02	.00	14.
1.01	10.05	143	.07	.05	.05	42.	1.02	23.05	293	.02	.02	.00	14.
1.01	10.10	144	.07	.05	.05	42.	1.02	23.10	294	.02	.02	.00	14.
1.01	10.15	145	.07	.05	.05	42.	1.02	23.15	295	.02	.02	.00	14.
1.01	10.20	146	.07	.05	.05	42.	1.02	23.20	296	.02	.02	.00	14.
1.01	10.25	147	.07	.05	.05	42.	1.02	23.25	297	.02	.02	.00	14.
1.01	10.30	148	.07	.05	.05	42.	1.02	23.30	298	.02	.02	.00	14.
1.01	10.35	149	.07	.05	.05	42.	1.02	23.35	299	.02	.02	.00	14.
1.01	10.40	150	.07	.05	.05	42.	1.02	23.40	300	.02	.02	.00	14.

Time	Peak	Area	Height	Width	Volume	Conc	Total Volume
11:40	0.07	0.01	42	1.40	0.10	290	0.00
11:45	0.06	0.01	42	1.42	0.15	291	0.00
11:50	0.07	0.01	42	1.42	0.20	291	0.00
11:55	0.07	0.01	42	1.42	0.20	291	0.00
12:00	0.07	0.01	42	1.42	0.30	294	0.00
12:05	0.07	0.01	42	1.42	0.30	294	0.00
12:10	0.07	0.01	42	1.42	0.30	294	0.00
12:15	0.07	0.01	42	1.42	0.30	294	0.00
12:20	0.07	0.01	42	1.42	0.30	294	0.00
12:25	0.07	0.01	42	1.42	0.30	294	0.00
12:30	0.07	0.01	42	1.42	0.30	294	0.00

SUP 32.63 29.47 3.16 20280.  
 ( 429.3)( 749.3)( 80.3)( 574.27)

5-HOUR	70-HOUR	TOTAL VOLUME
232	68	26303
7	2	575
24.76	2.47	29.47
416.11	741.62	748.82
115	140	140
142	172	172

HYDROGRAPH AT STALAME I FOR FLAN 14-ETIC J

Time	Peak	Area	Height	Width	Volume	Conc	Total Volume
0	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0
31	0	0	0	0	0	0	0
32	0	0	0	0	0	0	0
33	0	0	0	0	0	0	0
34	0	0	0	0	0	0	0
35	0	0	0	0	0	0	0
36	0	0	0	0	0	0	0
37	0	0	0	0	0	0	0
38	0	0	0	0	0	0	0
39	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0
41	0	0	0	0	0	0	0
42	0	0	0	0	0	0	0
43	0	0	0	0	0	0	0
44	0	0	0	0	0	0	0
45	0	0	0	0	0	0	0
46	0	0	0	0	0	0	0
47	0	0	0	0	0	0	0
48	0	0	0	0	0	0	0
49	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0
51	0	0	0	0	0	0	0
52	0	0	0	0	0	0	0
53	0	0	0	0	0	0	0
54	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0
56	0	0	0	0	0	0	0
57	0	0	0	0	0	0	0
58	0	0	0	0	0	0	0
59	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0
61	0	0	0	0	0	0	0
62	0	0	0	0	0	0	0
63	0	0	0	0	0	0	0
64	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0
66	0	0	0	0	0	0	0
67	0	0	0	0	0	0	0
68	0	0	0	0	0	0	0
69	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0
71	0	0	0	0	0	0	0
72	0	0	0	0	0	0	0
73	0	0	0	0	0	0	0
74	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0
76	0	0	0	0	0	0	0
77	0	0	0	0	0	0	0
78	0	0	0	0	0	0	0
79	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0
81	0	0	0	0	0	0	0
82	0	0	0	0	0	0	0
83	0	0	0	0	0	0	0
84	0	0	0	0	0	0	0
85	0	0	0	0	0	0	0
86	0	0	0	0	0	0	0
87	0	0	0	0	0	0	0
88	0	0	0	0	0	0	0
89	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0
91	0	0	0	0	0	0	0
92	0	0	0	0	0	0	0
93	0	0	0	0	0	0	0
94	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0
96	0	0	0	0	0	0	0
97	0	0	0	0	0	0	0
98	0	0	0	0	0	0	0
99	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0

5-HOUR	70-HOUR	TOTAL VOLUME
232	68	26303
7	2	575

B-45









CAN OFFRCH DATA  
 2 ELUM IFALL WSEL FAILEL  
 10. 700.90 1.00 700.95 705.00

STATION LAKE 1, PLAK 1, RATIO 1

BEGIN D: FAILURE AT 12.47 HOURS

SNO-OF-PEPION HYDROCIAPH OPERATORS

0.	1.	2.	3.	4.	5.	6.	7.	8.	9.	0.	1.	2.	3.	4.	5.	6.	7.	8.	9.
0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
10.	10.	10.	10.	10.	10.	10.	10.	10.	10.	10.	10.	10.	10.	10.	10.	10.	10.	10.	10.
20.	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.
30.	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.
40.	40.	40.	40.	40.	40.	40.	40.	40.	40.	40.	40.	40.	40.	40.	40.	40.	40.	40.	40.
50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.
60.	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.
70.	70.	70.	70.	70.	70.	70.	70.	70.	70.	70.	70.	70.	70.	70.	70.	70.	70.	70.	70.
80.	80.	80.	80.	80.	80.	80.	80.	80.	80.	80.	80.	80.	80.	80.	80.	80.	80.	80.	80.
90.	90.	90.	90.	90.	90.	90.	90.	90.	90.	90.	90.	90.	90.	90.	90.	90.	90.	90.	90.
0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.

B-40








DUF

STATION LAKE 1

(\*) INTERPOLATED WREATH HYDROGRAPH  
(O) COMPUTED WREATH HYDROGRAPH










GVF.

STATIONLAKE 1

(\*) POINTS AT NORMAL TIME INTERVAL

(O) INTERPOLATED AT EACH HYDROGRAPH  
(H) COMPUTE INTERPOLATED HYDROGRAPH



B-56





1.01	1.40	29	.81	9.65	.01	0.	1.01	14.10	172	.51	.31	.01	28.
1.01	1.43	31	.01	0.05	.01	0.	1.01	14.15	171	.31	.31	.01	28.
1.01	1.50	27	.71	3.00	.01	0.	1.01	14.20	172	.31	.31	.01	28.
1.01	1.75	25	.01	0.00	.01	0.	1.01	14.25	172	.31	.31	.01	28.
1.01	2.00	24	.01	3.00	.01	0.	1.01	14.30	174	.31	.31	.01	28.
1.01	2.25	25	.11	3.00	.01	0.	1.01	14.35	175	.31	.31	.01	29.
1.01	2.10	27	.11	3.00	.01	0.	1.01	14.40	176	.31	.31	.01	29.
1.01	2.15	27	.01	3.00	.01	0.	1.01	14.45	177	.31	.31	.01	29.
1.01	2.20	28	.01	3.00	.01	0.	1.01	14.50	176	.31	.31	.01	29.
1.01	2.25	29	.01	3.00	.01	0.	1.01	14.55	177	.31	.31	.01	29.
1.01	2.30	30	.01	3.00	.01	0.	1.01	14.60	178	.31	.31	.01	29.
1.01	2.40	31	.11	0.00	.01	0.	1.01	15.05	181	.10	.10	.00	20.
1.01	2.45	32	.11	0.00	.01	0.	1.01	15.10	182	.10	.10	.00	20.
1.01	2.40	32	.11	0.00	.01	0.	1.01	15.15	183	.10	.10	.00	20.
1.01	2.45	33	.11	0.00	.01	0.	1.01	15.20	184	.10	.10	.00	20.
1.01	2.50	34	.11	0.00	.01	0.	1.01	15.25	185	.10	.10	.00	20.
1.01	2.55	35	.11	0.00	.01	0.	1.01	15.30	186	.10	.10	.00	20.
1.01	3.00	37	.11	0.00	.01	0.	1.01	15.35	187	.10	.10	.00	20.
1.01	3.10	38	.11	0.00	.01	0.	1.01	15.40	188	.10	.10	.00	20.
1.01	3.15	39	.11	0.00	.01	0.	1.01	15.45	189	.10	.10	.00	20.
1.01	3.20	40	.11	0.00	.01	0.	1.01	15.50	190	.10	.10	.00	20.
1.01	3.25	41	.11	0.00	.01	0.	1.01	15.55	191	.10	.10	.00	20.
1.01	3.30	42	.11	0.00	.01	0.	1.01	15.60	192	.10	.10	.00	20.
1.01	3.35	43	.11	0.00	.01	0.	1.01	15.65	193	.10	.10	.00	20.
1.01	3.40	44	.11	0.00	.01	0.	1.01	15.70	194	.10	.10	.00	20.
1.01	3.45	45	.11	0.00	.01	0.	1.01	15.75	195	.10	.10	.00	20.
1.01	3.50	46	.11	0.00	.01	0.	1.01	15.80	196	.10	.10	.00	20.
1.01	3.55	47	.11	0.00	.01	0.	1.01	15.85	197	.10	.10	.00	20.
1.01	3.60	48	.11	0.00	.01	0.	1.01	15.90	198	.10	.10	.00	20.
1.01	4.00	49	.11	0.00	.01	0.	1.01	16.00	199	.10	.10	.00	20.
1.01	4.05	50	.11	0.00	.01	0.	1.01	16.05	200	.10	.10	.00	20.
1.01	4.10	51	.11	0.00	.01	0.	1.01	16.10	201	.10	.10	.00	20.
1.01	4.15	52	.11	0.00	.01	0.	1.01	16.15	202	.10	.10	.00	20.
1.01	4.20	53	.11	0.00	.01	0.	1.01	16.20	203	.10	.10	.00	20.
1.01	4.25	54	.11	0.00	.01	0.	1.01	16.25	204	.10	.10	.00	20.
1.01	4.30	55	.11	0.00	.01	0.	1.01	16.30	205	.10	.10	.00	20.
1.01	4.35	56	.11	0.00	.01	0.	1.01	16.35	206	.10	.10	.00	20.
1.01	4.40	57	.11	0.00	.01	0.	1.01	16.40	207	.10	.10	.00	20.
1.01	4.45	58	.11	0.00	.01	0.	1.01	16.45	208	.10	.10	.00	20.
1.01	4.50	59	.11	0.00	.01	0.	1.01	16.50	209	.10	.10	.00	20.
1.01	4.55	60	.11	0.00	.01	0.	1.01	16.55	210	.10	.10	.00	20.
1.01	5.00	61	.11	0.00	.01	0.	1.01	17.00	214	.10	.10	.00	20.
1.01	5.05	62	.11	0.00	.01	0.	1.01	17.05	215	.10	.10	.00	20.
1.01	5.10	63	.11	0.00	.01	0.	1.01	17.10	216	.10	.10	.00	20.
1.01	5.15	64	.11	0.00	.01	0.	1.01	17.15	217	.10	.10	.00	20.
1.01	5.20	65	.11	0.00	.01	0.	1.01	17.20	218	.10	.10	.00	20.
1.01	5.25	66	.11	0.00	.01	0.	1.01	17.25	219	.10	.10	.00	20.
1.01	5.30	67	.11	0.00	.01	0.	1.01	17.30	220	.10	.10	.00	20.
1.01	5.35	68	.11	0.00	.01	0.	1.01	17.35	221	.10	.10	.00	20.
1.01	5.40	69	.11	0.00	.01	0.	1.01	17.40	222	.10	.10	.00	20.
1.01	5.45	70	.11	0.00	.01	0.	1.01	17.45	223	.10	.10	.00	20.
1.01	5.50	71	.11	0.00	.01	0.	1.01	17.50	224	.10	.10	.00	20.
1.01	5.55	72	.11	0.00	.01	0.	1.01	17.55	225	.10	.10	.00	20.
1.01	6.00	73	.11	0.00	.01	0.	1.01	18.00	229	.10	.10	.00	20.
1.01	6.05	74	.11	0.00	.01	0.	1.01	18.05	230	.10	.10	.00	20.
1.01	6.10	75	.11	0.00	.01	0.	1.01	18.10	231	.10	.10	.00	20.
1.01	6.15	76	.11	0.00	.01	0.	1.01	18.15	232	.10	.10	.00	20.
1.01	6.20	77	.11	0.00	.01	0.	1.01	18.20	233	.10	.10	.00	20.
1.01	6.25	78	.11	0.00	.01	0.	1.01	18.25	234	.10	.10	.00	20.
1.01	6.30	79	.11	0.00	.01	0.	1.01	18.30	235	.10	.10	.00	20.
1.01	6.35	80	.11	0.00	.01	0.	1.01	18.35	236	.10	.10	.00	20.

1.01	5.40	39	.67	.04	.03	4.	1.01	19.10	210	.02	.02	.00	2.
1.01	6.50	41	.67	.04	.03	4.	1.01	19.15	231	.02	.02	.00	2.
1.01	6.50	65	.67	.04	.03	4.	1.01	19.26	232	.12	.02	.00	2.
1.01	6.55	58	.67	.04	.03	4.	1.01	19.25	233	.02	.02	.00	2.
1.01	7.00	88	.67	.04	.03	4.	1.01	19.30	234	.02	.02	.00	2.
1.01	7.04	66	.67	.04	.03	4.	1.01	19.34	235	.52	.02	.00	2.
1.01	7.10	85	.67	.04	.03	4.	1.01	19.40	236	.02	.02	.00	2.
1.01	7.15	47	.67	.05	.02	4.	1.01	19.45	237	.02	.02	.00	2.
1.01	7.20	69	.67	.05	.02	4.	1.01	19.50	238	.02	.02	.00	2.
1.01	7.25	69	.67	.05	.02	4.	1.01	19.55	239	.02	.02	.00	2.
1.01	7.35	64	.67	.05	.02	4.	1.01	20.00	240	.02	.02	.00	2.
1.01	7.40	72	.67	.04	.02	4.	1.01	20.05	241	.02	.02	.00	2.
1.01	7.45	63	.67	.04	.02	4.	1.01	20.10	242	.02	.02	.00	2.
1.01	7.50	64	.67	.05	.02	4.	1.01	20.15	243	.02	.02	.00	2.
1.01	7.55	92	.67	.05	.02	4.	1.01	20.20	244	.02	.02	.00	2.
1.01	7.55	92	.67	.05	.02	4.	1.01	20.25	245	.02	.02	.00	2.
1.01	8.00	84	.67	.05	.02	4.	1.01	20.30	246	.02	.02	.00	2.
1.01	8.05	87	.67	.04	.02	4.	1.01	20.35	247	.02	.02	.00	2.
1.01	8.10	94	.67	.04	.02	4.	1.01	20.40	248	.02	.02	.00	2.
1.01	8.15	49	.67	.05	.02	4.	1.01	20.45	249	.02	.02	.00	2.
1.01	8.20	116	.67	.05	.02	4.	1.01	20.50	250	.02	.02	.00	2.
1.01	8.25	111	.67	.05	.02	4.	1.01	20.55	251	.02	.02	.00	2.
1.01	8.30	111	.67	.05	.02	4.	1.01	21.00	252	.02	.02	.00	2.
1.01	8.35	117	.67	.05	.02	4.	1.01	21.05	253	.02	.02	.00	2.
1.01	8.40	117	.67	.05	.02	4.	1.01	21.10	254	.02	.02	.00	2.
1.01	8.45	124	.67	.05	.02	4.	1.01	21.15	255	.02	.02	.00	2.
1.01	8.50	132	.67	.05	.02	4.	1.01	21.20	256	.02	.02	.00	2.
1.01	8.50	132	.67	.05	.02	4.	1.01	21.25	257	.02	.02	.00	2.
1.01	8.55	117	.67	.05	.02	4.	1.01	21.30	258	.02	.02	.00	2.
1.01	8.55	116	.67	.05	.02	4.	1.01	21.35	259	.02	.02	.00	2.
1.01	8.55	116	.67	.05	.02	4.	1.01	21.40	260	.02	.02	.00	2.
1.01	8.55	116	.67	.05	.02	4.	1.01	21.45	261	.02	.02	.00	2.
1.01	8.55	112	.67	.06	.01	4.	1.01	21.50	262	.02	.02	.00	2.
1.01	8.55	113	.67	.05	.01	4.	1.01	21.55	263	.02	.02	.00	2.
1.01	8.55	115	.67	.05	.01	4.	1.01	22.00	264	.02	.02	.00	2.
1.01	8.55	115	.67	.05	.01	4.	1.01	22.05	265	.02	.02	.00	2.
1.01	8.55	117	.67	.05	.01	4.	1.01	22.10	266	.02	.02	.00	2.
1.01	8.55	117	.67	.05	.01	4.	1.01	22.15	267	.02	.02	.00	2.
1.01	8.55	118	.67	.05	.01	4.	1.01	22.20	268	.02	.02	.00	2.
1.01	8.55	116	.67	.05	.01	4.	1.01	22.25	269	.02	.02	.00	2.
1.01	8.55	120	.67	.05	.01	4.	1.01	22.30	270	.02	.02	.00	2.
1.01	8.55	121	.67	.05	.01	4.	1.01	22.35	271	.02	.02	.00	2.
1.01	8.55	122	.67	.05	.01	4.	1.01	22.40	272	.02	.02	.00	2.
1.01	8.55	125	.67	.05	.01	4.	1.01	22.45	273	.02	.02	.00	2.
1.01	8.55	124	.67	.05	.01	4.	1.01	22.50	274	.02	.02	.00	2.
1.01	8.55	129	.67	.05	.01	4.	1.01	22.55	275	.02	.02	.00	2.
1.01	8.55	126	.67	.06	.01	4.	1.01	23.00	276	.02	.02	.00	2.
1.01	8.55	127	.67	.06	.01	4.	1.01	23.05	277	.02	.02	.00	2.
1.01	8.55	128	.67	.06	.01	4.	1.01	23.10	278	.02	.02	.00	2.
1.01	8.55	126	.67	.06	.01	4.	1.01	23.15	279	.02	.02	.00	2.
1.01	8.55	130	.67	.06	.01	4.	1.01	23.20	280	.02	.02	.00	2.
1.01	8.55	131	.67	.06	.01	4.	1.01	23.25	281	.02	.02	.00	2.
1.01	8.55	132	.67	.06	.01	4.	1.01	23.30	282	.02	.02	.00	2.
1.01	8.55	132	.67	.06	.01	4.	1.01	23.35	283	.02	.02	.00	2.
1.01	8.55	134	.67	.06	.01	4.	1.01	23.40	284	.02	.02	.00	2.
1.01	8.55	135	.67	.06	.01	4.	1.01	23.45	285	.02	.02	.00	2.
1.01	8.55	136	.67	.06	.01	4.	1.01	23.50	286	.02	.02	.00	2.
1.01	8.55	137	.67	.06	.01	4.	1.01	23.55	287	.02	.02	.00	2.
1.01	8.55	138	.67	.06	.01	4.	1.01	24.00	288	.02	.02	.00	2.
1.01	8.55	139	.67	.06	.01	4.	1.01	24.05	289	.02	.02	.00	2.

1.01 11.40 .07 .06 .01 6. 1.02 .10 290 0.00 0.00 0.00  
 1.01 11.45 .07 .06 .01 6. 1.02 .19 291 0.00 0.00 0.00  
 1.01 11.50 .07 .06 .01 6. 1.02 .20 292 0.00 0.00 0.00  
 1.01 11.55 .07 .06 .01 6. 1.02 .25 293 0.00 0.00 0.00  
 1.01 12.00 .07 .06 .01 6. 1.02 .30 294 0.00 0.00 0.00  
 1.01 12.05 .07 .06 .01 6. 1.02 .34 295 0.00 0.00 0.00  
 1.01 12.10 .07 .06 .01 6. 1.02 .41 296 0.00 0.00 0.00  
 1.01 12.15 .07 .06 .01 6. 1.02 .45 297 0.00 0.00 0.00  
 1.01 12.20 .07 .06 .01 6. 1.02 .50 298 0.00 0.00 0.00  
 1.01 12.25 .07 .06 .01 6. 1.02 .55 299 0.00 0.00 0.00  
 1.01 12.30 .07 .06 .01 6. 1.02 1.00 300 0.00 0.00 0.00  
 SUM 32.63 30.14 2.49 2792.

(P29.3) 7.5.31 63.31 79.06  
 TOTAL VOLUME 2792.  
 79.  
 30.14  
 765.44  
 19.  
 24.

1.01 11.40 .07 .06 .01 6. 1.02 .10 290 0.00 0.00 0.00  
 1.01 11.45 .07 .06 .01 6. 1.02 .19 291 0.00 0.00 0.00  
 1.01 11.50 .07 .06 .01 6. 1.02 .20 292 0.00 0.00 0.00  
 1.01 11.55 .07 .06 .01 6. 1.02 .25 293 0.00 0.00 0.00  
 1.01 12.00 .07 .06 .01 6. 1.02 .30 294 0.00 0.00 0.00  
 1.01 12.05 .07 .06 .01 6. 1.02 .34 295 0.00 0.00 0.00  
 1.01 12.10 .07 .06 .01 6. 1.02 .41 296 0.00 0.00 0.00  
 1.01 12.15 .07 .06 .01 6. 1.02 .45 297 0.00 0.00 0.00  
 1.01 12.20 .07 .06 .01 6. 1.02 .50 298 0.00 0.00 0.00  
 1.01 12.25 .07 .06 .01 6. 1.02 .55 299 0.00 0.00 0.00  
 1.01 12.30 .07 .06 .01 6. 1.02 1.00 300 0.00 0.00 0.00  
 SUM 32.63 30.14 2.49 2792.

1.01 11.40 .07 .06 .01 6. 1.02 .10 290 0.00 0.00 0.00  
 1.01 11.45 .07 .06 .01 6. 1.02 .19 291 0.00 0.00 0.00  
 1.01 11.50 .07 .06 .01 6. 1.02 .20 292 0.00 0.00 0.00  
 1.01 11.55 .07 .06 .01 6. 1.02 .25 293 0.00 0.00 0.00  
 1.01 12.00 .07 .06 .01 6. 1.02 .30 294 0.00 0.00 0.00  
 1.01 12.05 .07 .06 .01 6. 1.02 .34 295 0.00 0.00 0.00  
 1.01 12.10 .07 .06 .01 6. 1.02 .41 296 0.00 0.00 0.00  
 1.01 12.15 .07 .06 .01 6. 1.02 .45 297 0.00 0.00 0.00  
 1.01 12.20 .07 .06 .01 6. 1.02 .50 298 0.00 0.00 0.00  
 1.01 12.25 .07 .06 .01 6. 1.02 .55 299 0.00 0.00 0.00  
 1.01 12.30 .07 .06 .01 6. 1.02 1.00 300 0.00 0.00 0.00  
 SUM 32.63 30.14 2.49 2792.

1.01 11.40 .07 .06 .01 6. 1.02 .10 290 0.00 0.00 0.00  
 1.01 11.45 .07 .06 .01 6. 1.02 .19 291 0.00 0.00 0.00  
 1.01 11.50 .07 .06 .01 6. 1.02 .20 292 0.00 0.00 0.00  
 1.01 11.55 .07 .06 .01 6. 1.02 .25 293 0.00 0.00 0.00  
 1.01 12.00 .07 .06 .01 6. 1.02 .30 294 0.00 0.00 0.00  
 1.01 12.05 .07 .06 .01 6. 1.02 .34 295 0.00 0.00 0.00  
 1.01 12.10 .07 .06 .01 6. 1.02 .41 296 0.00 0.00 0.00  
 1.01 12.15 .07 .06 .01 6. 1.02 .45 297 0.00 0.00 0.00  
 1.01 12.20 .07 .06 .01 6. 1.02 .50 298 0.00 0.00 0.00  
 1.01 12.25 .07 .06 .01 6. 1.02 .55 299 0.00 0.00 0.00  
 1.01 12.30 .07 .06 .01 6. 1.02 1.00 300 0.00 0.00 0.00  
 SUM 32.63 30.14 2.49 2792.

B-60

INCHES 30.14 40.14 50.14  
 ACFT 765.95 765.95 765.95  
 THOUS CU M 1% 2% 3%

HYDROGRAPH AT STALCAT & FOR PLAN 1, WTID 2

INCHES	ACFT	THOUS CU M	75-HRUP	75-HRUP	TOTAL VOLUME
0.0	0.0	0.0	0.0	0.0	0.0
0.5	0.0	0.0	0.0	0.0	0.0
1.0	0.0	0.0	0.0	0.0	0.0
1.5	0.0	0.0	0.0	0.0	0.0
2.0	0.0	0.0	0.0	0.0	0.0
2.5	0.0	0.0	0.0	0.0	0.0
3.0	0.0	0.0	0.0	0.0	0.0
3.5	0.0	0.0	0.0	0.0	0.0
4.0	0.0	0.0	0.0	0.0	0.0
4.5	0.0	0.0	0.0	0.0	0.0
5.0	0.0	0.0	0.0	0.0	0.0
5.5	0.0	0.0	0.0	0.0	0.0
6.0	0.0	0.0	0.0	0.0	0.0
6.5	0.0	0.0	0.0	0.0	0.0
7.0	0.0	0.0	0.0	0.0	0.0
7.5	0.0	0.0	0.0	0.0	0.0
8.0	0.0	0.0	0.0	0.0	0.0
8.5	0.0	0.0	0.0	0.0	0.0
9.0	0.0	0.0	0.0	0.0	0.0
9.5	0.0	0.0	0.0	0.0	0.0
10.0	0.0	0.0	0.0	0.0	0.0
10.5	0.0	0.0	0.0	0.0	0.0
11.0	0.0	0.0	0.0	0.0	0.0
11.5	0.0	0.0	0.0	0.0	0.0
12.0	0.0	0.0	0.0	0.0	0.0
12.5	0.0	0.0	0.0	0.0	0.0
13.0	0.0	0.0	0.0	0.0	0.0
13.5	0.0	0.0	0.0	0.0	0.0
14.0	0.0	0.0	0.0	0.0	0.0
14.5	0.0	0.0	0.0	0.0	0.0
15.0	0.0	0.0	0.0	0.0	0.0
15.5	0.0	0.0	0.0	0.0	0.0
16.0	0.0	0.0	0.0	0.0	0.0
16.5	0.0	0.0	0.0	0.0	0.0
17.0	0.0	0.0	0.0	0.0	0.0
17.5	0.0	0.0	0.0	0.0	0.0
18.0	0.0	0.0	0.0	0.0	0.0
18.5	0.0	0.0	0.0	0.0	0.0
19.0	0.0	0.0	0.0	0.0	0.0
19.5	0.0	0.0	0.0	0.0	0.0
20.0	0.0	0.0	0.0	0.0	0.0
20.5	0.0	0.0	0.0	0.0	0.0
21.0	0.0	0.0	0.0	0.0	0.0
21.5	0.0	0.0	0.0	0.0	0.0
22.0	0.0	0.0	0.0	0.0	0.0
22.5	0.0	0.0	0.0	0.0	0.0
23.0	0.0	0.0	0.0	0.0	0.0
23.5	0.0	0.0	0.0	0.0	0.0
24.0	0.0	0.0	0.0	0.0	0.0
24.5	0.0	0.0	0.0	0.0	0.0
25.0	0.0	0.0	0.0	0.0	0.0
25.5	0.0	0.0	0.0	0.0	0.0
26.0	0.0	0.0	0.0	0.0	0.0
26.5	0.0	0.0	0.0	0.0	0.0
27.0	0.0	0.0	0.0	0.0	0.0
27.5	0.0	0.0	0.0	0.0	0.0
28.0	0.0	0.0	0.0	0.0	0.0
28.5	0.0	0.0	0.0	0.0	0.0
29.0	0.0	0.0	0.0	0.0	0.0
29.5	0.0	0.0	0.0	0.0	0.0
30.0	0.0	0.0	0.0	0.0	0.0
30.5	0.0	0.0	0.0	0.0	0.0
31.0	0.0	0.0	0.0	0.0	0.0
31.5	0.0	0.0	0.0	0.0	0.0
32.0	0.0	0.0	0.0	0.0	0.0
32.5	0.0	0.0	0.0	0.0	0.0
33.0	0.0	0.0	0.0	0.0	0.0
33.5	0.0	0.0	0.0	0.0	0.0
34.0	0.0	0.0	0.0	0.0	0.0
34.5	0.0	0.0	0.0	0.0	0.0
35.0	0.0	0.0	0.0	0.0	0.0
35.5	0.0	0.0	0.0	0.0	0.0
36.0	0.0	0.0	0.0	0.0	0.0
36.5	0.0	0.0	0.0	0.0	0.0
37.0	0.0	0.0	0.0	0.0	0.0
37.5	0.0	0.0	0.0	0.0	0.0
38.0	0.0	0.0	0.0	0.0	0.0
38.5	0.0	0.0	0.0	0.0	0.0
39.0	0.0	0.0	0.0	0.0	0.0
39.5	0.0	0.0	0.0	0.0	0.0
40.0	0.0	0.0	0.0	0.0	0.0
40.5	0.0	0.0	0.0	0.0	0.0
41.0	0.0	0.0	0.0	0.0	0.0
41.5	0.0	0.0	0.0	0.0	0.0
42.0	0.0	0.0	0.0	0.0	0.0
42.5	0.0	0.0	0.0	0.0	0.0
43.0	0.0	0.0	0.0	0.0	0.0
43.5	0.0	0.0	0.0	0.0	0.0
44.0	0.0	0.0	0.0	0.0	0.0
44.5	0.0	0.0	0.0	0.0	0.0
45.0	0.0	0.0	0.0	0.0	0.0
45.5	0.0	0.0	0.0	0.0	0.0
46.0	0.0	0.0	0.0	0.0	0.0
46.5	0.0	0.0	0.0	0.0	0.0
47.0	0.0	0.0	0.0	0.0	0.0
47.5	0.0	0.0	0.0	0.0	0.0
48.0	0.0	0.0	0.0	0.0	0.0
48.5	0.0	0.0	0.0	0.0	0.0
49.0	0.0	0.0	0.0	0.0	0.0
49.5	0.0	0.0	0.0	0.0	0.0
50.0	0.0	0.0	0.0	0.0	0.0

PEAK 193 3  
 FLOW 12.27 15.07 15.07  
 ACFT 382.73 382.73  
 THOUS CU M 1% 2% 3%

COMBINE HYDROGRAPHS

COMBINE HYDROGRAPHS FROM LAKE 1 AND RUNOFF 4

ISTAD	ICOMP	ICCON	ISTAPE	JPLT	JPRIT	INAME	ISTAGE	TAUTO
LAKE 4	2	0	0	0	0	1	0	0



PMF AND ONE-HALF PMF ROUTING

49

B-63

106	103	99	94	91	90	87	80	79	78	77	76	75	74	73	72	71	70	69	68	67	66	65	64	63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																														
106	118	119	113	113	112	111	110	109	108	107	106	105	104	103	102	101	100	99	98	97	96	95	94	93	92	91	90	89	88	87	86	85	84	83	82	81	80	79	78	77	76	75	74	73	72	71	70	69	68	67	66	65	64	63	62	61	60	59	58	57	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1

STAD: 607.00 701.59  
 FLOW 2141.00  
 SURFACE AREA 6.0  
 CAPACITY 2.0  
 ELEVATIONS 681.0

HYDROGRAPH THROUGH LVL 4  
 LAMP # 1  
 CLASS 0.0  
 MS12 1  
 STAD 607.00  
 FLOW 2141.00

STAGE 0  
 TIME 0  
 TSK 0.000  
 STORA -697.0  
 ISPRAT -1  
 JMT 3  
 JVAL 1  
 ISLAGE 0  
 IPWP 5  
 JVAL 0.000  
 JVAL 697.00  
 JVAL 30.0  
 JVAL 207.00  
 JVAL 700.60  
 JVAL 701.30  
 JVAL 1027.00  
 JVAL 1559.30

TOWER COORD EXHD DAWVID  
 DAM DATA  
 TOWER COORD EXHD DAWVID

579.0 0.0 0.0 0.

STATION LAKE # PLAN 1, RATIO 1

END-OF-RUN HYDROGRAPH ORIGINATE

	0.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	25.	26.	27.	
INFLOW	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
OUTFLOW	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
STORAGE	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.



11.	21.	31.	41.	51.	61.	71.	81.	91.	101.	111.	121.	131.	141.	151.	161.	171.	181.	191.	201.	211.	221.
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5
697.3	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5	697.5

STATION LAKE 49 PLAN 1:40000

CFS	INCHES	AC-FEET	THOUS CU.	7-HOUR	TOTAL VOLUME
183.0	34.37	518.88	160.	742.24	29.22
197.	36.2	548.00	172.	742.24	29.22
236.	40.0	618.00	192.	742.24	29.22
236.	40.0	618.00	192.	742.24	29.22

END-OF-PEAK HYDROGRAPH ordinates  
OUTFLOW

B-66



Table with columns labeled 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30. Includes a 'VIAS' section and a 'PEAK SUPPLY IS 10. AT TIME 14.67 40145' note.

Summary table with columns: PEAK, -HOUR, 24-HOUR, 72-HOUR, TOTAL VOLUME. Rows include categories like CUC, CUC, CUC, AC-F1, THOUS. CU W.

PMF AND ONE-HALF PMF ROUTING

B-69

PEAK FLOW AND STORAGE (END OF PERIOD) SUMMARY FOR MULTIPLE PLAN-BASED ECONOMIC COMPUTATIONS  
 FLOWS IN CUBIC FEET PER SECOND (CUMULIC METERS PER SECOND)  
 AREA IN SQUARE HILLS (SQUARE KILOMETERS)

RATIOS APPLIED TO FLOWS

OPERATION	STATION	AREA	PLAN	RATIO 1	RATIO 2	1.00	1.00
HYDROGRAPH AT LAKE	002	109	1	109	107		
	003	110	1	110	107		
ROUTED TO LAKE	010	109	1	109	107		
	003	110	1	110	107		
HYDROGRAPH AT LAKE	001	109	1	109	107		
	003	110	1	110	107		
ROUTED TO LAKE	010	109	1	109	107		
	003	110	1	110	107		
HYDROGRAPH AT LAKE	001	109	1	109	107		
	003	110	1	110	107		
ROUTED TO LAKE	010	109	1	109	107		
	003	110	1	110	107		

SUMMARY OF DAM SAFETY ANALYSIS

PLAN 1	INITIAL VALUE	SPILLWAY CHEST	TOP OF DAM	TIME OF DAM FAILURE HOURS
	735.00	735.00	737.00	15.50
	1.	1.	2.	15.60
	0.	0.	108.	15.58

RATIO OF PWF	MAXIMUM DEPTH OVER DAM	MAXIMUM STORAGE AC-FT	MAXIMUM OUTFLOW CFS	DURATION OVER TOP HOURS	TIME OF DAM FAILURE HOURS
1.00	.49	2.	377.	.39	15.50
.56	.24	2.	178.	.19	15.60

ELEVATION STORAGE OUTFLOW	MAXIMUM DEPTH OVER DAM	MAXIMUM STORAGE AC-FT	MAXIMUM OUTFLOW CFS	DURATION OVER TOP HOURS	TIME OF DAM FAILURE HOURS
737.40	.49	2.	377.	.39	15.50
737.24	.24	2.	178.	.19	15.60

SUMMARY OF DAM SAFETY ANALYSIS

PLAN 1 .....

ELEVATION STORAGE	INITIAL VALUE	SPILLWAY CREST	TOP OF DAM			
OUTFLO	730.25	700.25	703.00			
	2.	2.	5.			
	0.	0.	130.			

	MAXIMUM	MAXIMUM	MAXIMUM	DURATION	TIME OF
RATIO OF PVE	RESERVOIR CAP. ELEV	STORAGE AC-FT	GUTFLOW CFS	OVER TOP HOURS	FAILURE HOURS
1.00	704.74	7.	1560.	1.35	12.42
.50	704.12	5.	772.	.75	15.63

SUMMARY OF DAM SAFETY ANALYSIS

PLAN 1 .....	INITIAL VALUE	SPILLWAY CRFST	TOP OF DAM	TIME OF FAILURE
ELEVATION STORAGE	597.30	677.50	690.00	0.00
OUTFLOW	16.	16.	27.	0.00
	0.	0.	34.	0.00
RATIO OF PWF	MAXIMUM DEPTH	MAXIMUM OUTFLOW (CFS)	DURATION OVER TOP HOURS	TIME OF FAILURE HOURS
1.02	397.04	1853.	10.33	0.00
0.55	700.65	610.	6.17	0.00



PERCENT OF PMF FLOOD ROUTING  
EQUAL TO SPILLWAY CAPACITY



B-74

\*\*\*\*\*  
 FLOOD HYDROGRAPH PACKAGE (HEC-1)  
 DAM SAFETY VERSION JULY 1978  
 LAST MODIFICATION 26 FEB 79  
 \*\*\*\*\*

NO	DESCRIPTION	Q	S	C	U	Q	Q	Q	Q
1	AC SCHNEIDER LAKE DAM ( MO 71593)	300	0	5	0	0	0	0	0
2		5	4	1					
3		1							
4		.05	.00	.07	.00				
5	LAKE 2	0							1
6	PUNOFF CALCULATION FOR DRAINAGE AREA 2	1	0	.022	.022				1
7		1	25.1	100	120	130			-1
8									-78
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									

103

25	K	0	LAKE 1																			
27	K1		RUNOFF CALCULATION FOR DRAINAGE AREA 1																			
28	Y	1			0.089																	
29	M	25.1		120	130																	
30	T																					-78
31	Z	.072																				
32	C		LAKE 1																			
33	K	2																				
34	K1		COMBINE HYDROGRAPHS FROM LAKE 2 AND 1																			
35	M	1																				
36	K1		ROUTE COMBINED HYDROGRAPH THROUGH DAM 1																			
37	Y	1																				
38	Y1	1																				
39	Y4	700.25		701.7	703.6	704.5	705.2															
40	Y5	0		43	137	451	957	1646														
41	M			1	2.5	5	5.5															
42	SE	693		701	710	720	730															
43	SE	700.25																				
44	SD	743																				
45	SE	10		.5	700	1	700.25	703														
46	K		LAKE 4																			
47	K1		RUNOFF CALCULATION FOR DRAINAGE AREA 4																			
48	M	1																				
49	M	25.1		120	130																	
50	T																					

51 .0144  
52 0 0 1  
53 2 LAKE 4 1  
54 COMBINE HYDROGRAPHS FROM LAKE 1 AND RUNOFF 4  
55 1 LAKE 4 1  
56 1 LAKE 4 1  
57 ROUTE COMBINED HYDROGRAPHS THROUGH DAM 4  
58 1 1  
59 1 593 698.5 698.58 699 699 699.9 700.9 701.3  
60 Y4 697.3 702.7 3.4 23 34 297 765 1027 1554  
61 Y4 701.6 1.3 3.4 4.7 23  
62 Y5 2141 2751 4911 2.4 4 5 6  
63 1A 1 1 2 2.4 4 720  
64 1E 681 697.3 698.5 699 710  
65 1S 697.3 698.5  
66 1D 699  
67 99

B-77

PREVIEW OF SCHEMATIC OF STREAM NETWORK CALCULATIONS

RUNOFF HYDROGRAPH AT LAKE 2  
ROUTE HYDROGRAPH TO LAKE 2  
RUNOFF HYDROGRAPH AT LAKE 1  
COMBINE 2 HYDROGRAPHS AT LAKE 1  
ROUTE HYDROGRAPH TO LAKE 1  
RUNOFF HYDROGRAPH AT LAKE 4  
ROUTE HYDROGRAPH TO LAKE 4  
ROUTE HYDROGRAPH TO LAKE 4  
END OF ROUTING

.....  
 5000 HYDROGRAPH PACKAGE (MPC-13)  
 JAN SAFETY DESIGN JULY 1978  
 LAST MODIFICATION 4.11.78  
 .....

RUN DATE 06/10/79  
 TIME 08:34:37

JAN SAFETY DESIGN - RISK UNIT  
 AC SCHEDULE LAST DATE (NO 15162)  
 PERCENTAGE

.....  
 500 5.4 15.0 100 100 100 100 100 100 100  
 500 5.4 15.0 100 100 100 100 100 100 100  
 500 5.4 15.0 100 100 100 100 100 100 100

.....  
 MULTIPLE PLANTS TO BE INFORMED  
 .....  
 500 5.4 15.0 100 100 100 100 100 100 100

.....  
 SURFACE RUN OFF COMPUTATION  
 .....

.....  
 RUNOFF CALCULATION FOR SURFACE AREA

AREA	AREA	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT
1000	1000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

AREA	AREA	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT
1000	1000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

AREA	AREA	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT
1000	1000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

AREA	AREA	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT
1000	1000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

AREA	AREA	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT
1000	1000	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

SUM 3.003 29.07 13.16 9905  
( 07931 749.11 80.11 142.86)

HYDROGRAPH ROUTING

ROUTE HYDROGRAPH THROUGH DAM ?

ISTAT: ICOMP IFCN ITAPL JPL JPMF ISTAT IAUO  
LAKE ? 0 0 0 0 0 0  
ROUTING DATA  
ALONG CROSS 0.0 1.0 1.0 1.0 1.0  
WRS 0.000 0.000 0.000 0.000 0.000  
LAD 0.000 0.000 0.000 0.000 0.000  
LST 0 0 0 0 0  
FCM STCRA ISPRAT  
0.000 0.745 0.000 0.000 0.000  
STAGE 717.00 717.00 717.00 717.00 717.00  
FLOW 0.00 0.00 0.00 0.00 0.00

SURFACE AREA 0.00 1.00  
CAPACITY 0.00 0.00  
ELEVATIONS 717.00 717.00  
GATE 717.00 717.00  
DAM HEIGHT 717.00  
DAM TYPE 1.00  
DAM CODE 717.00  
DAM NAME 717.00  
DAM DATA  
DAM CODE 717.00  
DAM NAME 717.00  
DAM TYPE 1.00  
DAM HEIGHT 717.00

PEAK OUTFLOW IS 16.07 HOURS  
PEAK OUTFLOW IS 17.07 HOURS  
PEAK OUTFLOW IS 20.07 HOURS  
PEAK OUTFLOW IS 22.07 HOURS

UP-AREA RUNOFF COMPUTATION

RUNOFF CALCULATION FOR CHAINAGE AREA 1

ISTAG	ICOMP	IFCON	ITAPE	JFLT	JPRY	INAME	ISTAGE	IAUTO
LAKE 1	0	0	0	0	0	1	0	0

HYDROGRAPH DATA

TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA
0.00	110.00	130.00	140.00	150.00	160.00

LOSS DATA

STKX	STX	STX	STX	STX	STX	STX
0.00	1.00	1.00	1.00	1.00	1.00	1.00

PRECIP DATA

TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA
0.00	110.00	130.00	140.00	150.00	160.00

REGULATED DATA

TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA
0.00	110.00	130.00	140.00	150.00	160.00

COMBINED HYDROGRAPHS FROM LAKE 1 AND 1

TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA
0.00	110.00	130.00	140.00	150.00	160.00	170.00	180.00	190.00

ROUTE COMBINED HYDROGRAPH THROUGH CAN 1

TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA
0.00	110.00	130.00	140.00	150.00	160.00	170.00	180.00	190.00	200.00	210.00

LOSS DATA

TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA	TRSDA
0.00	110.00	130.00	140.00	150.00	160.00	170.00



STAGE 700.00 731.72 705.00 704.50 705.00 706.00  
 FLOW 0.00 137.00 0.00 0.00 1640.00 2400.00  
 SURFACE CHARGE 2.0 1.0 1.0 3.0 10.0 10.0  
 CAPACITIVE 2.0 1.0 9.0 17.0 33.0 34.0  
 ELEVATION 710.0 713.0 715.0 715.0 720.0 750.0

INTCG 1 1 1 1 1 1  
 SURF 0.0 21.16 100.00 100.00 130.00 424  
 SINK 0.0 0.00 0.00 0.00 0.00 0.00  
 CLACK RTIOL RTIOL RTIOL RTIOL RTIOL RTIOL  
 STRKE CLACK RTIOL RTIOL RTIOL RTIOL  
 0.00 0.00 1.00 1.00 1.00 1.00  
 CUNVE NO = -82.60 WETNESS = -1.00 EFFECT CN = 47.00

PEAK OUTFLOW IS 67.0 AT 171.0  
 PEAK OUTFLOW IS 55.0 AT 171.0  
 PEAK OUTFLOW IS 50.0 AT 171.0  
 PEAK OUTFLOW IS 45.0 AT 171.0  
 .....

RAIN DATA  
 TOTAL 5.00 5.00 5.00 5.00 5.00 5.00  
 LOSS DATA  
 HYDROGRAPH DATA  
 SURF 0.00 21.16 100.00 100.00 130.00 424  
 SINK 0.00 0.00 0.00 0.00 0.00 0.00  
 CLACK RTIOL RTIOL RTIOL RTIOL RTIOL RTIOL  
 STRKE CLACK RTIOL RTIOL RTIOL RTIOL  
 0.00 0.00 1.00 1.00 1.00 1.00  
 CUNVE NO = -82.60 WETNESS = -1.00 EFFECT CN = 47.00  
 UNIT HYDROGRAPH DATA  
 TCF 0.00 LAG- .01

RECESSION DATA

STATION 0+00 BRIDGE 3+00 MILE 1+00  
PERIOD RAIN RATE LOSS PERCENT LOSS LOSS LOSS LOSS  
SUM 37.63 30.14 2.49 27.92  
(0.25) (0.25) (0.25) (0.25)

HYDROLOGICAL DATA

DATE TIME START END UNIT INLET STAGE OUTLET STAGE  
1967 10 10 10 10 0 0 0 0 0 0 0 0

HYDROLOGICAL DATA

DATE TIME START END UNIT INLET STAGE OUTLET STAGE  
1967 10 10 10 10 0 0 0 0 0 0 0 0

RECESSION DATA

STATION 0+00 BRIDGE 3+00 MILE 1+00  
PERIOD RAIN RATE LOSS PERCENT LOSS LOSS LOSS LOSS  
SUM 37.63 30.14 2.49 27.92  
(0.25) (0.25) (0.25) (0.25)

HYDROLOGICAL DATA

DATE TIME START END UNIT INLET STAGE OUTLET STAGE  
1967 10 10 10 10 0 0 0 0 0 0 0 0

RECESSION DATA

STATION 0+00 BRIDGE 3+00 MILE 1+00  
PERIOD RAIN RATE LOSS PERCENT LOSS LOSS LOSS LOSS  
SUM 37.63 30.14 2.49 27.92  
(0.25) (0.25) (0.25) (0.25)

PEAK OUTFLOW IS 32.6 AT TIME 14.00 HOUR

BEAR OUTFLOW IS 49. AT TIME 14.00 HOURS  
DEAR OUTFLOW IS 60. AT TIME 15.00 HOURS  
DEAR OUTFLOW IS 70. AT TIME 16.00 HOURS

.....  
.....  
.....  
.....  
.....

PEAK FLOW AND STORAGE (END OF PERIOD) SUMMARY FOR MULTIPLE PLAN-RATIO ECONOMIC COMPUTATIONS  
 FLOWS IN CUBIC FEET PER SECOND (CUBIC METERS PER SECOND)  
 AREA IN SQUARE MILES (SQUARE KILOMETERS)

RATIOS APPLIED TO FLOWS

PLAN RATIO 1 RATIO 2 RATIO 3 RATIO 4

.05 .06 .07 .09

OPERATION STATION AREA PLAN RATIO 1 RATIO 2 RATIO 3 RATIO 4

HYDROGRAPH AT LAKE 1 (.06) (.06) (.06) (.06) (.06) (.06)

ROUTED TO LAKE 1 (.02) (.02) (.02) (.02) (.02) (.02)

HYDROGRAPH AT LAKE 2 (.03) (.03) (.03) (.03) (.03) (.03)

COMBINED LAKE 1 (.11) (.11) (.11) (.11) (.11) (.11)

ROUTED TO LAKE 1 (.11) (.11) (.11) (.11) (.11) (.11)

HYDROGRAPH AT LAKE 3 (.01) (.01) (.01) (.01) (.01) (.01)

COMBINED LAKE 3 (.12) (.12) (.12) (.12) (.12) (.12)

ROUTED TO LAKE 3 (.12) (.12) (.12) (.12) (.12) (.12)

HYDROGRAPH AT LAKE 4 (.02) (.02) (.02) (.02) (.02) (.02)

COMBINED LAKE 4 (.02) (.02) (.02) (.02) (.02) (.02)

ROUTED TO LAKE 4 (.02) (.02) (.02) (.02) (.02) (.02)

OPERATION STATION AREA PLAN RATIO 1 RATIO 2 RATIO 3 RATIO 4

HYDROGRAPH AT LAKE 5 (.02) (.02) (.02) (.02) (.02) (.02)

ROUTED TO LAKE 5 (.02) (.02) (.02) (.02) (.02) (.02)

HYDROGRAPH AT LAKE 6 (.01) (.01) (.01) (.01) (.01) (.01)

COMBINED LAKE 6 (.01) (.01) (.01) (.01) (.01) (.01)

ROUTED TO LAKE 6 (.01) (.01) (.01) (.01) (.01) (.01)

HYDROGRAPH AT LAKE 7 (.01) (.01) (.01) (.01) (.01) (.01)

COMBINED LAKE 7 (.01) (.01) (.01) (.01) (.01) (.01)

ROUTED TO LAKE 7 (.01) (.01) (.01) (.01) (.01) (.01)

HYDROGRAPH AT LAKE 8 (.01) (.01) (.01) (.01) (.01) (.01)

COMBINED LAKE 8 (.01) (.01) (.01) (.01) (.01) (.01)

ROUTED TO LAKE 8 (.01) (.01) (.01) (.01) (.01) (.01)

HYDROGRAPH AT LAKE 9 (.01) (.01) (.01) (.01) (.01) (.01)

COMBINED LAKE 9 (.01) (.01) (.01) (.01) (.01) (.01)

ROUTED TO LAKE 9 (.01) (.01) (.01) (.01) (.01) (.01)

HYDROGRAPH AT LAKE 10 (.01) (.01) (.01) (.01) (.01) (.01)

COMBINED LAKE 10 (.01) (.01) (.01) (.01) (.01) (.01)

ROUTED TO LAKE 10 (.01) (.01) (.01) (.01) (.01) (.01)

SUMMARY OF DAM SAFETY ANALYSIS

PLAN 1 .....	INITIAL VALUE	SPILLWAY CREST	TOP OF DAM
	735.00	735.00	737.00
ELEVATION STORAGE OUTFLOW	1.	1.	2.
	0.	0.	108.

RATIO OF	"MAXIMUM" STORAGE	"MAXIMUM" OUTFLOW	DURATION OVER TOP	TIME OF MAX OUTFLOW	TIME OF FAILURE
OF	AS-FEET	CFE	HOURS	HOURS	HOURS
0.05	1.	14.	0.00-	15.67	0.00
0.06	1.	17.	0.00	15.67	0.10
0.07	1.	20.	0.00	15.67	0.00
0.08	1.	22.	0.00	15.67	0.00

"MAXIMUM" DEPTH OVER DAM	"MAXIMUM" RESERVOIR ELEVATION
9.00	735.35
0.00	735.47
0.00	735.48
0.00	736.51

SUMMARY OF DAM SAFETY ANALYSIS

PLAN 1 .....	INITIAL VALUE	SPILLWAY CREST	TOP OF DAM	TIME OF FAILURE
	700.23	700.25	703.00	0.00
ELEVATION:	2.	2.	5.	5.
STORAGE	0.	0.	130.	130.
CUTFLOW				

RATIO OF PRE	MAXIMUM DEPTH OVER DAM	MAXIMUM STORAGE AC-FT	MAXIMUM OUTFLOW CFS	DURATION OF TOP	TIME OF MAX OUTFLOW	TIME OF FAILURE
0.	0.00	3.	40.	0.00	15.83	0.00
0.2	0.00	4.	23.	0.00	15.75	0.00
0.3	0.00	4.	46.	0.00	15.75	0.00
0.5	3.50	4.	40.	3.00	15.75	0.00

SUMMARY OF LOW SAFETY ANALYSIS

PLAN 1	ELEVATION STORAGE CAPACITY	INITIAL VALUE	SPILLWAY CREST	TOP OF DAM	MAXIMUM DEPTH OVER DAM	MAXIMUM STORAGE AC-FT	MAXIMUM CUTOFF CAPACITY	DURATION OVER TOP	TIME OF MAX OUTFLOW	TIME OF FAILURE
RATIO OF SW	PERCENTAGE	FEET	FEET	FEET	FEET	AC-FT	CFS	HOURS	HOURS	HOURS
0.05	100.00	0.00	1.00	1.00	0.00	0.00	0.00	0.00	16.08	0.00
0.07	100.00	15.00	17.00	20.00	0.04	26.00	45.00	0.07	16.00	0.00
0.10	100.00	30.00	34.00	40.00	0.14	28.00	74.00	0.08	15.02	0.00