

AD-A109 794

FLAHERTY-GIAVARA ASSOCIATES NEW HAVEN CT  
NATIONAL DAM SAFETY PROGRAM, KINGSLEY BROOK RESERVOIR DAM (INVE--ETC(U)  
SEP 81 H C FLAHERTY

F/G 13/13


DACW51-81-C-0006


NL

UNCLASSIFIED

1 + 2

ALC/STG





MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS - 1963-A

AD A 109794

**LEVEL II**

①


SUSQUEHANNA RIVER BASIN

**KINGSLEY BROOK RESERVOIR DAM**

**MADISON COUNTY, NEW YORK  
INVENTORY No. N.Y. 353**

**PHASE I INSPECTION REPORT  
NATIONAL DAM SAFETY PROGRAM**

DTIC FILE COPY



DTIC  
JAN 20 1982  
E

APPROVED FOR PUBLIC RELEASE;  
DISTRIBUTION UNLIMITED

NEW YORK DISTRICT, CORPS OF ENGINEERS  
JUNE 1981

01 19 82 069

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Phase I Inspection Report Kingsley Brook Reservoir Dam Susquehanna River Basin, Madison County, New York Inventory No. 353		5. TYPE OF REPORT & PERIOD COVERED Phase I Inspection Report National Dam Safety Program
7. AUTHOR(s) HUGH C. FLAHERTY		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Flaherty-Giavara Associates One Columbus Plaza New Haven, CT 06510		8. CONTRACT OR GRANT NUMBER(s) DACW51-81-C-0006
11. CONTROLLING OFFICE NAME AND ADDRESS Department of the Army 26 Federal Plaza New York District, CofE New York, New York 10287		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
12. REPORT DATE 15 September 1981		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Department of the Army 26 Federal Plaza New York District, CofE New York, NY 10287		15. SECURITY CLASS. (of this report) UNCLASSIFIED
15. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; Distribution unlimited.		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEYWORDS (Continue on reverse side if necessary and identify by block number) Dam Safety National Dam Safety Program Phase I Inspection Structural Stability Kingsley Brook Reservoir Dam Madison County Susquehanna River Basin		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report provides information and analysis on the physical condition of the Kingsley Brook Reservoir Dam as of the report date. Information and analysis are based on visual inspection of the dam by the performing organization. Examination of available documents and visual inspections of the dam did not reveal conditions which constitute an immediate hazard to human life or property. However, the dam has some deficiencies that need to be evaluated and remedied.		
FORM 1473 EDITION OF 1 NOV 65 IS OBSOLETE		
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)		

Using the Corps of Engineers' screening criteria for the initial review of spillway adequacy, it has been determined that the embankment would be overtopped by all storms exceeding 21 percent of the Probable Maximum Flood (PMF). Dam overtopping, the resulting erosion of the embankment and hence, dam breaching would cause water surface levels downstream to reach depths which would pose significant danger to residents. Therefore, the spillway is adjudged to be seriously inadequate and the dam is assessed as unsafe, nonemergency.

The classification "unsafe" applied to a dam because of a seriously inadequate spillway is not meant to connote the same degree of emergency as would be associated with an "unsafe" classification applied for a structural deficiency. It does mean that there appears to be a serious deficiency in spillway capacity and if a severe storm were to occur, overtopping and failure of the dam could take place, significantly increasing the hazard to life downstream of the dam.

PREFACE

This report is prepared under guidance contained in the Recommended Guidelines for Safety Inspection of Dams, for Phase I Investigations. Copies of these guidelines may be obtained from the Office of Chief of Engineers, Washington, D.C. 20314. The purpose of a Phase I investigation is to identify expeditiously those dams which may pose hazards to human life or property. The assessment of the general condition of the dam is based upon available data and visual inspections. Detailed investigation and analyses involving topographic mapping, subsurface investigations, testing, and detailed computational evaluations are beyond the scope of a Phase I Investigation; however, the investigation is intended to identify any need for such studies.

In reviewing this report, it should be realized that the reported condition of the dam is based on observations of field conditions at the time of inspection along with data available to the inspection team. In cases where the reservoir was lowered or drained prior to inspection, such action, while improving the stability and safety of the dam, removes the normal load on the structure and may obscure certain conditions which might otherwise be detectable if inspected under the normal operating environment of the structure.

It is important to note that the condition of a dam depends on numerous and constantly changing internal and external conditions, and is evolutionary in nature. It would be incorrect to assume that the present condition of the dam will continue to represent the condition of the dam at some point in the future. Only through frequent inspections can unsafe conditions be detected and only through continued care and maintenance can these conditions be prevented or corrected.

Phase I inspections are not intended to provide detailed hydrologic and hydraulic analyses. In accordance with the established Guidelines, the Spillway Test Flood is based on the estimated "Probable Maximum Flood" for the region (greatest reasonably possible storm runoff), or fractions thereof. Because of the magnitude and rarity of such a storm event, a finding that a spillway will not pass the test flood should not be interpreted as necessarily posing a highly inadequate condition. The test flood provides a measure of relative spillway capacity and serves as an aid in determining the need for more detailed hydrologic and hydraulic studies, considering the size of the dam, its general condition and the downstream damage potential.

File	
NTIS	X
Dist	
Unrec'd	
Just	
By	
Date	
Dist	
<b>A</b>	

PHASE I INSPECTION REPORT  
NATIONAL DAM SAFETY PROGRAM  
KINGSLEY BROOK RESERVOIR DAM  
INVENTORY NO. NY 353  
SUSQUEHANNA RIVER BASIN  
MADISON COUNTY, NEW YORK

TABLE OF CONTENTS

	<u>PAGE NO.</u>
ASSESSMENT	-
OVERVIEW PHOTOGRAPH	-
LOCATION MAP	i
1 - PROJECT INFORMATION	1
1.1 GENERAL	1
1.2 DESCRIPTION OF PROJECT	1
1.3 PERTINENT DATA	4
2 - ENGINEERING DATA	7
2.1 GEOTECHNICAL DATA	7
2.2 DAM AND APPURTENANT STRUCTURES	7
2.3 CONSTRUCTION RECORDS	8
2.4 OPERATION RECORDS	8
2.5 EVALUATION OF DATA	8
3 - VISUAL INSPECTION	9
3.1 FINDINGS	9
3.2 EVALUATION OF OBSERVATIONS	11
4 - OPERATION AND MAINTENANCE PROCEDURES	13
4.1 PROCEDURE	13
4.2 MAINTENANCE OF DAM	13
4.3 WARNING SYSTEM	13
4.4 EVALUATION	13

5 - HYDROLOGIC/HYDRAULIC	14
5.1 DRAINAGE AREA CHARACTERISTICS	14
5.2 ANALYSIS CRITERIA	14
5.3 SPILLWAY CAPACITY	14
5.4 RESERVOIR CAPACITY	15
5.5 FLOODS OF RECORD	15
5.6 OVERTOPPING POTENTIAL	15
5.7 EVALUATION	16
6 - STRUCTURAL STABILITY	17
6.1 EVALUATION OF STRUCTURAL STABILITY	17
6.2 STRUCTURAL STABILITY ANALYSIS	18
7 - ASSESSMENT/RECOMMENDATIONS	20
7.1 ASSESSMENT	20
7.2 RECOMMENDED MEASURES	21

#### APPENDICES

- A. PHOTOGRAPHS
- B. VISUAL INSPECTION CHECKLIST
- C. HYDROLOGIC/HYDRAULIC ENGINEERING DATA AND COMPUTATIONS
- D. PREVIOUS INSPECTION REPORTS/AVAILABLE DOCUMENTS
- E. STRUCTURAL STABILITY ANALYSIS
- F. REFERENCES
- G. DRAWINGS



PHASE I INSPECTION REPORT  
NATIONAL DAM SAFETY PROGRAM

Name of Dam: Kingsley Brook Reservoir Dam  
State Located: New York  
County: Madison  
Watershed: Susquehanna River Basin  
Watercourse: Kingsley Brook  
Dates of Inspection: March 11 and 13, 1981

ASSESSMENT

Examination of available documents and visual inspections of the dam did not reveal conditions which constitute an immediate hazard to human life or property. However, the dam has some deficiencies that need to be evaluated and remedied.

Using the Corps of Engineers' screening criteria for the initial review of spillway adequacy, it has been determined that the embankment would be overtopped by all storms exceeding 21 percent of the Probable Maximum Flood (PMF). Dam overtopping, the resulting erosion of the embankment and hence, dam breaching would cause water surface levels downstream to reach depths which would pose significant danger to residents. Therefore, the spillway is adjudged to be seriously inadequate and the dam is assessed as unsafe, nonemergency.

The classification "unsafe" applied to a dam because of a seriously inadequate spillway is not meant to connote the same degree of emergency as would be associated with an "unsafe" classification applied for a structural deficiency. It does mean that there appears to be a serious deficiency in spillway capacity and if a severe storm were to occur, overtopping and failure of the dam could take place, significantly increasing the hazard to life downstream of the dam.

It is recommended that the following additional investigations be performed by a registered professional engineer engaged by the owner:

1. Conduct a detailed hydrologic and hydraulic analysis to more accurately determine the site specific characteristics of the watershed.

2. Lack of information regarding embankment materials, zoning and cutoffs hampered the dam assessment, particularly as it relates to embankment seepage; as a result, attempt to obtain further plans or details of embankment materials, zoning and cutoffs.
3. No water was observed discharging from any of the 6 inch diameter corrugated metal drain pipes installed in the crushed stone filter blanket; therefore, evaluate the effectiveness of the drainage blanket installed in 1979, particularly to:
  - a. Determine if the filter fabric is plugged, clogged or otherwise ineffective in transmitting water.
  - b. Determine the elevations of the toe drains to decide if they need to be relocated in plan or elevation to serve their intended function.
4. Two soft, wet areas were observed in low, relatively flat sections of ground at the downstream toe of slope below the drainage blanket; therefore, these seepage conditions should be monitored over at least 12 months and during periods of high reservoir levels to determine if the rates are increasing or if soil particles are being carried by the seepage.
5. If the seepage mentioned in Item 4 above is found to be continuous and the rates increasing or if erosion is occurring, evaluate the source and cause of the seepage, (i.e., through the foundation or through the embankment) and determine what remedial measures may be required (i.e., lower or modify the toe drain details of the present system, or provide a completely different system). To accomplish this task it may be necessary to conduct a test boring program to determine the data noted in Item 1 above, if such data is not otherwise available.
6. Several earthen slumps have occurred above the drainage blanket in the vicinity of the left abutment; therefore, monitor the left downstream abutment area for continued slumping.


It is recommended that within 3 months of the final approval date of this report, all of the additional investigations should be initiated and within 18 months, appropriate remedial measures should be completed. In the interim, a plan for providing around-the-clock surveillance of the dam during periods of unusually heavy precipitation should be developed and implemented.

The following remedial measures should be completed within 12 months to correct existing deficiencies:


1. Repair the emergency spillway to prevent continuing seepage.
2. Grade, reseed and mulch the channel embankment side slopes immediately downstream and to the left of the emergency spillway.
3. Remove the logjam located in the emergency spillway discharge channel.
4. Flatten the top of the upstream and downstream slopes to prevent future slumping.
5. All tree stumps over 6 inches in diameter on the embankment slopes should be removed and the areas backfilled.
6. Cut the brush and grass on the embankment slopes and spillway channel bottom at intervals of one to two years to prevent their becoming overgrown.
7. Fill in any animal burrows on the embankment slopes.
8. Develop and implement a flood warning and emergency evacuation plan to alert downstream residents in the event conditions occur which could result in failure of the dam.

Submitted by:

FLAHERTY GIAVARA ASSOCIATES, P.C.

  
\_\_\_\_\_  
Hugh C. Flaherty, P.E. & L.S.  
Chairman of the Board  
New York License No. 58508

Approved by:


  
\_\_\_\_\_  
Col. W. M. Smith, Jr.  
New York District Engineer

Date:

15 Sept 81



PHOTO #1: Overview of  
Kingsley Brook Reservoir Dam  
Inventory No. NY 353



**VICINITY MAP**  
1" = 47 MILES

**PROJECT SITE**

**LOCATION MAP**

**KINGSLEY BROOK RESERVOIR DAM**  
**INVENTORY No. NY 353**  
**SUSQUEHANNA RIVER BASIN**  
**MADISON COUNTY**  
**LEBANON, NEW YORK**



0 2000 4000  
**SCALE IN FEET**

FLAHERTY · GIAVARA ASSOCIATES, P.C.

NATIONAL DAM SAFETY PROGRAM  
PHASE I INSPECTION REPORT  
KINGSLEY BROOK RESERVOIR DAM  
INVENTORY NO. NY 353  
D.E.C. NO. 104D-698  
SUSQUEHANNA RIVER BASIN  
MADISON COUNTY, NEW YORK

SECTION 1 - PROJECT INFORMATION

1.1 GENERAL

a. Authority

The Phase I Inspection reported herein was authorized by the Department of the Army, New York District, Corps of Engineers, to fulfill the requirements of the National Dam Inspection Act, Public Law 92-367. Flaherty Giavara Associates, P.C. has been retained by the New York District to inspect and report on selected dams in the State of New York. Authorization and notice to proceed was issued to Flaherty Giavara Associates, P.C. under a letter of December 24, 1980 from W. M. Smith Jr., Colonel, Corps of Engineers. Contract No. DACW 51-81-C-0006 has been assigned by the Corps of Engineers for this work.

b. Purpose

Evaluation of the existing conditions of the subject dam to identify deficiencies and hazardous conditions, determine if they constitute hazards to life and property and recommend remedial measures where necessary.

1.2 DESCRIPTION OF PROJECT

a. Description of Dam and Appurtenances

Kingsley Brook Reservoir Dam consists of an earthen embankment with an elliptical cut stone masonry tunnel principal spillway under the central portion of the embankment and a cut stone masonry emergency spillway near the right abutment. Profiles and sections prepared by the State of New York Department of Transportation (DOT) for the dam as it existed in 1978 are included on drawings in Appendix G.

The dam embankment is 900 feet long and a maximum of 63 feet high. The downstream slopes vary from 4 horizontal to 1 vertical over the bottom half to 3 to 1 over the upper half. The top 5 to 6 feet of the downstream and the upstream slopes (above reservoir level) are approx-

imately 1.5 to 1. A two lane paved town highway runs along the crest of the dam, which has an overall width of 20 feet. The upstream slope above the reservoir level has flat platy riprap for slope protection while the upper half of the downstream slope has grass for erosion protection. Due to downstream embankment seepage conditions observed by DOT in 1976 and 1977, remedial treatment of the lower half of the downstream slope was undertaken in 1979. This treatment consisted of placing a layer of filter fabric over approximately the lower half of the existing slope and covering the fabric with 2 feet of crushed stone. The filter fabric and stone were extended 20 to 40 feet beyond the toe of slope. Six inch diameter perforated corrugated metal toe drains were incorporated into the stone near the toe of slope. The toe drain to the right of the principal spillway slopes toward and discharges into the principal spillway discharge conveyance channel just downstream and to the right of the tunnel outlet. The toe drains to the left of the principal spillway slope toward a low point in the downstream toe near the left abutment and discharge into a ditch which also drains into the principal spillway discharge conveyance channel.

The principal spillway is a 7 foot high by 4 foot wide elliptical cut stone masonry tunnel. Flow into the tunnel is controlled by gate valves on four 8 inch cast iron pipes.

The emergency spillway is a 16 foot wide cut stone masonry weir with mortared joints. The emergency spillway discharge conveyance channel is excavated into earth and rock near the right abutment. It runs perpendicular to the dam for about 200 feet then gradually curves to the left and discharges into Kingsley Brook.

b. Location

The Kingsley Brook Reservoir Dam is located on Reservoir Road approximately 4.3 miles west of the Village of Hamilton in the Town of Lebanon, New York. The dam is located at latitude north 42°-48.1' and longitude west 75°-36.1' on the U.S. Geological Survey 7.5 minute series topographic map "Hamilton, New York". The Location Map on page i indicates where the dam is situated.

c. Size Classification

The maximum height of the dam is 63 feet and the maximum storage capacity is 2260 acre-feet. Therefore, Kingsley Brook Reservoir Dam is classified as an "Intermediate" dam as defined by the Recommended Guidelines for Safety Inspection of Dams.

d. Hazard Classification

There are two major roads, approximately 1 dwelling and high voltage transmission lines within the dam failure flood hazard area. Therefore, the dam is in the "High" hazard category as defined by the Recommended Guidelines for Safety Inspection of Dams.

e. Ownership

The dam is owned by the State of New York - Department of Transportation (DOT), Waterways Maintenance Division. It is located in DOT Region 2, whose headquarters is in Utica. The addresses and telephone numbers of the Main Office and the Regional Office are as follows:

Owner

Contact: Mr. Joseph R. Stellato, Director  
State of New York  
Department of Transportation  
Main Office - State Campus  
1220 Washington Avenue  
Albany, New York 12232

Telephone: (518) 457-4407

Mr. Frank W. Jennings, Regional  
Waterways Maintenance Engineer  
Region 2 Office  
State of New York  
Department of Transportation  
Utica Office Building  
207 Genesee Street  
Utica, New York 13501

Telephone: (315) 797-6120 Ext. 2443

f. Purpose

The dam was originally constructed to feed the summit level of the Chenango Canal north of Hamilton. Then, under Chapter 404, Laws of 1877, the Chenango Canal was abandoned, but the reservoir system and the feeder canals were retained to feed the enlarged Erie Canal. Reservoir water flowed north through a five mile section of the old Chenango Canal and then dropped into Oriskany Creek at Solsville where it naturally flowed north to the Erie Canal or Mohawk River near Utica, New York.

Due to a breach in one of the feeder canals, water from Lebanon or Kingsley Brook Reservoir, its original name, no longer flows north. Instead it flows into the Chenan-



go River and south to the Susquehanna River.

Presently, there is a New York State Department of Environmental Conservation launch site for small boats at the southwest end of the reservoir and a private campground with 175 sites along the north shore. Consequently, its only current use is to maintain the level of the reservoir for recreational purposes.

g. Design and Construction History

The dam was constructed in 1835; however, in April 1843, the dam was badly damaged by a flood. Since the canal commissioners believed this water source was unnecessary, it was not repaired at this time. By 1862, additional water was needed for the Chenango Canal and in 1864, reconstruction of Kingsley Brook Reservoir Dam was begun. However, due to a scarcity of labor and a change in plans, reconstruction was not completed until 1867. The dam was originally designed to be twice as high as it was built in 1835 or 14 feet higher than its constructed flow line. When reconstruction began, plans called for repairs only to the breaches, but later it was deemed economical to raise the dam to its designed height. For a small increase in cost, the reservoir capacity was doubled.

In July 1952, four new 8 inch diameter flanged gate valves were installed on the cast iron pipes in the gate chamber of the principal spillway.

The only other major post construction modification noted was the installation of a filter membrane, toe drains and a blanket of crushed stone over wet areas in 1979 by the C. D. Murray Company of Syracuse, New York. Contract drawings prepared for these improvements are included in Appendix G.

h. Normal Operating Procedure

The water level in the reservoir is recorded once a week. The gate valves are opened or closed as required to maintain a normal water level in the reservoir approximately equal to the emergency spillway crest elevation of 1311.0 (NGVD).

1.3 PERTINENT DATA

a. Drainage Area (Square Miles) 5.21

b. <u>Discharge at Dam Site (CFS)</u>	
- Top of Dam	671
- Crest of Emergency Spillway	47
- Inlet to Principal Spillway	-
- Reservoir Drain Inlet	-
c. <u>Elevations (NGVD - estimated)</u>	
- Top of Dam	1317.0
- Crest of Emergency Spillway	1311.0
- Inlet to Principal Spillway	1262.8+
- Reservoir Drain Inlet	1262.8+
d. <u>Reservoir Surface Area (Acres)</u>	
- Top of Dam	113
- Crest of Emergency Spillway	95
- Inlet to Principal Spillway	-
e. <u>Storage (Acre-Feet)</u>	
- Top of Dam	2260
- Crest of Emergency Spillway	1640
- Inlet to Principal Spillway	-
f. <u>Dam</u>	
- Type: Gravel and earthfill	
- Length (Feet)	900
- Upstream Slope (H:V)	1.5:1
- Downstream Slope (H:V)	3-4:1
- Crest Width (Feet)	20
g. <u>Emergency Spillway</u>	
- Type: Cut stone masonry weir and an excavated earthen and bedrock channel	
- Length (Feet)	
weir	16
channel	1200+
- Bottom Width (Feet)	
weir	5.5
channel	12
- Side Slopes (H:V)	
weir	vertical
channel	2:1
- Channel Bottom Slopes (Feet/Foot)	
upstream	-
downstream	0.072
- Control: None	

h. Principal Spillway

- Type: 7 foot high by 4 foot wide elliptical cut stone masonry tunnel (320 feet long) having four 8 inch diameter gated inlet pipes discharging into it and a discharge conveyance channel

- Control: Four 8 inch gate valves

i. Reservoir Drain

- Type: The elevations of the four 8 inch diameter cast iron pipes of the principal spillway are such that the pipes also serve as the reservoir drain

- Control: Four 8 inch gate valves

## SECTION 2 - ENGINEERING DATA

### 2.1 GEOTECHNICAL DATA

#### a. Geology

The Kingsley Brook Reservoir Dam is located on Kingsley Brook, a southeasterly flowing tributary to the Chenango River, about 4.3 miles west of the Village of Hamilton in the Allegheny Plateau physiographic province of New York State.

The topography in the area ranges from elevation 1240 in the streambed downstream of the dam to elevation 1700 atop the hill immediately south of the dam.

Bedrock in the vicinity of the site consists of the Skaneateles Formation, belonging to the Middle Devonian Hamilton group. Bedrock exposed at the site probably belongs to the Chenango Sandstone member of the Skaneateles Formation, a medium to thick, cross-bedded gray to buff weathered silty sandstone, with occasional fossils and ripple marks. This unit was deposited in a shallow, near-shore setting of the Catskill Delta complex that prograded across the state approximately from east to west.

Above the bedrock, some or all of the valley bottom may be mantled with glacial till, a heterogeneous mixture of clay, silt, sand, gravel and cobbles, deposited at the base of ice sheets which once covered the region. This in turn may be overlain by well-sorted sands and gravels deposited first by glacial meltwater streams and later by Eaton Brook and subsidiary tributary streams.

#### b. Subsurface Conditions

It was noted on an inspection report made in 1917, that the character of the foundation material for the spillway and the embankment was "gravel". No known subsurface explorations were made at the site, other than the test pits dug in 1978. Logs of these test pits are included in Appendix G.

### 2.2 DAM AND APPURTENANT STRUCTURES

No records were obtained concerning the original design of the dam; however, some information which was used for the design of the filter blanket on the downstream slope is included in Appendix G.

### 2.3 CONSTRUCTION RECORDS

This dam was constructed in 1835. The contract drawings prepared for the modifications done in 1979 by the New York State Department of Transportation - Design and Construction Division are also included in Appendix G.

### 2.4 OPERATION RECORDS

Reservoir water level readings are taken weekly. Records are kept at the Regional Waterways Maintenance Office in Utica, New York.

### 2.5 EVALUATION OF DATA

The data presented herein was obtained primarily from the Region 2 Office of the New York State Department of Transportation (DOT) located in Utica, New York and also from the files of the New York State Department of Environmental Conservation (DEC). This information appears to be reliable and adequate for the purposes of a Phase I Inspection Report.

## SECTION 3 - VISUAL INSPECTION

### 3.1 FINDINGS

#### a. General

Visual inspections of the Kingsley Brook Reservoir Dam were conducted on March 11 and 13, 1981. The weather was mostly overcast and the temperature was 35+°F. At the time of the inspection, there were small patches of snow on the ground and water was flowing in the principal spillway (See Photo No. 14).

#### b. Dam

The earthfill embankment of the dam is generally in fair condition (See Photos No. 4, 5, 6 and 7). Reservoir Road runs along the dam crest which is in good condition (See Photo No. 3). There was no visible evidence of lateral movement, settlement, erosion or other serious defects. However, there is concern relative to seepage conditions at the downstream toe of slope.

The following specific items were noted:

1. Two soft wet areas were observed in low, relatively flat sections of ground downstream of the crushed stone drainage blanket. One area extends from about 70 feet to the right of the principal spillway outlet pipe to the gently rising ground leading to the right abutment (See Photos No. 16 and 17). The other area occurs in the vicinity of the intersection of the downstream toe and the left abutment. Both of these areas were blanketed with matted-down marsh grass. Beneath the grass the ground was very soft and spongy. Occasional silt boils about 3 to 4 inches in diameter were noted in the wet area to the right of the principal spillway discharge channel (See Photo No. 18). Animal burrow channels about 2 inches in diameter criss-crossed the ground beneath the matted grass in both wet areas. Silty water was observed flowing in these channels (See Photo No. 22). No seepage was observed discharging from the stone into these areas; however, where visible, it appeared that the seepage was coming from between the original ground and the bottom of the filter fabric (See Photo No. 21).
2. No water was observed discharging from any of the 6 inch diameter corrugated metal drain pipes installed in the stone drainage blanket (See Photos No. 20 and 23). In fact, the outlets of the drain pipes appeared to be at higher elevations than the wet ground

they are purported to be draining. At the left abutment area, the outlets for the toe drains were noted to be 6 to 12 inches above ground and seepage was observed coming from beneath the filter fabric at the toe of the drainage blanket under the toe drains (See Photo No. 20).

3. Water was noted in the drainage ditches which were constructed to convey the toe drain discharges to the principal spillway discharge conveyance channel (See Photo No. 19). However, it appears this water is from the wet areas.
4. The upstream riprapped slope was covered with grass and brush, and scattered 3 inch diameter tree or brush stumps were observed between the riprap (See Photos No. 4 and 6). These stumps had been cut off within the past several years.
5. Several earth slumps (5 to 10 feet in diameter) were noted to have occurred at some time in the past above the crushed stone drainage blanket in the vicinity of the left abutment area. Apparently additional slumps had been observed by DOT in the late 1970's, but these areas were covered by the crushed stone drainage blanket in 1979. No slumping of the stone was noted.
6. Occasional minor sloughs (approximately 12 inches in diameter) were noted in the top few feet of the upstream and downstream slopes. These slopes are 1 to 1.5 horizontal to 1 vertical just below the crest, and appear to have resulted from gravel pushed out to widen the crest during roadway grading operations.
7. Occasional cut-off tree stumps similar to those on the upstream slope were noted in the top 5 to 6 feet of the downstream slope.
8. The crest of the dam appear to be about 6+ inches lower in the center than at the ends.

c. Principal Spillway

The principal spillway consists of a submerged intake structure, four gated 8 inch diameter cast iron pipes discharging into a 7 foot high by 4 foot wide elliptical cut stone masonry tunnel and a discharge conveyance channel (See Photo No. 15). The gate to the tunnel was locked; therefore, the intake pipes were not observed or operated.

d. Emergency Spillway

This broad-crested weir is constructed of cut stone masonry and has a width of 16 feet which is spanned by a concrete bridge (See Photo No. 8). It is in fair condition showing some signs of deterioration. Downstream of the weir is a discharge channel excavated into earth and bedrock (See Photo No. 11).

The following observations were made:

1. Slight seepage through the joints of the cut stone masonry on the downstream left side of the spillway weir was observed (See Photos No. 9 and 10).
2. A logjam of debris has formed in the discharge channel (See Photo No. 12).
3. The left side slope of the discharge channel downstream of the logjam is severely eroded (See Photo No. 13).
4. Minor irregular sloughing was noted on the side slopes of the spillway discharge channel.
5. Small (1+ inch diameter) animal burrows were observed on the left channel side slope immediately downstream of the spillway weir. No vegetative cover existed on the slope in this area and some very minor erosion was noted.

e. Downstream Channel

The natural channel downstream of the dam is located beyond the principal spillway discharge conveyance channel. It has a width of 10 feet and a depth of 12 inches (See Photo No. 15).

f. Reservoir - Storage Pool Area

The reservoir area is bordered by moderately sloping woodlands (See Photo No. 2). There does not appear to be any significant probability of landslides into the storage pool affecting the safety of the dam.

3.2 EVALUATION OF OBSERVATIONS

The visual inspections revealed several deficiencies on this structure. The following items were noted:

- a. Two soft wet areas having small silt boils were observed beyond the downstream toe of slope.



- b. No water was discharging from any of the crushed stone filter blanket drains; the water appeared to be coming from beneath the filter blanket.
- c. Seepage through the joints of the emergency spillway weir was noted.
- d. A logjam was observed in the discharge channel of the emergency spillway.
- e. Severe erosion was noted along the left side slope of the emergency spillway.
- f. Water was observed in the drainage ditches for the toe drain discharges.
- g. Several earthen sloughs of the downstream slope were in evidence.
- h. Scattered 3 inch diameter tree or brush stumps covered the upper portions of the upstream and downstream slopes.
- i. Occasional minor sloughs were noted within a few feet of the crest on the upstream and downstream slopes.
- j. The crest of the dam appeared to be slightly lower in the center.
- k. Minor, irregular sloughing was evident on the side slopes of the emergency spillway discharge channel.
- l. Small animal burrows and minor erosion were observed on the left side slope of the emergency spillway discharge channel.

## SECTION 4 - OPERATION AND MAINTENANCE PROCEDURES

### 4.1 PROCEDURES

The normal water surface level is maintained by the crest of the spillway weir at elevation 1311.0 (NGVD). The following operational procedures are in effect at this time:

- a. The reservoir water level is recorded once weekly.
- b. The valves of the principal spillway are opened to a minimum setting (three full turns of one valve) or adjusted as required to maintain a normal water level at or near the emergency spillway crest elevation of 1311.0 (NGVD).

### 4.2 MAINTENANCE OF DAM

Maintenance operations performed by the Regional Waterways Maintenance Office of the New York State Department of Transportation include:

- a. Mowing the dam embankment annually.
- b. Exercising the valves of the principal spillway for a full run and greasing them at least once a year.
- c. Inspecting the emergency spillway annually and the dam once every two years.

### 4.3 WARNING SYSTEM

No warning system is presently in effect.

### 4.4 EVALUATION

Presently, the operation and maintenance procedures in effect for this dam are satisfactory. However, increased maintenance efforts are required to correct the deficiencies which now exist.

## SECTION 5 - HYDROLOGIC/HYDRAULIC

### 5.1 DRAINAGE AREA CHARACTERISTICS

The dam is located in the Town of Lebanon on Kingsley Brook, approximately 11,600 feet upstream of the Chenango River. Kingsley Brook joins the Chenango River at the Village of Randallsville, approximately sixty-eight miles upstream of the Susquehanna River at Binghamton, New York.

The watershed (shown on the Watershed Map on Page C-5 in Appendix C) consists of 3,332 acres (5.21 square miles) of rolling to hilly uplands with typical slopes of 10 percent. It is comprised of two distinct subwatersheds, one being 1,210 acres and the other, 2,122 acres, and was treated as such for the hydrologic analysis. Land within the watershed is primarily agricultural with extensive open fields. Seymour Pond which has a surface area of 11+ acres is located approximately one mile upstream of the dam.

The watercourse upon which the reservoir is located, is a small perennial stream with a typical flow width of 10 feet and a typical flow depth of 12 inches.

### 5.2 ANALYSIS CRITERIA

The purpose of the hydrologic/hydraulic analysis is to evaluate the spillway capacity and the potential for overtopping. The analysis of the spillway capacity of the dam and storage of the reservoir was performed using the Corps of Engineers' HEC-1 Computer Model - Dam Safety Version. The procedure included determining the Probable Maximum Flood (PMF) runoff from the watershed and routing the inflow hydrograph through the impoundment to determine the outflow hydrograph. The unit hydrograph was defined by the Snyder Synthetic Unit Hydrograph method, and the Modified Puls routing procedure was incorporated.

The initial rainfall loss was assumed to be 1.0 inches, and the uniform rainfall loss was assumed to be 0.1 inches per hour. In accordance with recommended guidelines of the Corps of Engineers, the Probable Maximum Precipitation (PMP) was 20.0 inches (24 hour duration, 200 square mile area).

The analysis was conducted for both the full PMF and for several fractional PMF conditions. The PMF inflow of 9,422 CFS was routed through the reservoir and the peak outflow was determined to be 9,422 CFS.

### 5.3 SPILLWAY CAPACITY

The total outlet capacity is the sum of the discharges from the principal spillway and the emergency spillway. However,

for the purpose of this analysis and to be conservative, it was assumed the gate valves of the principal spillway were in the closed position.

The principal spillway consists of a 7 foot high by 4 foot wide elliptical cut stone masonry tunnel and into which four 8 inch diameter gated inlet pipes discharge.

The emergency spillway consists of a cut stone masonry weir and an excavated earthen and bedrock channel.

The stage discharge data for the emergency spillway was calculated for the stages tabulated below:

<u>Stage (Feet)</u>	<u>Discharge Capacity (CFS)</u>	<u>Element of Structure</u>
1311.0	0	Emergency Spillway Crest
1312.0	48	--
1313.0	136	--
1314.0	249	--
1315.0	384	--
1315.5	458	Bottom of Bridge
1316.0	574	--
1317.0	671	Top of Dam

The total spillway capacity at the top of dam is 671 CFS.

#### 5.4 RESERVOIR CAPACITY

The storage capacity of the reservoir was calculated for the stages indicated below:

<u>Stage (Feet)</u>	<u>Storage (Acre-Feet)</u>	<u>Storage (Inches of Runoff)</u>
1311.0	1640	5.91
1317.0	2260	8.14

#### 5.5 FLOODS OF RECORD

No data regarding flood levels was obtained for this dam; however, in April 1843, the original dam was badly damaged by a flood.

#### 5.6 OVERTOPPING POTENTIAL

The results of the HEC-1 DB computer analysis indicate that the crest of the dam is overtopped by all storms exceeding 21 percent of the PMF event. The PMF discharge rate of 9,422 cubic feet per second (CFS) would occur at a peak flood stage of 1318.6 feet, which is 1.6 feet above the crest of the dam.

The results of the analysis are tabulated below:

<u>Flood Condition</u>	<u>Peak Inflow (CFS)</u>	<u>Peak Outflow (CFS)</u>	<u>Maximum Stage Elevation (NGVD)</u>
0.5 PMF	4711	4688	1317.9
1.0 PMF	9422	9422	1318.6

#### 5.7 EVALUATION

Using the Corps of Engineers' screening criteria for the initial review of spillway adequacy, it has been determined that the capacity of the emergency spillway is not adequate to pass one half the PMF; only approximately 21 percent of the PMF can be safely passed before overtopping will occur (assuming the worst condition). The PMF event would overtop the dam for a duration of 16 hours and the maximum depth of flow over the crest would be 1.6 feet. It is estimated that breaching of the dam as a result of overtopping, would cause water surface levels downstream to reach depths which would pose significant danger to residents. Therefore, the spillway is adjudged to be seriously inadequate and the dam is assessed as unsafe, nonemergency.

## SECTION 6 - STRUCTURAL STABILITY

### 6.1 EVALUATION OF STRUCTURAL STABILITY

#### a. Visual Observations

There was no visible evidence of major settlement, lateral movement or other signs of overall structural instability of the dam during the site examination. Based on the conditions that were observed, there would be no reason to question the static structural stability of the dam in the absence of seepage. However, future observations and analyses are required to assess the severity of the observed seepage and to evaluate its impact on embankment stability.

#### b. Design and Construction Data

No information was obtained concerning the original design or construction of this dam. However, the drawings for the 1979 modifications entitled "Contract 95846 for Corrective Work at Eaton Brook Reservoir, Town of Eaton and Kingsley Brook Reservoir, Town of Lebanon, Madison County" are included in Appendix G and show a configuration for the embankment and discharge channel that generally corresponds to the conditions observed on March 11 and 13, 1981.

There is no construction data to confirm the actual physical properties and configuration of the earthfill in the embankment. However, the dam proportions are considered to be reasonable for the soils that were available at the site and the dam would be expected to have adequate safety margins with respect to stability under static loading conditions, provided the seepage conditions are adequately controlled.

#### c. Operating Records

Reservoir water level readings are taken weekly by the Regional Waterways Maintenance Office of the New York State Department of Transportation. Records are kept at their office in Utica, New York.

#### d. Post Construction Changes

Post construction changes include the installation of four new 8 inch diameter flanged gate valves on the cast iron pipes in the gate chamber of the principal spillway in July 1952 and the installation of toe drains, a filter membrane and a blanket of crushed stone over wet areas in 1979.

## 6.2 STRUCTURAL STABILITY ANALYSIS

Field sketches provide the cross section data of the emergency spillway. This cross section was evaluated for various loading conditions assuming a homogeneity of action of the mortared stone wall.

The stability analysis is presented in Appendix E. The results of the stability computations are summarized in the following table:

Loading Condition (Spillway Section)	<sup>1</sup> Factors of Safety		<sup>3</sup> Location of Resultant Passing Through Base
	Overturning	<sup>2</sup> Sliding	
1. Normal operating condition: water level at 1 foot above spillway crest	0.88	1.16	*
2. Maximum operating condition: water level at top of dam (6.0 feet above spillway crest)	0.33	0.54	*
3. 0.5 PMF condition: water level at El. 1317.9 (6.9 feet above spillway crest)	0.28	0.49	*
4. Ice loading condition: 5.0 Kips per foot acting at top of spillway	0.23	0.32	*

<sup>1</sup>These factors of safety indicate the ratio of moments resisting overturning to those moments causing overturning, and the ratio of forces resisting sliding to those causing sliding.

<sup>2</sup>As determined applying the friction-shear method

<sup>3</sup>Indicated in terms of the base dimension of the dam (b), measured from the toe of the dam

\* Location of resultant falls outside of the spillway width

Note: All loading conditions include an uplift force equal to  $\frac{2}{3}$  the height of the emergency spillway multiplied by the hydrostatic pressure acting upon it which was applied in conjunction with all overturning and sliding forces.

According to the available history of operation, the water level is maintained at the normal operating condition by use of the principal spillway. As shown by the above table, the hydrostatic pressures against this stone masonry weir are greater than the cross section can sustain with an acceptable factor of safety. This fact is also collaborated by the seepage of water through this stone masonry cross section. Continued mortar failure and seepage of water through the wall will have a deliterious effect on the structural stability of this emergency spillway weir.

The Kingsley Brook Reservoir Dam is located in Seismic Zone 2. However, since there was not enough data available to determine the parameters of the embankment materials, it was not possible to perform a seismic stability analysis.



## SECTION 7 - ASSESSMENT/RECOMMENDATIONS

### 7.1 ASSESSMENT

#### a. Condition

On the basis of the visual examinations, Kingsley Brook Reservoir Dam is considered to be in fair condition. There were no signs of impending structural failure or other conditions which would warrant urgent remedial action; however, there is uncertainty with regard to the cause and magnitude of seepage emanating from the dam.

#### b. Adequacy of Information

The evaluation of this dam is based primarily on visual examination, reference to available plans, approximate hydraulic and hydrologic computations, and application of engineering judgement. No information was available on the materials used to construct the embankment, the zoning or the cutoff. Lack of this information hampered the assessment of this dam, particularly as it related to embankment seepage. However, the available information that was obtained is adequate for the purposes of a Phase I assessment.

#### c. Need for Additional Investigations

It is recommended that the following additional investigations be performed by a registered professional engineer engaged by the owner:

1. Conduct a detailed hydrologic and hydraulic analysis to more accurately determine the site specific characteristics of the watershed.
2. Lack of information regarding embankment materials, zoning and cutoffs hampered the dam assessment, particularly as it relates to embankment seepage; as a result, attempt to obtain further plans or details of embankment materials, zoning and cutoffs.
3. No water was observed discharging from any of the 6 inch diameter corrugated metal drain pipes installed in the crushed stone filter blanket; therefore, evaluate the effectiveness of the drainage blanket installed in 1979, particularly to:
  - a) Determine if the filter fabric is plugged, clogged or otherwise ineffective in transmitting water.

- b) Determine the elevations of the toe drains to decide if they need to be relocated in plan or elevation to serve their intended function.
4. Two soft, wet areas were observed in low, relatively flat sections of ground at the downstream toe of slope below the drainage blanket; therefore, these seepage conditions should be monitored over at least 12 months and during periods of high reservoir levels to determine if the rates are increasing or if soil particles are being carried by the seepage.
5. If the seepage mentioned in Item 4 above is found to be continuous and the rates increasing, or if erosion is occurring, evaluate the source and cause of the seepage, (i.e., through the foundation or through the embankment) and determine what remedial measures may be required (i.e., lower or modify the toe drain details of the present system, or provide a completely different system). To accomplish this task, it may be necessary to conduct a test boring program to determine the data noted in Item 2 above, if such data is not otherwise available.
6. Several earthen slumps have occurred above the drainage blanket in the vicinity of the left abutment; therefore, monitor the left downstream abutment area for continued slumping.

d. Urgency

It is recommended that within 3 months of the final approval date of this report, all of the additional investigations should be initiated and within 18 months, appropriate remedial measures should be completed. In the interim, a plan for providing around-the-clock surveillance during periods of unusually heavy precipitation should be developed and implemented. The recommended corrective measures presented in Section 7.2 should be accomplished within 12 months of final approval.

7.2 RECOMMENDED MEASURES


It is considered important that the following items be accomplished in addition to any items required as a result of the additional investigations recommended in Section 7.1c:

- a. Repair the emergency spillway to prevent continuing seepage.
- b. Grade, reseed and mulch the channel embankment side slopes immediately downstream and to the left of the emergency spillway.

- c. Remove the logjam located in the emergency spillway discharge channel.
- d. Flatten the top of the upstream and downstream slopes to prevent future slumping.
- e. All tree stumps over 6 inches in diameter on the embankment slopes should be removed and the areas backfilled.
- f. Cut the brush and grass on the embankment slopes and spillway channel bottom at intervals of one to two years to prevent their becoming overgrown.
- g. Fill in any animal burrows on the embankment slopes.
- h. Develop and implement a flood warning and emergency evacuation plan to alert downstream residents in the event conditions occur which could result in the failure of the dam.

APPENDIX A

PHOTOGRAPHS



**PHOTO LOCATION MAP**  
**KINGSLEY BROOK RESERVOIR DAM**  
 INVENTORY No. NY 353  
 MADISON COUNTY  
 LEBANON, NEW YORK


**LEGEND**  
 Number refers to caption.  
 Arrow indicates direction of photograph.



PHOTO #2: Overview of impoundment



PHOTO #3: Crest of dam looking toward left abutment



PHOTO #4: Overview of upstream face of dam



PHOTO #5: Overview of downstream face of dam



PHOTO #6: Upstream face of dam



PHOTO #7: Downstream face of dam






PHOTO #8: Emergency spillway  
looking toward impoundment



PHOTO: #9: Seepage through the stone masonry  
walls of the emergency spillway



PHOTO #10: Close-up of seepage through the stone masonry walls



PHOTO #11: Emergency spillway discharge conveyance channel



PHOTO #12: Logjam in the emergency spillway discharge conveyance channel



PHOTO #13: Erosion of the left bank in the emergency spillway discharge conveyance channel




PHOTO #14: Principal spillway outlet structure



PHOTO #15: Principal spillway discharge conveyance channel (left) and emergency spillway discharge conveyance channel outlet (right)



PHOTO #16: Seepage area at the right downstream  
toe of slope




PHOTO #17: Close-up of seepage area



PHOTO #18: Minor silt boils and seepage channels  
in wet area of Photos No. 16 and 17



PHOTO #19: Seepage collection ditch for right  
downstream slope




PHOTO #20: Toe drain discharge for left downstream slope



PHOTO #21: Filter fabric near the toe drain discharge




PHOTO #22: Seepage channels beneath grass in area downstream of Photo No. 20




PHOTO #23: Toe drain discharge for right downstream slope



APPENDIX B  
VISUAL INSPECTION CHECKLIST

VISUAL INSPECTION CHECKLIST

1) Basic Data

a. General

Name of Dam Kingsley Brook Reservoir Dam  
Fed. I.D. # NY 353 DEC Dam No. 104D-698  
River Basin Susquehanna  
Location: Town Lebanon County Madison  
Stream Name Kingsley Brook  
Tributary of Chenango River  
Latitude (N) 42° - 48.1' Longitude (W) 75° - 36.1'  
Type of Dam Earthen embankment  
Hazard Category High  
Date(s) of Inspection March 11 and 13, 1981  
Weather Conditions Overcast, 35° <sup>+</sup><sub>-</sub>F.  
Reservoir Level at Time of Inspection Elevation 1310 <sup>±</sup> (NGVD)

b. Inspection Personnel R.C. Smith, T.L. Ward & R.A. Criscuolo of Flaherty Giavara Associates, P.C.; P.L. LeCount & J.J. Rixner of Haley & Aldrich, Inc.; E. Thomas of Salmon Associates.

c. Persons Contacted (Including Address & Phone No.) Mr. Frank W. Jennings, Regional Waterways Maintenance Engineer State of New York Department of Transportation Region 2 Office Utica Office Building 207 Genesec Street Utica, New York 13501 (315) 797-6120 Ext. 2443

d. History:

Date Constructed 1835 Date(s) Reconstructed 1867

Designer Unknown

Constructed By Unknown

Owner State of New York - Department of Transportation, Waterways Maintenance Division

2) Embankment

a. Characteristics

- (1) Embankment Material Unknown
- (2) Cutoff Type Unknown
- (3) Impervious Core Unknown
- (4) Internal Drainage System Two perforated 6 inch diameter corrugated metal pipe (CMP) toe drains on either side of the principal spillway outlet
- (5) Miscellaneous No comments

b. Crest

- (1) Vertical Alignment Good; however, the center appears to be slightly lower than the ends.
- (2) Horizontal Alignment Good; substantially straight
- (3) Surface Cracks None observed
- (4) Miscellaneous Paved town highway with gravel shoulders and metal beam guard rail

c. Upstream Slope

- (1) Slope (Estimate - V:H) 1:1.5
- (2) Undesirable Growth or Debris, Animal Burrows Random 6 to 8 inch diameter tree stumps cut off 1 to 2 feet above slope; scattered brush.
- (3) Sloughing, Subsidence or Depressions Very steep near top of slope (above reservoir level); occasional sloughs noted.

- (4) Slope Protection Flat platy rock riprap
- (5) Surface Cracks or Movement at Toe None evident

d. Downstream Slope

- (1) Slope (Estimate - V:H) Varies from 1:3 to 1:4
- (2) Undesirable Growth or Debris, Animal Burrows Few small burrows noted on the left side slope of emergency spillway discharge channel; some 6 to 8 inch diameter tree stumps cut off 1 to 2 feet above slope face were observed on the upper portions.
- (3) Sloughing, Subsidence or Depressions Surface sloughs were noted on the very steep upper slope
- (4) Surface Cracks or Movement at Toe None observed
- (5) Seepage Seepage was emanating from beneath the crushed stone filter blanket in the wet areas along the toe of slope; boils noted in the low, swampy area to the right of the principal spillway outlet
- (6) External Drainage System (Ditches, Trenches, Blanket) Filter fabric covered with a 2 foot blanket of crushed stone and drainage ditches were constructed as part of corrective work in 1978
- (7) Condition Around Outlet Structure Cut stone masonry outlet structure in good condition
- (8) Seepage Beyond Toe Wet, swampy area observed at and beyond the toe slope to the right of the principal spillway outlet

e. Abutments - Embankment Contact

Right: good condition

Left: good condition; some minor sloughs

(1) Erosion at Contact None apparent

(2) Seepage Along Contact None observed

3) Drainage System

- a. Description of System Submerged intake structure controlled by four 8 inch diameter gated inlet pipes discharging into an elliptical 7 foot high by 4 foot wide cut stone masonry tunnel and excavated discharge conveyance channel
- b. Condition of System Good; gate valves are kept operable by the Waterways Maintenance Division of the New York State Department of Transportation.
- c. Discharge from Drainage System Cut stone masonry outlet structure in good condition

4) Instrumentation (Monumentation/Surveys, Observation Wells, Weirs, Peizometers, Etc.)

None observed

5) Reservoir

a. Slopes Moderately sloping woodlands and open fields

b. Sedimentation No apparent problems

c. Unusual Conditions Which Affect Dam None apparent

6) Area Downstream of Dam

a. Downstream Hazard (No. of Homes, Highways, etc.) Approximately 1 dwelling, two roads and high voltage transmission lines are within the dam failure flood hazard area

b. Seepage, Unusual Growth None observed

c. Evidence of Movement Beyond Toe of Dam None evident

d. Condition of Downstream Channel Good; presently stable, no aggradation or degradation

7) Spillway(s) (Including Discharge Conveyance Channel)

Principal spillway, emergency spillway and discharge conveyance channels

a. General Principal spillway and discharge conveyance channel handle normal flows while the emergency spillway and discharge conveyance channel convey flow during overflow conditions

b. Condition of Principal Spillway Visible components were in good condition

c. Condition of Emergency Spillway Some seepage through the masonry joints

d. Condition of Discharge Conveyance Channel Principal spillway: good condition presently stable; emergency spillway: fair condition, a logjam has formed and the left side slope downstream of the logjam is severely eroded.

8) Reservoir Drain/Outlet

Type: Pipe Four Conduit \_\_\_\_\_ Other Elliptical tunnel

Material: Concrete \_\_\_\_\_ Metal cast iron Other Cut stone masonry

Size: 8 inch/7 feet high by 4 feet wide Length unknown/ 320 feet

Invert Elevations: Entrance 1262.8 (NGVD) Exit 1255.0 (NGVD)

Physical Condition (Describe): Unobservable

Material: Unknown/good

Joints: Unknown/good Alignment Unknown/straight

Structural Integrity: Unknown/good

Hydraulic Capability: Good; the gate valves are used to regulate the reservoir water level.

Means of Control: Gate \_\_\_\_\_ Valve Four Uncontrolled \_\_\_\_\_

Operation: Operable X Inoperable \_\_\_\_\_ Uncontrolled \_\_\_\_\_

Present Condition (Describe): Good; the valves were not operated during the inspection; however, they are maintained regularly according to the Waterways Maintenance Division of DOT

9) Structural

a. Concrete Surfaces Some minor concrete spalling of the upstream fascia and  
of the concrete encasement at soffit of stringers of the bridge over the  
emergency spillway (See the sketch on page B-10).

b. Structural Cracking No evidence of any major structural cracks

c. Movement - Horizontal & Vertical Alignment (Settlement) None observed

d. Junctions with Abutments or Embankments Seepage was observed through the  
masonry joints of the spillway and abutment walls (See sketch on page B-10)

e. Drains - Foundation, Joint, Face None evident

f. Water Passages, Conduits, Sluices None observed

g. Seepage or Leakage Seepage was noted through the cut stone masonry of the  
spillway and abutment walls (See sketch on page B-10).



h. Joints - Construction, etc. Some open joints in stone masonry of the emergency spillway

i. Foundation Inaccessible

j. Abutments Minor openings in masonry joints as noted in 9h. above

k. Control Gates Gate valves control the flow of water through the principal spillway tunnel.

l. Approach & Outlet Channels Not applicable

m. Energy Dissipators (Plunge Pool, etc.) None observed

n. Intake Structures Inaccessible

o. Stability Appears to be stable


p. Miscellaneous No comments

10) Appurtenant Structures (Power House, Lock, Gatehouse, Other)

a. Description and Condition

1. Intake structure: It was submerged and therefore inaccessible

2. Bridge over emergency spillway weir: Good condition.



SECTION THRU DAM - AT BRIDGE.

APPENDIX C

HYDROLOGIC/HYDRAULIC ENGINEERING DATA AND COMPUTATIONS

**CHECK LIST FOR DAMS  
HYDROLOGIC AND HYDRAULIC  
ENGINEERING DATA**

**AREA-CAPACITY DATA:**

	<u>Elevation (ft.)</u>	<u>Surface Area (acres)</u>	<u>Storage Capacity (acre-ft.)</u>
1) Top of Dam	<u>1317.0</u>	<u>113</u>	<u>2260</u>
2) Design High Water (Max. Design Pool)	<u>--</u>	<u>--</u>	<u>--</u>
3) Emergency Spillway Crest	<u>1311.0</u>	<u>95</u>	<u>1640</u>
4) Pool Level with Flashboards	<u>--</u>	<u>--</u>	<u>--</u>
5) Principal Spillway Crest	<u>1262.8</u>	<u>0</u>	<u>0</u>

**DISCHARGES:**

	<u>Volume (cfs)</u>
1) Average Daily	<u>Unknown</u>
2) Emergency Spillway @ Maximum High Water (Top of Dam)	<u>671</u>
3) Principal Spillway @ Maximum High Water (Top of Dam)	<u>50</u>
4) Principal Spillway @ Emergency Spillway Crest	<u>47</u>
5) Low Level Outlet @ Principal Spillway Crest	<u>0</u>
6) Total (of all facilities) @ Maximum High Water	<u>718</u>
7) Maximum Known Flood	<u>Unknown</u>
8) At Time of Inspection	<u>Unknown</u>

CREST:

ELEVATION: 1317.0 to 1318.4

Type Earthen embankment with a two lane paved town highway, gravel shoulders and metal beam guard rail over its length

Width 20 feet Length 900 feet

Spillover Cut stone masonry spillway

Location Right Abutment

SPILLWAY:

PRINCIPAL		EMERGENCY	
<u>1262.8 (NGVD)</u>	<u>Elevation</u>	<u>1311.0 (NGVD)</u>	
<u>Four 8 inch CIP</u>	<u>Type</u>	<u>Broad-crested weir</u>	
<u>--</u>	<u>Width</u>	<u>5.5 feet</u>	
	<u>Type of Control</u>		
<u>--</u>	<u>Uncontrolled</u>	<u>Weir</u>	
<u>Orifice</u>	<u>Controlled</u>	<u>--</u>	
<u>Gate Valves</u>	<u>Type:</u>	<u>None</u>	
	<u>(Flashboards; gate)</u>		
<u>Four</u>	<u>Number</u>	<u>One</u>	
<u>8 inch valves/not applicable</u>	<u>Size/Length</u>	<u>16 foot long weir</u>	
<u>Cast iron and stone masonry</u>	<u>Invert Material</u>	<u>Stone masonry</u>	
<u>Continuously</u>	<u>Anticipated Length of Operating Service</u>	<u>Unknown</u>	
<u>Not applicable</u>	<u>Chute Length</u>	<u>85 feet</u>	
<u>Unknown</u>	<u>Height Between Spillway Crest &amp; Approach Channel Invert (Weir Flow)</u>	<u>2 ± feet</u>	

Type: \_\_\_\_\_

Location: \_\_\_\_\_

Records:

Date Unknown \_\_\_\_\_

Max. Reading Unknown \_\_\_\_\_

**FLOOD WATER CONTROL SYSTEM:**

Warning System None in effect \_\_\_\_\_

Method of Controlled Releases (mechanisms) Gate valves used to control flow to  
the principal spillway tunnel \_\_\_\_\_

DRAINAGE AREA: 3332 acres = 5.21 square miles

DRAINAGE BASIN RUNOFF CHARACTERISTICS:

Land Use - Type Rural, agriculture

Terrain - Relief Rolling

Surface - Soil Glacial till

Runoff Potential (existing or planned extensive alterations to existing surface or subsurface conditions)

Primarily open fields with scattered woodlands; glacial till soils;

average watershed slope is 10  $\pm$  percent; some residential homes

and roadways.

Potential Sedimentation problem areas (natural or man-made; present or future)

Possible surface erosion from agricultural fields during fallow periods

Potential Backwater problem areas for levels at maximum storage capacity including surcharge storage:

None

Dikes - Floodwalls (overflow & non-overflow) - Low reaches along the reservoir perimeter:

Location: None


Elevation: \_\_\_\_\_

Reservoir:

Length @ Maximum Pool 3200  $\pm$  feet = 0.6 miles (Miles)

Length of Shoreline (@ Spillway Crest) 11400  $\pm$  feet = 2.2 miles (Miles)





**WATERSHED MAP**

**KINGSLEY BROOK RESERVOIR DAM**  
**INVENTORY No. NY 353**  
**SUSQUEHANNA RIVER BASIN**  
**MADISON COUNTY**  
**LEBANON, NEW YORK**

FLAHERTY · GIAVARA ASSOCIATES, P.C.

CALCULATIONS



WATERSHED DATA FOR HEC-1 SNYDER HYDROGRAPH

1) TIME TO PEAK (TP) - SUB-WATERSHED #1

$$L = 15,500 \text{ ft} = 2.93 \text{ miles}$$

$$L_c = 6,500 \text{ ft} = 1.23 \text{ miles}$$

$$C_T = 2.0 \text{ for average slopes}$$

$$T_p = C_T (L \times L_c)^{0.3}$$

$$= 2.0 (2.93 \times 1.23)^{0.3} = 2.94 \text{ HOURS}$$

$$t_T = \frac{T_p}{5.5} = \frac{2.94}{5.5} = 0.53 \quad \text{USE } t_R = 0.5$$

$$t_{PR} = t_p + 0.25 (t_R - t_p)$$

$$= 2.94 + 0.25 (0.5 - 2.94)$$

$$= \underline{2.93 \text{ HOURS}}$$

2)  $C_p = 0.63$  for HIGHLAND AREA

3) % IMPERVIOUS

$$\begin{aligned} \text{ROADS} &= 8000 \text{ LF} \times 25' = 200,000 \text{ ft}^2 \\ \text{HOUSES} &= 1 @ 1000 \text{ ft}^2 = \frac{1000 \text{ ft}^2}{201,000 \text{ ft}^2} \end{aligned}$$

$$201,000 \text{ ft}^2 = 4.6 \text{ acres}$$

$$\frac{4.6 \text{ ACRES}}{1207.6 \text{ ACRES}} = 0.4 \%$$

4) WATERSHED AREA

$$1207.6 \text{ ACRES} / 640 = 1.89 \text{ Square Miles}$$

BASED ON 1" = 2000' USGS MAP



## SUB-WATERSHED #2

$$L = 18,000 \text{ ft} = 3.41 \text{ miles}$$

$$L_c = 7,000 \text{ ft} = 1.33 \text{ miles}$$

$C_T = 2.0$  for average slopes

1) TP

$$T_P = 2.0 (3.41 \times 1.33)^{0.3} = 3.15 \text{ Hours}$$

$$t_r = \frac{t_p}{5.5} = \frac{3.15}{5.5} = 0.57 \quad \text{USE } t_r = 0.5$$

$$t_{PR} = t_p + 0.25 (t_r - t_p)$$

$$= 3.15 + 0.25 (0.5 - 0.57)$$

$$= 3.13 \text{ Hours}$$

2)  $C_p = 0.63$  for HIGHLAND AREA

3) % IMPERVIOUS

$$\begin{array}{l} \text{ROADS } 37,000 \text{ LF} \times 25' = 925,000 \text{ ft}^2 \\ \text{HOUSES } \approx 15 @ 1000 = \frac{15,000 \text{ ft}^2}{940,000 \text{ ft}^2} \end{array}$$

$$940,000 \text{ ft}^2 = 21.6 \text{ ACRES}$$

$$\frac{21.6 \text{ ACRES}}{2122.1 \text{ ACRES}} = 1.0 \%$$

4) WATERSHED AREA

$$2122.1 \text{ ACRES} / 640 = 3.32 \text{ Square miles}$$


BASED ON 1" = 2000' USGS MAP



5) RAINFALL DATA - (FROM HYDROMETEOROLOGICAL REPORT NO. 33)

24 Hr PMP = 20.0 inches For 200 Square Miles

<u>Duration (HRS)</u>	<u>ADJ Factor (%)</u>
6	111
12	122
24	133
48	143



STAGE	$Q = 2.5 LH^{1.5}$	$Q = 3.0 LH^{1.5}$	$Q = CA\sqrt{2GH}$	DISCHARGE
1311.0	-	-	-	0
1312.0	-	(3)(6)(1)	-	48.0
1313.0	-	(3)(16)(2) <sup>1.5</sup>	-	135.8
1314.0	-	(3)(16)(3) <sup>1.5</sup>	-	249.4
1315.0	-	(3)(16)(4) <sup>1.5</sup>	-	384.0
1315.5	-	(3)(16)(4.5) <sup>1.5</sup>	-	458.2
1316.0	-	-	(6)(16 x 4.5) $\sqrt{64.4 \times 2.75}$	574.2
1317.0	-	-	43.2 $\sqrt{64.4 \times 3.75}$	671.3
1318.0	(2.5)(877)(1.0) <sup>1.5</sup>	-	43.2 $\sqrt{64.4 \times 4.75}$	2948.1
1319.0	(2.5)(877)(2.0) <sup>1.5</sup>	0	43.2 $\sqrt{64.4 \times 5.75}$	7032.6
1320.0	(2.5)(877)(3.0) <sup>1.5</sup>	(2.5)(23)(1.0) <sup>1.5</sup>	43.2 $\sqrt{64.4 \times 6.75}$	12350.8
1321.0	(2.5)(877)(4.0) <sup>1.5</sup>	(2.5)(23)(2.0) <sup>1.5</sup>	43.2 $\sqrt{64.4 \times 7.75}$	18667.7
1322.0	(2.5)(877)(5.0) <sup>1.5</sup>	(2.5)(23)(3.0) <sup>1.5</sup>	43.2 $\sqrt{64.4 \times 8.75}$	25837.2

\* Stage discharge is for the spillway section and dam overtopping only. It was assumed the reservoir drain was not open; however, it was operating at the time of the inspection.

PROJECT CORPS Dams  
NY 353




FLAHERTY-GIAVARA ASSOCIATES  
ENVIRONMENTAL DESIGN CONSULTANTS  
ONE COLUMBUS PLAZA, NEW HAVEN, CONN 06510/203/789-1200

SHEET NO. 5 OF 6  
BY RAC DATE 4-6-81  
CHK'D. BY TLW DATE 5-19-81

STAGE DISCHARGE CURVE

(Spillway Discharge & Dam Overtopping)



C-10

PROJECT CORPS DAMS  
NY 353




**FLAHERTY-GIAVARA ASSOCIATES**  
ENVIRONMENTAL DESIGN CONSULTANTS  
ONE COLUMBUS PLAZA, NEW HAVEN, CONN 06510/203/788-1200

SHEET NO. 6 OF 6  
BY RAC DATE 4-6-81  
CHK'D. BY TLW DATE 5-19-81

STAGE DISCHARGE CURVE

Spillway Discharge



STAGE (ft)  
C-11



HEC-1 FLOOD HYDROGRAPH COMPUTATIONS

FLAHERTY GIAVARA ASSOCIATES, P. C.  
FLOOD HYDROGRAPH PACKAGE (HEC-1)  
DAM SAFETY VERSION JULY 1978  
LAST MODIFICATION 26 FEB 79

1 A1 NATIONAL DAM INSPECTION PROGRAM, PHASE I REPORT, CORPS OF ENGINEERS - NEW YORK DISTRICT  
2 A2 DAM INVENTORY NO. NY 353, KINDSLEY BROOK RESERVOIR DAM, MADISON COUNTY, NEW YORK, APRIL 3, 1981  
3 A3 PREPARED BY FLAHERTY GIAVARA ASSOCIATES, P. C., ONE COLUMBUS PLAZA, NEW HAVEN, CONNECTICUT  
4 B1  
5 B2  
6 J1 0.10 0.18 0.17 0.20 0.21 0.22 0.23 0.24 0.25 0.26 0.27 0.28 0.29 0.30 0.31 0.32 0.33 0.34 0.35 0.36  
7 K1 INFLOW HYDROGRAPH, SUBWATERSHED NO. 1 - SNYDER METHOD  
8 L1 0.20 0.18 0.17 0.16 0.15 0.14 0.13 0.12 0.11 0.10 0.09 0.08 0.07 0.06 0.05 0.04 0.03 0.02 0.01 0.00  
9 M1  
10 N1  
11 O1  
12 P1  
13 Q1  
14 R1  
15 S1  
16 T1  
17 U1  
18 V1  
19 W1  
20 X1  
21 Y1  
22 Z1  
23 AA  
24 AB  
25 AC  
26 AD  
27 AE  
28 AF  
29 AG  
30 AH  
31 AI  
32 AJ  
33 AK  
34 AL  
35 AM  
36 AN

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36			
Y1	Y2	Y3	Y4	Y5	Y6	Y7	Y8	Y9	Y10	Y11	Y12	Y13	Y14	Y15	Y16	Y17	Y18	Y19	Y20	Y21	Y22	Y23	Y24	Y25	Y26	Y27	Y28	Y29	Y30	Y31	Y32	Y33	Y34	Y35	Y36			
1312.0	1313.0	1314.0	1315.0	1316.0	1317.0	1318.0	1319.0	1320.0	1321.0	1322.0	1323.0	1324.0	1325.0	1326.0	1327.0	1328.0	1329.0	1330.0	1331.0	1332.0	1333.0	1334.0	1335.0	1336.0	1337.0	1338.0	1339.0	1340.0	1341.0	1342.0	1343.0	1344.0	1345.0	1346.0	1347.0	1348.0	1349.0	1350.0

PREVIEW OF SEQUENCE OF STREAM NETWORK CALCULATIONS

RUNOFF HYDROGRAPH AT  
RUNOFF HYDROGRAPH AT  
COMBINE HYDROGRAPHS AT  
ROUTE HYDROGRAPHS AT  
END OF NETWORK

\*\*\*\*\*  
FLOOD HYDROGRAPH PACKAGE (HEC-1)  
DAM SAFETY VERSION JULY 1978  
LAST MODIFICATION 26 FEB 79  
\*\*\*\*\*

RUN DATE: 8/21/  
TIME: 9:56 AM

NATIONAL DAM INSPECTION PROGRAM, PHASE 1 REPORT, CORPS OF ENGINEERS - NEW YORK DISTRICT  
DAM INVENTORY NO. NY 333, KINGSLEY BROOK RESERVOIR DAM, MADISON COUNTY, NEW YORK, APRIL 2, 1981  
PREPARED BY FLAHERTY GIOVARA ASSOCIATES, P.C., ONE COLUMBUS PLAZA, NEW HAVEN, CONNECTICUT

NG 120 NHR 0 MNIN 30 IDAY 0 INR 0 IMIN 0 METRC IPLT 2 IPRT 0 INSTAN 0  
YPER 0 MMT 0 LRPT 0 TRACE 0

\*\*\*\*\*  
MULTI-PLAN ANALYSES TO BE PERFORMED  
\*\*\*\*\*

RTIOS= 0.10 0.18 0.17 0.20 0.21 0.22 0.23 0.50 1.00

SUB-AREA RUNOFF COMPUTATION

\*\*\*\*\*  
\*\*\*\*\*  
\*\*\*\*\*

INFLOW HYDROGRAPH, SUBWATERBED NO. 1 - SNYDER METHOD  
ISTAG ICOMP ICON JPL 1 IPRT INAME ISTAGE IAUTO  
1 0 0 0 0 0 0 0 0 0 0 0

HYDQ 1 IUKQ TAREA 1.87 SNAP TRSDA TRSPC RATIO ISNOW ISAME LOCAL  
1 1 0.00 0.00 3.21 0.00 0.00 0.000 0 0 0 0

PRECIP DATA R4 R6 R72 R78  
R20 20.00 R12 123.00 R24 143.00 R48 9.00 R72 9.00

TRSPC COMPUTED BY THE PROGRAM IS 0.800

LOSS DATA  
LRPT 0 STRM 0.00 PLNR 0.00 RICH 0.00 EMAN 0.00 STMS 0.00 BIRG 0.00 SINT 0.00 CMTL 0.10 ALSM 0.00 BLIF 0.00

UNIT HYDROGRAPH DATA  
IF= 2.72 CP=0.83 NTA= 0

APPROXIMATE CLARK COEFFICIENTS FROM GIVEN SNYDER SE AND TR ARE IC= 6.49 AND R= 9.22 INTERVALS  
STRG= -2.00 RECCION DATA RTIOR= 1.50  
GRCSN= -0.10

UNIT HYDROGRAPH 32 END-OF-PERIOD ORDINATES, LAG= 2.91 HOURS, CP= 0.64 VOL= 1.00  
18 64 127 192 243 298 358 417 477 537 597  
123 103 119 12 10 10 8 7 6 5 4

MO DA	HR	MN	PERIOD	RAIN	EXCS	LOSS	END-OF-PERIOD FLOW COMP G	MO DA	HR	MN	PERIOD	RAIN	EXCS	LOSS	COMP G
1	01	0	30	0.00	0.00	0.00	4	1	01	0	30	0.15	0.10	0.05	21
1	01	1	30	0.00	0.00	0.00	3	1	01	1	30	0.15	0.10	0.05	27
1	01	1	30	0.00	0.00	0.00	3	1	01	2	30	0.15	0.10	0.05	33
1	01	1	30	0.00	0.00	0.00	3	1	01	2	30	0.15	0.10	0.05	39



J. 201.11.487.11 74.11.1810.10

PEAK	6-HOUR	24-HOUR	72-HOUR	TOTAL	VOLUME
3449	2608	993	414	4970	1408
78	74	29	12	20.34	20.34
	12.84	19.34	20.34	517.98	2035
	326.10	496.34	517.98	2035	2934
	1293	1969	2035		
	1293	2429	2534		

CFS  
CMS  
INCHES  
AC-FT  
THOUS CU FT

\*DVF\*

STATION 1

	400.	800.	1200.	1600.	2000.	2400.	2800.	3200.	3600.	PRECIP(L)	AND EXCESS(X)
0	0	0	0	0	0	0	0	0	0	0	0
0 30	0	0	0	0	0	0	0	0	0	0	0
1 30	0	0	0	0	0	0	0	0	0	0	0
2 30	0	0	0	0	0	0	0	0	0	0	0
3 30	0	0	0	0	0	0	0	0	0	0	0
4 30	0	0	0	0	0	0	0	0	0	0	0
5 30	0	0	0	0	0	0	0	0	0	0	0
6 30	0	0	0	0	0	0	0	0	0	0	0
7 30	0	0	0	0	0	0	0	0	0	0	0
8 30	0	0	0	0	0	0	0	0	0	0	0
9 30	0	0	0	0	0	0	0	0	0	0	0
10 30	0	0	0	0	0	0	0	0	0	0	0
11 30	0	0	0	0	0	0	0	0	0	0	0
12 30	0	0	0	0	0	0	0	0	0	0	0
13 30	0	0	0	0	0	0	0	0	0	0	0
14 30	0	0	0	0	0	0	0	0	0	0	0
15 30	0	0	0	0	0	0	0	0	0	0	0
16 30	0	0	0	0	0	0	0	0	0	0	0
17 30	0	0	0	0	0	0	0	0	0	0	0
18 30	0	0	0	0	0	0	0	0	0	0	0
19 30	0	0	0	0	0	0	0	0	0	0	0
20 30	0	0	0	0	0	0	0	0	0	0	0





369	455	571	973	133	609	563	501	370
310	258	216	181	153	129	109	92	78
60	58	56	34	51	49	47	46	42
40	39	37	36	34	33	32	30	28
PEAK								
621								
18								
HYDROGRAPH AT STA								
1 FOR PLAN 1, RTIO 3								
1	0	0	0	0	0	0	1	0
0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0
1	1	7	6	8	11	13	14	12
2	2	7	7	13	19	23	27	33
3	3	7	11	15	19	23	27	33
37	41	51	62	70	100	188	250	306
480	564	626	691	655	643	594	450	390
327	288	259	217	161	136	115	98	70
61	59	57	57	54	52	50	46	44
43	41	39	38	36	35	33	31	30
TOTAL VOLUME								
8950								
253								
3 67								
370								
456								
THOUS CU M								

369	455	571	973	133	609	563	501	370
310	258	216	181	153	129	109	92	78
60	58	56	34	51	49	47	46	42
40	39	37	36	34	33	32	30	28
PEAK								
621								
18								
HYDROGRAPH AT STA								
1 FOR PLAN 1, RTIO 3								
1	0	0	0	0	0	0	1	0
0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0
1	1	7	6	8	11	13	14	12
2	2	7	7	13	19	23	27	33
3	3	7	11	15	19	23	27	33
37	41	51	62	70	100	188	250	306
480	564	626	691	655	643	594	450	390
327	288	259	217	161	136	115	98	70
61	59	57	57	54	52	50	46	44
43	41	39	38	36	35	33	31	30
TOTAL VOLUME								
8950								
253								
3 67								
370								
456								
THOUS CU M								

369	455	571	973	133	609	563	501	370
310	258	216	181	153	129	109	92	78
60	58	56	34	51	49	47	46	42
40	39	37	36	34	33	32	30	28
PEAK								
655								
19								
HYDROGRAPH AT STA								
1 FOR PLAN 1, RTIO 4								
1	0	0	0	0	0	0	1	0
0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0
1	1	7	6	8	11	13	14	12
2	2	7	7	13	19	23	27	33
3	3	7	11	15	19	23	27	33
37	43	53	63	74	105	148	198	253
509	593	659	720	690	677	626	484	411
344	287	240	201	169	143	121	103	73
67	65	62	60	57	55	53	51	49
45	43	41	40	38	37	35	34	31
TOTAL VOLUME								
9944								
282								
4 08								
103 60								
THOUS CU M								

369	455	571	973	133	609	563	501	370
310	258	216	181	153	129	109	92	78
60	58	56	34	51	49	47	46	42
40	39	37	36	34	33	32	30	28
PEAK								
690								
20								
HYDROGRAPH AT STA								
1 FOR PLAN 1, RTIO 4								
1	0	0	0	0	0	0	1	0
0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0
1	1	7	6	8	11	13	14	12
2	2	7	7	13	19	23	27	33
3	3	7	11	15	19	23	27	33
37	43	53	63	74	105	148	198	253
509	593	659	720	690	677	626	484	411
344	287	240	201	169	143	121	103	73
67	65	62	60	57	55	53	51	49
45	43	41	40	38	37	35	34	31
TOTAL VOLUME								
9944								
282								
4 08								
103 60								
THOUS CU M								

369	455	571	973	133	609	563	501	370
310	258	216	181	153	129	109	92	78
60	58	56	34	51	49	47	46	42
40	39	37	36	34	33	32	30	28
PEAK								
690								
20								
HYDROGRAPH AT STA								
1 FOR PLAN 1, RTIO 4								
1	0	0	0	0	0	0	1	0
0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0
1	1	7	6	8	11	13	14	12
2	2	7	7	13	19	23	27	33
3	3	7	11	15	19	23	27	33
37	43	53	63	74	105	148	198	253
509	593	659	720	690	677	626	484	411
344	287	240	201	169	143	121	103	73
67	65	62	60	57	55	53	51	49
45	43	41	40	38	37	35	34	31
TOTAL VOLUME								
9944								
282								
4 08								
103 60								
THOUS CU M								



THOUS CU H	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	TOTAL VOLUME
INCHES	37	431	391	47	127	43	33	26	41	530	391	28	47	127	43	1041
AC-FE	10	101	10	10	10	10	10	10	10	10	10	10	10	10	10	10
CU M	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10

THOUS CU H	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	TOTAL VOLUME
INCHES	21	272	194	24	199	78	431	532	4	10	28	4	28	4	28	19978
AC-FE	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
CU M	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10

THOUS CU H	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	TOTAL VOLUME
INCHES	72	47	453	264	71	44	42	171	115	744	157	133	113	96	492	10238
AC-FE	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
CU M	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10

THOUS CU H	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	TOTAL VOLUME
INCHES	72	47	453	264	71	44	42	171	115	744	157	133	113	96	492	10238
AC-FE	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
CU M	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10

THOUS CU H	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	TOTAL VOLUME
INCHES	42	378	74	49	122	40	42	171	115	744	157	133	113	96	492	10238
AC-FE	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
CU M	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10



\*\*\*\*\* SUB-AREA RUNOFF COMPUTATION \*\*\*\*\*

INFLOW HYDROGRAPH, SUBWATERSHED NO 2 - SNYDER METHOD

HYDRG 1UM9 1AREA 5.52 1SNAP 0.00 1TRSDA 138.84 1TRSPC 0.00 1RATIO 0.000 1RNCH 1.000 1LEAF LOCAL 0.000

PRECIP DATA

TRSPC COMPUTED BY THE PROGRAM IS 0.800

LOSS DATA

LROPT	STKR	DLTKR	RTDCL	ERAIN	RTDOK	SIRTL	CRBYL	ALSX	RTIMP
0	0.00	0.00	1.00	0.00	1.00	1.00	0.00	0.00	0.01

UNIT HYDROGRAPH DATA NTA=0  
TP= 5.13 CP=0.63

RECESSION DATA

APPROXIMATE CLARK COEFFICIENTS FROM GIVEN SNYDER CP AND TP ARE 1.97, 2.29 AND N= 5.51 INTERVALS

UNIT HYDROGRAPH 34 END-OF-PERIOD ORDINATES, LAG= 3.11 HOURS, CP= 0.64 VOL= 1.00

MO. DA	HR. MN	PERIOD	EXCS	LOSS	RAIN	EXCS	LOSS	COMP Q
29	0	0.30	0.00	0.00	0.00	0.00	0.00	219
29	1	1.30	0.00	0.00	0.00	0.00	0.00	234
29	2	2.30	0.00	0.00	0.00	0.00	0.00	254
29	3	3.30	0.00	0.00	0.00	0.00	0.00	283
29	4	4.30	0.00	0.00	0.00	0.00	0.00	319
29	5	5.30	0.00	0.00	0.00	0.00	0.00	359
29	6	6.30	0.00	0.00	0.00	0.00	0.00	407
29	7	7.30	0.00	0.00	0.00	0.00	0.00	468
29	8	8.30	0.00	0.00	0.00	0.00	0.00	495
29	9	9.30	0.00	0.00	0.00	0.00	0.00	535
29	10	10.30	0.00	0.00	0.00	0.00	0.00	570
29	11	11.30	0.00	0.00	0.00	0.00	0.00	605
29	12	12.30	0.00	0.00	0.00	0.00	0.00	632
29	13	13.30	0.00	0.00	0.00	0.00	0.00	652
29	14	14.30	0.00	0.00	0.00	0.00	0.00	664
29	15	15.30	0.00	0.00	0.00	0.00	0.00	669
29	16	16.30	0.00	0.00	0.00	0.00	0.00	674
29	17	17.30	0.00	0.00	0.00	0.00	0.00	674
29	18	18.30	0.00	0.00	0.00	0.00	0.00	670
29	19	19.30	0.00	0.00	0.00	0.00	0.00	658
29	20	20.30	0.00	0.00	0.00	0.00	0.00	637
29	21	21.30	0.00	0.00	0.00	0.00	0.00	607
29	22	22.30	0.00	0.00	0.00	0.00	0.00	569
29	23	23.30	0.00	0.00	0.00	0.00	0.00	523
29	24	24.30	0.00	0.00	0.00	0.00	0.00	470
29	25	25.30	0.00	0.00	0.00	0.00	0.00	410
29	26	26.30	0.00	0.00	0.00	0.00	0.00	343
29	27	27.30	0.00	0.00	0.00	0.00	0.00	270
29	28	28.30	0.00	0.00	0.00	0.00	0.00	196
29	29	29.30	0.00	0.00	0.00	0.00	0.00	125
29	30	30.30	0.00	0.00	0.00	0.00	0.00	52
29	31	31.30	0.00	0.00	0.00	0.00	0.00	0



PRECIPITATION AND EXCESSIVE

PRECIPITATION	EXCESSIVE
0	0
1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0
10	0
11	0
12	0
13	0
14	0
15	0
16	0
17	0
18	0
19	0
20	0
21	0
22	0
23	0
24	0
25	0
26	0
27	0
28	0
29	0
30	0
31	0
32	0
33	0
34	0
35	0
36	0
37	0
38	0
39	0
40	0
41	0
42	0
43	0
44	0
45	0
46	0
47	0
48	0
49	0
50	0
51	0
52	0
53	0
54	0
55	0
56	0
57	0
58	0
59	0
60	0
61	0
62	0
63	0
64	0
65	0
66	0
67	0
68	0
69	0
70	0
71	0
72	0
73	0
74	0
75	0
76	0
77	0
78	0
79	0
80	0
81	0
82	0
83	0
84	0
85	0
86	0
87	0
88	0
89	0
90	0
91	0
92	0
93	0
94	0
95	0
96	0
97	0
98	0
99	0
100	0



FLAHERTY GIAYARA ASSOCIATES, P.C.

9 30112  
 10 30116  
 11 30118  
 12 30119  
 13 30120

\*OVN\*

HYDROGRAPH AT STA		1 FOR PLAN 1, RTIO 1				TOTAL VOLUME	
1	2	6-HOUR	24-HOUR	72-HOUR	1	2	
1	2	603	471	189	10228		
4	4	17	13	5	290		
33	27	32	38	42	237		
10	26	17	15	16	60		
22	13	28	32	34	423		
52	45	81	87	104	521		
378	201	342	396	403			
77	294	358	388	402			
43	67	57	58	53			
	41	38	37	33			
PEAK		603		471			
CFS		17		13			
INCHES		33.50		2.12			
AC-FT		233		373			
THOUS CU M		288		462			

HYDROGRAPH AT STA		1 FOR PLAN 1, RTIO 2				TOTAL VOLUME	
1	2	6-HOUR	24-HOUR	72-HOUR	1	2	
1	2	1085	847	340	18411		
7	4	31	24	10	521		
30	38	24	32	4	430		
63	48	34	37	4	109.19		
18	21	51	57	63	761		
39	42	117	129	188	938		
93	98	1011	1075	1085			
631	770	342	338	273			
627	534	103	99	95			
143	121	69	66	63			
177	71						
PEAK		1085		847			
CFS		31		24			
INCHES		2.37		3.81			
AC-FT		60.30		96.86			
THOUS CU M		420		675			
		518		832			

HYDROGRAPH AT STA 1 FOR PLAN 1, RTIO 3

STATION	24-HOUR				72-HOUR				TOTAL VOLUME
	1	2	3	4	1	2	3	4	
1	50	41	72	9	10	12	19	20	3
2	50	43	87	28	81	97	84	22	2
3	22	23	38	23	32	37	57	58	1
4	108	124	153	153	198	260	335	387	3
5	482	497	1137	1337	1309	1079	799	897	3
6	113	108	104	104	100	94	72	204	3
7	175	172	172	169	167	64	61	59	3
PEAK									
	1146	894	399	162	5	19434	550	19	3
	32	25	10	5		550	27	78	3
	4.93	4.94	4.54	4.26		4.26	1.7	1.3	3
	712	803	879	991		11326	13	26	3
	443	547				803	113	26	3
	547					991			3
	THOUS CU M								
	INCHES								
	CFS								

HYDROGRAPH AT STA 3 FOR PLAN 1, RTIO 4

STATION	24-HOUR			72-HOUR			TOTAL VOLUME
	1	2	3	1	2	3	
1	42	70	57	55	10	13	3
2	45	82	70	55	91	26	2
3	57	83	58	33	23	71	1
4	51	92	70	52	28	90	3
5	114	130	161	209	87	353	3
6	103	123	194	206	273	353	3
7	594	1123	194	1206	1190	1048	3
8	135	136	176	156	1247	247	3
9	83	114	105	101	101	67	3
PEAK							
	1206	941	378	170	5	20457	3
	34	27	11	5		579	3
	4.24	4.24	4.78	4.78		4.78	3
	6700	10762	12132	12132		12132	3
	467	500	643	643		1843	3
	376	923	1043	1043		1043	3
	THOUS CU M						
	INCHES						
	CFS						

HYDROGRAPH AT STA 2 FOR PLAN 1, RTIO 5

STATION	24-HOUR			72-HOUR			TOTAL VOLUME
	1	2	3	1	2	3	
1	44	74	59	56	17	3	7
2	22	38	40	35	96	28	3
3	49	28	38	38	26	21	3
4	112	137	169	219	40	44	3
5	898	1179	1254	287	92	104	3
6	737	1458	1254	1254	370	586	3
7	141	120	117	101	1100	852	3
8	167	180	171	171	259	195	3
PEAK							
	1206	941	378	170	5	20457	3
	34	27	11	5		579	3
	4.24	4.24	4.78	4.78		4.78	3
	6700	10762	12132	12132		12132	3
	467	500	643	643		1843	3
	376	923	1043	1043		1043	3
	THOUS CU M						
	INCHES						
	CFS						



PEAK 1266.36  
 6-HOUR 988.28  
 24-HOUR 517.11  
 72-HOUR 179.5  
 TOTAL VOLUME 21480.408  
 CFS 37.47  
 CMS 22.48  
 INCHES 1.14  
 AC-FT 772.793  
 THOUS CU M 193.493

HYDROGRAPH AT STA 1 FOR PLAN 1, RTID 6

TIME	1	2	3	4	5	6	7	8
1	4	9	10	11	14	18	23	30
2	8	17	20	22	27	34	43	57
3	37	71	83	99	99	100	95	87
4	77	49	42	36	31	27	24	22
5	22	29	33	37	40	42	46	46
6	48	62	70	79	88	96	103	109
7	114	143	174	229	301	388	488	614
8	172	233	314	427	588	824	1034	1314
9	793	1079	1413	1898	2636	3703	5103	6903
10	193	267	350	477	651	877	1203	1653

PEAK 1327.38  
 6-HOUR 1058.27  
 24-HOUR 415.12  
 72-HOUR 188.5  
 TOTAL VOLUME 23507.637  
 CFS 37.47  
 CMS 22.48  
 INCHES 1.14  
 AC-FT 772.793  
 THOUS CU M 193.493

HYDROGRAPH AT STA 2 FOR PLAN 1, RTID 7

TIME	1	2	3	4	5	6	7	8
1	4	9	10	11	14	18	23	30
2	8	17	20	22	27	34	43	57
3	37	71	83	99	99	100	95	87
4	77	49	42	36	31	27	24	22
5	22	29	33	37	40	42	46	46
6	48	62	70	79	88	96	103	109
7	114	143	174	229	301	388	488	614
8	172	233	314	427	588	824	1034	1314
9	793	1079	1413	1898	2636	3703	5103	6903
10	193	267	350	477	651	877	1203	1653

PEAK 1387.39  
 6-HOUR 1083.31  
 24-HOUR 432.12  
 72-HOUR 176.6  
 TOTAL VOLUME 23522.666  
 CFS 37.47  
 CMS 22.48  
 INCHES 1.14  
 AC-FT 772.793  
 THOUS CU M 193.493

HYDROGRAPH AT STA 3 FOR PLAN 1, RTID 8

TIME	1	2	3	4	5	6	7	8
1	4	9	10	11	14	18	23	30
2	8	17	20	22	27	34	43	57
3	37	71	83	99	99	100	95	87
4	77	49	42	36	31	27	24	22
5	22	29	33	37	40	42	46	46
6	48	62	70	79	88	96	103	109
7	114	143	174	229	301	388	488	614
8	172	233	314	427	588	824	1034	1314
9	793	1079	1413	1898	2636	3703	5103	6903
10	193	267	350	477	651	877	1203	1653

9	19	10	11	12	13	14	15	16	17
184	133	21	189	26	13	31	40	52	19
176	112	162	196	212	225	217	227	217	32
190	159	144	179	184	91	54	62	54	198
110	127	141	159	179	200	191	76	191	50
1258	285	326	403	321	683	277	882	1109	197
1754	2507	2808	2986	3015	2876	2328	2620	2328	2039
1741	1269	1089	939	814	709	537	618	537	564
397	297	1285	271	263	253	233	213	233	224
212	198	170	183	175	169	155	162	155	149
TOTAL VOLUME									
3015									
65									

6-HOUR	24-HOUR	72-HOUR	TOTAL VOLUME
235	918	112	5173
87	37	148	1448
659	1159	1159	3073
147.49	267.02	309.31	511.8
1157	2675	2113	2807
1457	2312	2807	

7	17	8	10	11	12	13	14	15	16
19	41	20	22	24	27	30	33	36	33
40	43	43	49	51	59	63	69	69	73
212	263	323	379	424	450	450	434	393	393
351	306	224	192	169	142	123	109	101	101
99	117	133	150	167	181	193	202	210	210
219	233	283	319	359	399	437	468	479	479
517	570	632	805	1043	1366	1764	2218	2791	2791
3507	4275	5615	5972	6031	3751	5240	4657	4058	4058
3482	2969	2179	1979	1629	1418	1236	1074	928	928
795	595	271	368	351	306	266	246	248	248
413	396	381	366	351	337	324	311	298	298
TOTAL VOLUME									
10284									
5896									
23 88									
606 61									
4227									
5213									

6-HOUR	24-HOUR	72-HOUR	TOTAL VOLUME
4707	1890	852	10284
133	54	24	5896
13 19	21 19	23 88	23 88
334 98	538 10	606 61	606 61
2334	3749	4227	4227
2879	4625	5213	5213

HYDROGRAPH AT STA I FOR PLAN I, RTIO 9

COMBINE HYDROGRAPHS

INFLOW HYDROGRAPHS - SUBWATERSHEDS NO. 1 & NO. 2 COMBINED

ISTAG ICOMP IRECON ITAPE JPLT JPRD INAME ISTAGE IAUTO

1 1 2 0 0 0 1 0 0

2 1 2 1 3 3 3 3 4

9	10	11	12	13	14	15	16	17
19	133	21	189	26	13	31	40	52
176	112	162	196	212	225	217	227	217
190	159	144	179	184	91	54	62	54
110	127	141	159	179	200	191	76	191
1258	285	326	403	321	683	277	882	1109
1754	2507	2808	2986	3015	2876	2328	2620	2328
1741	1269	1089	939	814	709	537	618	537
397	297	1285	271	263	253	233	213	233
212	198	170	183	175	169	155	162	155

INFLW (I), THOUS CU M	OUTFLOW (O), THOUS CU M	6-HOUR PEAK CMS	24-HOUR TOTAL VOLUME CMS	72-HOUR TOTAL VOLUME CMS	700	800	900	1000
17	4	4	42	48	53	59	64	69
41	30	33	22	19	14	11	10	11
11	13	15	17	18	20	21	22	23
50	29	34	140	44	58	67	73	77
326	798	891	942	941	888	803	708	611
520	574	319	275	234	202	173	151	129
113	199	87	82	80	77	74	71	68
83	60	58	56	53	51	49	47	45
		PEAK 742	24-HOUR 732	72-HOUR 727	700	800	900	1000
		27	288	127	19200	430		
			1.31	2.26	2.26	57.45		
			33.18	52.26	57.45	628		
			363	671	628	775		
			447	765	775			

STATION 1

	100	200	300	400	500	600	700	800	900	1000
0										
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										

\*OVF\*

17	30	30	37
18	30	30	38
19	30	30	39
20	30	30	40
21	30	30	41
22	30	30	42
23	30	30	43
24	30	30	44
25	30	30	45
26	30	30	46
27	30	30	47
28	30	30	48
29	30	30	49
30	30	30	50
31	30	30	51
32	30	30	52
33	30	30	53
34	30	30	54
35	30	30	55
36	30	30	56
37	30	30	57
38	30	30	58
39	30	30	59
40	30	30	60
41	30	30	61
42	30	30	62
43	30	30	63
44	30	30	64
45	30	30	65
46	30	30	66
47	30	30	67
48	30	30	68
49	30	30	69
50	30	30	70
51	30	30	71
52	30	30	72
53	30	30	73
54	30	30	74
55	30	30	75
56	30	30	76
57	30	30	77
58	30	30	78
59	30	30	79
60	30	30	80
61	30	30	81
62	30	30	82
63	30	30	83
64	30	30	84
65	30	30	85
66	30	30	86
67	30	30	87
68	30	30	88
69	30	30	89
70	30	30	90
71	30	30	91
72	30	30	92

STATION	2	4	8	16	24	36	48	60	72	84	96	108	120
23 30 93													
23 30 94													
23 30 95													
23 30 96													
0 30 97													
1 30 98													
1 30 99													
2 00 100													
2 00 101													
2 00 102													
3 30 103													
4 00 104													
4 30 105													
5 00 106													
5 30 107													
6 00 108													
6 30 109													
7 00 110													
7 30 111													
8 00 112													
8 30 113													
9 00 114													
9 30 115													
10 00 116													
10 30 117													
11 00 118													
11 30 119													
12 00 120													

\*OVN\*

STATION	SUM OF 2 HYDROGRAPHS AT												TOTAL VOLUME
	2	4	8	16	24	36	48	60	72	84	96	108	
2	39	50	63	76	87	93	123	193	276	379	496	627	792
4	64	54	46	39	34	29	23	23	23	23	23	23	23
7	21	23	26	30	33	36	40	43	46	49	52	55	58
131	141	156	166	171	183	196	211	228	246	264	283	303	323
1224	1436	1604	1696	1794	1896	1996	2096	2196	2296	2396	2496	2596	2696
793	673	573	491	422	364	315	272	233	196	164	133	104	78
179	163	156	150	144	138	133	128	123	118	113	108	103	98
113	109	104	100	96	92	89	85	81	77	73	69	65	61
PEAK	1696	1317	927	519	228	113	57	27	13	6	3	1	0
CMS	48	37	27	19	13	8	5	3	2	1	0	0	0
INCHES	2.75	2.35	1.70	1.07	0.67	0.40	0.25	0.15	0.09	0.05	0.03	0.02	0.01
AC-FT	853	572	370	228	131	77	47	27	15	8	4	2	1
THOUS CU M	809	553	369	229	131	77	47	27	15	8	4	2	1

\*OVF\*

STATION 1

	200.	400.	INFLOW (I); 500.	OUTFLOW (O) AND OBSERVED FLOW (*) 1000.	1200.	1400.	1600.	1800.	0.	0.	0.
0.1											
1.30											
2.30											
3.30											
4.30											
5.30											
6.30											
7.30											
8.30											
9.30											
10.30											
11.30											
12.30											
13.30											
14.30											
15.30											
16.30											
17.30											
18.30											
19.30											
20.30											
21.30											
22.30											
23.30											
0.30											
1.30											
2.30											
3.30											

44	00	30	29
45	00	30	28
46	00	30	27
47	00	30	26
48	00	30	25
49	00	30	24
50	00	30	23
51	00	30	22
52	00	30	21
53	00	30	20
54	00	30	19
55	00	30	18
56	00	30	17
57	00	30	16
58	00	30	15
59	00	30	14
60	00	30	13
61	00	30	12
62	00	30	11
63	00	30	10
64	00	30	09
65	00	30	08
66	00	30	07
67	00	30	06
68	00	30	05
69	00	30	04
70	00	30	03
71	00	30	02
72	00	30	01
73	00	30	00
74	00	30	99
75	00	30	98
76	00	30	97
77	00	30	96
78	00	30	95
79	00	30	94
80	00	30	93
81	00	30	92
82	00	30	91
83	00	30	90
84	00	30	89
85	00	30	88
86	00	30	87
87	00	30	86
88	00	30	85
89	00	30	84
90	00	30	83
91	00	30	82
92	00	30	81
93	00	30	80
94	00	30	79
95	00	30	78
96	00	30	77
97	00	30	76
98	00	30	75
99	00	30	74
100	00	30	73
101	00	30	72
102	00	30	71
103	00	30	70
104	00	30	69
105	00	30	68
106	00	30	67
107	00	30	66
108	00	30	65
109	00	30	64
110	00	30	63
111	00	30	62
112	00	30	61
113	00	30	60

9 0014  
10 0015  
11 0016  
12 0017  
13 0018  
14 0019  
15 0020

\*OVN\*

STATION	SUM OF 2 HYDROGRAPHS AT		PLAN 1 RT10 3		TOTAL VOLUME
	24-HOUR	72-HOUR	24-HOUR	72-HOUR	
2	1770	517	100	2881	2881
4	1390	37	100	818	818
8	37	16	100	107.15	107.15
17	2.48	92.30	107.15	1472	1472
32	63.03	1898	1472		
48	887	1839			
64	850				
80					
96					
112					
128					
144					
160					
176					
192					
208					
224					

PEAK 1770 51  
CBS 1390 37  
INCHES 2.48 92.30  
AC-FT 63.03 1898  
THOUS CU M 887 1839

C-34

\*OVF\*

STATION	INFLW(1), OUTFLOW(2) AND OBSERVED FLOW(3)		TOTAL VOLUME
	400	600	
0	1200	1800	1800
1	1200	1800	1800
2	1200	1800	1800
3	1200	1800	1800
4	1200	1800	1800
5	1200	1800	1800
6	1200	1800	1800
7	1200	1800	1800
8	1200	1800	1800
9	1200	1800	1800
10	1200	1800	1800
11	1200	1800	1800
12	1200	1800	1800
13	1200	1800	1800
14	1200	1800	1800
15	1200	1800	1800
16	1200	1800	1800
17	1200	1800	1800



191	30	00	00	00
192	30	00	00	00
193	30	00	00	00
194	30	00	00	00
195	30	00	00	00
196	30	00	00	00
197	30	00	00	00
198	30	00	00	00
199	30	00	00	00
200	30	00	00	00
201	30	00	00	00
202	30	00	00	00
203	30	00	00	00
204	30	00	00	00
205	30	00	00	00
206	30	00	00	00
207	30	00	00	00
208	30	00	00	00
209	30	00	00	00
210	30	00	00	00
211	30	00	00	00
212	30	00	00	00
213	30	00	00	00
214	30	00	00	00
215	30	00	00	00
216	30	00	00	00
217	30	00	00	00
218	30	00	00	00
219	30	00	00	00
220	30	00	00	00
221	30	00	00	00
222	30	00	00	00
223	30	00	00	00
224	30	00	00	00
225	30	00	00	00
226	30	00	00	00
227	30	00	00	00
228	30	00	00	00
229	30	00	00	00
230	30	00	00	00
231	30	00	00	00
232	30	00	00	00
233	30	00	00	00
234	30	00	00	00
235	30	00	00	00
236	30	00	00	00
237	30	00	00	00
238	30	00	00	00
239	30	00	00	00
240	30	00	00	00
241	30	00	00	00
242	30	00	00	00
243	30	00	00	00
244	30	00	00	00
245	30	00	00	00
246	30	00	00	00
247	30	00	00	00
248	30	00	00	00
249	30	00	00	00
250	30	00	00	00
251	30	00	00	00
252	30	00	00	00
253	30	00	00	00
254	30	00	00	00
255	30	00	00	00
256	30	00	00	00
257	30	00	00	00
258	30	00	00	00
259	30	00	00	00
260	30	00	00	00
261	30	00	00	00
262	30	00	00	00
263	30	00	00	00
264	30	00	00	00
265	30	00	00	00
266	30	00	00	00
267	30	00	00	00
268	30	00	00	00
269	30	00	00	00
270	30	00	00	00
271	30	00	00	00
272	30	00	00	00
273	30	00	00	00
274	30	00	00	00
275	30	00	00	00
276	30	00	00	00

NO.	DATE	DESCRIPTION	AMOUNT	BALANCE
14	30	77		
15	00	78		
15	30	79		
16	00	80		
16	30	81		
17	00	82		
17	30	83		
18	00	84		
18	30	85		
19	00	86		
19	30	87		
20	00	88		
20	30	89		
21	00	90		
21	30	91		
22	00	92		
22	30	93		
23	00	94		
23	30	95		
0	00	96		
1	00	97		
1	30	98		
1	30	99		
2	00	00		
2	30	01		
3	00	02		
3	30	03		
4	00	04		
4	30	05		
5	00	06		
5	30	07		
6	00	08		
6	30	09		
7	00	10		
7	30	11		
8	00	12		
8	30	13		
9	00	14		
9	30	15		
10	00	16		
10	30	17		
11	00	18		
11	30	19		
12	00	20		

NO.	DATE	DESCRIPTION	AMOUNT	BALANCE	SUM OF 2 HYDROGRAPHS AT	PLAN 1	RTIO 4
2	4				3	3	4
4	8				5	6	7
8	16				11	13	21
16	32				96	104	101
32	64				37	32	22
64	128				37	40	44
128	256				92	105	134
256	512						

\*OVN\*

AD-A109 794

FLAHERTY-GIAVARA ASSOCIATES NEW HAVEN CT  
NATIONAL DAM SAFETY PROGRAM, KINGSLEY BROOK RESERVOIR DAM (INVE--ETC(U)  
SEP 81 H C FLAHERTY

F/G 13/13

DACW51-81-C-0006


NL

UNCLASSIFIED

2.. 2

2 09754

END  
DATE  
FILMED  
2 82  
DTIQ



1.0

1.1

1.25

2.8

3.2

3.6

4.0

1.4

2.5

2.2

2.0

1.8

1.6

MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS - 1963-A

112	146	157	184	232	314	421	591	890
1040	1360	1596	1782	1884	1883	1776	1603	1222
226	881	748	637	543	469	409	350	259
131	179	181	174	167	160	154	148	134
	126	121	116	111	107	103	98	91


PEAK	6-HOUR	24-HOUR	72-HOUR	TOTAL
1884	1463	576	253	30401
53	2.61	4.12	4.52	861
	66.33	104.32	114.89	114.89
	723	1143	1256	1256
	873	1410	1590	1590

THURS 5/1

STATION 1

TIME	INFLOW (1)	OUTFLOW (2)	AND OBSERVED FLOW (3)	400	600	800	1000	1200	1400	1600	1800	2000	0
0 11													
30													
0 1 30													
0 2 30													
0 3 30													
0 4 30													
0 5 30													
0 6 30													
0 7 30													
0 8 30													
0 9 30													
0 10 30													
0 11 30													
0 12 30													
0 13 30													
0 14 30													
0 15 30													
0 16 30													
0 17 30													
0 18 30													
0 19 30													

20 00 40  
 21 00 41  
 22 00 42  
 23 00 43  
 24 00 44  
 25 00 45  
 26 00 46  
 27 00 47  
 28 00 48  
 29 00 49  
 30 00 50  
 31 00 51  
 32 00 52  
 33 00 53  
 34 00 54  
 35 00 55  
 36 00 56  
 37 00 57  
 38 00 58  
 39 00 59  
 40 00 60  
 41 00 61  
 42 00 62  
 43 00 63  
 44 00 64  
 45 00 65  
 46 00 66  
 47 00 67  
 48 00 68  
 49 00 69  
 50 00 70  
 51 00 71  
 52 00 72  
 53 00 73  
 54 00 74  
 55 00 75  
 56 00 76  
 57 00 77  
 58 00 78  
 59 00 79  
 60 00 80  
 61 00 81  
 62 00 82  
 63 00 83  
 64 00 84  
 65 00 85  
 66 00 86  
 67 00 87  
 68 00 88  
 69 00 89  
 70 00 90  
 71 00 91  
 72 00 92  
 73 00 93  
 74 00 94  
 75 00 95  
 76 00 96  
 77 00 97



\*OVN\*

SUM OF 2 HYDROGRAPHS AT PLAN 1 RTIO 5

TIME	2	3	4	5	6	7	8	9	10	11	12	TOTAL VOLUME
1.00 PM	0	0	0	0	0	0	0	0	0	0	0	0
2.00 PM	0	0	0	0	0	0	0	0	0	0	0	0
3.00 PM	0	0	0	0	0	0	0	0	0	0	0	0
4.00 PM	0	0	0	0	0	0	0	0	0	0	0	0
5.00 PM	0	0	0	0	0	0	0	0	0	0	0	0
6.00 PM	0	0	0	0	0	0	0	0	0	0	0	0
7.00 PM	0	0	0	0	0	0	0	0	0	0	0	0
8.00 PM	0	0	0	0	0	0	0	0	0	0	0	0
9.00 PM	0	0	0	0	0	0	0	0	0	0	0	0
10.00 PM	147	165	171	177	187	197	209	227	247	264	281	1485
11.00 PM	109	127	142	159	177	192	209	227	247	264	281	1317
12.00 AM	137	153	165	171	177	187	197	209	227	247	264	1485

PEAK 6-HOUR 24-HOUR 72-HOUR TOTAL VOLUME  
 197 157 607 264 2121  
 CFS 197 157 607 264  
 INCHES 4.32 4.32 4.73 4.73  
 AC-FT 762 1200 1317 1317  
 THOUS CU FT 940 1480 1627 1627

\*OVF\*

STATION 1

TIME	INFLOW (I)	OUTFLOW (O)	AND OBSERVED FLOW (*)
0.30	0	11	0
1.00	200	400	600
		800	1000
		1200	1400
		1600	1800
		2000	2000





61  
 7 30 62  
 8 30 63  
 9 30 64  
 10 30 65  
 11 30 66  
 12 30 67  
 13 30 68  
 14 30 69  
 15 30 70  
 16 30 71  
 17 30 72  
 18 30 73  
 19 30 74  
 20 30 75  
 21 30 76  
 22 30 77  
 23 30 78  
 24 30 79  
 25 30 80  
 26 30 81  
 27 30 82  
 28 30 83  
 29 30 84  
 30 30 85  
 31 30 86  
 32 30 87  
 33 30 88  
 34 30 89  
 35 30 90  
 36 30 91  
 37 30 92  
 38 30 93  
 39 30 94  
 40 30 95  
 41 30 96  
 42 30 97  
 43 30 98  
 44 30 99  
 45 30 00  
 46 30 01  
 47 30 02  
 48 30 03  
 49 30 04  
 50 30 05  
 51 30 06  
 52 30 07  
 53 30 08  
 54 30 09  
 55 30 10  
 56 30 11  
 57 30 12  
 58 30 13  
 59 30 14  
 60 30 15  
 61 30 16

11 3019  
12 00120

\*OVN\*

SUB OF 2 HYDROGRAPHS AT		PLAN 1		PLAN 6	
2	3	3	4	4	4
2	5	10	14	7	8
4	9	18	23	11	11
7	10	32	44	138	147
37	77	78	115	155	183
24	32	40	44	49	51
53	57	74	115	138	147
123	140	202	279	304	343
114	194	191	279	282	282
124	217	182	175	152	150
143	127	122	117	104	100
	PEAK	6-HOUR	24-HOUR	72-HOUR	TOTAL VOLUME
	2073	1609	834	279	33441
	57	57	48	4	747
		2.87	4.53	4.98	
	INCHES				
		72.99	114.98	126.38	
	AC-FT	798	1257	1382	
	THOUS CU FT	884	1531	1703	

\*OVF\*

STATION 1		INFLOW(S), OUTFLOW(S) AND OBSERVED FLOWS	
300	400	600	1000
0.11	0.30	0.40	0.60
0.20	0.30	0.50	0.80
0.30	0.30	0.50	0.80
0.40	0.30	0.50	0.80
0.50	0.30	0.50	0.80
0.60	0.30	0.50	0.80
0.70	0.30	0.50	0.80
0.80	0.30	0.50	0.80
0.90	0.30	0.50	0.80
1.00	0.30	0.50	0.80
1.10	0.30	0.50	0.80
1.20	0.30	0.50	0.80
1.30	0.30	0.50	0.80
1.40	0.30	0.50	0.80
1.50	0.30	0.50	0.80
1.60	0.30	0.50	0.80
1.70	0.30	0.50	0.80
1.80	0.30	0.50	0.80
1.90	0.30	0.50	0.80
2.00	0.30	0.50	0.80
2.10	0.30	0.50	0.80
2.20	0.30	0.50	0.80
2.30	0.30	0.50	0.80
2.40	0.30	0.50	0.80
2.50	0.30	0.50	0.80
2.60	0.30	0.50	0.80
2.70	0.30	0.50	0.80
2.80	0.30	0.50	0.80
2.90	0.30	0.50	0.80
3.00	0.30	0.50	0.80

12	00	24
13	00	25
14	00	26
15	00	27
16	00	28
17	00	29
18	00	30
19	00	31
20	00	32
21	00	33
22	00	34
23	00	35
24	00	36
25	00	37
26	00	38
27	00	39
28	00	40
29	00	41
30	00	42
31	00	43
32	00	44
33	00	45
34	00	46
35	00	47
36	00	48
37	00	49
38	00	50
39	00	51
40	00	52
41	00	53
42	00	54
43	00	55
44	00	56
45	00	57
46	00	58
47	00	59
48	00	60
49	00	61
50	00	62
51	00	63
52	00	64
53	00	65
54	00	66
55	00	67
56	00	68
57	00	69
58	00	70
59	00	71
60	00	72
61	00	73
62	00	74
63	00	75
64	00	76
65	00	77
66	00	78
67	00	79
68	00	80
69	00	81

17	00	82
17	00	83
18	00	84
18	00	85
19	00	86
19	00	87
20	00	88
20	00	89
21	00	90
21	00	91
22	00	92
22	00	93
23	00	94
23	00	95
0	00	96
0	00	97
1	00	98
1	00	99
2	00	00
2	00	01
3	00	02
3	00	03
4	00	04
4	00	05
5	00	06
5	00	07
6	00	08
6	00	09
7	00	10
7	00	11
8	00	12
8	00	13
9	00	14
9	00	15
10	00	16
10	00	17
11	00	18
11	00	19
12	00	20


HYDROGRAPH	PLAN 1	RTIO 7	SUM OF 2 HYDROGRAPHS AT 3
1	2	3	4
10	11	19	17
11	12	19	27
12	13	27	38
13	14	46	58
14	15	46	91
15	16	84	270
16	17	284	2167
17	18	483	627
18	19	117	192
19	20	118	128
20	21	113	133
21	22	120	150
22	23	106	168
23	24	42	212
24	25	106	2050
25	26	133	733
26	27	1846	200
27	28	1402	133
28	29	170	139
29	30	113	144
30	31	109	150
31	32	126	158
32	33	151	178
33	34	181	196
34	35	1527	1229
35	36	159	144
36	37	163	150
37	38	176	158
38	39	191	168
39	40	247	212
40	41	347	733
41	42	483	2000
42	43	117	200
43	44	118	133

\*OVNS\*

PEAK	5-HOUR	24-HOUR	72-HOUR	TOTAL VOLUME
2167	1683	669	271	34961
61	48	17	8	990
	3.00	4.73	5.59	2.79
	78.30	120.20	132.13	132.13
	834	1914	1442	1442
	1029	1621	1782	1782

CFS  
CMS  
INCHES  
AC-FT  
THOUS CU M

\*OVF\*



C-45

23 30 45  
 24 30 46  
 25 30 47  
 26 30 48  
 27 30 49  
 28 30 50  
 29 30 51  
 30 30 52  
 31 30 53  
 32 30 54  
 33 30 55  
 34 30 56  
 35 30 57  
 36 30 58  
 37 30 59  
 38 30 60  
 39 30 61  
 40 30 62  
 41 30 63  
 42 30 64  
 43 30 65  
 44 30 66  
 45 30 67  
 46 30 68  
 47 30 69  
 48 30 70  
 49 30 71  
 50 30 72  
 51 30 73  
 52 30 74  
 53 30 75  
 54 30 76  
 55 30 77  
 56 30 78  
 57 30 79  
 58 30 80  
 59 30 81  
 60 30 82  
 61 30 83  
 62 30 84  
 63 30 85  
 64 30 86  
 65 30 87  
 66 30 88  
 67 30 89  
 68 30 90  
 69 30 91  
 70 30 92  
 71 30 93  
 72 30 94  
 73 30 95  
 74 30 96  
 75 30 97  
 76 30 98  
 77 30 99  
 78 30 100  
 79 30 101  
 80 30 102



4.30 81  
 5.30 101  
 6.30 111  
 7.30 121  
 8.30 131  
 9.30 141  
 10.30 151  
 11.30 161  
 12.30 171  
 13.30 181  
 14.30 191  
 15.30 201  
 16.30 211  
 17.30 221  
 18.30 231  
 19.30 241  
 20.30 251  
 21.30 261  
 22.30 271  
 23.30 281  
 24.30 291  
 25.30 301  
 26.30 311  
 27.30 321  
 28.30 331  
 29.30 341  
 30.30 351  
 31.30 361  
 32.30 371  
 33.30 381  
 34.30 391  
 35.30 401  
 36.30 411  
 37.30 421  
 38.30 431  
 39.30 441  
 40.30 451  
 41.30 461  
 42.30 471  
 43.30 481  
 44.30 491  
 45.30 501  
 46.30 511  
 47.30 521  
 48.30 531  
 49.30 541  
 50.30 551  
 51.30 561  
 52.30 571  
 53.30 581  
 54.30 591  
 55.30 601  
 56.30 611  
 57.30 621  
 58.30 631  
 59.30 641  
 60.30 651  
 61.30 661  
 62.30 671  
 63.30 681  
 64.30 691  
 65.30 701  
 66.30 711  
 67.30 721  
 68.30 731  
 69.30 741  
 70.30 751  
 71.30 761  
 72.30 771  
 73.30 781  
 74.30 791  
 75.30 801  
 76.30 811  
 77.30 821  
 78.30 831  
 79.30 841  
 80.30 851  
 81.30 861  
 82.30 871  
 83.30 881  
 84.30 891  
 85.30 901  
 86.30 911  
 87.30 921  
 88.30 931  
 89.30 941  
 90.30 951  
 91.30 961  
 92.30 971  
 93.30 981  
 94.30 991  
 95.30 1001  
 96.30 1011  
 97.30 1021  
 98.30 1031  
 99.30 1041  
 100.30 1051



9	00	66	
10	00	67	
11	00	68	
12	00	69	
13	00	70	
14	00	71	
15	00	72	
16	00	73	
17	00	74	
18	00	75	
19	00	76	
20	00	77	
21	00	78	
22	00	79	
23	00	80	
24	00	81	
25	00	82	
26	00	83	
27	00	84	
28	00	85	
29	00	86	
30	00	87	
31	00	88	
32	00	89	
33	00	90	
34	00	91	
35	00	92	
36	00	93	
37	00	94	
38	00	95	
39	00	96	
40	00	97	
41	00	98	
42	00	99	
43	00	100	
44	00	101	
45	00	102	
46	00	103	
47	00	104	
48	00	105	
49	00	106	
50	00	107	
51	00	108	
52	00	109	
53	00	110	
54	00	111	
55	00	112	
56	00	113	
57	00	114	
58	00	115	
59	00	116	
60	00	117	
61	00	118	
62	00	119	
63	00	120	

\*OVN\*

SUM OF 2 HYDROGRAPHS AT		PLAN 1		RTIO 9	
10	21	11	22	17	27
10	21	11	22	17	27
40	41	44	47	82	89
170	319	349	420	328	104
407	394	397	479	459	304
110	118	147	187	179	123
240	280	308	353	377	188
2701	724	378	457	580	688
5959	6801	8712	1370	2754	4401
3202	4405	2756	2114	3928	4119
1131	996	834	801	1509	681
654	628	579	534	738	454

6-HOUR		24-HOUR		72-HOUR		TOTAL VOLUME	
CFB	CMS	CFB	CMS	CFB	CMS	CFB	CMS
7315	2881	1267	36	152004	4304	152004	4304
9422	267	82	36	152004	4304	152004	4304
267	207	36	36	152004	4304	152004	4304
19.96	20.88	22.42	22.42	574.46	574.46	574.46	574.46
331.76	522.62	574.46	6281	6281	6281	6281	6281
3427	5714	7748	7748	7748	7748	7748	7748
4474	7049	7049	7049	7049	7049	7049	7049

\*OVF\*

STATION 1		STATION 1		STATION 1	
INFLW(1)	OUTFLW(2)	INFLW(1)	OUTFLW(2)	INFLW(1)	OUTFLW(2)
1000	2000	1000	2000	1000	2000
3000	4000	3000	4000	3000	4000
5000	6000	5000	6000	5000	6000
7000	8000	7000	8000	7000	8000
9000	10000	9000	10000	9000	10000

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
70	70	70	70	70	70	70	70	70	70	70	70	70	70	70
80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
90	90	90	90	90	90	90	90	90	90	90	90	90	90	90
100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
120	120	120	120	120	120	120	120	120	120	120	120	120	120	120
130	130	130	130	130	130	130	130	130	130	130	130	130	130	130
140	140	140	140	140	140	140	140	140	140	140	140	140	140	140

14 300 30  
 15 300 31  
 16 300 32  
 17 300 33  
 18 300 34  
 19 300 35  
 20 300 36  
 21 300 37  
 22 300 38  
 23 300 39  
 24 300 40  
 25 300 41  
 26 300 42  
 27 300 43  
 28 300 44  
 29 300 45  
 30 300 46  
 31 300 47  
 32 300 48  
 33 300 49  
 34 300 50  
 35 300 51  
 36 300 52  
 37 300 53  
 38 300 54  
 39 300 55  
 40 300 56  
 41 300 57  
 42 300 58  
 43 300 59  
 44 300 60  
 45 300 61  
 46 300 62  
 47 300 63  
 48 300 64  
 49 300 65  
 50 300 66  
 51 300 67  
 52 300 68  
 53 300 69  
 54 300 70  
 55 300 71  
 56 300 72  
 57 300 73  
 58 300 74  
 59 300 75  
 60 300 76  
 61 300 77  
 62 300 78  
 63 300 79  
 64 300 80  
 65 300 81  
 66 300 82  
 67 300 83  
 68 300 84  
 69 300 85  
 70 300 86

STAGE	1311.00	1312.00	1313.00	1314.00	1315.00	1316.00	1317.00	1318.00	1319.00
19 30 87									
20 00 88									
21 30 89									
22 00 90									
23 30 91									
24 00 92									
25 30 93									
26 00 94									
27 30 95									
28 00 96									
29 30 97									
30 00 98									
31 30 99									
32 00 100									
33 30 101									
34 00 102									
35 30 103									
36 00 104									
37 30 105									
38 00 106									
39 30 107									
40 00 108									
41 30 109									
42 00 110									
43 30 111									
44 00 112									
45 30 113									
46 00 114									
47 30 115									
48 00 116									
49 30 117									
50 00 118									
51 30 119									
52 00 120									

\*DYN\*

*****											
HYDROGRAPH ROUTING											
RESERVOIR ROUTING - MODIFIED PULS METHOD											
ISTAG	1	ICOMP	1	IECON	0	ITAPE	0	JPLT	0	JPRT	0
GLOSS	0.0	CLOSS	0.00	AVG	0.00	ROUTING DATA	1	IDPT	0	IPMP	0
NETPS	1	NSTD1	0	LAG	0.000	AMBSK	0.000	X	0.000	TBK	0.000
STAGE	1311.00		1312.00		1313.00		1314.00		1315.00		1316.00
	1320.00										1317.00
											1318.00
											1319.00
*****											
IAUTO	0	IBSTAGE	0	INAME	1	IPMP	0	LSTR	0	IBFRA1	-1

FLOW 0.00 48.00 135.00 247.40 385.00 499.20 574.20 671.30 874.80 7032.60

SURFACE AREA= 119 138 193

CAPACITY= 0 1156 4446

ELEVATION= 1311 1320 1340

CREL SPWID COGH EXPL ELEV COGL CAREA EXPL

1311.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

TOPEL 1317.0 DAM RATIO DAMWID

2.5 1.5 877

STATION 1. PLAN 1. RATIO 1

END-OF-PERIOD HYDROGRAPH ORDINATES

TIME	OUTFLOW	STORAGE	STAGE
0	0	0	1311
1	1	10	1311
2	2	20	1311
3	3	30	1311
4	4	40	1311
5	5	50	1311
6	6	60	1311
7	7	70	1311
8	8	80	1311
9	9	90	1311
10	10	100	1311
11	11	110	1311
12	12	120	1311
13	13	130	1311
14	14	140	1311
15	15	150	1311
16	16	160	1311
17	17	170	1311
18	18	180	1311
19	19	190	1311
20	20	200	1311
21	21	210	1311
22	22	220	1311
23	23	230	1311
24	24	240	1311
25	25	250	1311
26	26	260	1311
27	27	270	1311
28	28	280	1311
29	29	290	1311
30	30	300	1311
31	31	310	1311
32	32	320	1311
33	33	330	1311
34	34	340	1311
35	35	350	1311
36	36	360	1311
37	37	370	1311
38	38	380	1311
39	39	390	1311
40	40	400	1311
41	41	410	1311
42	42	420	1311
43	43	430	1311
44	44	440	1311
45	45	450	1311
46	46	460	1311
47	47	470	1311
48	48	480	1311
49	49	490	1311
50	50	500	1311
51	51	510	1311
52	52	520	1311
53	53	530	1311
54	54	540	1311
55	55	550	1311
56	56	560	1311
57	57	570	1311
58	58	580	1311
59	59	590	1311
60	60	600	1311
61	61	610	1311
62	62	620	1311
63	63	630	1311
64	64	640	1311
65	65	650	1311
66	66	660	1311
67	67	670	1311
68	68	680	1311
69	69	690	1311
70	70	700	1311
71	71	710	1311
72	72	720	1311
73	73	730	1311
74	74	740	1311
75	75	750	1311
76	76	760	1311
77	77	770	1311
78	78	780	1311
79	79	790	1311
80	80	800	1311
81	81	810	1311
82	82	820	1311
83	83	830	1311
84	84	840	1311
85	85	850	1311
86	86	860	1311
87	87	870	1311
88	88	880	1311
89	89	890	1311
90	90	900	1311
91	91	910	1311
92	92	920	1311
93	93	930	1311
94	94	940	1311
95	95	950	1311
96	96	960	1311
97	97	970	1311
98	98	980	1311
99	99	990	1311
100	100	1000	1311

1314.1 1314.0 1314.1 1314.2 1314.3 1314.4 1314.5 1314.6 1314.7 1314.8 1314.9 1315.0 1315.1 1315.2  
 1313.8 1313.9 1314.0 1314.1 1314.2 1314.3 1314.4 1314.5 1314.6 1314.7 1314.8 1314.9 1315.0 1315.1

PEAK OUTFLOW IS 277 AT TIME 47.50 HOURS

UNIT	PEAK	6-HOUR	24-HOUR	72-HOUR	TOTAL
CFS	277	266	174	73	8721
CMS	8	8	5	2	247
INCHES	0.28	1.24	3.15	1.30	11.50
AC-FT	12.08	31.50	32.96	34.0	340
THOUS CU H	1.32	34.4	34.0	34.0	340
	183	523	542	542	542

\*OVF\*

STATION 1

INFLOW(I), OUTFLOW(O) AND OBSERVED FLOW(\*)

TIME	INFLOW (I) 400	OUTFLOW (O) 600	OBSERVED FLOW (*) 600
0 11 30	0	0	0
1 30	0	0	0
2 30	0	0	0
3 30	0	0	0
4 30	0	0	0
5 30	0	0	0
6 30	0	0	0
7 30	0	0	0
8 30	0	0	0
9 30	0	0	0
10 30	0	0	0
11 30	0	0	0
12 30	0	0	0
13 30	0	0	0
14 30	0	0	0
15 30	0	0	0
16 30	0	0	0
17 30	0	0	0
18 30	0	0	0
19 30	0	0	0

20 00 410  
 21 00 420  
 22 00 430  
 23 00 440  
 24 00 450  
 25 00 460  
 26 00 470  
 27 00 480  
 28 00 490  
 29 00 500  
 30 00 510  
 31 00 520  
 32 00 530  
 33 00 540  
 34 00 550  
 35 00 560  
 36 00 570  
 37 00 58  
 38 00 59  
 39 00 60  
 40 00 61  
 41 00 62  
 42 00 63  
 43 00 64  
 44 00 65  
 45 00 66  
 46 00 67  
 47 00 68  
 48 00 69  
 49 00 70  
 50 00 71  
 51 00 72  
 52 00 73  
 53 00 74  
 54 00 75  
 55 00 76  
 56 00 77  
 57 00 78  
 58 00 79  
 59 00 80  
 60 00 81  
 61 00 82  
 62 00 83  
 63 00 84  
 64 00 85  
 65 00 86  
 66 00 87  
 67 00 88  
 68 00 89  
 69 00 90  
 70 00 91  
 71 00 92  
 72 00 93  
 73 00 94  
 74 00 95  
 75 00 96  
 76 00 97

G-55





FLAHERTY SHAWA ASSOCIATES, P.S.

	476	486	497	497	428	419	402	374
	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0
	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0
	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0
	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0
	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0	1311.0


PEAK OUTFLOW IS 603 AT TIME 47.00 HOURS

	603	582	148	146	177.87
CFB	17	10	4	2	2.53
CMG	1.04	2.54	2.55	2.55	2.55
INCHES	26.41	64.57	67.23	67.23	67.23
AC-FT	289	706	735	735	735
THRU	50.0	971	907	907	907

STATION 1

OUTFLOW (T)	OUTFLOW (O)	AND OBSERVED FLOW (*)	1000	1400	1600	1800	0	0
0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00
10.00	20.00	30.00	40.00	50.00	60.00	70.00	80.00	90.00
100.00	200.00	300.00	400.00	500.00	600.00	700.00	800.00	900.00
1000.00	2000.00	3000.00	4000.00	5000.00	6000.00	7000.00	8000.00	9000.00

14 00 2801  
 15 00 3001  
 16 00 3201  
 17 00 3401  
 18 00 3601  
 19 00 3801  
 20 00 4001  
 21 00 4201  
 22 00 4401  
 23 00 4601  
 24 00 4801  
 25 00 5001  
 26 00 5201  
 27 00 5401  
 28 00 5601  
 29 00 5801  
 30 00 6001  
 31 00 6201  
 32 00 6401  
 33 00 6601  
 34 00 6801  
 35 00 7001  
 36 00 7201  
 37 00 7401  
 38 00 7601  
 39 00 7801  
 40 00 8001  
 41 00 8201  
 42 00 8401  
 43 00 8601




STATION 1. PLAN 1. RATIO 3  
END-OF-PERIOD HYDROGRAPH ORDINATES

TIME	OUTFLOW	ORDINATE
19 00 59	0	100
20 00 59	1	200
21 00 59	2	150
22 00 59	3	100
23 00 59	4	150
00 00 59	5	50
01 00 59	6	150
02 00 59	7	100
03 00 59	8	150
04 00 59	9	100
05 00 59	10	150
06 00 59	11	100
07 00 59	12	150
08 00 59	13	100
09 00 59	14	150
10 00 59	15	100
11 00 59	16	150
12 00 120	17	100

\*OVN\*



00 14  
8 20 17  
9 00 18  
9 30 19  
10 00 20  
11 00 21  
11 30 22  
12 00 23  
12 30 24  
13 00 25  
13 30 26  
14 00 27  
14 30 28  
15 00 29  
15 30 30  
16 00 31  
16 30 32  
17 00 33  
17 30 34  
18 00 35  
18 30 36  
19 00 37  
19 30 38  
20 00 39  
20 30 40  
21 00 41  
21 30 42  
22 00 43  
22 30 44  
23 00 45  
23 30 46  
24 00 47  
0 30 48  
1 00 49  
1 30 50  
2 00 51  
2 30 52  
3 00 53  
3 30 54  
4 00 55  
4 30 56  
5 00 57  
5 30 58  
6 00 59  
6 30 60  
7 00 61  
7 30 62  
8 00 63  
8 30 64  
9 00 65  
9 30 66  
10 00 67  
10 30 68  
11 00 69  
11 30 70  
12 00 71  
12 30 72  
13 00 73



STATION 1, PLAN 1, RATIO 4  
END-OF-PERIOD HYDROGRAPH ORDINATES

OUTFLOW 0

\*DVN\*

FLAHERTY PIAYARA ASSOCIATES, P.S.I.

PAGE 0032

STATION	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
INFL. (1)	0	17	32	47	62	77	92	107	122	137	152	167	182	197	212	227	242	257	272	287	302	317	332	347	362	377	392	407	422	437	452	467	482
OUTFLOW (1)	0	17	32	47	62	77	92	107	122	137	152	167	182	197	212	227	242	257	272	287	302	317	332	347	362	377	392	407	422	437	452	467	482

STORAGE

STATION	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31

STAGE

STATION	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31

PEAK OUTFLOW IS 694 AT TIME 47.00 HOURS

STATION	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
PEAK	0	17	32	47	62	77	92	107	122	137	152	167	182	197	212	227	242	257	272	287	302	317	332	347	362	377	392	407	422	437	452	467	482
CFS	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
CMR	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
INCHES	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
AC-FY	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
THOUS CU M	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
TOTAL VOLUME	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	

\*OVF\*

STATION	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
INFL. (1)	0	17	32	47	62	77	92	107	122	137	152	167	182	197	212	227	242	257	272	287	302	317	332	347	362	377	392	407	422	437	452	467	482
OUTFLOW (1)	0	17	32	47	62	77	92	107	122	137	152	167	182	197	212	227	242	257	272	287	302	317	332	347	362	377	392	407	422	437	452	467	482
INFL. (1)	0	17	32	47	62	77	92	107	122	137	152	167	182	197	212	227	242	257	272	287	302	317	332	347	362	377	392	407	422	437	452	467	482
OUTFLOW (1)	0	17	32	47	62	77	92	107	122	137	152	167	182	197	212	227	242	257	272	287	302	317	332	347	362	377	392	407	422	437	452	467	482

00 41  
030 41  
200 41  
230 41  
4 41  
5 41  
6 41  
7 41  
8 41  
9 41  
10 41  
11 41  
12 41  
13 41  
14 41  
15 41  
16 41  
17 41  
18 41  
19 41  
20 41  
21 41  
22 41  
23 41  
0 41  
1 41  
2 41  
3 41  
4 41  
5 41  
6 41



7 00 62 I  
 8 00 63 I  
 9 00 64 I  
 10 00 65 I  
 11 00 66 I  
 12 00 67 I  
 13 00 68 I  
 14 00 69 I  
 15 00 70 I  
 16 00 71 I  
 17 00 72 I  
 18 00 73 I  
 19 00 74 I  
 20 00 75 I  
 21 00 76 I  
 22 00 77 I  
 23 00 78 I  
 24 00 79 I  
 25 00 80 I  
 26 00 81 I  
 27 00 82 I  
 28 00 83 I  
 29 00 84 I  
 30 00 85 I  
 31 00 86 I  
 32 00 87 I  
 33 00 88 I  
 34 00 89 I  
 35 00 90 I  
 36 00 91 I  
 37 00 92 I  
 38 00 93 I  
 39 00 94 I  
 40 00 95 I  
 41 00 96 I  
 42 00 97 I  
 43 00 98 I  
 44 00 99 I  
 45 00 100 I  
 46 00 101 I  
 47 00 102 I  
 48 00 103 I  
 49 00 104 I  
 50 00 105 I  
 51 00 106 I  
 52 00 107 I  
 53 00 108 I  
 54 00 109 I  
 55 00 110 I  
 56 00 111 I  
 57 00 112 I  
 58 00 113 I  
 59 00 114 I  
 60 00 115 I  
 61 00 116 I  
 62 00 117 I  
 63 00 118 I  
 64 00 119 I  
 65 00 120 I

12.00120... I... G...

\*OWN\*

STATION 1. PLAN 1, RATIO 3  
END-OF-PERIOD HYDROGRAPH ORDINATES

TIME	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
OUTFLOW	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
STORAGE	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
STAGE	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60

PEAK OUTFLOW IS 801. AT TIME 46.50 HOURS  
 PEAK 801  
 CFS 801  
 CMS 177  
 INCHES 1.21  
 23. 3.04  
 6-HOUR 679  
 24-HOUR 426  
 72-HOUR 177  
 TOTAL VOLUME 21276  
 602  
 3.17

FLAHERTY STAVARO ASSOCIATES, P. C.

PAGE 0028

MM  
AC-FT  
THOUS CU H

30.78  
337  
415

77.30  
843  
1043

80.41  
879  
1084

80.41  
879  
1084

\*DVF\*

STATION

INFLOW(I), OUTFLOW(O) AND OBSERVED FLOW(\*)  
1200 1500 2000

0.00  
1.00  
2.00  
3.00  
4.00  
5.00  
6.00  
7.00  
8.00  
9.00  
10.00  
11.00  
12.00  
13.00  
14.00  
15.00  
16.00  
17.00  
18.00  
19.00  
20.00  
21.00  
22.00  
23.00  
0.00

Table with columns for Inflow (I), Outflow (O), and Observed Flow (\*). The table contains multiple rows of data points corresponding to the flow values listed on the left.

FLAHERTY GIAYARA ASSOCIATES, P. C.

1 00 3001  
 2 00 3002  
 3 00 3003  
 4 00 3004  
 5 00 3005  
 6 00 3006  
 7 00 3007  
 8 00 3008  
 9 00 3009  
 10 00 3010  
 11 00 3011  
 12 00 3012  
 13 00 3013  
 14 00 3014  
 15 00 3015  
 16 00 3016  
 17 00 3017  
 18 00 3018  
 19 00 3019  
 20 00 3020  
 21 00 3021  
 22 00 3022  
 23 00 3023  
 24 00 3024  
 25 00 3025  
 26 00 3026  
 27 00 3027  
 28 00 3028  
 29 00 3029  
 30 00 3030  
 31 00 3031  
 32 00 3032  
 33 00 3033  
 34 00 3034  
 35 00 3035  
 36 00 3036  
 37 00 3037  
 38 00 3038  
 39 00 3039  
 40 00 3040  
 41 00 3041  
 42 00 3042  
 43 00 3043  
 44 00 3044  
 45 00 3045  
 46 00 3046  
 47 00 3047  
 48 00 3048  
 49 00 3049  
 50 00 3050  
 51 00 3051  
 52 00 3052  
 53 00 3053  
 54 00 3054  
 55 00 3055  
 56 00 3056  
 57 00 3057  
 58 00 3058  
 59 00 3059  
 60 00 3060  
 61 00 3061  
 62 00 3062  
 63 00 3063  
 64 00 3064  
 65 00 3065  
 66 00 3066  
 67 00 3067  
 68 00 3068  
 69 00 3069  
 70 00 3070  
 71 00 3071  
 72 00 3072  
 73 00 3073  
 74 00 3074  
 75 00 3075  
 76 00 3076  
 77 00 3077  
 78 00 3078  
 79 00 3079  
 80 00 3080  
 81 00 3081  
 82 00 3082  
 83 00 3083  
 84 00 3084  
 85 00 3085  
 86 00 3086  
 87 00 3087  
 88 00 3088  
 89 00 3089  
 90 00 3090  
 91 00 3091  
 92 00 3092  
 93 00 3093  
 94 00 3094  
 95 00 3095  
 96 00 3096  
 97 00 3097  
 98 00 3098  
 99 00 3099  
 100 00 3100  
 101 00 3101  
 102 00 3102  
 103 00 3103  
 104 00 3104  
 105 00 3105  
 106 00 3106  
 107 00 3107

C-68

Mar

6.00108														
7.00109	00													
8.00110	00													
9.00111	00													
10.00112	00													
11.00113	00													
12.00114	00													
13.00115	00													
14.00116	00													
15.00117	00													
16.00118	00													
17.00119	00													
18.00120	00													

90VMS\*

STATION 1, PLAN 1, RATIO 6

END-OF-PERIOD HYDROGRAPH ORDINATES

	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0
OUTFLOW	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0
STORAGE	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0
STAGE	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0
1	144	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037
2	144	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037
3	144	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037
4	144	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037
5	144	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037
6	144	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037
7	144	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037
8	144	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037
9	144	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037
10	144	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037
11	144	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037
12	144	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037	1037

1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0
1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0
1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0
1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0
1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0

C-69

1311.7	1311.8	1311.9	1311.7	1312.0	1312.0	1312.1	1312.2	1312.3	1312.4	1312.5	1312.6	1312.7	1312.8
1312.1	1317.1	1317.1	1317.0	1317.0	1317.0	1317.0	1317.0	1317.0	1317.0	1317.0	1317.0	1317.0	1317.0
1312.4	1312.3	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2
1312.4	1312.3	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2	1312.2

PEAK OUTFLOW IS 1050. AT TIME 46.00 HOURS


CF8	122	136	154	189	228	289
CH8	1	3	5	8	12	17
INCHES	34.57	92.91	232.66	537.7	1155.	1155.
AC-FY	466.	1111.	1155.	1155.	1155.	1155.
THOUS CU H						

\*GVF\* STATION 1

TIME	INFLW(1)	OUTFLOW(0)	AND OBSERVED FLOW(*)
	400.	800.	1200.
	1600.	2000.	2400.
01.30			
01.30			
02.30			
03.30			
04.30			
05.30			
06.30			
07.30			
08.30			
09.30			
10.00			
11.00			
12.00			
13.00			
14.00			
15.00			
16.00			
17.00			
18.00			

19 30 390  
 20 30 400  
 21 30 410  
 22 30 420  
 23 30 430  
 24 30 440  
 25 30 450  
 26 30 46  
 27 30 47  
 28 30 48  
 29 30 49  
 30 30 50  
 31 30 51  
 32 30 52  
 33 30 53  
 34 30 54  
 35 30 55  
 36 30 56  
 37 30 57  
 38 30 58  
 39 30 59  
 40 30 60  
 41 30 61  
 42 30 62  
 43 30 63  
 44 30 64  
 45 30 65  
 46 30 66  
 47 30 67  
 48 30 68  
 49 30 69  
 50 30 70  
 51 30 71  
 52 30 72  
 53 30 73  
 54 30 74  
 55 30 75  
 56 30 76  
 57 30 77  
 58 30 78  
 59 30 79  
 60 30 80  
 61 30 81  
 62 30 82  
 63 30 83  
 64 30 84  
 65 30 85  
 66 30 86  
 67 30 87  
 68 30 88  
 69 30 89  
 70 30 90  
 71 30 91  
 72 30 92  
 73 30 93  
 74 30 94  
 75 30 95

C-71



40VNS

STATION 1, PLAN 1, RATIO 7  
END-OF-PERIOD HYDROGRAPH ORDINATES

Station	Flow	Outflow	Storage
0+00	0	0	0
0+01	17	21	2
0+02	43	228	15
0+03	443	47	19
0+04	423	411	36
0+05	37	581	69
0+06	17	391	119
0+07	0	379	189
0+08	0	379	267
0+09	0	379	353
0+10	0	379	445
0+11	0	379	547
0+12	0	379	659
0+13	0	379	779
0+14	0	379	907
0+15	0	379	1043
0+16	0	379	1187
0+17	0	379	1339
0+18	0	379	1499
0+19	0	379	1667
0+20	0	379	1843



777 779 741 796 791 744 739 723 710  
 695 679 647 630 615 599 585 571 558  
 546 534 511 500 489 479 468 458 449

1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0
1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0	1311 0
1311 1	1311 1	1311 1	1311 1	1311 1	1311 1	1311 1	1311 1	1311 1	1311 1	1311 1	1311 1	1311 1	1311 1
1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4
1311 5	1311 5	1311 5	1311 5	1311 5	1311 5	1311 5	1311 5	1311 5	1311 5	1311 5	1311 5	1311 5	1311 5
1311 8	1311 8	1311 8	1311 8	1311 8	1311 8	1311 8	1311 8	1311 8	1311 8	1311 8	1311 8	1311 8	1311 8
1311 3	1311 3	1311 3	1311 3	1311 3	1311 3	1311 3	1311 3	1311 3	1311 3	1311 3	1311 3	1311 3	1311 3
1311 2	1311 2	1311 2	1311 2	1311 2	1311 2	1311 2	1311 2	1311 2	1311 2	1311 2	1311 2	1311 2	1311 2
1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4
1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4	1311 4

PEAK OUTFLOW IS 1274 AT TIME 45.50 HOURS

PEAK	8-HOUR	24-HOUR	72-HOUR	TOTAL VOLUME
1274	890	483	201	24066
36	24	14	6	681
CFS	1.52	3.45	3.58	3.58
CMG	39.93	87.34	70.93	70.93
INCHES	421	937	994	994
AC-FT	520	1181	1227	1227
THOUS CU M				


\*OVF\*

STATION 1

INFLW(I)	OUTFLOW(O)	AND OBSERVED FLOW(*)
400	800	1200
0	1200	1600
0	1200	2000
0	1200	2400
0	1200	2800
0	1200	3200
0	1200	3600
0	1200	4000
0	1200	4400
0	1200	4800
0	1200	5200
0	1200	5600
0	1200	6000
0	1200	6400
0	1200	6800
0	1200	7200
0	1200	7600
0	1200	8000
0	1200	8400
0	1200	8800
0	1200	9200
0	1200	9600
0	1200	10000
0	1200	10400
0	1200	10800
0	1200	11200
0	1200	11600
0	1200	12000

13 00 261  
 14 00 271  
 15 00 281  
 16 00 290  
 17 00 300  
 18 00 310  
 19 00 320  
 20 00 330  
 21 00 340  
 22 00 350  
 23 00 360  
 24 00 370  
 25 00 380  
 26 00 390  
 27 00 400  
 28 00 410  
 29 00 420  
 30 00 430  
 31 00 440  
 32 00 450  
 33 00 460  
 34 00 470  
 35 00 480  
 36 00 490  
 37 00 500  
 38 00 510  
 39 00 520  
 40 00 530  
 41 00 540  
 42 00 550  
 43 00 560  
 44 00 570  
 45 00 580  
 46 00 590  
 47 00 600  
 48 00 610  
 49 00 620  
 50 00 630  
 51 00 640  
 52 00 650  
 53 00 660  
 54 00 670  
 55 00 680  
 56 00 690  
 57 00 700  
 58 00 710  
 59 00 720  
 60 00 730  
 61 00 740  
 62 00 750  
 63 00 760  
 64 00 770  
 65 00 780  
 66 00 790  
 67 00 800  
 68 00 810  
 69 00 820  
 70 00 830

FLAHERTY QUAYARA ASSOCIATES, P.C.



18 00 84  
 19 00 85  
 20 00 86  
 21 00 87  
 22 00 88  
 23 00 89  
 24 00 90  
 25 00 91  
 26 00 92  
 27 00 93  
 28 00 94  
 29 00 95  
 30 00 96  
 31 00 97  
 32 00 98  
 33 00 99  
 34 00 100  
 35 00 101  
 36 00 102  
 37 00 103  
 38 00 104  
 39 00 105  
 40 00 106  
 41 00 107  
 42 00 108  
 43 00 109  
 44 00 110  
 45 00 111  
 46 00 112  
 47 00 113  
 48 00 114  
 49 00 115  
 50 00 116  
 51 00 117  
 52 00 118  
 53 00 119  
 54 00 120

\*GVN\*

STATION 1, PLAN 1, RATIO 8  
 END-OF-PERIOD HYDROGRAPH ORDINATES

STATION	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	
OUTFLOW	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	


STATION	601	593	584	572	553	534	512	494	477	440
PEAK	646	646	634	622	599	579	558	538	517	498
6-HOUR	521	527	509	495	477	459	439	420	401	383
72-HOUR	357	367	350	338	322	307	290	275	260	246
TOTAL VOLUME	747	819	789	752	700	666	629	598	568	538
INCHES	3.05	3.29	3.17	3.07	2.91	2.75	2.60	2.46	2.33	2.20
AC-FT	25.1	27.1	26.2	25.2	23.9	22.7	21.5	20.5	19.4	18.3
THOUS CU M	0.87	0.93	0.90	0.85	0.79	0.75	0.70	0.66	0.63	0.60

STATION 1

INFLOW(I), OUTFLOW(O) AND OBSERVED FLOW(\*)

TIME	1000	2000	3000	5000	Q	Q	Q	Q	Q
01	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
30	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
11	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
21	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
31	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
41	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
51	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
61	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
71	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
81	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
91	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
101	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
111	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
121	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
131	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
141	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
151	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
161	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
171	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
181	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
191	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0
201	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0	1316.0

7	00	15
8	00	16
9	00	17
10	00	18
11	00	20
12	00	21
13	00	22
14	00	23
15	00	24
16	00	25
17	00	26
18	00	27
19	00	28
20	00	29
21	00	30
22	00	31
23	00	32
24	00	33
25	00	34
26	00	35
27	00	36
28	00	37
29	00	38
30	00	39
31	00	40
32	00	41
33	00	42
34	00	43
35	00	44
36	00	45
37	00	46
38	00	47
39	00	48
40	00	49
41	00	50
42	00	51
43	00	52
44	00	53
45	00	54
46	00	55
47	00	56
48	00	57
49	00	58
50	00	59
51	00	60
52	00	61
53	00	62
54	00	63
55	00	64
56	00	65
57	00	66
58	00	67
59	00	68
60	00	69
61	00	70
62	00	71



C-78

12.00 72.00  
 13.00 73.00  
 14.00 74.00  
 15.00 75.00  
 16.00 76.00  
 17.00 77.00  
 18.00 78.00  
 19.00 79.00  
 20.00 80.00  
 21.00 81.00  
 22.00 82.00  
 23.00 83.00  
 24.00 84.00  
 25.00 85.00  
 26.00 86.00  
 27.00 87.00  
 28.00 88.00  
 29.00 89.00  
 30.00 90.00  
 31.00 91.00  
 32.00 92.00  
 33.00 93.00  
 34.00 94.00  
 35.00 95.00  
 36.00 96.00  
 37.00 97.00  
 38.00 98.00  
 39.00 99.00  
 40.00 100.00  
 41.00 101.00  
 42.00 102.00  
 43.00 103.00  
 44.00 104.00  
 45.00 105.00  
 46.00 106.00  
 47.00 107.00  
 48.00 108.00  
 49.00 109.00  
 50.00 110.00  
 51.00 111.00  
 52.00 112.00  
 53.00 113.00  
 54.00 114.00  
 55.00 115.00  
 56.00 116.00  
 57.00 117.00  
 58.00 118.00  
 59.00 119.00  
 60.00 120.00

STATION 1, PLAN 1, RATIO 9  
 END-OF-PERIOD HYDROGRAPH ORDINATES

SOVNS

OUTFLOW									
1	2	3	4	5	6	7	8	9	10
0	0	0	0	0	0	0	0	0	0
13	12	11	10	9	8	7	6	5	4
138	124	117	112	105	97	16	16	14	14
117	124	124	124	124	123	129	129	129	129
155	148	144	139	124	124	129	129	129	129
311	286	286	286	286	286	286	286	286	286
8539	7493	7493	7493	7493	7493	7493	7493	7493	7493
3538	4138	4217	4217	4217	4217	4217	4217	4217	4217
925	1004	1004	1004	1004	1004	1004	1004	1004	1004
667	671	671	671	671	671	671	671	671	671

STORAGE									
1	2	3	4	5	6	7	8	9	10
0	0	0	0	0	0	0	0	0	0
17	18	17	16	15	14	13	12	11	10
48	58	58	58	58	58	58	58	58	58
200	207	207	207	207	207	207	207	207	207
227	227	227	227	227	227	227	227	227	227
363	382	382	382	382	382	382	382	382	382
875	904	926	926	926	926	926	926	926	926
893	877	860	849	849	849	849	849	849	849
777	771	764	762	762	762	762	762	762	762
753	752	747	743	738	738	738	738	738	738

STAGE									
1	2	3	4	5	6	7	8	9	10
0	0	0	0	0	0	0	0	0	0
1311	1311	1311	1311	1311	1311	1311	1311	1311	1311
1311	1311	1311	1311	1311	1311	1311	1311	1311	1311
1312	1312	1312	1312	1312	1312	1312	1312	1312	1312
1313	1313	1313	1313	1313	1313	1313	1313	1313	1313
1314	1314	1314	1314	1314	1314	1314	1314	1314	1314
1315	1315	1315	1315	1315	1315	1315	1315	1315	1315
1316	1316	1316	1316	1316	1316	1316	1316	1316	1316
1317	1317	1317	1317	1317	1317	1317	1317	1317	1317
1317	1317	1317	1317	1317	1317	1317	1317	1317	1317

STATION 1									
1	2	3	4	5	6	7	8	9	10
0	0	0	0	0	0	0	0	0	0
1311	1311	1311	1311	1311	1311	1311	1311	1311	1311
1311	1311	1311	1311	1311	1311	1311	1311	1311	1311
1311	1311	1311	1311	1311	1311	1311	1311	1311	1311
1311	1311	1311	1311	1311	1311	1311	1311	1311	1311
1311	1311	1311	1311	1311	1311	1311	1311	1311	1311
1311	1311	1311	1311	1311	1311	1311	1311	1311	1311
1311	1311	1311	1311	1311	1311	1311	1311	1311	1311
1311	1311	1311	1311	1311	1311	1311	1311	1311	1311
1311	1311	1311	1311	1311	1311	1311	1311	1311	1311

PEAK 9436  
 7269  
 267

6-HOUR 7269  
 2701

24-HOUR 2701

72-HOUR 2701

TOTAL VOLUME 134772

CFS 9436  
 INCHES 267  
 MM 12.98  
 AC-FT 329.65  
 THOUS CU M 4444

PEAK 9436  
 7269  
 267

6-HOUR 7269  
 2701

24-HOUR 2701

72-HOUR 2701

TOTAL VOLUME 134772  
 3816  
 20.03  
 509.34  
 5369  
 6869

STATION 1

INFLOW(I), OUTFLOW(O) AND OBSERVED FLOW(\*)

4000. 8000. 10000.

0.30 11

00	21
01	31
02	41
03	51
04	61
05	71
06	81
07	91
08	101
09	111
10	121
11	131
12	141
13	151
14	161
15	171
16	181
17	191
18	201
19	211
20	221
21	231
22	241
23	251
24	261
25	271
26	281
27	2901
28	3001
29	3101
30	3201
31	3301
32	340
33	350
34	360
35	370
36	380
37	390
38	400
39	410
40	420
41	430
42	441
43	451
44	461
45	471
46	481
47	491
48	501
49	511
50	521
51	531
52	541
53	551
54	561
55	571
56	581
57	591
58	600
59	610



FLAHERTY GIAVARA ASSOCIATES, P.C.

60	1
61	1
62	1
63	1
64	01
65	01
66	01
67	01
68	01
69	01
70	01
71	01
72	01
73	01
74	01
75	01
76	01
77	01
78	01
79	01
80	01
81	01
82	01
83	01
84	01
85	01
86	01
87	01
88	01
89	01
90	01
91	01
92	01
93	01
94	01
95	01
96	01
97	01
98	01
99	01
100	01
101	01
102	01
103	01
104	01
105	01
106	01
107	01
108	01
109	01
110	01
111	01
112	01
113	01
114	01
115	01
116	01
117	01
118	01
119	01
120	01

11 00118 10  
 11 30119 10  
 12 00120 10

\*OVNS\*

\*\*\*\*\*  
 \*\*\*\*\*  
 \*\*\*\*\*  
 \*\*\*\*\*  
 \*\*\*\*\*  
 \*\*\*\*\*  
 \*\*\*\*\*

PEAK FLOW AND STORAGE (END OF PERIOD) SUMMARY FOR MULTIPLE PLAN-RATIO ECONOMIC COMPUTATIONS  
 FLOWS IN CUBIC FEET PER SECOND (CUBIC METERS PER SECOND)  
 AREA IN SQUARE MILES (SQUARE KILOMETERS)

OPERATION	STATION	AREA	PLAN	RATIO 1	RATIO 2	RATIO 3	RATIO 4	RATIO 5	RATIO 6	RATIO 7	RATIO 8	RATIO 9
				0.10	0.18	0.19	0.20	0.21	0.22	0.23	0.50	1.00
HYDROGRAPH AT	1	1.89 ( 4.90)	1	345 ( 9.77)	621 ( 17.58)	652 ( 18.56)	690 ( 19.54)	724 ( 20.51)	759 ( 21.49)	793 ( 22.47)	1725 ( 48.84)	3449 ( 97.68)
HYDROGRAPH AT	1	3.32 ( 8.60)	1	603 ( 17.08)	1085 ( 30.74)	1146 ( 32.45)	1206 ( 34.15)	1266 ( 35.86)	1327 ( 37.57)	1387 ( 39.28)	3015 ( 85.38)	6031 ( 170.77)
2 COMBINED	1	5.21 ( 13.49)	1	942 ( 26.68)	1696 ( 48.02)	1790 ( 50.69)	1884 ( 53.36)	1978 ( 56.03)	2073 ( 58.69)	2167 ( 61.36)	4711 ( 133.39)	9422 ( 266.79)
ROUTED TO	1	5.21 ( 13.49)	1	277 ( 7.85)	603 ( 17.07)	628 ( 17.79)	654 ( 18.52)	691 ( 22.68)	1030 ( 29.74)	1274 ( 36.09)	4688 ( 132.76)	9438 ( 267.19)

SUMMARY OF DAM SAFETY ANALYSIS

PLAN 1	ELEVATION STORAGE OUTFLOW	INITIAL VALUE	SPILLWAY CREST	TOP OF DAM
		1311.00	1311.00	1317.00
		0	0	752
		0	0	671

RATIO OF PPE	MAXIMUM RESERVOIR STORAGE H.S. ELEV	MAXIMUM DEPTH OVER DAM	MAXIMUM STORAGE AC-FT	MAXIMUM OUTFLOW CFS	DURATION OVER TOP HOURS	TOP OF DAM	TIME OF FAILURE HOURS
0.10	1314.24	0.00	393	277	0.00	0.00	0.00
0.18	1316.37	0.00	494	408	0.00	0.00	0.00
0.20	1319.82	0.00	528	451	0.00	0.00	0.00
0.23	1317.18	0.05	738	801	0.22	48.50	0.00
0.23	1317.18	0.12	757	1030	2.30	48.50	0.00
1.00	1318.55	0.92	874	4688	16.00	43.00	0.00

\*\*\*\*\*  
 FLOOD HYDROGRAPH PACKAGE (HEC-1)

FLAHERTY DIAVARA ASSOCIATES, P. C.

DAM SAFETY VERSION JULY 1978  
LAST MODIFICATION 26 FEB 79  
\*\*\*\*\*

APPENDIX D

PREVIOUS INSPECTION REPORTS/AVAILABLE DOCUMENTS

DATA SUMMARY SHEET

KINGSLEY RESERVOIR GATE CHAMBER -

July 25, 1952

Four new 8" diameter gate valves, changed, were installed on above date, by Mr. C. H. Osland, Canal Maintenance Foreman.


- Valve #1 - Fairbanks - 125 lb.
- Valve #2 - Ludlow - 125 "
- Valve #3 - P & C - 125 "
- Valve #4 - Kennedy - 125 "

When standing in valve chamber, facing gate, #1 Valve is on your left.

Valves are W.W.#2 surplus stock from Lyons Dry Dock.

Butterfly Valves

Valve #1      Valve #2      Valve #3      Valve #4



To close butterfly valves turn as indicated.

KINGSLEY BROOK.

Reservoir: Area - 113 acres.

Depth - 20 ft.

Watershed: Area - 4.68 square miles of hilly wooded country.

Dam: Earth embankment across a branch of the Chenango River.

Completed: 1867

Capacity: 98,445,600 cubic feet.

Original Cost: \$ 80,481.25

(3-9" gate valves)

Elevation: 1350 ±

Valves in tunnel.

Length of feeder 1.87 miles.

Channels to Destination: Reaches Oriskany Creek via Kingsley and Chenango Feeders and Chenango canal; thence along Oriskany Creek to the Mohawk River at Oriskany and via Mohawk River to Barge canal at Frankfort.

*Not used for at least 10 years (in 1959) to feed Canal.*

Width of Spillway 17.5 4-1/2" pipes

Elevation of Spillway crest 1332.60

" " Discharge tunnel 1277.41 (floor)

" " " 1284.41 (top)

*Feeder not used. (Chenango Feeder is used)*

x

-x

PREVIOUS REPORTS

(NOTICE: After filling out one of these forms as completely as possible for each dam in your district, return it at once to the Conservation Commission, Albany.)

STATE OF NEW YORK  
CONSERVATION COMMISSION  
ALBANY

mat 104 - C  
~~DAM~~ RESERVOIR  
REPORT

July 6, 1917  
(Date)

CONSERVATION COMMISSION,

DIVISION OF INLAND WATERS.

GENTLEMEN:

I have the honor to make the following report in relation to the structure known as the Kingley Brook <sup>Reservoir</sup> ~~Dam~~.

This ~~dam~~ <sup>reservoir</sup> is situated upon the Kingley Brook (Give name of stream) in the Town of Randallville, ~~Madison~~ County,

about 2 1/2 (State distance) from the Village or City of Randallville.

The distance down (Up or down) stream from the ~~dam~~ <sup>reservoir</sup>, to the village of Randallville (Give name of nearest important stream or of a bridge)

is about 3 miles (State distance)

The dam is now owned by State (Give name and address in full)


and was built in or about the year           , and was extensively repaired or reconstructed during the year           .

As it now stands, the spillway portion of this dam is built of natural rock (State whether of masonry, concrete or timber) and the other portions are built of masonry (State whether of masonry, concrete, earth or timber with or without rock fill).

As nearly as I can learn, the character of the foundation bed under the spillway portion of the dam is gravel and under the remaining portions such foundation bed is gravel.




(In the space below, make a third sketch showing the general plan of the dam, and its approximate position in relation to buildings or other conspicuous objects in the vicinity.)




(In the space below, make one sketch showing the form and dimensions of a cross section through the spillway or waste-weir of this dam, and a second sketch showing the same information for a cross section through the other portion of the dam. Show particularly the greatest height of the dam above the stream bed, its thickness at the top, and thickness at the bottom, as nearly as you can learn.)

Cross-section of Dam & bankment.



Cross-section of spillway portion.



The abutments are masonry and are 5' above crest of water.

The total length of this dam is  $\frac{3}{4}$  mile feet. The spillway or waste-weir portion, is about 20 feet long, and the crest of the spillway is about 12 feet below the top of the dam.

The number, size and location of discharge pipes, waste pipes or gates which may be used for drawing off the water from behind the dam, are as follows: There is only the spillway which acts as overflow.

At the time of this inspection the water level above the dam was 6 ft 3 in. ~~below~~ above the crest of the spillway. (overflow)

(State briefly, in the space below, whether, in your judgment, this dam is in good condition, or bad condition, describing particularly any leaks or cracks which you may have observed.)

This reservoir is in very good condition.

Reported by Willard Bolsford  
(Signature)

Conservation Commission, Albany, N.Y.  
(Address—Street and number, P. O. Box or R. F. D., route)

Glensville, N.Y.  
(Name of place)

PREVIOUS INSPECTION REPORTS

DEC DAM INSPECTION REPORT

<input type="checkbox"/> 16	<input type="checkbox"/> 27	<input type="checkbox"/> 01	<input type="checkbox"/> 009698	<input type="checkbox"/> 092772	<input type="checkbox"/> 003	<input type="checkbox"/> 3
RB	CTY	YR. AP.	DAM NO.	INS. DATE	USE	TYPE

AS BUILT INSPECTION

<input type="checkbox"/> 1 Location of Spillway and outlet	<input type="checkbox"/> 1 Elevations
<input type="checkbox"/> 1 Size of Spillway and outlet	<input type="checkbox"/> 1 Geometry of Non-overflow section

GENERAL CONDITION OF NON-OVERFLOW SECTION

<input type="checkbox"/> 1 Settlement	<input type="checkbox"/> 2 Cracks	<input type="checkbox"/> 1 Deflections
<input type="checkbox"/> 2 Joints	<input type="checkbox"/> C Surface of Concrete	<input type="checkbox"/> 1 Leakage
<input type="checkbox"/> 1 Undermining	<input type="checkbox"/> 2 Settlement of Embankment	<input type="checkbox"/> 1 Crest of Dam
<input type="checkbox"/> 2 Downstream Slope	<input type="checkbox"/> 1 Upstream Slope	<input type="checkbox"/> 1 Toe of Slope

GENERAL CONDITION OF SPILLWAY AND OUTLET WORKS

<input type="checkbox"/> 2 Auxiliary Spillway	<input type="checkbox"/> 2 Service or Concrete Spillway	<input type="checkbox"/> 2 Stilling Basin
<input type="checkbox"/> 2 Joints	<input type="checkbox"/> 2 Surface of Concrete	<input type="checkbox"/> 2 Spillway Toe
<input type="checkbox"/> 2 Mechanical Equipment	<input type="checkbox"/> 1 Plunge Pool	<input type="checkbox"/> 2 Drain

<input type="checkbox"/> 1 Maintenance	<input type="checkbox"/> B Hazard Class
<input type="checkbox"/> 3 Evaluation	<input type="checkbox"/> -4 Inspector

COMMENTS:

DRAIN OPEN AT INSPECTION

(By Visual Inspection)

LEBANON RESERVOIR Also called KINGSLEY Brook Res.

Dam Number	River Basin	Town	County	Hazard Class	Date & Inspector
698	SUS	LEBANON	MADISON	B	11-2-77 G.K. & DOR

Stream = KINGSLEY Brook

Owner = DOT CANALS - UTICA

Scale P.W.  
Roland Lab  
(Design)

- | Type of Construction   | Use  |
|--|--|
| <input type="checkbox"/> Earth w/Concrete Spillway                   | <input checked="" type="checkbox"/> Water Supply                                       |
| <input type="checkbox"/> Earth w/Drop Inlet Pipe                     | <input type="checkbox"/> Power   |
| <input checked="" type="checkbox"/> Earth w/Stone or Riprap Spillway | <input checked="" type="checkbox"/> Recreation - <input type="checkbox"/> High Density |
| <input type="checkbox"/> Concrete                                    | <input type="checkbox"/> Fish and Wildlife   |
| <input type="checkbox"/> Stone                                       | <input type="checkbox"/> Farm Pond   |
| <input type="checkbox"/> Timber                                      | <input type="checkbox"/> No Apparent Use-Abandoned                                     |
| <input type="checkbox"/> Other _____                                 | <input checked="" type="checkbox"/> Flood Control (Minor)                              |
|  | <input type="checkbox"/> Other _____   |

Estimated Impoundment Size 300 Acres ## Estimated Height of Dam above Streambed 60 Ft.

- | Condition of Spillway                                     |   | No Auxiliary |
|---|---|--------------|
| <input checked="" type="checkbox"/> Service satisfactory  | <input type="checkbox"/> Auxiliary satisfactory           |              |
| <input type="checkbox"/> In need of repair or maintenance | <input type="checkbox"/> In need of repair or maintenance |              |

Explain: \_\_\_\_\_

- | Condition of Non-Overflow Section     |  |
|---------------------------------------|--|
| <input type="checkbox"/> Satisfactory | <input checked="" type="checkbox"/> In need of repair or maintenance |

Explain: seepage Areas at interface of existing ground and earth embankment (see Remarks)

- | Condition of Mechanical Equipment                |   |
|--|---|
| <input checked="" type="checkbox"/> Satisfactory | <input type="checkbox"/> In need of repair or maintenance |

Explain: Drain operates o.k. - water surface was being lowered for water level

- | Siltation | <input type="checkbox"/> High | <input checked="" type="checkbox"/> Low |
|-----------|-------------------------------|---|
|-----------|-------------------------------|---|

Explain: \_\_\_\_\_

Remarks: Large areas that are wet and boggy along downstream face on right left side  
On lower right side a <sup>small</sup> slough out has occurred with seepage problem - DOT <sup>(Utica)</sup> will let contract A for for drain with a pipe to correct seepage problem

Evaluation (From Visual Inspection)

- |   |   |
|---|---|
| <input checked="" type="checkbox"/> Repairs req'd. beyond normal maint. | <input type="checkbox"/> No defects observed beyond normal maint. |
|---|---|

DOT. UTICA WILL LET CONTRACT FOR REPAIRS IN 1978

March 14, 1978

# 613 Susca.

KINGSLEY BROOK (LEBANON) RESERVOIR DAM INSPECTION REPORT  
PIN E104.05.701.03 MADISON COUNTY

Lyndon H. Moore, Soil Mechanics Bureau, Rm. 102, Bldg. 7

By: Bernard E. Butler

J. R. Stellato, Waterways Maint. Subdiv., Rm. 216, Bldg. 5

BERNARD E. BUTLER

cc R. Simberg, Regional Director, Region 2  
G. Koch, ENCON, 50 Wolf Rd. ✓

This Bureau has completed our inspection and evaluation of the Kingsley Brook Reservoir Dam. This review was done as part of our program of evaluating the condition of all canal feeder dams in Region 2.

Our report is based on the plan and cross-sections of this structure prepared by the Regional Soils Section, analysis and laboratory testing of soil samples from nine test pits, and several field inspections by members of this Bureau accompanied by representatives of the Regional Soils and Waterways sections.

As stated in our memo to the Region dated November 7, 1977, there are several wet areas on the downstream face of the embankment. We noted an increase in the quantity of water coming out of the embankment between our inspections (Nov. 1976 and Nov. 1977). This increased flow should be considered as a signal of potential danger. It is our understanding that to reduce the hazard of this structure, the spillway gates were opened in December, 1977 and the water level has dropped significantly. We concur with this action and recommend that the lower water level be maintained until corrective work is completed on the downstream slope.

In addition to the wet areas on the embankment, there is an area of continuing sloughing at the northern end of the structure. This sloughing appears to be beyond the toe of the embankment and in the natural soil. The cause of the sloughing is not readily apparent, since the natural slopes appear to be relatively flat. Water is definitely a factor in the movement of the soil. Some treatment will be needed to remove the water and prevent further movement in this area.

We recommend that the seepage be controlled as it emerges on the downstream face by using a surface type graded filter. This would be similar to the treatment that we recommended for Eaton Brook dam

J. R. Stellato  
March 14, 1978  
Page Two

The filter material nearest to the embankment should be one of the types of filter fabric which is acceptable for undercut applications. A specification for filter fabric was supplied to you for Eaton Brook.

The filter fabric should be covered with a layer of stone approximately 2 feet thick. The material used should be an equal part mixture of stone meeting the requirements of size designations 1, 2 and 3A. This mixture was used for the work which was recently performed at Hinckley dam.

The recommended limits of the filter will be shown on a drawing which will be transmitted at a later date. The filter should extend along most of the downstream toe of the embankment. While this includes more than the existing wet areas, as outlined by the survey done in December 1977 by the Regional Soils personnel, we feel that the proposed limits are required due to the relatively steep slopes of the embankment in certain areas and the seepage potential through the embankment soils. Some extension up the slope may be required depending on the upper boundary of the wet areas at the time of construction.

In addition, we have extended the filter beyond the toe of the slope to include major portions of both Wet Area no. 1 and Wet Area no. 2. Included in Wet Area no. 1 is the area of sloughing which was previously mentioned. The exact location of this area was not clearly defined on the plan or the cross sections which we received. Therefore the limits shown for the filter in this area are approximate. The filter should extend from slightly above the area of movement down the slope to the flat portion of the wet area. The final limits should be determined by the Regional Soils Engineer in the field at the time of construction.

Since there is evidence of movement in this area, we feel that any stripping or slope flattening before placing the filter might cause additional movement. Therefore, we recommend placing the filter fabric directly on the existing slope, then covering it with the stone. Enough stone should be placed to flatten the slope in this area to a 1 on 2.

On the southern end of the dam, Wet Area no. 2 extends beyond the toe of the embankment. While this is not actually part of the embankment, the filter should be extended into this area to assure that the water is safely removed from this slope.



J. R. Stellato  
March 14, 1978  
Page Three

Six inch perforated underdrain pipes should be included in the coarse portion of the drains. These pipes should be located to intercept the water in the drain and carry it to the center spillway channel. The approximate locations of these pipes will be shown on our forthcoming drawing. The final locations of the drain pipes will have to be determined by the Engineer at the time of construction.

A large portion of each of the wet areas is in the flat portion beyond the toe of the embankment. Provisions should be made to drain these large swampy areas. Simply providing ditches to carry the water away from the area and into the outlet channel should satisfactorily drain these areas.

We have two additional minor recommendations concerning this structure. First, the brush and trees on the embankment should be cut down. Second, the local farmer whose cows graze on the dam embankment should be told to find a new pasture.

This concludes our inspection report and recommendations for correcting the defects which exist on this structure. It is our opinion that until some repair work is scheduled, that the reservoir should not be allowed to fill to its normal level. We will be pleased to provide more assistance in implementing any of our recommendations including the determination of the final limits of the filter required at the time of construction.

RLW:MVM

MEMORANDUM  
DEPARTMENT OF TRANSPORTATION

DATE March 7, 1980

SUBJECT PIN ML 7000.701.11, MANAGEMENT BY OBJECTIVES  
INSPECTION OF WATER IMPOUNDMENT STRUCTURES  
LEBANON (KINGSLEY BROOK) RESERVOIR DAM, REGION 2

FROM J. J. Murphy, Materials Bureau, Rm. 210, Bldg. 7A

TO J. R. Stellato, Waterways Maintenance Subdiv., Rm. 216, Bldg. 5  
cc: F. Jennings, Waterways Maintenance Engineer, Region 2

*B. J. Murphy*  
*F. Jennings*  
REFER

On September 7, 1979, an inspection was made by Mr. Sam Candib. Earlier in the year, the reservoir had been drained due to seepage areas noted on the downstream side of the earth embankment and the intake structure was now exposed.

The present embankment is about 800 feet long, 45 feet high and it has a paved road across the top. The T shaped reservoir is about 2000 feet long and 1000 feet wide on the leg behind the embankment and 3000 feet long and 600-800 feet wide across the top of the T. There was also a New York State Department of Environmental Conservation hand launch site for small boats at the southwest end of the reservoir and a private campground with 175 sites along the north shore.



LOOKING EAST FROM WEST END OF RESERVOIR  
Campground is located at left and launch site is  
at far right out of picture.

Located in southern Madison County west of Hamilton, this earth embankment dam created one of seven reservoirs built between 1834 and 1836 to feed the summit level of the Chenango Canal north of Hamilton.

J. R. Stellato, F. Jennings  
March 7, 1980  
Page 2

In April 1843, the dam was badly damaged by a flood. Since the canal commissioners believed this water source was unnecessary, it was not repaired at this time. By 1862, additional water was needed for the Chenango Canal and in 1864 reconstruction of Kingsley Brook Reservoir was begun.

Through a scarcity of labor and a change in plans, reconstruction wasn't completed until 1867. The dam was originally designed to be twice as high as it was built in 1835 or 14 feet higher than its constructed flow line. When reconstruction began, plans called for repairs only to the breaches, but later it was deemed economical to raise the dam to its designed height. For a small increase in cost, the reservoir capacity was doubled.


Under Chapter 404, Laws of 1877, the Chenango Canal was abandoned, but the reservoir system and feeder canals were retained to feed the enlarged Erie Canal. Reservoir water flowed north through a five mile section of the old Chenango Canal and then dropped into Oriskany Creek at Solsville where it naturally flowed north to the Erie Canal or Mohawk River near Utica.

Due to a breach in one of the feeder canals, water from Lebanon or Kingsley Brook Reservoir, its original name, no longer flows north. Instead it flows into the Chenango River and south to the Susquehanna River.



LOOKING NORTH FROM SPILLWAY  
Campground and beach are located on hillside.

J. R. Stellato, F. Jennings  
March 7, 1980  
Page 3




UPPER SPILLWAY AREA

At the south end of the embankment was the spillway with the jack-arch roadway bridge overhead. The stone masonry spillway was about 20 feet wide, 10 feet high and it appeared in generally good condition. Shotcrete that was applied in 1930 has nearly all fallen off.



LOWER SPILLWAY AREA

J. R. Stellato, F. Jennings  
March 7, 1980  
Page 4



WOOD INTAKE STRUCTURE

The intake structure was built with planks and it had slotted openings on 4 of the 5 exposed faces. It must rest on stone masonry at the entrance to the culvert which leads under the embankment to the intake pipes. A few new planks indicated recent repairs.



GATED CULVERT ENTRANCE AREA

The stone masonry headwall at the exit end of the drain culvert was also in good condition. Shotcrete applied to this area in 1930 has also nearly all fallen off.


J. R. Stellato, F. Jennings  
March 7, 1980  
Page 5



LOOKING OUT CULVERT FROM WELL

The 8 foot high by 4 foot wide, oval shaped, stone masonry culvert leads some 200 feet in under the embankment. Walkway planks were supported about 2 feet above the culvert bottom by transverse iron bars. Over the years, water has been slowly leaking into the culvert and mineral deposits have formed on the inside walls as the water evaporated. The mineral deposits started about 50 feet into the culvert and were generally 1 inch or so in thickness and up to 2 inches in a few locations deep under the embankment. Except for this slow mineral formation and occasional drips, the culvert appeared in good condition.

J. R. Stellato, F. Jennings  
March 7, 1980  
Page 6



VALVES IN DOMED WELL


At the far end of the culvert was located a 9 foot diameter, domed well. This well contained four 8 inch valves that control the flow out of the reservoir. The water drops into a plunge pool under the plank floor and runs out under the walkway. There were some mineral deposits on the wall of the well, but it also looked in good condition.

No repairs appeared to be needed at this time to the spillway or culvert. However, under Contract D95846 in October of 1978, a filter fabric was installed to control seepage on the downstream slope of the embankment.

JJM:SJC:DMC  
FILE: 17.1-2-2

APPENDIX E  
STRUCTURAL STABILITY ANALYSIS





Sect.  $5.5 \times 10 \times 1 =$  Wt.  $5.5 \times \frac{5.5}{2}$  Mom.  $15.13 \text{ k}$

$F_{H \text{ norm}} = 10 \times .0624 \times \frac{10}{2} = 3.12 \text{ k}$   $\times \frac{10}{3} = 10.4 \text{ k}$   
 $+ .0624 \times 10 = \frac{.624 \text{ k/F}}{3.744 \text{ k}} \times \frac{10}{2} = \frac{3.12 \text{ k}}{13.52 \text{ k}}$

$F_{H \text{ ice}} = 5 \text{ k}$   $M_{\text{ice}} = 5 \times 10 = 50 \text{ k}$

$F_{H \text{ max}} = \frac{16^2}{2} \times .0624 \approx 8 \text{ k}$   $\times \frac{16}{3} = 42.6 \text{ k}$

$F_{H \text{ 1/2 PMF}} = \frac{16.9^2}{2} \times .0624 = 8.9$   $\times \frac{16.9}{3} = 50.2 \text{ k}$

$Uplift = .0624 \times 10 = .624 \times \frac{2}{3} \times \frac{5.5}{2} = 1.15 \text{ k}$   
 $M_{\text{up}} = 1.15 \times \frac{5.5}{2} = 3.17 \text{ k}$



### Stability Comps

Loading Case: Normal

$$F_H = 3.744^K$$

$$M_{OT} = 13.52^{1K}$$

$$F.S._{O.T.} = \frac{15.13}{(3.52 + 3.67)} = 0.88 \text{ Unstable}$$

$$F.S._{SL} = \frac{5.5 - 1.15}{3.744} = 1.16 \text{ Undesirable}$$

$$\text{Loc. of Rev.} = \frac{15.13 - 17.19}{(5.5 - 1.15)} = -1.474 \div 5.5 = \underline{\underline{-0.96}} *$$

Loading Case: Normal + Ice

$$F_H = 3.74 + 5 = 8.74^K$$

$$M_{OT} = 67.19^{1K}$$

$$F.S._{O.T.} = \frac{15.13}{67.19} = 0.23 \text{ Unstable}$$

$$F.S._{SL} = \frac{5.5 - 1.15}{8.74 + 5} = 0.32 \text{ Unstable}$$

$$\text{Loc. of Rev.} = \frac{15.13 - 67.19}{(5.5 - 1.15)} = * -11.97'$$

Loading Case: Max. Oper.

$$F_H = 3^K$$

$$M_{OT} = 42.6^{1K}$$

$$F.S._{O.T.} = \frac{15.13}{(42.6 + 3.67)} = 0.33 \text{ Unstable}$$

$$F.S._{SL} = \frac{5.5 - 1.15}{8} = 0.54 \text{ Unstable}$$

$$\text{Loc. of Rev.} = \frac{15.13 - 46.27}{(5.5 - 1.15)} = -7.16 *$$



Loading Case:  $\frac{1}{2}$  P.I.N.F. Water @ 6.3 ft above  
Spillway

$$F_H = 3.9 \quad M_o = 50.2 + 3.67 = 54$$

$$F.S.O.T. = \frac{15.13}{54} = 0.28 \text{ Unstable}$$

$$F.S.S.L. = \frac{5.5 - 1.15}{8.9} = 0.49 \text{ Unstable}$$

$$\text{Req. / Loc.} = \frac{15.13 - 54}{(5.5 - 1.15)} = -8.94' \quad *$$

APPENDIX F

REFERENCES


## REFERENCES

1. Chow, Ven Te, Editor - Handbook of Applied Hydrology. McGraw-Hill Book Company, New York, New York, 1964.
2. Hydrologic Engineering Center, U.S. Army Corps of Engineers, HEC-1 Flood Hydrograph Package, Users Manual. Davis, California, January 1973.
3. Hydrologic Engineering Center, U.S. Army Corps of Engineers, Flood Hydrograph Package (HEC-1), Users Manual for Dam Safety Investigations, Davis, California, September 1978.
4. King, Horace and Brater, Ernest. Handbook of Hydraulics, 5th Edition. McGraw-Hill Book Company, New York, New York, 1963.
5. Riedel, J.T., Appleby, J.F. and Schloemer, R.W. Seasonal Variation of the Probable Maximum Precipitation East of the 105th Meridian for Areas from 10 to 1000 Square Miles and Durations of 6, 12, 24, and 48 Hours (Hydrometeorological Report No. 33) U.S. Department of Commerce - Weather Bureau and U.S. Department of the Army - Corps of Engineers, Washington, D.C., April 1956
6. U.S. Department of the Interior, Bureau of Reclamation, Design of Small Dams, Second Edition, Washington, D.C., 1973.

APPENDIX G

DRAWINGS


D9584U



STATE OF NEW YORK  
DEPARTMENT OF TRANSPORTATION  
DESIGN AND CONSTRUCTION

CHAPTER 547 (AMENDED)

CONTRACT DE  
(CANAL REFERENCE)  
FOR CORRECTIVE  
EATON BROOK RESERVOIR  
AND  
KINGSLEY BROOK RESERVOIR  
MADISON COUNTY  
SHEETS 1 THROUGH 6  
SCALES AS INDICATED



INDEX	
SHEET NO	DESCRIPTION
1	TITLE SHEET, INDEX & T
2	PLAN VIEW & DETAILS
3	TYPICAL SECTIONS - EATON
4	PLAN VIEW & DETAILS OF
5 & 6	TYPICAL SECTIONS - KINGSLEY

DESIGNED BY: [Name] DATE: [Date] CHECKED BY: [Name] DATE: [Date]

RECOMMENDED BY  
*David J. [Name]* 4/11/78  
REGIONAL CONSTRUCTION ENGINEER DATE

RECOMMENDED BY  
*Frank W. [Name]* 4/11/78  
REGIONAL WATERWAYS MAINT ENGINEER DATE

PREPARED PURSUANT TO THE CANAL LAW  
AND RECOMMENDED BY  
*Robert [Name]* 4/21/78  
REGIONAL DIRECTOR DATE

D9584B

D95846



STATE OF NEW YORK  
DEPARTMENT OF TRANSPORTATION  
AND CONSTRUCTION DIVISION

CHAPTER 547 LAWS OF 1938

CONTRACT D95846  
ORIGINAL REFERENCE NO. M78-1)  
FOR CORRECTIVE WORK AT  
EATON BROOK RESERVOIR, TOWN OF EATON  
AND  
LEBANON BROOK RESERVOIR, TOWN OF LEBANON  
MADISON COUNTY  
SHEETS 1 THRU 6  
SCALES AS INDICATED

	STATE		SHEET NO	TOTAL SHEETS
1	N.Y.		1	6
CORRECTIVE WORK AT EATON & KINGSLEY BROOK DAMS				

TYPE OF CONSTRUCTION

Clearing and Grubbing Placing Filter Membrane and Banker of Crushed Stone on Wet Areas at Reservoir Dams

All work contemplated under this contract is to be covered by and in conformity with the specifications of January 3, 1978 except as modified on these plans and in the Technical Proposal

CAPITAL PROJECT IDENTIFICATION NUMBER 7040 53 301

NOTE  
PHOTOGRAPHIC REPRODUCTIONS

These plans are not to scale.  
All scales are reduced from indicated to approximately half size.

INDEX

DESCRIPTION
SHEET, INDEX & TABLE OF QUANTITIES
VIEW & DETAILS OF EATON BROOK DAM
SECTION 1 - EATON BROOK
VIEW & DETAILS OF KINGSLEY BROOK DAM
SECTION 2 - KINGSLEY BROOK

TABLE OF QUANTITIES

ITEM NO	DESCRIPTION	UNIT	QUANTITY
201.000	CLEARING AND GRUBBING	L S	NEC
12203.0201	UNCLASSIFIED EXCAVATION AND DISPOSAL (FROM ZERO TO 800 CUBIC YARDS INCL.)	C.Y.	800
12203.0202	UNCLASSIFIED EXCAVATION AND DISPOSAL (FROM 801 TO 2400 CUBIC YARDS INCL.)	C.Y.	1600
12203.0203	UNCLASSIFIED EXCAVATION AND DISPOSAL (GREATER THEN 2400 CUBIC YARDS)	C.Y.	1200
17203.98	PLASTIC FILTER FABRIC	S.Y.	16600
12605.0702	STEEL PIPE UNDERDRAIN, PERF, CORR, 6" DIA	L F	1400
619.01	BASIC MAINTENANCE AND PROTECTION OF TRAFFIC	L S	NEC
619.02	CONSTRUCTION SIGNS	L S	NEC
619.12	WATCHMAN SERVICE, RED. "C"	PATROL	250
623.03	CRUSHED STONE (BY WEIGHT)	TON	14500
637.06	ENGINEERS OFFICE - TYPE B	MONTH	4
699.01	MOBILIZATION	L S	NEC.

TITLE SHEET

STATE OF NEW YORK  
DEPARTMENT OF TRANSPORTATION


DESIGNED BY	SCALE	DATE	REGION
	As Shown	4/78	2

APPROVED *Joseph R. Bellato* 4/28/78  
JOSEPH BELLATO DIRECTOR WATERWAYS MAINT




IN CHARGE OF: *[Signature]* DATED: *[Date]* REVIEWED BY: *[Signature]* DATED: *[Date]* CHE. HD. BY: *[Signature]*

# KINGSLEY BROOK RESERVOIR





GROUND SURFACE IS ASSUMED  
INTENDED TO SHOW THE  
IN THIS AREA

6" DIAMETER PIPE  
2" thick  
APPROXIMATE SECTION  
NOT TO SCALE



Limit of area  
SUB


FED. ROAD DIST. NO.	STATE	FEDERAL AID PROJECT NO.	SHEET NO.	TOTAL SHEETS
1	N.Y.		4	6
<b>KINGSLEY BROOK RESERVOIR MADISON COUNTY</b>				



**NOTES:**

- Limits shown for filter treatment and the locations of the underdrain pipe and drainage ditches are approximations only. The actual limits and locations will be determined during construction by the Regional Soils Engineer or his representative.
- Refer to the Special Notes in the Proposal as to the requirements for topsoil stripping and progress of work.
- Locations of the test pits are approximate. Refer to the table below for test pit soil analyses.

DRILL HOLE NO.	REPRESENTATIVE SAMPLE Depth in Feet	% PASSING BY WEIGHT U.S. STANDARD SIEVE NUMBER											HYDROMETER ANALYSIS		
		3"	2"	1"	1/2"	1/4"	#4	#10	#20	#40	#60	#100	#200	0.2mm	0.075mm
TP-1	0 - 2.0	100	91.5	77.0	68.4	60.5	57.7	50.6	45.3	42.7	41.2	39.8	38.3	20.7	6.4
"	2.0 - 4.0	100	95.1	83.0	73.0	65.2	60.9	53.8	48.6	46.0	44.4	43.1	41.5	25.1	11.0
TP-2	0 - 2.0	100	97.9	92.3	86.7	80.0	76.5	70.4	65.4	62.8	61.0	59.2	56.7	31.1	9.9
TP-4	0 - 2.0	100	90.2	76.1	62.7	56.2	53.6	46.8	44.5	41.2	36.7	34.7	30.3	12.9	3.9
TP-6	0 - 2.0	89.4	83.4	70.8	59.0	53.7	51.8	47.6	43.6	40.6	37.8	34.9	30.9	15.1	4.8
TP-7	0 - 2.0	100	96.8	87.7	82.0	73.3	73.5	70.6	68.1	65.9	63.3	60.2	56.3	27.7	7.8
TP-8	0 - 2.0	100	98.3	80.8	65.6	56.9	51.4	48.0	39.8	37.0	34.5	32.2	29.0	11.6	2.9
TP-9	0 - 2.0	100	89.3	75.9	67.7	61.9	58.8	53.5	49.1	46.0	43.3	40.3	35.7	16.3	4.4



REFER TO NOTE ON SHEET NO. 6 FOR EXCAVATION PAYMENT

**SYMBOLS**


- CRUSHED STONE - #1, 2 & 3 size stone of approx equal amounts
- FILTER FABRIC
- DRILL HOLES
- TEST PITS

**LEBANON RESERVOIR PLAN**

STATE OF NEW YORK  
DEPARTMENT OF TRANSPORTATION


DRAWING NO.	SCALE	SHEET	REGION
K 5 P-1	AS SHOWN	3 OF 4	REGION 2

IN CHARGE OF *Shuf. P. King* DRAWN BY *W. L. Williams* DATED *1-17* CHECKED BY *[Signature]* DATED *[Signature]* REVIEWED BY *[Signature]* DATED *[Signature]*



D95846

FED. ROAD REG. NO.	STATE	FEDERAL AID PROJECT NO.	SHEET NO.	TOTAL SHEETS
1	N.Y.		5	6
KINGSLEY BROOK RESERVOIR MADISON COUNTY				



STA. 13+92

STA. 13+74

STA. 13+00

STA. 12+00

STA. 11+50

STA. 11+06


SEE SPECIAL NOTES IN THE PROPOSAL REGARDING THE STRIPPING OF THE SURFACE UPON WHICH THE FILTER FABRIC IS TO BE PLACED.

<b>20' CROSS SECTIONS</b>			
STATE OF NEW YORK DEPARTMENT OF TRANSPORTATION			
DRAWING NO. K.B.X-1	SCALE HORIZ 1"=20' VERT 1"=20'	DATE 4-70	REGION 2

6

2


IN CHARGE OF - *Stanley 11/24/50* DRAFTED BY *W.H.H.* DATED *11/22* CHECKED BY *W.H.H.* DATED *11/22* REVERSED BY *W.H.H.* DATED *11/22*



380 300 200 100

FED. ROAD REL. NO.	STATE	FEDERAL AID PROJECT NO.	SHEET NO.	TOTAL SHEETS
1	N.Y.		6	6
<b>KINGSLEY BROOK RESERVOIR MADISON COUNTY</b>				

EXCAVATION WILL BE PAID FOR UNDER ONE OR MORE OF THE FOLLOWING ITEMS: 12203.0201, 12203.0202, 12203.0203. SEE SPECIAL NOTES IN THE PROPOSAL.



**20' CROSS SECTIONS (CONT)**

STATE OF NEW YORK  
DEPARTMENT OF TRANSPORTATION

DESIGN NO.	DATE	DATE	REGION
KBX-2	4-20-78	4-78	2

10-60-10-1177

LOGS OF TEST PITS

REGION NO. 2  
 COUNTY Madison

STATE OF NEW YORK  
 DEPARTMENT OF TRANSPORTATION  
 SOIL MECHANICS BUREAU

P.I.N. ELD4.05.70

SUBSURFACE EXPLORATION LOG

PROJECT Lebanon Reservoir  
 TYPE OF EXPLORATION TEST PITS

THE SUBSURFACE INFORMATION SHOWN HEREON WAS OBTAINED FOR STATE DESIGN AND ESTIMATE PURPOSES. IT IS MADE AVAILABLE TO BIDDERS ONLY THAT THEY MAY HAVE ACCESS TO IDENTICAL INFORMATION AVAILABLE TO THE STATE. IT IS PRESENTED IN GOOD FAITH, BUT IS NOT INTENDED AS A SUBSTITUTE FOR INVESTIGATIONS, INTERPRETATION OR JUDGEMENT OF THE BIDDER.

HOLE NO. <u>TP1</u> / LINE & STA.		G.W. ELEV. <u>None</u>		OFFSET
DEPTH	SAMPLE NO.	(1)	(2)	FIELD DESCRIPTION
2'		LT	M	Sandy silt fine gravel, cobbles
4.5'		LT	M	Sandy silt fine gravel
		BT		cobbles
				Auger Refused

BY H. Le Gall DATE 4-11-71

(1) = PROFILE (2) = MOISTURE (W, M OR D)

HOLE NO. <u>TP2</u> / LINE & STA.		G.W. ELEV. <u>None</u>		OFFSET
DEPTH	SAMPLE NO.	(1)	(2)	FIELD DESCRIPTION
2.5'		LT	U	Sandy silt fine gravel
4.5'		LT	U	Sandy silt fine gravel
		BT		cobbles

BY H. Le Gall DATE 4-11-71



REGION NO. \_\_\_\_\_  
 COUNTY \_\_\_\_\_

STATE OF NEW YORK  
 DEPARTMENT OF TRANSPORTATION  
 SOIL MECHANICS BUREAU

101  
 P.I.N. \_\_\_\_\_

**SUBSURFACE EXPLORATION LOG**

PROJECT \_\_\_\_\_  
 TYPE OF EXPLORATION \_\_\_\_\_

THE SUBSURFACE INFORMATION SHOWN HEREON WAS OBTAINED FOR STATE DESIGN AND ESTIMATE PURPOSES. IT IS MADE AVAILABLE TO BIDDERS ONLY THAT THEY MAY HAVE ACCESS TO IDENTICAL INFORMATION AVAILABLE TO THE STATE. IT IS PRESENTED IN GOOD FAITH, BUT IS NOT INTENDED AS A SUBSTITUTE FOR INVESTIGATIONS, INTERPRETATION OR JUDGEMENT OF THE BIDDER.

HOLE NO. 75 LINE & STA.		G.W. ELEV. 4.5		OFFSET
SURF. ELEV.		WATER RECORDING		
DEPTH	SAMPLE NO.	(1)	(2)	FIELD DESCRIPTION
1.5'		51	46	Clayey silt
				Thin Green Cobble
				Sandy silt, Greenish Cobble
4'		52	4	Refused

HOLE NO. 794 LINE & STA.		G.W. ELEV. 4.0		OFFSET
SURF. ELEV.				
DEPTH	SAMPLE NO.	(1)	(2)	FIELD DESCRIPTION
1.5'		51	4	
		52	4	
		53	4	
4'		54	4	
		55	4	

(1) = PROFILE (2) = MOISTURE (W, M OR D)

BY \_\_\_\_\_ DATE 4-11-77

BY \_\_\_\_\_ DATE \_\_\_\_\_

REGION NO. \_\_\_\_\_  
 COUNTY Albany

STATE OF NEW YORK  
 DEPARTMENT OF TRANSPORTATION  
 SOIL MECHANICS BUREAU

2-16-70 7010  
 P.I.N. 2-16-70

**SUBSURFACE EXPLORATION LOG**

PROJECT \_\_\_\_\_  
 TYPE OF EXPLORATION TEST PITS

THE SUBSURFACE INFORMATION SHOWN HEREON WAS OBTAINED FOR STATE DESIGN AND ESTIMATE PURPOSES. IT IS MADE AVAILABLE TO BIDDERS ONLY THAT THEY MAY HAVE ACCESS TO IDENTICAL INFORMATION AVAILABLE TO THE STATE. IT IS PRESENTED IN GOOD FAITH, BUT IS NOT INTENDED AS A SUBSTITUTE FOR INVESTIGATIONS, INTERPRETATION OR JUDGEMENT OF THE BIDDER.

DEPTH	SAMPLE NO.		FIELD DESCRIPTION	G.W. ELEV.	HOLE NO. / LINE & STA.	OFFSET
	(1)	(2)				
4.5'		BR M	SANDY SILT SANDY GRAY	0		
			COBBLES - NAT ROCK R-F 050d M			

BY H. W. Smith

DATE 4-2-70

(1) = PROFILE

(2) = MOISTURE (W, M OR D)

DEPTH	SAMPLE NO.		FIELD DESCRIPTION	G.W. ELEV.	HOLE NO. / LINE & STA.	OFFSET
	(1)	(2)				
2.5'		BR M	SANDY SILT FINE SAND	0		
4.0'		BR M	SANDY SILT FINE SAND			

BY H. W. Smith

DATE 4-2-70

REGION NO. 2  
 COUNTY Madison

STATE OF NEW YORK  
 DEPARTMENT OF TRANSPORTATION  
 SOIL MECHANICS BUREAU

E 104.05 70105  
 P.I.N. \_\_\_\_\_

**SUBSURFACE EXPLORATION LOG**

PROJECT Lebanon Reservoir

TYPE OF EXPLORATION TEST FITS

THE SUBSURFACE INFORMATION SHOWN HEREON WAS OBTAINED FOR STATE DESIGN AND ESTIMATE PURPOSES. IT IS MADE AVAILABLE TO BIDDERS ONLY THAT THEY MAY HAVE ACCESS TO IDENTICAL INFORMATION AVAILABLE TO THE STATE. IT IS PRESENTED IN GOOD FAITH, BUT IS NOT INTENDED AS A SUBSTITUTE FOR INVESTIGATIONS, INTERPRETATION OR JUDGEMENT OF THE BIDDER.

(1) = PROFILE (2) = MOISTURE (W, M OR D)

HOLE NO. <u>TP7</u> LINE & STA.		OFFSET
SURF. ELEV.	G.W. ELEV. <u>2.8'</u>	
DEPTH	SAMPLE NO.	FIELD DESCRIPTION
	(1)	
	(2)	
		Sandy Silt Fine Gravel Possible Cobbles Hole Filled in
		Stopped Hole @ 2.8'
BY <u>H US Nail</u> DATE <u>4-11-97</u>		

HOLE NO. <u>TP8</u> LINE & STA.		OFFSET
SURF. ELEV.	G.W. ELEV. <u>1.5'</u>	
DEPTH	SAMPLE NO.	FIELD DESCRIPTION
	(1)	
	(2)	
		Reddish Silty Fine Sand Fine Gravel Cobbles
		Regr. Reservoir
BY <u>H US Nail</u> DATE <u>4-11-97</u>		

REGION NO. 2  
 COUNTY Albany

STATE OF NEW YORK  
 DEPARTMENT OF TRANSPORTATION  
 SOIL MECHANICS BUREAU

E 114 05.701 03  
 P.I.N.

SUBSURFACE EXPLORATION LOG

PROJECT Lebanon Reservoir  
 TYPE OF EXPLORATION TEST PITS

THE SUBSURFACE INFORMATION SHOWN HEREON WAS OBTAINED FOR STATE DESIGN AND ESTIMATE PURPOSES. IT IS MADE AVAILABLE TO BIDDERS ONLY THAT THEY MAY HAVE ACCESS TO IDENTICAL INFORMATION AVAILABLE TO THE STATE. IT IS PRESENTED IN GOOD FAITH, BUT IS NOT INTENDED AS A SUBSTITUTE FOR INVESTIGATIONS, INTERPRETATION OR JUDGEMENT OF THE BIDDER.

HOLE NO.	LINE & STA.	OFFSET	SURF. ELEV.		G.W. ELEV.	FIELD DESCRIPTION
			(1)	(2)		
					6.5'	
			2.5'			Gravelly S.I.T.
			4.0'			Fine Sand, Fine Gravel - Cobble
			7.5'			Sandy S.I.T. Hole Filled in
						Stopped Hole @ 2'

(1) = PROFILE (2) = MOISTURE (W, M OR D)

HOLE NO.	LINE & STA.	OFFSET	SURF. ELEV.		G.W. ELEV.	FIELD DESCRIPTION
			(1)	(2)		

**DATE**  
**ILME**