| AD-A | 110 393 | ARMY INSI | TOXIC | AND HA | ZARDOUS SSMENT | MATER | ALS AG | ENCY A ARSENAL | BERDEEN .(U) | PETC | F/6 | 13/2 | |
|------|---------|--------------|--------|---------|-------------------|-------|--------|-------------------|-----------------|------|-----|----------|--|
| UNCL | ASSIFIE | D DRX1 | H-ES-I | A-77115 | | | | | | | NL | | |
| | I oF 2 | | | | | 3 | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | -7 | | | . | 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1. |
| | | _ | | | | | | | | | | | |







| SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered) | · · · · · · · · · · · · · · · · · · · |
|--|--|
| REPORT DOCUMENTATION PAGE | READ INSTRUCTIONS BEFORE COMPLETING FORM |
| DRXTH-ES-IA-77115 AT AT AT AT | 3. RECIPIENT'S CATALOG NUMBER |
| A. TITLE (and Subtitio) | 5. TYPE OF REPORT & PERIOD COVERED |
| Installation Assessment of Frankford Arsenal | Final |
| | 6. PERFORMING ORG. REPORT NUMBER |
| | 8 CONTRACT OR GRANT NUMBER(a) |
| | |
| . PERFORMING ORGANIZATION NAME AND ADDRESS | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS |
| Chemical Systems Laboratory Aberdeen Proving Ground, MD 21010 | |
| 1. CONTROLLING OFFICE NAME AND ADDRESS | 12. REPORT DATE |
| US Army Toxic and Hazardous Materials Agency | UCT // 13. NUMBER OF PAGES |
| APG_MD_21010 | 138 |
| 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office) | 15. SECURITY CLASS. (of this report) |
| | Unclassified 15. Declassification/downgrading Schedule |
| 6. DISTRIBUTION STATEMENT (of this Report) | L |
| | |
| 8. SUPPLEMENTARY NOTES | |
| 9. KEY WORDS (Continue on reverse elde II necessary and identify by block number, |) |
| Installation Restoration US Army Toxic and Hazardous Materials Agency Frankford Arsenal | |
| | |
| An on-site installation assessment was conducted Frankford Arsenal, Philadelphia, PA, to determine hazardous materials and to assess the potential f recommended that the findings of this assessment decontamination effort at Frankford Arsenal. | on 27 June - 7 July 1977 at the presence of any toxic or or offpost migration. It was be incorporated into the planre |
| $\mathcal{O}_{\mathcal{I}}$ | |
| D 1 JAN 73 1473 EDITION OF I NOV 65 IS OBSOLETE | Unclassified SSIFICATION OF THIS PAGE (When Date Entered) |
| | And the second |
| | |

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

į.

and the second second

والمراجعة والمحاد

٠

and the second start where

Ņ

and the second finds

۰.

۲

t

3- -

INSTALLATION ASSESSMENT

OF

FRANKFORD ARSENAL

RECORDS EVALUATION REPORT NO. 115

infeld. PREPARED BY Colonel, Cm1C Asst Proj Mgr for Instl Restoration

REVIEWED: DOUGLAS J. WOOD

Lieutenant Colonel, AR Commander, Frankford Arsenal Caretaker Activity

APPROVED: FRANK A. JONES, JR.

Colonel, AmlC Project Manager for Cml Demil and Instl Restoration



This document has been approved for public release and sale; its distribution is unlimited.

ACKNOWLEDGEMENTS

э.

ŝ.

ļ

ت.

The Records Research Team acknowledges the administrative and technical assistance provided by the various agencies throughout the Team visit. In particular, the cooperation of the present and former employees of Frankford Arsenal is especially appreciated.

i

the areas



RE: Distribution Statement Approved for Public Release per Mr. George Baker, ATHMA/DRXTH-ES

EXECUTIVE SUMMARY

I. GENERAL

A. A record search was conducted on Frankford Arsenal (FFA), Philadelphia, Pennsylvania, to uncover indications of possible contamination at the installation by chemical, biological, and radiological materials resulting from past manufacturing, testing, storage, and disposal operations; and to assess the possibility of contaminant migration beyond the installation boundaries.

B. The onsite phase of the search was performed from 27 June through 7 July 1977; however, historical data were collected from other agency sources through 21 September 1977.

C. The procedure followed by the Records Research Team included:

1. Acquiring all pertinent documents on FFA from other government agencies including:

a. Department of Defense Explosive Safety Board (DDESB).

b. US Army Environmental Hygiene Agency (USAEHA).

c. US Geological Survey (USGS).

d. Defense Documentation Center (DDC).

e. US Army Engineers Waterways Experiment Station (WES).

f. National Technical Information Serivce (NTIS).

g. Rock Island Arsenal Historical Office.

h. National Archives.

2. Obtaining copies of all pertinent onsite installation regulations, standing operating procedures, and other available documentation.

3. Interrogating present and former key employees and Chemical Systems Laboratory personnel assisting in the FFA closure procedures.

4. Analyzing the above information.

D. This report reflects the status of Frankford Arsenal as of 4 August 1977.

II. FINDINGS

A. Propellant and Pyrotechnic Wastes from Production Activities

The production areas of the Arsenal are contaminated or potentially contaminated with explosive, pyrotechnic, or propellant wastes resulting from the manufacture and loading of small arms ammunition, tracer ammunition, propellant and cartridge actuated devices, and lead styphnate.

B. Disposal Operations

There are no areas currently used as landfills for military or sanitary wastes. All such materials were removed by a contractor or by shipment to a military installation capable of disposing of explosive wastes (Letterkenny Army Depot). Evidence does exist of prior disposal, by burial, circa the Civil War period.

A small burning area, designated as building 439, was used for incinerating limited quantities of material. The ash was containerized and disposed of as contractor serviced scrap.

Quantities of ammunition are reported to be present in the adjacent Frankford Creek and Delaware River as a result of target overshoot and expedient disposal activities in the past.

C. Range Operations

Buildings 521 and 150 contain a series of indoor target ranges used for ammunition testing. Three outdoor target ranges once existed in the eastcentral area of the Arsenal. Two ranges have been superseded by building construction, and the target butt of the third has been removed.

Building 316 was the site of the cartridge actuated devices ballistic testing.

Of the above ranges, the activities at building 521 remain operational with its functions scheduled for transfer to Fort Dix, New Jersey.

Unexploded ordnance (UXO) is suspected to be present at several sites. Civil War material was found at the present site of the Walbash Gate, and World War I munitions were reported to be found during building construction in the vicinity of two former outdoor ranges. There are no records indicating disposal operations to remove the UXO from these sites.

D. Chemical, Biological, and Radiological Materials

Large quantities of commercial chemicals related to production and plating operations exist scattered throughout the installation. The most

notable of these sites is the plating shop, building 45, where the cyanide and acid baths remain.

Mercury contamination was also found; approximately one ton of the containerized liquid metal was found onsite. This find is attributed to post clean-up exercise, where large quantities of laboratory reagents were accumulated and consolidated in a holding area of the Pitman-Dunn Laboratory, building 64.

Large quantities of radiological materials remain in storage at the Arsenal, the major portion being 5,393 kilograms of depleted uranium stored in buildings 227B, 149, and 150.

E. Water Quality

Frankford Arsenal obtains its water from the Philadelphia water system and returns the waste water to the city's sanitary sewer system. Data available on the analysis of this waste stream gives no indication of contamination. It should be noted that the sanitary waste analysis does not include tests for explosive or propellant components (e.g., PETN).

F. Contaminant Migration

The area of concern is the Fitler or "400" Area, the former site of the lead styphnate production. The sewer lines are suspected of being contaminated. These lines terminate at the catch basin for the 400 Area on the bank of the Delaware River. The basin is in a state of disrebair.

It is believed that any subsurface contamination due to historical activities may be a potential problem.

III. CONCLUSIONS

Areas of potential explosive/pyrotechnic, radiological, chemical, and unexploded ordnance contamination were identified and, in addition, other areas of potential contamination were documented.

IV. RECOMMENDATIONS

It is recommended that the findings of the Records Research Team be reviewed by personnel responsible for the decontamination program at FFA and, where applicable, be incorporated into the program.

TABLE OF CONTENTS

Page

| Ι. | GENERAL A. Purpose of the Assessment B. Authority C. Introduction D. Summary Description of Installation 1. Location/Size 2. Area Description 3. Organization/Mission 4. History E. Environmental 1. Water Quality a. Surface b. Subsurface c. Analysis 2. Natural Resources 3. Geology a. Physiography and Topography b. Subsurface Geology c. Soils | I -1 I -1 I -1 I -2 I -2 I -2 I -2 I -2 I -2 I -3 I -13 I -13 I -13 I -13 I -13 I -13 I -14 I -15 I -19 I -19 I -19 I -19 |
|------|--|--|
| ÍII. | CONTAMINATION ASSESSMENT A. Industrial and Manufacturing Operations B. Laboratory Research, Development, and Testing C. Field Test Ranges D. Potential Burial Sites/UXO Sites E. Storage of Toxic/Hazardous/Radiological Materials F. Support Activities Water Supply Waste Disposal G. Land Use Factors Pesticide/Herbicide/Fertilizer Usage Sanitary Landfills H. Geological Migration Potential Time Distance Relationships | II-1 II-1 II-27 II-28 II-28 II-28 II-28 II-31 II-36 II-36 II-36 II-38 II-40 II-40 II-40 II-41 |
| III. | FINDINGS | III-1 |
| IV. | CONCLUSIONS | IV-1 |
| ۷. | RECOMMENDATIONS | V-1 |
| VI. | BIBLIOGRAPHY | VI - 1 |

۷

LIST OF FIGURES

Figure

| I-1 | Photograph of Frankford Arsenal |
|------|--|
| I-2 | Map of Frankford Arsenal |
| 1-3 | Organization Chart, FFA |
| I-4 | Map Site near Frankford Creek, 1815. |
| I-5 | Frankford Arsenal, 1832 |
| I-6 | Groundwater Movement, Artesian System |
| I -7 | Location of Empress Trees |
| 8-1 | Physiographic Provinces Map |
| []_] | The "400" Area |
| 11-2 | Former Test Ranges (circa 1900) |
| 11-3 | Location of Sanitary-Industrial Sewers |
| []-4 | Location of Fertilized Area |
| II-5 | Location of Sanitary Landfills |

vi

1

LIST OF TABLES

Table I-1 Chemical Analysis -- Water Samples I-2 Trees of FFA Generalized Stratigraphic Section of the Coastal Plain of I-3 Southeastern Pennsylvania Contaminated Areas Within FFA II-1 The Plating Shop Tanks, Building 46 11-2 II-3 Metal Treating Operations II-4 FFA Physical Inventory Uranium D-38 Dimensions and Status of Outfalls 11-5

II-6 Solid Metal Waste Disposed of at FFA Between July 1969 and November 1969

LIST OF APPENDIXES

E

Appendix

| A | List of Personnel Interviewed |
|---|----------------------------------|
| В | Photographs of Frankford Arsenal |
| С | Boring Logs |
| D | Trip Reports |

viii

Same

I. GENERAL

A. Purpose of the Assessment

1. To confirm previously known areas of contamination and to determine if other undocumented contaminated areas exist at Frankford Arsenal (FFA) from a search of available records. This information, as applicable, will be incorporated into the ongoing survey.

2. To identify any immediate on-post safety hazards associated with CBR contamination and unexploded ordnance (UXO).

B. Authority

Department of the Army (DA) charter for the Project Manager for Chemical Demilitarization and Installation Restoration (PMCDIR) dated 27 April 1977.

C. Introduction

1. In pursuance of the termination of the Frankford Arsenal activities and the transfer of its mission, HQ US Army Armament Materiel Readiness Command (ARRCOM) requested PMCDIR to undertake a search of FFA records.

2. Personnel from FFA were briefed on the program prior to the start of the on-site records search. The purpose of the briefing was to outline the assessment scope and to provide guidelines to FFA personnel for the records search. The former installation commander, LTC F. W. Hackley, established the Team's point of contact.

3. Before the actual on-site review of records began, various government agencies were contacted for documents pertinent to the records search effort. Agencies contacted included:

a. Department of Defense Explosive Safety Board (DDESB).

b. US Army Environmental Hygiene Agency (AEHA).

c. US Geological Survey (USGS).

d. Defense Documentation Center (DDC).

e. US Army Engineer Waterways Experiment Station (WES).

f. National Technical Information Service (NTIS).

4. Subsequent to the records search the following agencies were contacted for confirmation of historical records:

a. Rock Island Historical Office.

b. National Archives.

5. The collection of documents occurred during the period 25 July through 4 August 1977. The following Team members provided input to this report:

a. Mr. William Collins (Team Leader).

b. Mr. Norman Leibel (Ordnance Specialist).

c. LT Charles Brenner (Chemical Engineer).

d. Mr. Donald Gross (Chemical Engineer/Chemical Agent Specialist).

e. Mr. James Scott (PMCDIR Representative/Chemist).

6. In addition to the review of records, interviews were conducted with approximately 31 persons, including present and former employees. (See Appendix A.) A ground tour of the installation was also made. Photographs taken during the tour are included in Appendix B. Team members also interviewed Picatinny Arsenal employees who were former FFA employees.

7. The findings, conclusion, and recommendations are based on the records made available to the Team, and the corroborated testimony of past and present employees.

D. Summary Description of Installation

1. Location and Size

Frankford Arsenal is located in the northeast section of Philadelphia, Pennsylvania. It is bound on the south by Frankford Creek, on the southeast by the Delaware River, on the north, northwest by Tacony Street, on the west by Bridge Street, and on the northeast by the Lombard Trucking Company, and Dietz & Watson, Inc.

The Arsenal complex consists of 120 permanent, 56 semi-permanent, and 36 temporary buildings. The roadnet consists of eight miles of street and roadways.

2. Area Description

The Arsenal occupies 110 acres; in addition, there are 260 acres at Fort Dix, New Jersey that are available for experimental projects and test firing.

I -2

The main area is encompassed on three sides by the city of Philadelphia, Pennsylvania, and on the other side by the Delaware River. The general area consists of a conglomeration of industry and working class residential.

Transportation facilities available are the Penn-Central Railroad, pier facilities on the Delaware River, and the trucking industry. Interstate 95 in the vicinity is parallel to the north, northwest boundary. See Figures I-1 and I-2.

3. Organization and Mission

The manpower distribution as of 28 February 1975, just prior to the issuance of the August 1975 Closure Implementation Plan, was as follows for the Arsenal and the tenant activities:

| | Mili | tary | | |
|--|---------|----------|----------|-------|
| | Officer | Enlisted | Civilian | Total |
| Frankford Arsenal | 12 | 14 | 3427 | 3453 |
| AMC Inventory Resident Office | 2 | | 12 | 14 |
| USA Health Clinic, FFA | | | 13 | 13 |
| Philadelphia Naval Shipyard Disposal Division | | | 2 | 2 |
| USA Communications Command | | | 30 | 30 |
| AMC Interns | | | 8 | 8 |

Based on the closure action, a long-term mission does not exist. See Figure I-3 for the current organization chart.

As an active Class II AMC installation, the Arsenal had the responsibility for researching, developing, designing, engineering, procuring, supplying, and/or servicing military material in the performance of national support and special missions on specified material, equipment, and systems. Additional responsibilities are as follows:

a. Operated as a commodity center for small caliber munitions, cartridge activated and propellant actuated devices; related test and handling equipment; and multi-purpose testing equipment.

b. Research was conducted in the fields of optics, metallurgy, material degradation, tracers, and laser countermeasures.







ſ

I -5

, ⁻-



t

j.

•

c. Performed national procurement for assigned commodities and for fire control material.

d. Performed support mission responsibilities for fire control material in support of US Army field units.

e. Performed national industrial mobilization planning for assigned procurement items.

f. Executed technical management for the non-international portion of the US Army standarization program.

g. Conducted centralized AMC training.

h. Provided laser technology, physical science, engineering and other RD&E related investigations, and consultations on the biomedical effects.

i. Provided administrative and logistical support to installation mission elements and tenant activities on the installation.

During the more prosperous years, FFA was considered the small arms ammunition capital of the country, producing not only munitions for military use but match ammunition for civilian competition.

4. History

The War of 1812 developed a need for an arsenal. Two months after war was declared, Philadelphia was mentioned as a possible location; thus the beginning of FFA. The land that now constitutes FFA is believed to have been the site of an Indian encampment, perhaps as late as 1755.

Reorganization of the Ordnance Department by the Act of February 8, 1815, included the mission to establish depots in various parts of the country. Consequently, the first formal acquisition of land for FFA began on 27 May 1816, when the Assistant Commissary General, Colonel George Bombord, procured for the Government a tract of land -- 20.21 acres from Frederick and Catherine Fraley for the sum of \$7,680.75 (see Figures I-4 and I-5). This purchase date is the approved birthday of Frankford Arsenal (then the US Arsenal of Frankford Creek).

The second acquisition on 8 April 1837 of 3.03 acres was for \$3,000.

The third acquisition on 27 December 1849 added another 38.98 acres at a cost of \$20,000.

The fourth acquisition of 28.26 acres on 2 March 1917 was for the purchase price of \$125,000.



Map of site near Frankford Creek accompanying correspondence from Col. Wm. Linnard, Philadelphia, to Col. George Bomford, Ord. Dept., City of Washington, dated 19 Sept. 1315

Figure 1-4. MAP SITE NEAR FRANKFORD CREEK, 19 SEPTEMBER 1815.

5

I -8



t

I -9

ý

, **.** .

The last two purchases were from the Edwin H. Fitler Company; 8.84 acres on 10 May 1943 for \$130,000 and 8,66 acres on 13 August for \$140,000.

Captain Joseph Rees reported on 16 December 1816 that the barracks were completed and the wharf was also completed and receiving stone. Congress, having failed to appropriate money, stopped construction on 21 March 1817. Instructions were also issued to discharge all but the very essential personnel. This is recorded as the first Arsenal RIF (reduction-in-force).

During the intervening 15 years, considerable construction was accomplished; reports indicate the Arsenal was completed in 1830.

Until the war with Mexico in 1846, the chief Arsenal activities were repair of artillery and infantry equipment, proving and testing musket and rifle powder, and as a general storage and distribution depot for ammunition, small arms, artillery, and cavalry equipment. From the Mexican War to the Civil War, the Arsenal engaged mainly in storage, preservation, and repair of ordnance stores, fabricating small quantities of ammunition and other miscellaneous items.

Also during the early 1850's the variety of products increased to include 12-pounder wads, flannel cartridge bags, percussion muskets, tangent scales for howitzers, instruments for inspecting cannon projectiles, ring gages, gravimeters, and Burnside's metallic cartridge cases. This established the precedence for small arms ammunition and precision instrument manufacture.

Just prior to the Civil War, the first power driven machinery was introduced into FFA in March 1853 and was utilized for the manufacture of percussion caps, bullets, cartridges, and other small arms ammunition items. The personnel complement at that time consisted of 1,550 people. At the close of the Civil War, this dropped to 550.

In 1865 center fire cartridges were developed and, in October 1866, manufacture began of cartridge cases for caliber .50 service ammunition.

Just prior to the Spanish American War, the first research work on smokeless propellants was begun at the Arsenal. In 1894, the Arsenal initiated research work in explosives. Captain Dunn developed the explosive known as "Dunnite," a variation of which was Explosive D (ammonium picrate) utilized by the military as recently as World War II. During the Spanish American War, we find not only research but development work going on in the fields of small arms ammunition and fire control instruments as well as in artillery ammunition. It was still recognized as an important production facility for artillery ammunition components, fire control instruments, and small arms ammunition, producing small arms ammunition at the rate of 37 million rounds per year. During World War I, the small arms ammunition production increased to 60 million rounds. Reports from the field, and tests conducted elsewhere, proved the Arsenal's ammunition superior to all others. Therefore, the Arsenal manufactured all caliber .30 tracer, incendiary, and armor piercing ammunition for the Army and Navy aircraft. The Arsenal produced 232 million rounds during the period of January 1917 through November 1918. Difficulties hampered early production of cases and primers. Primers were found to be defective and a new primer, the Frankford Arsenal #70, was developed.

During this period millions of rounds of artillery ammunition, including shrapnel and high explosives, were manufactured, loaded, and shipped. However, as production mounted, recurring explosions of primers endangered the neighbor residents. Areas surrounding the Arsenal, once sparsely settled, had become densely populated. Consequently, for safety, loading at the Arsenal was discontinued and moved to less populated areas.

During World War II, greater emphasis was placed on caliber .50 ammunition. Approximately 1,386,000,000 rounds of service ammunition were produced from January 1942 through August 1945.

The Arsenal was heavily involved in research and development work in the commodity areas of fire control instruments and small arms ammunition, and to some extent artillery ammunition projectiles and cartridge cases. The small arms ammunition production increased to a rate of 8 million rounds per day. The personnel complement of FFA at the height of World War II was 22,000 people. This dropped at the end of World War II to approximately 6,850.

Production experience during World War II made it imperative that gages be designed to insure the interchangeability of all future manufactured material. Frankford's gage mission was expanded to cover gage design and inspection equipment for all small arms ammunition, artillery ammunition, and fire control materiel.

Although early history of the Arsenal refers to a "laboratory," laboratory work, as presently understood, began in 1864. In April of that year, after discussion with the DuPont Powder Company, Captain Theodore T. S. Laidley, the Arsenal's 17th commander, conducted experimental tests on the effect of powder explosions on the iron framework of buildings. The Laidley Laboratory was built in 1868. In 1896, Mr. Williams became the Arsenal's first chemist. In July 1906, he was granted Patent No. 825,168 for progressive burning smokeless powder, a development as sensational as smokeless powder itself. From 1900, the Arsenal laboratory was regarded as the most knowledgeable source of information on the subject of explosives in the United States. All commercial and government agencies consulted and used its facilities. During World War I, the laboratory supervised explosives manufacture and handling, developed and standarized armor piercing bullets, cartridge cases, and compositions for tracer bullets. In 1934 the laboratory became the non-ferrous metallurgy center for the Ordnance Department.

FFA shops were recognized authorities in the United States for optical, electronic, mechanical, hydraulic and propellants production engineering. The optical shops produced optical, ranging, sighting, and observation equipment. Complete facilities for producing pilot runs of ammunition ranging from caliber 5.56-mm rounds to 155-mm projectiles were maintained in the ammunition shops. These, together with auxiliary shops, were capable of producing complete integrated guidance and control portions of weapon and missile systems, small arms and major caliber ammunition, metal components, and propellants. Facilities were available for the loading and testing of explosives.

From July 1958 to July 1964 the Supply and Maintenance Group, formerly a division of Fire Control Instrument Group, planned and controlled the national maintenance of fire control materiel, related equipment, and special devices.

VT fuze* activities, a former FFA mission for many years, have been transferred elsewhere. Experimental fuzes, both electromechanical and electronic, for missiles, rockets, and artillery were developed, debugged, and readied for industrial mass production.

Notable FFA achievements were the development of recoilless weapons system which placed artillery fire power in the hands of the infantry; cartridge actuated devices providing escape systems for aircraft personnel; spiral wrapped cartridge cases which used less critical material; small arms cartridge cases; welded over-lay rotating bands which increased projectile production quantities; and the casting of titanium, a critically needed metal developed for effective military use. 1

The Army-wide reorganization of 1962 brought FFA under the control of US Army Munitions Command, a part of the Army Materiel Command (AMC) complex, as part of a move to decentralize field operations.

Effective 1 July 1964, the National Inventory Control Point for Fire Control Spare Parts and Fire Control Maintenance functions were transferred to the Weapons Command (WECOM). These functions were accomplished by personnel physically located at FFA but under the control of WECOM. In July 1971 the entire National Inventory Control Point was transferred to New Cumberland Army Depot, New Cumberland, Pennsylvania.

As a result of the FFA realignment, many changes were effective 1 May 1965. Pitman-Dunn Research Laboratories were comprised of the Objectives Analysis Office, Resources Office, and the Physics Research, Metallurgy Research, and Chemistry Research Laboratories. The former Pitman-Dunn Institute for Research was incorporated into the Pitman-Dunn Research Laboratories.

*Also known as veritable time or proximity fuze

I-12

Following AMC's reorganization along the lines of a standard commodity concept in May 1970, MUCOM directed that FFA develop a proposed reorganization along those lines. This was initially accomplished in July 1970. Further refinements and minor internal modifications were made up to early 1971.

Under the influence of the closure action, the Arsenal, now under ARRADCOM, reduced its personnel during FY 76 from 3,324 to 2,667. With the trend accelerated during early FY 77 it is well on its way to complete closure as an active installation by the end of the fiscal year.

Thus ends the 161 year history of what was the second oldest active arsenal in the country.

E. Environmental

1. Water Quality

a. <u>Surface</u>. FFA obtains its water from the city of Philadelphia. This is discussed in Chapter II, section Fl, Water Supply. Surface drainage from precipitation is collected by a system of road drains and discharged to either the Delawa: River or Frankford Creek through the storm drainage system.

The Delaware River passes along the southeast boundary of FFA. Frankford Creek flows along the southern boundary of FFA and discharges into the Delaware River. In recent times the flow in Frankford Creek has been diverted along another route. Because of this diversion the abandoned creek bed has become a backwater of the Delaware River. This backwater extended up the former creek bed to Bridge Street and is referred to as the Frankford Creek Ditch.

b. <u>Subsurface</u>. The groundwater at FFA exists under water table conditions and occurs at depths ranging from 3 to 24 feet. Although an artesian system exists in property adjacent to FFA (see Figure I-6), it is absent from the subsurface of FFA, as shown in Appendix C. At the present time, groundwater is not used at FFA.

Recharge to the groundwater system comes from precipitation falling on the ground surface of the Arsenal. The regional pattern of groundwater movement is from the highest area on the Coastal Plain, near the Fall Line, toward the Delaware River. Discharge from the groundwater system flows into the Delaware River, although the tidal nature of the river affects the flow rate near the river.

The Philadelphia District Corps of Engineers indicated a stream channel which extends from building 64 south to building 301A that has been covered with fill. Groundwater levels in the area indicate groundwater flow through the abandoned stream channel.



ŧ



8

.=

A spring is located in a service tunnel between building 301 and building 235. Another spring located "behind the hospital" was used for drinking water according to an article in the FFA bulletin dated 14 October 1944. No further information for this spring was available. A well was drilled at FFA in 1907 for an undetermined use; however, the well has since been destroyed. Water quality information for these water sources is not available.

c. <u>Analysis</u>. A Water Quality Engineering Special Study Number 24-029-73/75 on Industrial Wastewater was conducted at FFA from 13 - 27 August 1975. Analysis of physical and chemical parameters showed that concentrations of these parameters in the sanitary-industrial wastewater discharged to the Philadelphia sewer system were well below the standards set by the current regulations in effect at that time governing disposal of wastewater to the Philadelphia system. Periodically, the pH of the wastewater being discharged was below the required minimum of 6.0 pH units. These excursions were caused by acid dumps from the industrial processing areas. Proper neutralization of the batch dumps or slower bleed-in of the wastewater was recommended to eliminate these excursions.

Process (tap) water analyses results showed a large variation in the pH and total dissolved solids.

Concentrations of the analyzed parameters in stormwater discharged to Frankford Creek Ditch showed increased dissolved solids due to the evaporation of water utilized in once-through cooling and then discharged to the storm drainage system.

Currently, one sample of wastewater is taken weekly from the canitary sewer and the storm sewer to be analyzed. See Table 1-1 for respire of these samples.

2. Natural Resources

Frankford Arsenal's land area consists of 24 improved a semi-improved acres, and 86 unimproved acres. Because of it is in the second second acres is the second sec

According to the Environmental Impact Assessment of Finance at the temper 1975, the Arsenal is "located in a highly industrial article at the issue of the area.

FFA vegetation is primarily lawn and trees. The following condition taken from a paper, "Through the Years Since 1814," date: The second secon

"About 1854 Commodore Matthew Perry came from the reart to visit his brother-in-law, Major Hagner, who was then in command at Frankford Arsenal. He brought as a gift a dozen

| -346 |
|----------|
| |
| 12 |
| - 25 |
| <u> </u> |
| - |

TABLE I-1. CHEMICAL ANALYSIS -- WATER SAMPLES*

رت. ت

| 19103. | phia, PA | , Philadel | h Street | 2024 Arc | Vuerumo | | - | | | | | |
|--------|----------|-------------|----------|------------|---------|-------|----------------|----------------|--------|----------------|-----------|--------------|
| | | 2 | 200. | 700. | . 143 | .003 | .207 | .008 | .008 | <.005 | 7.22 | 20 Jun |
| 7.2 | 20.0 | וה | 600 | CUC | | | | nn. | 700. | ເ ດດ. > | 8.35 | 6 Jun |
| 3.7 | 2.9 | 2.40 | .018 | . 007 | <.002 | <.002 | 068 | 133 | 600 | 100 | | כט רומץ |
| 0.01 | 40.0 | 00.61 | <,002 | <.002 | ,060 | <.002 | <.005 | <.005 | < .002 | < .005 | 0.6 | OK Mav |
| 0.00 | | | | | n | << | .032 | < . 005 | .005 | < .005 | 6.8 | 19 May |
| 5.2 | 4.8 | 60. | < 002 | , 000 , | 6 L0 | 000 | | | | ml | B1 dg 218 | Storm Sewer, |
| | | | | | | | | | | | | |
| 0.01 | 37.0 | .48 | <.002 | .002 | .070 | <.002 | 121. | .008 | < 005 | , 005 | CC F | |
| | | ب د. | 600. | <.002 | .008 | <.002 | .103 | <.005 | .005 | <.005 | 6.75 | ն մա |
| с г | (1 | | | | .020 | ×.002 | < . 005 | <.005 | < ,002 | < . 005 | ۲.٦ | 25 May |
| 22.0 | 600.0 | 8,00 | < 002 | , 000 , | | 000 | | | | con. > | 7.1 | 19 May |
| | 0.01 | .24 | <.002 | <.002 | .012 | <.002 | .052 | < 005 | 008 | , 005 | с г | |
| 8 8 | 16.0 | | | | | | | | | 224 | r, Bldg | Sanitary Sew |
| | | | | | | | | | | | 5 | Taken(1911) |
| 110 | 600 | P04 as (p) | S | Ag | Сц | PS | Zn | Cr Total | N | 97 T J | Ŧ | Date Sample |

*Both sets of water analysis were completed by E. L. Conwell Company, 202[,] All readings are in parts per million except for pH.

₿ 1

1-16

Mannak mille

seedlings of the rare Empress of India (Paulownia) trees. Nourished and cherished for nearly a hundred years, these trees have grown to great height and diameter. Each May the trees with dozens of their seedlings wave their purple, plume-like clusters of blossoms which fill the boughs before the leaves appear." See Figure I-7.

A list of the 27 different trees was obtained from the General Tree Cover Map of FFA and is given in Table I-2.

| | TABLE I-2. | TREES | ON FFA |
|----------------|------------|-------|-----------------------------|
| Maple | | | Princess (Empress of India) |
| Birch | | | Plane |
| Dogwood | | | Cherry |
| Hawthorne | | | Peach |
| Beech | | | Plum |
| Ash | | | Flowerina Cherry |
| Ginkgo | | | Pear |
| Holly | | | Oak |
| Walnut | | | Locust |
| Kocheuteria | | | Sassafras |
| Magnolia | | | Arbor Vitae |
| Apple | | | Elm |
| Flowering Crab | | | Sauleaf Zelhova |

Mulberry

I-17





ł

I-18

344

3. Geology

a. <u>Physiography and Topography</u>. FFA lies in the physiographic province of the Coastal Plain, directly southeast of the boundary between this province and the Piedmont province. See Figure I-8. This inner or landward margin of the Coastal Plain is called the Fall Line, and is identified topographically by an abrupt transition from the rolling hills of the Piedmont to the flat lowlands of the Coastal Plain. The Penn-Central railroad tracks directly north of FFA follow the Fall Line.

The topographic differences between the two provinces reflect the differences in composition and structure of the rock materials underlying their surfaces. The Piedmont is underlain by dense, hard crystalline rocks that offer considerable resistance to erosion and support an uneven hilly surface, which stands well above the general level of the adjacent Coastal Plain. The Coastal Plain is underlain by soft, unconsolidated deposits that yield readily to the processes of erosion and form low nearly flat plains and broad shallow valleys.

The land surface has a gentle slope from the Fall Line southeast to the Delaware River. The general level of the land surface rises from sea level along the river to about 40 feet above mean sea level (msl) at the Fall Line. The highest elevation on FFA is 20 feet msl in the northwest portion of the Arsenal.

Ł

b. <u>Subsurface Geology</u>. In general, the geology of the Coastal Plain area of southeastern Pennsylvania can be described as Quaternary and Cretaceous sediments overlying a basement of early Paleozoic rocks. A generalized stratigraphic section of the Coastal Plain of southeastern Pennsylvania is given in Table I-3.

Bedrock consists of pre-Cretaceous mica schist which is at a depth of 26 feet at the northern boundary and 64 feet at the southeastern corner of the Arsenal. The bedrock is overlain by unconsolidated sand, gravel, silt, and clay of Cretaceous age. Quaternary sand, gravel, silt, and fill overlie the Cretaceous sediments and outcrop on the surface of the Arsenal. Specific site information for the subsurface lithology at FFA is in Appendix C.

c. <u>Soils</u>. All soil on FFA is classified as Urban land by the Soil Conservation Service. These soils formed in loamy and clayey material of the Coastal Plain sediment. The Urban land is a land type that consists of areas that are built up and occupied by urban structures and works. Most of the FFA soils have been smoothed, disturbed, or filled in prior to construction of Arsenal facilities. At the present time, much of the soil surface is obscured by buildings and pavement.

I-19



Figure 1-8. PHYSIOGRAPHIC PROVINCES MAP OF SOUTHEASTERN PENNSYLVANIA.

I-20

ŗ.

TABLE I-3. GENERALIZED STRATIGRAPHIC SECTION OF THE COASTAL PLAIN OF SOUTHEASTERN PENNSYLVANIA

.

10,000,000

١

٠

٠

۰.

| ater-bearing Character | mportant as a source of dwater; generally less able than underlying de- s; impedes the movement of into and out of surface ms | tant source of groundwater Bucks County. Contains y permeable sand and gra- eds which yield large ities of water to wells. ably situated with respect charge; subject to surface mination | ortant as source of water owing to its small aerial t | chiefly as a confining bed |
|------------------------|--|--|---|---|
| 3 | Not i groun perme posit water streal | Impor in SE high! vel b quant favor to re conta | Unimp in PA exten | Acts |
| Physical Character | Flood plain and channel deposits of clay, silt, sand, and some gravel | Chiefly gray and brown sand and gravel; some silt; little clay. Cape May unweathered. Pensauken deeply weathered | Medium to coarse gray sand with plant remains | Chiefly red, white, gray, and yellow clay. Also brown and blue clay; silty, sandy and pebbly in places |
| Max Thick (ft) | 72 | 8 | 10 | 35 |
| sym- bol | Qal | дсш Д | Ę ¥ | ۲ru ۲ |
| Formation and Member | Alluvium Unconformity | Cape May Formation (Illinoian) Unconformity Pensauken Formation (Illinoian) | Magothy Formation | Upper Clay Member Unconformity |
| c Age Series | Recent | Pleistocene | sno | esetend neqqU |
| Geologi System | үяд | риатаир | s n o | СКЕТАСЕ |

I -21

.*
TABLE I-3 (continued)

| Water-bearing Character | cellent aquifer; forms exten- ve water table aquifer inter- nnected with the Pleistocene diments. Generally not tapped wells in areas where it curs beneath an upper con- ning bed | extensive confining bed | nerally not tapped by wells. tentially an important uifer in Bucks County | extensive confining bed | incipal source of groundwater Phila area; avg permeability 00 gpd/sq ft as determined by mping tests. Yields 500-1000 d to wells in South Phila | or aquifer in Coastal Plain ea; contains some groundwater secondary fractures; avg ald lace than 50 mm |
|-------------------------|--|---|---|---|---|---|
| Physical Character | Chiefly brown, gray, white, and E. yellow sand with some gravel; s contains some clay and silt in c Bucks County by po | Chiefly red and white clay; Au also gray, yellow, blue, and brown clay; sandy in places | Chiefly brown, yellow, white Ge and gray sand and gravel; Pc little clay ac | Chiefly red clay, also gray, Ar blue, white and brown clay; sandy in places | White, yellow, gray, and brown sand and gravel; some it white clay gravel one pu | Mica schist capped by residual Pc weathered clay in |
| Max Thick (ft) | 55 | 60 | 49 | 61 | 87 | ~ |
| Sym- bol | ک ٤ | Krm | Krs | Krl | Krf | ۵. |
| Formation and Member | 01d Bridge Sand Member Unconformity | Middle Clay Member | Member Unconformity | Member Clay Member Unconformity | Farrington Sand Member | Crystalline Rocks |
| c Age Series | | snoi | esetend re | qqU | | ຫ າ ຣຕອ (ວິ |
| Geologic System | · · · · · · · · · | sno | ETACE | СК | | RE - RETACEOUS |

-12

٩

4.

The physical and chemical properties of Urban land are not available through the Soil Conservation Service because these properties are too variable to estimate.

The general composition of the soil and unconsolidated sediments are shown in Appendix C. These indicate fill material in 36 of 56 boreholes within the Arsenal. The Philadelphia District Corps of Engineers estimates that a strip of land approximately 300 feet wide, adjacent to Frankford Creek and the Delaware River consists of large amounts of fill material.

I-23

II. CONTAMINATION ASSESSMENT

A. Industrial and Manufacturing Operations

1. During the 161 year history of FFA, production has involved many diverse end items. The net result is the potential for wide-spread contamination due to explosives, pyrotechnics, incendiary materials, propellants, corrosives, toxic compounds, radioactive material, heavy metals, and metal treating and plating materials. A brief synopsis of such materials is presented below:

Carcinogens:

Benzene "Tris" flame retardant Benzidine Polynuclear hydrocarbons

Heavy Metals and Heavy Metal Salts: (Note some are also suspect carcinogens)

Lead and salts Cadmium and salts Arsenic oxide and salts Platinum group metals and salts Silver and salts Gold and salts Barium salts Copper and salts Antimony and salts Chromium salts Depleted uranium Mercury (large quantities) and salts Bismuth salts Selenium Cerium oxide Strontium salts

Unique Toxic Gases and Chemical Agent Intermediates

Carbonyl chloride (phosgene) Nickel carbonyl Methane difloro phophine oxide (difloro)

II-1

Explosives, Pyrotechnics, etc.

Nitroglycerine Live ammunition Experimental tetrazoles Organic peroxide Nitrocellulose Zirconium powder Lead styphnate Black powder and ammunition propellants PETN Denitrotoluene RDX Tetracene Barium nitrate Aluminum/magnesium powders Unidentified experimental propellant, flare, and incendiary mixes Thermite mix Red phosphorus Nitrate salts Trinitrorescorcinal Inorganic peroxide, persulfates, and perchlorates Teflon based pyrotechnics

Corrosives

Alkaline

Sodium hydroxide Soda ash (sodium carbonate) Sodium hypochlorite Lime Cyanide salts Ammonium hydroxide

Acid

Hydrofluroic Hydrobromic Nitric Sulfuric Sodium dichromate Hydrochloric Chromic Phosphoric Acetic Formic Solvents: Full range of organic solvents were found. Some examples are:

Acetone Methyl, ethyl, etc. alcohol Ketones Toluene Benzyl alcohol Chlorinated hydrocarbons (carbon tetrachloride, etc.) Cellosolves Ether Zylene Paint thinners and strippers Dioxane Petroleum ether Proprietory metal degreasers Napthalene Enamel thinners

Other Materials:

Metal treating and plating materials (e.g., zinc phosphate) Paints and lacquers Chlorinated napthalene Expoxy components and "potting" components Hydrogen gas cylinders Chlorine gas cylinders Ethylene glycol Acetylene tanks Powdered beryllium Difloromethane cylinder Anhydrous ammonium cylinder Vast quantities of laboratory and experimental organic and inorganic chemicals

2. Description and Size (400 Area)

The 400 Area is a nine-acre section of FFA located in the lower northeast end of the post. The land was acquired in 1943 and is also known as the Fitler Area, after the former owner. The area is fenced and contains 32 buildings located along Phillips and Kirk Streets (see Figure II-1). The lead styphnate manufacture was started in 1944 and was deactivated in 1974. The facility includes approximately 8,200 feet of contaminated terra cotta drain lines from the waste sumps associated with the buildings. A contaminated building list for this area is presented in Table II-1.





المراجع المراجع المحالية المحمد المحالية المحمد المحمد المحالية المراجع المحالية المراجع المراجع الم

.

.

ł

TABLE II-1. CONTAMINATED AREAS WITHIN FFA

| Bldg | Activity | Contaminants |
|------------------|--|---|
| 46-1 | Plating shop | Acids and corrosives |
| 47 | Prototype metal parts, mfg and fab | Acids, corrosives, paints, lacquers, etc. |
| 48 | Heat treat and forge | Acids, corrosives, treating salts, petro products |
| 48-N Outside | Bulk storage tank | Sulphuric acid |
| 55-1&2 | Shell shop and tool room | Acids, corrosives, paints, lacquers, etc. |
| 57 | Health clinic | Medical supplies |
| 58-1&2 | Artillery case shop | Acids, corrosives, paints, petro products |
| 58-SE Outside | Storage shed | Paints, lacquers, etc. |
| 58-SE Outside | Scrap petrl underground collection tank | Waste petrl products |
| 58-S Outside | Acid storage tank | Sulphuric acid |
| 60 | Bulk storage | Trichlorethelene, solvents, etc. |
| 61 | Bulk storage sheds | Acids, corrosives, solvents, etc. |
| 63 | Bulk storage tanks (2- 10,000 gal) | Quenching oil |
| 64 bsmt | Spectrographic lab Heat treating lab | Acids, solvents, etc. Salts, chemicals, etc. |
| 64-1 | Materials and metals lab (4 rooms) Analytical chem lab (4 rooms) | Acids, petrl products, solvents, etc. Organic/inorganic chem, acids, etc. |
| 64-2 | Chemistry lab (9 rooms) | Chemicals, acids, corrosives, etc. |

II-5

TABLE II-1 (continued)

| B1dg | Activity | Contaminants |
|--------|--|--|
| 64-3 | Photo lab | Photo chemicals, solvents, etc. |
| 68 | Prototype pyrotechnic charging, T&E, and storage | Chemicals, acids, mercury, solvents, etc. |
| 69 | Explosive storage | High explosives |
| 120 | Surface treatment and finishing | Acids, corrosives, etc. |
| 121 | Metal parts (20 and 30 mm) | Acids, corrosives, etc. |
| 122-2 | Small arms loading, assembly, and pack | Primers and propellants |
| 130 | Insect and rodent control | Insecticides and pesticides |
| 148 | Ammo components storage | Propellant and explosives residue |
| 148-A | Propellant process sampling/storage | Propellants |
| 149 | Pyrotechnic ma terials storage | Pyrotechnic compositions |
| 150 | Special component mfg and fab | Depleted uranium |
| 151 | Pyrotechnic materials research | Pyrotechnic compositions |
| 151-A | Process storage | Pyrotechnic elements and parts, etc. |
| 201 -2 | Fire control systems devel | Tritium |
| 208-3 | Small arms bullet charging | Tracer compositions |
| 209-3 | Special ammo loading and assembly | Propellants, black powder, etc. |
| 212-2 | Mercurous cracking | Mercury, acids, corrosives, etc. |
| 212-3 | Small arms primer inserts and storage | Primers |

t

II-6

TABLE II-1 (continued)

| Bldg | Activity | Contaminants |
|----------------|---|--|
| 213-3 | Special projects loading and assembly | Propellants and primers |
| 214-A | Propellant storage | Propellants |
| 214-3 | Small arms cartridge loading | Propellants |
| 215 Complex | Metal parts mfg and fab | Acids, caustics, corrosives, etc. |
| 216 | Lead core manufacture | Lead billets and cores |
| 217 | Tool hardening | Heat treat salts, acids, corrosives, etc. |
| 222 | Small arms primer mfg and and caseless ammo | Propellants and primers |
| 227 | Analytical inspection | Propellant grains |
| 227-В | Bulk storage | Radioactive materials |
| 229 | Special items fab | Propellants, solvents, etc. |
| 230/231 | T & E of items | Solvents, gases, etc. |
| 239 Complex | Tracer and igniter mfg | Tracer and igniter components |
| 241 | Caseless ammo storage | Class 7 propellants |
| 242 Complex | Caseless ammo, research and fab | Class 2 and 7 propellants, solvents, etc. |
| 244-A | Storage | Class 7 propellants |
| 245/246 | Storage | Propellants and chemicals |
| 247 | R&D operations | Chemicals related to propellant research |
| 248 | R&D operations | Propellants and compositions |

t

TABLE II-1 (continued)

| Bldg | Activity | Contaminants |
|---------|---------------------------------------|----------------------------------|
| 249 | Tracer mixes, storage | Tracers and compositions |
| 250 | Fuze assembly | Primers and components |
| 305 | Fuze test area | Completed fuzes |
| 311 | Fuze drop test tower | Completed fuzes |
| 316/319 | Ballistic research range and tower | Cartridges and propellants |
| 332/334 | Storage magazine | High explosives |
| 337 | Storage magazine | Class 2 propellants |
| 339 | Storage magazine | Nitroquanadine |
| 402 | Storage magazine | Primers |
| 403 | Storage magazine | Primers |
| 404 | Storage magazine | Propellants |
| 405 | Storage magazine | Primer composition |
| 410 | Storage magazine | Primer mix and RDX |
| 412 | Chemical storage | Zirconium, sodium carbonate |
| 413 | Blending operation | |
| 414 | Analytical lab | Zirconium, TNR, lead styphnate |
| 415 | Trinitroresorinol mfg | |
| 416 | Igniter processing | |
| 417 | Lead styphnate mfg | Sodium hydroxide, lead nitrate |
| 417-A | Sample test burning | Wet composition and black powder |
| 418 | Igniter manufacture | |

t

II **-**8

TABLE II-1 (continued)

| Bldg | Activity | Contaminants |
|-------|--|-------------------------------------|
| 419 | Final composition mixing | Lead styphnate |
| 420 | Storage | Black powder |
| 421 | Formerly TNT storage | Inert materials |
| 422 | Pyrotechnic materials mfg and mixing | Red phosphorus, magnesium, etc. |
| 423 | Pyrotechnic materials mfg pelletizing | Stabilized red phosphorus |
| 424 | Incendiary materials drying room | Pyrotechnic materials, IM-142 mix |
| 425 | Incendiary materials storage | Pyrotechnic materials, IM-23, IM-68 |
| 426 | Chemical storage | Oxidizers |
| 427 | Tetrazene and PETN processing | Initiating type explosives |
| 427-A | Interim storage | Various chemicals |
| 429 | Interim storage | PETN, tetrazene, etc. |
| 430 | Wet weigh-up | |
| 431 | Black powder drying | Black powder |
| 434 | Builet and case break-up | Black powder |
| 435 | Bullet and case break-up | Black powder |
| 438 | Open burning pit | |
| 439 | Ammo and explosives incinerator | |
| 440 | Propellant distribution | Class 2 propellants |
| 441 | Holding area for Bldg 439 | Primers, detonators, etc. |
| 521 | Small arms ammo test range | Small arms ammo, propellants, etc. |
| | | |

I

II -9

17

a. <u>Primer Manufacturing Process</u>. The primary components of the primer mix are tetrazine (guanyl nitrosamino guanadine) and lead styphnate (mono hydrate lead salt of 2,4,6 trinitroresorcinol: styphnic acid). Both components were manufactured within the 400 Area.

Tetrazine was produced in building 427 via the batch precipitation reaction of sodium nitrite with amino guanadine bicarbonate solubilized in aqueous acetic acid. Using 60 liter vessels required approximately 24 hours to complete the reaction.

Lead styphnate was produced in building 417 using a process purchased from Olin Corporation. It was prepared in 60 liter containers via batch precipitation from a mixture of styphnic acid and lead nitrate - acetic acid solution. The normal quantity of lead styphnate obtained from each batch reaction was two pounds, which represented a 70 percent yield. The lead styphnate was stored (wet) in building 430.

Styphnic acid was produced in building 415. The product was synthesized via a two-step process which consisted of the sulfanation of resorcinol in 30 liter batch nitrators, followed by nitration of the resulting product with nitric acid and anhydrous sodium nitrite. (The sodium nitrite had been freshly dried in an oven in building 414.) Styphnic acid was recovered, packaged in wooden boxes, and stored in building 416A.

f.

The weigh-up of the lead styphnate and tetrazine was performed in building 430, in preparation for the blending which took place in building 419. The final blending of 700 grams of lead styphnate with 650 milliliters of tetrazine slurry, fuel, and oxidizer components (e.g., antimony sulfide, powdered aluminum, PETN, barium nitrate, and a light gum binder). The final mix was stored in building 410.

The disposal of the lead styphnate was initiated in building 418, the material was hydrolyzed with 50 percent NaOH, and the lead removed by the precipitation as lead acetate.

b. <u>Propellants, Propellant Actuated Devices (PAD), and Cartridge</u> <u>Actuated Devices (CAD)</u>. Building 414 was the support analytical laboratory. The process for the auxiliary ignition for the PAD and CAD was conducted in buildings 414, 416, and 418.

In building 416, 120 grade zirconium powder (6.125 grams) was mixed with lead dioxide (18.125 grams) in distilled water. The mixture was then aspirated to remove the water. The material was then dryed in building 414. (It should be noted that the laboratory (building 414) was also involved in testing and experimental activities using nitrocellulose, nitroglycerine, etc.) The final mixture was prepared in building 418 where the zirconiumlead dioxide was combined with methylene chloride and a binder supplied by the Navy. The blend was then hand "painted" onto the ring-shaped cups. The propellant material was stored in building 440.

c. <u>Pyrotechnics</u>. Pyrotechnics were blended in buildings 413 and 422 in an Abby and a Lancaster blender respectively. Many specialized mixes were prepared using such materials as barium nitrate, magnesium and aluminum powders, potassium perchlorate, iron oxide, red phosphorus, strontium peroxide, strontium nitrate, strontium oralate, and calcium resinate binder. The materials were stored in buildings 425 and 426 (discrete chemicals). The incendiary materials were dryed in building 424 and 425 and the pyrotechnic materials were pelletized in building 423. The blending of experimental delay mixes was also a product of building 422.

d. <u>Chemical and Explosive Storage and Support Buildings</u>. Buildings 402, 403, and 405 were storage magazines for primer materials; 404 was used for propellant storage. All four buildings are currently in use, containing packed material awaiting transfer to Letterkenny Army Depot for disposal. Building 421 was used for TNT storage.

Building 412 was the chemical storage area for zirconium and sodium carbonate. Buildings 417B, 426, and 427B were used for the bulk chemical storage of the fuels or oxidizers utilized in the primer mix.

Commercial black powder was stored in building 431. It was also repackaged into 12.5 pound quantities in this building. Building 420 was also used for powder storage.

Buildings 434 and 435 were the sites of bullet and case break-up.

"Building" 438 was an open burning pit and 439 was the area of the ammunition and explosives incinerator; building 441 is the collection point for scrap material awaiting incineration.

3. Frankford Arsenal was a commodity center for CAD, PAD, small arms ammunition (including incendiary and tracer), and time fuzes. Below is a list of potentially contaminated buildings:

| Propellants | | Pyrotechni cs | CAD/PAD* |
|-------------|-----|----------------------|----------|
| 122 | 214 | 203 | 224 |
| 140 | 240 | 208 | 252 |
| 209 | 244 | | 301A |
| 212 | 245 | | 304 |
| 213 | 246 | | 319 |

For many of the older buildings utilized for small arms ammunition loading operations (220 series buildings) the operations were commonly conducted on the third (top) floor. These areas frequently lack floor drains to facilitate wash-down decontaminants.

*CAD/PAD devices use propellants

11 -11

4. Chemical Contamination

Shortly after the completion of the records search, a team of chemists from the Chemical Systems Laboratory, Aberdeen Proving Ground, Maryland, were sent to FFA at the request of the Commanding Officer to remove laboratory quantities of chemicals from the various laboratories and the production area; and to consolidate these materials in a central site to facilitate eventual disposal. This site is the Pitman-Dunn Laboratory, building 64, and selected storage sheds. (See Appendix D.)

Heavy metals constitute the most widespread chemical contamination. In addition to lead salts used in the lead styphnate process and lead shot captured in the target butts of the various indoor ranges (e.g., buildings 150 and 521), possible residue from former outdoor ranges, and lead metal component manufacture in building 216 exist. Mercury and mercuric salts were used extensively. Quantities of mercuric oxide were used in the plating shop (building 46). The second floor of building 212 was the site of mercurous nitrate "cracking" tests for cartridge cases. The secure room of building 149 contained approximately 500 pounds of liquid mercury and various mercury amalgams. Building 68 is highly contaminated with mercury. The shed designated as building 61A was used as a storage site for the mercury collected during the consolidation. The small arms ammunition production sites and related storage and tests sites (see Table II-1) are areas of contamination resulting from the past use of mercury fulminate in ammunition.

Ł

The plating shop, building 46, is an area of significant contamination. A total of 144 tanks are located on the first and second floor. The tanks and their contents are listed in Table II-2.

In addition, commercial quantities of acids, alkali and plating, and degreasing materials are stored in the basement area. A support laboratory for the plating operations contained laboratory quantities of metals, metal salts, and plating test materials. However, the bulk of this material was removed during the consolidation exercise. To a lesser degree, the other buildings involved in metal treating operations have similar situations: buildings 47, 48, 55, 120, 216, and 217 process line contents are delineated in Table II-3. These buildings also have stocks of industrial chemicals stored on site.

As a result of the consolidation activities, the wide-spread distribution of laboratory reagent chemicals and solvents was rectified. During this chemical "roundup" the largest non-laboratory sources were the optical shop, building 108, whose stocks included substantial quantities of hydrofluoric acid (used in glass etching); and the plating laboratory mentioned in a previous paragraph.

| TABLE II-2 (| continued |) |
|--------------|-----------|---|
|--------------|-----------|---|

| Tank No. | Plating Process | Use | Contents |
|-------------|-----------------|----------------|--|
| 25 | Chromium | Copper plate | Sodium cyanide, copper metal in caustic solution |
| 26 | | Cadmium plate | Sodium cyanide, cadmium metal in caustic solution |
| 27 | | Cadmium plate | Sodium cyanide, cadmium metal in caustic solution |
| 29 | | Water rinse | Water |
| 30 | | Acid | Hydrochloric acid |
| 31 | | Tin plate | Sodium hydroxide and tin metal caustic |
| 32 | | Water rinse | Water |
| 33 | | Water rinse | Water |
| 34 | | Hot air | |
| 35 | | Nickel strip | Sulfuric acid, concentrated |
| 36 | | Nickel strip | Sulfuric acid, concentrated |
| 37 | | Silver strike | Sodium cyanide, silver metal, copper in caustic solution |
| 38 | | Silver plate | Sodium cyanide, silver metal in caustic solution |
| 39 | | Nickel plate | Nickel sulfate, sulfuric acid, ac'' solution |
| 40 | | Hot water bath | |
| 41 | | Nickel plate | Nickel sulfate and chloride sulfuric acid, acid solution |
| 42 | Chromium | Copper plate | Copper sulfate and sulfuric acid, acid solution |

II-14

| (ABLE II-2 (CONTINUED) | ABLE | II-2 | (continued) | |
|------------------------|------|------|-------------|--|
|------------------------|------|------|-------------|--|

| Tank <u>No.</u> | Plating Process | Use | Contents |
|--------------------|--|------------------------------|---|
| 43 | Chromium | Electro clean | Alkali, caustic solution |
| 44 | Chromium | Water rinse | Water |
| 45 | Zinc, chromating and stainless steel passivation | Water rinse | Water |
| 46 | | Water rinse | Water |
| 47 | | Water rinse | Water |
| 48 | | Water rinse | Water |
| 49 | | Acid | Chromic acid, acetic acid, nickel sulfate and sulfuric acid |
| 50 | | Electric clean | Alkali, caustic solution |
| 51 | | Water rinse | Water |
| 52 | | Acid | Hydrocloric acid, concentrated |
| 53 | | Water rinse | Water |
| 54A | | Cyanide | Sodium cyanide solution, sodium hydroxide, caustic solution |
| 54B | | Nitrate stain- less steel | Amonium nitrate solution |
| 55 | | Zinc plate | Sodium cyanide, zinc metal in caustic solution |
| 56 | | Water rinse | Water |
| 57 | | Chromate | Sodium dichromate, sulfuric acid in acid solution |
| 58 | Zinc, chromating and stainless | Water rinse | Water |

II-15

4

| Tank No. | Plating Process | Use | Contents |
|-------------|--|---------------------|--|
| 59 | Zinc, chromating and stainless steel passivation | Water rinse | Water |
| 60 | | Phosphate | Phosphoric and phosphorous acid solution |
| 61 | | Water rinse | Water |
| 62 | | Clean and strip | Alkali, concentrated caustic solution |
| 62A | Zinc, chromating and stainless steel passivation | Hot air | |
| 63 | Phosphate and black oxide | Caustic electric | Sodium hydroxide, 5% solution |
| 64 | | Water rinse | Water |
| 65 | | Acid | Hydrochloric acid, concentrated |
| 6 6 | | Water rinse | Water |
| 67 | | Phosphate | Phosphoric acid |
| 68 | | Phosphate | Phosphoric acid |
| 69 | | Condition rinse | Chromic acid |
| 70 | | Copper etch | Chromic and sulfuric acid |
| 73 | | Water rinse | Hater |
| 74 | | Acid | Hydrochloric acid |
| 75 | | Water rinse | Water |
| 76 | Phosphate and black oxide | Water rinse | Water |

TABLE II-2 (continued)

II-16

A State and a

| TABLE II-2 | (continued) |
|------------|-------------|
|------------|-------------|

| No. | Plating Process | Use | Contents |
|-----|------------------------------|--------------------|---|
| 77 | Phosphate and black oxide | Water rinse | Water |
| 78 | | Caustic | Sodium hydroxide, 5% solution |
| 79 | | Water rinse | Water |
| 80 | | Hot air | |
| 81 | | Utility and wax | |
| 82 | | Water rinse | Water |
| 83 | | Phosphate | Phosphoric acid, 3% solution |
| 85 | | Water rinse | Water |
| 86 | | Pickle aluminum | Chromic and sulfuric acid, highly concentrated |
| 87 | | Mater rinse | Water |
| 88 | | Water rinse | Water |
| 89 | | Alodine 1200 | Sodium dichromate, nitrate fluoride salts |
| 90 | | Water rinse | Hater |
| 91 | | Water rinse | Water |
| 92 | | Water rinse | Water |
| 93 | | Acid etch | Nitric acid, concentrated |
| 94 | | Black oxide | Sodium nitrate and sodium hydroxide, highly caustic |
| 95 | | Water rinse | Water |
| 96 | Phosphate and black oxide | Caustic | Sodium hydroxide, 5% solution |

11-17

| Tank No. | Plating Process | Use | Contents |
|-------------|------------------------------|--------------------|---|
| 97 | Skin strip and paint remover | Water rinse | Water |
| 98 | | Pickle aluminum | Chromic and sulfuric acid, highly concentrated |
| 99 | | Deoxidant | Sodium hydroxide zincated solution, highly concentrated |
| 100 | | Water rinse | Water |
| 101 | | Paint remover | Organic acid (formic), concentrated |
| 102 | Skin strip and paint remover | Water rinse | Water |
| 103 | Anodizing | Water rinse | Water |
| 104 | | Black dye | Organic asphalt derivative |
| 105 | | Water rinse | Water |
| 106 | | Water rinse | Water |
| 107 | | Cleaner | Alkali, caustic solution |
| 108 | | Anodize | Sulfuric acid, 17% solution |
| 109 | | Water rinse | Water |
| 110 | | Green dye | Organic derivative |
| 111 | | Red dye | Organic derivative |
| 112 | | Black dye | Organic derivative |
| 113 | | Water rinse | Water |
| 114 | | Black dye | Organic derivative |
| 115 | Anodizing | Seal | Nickel acetate, mildly acid |

TABLE II-2 (continued)

II-18

| Tank No. | Plating Process | Use | Contents |
|-------------|-----------------|--------------|-----------------------------------|
| 116 | Anodizing | Seal | Nickel acetate, mildly acid |
| 117 | | Water rinse | Water |
| 118 | | Water rinse | Water |
| 119 | | Anodize | Sulfuric acid, 17% solution |
| 120 | | Water rinse | Water |
| 121 | | Cleaner | Alkaline, mildly caustic solution |
| 122 | | Water rinse | Water |
| 123 | | Seal | Mildly acid 5% solution |
| 124 | | Water rinse | Water |
| 125 | | Water rinse | Water |
| 126 | | Cleaner | Alkaline, mildly caustic |
| 127 | | Water rinse | Water |
| 128 | | Cleaner | Alkaline, mildly caustic |
| 134 | Anodizing | Degreaser | Trichlor |
| 135 | Impregnating | Water rinse | Water |
| 136 | | Cleaner | Alkali solution, caustic |
| 137 | | Water rinse | Water |
| 138 | | Cleaner | Alkali solution, caustic |
| 139 | Impregnating | Impregnation | Styrene |

TABLE II-2 (continued)

II-19

| TABLE | 11-2 | (continued) |
|-------|------|-------------|
|-------|------|-------------|

| Tank No | Plating Process | Use | Contents |
|------------|---------------------------|---------|------------------|
| Floor | 2 | | |
| AA205 | Printed circuit boards | Plating | Selrex gold acid |
| A24771 | | Plating | Selrex gold acid |
| None | | Plating | Copper sulphate |
| None | Ļ | Plating | Copper sulphate |
| None | Printed circuit boards | Plating | Copper sulphate |
| , | | | ~ |

II-20

| | TABLE II | -3. | METAL | TREATING | OPERATIONS |
|--|----------|-----|-------|----------|-------------------|
|--|----------|-----|-------|----------|-------------------|

| Tank <u>No.</u> | k Process | Use | Contents |
|--------------------|-------------------------------------|--------------|---------------|
| Bldg | 47-1 | | |
| 1 | Metal preparation | Tank | Acid |
| 2 | | Tank | Hot water |
| 3 | | Tank | Zinc |
| 4 | | Tank | Hot water |
| 5 | | Tank | Acid |
| 6 | | Tank | Hot water |
| 7 | | Tank | Acid |
| 11 | Metal preparation | Tank | Soap coating |
| 1 | Storage | Outside tank | Sulfuric acid |
| 1 | Heat treat | Salt pot | Salt |
| 2 | Heat treat | Salt pot | Salt |
| 3 | Heat treat | Salt pot | Salt |
| 4 | Heat treat | Salt pot | Salt |
| 5 | Heat treat | Tank | 0il |
| <u>B1dg</u> | 48-1 | | |
| 1 | Metal preparation, Borreson unit | Tank | Oakite |
| 2 | | Tank | Hot water |
| 3 | | Tank | Sulfuric acid |
| 4 | • | Tank | Sulfuric acid |
| 5 | Metal preparation, Borreson unit | Tank | Sulfuric acid |

t

11-21

| Tank No. | Process | Use | Contents |
|------------------|--------------------------------------|---------------------|--------------------|
| B1dg 48- | <u>1</u> | | |
| 6 | Metal preparation, Borreson unit | Tank | Cold water |
| 7 | | Tank | Hot water |
| 8 | | Tank | Zinc phosphate |
| 9 | | Tanƙ | Cold water |
| 10 | Metal preparation, Borreson unit | Tank | Hot water |
| <u>B1dg_55-</u> | 1 | | |
| ı | Metal preparation, Bonderite line | Neutralizer tank | Dioxylite |
| 2 | | Water tank | Water |
| 3 | | Bonderite tank | Bonderite |
| 4 | | Water tank | Water |
| 5 | | Acid tank | Phosphoric cleaner |
| 6 | • | Water tank | Water |
| 7 | Metal preparation, Bonderite line | Alkali tank | Alkali |
| <u>Bldg 55-2</u> | 2 | | |
| F-642 | Heat treat | Furnace | |
| F-643 | Heat treat | Furnace | |
| F-654 | Heat treat | Furnace | |
| F-655 | Heat treat | Furnace | |

TABLE II-3 (continued)

11-22

WEATHER THE AND

្រះ

TABLE II-3 (continued)

| Tank No. | Process | Use | Contents |
|-----------------|---|---------|--|
| Bldg 55-2 | 2 | | |
| F-656 | Heat treat | Furnace | |
| F-657 | Heat treat | Furnace | |
| F-847 | Heat treat | Furnace | |
| F-1005 | Heat treat | Furnace | |
| <u>B1dg 120</u> | | | |
| ۱ | Surface treating udylite production, anodizing system | Tank | Zincated solution, highly caustic |
| 2 | | Tank | Cold Water |
| 3 | | Tank | Caustic oakite #164 alkaline solution |
| 4 | | Tank | Cold water |
| 5 | | Tank | Chromic and sulfuric acid |
| 6 | | Tank | Cold water |
| 7 | | Tank | Sulfuric acid, 17% solution |
| 8 | | Tank | Cold water |
| 9 | | Tank | Cold water |
| 10 | | Tank | Sodium dichromate, 5% solution |
| 11 | | Tank | Organic derivative |
| 12 | ↓ ▼ | Tank | Cold water |
| 13 | Surface treating udylite production, | Tank | Nickel acetate, 5% solution |

Ł

II -23

Trans and the

TABLE II-3 (continued)

| lank No. | Process | Use | Contents |
|-----------------|---|---|--|
| B1dg 120 | | | |
| 14 | Surface treating udylite production, anodizing system | Tank | Cold water |
| 15 | Surface treating udylite production, anodizing system | Tank | Hot water |
| 16 | Surface treating udylite production, anodizing system | Tank | Hot air |
| Exhaust | Surface treating udylite production, anodizing system | Exhaust system | Acid and alkali in same system, including air exhaust fans XMI, XM3, and XMI2 |
| None | | Vapor degreasing unit, including exhaust system XM3A | Trichlorethylene is the medium |
| <u>B1dg 216</u> | <u>-1</u> | | |
| F-573 | Heat treat | Furnace | |
| F-620 | | Furnace | |
| F-625 | | Furnace | |
| F-626 | | Furnace | |
| F-627 | | Furnace | |
| F-628 | | Furnace | |
| F-814 | | Furnace | |
| F1043 | Heat treat | Furnace | |

t

II-24

λ

: "

| inder ii-2 (concinder) | TA | BLE | II-3 | (continued) |
|------------------------|----|-----|------|-------------|
|------------------------|----|-----|------|-------------|

| Tank _No | Process | Use | Contents |
|-----------------|---|------------------|---|
| <u>B1dg 216</u> | <u>-1</u> | | |
| F1088 | Heat treat | Furnace | |
| A30089 | | Furnace | |
| F-564 | | Electric furnace | |
| F-664 | | Nitriding pot | |
| F-963 | | Lead pot | Lead |
| F998 | | Lead pot | Lead |
| F1029 | | Nitriding | |
| X121092 | | Salt pot | Salt |
| X121091 | Heat treat | Salt pot | Salt |
| Bldg 217 | -1 | | |
| T | Udylite production, cyanide copper barrel plating system | Tank | Cleaner oakite 90M, 6 oz/gal |
| 2 | | Tank | Hot water rinse |
| 3 | | Tank | Cold water rinse |
| 4 | | Tank | Hydrochloric acid pickle, 50% solution |
| 5 | | Tank | Cold water rinse |
| 6 | | Tank | Cold water rinse |
| 7 | Vdylite production, cyanide copper barrel plating system | Tank | Cyanide copper solution |

A. 38.

Ľ,

| TABLE II-3 (| (continued) |
|--------------|-------------|
|--------------|-------------|

| Process | Use | Contents |
|---|---|--|
| <u>-1</u> | | |
| Udylite production, cyanide copper barrel plating system | Tank | Cyanide copper solution |
| Udylite production, cyanide copper barrel plating system | Tank | Cold water rinse |
| Udylite production, cyanide copper barrel plating system | Tank | Hot water rinse |
| Udylite production, cyanide copper barrel plating system | Tank | Hot air dryer |
| | -1 Udylite production, cyanide copper barrel plating system Udylite production, cyanide copper barrel plating system Udylite production, cyanide copper barrel plating system 'Udylite production, cyanide copper barrel plating system | ProcessUse-1Udylite production, Tank cyanide copper barrel plating systemUdylite production, Tank cyanide copper barrel plating system |

This was not seen and

The materials that remain wide-spread are the paints, lacquers, enamels, thinners, adhesives, "potting" compounds, and similar flammable materials in substantial quantities stored in sheds and storage cabinets throughout the post (see trip report field notes, Appendix D).

Over the last several years, USAEHA has been checking FFA for the physiological aspects of nitroglycerin. Sites involved in these studies were buildings 209 (third floor), 214 (third floor), 222, 224, 229, 240, 241, 242, 243, 244, 245, 246, 247, 248, 316, and 440.

B. Laboratory Research, Development, and Testing

The Pitman-Dunn Laboratory (named for the founders) was a premier research and development laboratory involved in a myriad of research projects (e.g., propellants, metallurgy, spectroscope, chemical, ballistic, electronic, etc.). The metallurgical activities were centered in building 149. Building 64 has the spectographic laboratories and the heat treatment area in the basement. The Materials Research and Analytical Laboratories utilize the first floor. The second floor is used for chemical research. This building, particularly the second floor, can be considered an area of extensive chemical contamination.

During the consolidation operations, a suite of rooms in the southwest end of the second floor was used as the assembly point. Approximately 4,000 organic compounds and a similar number of inorganics were processed. For safety reasons propellant explosives and pyrotechnic materials were demilitarized when possible or transferred to a storage magazine. The mineral acids, ammonium hydroxide, and solvents were stored in sheds adjacent to building 65; and the collected carcinogens were packaged and stored along with the liquid mercury in building 61 (shed). The bulk of the chemicals, which include a substantial amount that originated within building 64, remains stored in the second floor suite. It was stated by Dr. Mikula that during the removal of some chemical hoods for transfer to Picatinny Arsenal, mercury contaminants were discovered. It is believed that this is indicative of the situation throughout the building. The research into high energy materials and the extensive utilization of heavy metals makes this site a unique decontamination project. Several other laboratories and test facilities that exist on post are:

- 1. Building 65, laser research.
- 2. Building 68, propellant and pyrotechnic test.
- 3. Buildings 201/202, fire control systems development.
- 4. Building 227, analytical and inspection laboratory.
- 5. Buildings 230/231, ordnance test and evaluation.

11-27

- 6. Buildings 247/248, research and development operation and test.
- 7. Buildings 301/304, CAD and PAD test area.
- 8. Building 305, fuze environmental testing.
- 9. Building 313, radiological and chemical laboratory.

Buildings 65 and 201/202 chemical contamination appears to be minor. Building 312 was the subject of a decontamination exercise in 1976. The remaining laboratories have their own esoteric situation related to the materials involved. However, they do not involve the diversity of materials encountered in building 64.

C. Field Test Ranges

1. Indoor Ranges

A series of test ranges exist in buildings 512 and 150.

2. Outdoor Ranges

A range existed from building 65, parallel to Dearborn Street, with the target butt located in the open area near the sea wall. The butt has been removed.

Test ranges were available at Fort Dix for FFA use.

Historically (circa 1900) two ranges existed, situated near the then unacquired Henning Tract. The longer, 500 yard range extended from what is now the location of building 57 toward the river wall, the site of a former draw bridge. The 100 yard range extended in an east-west direction in the general vicinity of what is now building 301. See Figure II-2.

The Arsenal facilities decontamination data sheets list building 316 as a research ballistic range.

D. Potential Burial Sites/UXO Sites

Although there are presently no active burial sites at FFA, information indicates that explosive ordnance was formerly buried within the boundary of the Arsenal. The following sites were identified during the interviews and collaborated by more than one person:

1. Historical Ordnance

During the early fifties Civil War ordnance rounds were found when digging in the area near one of the post entrances during construction of

II-2[.]8



Figure 11-2. FORMER TEST RANGES, (CIRCA 1900).

11-29

the fence and gates. Actual numbers and types of rounds recovered were not available at the Public Information Office; however, indications are that the rounds were not inert. Some confusion exists as to the exact site; Baird Street gate was mentioned in some of the interviews; however, Mr. Sheridan of the Corps of Engineers (COE) stated that the Walbach Street gate is the actual site. He also stated that no attempt was made to look for or recover any additional buried ordnance.

2. Catapult Construction Adjacent to Building 316

During construction of the catapult (building 319) adjacent to building 316, ordnance rounds from World War I were found when the foundations were dug. The ordnance (live artillery rounds) was found at two separate locations (corresponding to the general areas of the former outdoor ranges): under what is now an asphalt parking lot (northeast of building 316) and the southeast corner of building 316 where the catapult structure now stands. Building 316 was used from World War I until recently for ballistic research tests of artillery ammunition.

3. Caves

North of Craig Road and south of the 140 series of buildings was an area known as the "Caves." The area was formerly a series of underground storage caverns for Fitler Area explosive components (e.g., PETN and lead styphnate). The materials were removed and the site converted to a parking l.t, circa 1970. Mr. Sheridan stated that all explosive materials were removed prior to the conversion; however, no check for residual contamination was made. Some Arsenal personnel interviewed held the opinion that ordnance was also stored at this site. However, no records were found as to quantity and type in support of this opinion.

4. Pier 409 on the Delaware River

Pier 409 on the Delaware River was used to load barges and ships with ammunition prior to World War II. Personnel interviewed stated that "all types" of ordnance used to be dumped into the Delaware River off the pier. It was "an easy way to get rid of stuff."

5. Frankford Creek

Considerable small arms ammunition was apparently thrown into the creek by FFA personnel. Those interviewed talked of throwing bullets at birds on the fence and the bullets landing in the creek. They talked in terms of "thousands of rounds." Frankford Creek also, in the past, had a dock where barges were loaded with ammunition for shipment.

6. Delaware River

During testing at the old outdoor range (parallel to Dearborn Street), many projectiles were reported to have missed the berm backstop and impacted into the Delaware River with some of the rounds landing across the river in New Jersey. Farmers would bring the projectiles back and file a complaint; however, the only reported fatality was one cow. No dat is available on type/ quantity of UXO in the river. Several reported that they had heard of a barge loaded with ammunition sinking in the Delaware River; however, the reported date of this incident varied from the Civil War to World War I. It was noted that the topographic map of the area places an asterisk in the Delaware River north of FFA and labels the asterisk "Frankford Arsenal." There was some speculation that the asterisk might mark the location of the sunken barge. However, during a review of the historical files now stored at the Rock Island Arsenal Historical Office, the probable source of the rumor was found. According to the contemporary arsenal military storekeeper, A. L. Roumfort, in a letter to the DuPonts, the sloop "Fame" ran aground on the flats near the Frankford Creek mouth. The date was 13 March 1841 and the cargo was 60 pieces of saltpeter (approximately 2,500 gallon volume).

E. Storage of Toxic/Hazardous/Radioactive Materials

As previously stated, ordnance material is in storage in the 400 Area magazines for eventual transfer to Letterkenny Army Depot for disposal. It should be noted that during the laboratory chemical consolidation operation, several apparently live rounds of ammunition were found throughout the post, kept perhaps as "momentos." These rounds were given to the Safety Office for disposition.

The Arsenal has a current inventory of 5,393 kilograms of depleted uranium (see Table II-4). The depleted uranium was utilized in various projects such as the Bushmaster, GAU-8, and the Alpha projectile. The storage areas used were buildings 149, 15, 227B (present major storage sites), 307, 312, and Transportainers 28 and 126 in the same area, the former building 507 (no longer exists), and 123.

Major processing and fabrication using depleted uranium were conducted in buildings 149, 150, 210 (third floor), 513, 45, 55, and 58 (balcony). The wastes from these operations were stored in drums with oil covering and disposed of as radioactive waste.

The test munitions were fired in building 316 (Range C) and building 521 (Range 16). No records were found regarding the use of the building 150 range although there were rumors to this effect.

Laboratories involved were building 64 (second floor) and building 312. Although subject to decontamination operations in 1976, the ventilation ducts and sewer drains are still suspect. TABLE II-4. FFA PHYSICAL INVENTORY URANIUM D-38 DECEMBER 1976

, .¹⁵

| Bldg No. | Description | Metal Weight (Kg) | Net U Weight (Kg) | Subto | tals |
|----------|--|---|---|---------|---------|
| 227B | 8.5% Mo 3 boxes 2½" diameter ingots 2½" diameter x 48" long rod 6 cans various items 1 box liner blanks Rods, various lengths | 1,733.2 36.0 161.5 17.6 90.7 | 1,585.9 32.9 147.8 16.1 83.0 | 2,039.0 | 1,865.7 |
| | Unalloyed 2 boxes sliced derbies Rods, various lengths | 765.5 2.9 | 765.5 2.9 | 768.4 | 768.4 |
| | 2½ Zr + 2½ Cb + 2½ Mo + ½ Ti 1 box 105mm cores (12 pieces) | 23.4 | 21.5 | 23.4 | 21.5 |
| | | B1d | lg 227B Total | 2,830.8 | 2,655.6 |
| 150 | Unalloyed 2 cartons 20 gr spheres Display items Plate, 30" x 6" x 3/8" Plates, 6" x 6" x 1" Plates, 6" x 6" x 2" Plates, 6" x 6" x 2" Plates, 8" x 8" x 1/16" Plates, 8" x 8" x 1/16" Plate and cone U-steel rods Pie cut ingot | 14.8 1.6 1.6 27.9 89.7 13.0 4.0 4.0 4.0 89.8 | 14.8 1.6 22.2 53.0 53.0 13.0 13.0 4.0 8.0 8.0 8.0 8.0 8.0 | 704.8 | 704.8 |

t

II-32

| ontinued) |
|-----------|
| 4 (C |
| -11 |
| TABLE |

| Ψ. | .oN gb [8 | Description | Metal Weight (Kg) | Net U Weight (Kg) | Subtot | als |
|----------------|-----------|--|---|--|---------|------------------|
| II -3 3 | 150 | 8.5% Mo Can l5mm cores Can rod ends Can rod ends Cartons 1-7 gr spheres Cartons 0.405" spheres Cartons 0.405" spheres Cartons 0.552" spheres Cartons 0.552" spheres Cartons cubes Ingot ends Cores, 20mm Rods, square Display items Box cubes (400 pieces) Cases, 105mm (18 pieces) | 186,5 9,8 7,0 7,0 12,5 7,0 12,5 7,0 12,5 7,0 12,5 7,0 12,5 7,0 12,5 12,5 12,5 12,5 12,5 12,5 12,5 12,5 | 2000 200 2000 2 | 349.6 | 320.0 |
| | | 2½ + 2½ + 2½ + ½ Rods 2½" diameter Rods 3/4" diameter Riser heads Cores | 23.9 50.2 10.7 | 22.0 46.2 9.8 11.5 | 97.3 | 89.5 |
| , | 149 | Unalloyed Drum Rods, cores, spheres (Katlin) | B1c 123.5 16.3 | dg 150 Total 123.5 16.3 | 1,151.7 | 1,114.3 139.8 |
| | | 8.5% Mo Drum Box Drum, 15mm cores Rods, cores, spheres (Katlin) | 68.9 17.6 20.7 22.6 | 63.0 16.1 18.9 20.7 | 129.8 | 118.7 |

. • .

| continued) |
|------------|
| \sim |
| 11-4 |
| ABLE |

ſ.,

| Bldg No. | Description | Metal Weight (Kg) | Net U Weight (Kg) | Subtot | als |
|----------|---|----------------------|----------------------|---------|---------|
| 149 | 8.5% Mo + 0.25% Si 2 boxes | 26.6 | 24.3 | 26.6 | 24.3 |
| | 8.5% Mo + 0.50% Si Box | 16.2 | 14.7 | 16.2 | 14.7 |
| | l½ Zr + l头 Cb + l½ Mo + ½ Ti 2 boxes Rods, cores, spheres (Katlin) | 22.6 22.8 | 21.5 21.7 | 45.4 | 43.2 |
| II-34 | 1.25% Ti Box Rods, copperclad Rods (Katlin) | 7.7 34.1 0.3 | 7.6 33.7 0.3 | 42.1 | 41.6 |
| | 2.0% Mo Rods, cores, spheres (Katlin) | 1.91 | 18.7 | 19.1 | 18.7 |
| | 4.0% Alloy Rods | 32.8 | 31.4 | 32.8 | 31.4 |
| | 0.75% Ti Rods, 3" x 0.3" Penetrators, tensile bars, ends | 6.5 479.9 | 6.2 475.7 | 486.4 | 481.9 |
| | Quad Alloy (0.75 Mo - 0.75 Zr - 0.75 Nb - 0. Penetrators, tensile bars, ends | 50 Ti) 731.0 | 708.3 | 731.0 | 708.3 |
| | | B1 | dg 149 Total | 1,669.2 | 1,622.6 |

| | | I.A. | BLE 11-4 | (continued) | | |
|-----|----------|--|----------|--|---|-----------|
| | BIdg No. | Description | | Metal Weight (Kg) | Net U Weight (Kg) | Subtotals |
| II | | Alloy Totals UnalloyedAlloy Totals Unalloyed8.5% MD8.5% MD 2^{12}_{12} Zr + 2^{12}_{13} Cb + 1^{12}_{12} MD + $\frac{1}{2}$ Ti 1^{12}_{12} Zr + 1^{12}_{13} Cb + 1^{12}_{12} MD + $\frac{1}{2}$ Ti2.0% MD1.25% Ti8.5% MD + 0.50% Si8.5% MD + 0.25% Si4.0% Alloy0.75% Ti Alloy0.75% Ti AlloyQuad Alloy (97.25%) | | 1,613.0 2,518.4 120.7 45.4 19.1 16.2 26.6 32.8 32.8 731.0 | 1,613.0 2,304.4 111.0 43.2 43.2 18.7 14.7 24.3 31.4 481.9 708.3 | |
| -35 | | T | otal | 5,651.7 | 5,392.5 | |
| 1 | | | | | | |

Plus the following rounds of ammunition:

Bldg 519
100 rounds 20mm armor-piercing DU Flechette penetrators (Tricap)
100 rounds caliber 50 Flechette

Bldg 223 400 rounds 7.62mm DU cartridges

ł

٦

بر ج
Other radioactive materials used on post related to the fire control system self-luminous devices, and involved buildings 201/202 and 108 (third and fourth floors). The primary radioisotope used was tritium (4^3) gas although other isotopes (e.g., Pm^{147} and Kr^{85} , etc.) were used. Storage areas for the tritium were the basement of building 108 and building 116 (which was also the packaging and shipping point).

Radioisotopes were also involved in propellant gages (Cs^{137} and Am^{241}). Five such devices were employed on post, at buildings 208 (first floor), 301A, 314 (second floor), and 521. The gage in building 521 is the only remaining unit and is scheduled for transfer to Fort Dix. The storage site for these gages was building 227B.

Miscellaneous sources of radioactive material such as carbon 14, microcurie levels of cobalt 60, nickel 63, strontium 90, etc., stored in buildings 227B, 127, and 57; radium Pyr-a-larm detectors (smoke) under the floor of the computer in building 109; polonium 210 sources used for anti-static purposes in building 150, currently stored in building 227B. Polonium antistatic brushes were also used in building 108. Tritium and radium were involved in luminous watches. An area of some concern is room 222, building 150; the watch shop in building 202 and the basement of building 519 were also involved.

1

Historically, the first storage site for radioactive material on post (radium in the 40's) was building 23.

During the records search, laboratory quantities of methane difluoro phosphine oxide, a chemical agent intermediate, was found in a glove box in room 215E of building 64. The material was subsequently removed from post by a Technical Escort Team for disposal. Also small cylinders (e.g., lecture bottle size) of toxic and reactives gases used in chemical synthesis were found in the chemical consolidation operations (e.g., phosgene, nickel carbonyl, azo methane, etc.). These gas cylinders were returned to the suppliers.

F. Support Activities

1. Water Supply

All water for FFA is supplied by the city of Philadelphia. The water is obtained from the Delaware River and is treated at the Torresdale Water Treatment Plant, located approximately two miles from FFA. Five metered lines from the Arsenal tap a distribution main that runs parallel to the northern boundary of FFA. The locations of these water meters are shown in Figure II-3. Water consumption for two consecutive three-month increments, between 17 September 1976 and 21 March 1977, was 80,066,250 gallons and 64,620,000 gallons respectively.

STATE CARACTER



Figure 11-3. LOCATIONS OF SANITARY-INDUSTRIAL SEWER SYSTEM OUTFALLS AND WATER METERS.

ł

II-37

Water for fire hydrants is supplied by a 50,000 gallon elevated storage tank and a 250,000 gallon ground-level storage tank.

A water line to provide emergency water is still in place at FFA's river pier. In the event of an emergency, provisions had been made for a river tug to tie up at the pier and pump Delaware River water into the Arsenal's water system for production use.

2. Waste Disposal

FFA has a sanitary/industrial sewer system and a storm drainage system. A wastewater interceptor sewer owned and maintained by the Philadelphia Water Department passes under FFA property. All of the Arsenal's present sanitary and industrial wastewaters are discharged to this interceptor and treated at the Northeast Sewage Treatment Plant. The portion of Philadelphia served by the city's interceptor has combined sewers, and during periods of high rainfall, flow in the interceptor backs up to the point that FFA has experienced some flooding. The situation is relieved partly by the Arsenal's wastewater interceptor sewer bypass. As the city sewer interceptor backs up, wastewater from the city sewer enters FFA's wastewater sewer. If the level of wastewater gets high enough in the installation's interceptor, it is bypassed to the Frankford Creek Ditch through outfalls formerly used by FFA. See Figure II-3 for the location of the sanitary/industrial sewer system, the storm drainage system, and outfalls. Table II-5 is keyed to Figure II-3 and lists the outfalls, their dimensions, and status. FFA's storm drainage system is divided into three separate parts. The portion of FFA west of Walbach Street is served by a system which is effluent to the Frankford Creek Ditch. The area between Walbach Street and the Penn-Central railroad tracks is served by a system that empties into the Delaware River through the city's bypass sewer. The part of the Arsenal east of the Penn-Central railroad tracks is served by a system that empties directly into the Delaware River.

Ł

Numerous underground catch basins, sump pits, or neutralizing basins are located in and around the Arsenal's production buildings. These pits are both lined and unlined. There are three types of pits depending on what they were supposed to "catch" or neutralize: (1) oil, (2) acid, or (3) powder. The pits overflow into the sanitary/industrial sewer system and can be located on the installation's zone maps.

Solid waste on FFA can be divided into three categories: (1) garbage or rubbish, (2) bulky waste, and (3) solid metal waste. The garbage and rubbish is taken by Arsenal employees to the city of Philadelphia's incinerator for disposal. The bulky waste is picked up by a private contractor, Kaspar Brothers of Philadelphia, and hauled to a sanitary landfill in Cinnaminsin Township, New Jersey. The estimated monthly average volume of solid waste in 1977 for the first two categories of solid waste is 2,300 cubic yards (uncompacted). Solid metal waste consisting of metal turnings,

| Outfalls | Dimensions | Height to Overflow | Status | | | |
|------------|--|--------------------|--------------------------|--|--|--|
| Storm Drai | nage | | | | | |
| 1 | 12 in diameter | N/A | Abandoned and plugged | | | |
| 2 | 24 in diameter | N/A | Abandoned and plugged | | | |
| 3 | 18 in diameter | 10 ft | Live | | | |
| 4 | 30 in diameter | 7 ft 1.5 in | Live (relief) | | | |
| 5 | 36 in diameter (2 lines) | 15.1 ft | Live | | | |
| 6 | 6 in diameter | 2 ft | Live | | | |
| 7 | 2 ft x 3 ft brick "Fitler" sewer | 7 ft | Live | | | |
| 8 | 30 in diameter | 8.3 ft | Live | | | |
| Sanitary I | ndustrial Sewer System | <u>l</u> | | | | |
| 9 | 10 in diameter backwater valve | 7 ft | Live | | | |

TABLE II-5. DIMENSIONS AND STATUS OF OUTFALLS

II-39

West water

trimmings, and scrap metal is taken to the property disposal area for salvage and eventual removal by a contractor. Table II-6 gives the solid metal waste disposed of from FFA between July 1969 and November 1969.

TABLE II-6. SOLID METAL WASTE DISPOSED OF AT FFA BETWEEN JULY 1969 AND NOVEMBER 1969

| Solid Waste | Pounds |
|-----------------------|---------|
| Steel turnings | 503,250 |
| Heavy steel | 184,750 |
| Light steel | 240,030 |
| Steel cutoff | 75,100 |
| Steel shells | 37,600 |
| Electronics scrap | 7,300 |
| Other scrap | 78,200 |
| Miscellaneous metals | 7,950 |
| Aluminum turnings | 92,915 |
| Other aluminum | 37,550 |
| Contaminated aluminum | 5,750 |
| Stainless steel | 9,600 |
| Manganese | 9,000 |

G. Land Use Factors

1. Pesticide/Herbicide/Fertilizer Usage

Formal pesticide/herbicide use plans were established at FFA in 1966. Herbicide usage on the Arsenal is limited to control of all vegetation on gravel areas and railroads. Seventeen acres are treated once a year with Monuron at 20 pounds per acre to control poison ivy, spotted sage, dallas grass, and milkweed.

Five acres of lawn area are fertilized once a year early in the spring with a 5-10-5 (5 pounds of nitrogen, 10 pounds of phosphoric acid, and 5 pounds of potash) fertilizer at a rate of 1,000 pounds per acre. This fertilizer is applied to the administrative and family housing area (see Figure II-4).

2. Sanitary Landfills

One two-phase sanitary landfill was located on the eastern boundary along the Delaware River (see Figure II-5). It is estimated that the northern half was last used approximately 20 years ago (1957). The southern half, which is older, was last used 35 to 40 years ago (1937-1942). Building 440, located on the southern half, was built in 1945. Interviews indicated that no contaminants were deposited in the landfill. It was a clean-fill type operation; only building and construction materials were placed in the landfill.

H. Geological Migration Potential Time Distance Relationships

Specific data was not available concerning vertical permeability of the soil or movement of groundwater at FFA. Philadelphia District Corps of Engineers personnel indicated an estimated vertical permeability at .2 inches per hour and groundwater movement of 20 to 100 feet per year with an average of 50 feet per year.

Vertical migration of contaminants can occur but the filtering capability of the subsurface is not known at this time. The potential existed for contamination migration from the unlined neutralization pits.

ł

II-41

States and the second second



1

Figure II-4. LOCATION OF FERTILIZED AREAS.

II-42



Figure II-5. LOCATION OF SANITARY LANDFILLS.

11-43

-

III. FINDINGS

A. Propellant and Pyrotechnic Wastes from Production Activities

The production areas of the Arsenal are contaminated or potentially contaminated with explosive, pyrotechnic, or propellant wastes resulting from the manufacture and loading of small arms ammunition, tracer ammunition, propellant and cartridge actuated devices, and lead styphnate.

B. Disposal Operations

There are no areas currently used as landfills for military or sanitary wastes. All such materials were removed by a contractor or by shipment to a military installation capable of disposing of explosive wastes (Letterkenny Army Depot). Evidence does exist of prior disposal, by burial, circa the Civil War period.

A small burning area, designated as building 439, was used for incinerating limited quantities of material. The ash was containerized and disposed of as contractor serviced scrap.

Quantities of ammunition are reported to be present in the adjacent Frankford Creek and Delaware River as a result of target overshoot and expedient disposal activities in the past.

C. Range Operations

Buildings 521 and 150 contain a series of indoor target ranges used for ammunition testing. Three outdoor target ranges once existed in the eastcentral area of the Arsenal. Two ranges have been superseded by building construction, and the target butt of the third has been removed.

Building 316 was the site of the cartridge actuated devices ballistic testing.

Of the above ranges, the activities at building 521 remain operational with its functions scheduled for transfer to Fort Dix, New Jersey.

Unexploded ordnance (UXO) is suspected to be present at several sites. Civil War material was found at the present site of the Walbach Gate, and World War I munitions were reported to be found during building construction in the vicinity of two former outdoor ranges. There are no records indicating disposal operations to remove the UXO from these sites.

D. Chemical, Biological, and Radiological Materials

Large quantities of commercial chemicals related to production and plating operations exist scattered throughout the installation. The most

notable of these sites is the plating shop, building 45, where the cyanide and acid baths remain.

Mercury contamination was also found; approximately one ton of the containerized liquid metal was found onsite. This find is attributed to post clean-up exercise, where large quantities of laboratory reagents were accumulated and consolidated in a holding area of the Pitman-Dunn Laboratory, building 64.

Large quantities of radiological materials remain in storage at the Arsenal, the major portion being 5,393 kilograms of depleted uranium stored in buildings 227B, 149, and 150.

E. Water Quality

Frankford Arsenal obtains its water from the Philadelphia water system and returns the waste water to the city's sanitary sewer system. Data available on the analysis of this waste stream gives no indication of contamination. It should be noted that the sanitary waste analysis does not include tests for explosive or propellant components (e.g., PETN).

F. Contaminant Migration

The area of concern is the Fitler or "400" Area, the former site of the lead styphnate production. The sewer lines are suspected of being contaminated. These lines terminate at the catch basin for the 400 Area on the bank of the Delaware River. The basin is in a state of disrepair.

It is believed that any subsurface contamination due to historical activities may be a potential problem.

IV. CONCLUSIONS

Areas of potential explosive/pyrotechnic, radiological, chemical, and unexploded ordnance contamination were identified and, in addition, other areas of potential contamination were documented.

t

V. RECOMMENDATIONS

It is recommended that the findings of the Records Research Team be reviewed by personnel responsible for the decontamination program at FFA and, where applicable, be incorporated into the program.

BIBLIOGRAPHY

- 1. AEHA Entomological Survey Number 44-007-73, dated September 1972.
- 2. AEHA General Sanitary Engineering Survey Number 24-016-70, dated November 1969.
- 3. AEHA Water Quality Engineering Special Study Number 24-029-73/75, Industrial Wastewater, dated August 1973.
- 4. AEHA Water Quality Monitoring Consultation Number 24-008-74, dated August 1973.
- 5. AMC General Order 252, dated October 1970.
- 6. AMC Historical Pamphlet, "Our First 150 Years, US Army Munitions Command, Frankford Arsenal," dated 1966.
- AMC Installation and Activity Brochure, AMC IS-102 (RI), dated 31 March 1975.
- Army Regulation 420-74, "Natural Resources Land, Forest, and Wildlife Management."
- 9. Army Regulation 420-76, "Pest Control Services," November 1971.
- 10. Draft Project Plan, Installation Restoration of Frankford Arsenal, Pennsylvania, dated September 1977.
- 11. Frankford Arsenal Brochure, "Fabrications Capabilities."
- Frankford Arsenal Environmental Impact Assessment, dated 23 September 1975.
- 13. Frankford Arsenal Personal Analysis, Annual Unit Historical Report, FY 76.
- 14. Frankford Arsenal Publication, "Through the Years at Frankford Arsenal, 1816-1971."
- 15. Letter: Installation Natural Resources Report FA, dated July 1969.
- 16. Letter: Special Visit on Natural Resources Management FA AMC Installation and Special Services Agency, dated August 1974.

VI-1

The second state of the se

- 17. Pennsylvania Geological Survey Bulletin W-13, "Groundwater Resources of the Coastal Plain Area of Southeastern Pennsylvania," 1961.
- 18. Soil Survey of Bucks and Philadelphia Counties, Pennslyvania US Department of Agriculture Soil Conservation Service, July 1975.
- 19. Unsigned Narrative History Circa 1909, "The Frankford Arsenal," on file in the Records Research Office.

APPENDIX A

LIST OF KEY PERSONNEL INTERVIEWED

A-1

Carlos test

ر لوي

Ľ,

LIST OF KEY PERSONNEL INTERVIEWED

Name Position Bird, Warren Chief, Components Engineering Blickley, John Chief, Production Division Physicist Boldine, Lou Bomberger, Alfred Foreman Chemical Engineer Bravo, John Bruno, Al Munition Mechanics Foreman Bushey, B. W. Director, MTD Public Affairs Officer Corcoron, Edmond Cortese, Eugene Counsel Costello, Robert Electro Plate Foreman Dignam, John Functional Equipment Co-on Division Donahue, J. A. Chief, S. C. Ballistic Evaluation Branch Supervisor, Mechanical Engineering Donnard, Reed (retired) Farris, Frank Procurement Office Fidell, Francis Safety Office General Foreman Gower, Edward Kirshner, Howard Chief, A/C Propellant and Pyrotechnic Branch Chief, System Engineering Office Lawrence, Stan (retired) Makula, J. J. Chief, Chemical Department Pitman-Dunn Laboratories

A-2

186-01

Name Position Manning, H. P. Director, Munitions (retired) WS Assistant Foreman Mattis, Irwin Morena, Joseph Legal Office Nixon, Simon L. Assistant Metal Work Foreman Small Caliber Production Penn, Harry Pikeeman, John Engineer Technology Mechanic **Research** Chemist Quinlan, Joseph **Chemical** Engineer Rempfer, Edward Schlack, Allen **Chemical** Engineer Acting Director, Technical Support Sokolowski, Hank **Research** Assistant Stanley, Linda Steel, Charles Engineer Taylor, Maurice Chief, Standardization Office (Ordnance Engineer) General Foreman, Munitions Tees, Elwood **Closure** Officer, FFA Valley, Frank Worsley, Thurman Real Property Office

A-3

× 19 34

APPENDIX B

PHOTOGRAPHS

B-1

And the second second

State and





Figure 1. Historical photo of cannon and shelts taken after the Civil War.



Figure 2. Loading small arms ammunition at FFA, 1972 Archives photo.



ļ

Figure 3. Loading small arms ammunition at FFA, 1972 Archives photo.

t



4

-

Figure 4. Loading small arms ammunition at FFA, 1972 Archives photo.





ţ



Figure 6. Small arms test range adjacent to Frankford Creek, 1947 Archives photo.



Figure 7. Drop tower adjacent to Bldg 301. Live WWI ammunition was discovered when digging foundation of tower.



Figure 8. Drop tower.

| | AD-A110 393 ARMY TOXIC AND HAZARDOUS MATERIALS AGENCY ABERDEEN PETC F/G 13/2 Installation assessment of frankford Arsenal.(U) | | | | | | | | | | | | |
|-----|--|--------|--------|----------------------|---------|--|--|--|------------------|--|----|--|---|
| i i | UNCLA | SSIFIE | D DRX1 | H-ES-I | A-77115 | | | | | | NL | | |
| | | 20F 2 | | | | | | | 2007-000 2000 | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | END D2.82 DTIC | | | | | | | | | |
| ļ | | | | | | | | | | | | | |
| | | | | | | | | | | | | | I |
| | | | | | | | | | | | | | |





Figure 9a. Views showing portion of seawall along Delaware River.



Figure 9b. Steel grating is outfall for Fitler Sewer.



Figure 10a. Mouth of Frankford Creek Ditch.

ţ



1

1

1

ŧ,

Figure 10b. Frankford Creek Ditch, Bldg. 224 and 223 in background.

B-11

MERCHANNES



Figure 11a. Groundwater running from crack in seawall.

t



Figure 11b. Same as 11a., different angle.



Figure 12a. Site of former landfill. Concrete slab in background is helicopter pad.

t



Figure 12b. Site of former landfill. Bldy 440 in background.

B-13

25: 34



Figure 13a. "409" sump.

t



Figure 13b. Parade ground, Bldg 14 in background.







4

in the second second

Figure 15a. Inactive operations buildings, "400 Area".

1





APPENDIX C

BORING LOGS



See.

Section and the

1

レ


(» (»

Ç,

NULS PAGE IS BUSI QUALITY FRACTICANA.

A CARANTER CALIFORNIA CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR C



and the second second

| | | | | | | | | BILT 11 10 100 | |
|--|--|------|-----------|---|---|---|---|----------------|-------|
| Na.16 Na.17 | The second secon | | | | | | | | |
| | | | | | | 1 | 5 | 1 | |
| | | | 0 0 0 0 7 | | <u>é </u> | | | | |
| 2007 2007 2007 2007 2007 2007 2007 2007 | | SOME | | | Some Some | | | | |
| | COLORATING TO CO | | | 7. NE WET KAND FALD FALD F | | | | | |
| 2 • Z | | | | | | | | | |
| No 12 | | | | | | | | | |
| | | | | | | | | | ko. |
| 01 01 | | | | | | | | A COLORIDA | O DOG |

ł

3

.







ALS PAGE LO MANANA MANANA

•

5

-(7

١



t

ļ



Ū.

ł

i

| | Der | oth | |
|----------------|----------|-----------|--|
| Boring No. | From | То | Soil Classification |
| <u>Bldg 47</u> | | | |
| 1 | 0'0" | 0'9" | Concrete |
| | 0'9" | 5'6" | Fill - brown fine to medium sand, some gravel, silt, some coal fines (red bricks 3 - 5 ft) |
| | 5'6" | 8'0" | Brown fine sandy silt |
| | 8'0" | 21 '0" | Brown fine to medium and coarse sand and fine to coarse gravel, some silt |
| | Ground | dwater at | 11'3" |
| 2 | 0'0" | 0'8" | Concrete |
| | 0'8" | 4'6" | Fill - brown silt, trace of fine sand and brick |
| | 4'6" | 10'0" | Brown silt, trace of fine sand |
| | 10'0" | 21'0" | Brown fine to coarse sand, some fine to coarse gravel and silt |
| | Ground | dwater at | 11'0" |
| Borings | s comple | ted 10 Ap | r 75 |
| <u>B1dg 48</u> | | | |
| 1 | 0'0" | 3'2" | Concrete floor |
| | 3'2" | 8'0" | Brown sandy silt, few pieces of gravel |
| | 8'0" | 25'0" | Brown fine coarse sand and gravel, wet |
| | 25'0" | 27'0" | Brown fine to medium sand, wet |
| | 27'0" | 31 '0" | Brown fine to coarse sand-gravel, wet |
| | Groun | dwater at | 11'4" |
| Boring | complete | ed 17 Sep | 71 |
| | | | |
| | | | |

t

BORING LOGS -- BUILDINGS 47 AND 48

٦

C-10

8. A.

| | Dej | pth | |
|------------|----------|-----------|---|
| Boring No. | From | То | Soil Classification |
| B1dg 48 | | | |
| 2 | 0'0" | 1'2" | Concrete |
| | יי2י ז" | 5'0" | Medium brown sand, some silt and gravel |
| | 5'0" | 9'6" | Medium brown sand and gravel |
| | 9'6" | 20'6" | Coarse brown sand and gravel |
| | 20'6" | | Hardpan |
| | Ground | lwater at | 10'8" |
| Boring | complete | ed 7 Nov | 72 |

(continued)

S.W.B

. ت

1

DRILLER'S LOGS FROM ROHM AND HAAS WELLS

٠ ر

| Formation/Member | Pleistocene, undifferentiated Raritan/Middle clay Raritan/Farrington sand Crystalline rocks |
|-------------------------------------|--|--|--|--|
| Soil Description (Depth in Feet) | Sand and gravel Yellow and sandy clay Sand and gravel Mica rock | Sand and gravel Yellow and brown clay Fine brown sand & gravel Mica rock | Sand and gravel Yellow and red sandy clay Brown sand and clay Mica rock | Sand and gravel Yellow sandy clay Coarse sand and gravel Residual yellow clay & mica |
| | 0-25 25-45 45-65 65-67 | 0-25 25-40 40-60 60-80 | 0-25 25-45 45-53 58-65 | 0-19 19-38 38-43 43-44 |
| Total Depth (feet) | 67 | 80 | 65 | 44 |
| Altitude (msl) (feet) | 1 | 01 | 18 | 10 |
| Location | J23d-8433 | J2 3d-8333 | J23d-8332 | J23d-8330 |
| Well No. | Ph-324 | Ph-325 | Ph-326 | Ph-327 |

C-12

Statuter.

APPENDIX D

SUMMARY OF TRIP REPORTS

D-1

Service Provene

:56



DEPARTMENT OF THE ARMY US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND CHEMICAL SYSTEMS LABORATORY ABERDEEN PROVING GROUND, MARYLAND 21010

DRDAR-CLT-D

25 July 1977

TRAVEL MEMORANDUM FOR RECORD

SUBJECT: Report of Trip to Frankford Arsenal from 19 to 22 July 1977 by Donald Gross, Albert Deiner, Paul Davis, and George Pankoff

1. Purpose: To provide technical expertise in the organization of the segregation, for disposal, of laboratory chemicals left in storage in the various buildings of Frankford Arsenal and to assist in the development of a Letter of Instruction to personnel who will be completing the task of handling these chemicals.

2. Individuals Contacted:

LTC Wood, Carrent Commander, Frankford Arsenal LTC Hackley, former Commander, Frankford Arsenal COL Greene, AcRODCOM Mr. Ford, Civilian Executive Dr. Mikula, former head of Frankford Arsenal Chemical Dept, Pittmann-Dunn Labs Dr. Mctsagama, ARRADCOM, Large Caliber Weapon Systems Laboratory Mr. F. Fidell, Chief, Safety Office, Frankford Arsenal Various former Pittmann-Dunn employees currently employed at ARRADCOM

3. Brief Summary of Discussion: A survey of the building and storage areas, designated by the Frankford Arsenal Safety Office as chemical storage sites, was made. It was ascertained that a potentially hazardous condition existed which required rapid remedial action.

4. Significant Accomplishments/Actions/Recommendations:

a. Actions:

(1) A Letter of Instruction was drafted and submitted to the Frankford Arsenal Safety Office for adoption. This document was reviewed and signed by Mr. McGrath of the CSL Safety Office. A copy is inclosed as incl 1.

(2) The Commander of the installation was briefed on the status of the potential hazards existing on the installation and suggested remedial action was presented.

DRDAR-CLT-D 25 July 1977 SUBJECT: Report of Trip to Frankford Arsenal from 19 to 22 July 1977 by Donald Gross, Albert Deiner, Paul Davis, and George Pankoff

(3) At the request of the Commander the CSL team removed all immediate apparent hazards presented by laboratory sized chemicals and commercial materials stored in various buildings throughout the arsenal.

(4) The collection, consolidation, and segregation of laboratory and proprietary chemicals was systematized into the following categories:

- (a) Mineral acids
- (b) Mineral bases
- (c) Volatile organics
- (d) Gases
- (e) Carcinogenic compounds
- (f) Insecticides -
- (g) Heavy toxic metals (Hg, As, Cd, Pb, Se)
- (h) Commercially valuable metal salts (Ag, An, In, etc.) -
- (i) Organic laboratory compounds and intermediates
- (j) Inorganic compounds
- (k) Alkali and alkali earth metals (Na, Li, K, Ca)

(5) The materials from the outlying building were removed and transported to building 64, second floor and segregated in the categories listed above. The buildings visited are listed in incl 2.

(6) In the above efforts the CSL team was given the cooperation and assistance of Dr. Mikula and two former Pittmann-Dunn employees

b. Recommendations and Conclusions:

(1) The collection and segregation of laboratory chemicals has been systematized and qualified personnel are now in a position to continue this effort.

DRDAR-CLT-D 25 July 1977 SUBJECT: Report of Trip to Frankford Arsenal from 19 to 22 July 1977 by Donald Gross, Albert Deiner, Paul Davis, and George Pankoff

(2) A major portion of the arsenal has been surveyed and the vast majority of chemicals have been removed to building 64 for subsequent segregation.

(3) Recommend that the remaining buildings not already covered be investigated for chemicals and potentially hazardous materials.

(4) Recommend that a Frankford Arsenal team, more familiar with the arsenal, resurvey the buildings already covered to insure that nothing was overlooked.

(5) Recommend that the large quantity of mercury, with an approximate market value of \$40,000, be sold to recoup the value.

(6) Further segregation of inorganic and organic chemicals should be performed and potentially valuable materials further segregated for resale to commercial; this includes commercial quantities of unopened materials (plating materials, etc.).

(7) A contract for disposal of the remaining materials, excluding the plating solution in tanks in building 46, should be let. A list of EPA approved disposal companies was given to the Frankford Arsenal Closure Office to facilitate this action.

(8) Gas cylinders located throughout the post should be returned to the suppliers to reduce demurrage charges on these cylinders.

(9) Cylinders of Phosgene and bottles of Difluoro have been isolated into a locked room and are to be removed by a Technical Escort team on Tuesday, 26 July 1977.

SUBMITTED BY: 2 Incl DONALD GROSS ALBERT DRDAR-CLT-D DRDAR-CLN as CF: PAUL M. MAVIS EORGE PANKOFI Cdr, Frankford Arsenal DRDAR-CLB -KA DRDAR-CLC Cdr, Picatinny Arsenal (Dr. Mikula) Chief, Mun Div (DRDAR-CLN/A. Deiner) Chief, Rsch Div (DRDAR-CLB/P. Davis) ١ **Chief, CB Det & Alarms Div (DRDAR-CLC/G. Pankoff)**

D-4

3

LETTER OF INSTRUCTIONS FOR HANDLING CHEMICALS IN FRANKFORD ARSENAL

PURPOSE.

The purpose of this letter of instruction is to act only as a general guide to the personnel of the chemical separation and segregation team and is not intended to be applicable to each and every special situation that might arise. The objective of the team will be to properly sort and segregate a wide variety of chemicals into compatibility groups to minimize safety hazards until their disposition is effected.

SCOPE.

These instructions will be followed by team personnel in separating and transferring all laboratory quantities of chemicals in buildings within Frankford Arsenal.

OPERATING INSTRUCTIONS.

1. Only duly qualified personnel based on background and experience in chemistry will direct work described within these instructions.

2. While carrying out the duties described below, each team member is required to wear protective clothing consisting of rubber gloves, rubber apron or coveralls and suitable eye protection, e.g., shields, safety glasses, etc., and any required safety devices required for specific applications, e.g., face mask, respirators, etc.

3. Each team member will be familiar with the location and operation of fire extinguishers, fire alarms, safety showers and eye wash fountains in build-ings listed in scope of these instructions.

4. No team member will be permitted to work alone during the sorting, 'separating and transporting of chemicals.

5. Each team member will be briefed on safety precautions to be taken during performance of assigned duties and will be provided with neutralizing compounds to be used in the eventuality of an accidental chemical spill.

6. All team leaders will be furnished with and be required to read and acknowledge their understanding of the Feltman Research Laboratories Safety Manual (attachment 1). They will also be furnished with a copy of and will be required to become familiar with the revised list of controlled substances and carcinogens (attachment 2).

7. All personnel of the team are required to wash their hands and face after each and every sorting operation and especially before eating.

No eating will be permitted by team members in areas containing chemicals.

8. Team members are not to open, smell or touch any chemicals regardless of label designation and, therefore, combining of partially consumed common

Jon 11

chemicals for the purpose of consolidation is prohibited, as also is dumping of any chemicals into the drains, sewage system, water ways or atmosphere.

9. All chemicals bearing labels will be identified and sorted into one of the following categories: volatile solvent, mineral acid, strong oxidizer, strong reducer, carcinogenic material, controlled substance, explosive or hazardous material or if not applicable to one of these categories, then the more general category of inorganic compound.

10. All chemicals except the volatile solvents will be placed in a holding area on the second floor of Building 64, consisting of a suite of six rooms, accessible from the hallway only be entrance through doors numbered 200 and 202.

11. Each room of the holding area will be posted with signs and will be used to store the group of compatible chemicals for which it is designated.

12. Rooms in the chemical holding area will be off limits to all personnel except designated team members and team members are requested to enforce this rule if unauthorized personnel are seen in the area.

13. Access to all rooms on the second floor of Building 64 containing chemicals awaiting transfer to the holding area will be locked and secured at all times except when team members or other duly authorized personnel are working in them.

14. Keys for all secured areas, including the chemical holding area, will be strictly controlled by the team coordinator, Dr. Mikula, and one other person whom he designates.

15. Absolutely no smoking will be permitted on the second floor of Building 64. To insure compliance with this request, a sufficient number of signs will be prominently displayed in Building 64, at the entrances to the second floor, on doors along the hallway of the second floor and on the elevators leading to the second floor. In addition, a member of the Fire Department is to make periodic daily walk-throughs of the second floor areas to enforce the no smoking rule, and team members are also requested to assist in the enforcement of the no smoking regulation.

16. Highly volatile and flammable solvents will be separated and transferred from Building 64 to the shed area adjacent to Building 65, which had previously been used at Frankford Arsenal for such purposes. The solvents will be stored in the shed awaiting final disposition. Restrictions, with regard to smoking, personnel access, and key control, as outlined in paragraphs 8 through 11, inclusive, will also apply to the solvent shed area.

17. All unlabelled bottles, jars, or reaction flasks containing chemicals are to be treated as potentially hazardous materials and as such will be cautiously segregated and placed under a fume hood in the holding area designated and tagged for such substances. The area should have a sign clearly affixed to it with a warning of the presence of potentially dangerous chemicals.

2

18. All non-toxic compressed gas cylinders will be transferred and consolidated in a holding area in the basement of 64 Building. The cylinders are to be tied down by either a chain or heavy rope to prevent them from tipping over. Cylinders containing toxic gases are to be placed with the toxic chemicals and secured in the same manner as non-toxic gas cylinders.

19. Mr. F. Fidell, FFA Safety Director will act as overall coordinator for the entire operation including final decontamination and disposal of all chemicals on post. He will keep the FFA Closure Office informed of the progress being made. In addition, he will inform the Post Dispensary, Fire Department and Security Office within FFA of the chemical separation and segregation operation and request them to take whatever standby actions are necessary.

3

elcula

DR J. MIKULA Team Coordinator (ARRADCOM)

ROBERT J. MC GRATH Safety Engineer CSL ABO (ARRADCOM)

F. FIDELL FFA Safety Director

| ENTERNO SETTIO | DEA FOR STA | ۲ | |
|--------------------------|---------------------------------------|---------------------------------|------------------------------------|
| ETERNEL CH LEFTCE STHEOL | 595265 | | |
| SAREA-BL | Revised List of Centre | olled Substances | |
| TO See Distribution | FROM COL Lewis C. M Narcotics Cont | Miner DATE 1 trol Officer CO | 10 Mar 77 CMT DL Miner/rmy/3525 |

1. In accordance with par 5g(10) of EWAR 40-1 dtd 23 November 1976 the attached list of substances controlled since enactment of the Controlled Substances Act of 1970 is forwarded to update Annex A of above regulation and the Controlled Substances Inventory List, revised January 1975, Drug Enforcement Administration.

2. Special attention is invited to the following drug actions:

a. Dextroproposyphene (Darvon) - added to controlled substances list as of 14 Mar 77 under Schedule IV.

b. Apomorphine and Dextrorphan are no longer controlled as scheduled drugs.

c. Naloxene (Narcan) and Levallorphan (Lesfan) are not controlled substances.

d. Chlordiazepoxide (Librium) and Diazepon (Valium) were added to the controlled substance list in 1975.

3. The attached list should be filed for reference with the custodian's log book.

S. A. MARINA LINE LINE

1 Jncl as

LES C. MINER COL. MSC

Na cotics Control Officer

DISTRIBUTION: Dir of Biomed Lab <u>Dir of Cml Lab</u> MAJ J. M. Linn, Biomed Lab CPT J. H. McDonough, Biomed Lab Dr. C. Broomfield, Biomed Lab Mr. R. McHugh, Cml Lab Mr. M. Christensen, Cml Lab Mr. W. Lennox, Cml Lab

D-8

The following is the current list of Chemical Surety Material which requires special controls as prescribed and regulated by the Surety Office:

- 302,196 EA 3834 EA 3990 EA 5365 BZ (2-Quinuclidinyl Benzilate) EA 2277, CS 123669, CS 4030 CX (Dichloroformoxime or Phosgene Oxime) GA (Tabun) GB (Sarin) GD (Soman) GF (EA 1212) H (Levinstein Mustard) HD (Bis (2-chloroethyl) Sulfide, Distilled Mustard) HL (Mustard Lewisite) HQ (25-30% Q and 70-75% H) HS HT (60% HD and 40% T by weight) L (Lewisite) (2-Chlonovinyldichlonoanisine) Q (1,2-Bis (2-chlonoethylthio) ethane) (Sesquimustard) T (Bis (2-chlonoethylthi.ithyl) ether) HN1 (Bis (2-chlonoethyl) ethylamine) HN2 (Bis (2-chlonoethyl) methylamine) HN3 (Tris (2-chloroethyl) amine (Nitrogen mustard) VX (EA 1664) VX (EA 1701) DF (difouro methyl phosphine oxide) EA 1251 QL (Diisopropylaminoethyl Ethyl methylphosphonite), Trans ester, EA 1724 AC (Hydrogen Cyanide or Hydrocyanic Acid) CG (Carbonyl Chloride or Phosgene)
- CK (Cyanogen Chloride)

0-9

The following is a list of those chemical compounds considered to be carcinogens:

4-Aminodiphenyl

√Benzidine

beta-Naphthylamine

4-Nitrodíphenyl

Dis-Chloromethyl ether

Methyl chloromethyl ether

2-Acetylaminofluorene

3,3'-Dichlorobenzedine (and its salts)

4-Dimethylaminoazobenzene

Alpha-Naphthylamine

N-Nitrosodimethylamine

beta-Propiolactone

4,4'-Methylene bis (2-Chloroaniline)

Ethyleneimine

Vinyl Chloride

V Benzena For more specific information refer to SAREA Pam 385-1, Chapter 6.

Status and in

MEMORANDUM FOR RECORD

Subject: Search and Consolidation of Laboratory Chemicals at Frankford Arsenal 19-22 July 1977

The purpose of this trip was to collect, consolidate, and segregate laboratory quantities of chemicals at Frankford Arsenal. Additionally, the "Letter of Instructions for Handling Chemicals" was reviewed and comments made accordingly.

The following buildings were inspected for laboratory quantities of chemicals, collected and brought to building 64 (the centralized area) for segregation into volatile solvent, mineral acid, strong oxidizer, strong reducer, carcinogenic material, controlled substance, explosive/hazardous material, or general category of inorganic compound.

Buildings inspected:

Bldg 39 Paints, one tank of enamel thinner, one tank of synthetic enamel (left as is).

Bldg 39 15 5-gallon drums of Dioxane (left as is). (storage shed)

- Bldg 46-B Emptied two storage cabinets of lab chemicals and transported to building 64.
- Bldg 46-1 Emptied two laboratories of large quantities of lab chemicals and transported to building 64.
- Bldg 46-2 Removed various lab chemicals and transported to building 64.
- Bldg 46 Contains large quantities (commercial) of caustic, nitric, chromium hydroxide, and mercuric oxide. There are numerous plating baths located on the first floor of this building containing various mixtures of acids which have to be disposed of commercially. The shed outside of building 46 contains a variety of thinners, paints, and commercially identified plating additives which cannot be chemically identified.
- Bldg 48 Heat treatment building. Contains commercial quantities of nitric acid, zinc phosphate, and an outside storage tank of sulphuric acid, also large quantities of caustic. No laboratory level chemicals were found in this building. There were seven drums of chlorinated napthalene also located in this building.

Jul 2

- Bldg 55 Paint shop (east end). 33 20-gallon drums of phosphorb cleaner (acid), drums of granodine and deoxylyte. Flammable paints and 21 boxes of flammable metal bond are also located in this building. No laboratory quantities of chemicals were found in this building.
- Bldg 108 Optical manufacturing. The first, second, third, and fourth floors were inspected which produced large quantities of laboratory quantities of chemicals. All were transported to building 64. No commercial quantities of chemicals were in this building.
- Bldg 108 Contains numerous unidentified chemicals. Removed lab (shed) chemicals to building 64.
- Bldg 112 Welding shop. No chemicals of any kind were to be found in this building.
- Bldg 120 Contained commercial quantities of oxident 300 pounds; however, no lab quantities of chemicals were located in this building.
- Bldg 149 (Metallurgy) Numerous quantities of lab chemicals were found and transported to building 64. Additionally, approximately 500 pounds of mercury was transported to building 64. No commercial quantities could be located in this building.
- Bldg 150 An average amount of lab quantity of materials were located and transported to builling 64. No commercial quantities of chemicals were to be found in this building.
- Bldg 212-2 Contains 25 gallon drums of muriatic acid but no chemicals.
- Bldg 216 Contains commercial quantities of Ketone, formic acid an cyanide but no lab quantity of chemicals.
- Bldg 217 Contains 26 gallons of muriatic acid, 200 pounds of oakite and three 25-gallon drums of nitric acid.
- Bldg 217 Contains commercial quantities of sulphuric acid only. (shed)
- Bldg 215-1 Variety of lubricant oils only.
- Bldg 215-2 Two 100 pound drums of sodium hydroxide. No lab chemicals.

2

Bldg 251-1 Plastics manufacturing. Removed small quantity of lab chemicals to building 64.

D-12

t

| Bldg and Bldg | 251-1 251-2 | Contained large quantities of Marlex, bakelite, nylon, resin, alathon, ethoglass, leranzytel, strafil, poly- carbonate resin, fiberfil, polytron and polystyrene used in the plastics manufacturing field. These materials were left in building 251. |
|---------------------|-----------------|---|
| B1 dg | 68 | No chemicals found either commercial or lab quantities. Highly contaminated with mercury - needs decontamination. |
| B1 dg | 239 | Clean - no chemicals, oils, or l u bricants. |
| B1 dg | 242 | Removed lab quantities of chemicals and transported to building 64. 55-gallon drum of alcohol still stored. |
| B1 dg | 246A | Clean of chemicals, oils, lubricants, etc. |
| B1 dg | 2 4 7A | Latrine - clean. |
| Bldg | 247 | Numerous lab chemicals transported to building 64. |
| Bìdg | 248 | Clean of chemicals, oils, lubricants, etc. |
| B1 dg | 246 | One 50-gallon drum of lubricating oil. |
| Two 1 | ranstai: | iners south of Bldg 246 Removed large quantities of lab chemicals and transported to building 64. Items remaining: Two 25-gallon drums of grinding fluid One 5-gallon drum of freon fluorocarbon One 5-gallon drum of polyvinyl acetate |
| B1 dg | 248A | Munitions and gunpowder; no chemicals. |
| Bldg | 240 | No chemicals, oils or lubrica nt s. |
| B1 dg | 239A2 | Clean - no chemicals, lubricants, etc. |
| Bldg | 239C1, | 239C2, 239C3, 239C4 Clean - no chemicals, lubricants, etc. |
| B1 dg | 239D3, | 239D2, 239E Clean - no chemicals, lubricants, etc. |
| Bldg stora | 239 Ige shec | No chemicals. Contains one 50-gallon drum of caustic soda de commercial quantity. |
| B1 dg | 513 | Metallurgy building. Removed lab chemicals to building 64. |
| Post | Dispens | ary (Mrs. Luce, Chief) All narcotics were moved to Ft Dix. When final close-down occurs, all medicines and chemicals will be moved to Ft Dix. |
| | | 3 |

- Bldg 59 No lab chemicals. Commercial quantities of the following: Two cases ethylene glycol Six 5-gallon drums of butauol Five 50-gallon drums of alcohol
- Bldg 439 Lab quantities of oxidizers brought here.
- Bldg 44 (Receiving) No chemicals, lubricants, oils, solvents, etc.
- Bldg 65 Removed large quantities of lab chemicals to building 64.
- Bldg 61A No lab chemicals. Consolidated and stored 1550 pounds of mercury in this building.
- Bldg 61B No lab chemicals. Contains a variety of plating mixes which were unidentifiable.
- Bldg 61C Empty

Bldg 61D Removed small lab quantities of chemicals and transported to building 64. Remaining commercial quantities of the following: Two drums ammonium bi-fluoride. Also oils, paints, parafin, chronic acid, NaCl and napthalene and hexalene.

Bldg 60 No lab chemicals. Commercial quantities of oils, lubricants, (shed) and greases. One 50-gallon drum of absolute alcohol; three drums of solvents; several empty drums (50 gallon).

Transtainers next to building 60

Transtainers 1 and 2 contained large quantities of lab chemicals which were transported to building 64. Transtainer 1 contained two small cylinders of phosgene which were moved to building 64 in a safety area. EWA Tech Escort was immediately notified and will pick up the phosgine on 25 July 1977. Transtainer 2 contained commercial quantities of the following: Four gallons naptha Thirty-seven gallons sodium silicate Two to five gallons of Woodtox pre-primer Four to five gallons fire retardant #25 dated 11-23-71

One to five gallon drum of unknown solvent

4

Summary

nenise na I

Upon arrival to Frankford Arsenal a list of buildings (16) was provided to EWA personnel where lab quantities of chemicals were known to exist. At the completion of the TDY period a total of 58 buildings, sheds, and transtainers were examined for lab chemicals. It appears that further lab quantities of chemicals will be found in other buildings, sheds, and transtainers that were not inspected by EWA personnel.

Many buildings contain cylinders of nitrogen, hydrogen, acetylene, oxygene, etc. in commercial quantities. They should be consolidated in one area and returned to contractors such as "Luide." Oils, lubricants, solvents and trade name or manufacturer coded chemicals, etc. should also be consolidated into one area.

5

MEMORANDUM FOR RECORD

٩,

29 July 1977

Subject: Summary of Building Revisit 2

To: Consolidation Team

1. Building 39. The items remaining were:

a. Four solvent cans partially filled; on work bench.

b. Paint and related materials on three carts; one out in the work area and two in the storage room (1st floor).

c. Ten each 5-gallon containers of Dioxane.

d. Twenty-two boxes (50 pounds) of Pangboxnite abrasive (1st floor).

e. 55-gallon drum of turpentine.

f. Ten one-gallon bottles of leather dye.

g. 5-gallon pail of enamel paint in basement locker room.

h. Twenty-four 5-gallon cans of thinner and twelve (approximately) 1-gallon cans of thinner in outside transportainer.

2. Building 46

a. Took six bottles of lab chemicals to building 64.

b. Minor amount of adhesive and potting compounds still on benches.

c. Commercial quantities of plating materials, paints, and potting compounds on 1st floor, basement, and sheds, as previously reported.

3. Building 48

a. Many 55-gallon drums in front open shed.

b. Commercial quantities of chemicals and paints, as previously reported.

c. Gas cylinder.

4. Building 61

Four boxes of chemicals sitting outside. Removed to building 64.

5. Building 58

Solvents moved to building 64. Six acelylene and two \mbox{O}_2 cylinders on 1st floor.

6. Building 55, NE end

Paints and associated materials. Removed metal bond cans and five gallons of butanol to building 64.

7. Building 108

Took chemicals to building 64, 1st floor. Helium cylinder on 2nd floor coating room lab. Miscellaneous coatings, paints, and related materials still there. Took solvents to building 64, 3rd floor; 4th and penthouse clear of chemicals. Large CO₂ cylinder in penthouse.

8. Building 112

Many cylinders of O2, Acct, Argo, etc., cutting oils, solvents in 55-gallon drums in alcone area, and machine shop area - 30 drums. 2nd floor, 5-gallon cans of solvent in six cans. 3rd floor - clear. The tank with solvent. Acetylene tanks in tool and cutter ground area, in other wing, cutting compounds. 55-gallon drum of cleaning solvent, 1 Barisol. 4th and 5th floors clean.

9. Building 120

No chemicals per Art Hobson.

10. Cabinet with metal powers, and metal working materials (polishes, etc.). Many gas cylinders, O2 and Acct. CO2, drums of oil (55-gallon), and five drums of blackshop molasses.

11. Building 150

First NE end of drums (55-gallon of solvents). 2nd floor clean.

12, Buildings 216 and 217

Cleaning tanks still full. Commercial amount of solvents and cleaners; phosphoric acid tank still full (2nd floor). Ist floor, drums of caustic (four) oil drums on loading dock.

2

D-17

t



DEPARTMENT OF THE ARMY

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND CHEMICAL SYSTEMS LABORATORY ABERDEEN PROVING GROUND, MARYLAND 21010

DRDAR-CLT

1 9 SEP 1977

F

Don

Gross,

Environ Tech

TRAVEL MEMORANDUM FOR RECORD

SUBJECT: Report of Trip to Frankford Arsenal (FA), Philadelphia, PA, 28 July Through 4 August 1977 by A. Deiner, D. Gross, R. Kassell, G. Norris, and R. Yon

1. <u>Purpose</u>: The purpose of this trip was to search various assigned buildings at FA for chemicals and remove these to a central location for sorting into various subgroups, and removal to safe locations for storage pending subsequent disposal by a contractor.

2. Individuals contacted:

LTC Wood, Cdr, FA Dr. Mikula Mr. F. Fidell

3. <u>Brief summary of discussion</u>: Very few discussions were held during this period. Mainly work was performed on removing chemicals, sorting into subgroups, boxing and removing to various storage locations to minimize fire hazards.

4. Significant accomplishments/actions/recommendations:

a. The task of removing chemicals from various locations on FA, sorting, and removal to safe locations is essentially complete. The chemicals were separated into the following categories:

Organic Solvents - over 100 gallons were separated and removed from bldg. 64 to an organic solvent storage area.

Organic Chemicals - about 4000 various compounds were collected and sorted and placed in steel storage cabinets in bldg. 64.

Carcinogenic Compounds - approximately 10 lbs. of these compounds were isolated and individually packed in steel ammunition boxes surrounded by vermiculite. Each container was clearly marked as to contents and with warning legend. These materials were removed from bldg. 64 for storage in locked containers (bldg. 61C).

DRDAR-CLT SUBJECT: ١.

1 9 SEP_ 1977 Report of Trip to Frankford Arsenal (FA), Philadelphia, PA, 28 July Through 4 August 1977 by A. Deiner, D. Gross, R. Kassell, G. Norris, and R. Yon

Organo Mercurials, Organo Arsenicals, Fungacides, Insectides approximately 40 lbs. of compounds of this type were packed in steel ammunition boxes surrounded by vermiculite. Each container was clearly marked as to contents and with warning legend. These materials were removed from bldg. 64 for storage in locked containers (bldg. 61C).

Shock Sensitive and Potentially Explosive Organic Preparations under direction of Dr. Matsuguma of Picatinny Arsenal, these materials were separated, packed and marked, and stored by the procedure described. These materials were removed from bldg. 64 for storage in locked container in bldg. 61C.

A small amount of material that was heat sensitive was left in the freezer in bldg. 64. The freezer was clearly marked as to contents and with warning legend. Small quantities of nitroglycerine was destroyed by Dr. Matsuguma.

Propellants and other explosives were collected and stored in locked magazines.

Inorganic Strong Acids and Bases (Ammonium Hydroxide) - over 100 gallons of these materials were collected and removed from bldg. 64 to a storage area.

Inorganic Chemicals - well over 500 various compounds were sorted and placed in marked steel storage cabinets in bldg. 64.

Inorganic Heavy Metals (Arsenic, Mercury, etc.) Compounds - over 75 compounds of this type were isolated and placed in marked shelves in steel storage cabinets in bldg. 64.

Alkali Metals (Li, Na, K, Rb, Cs) and Alkali Earth Metals (Ca, Sv) - about 20 lbs. of these materials were collected and packed in steel ammunition boxes, marked, and removed from bldg. 64 to locked storage in **bld**q. 61A.

Poisonous Inorganic Compounds (Berylbium) - about 5 lbs. of these materials were collected, packed as previously described and removed from bldg. 64 for storage in bldg. 61A.

Commercial Oils, Lubricants, Hydraulic Fluids - more than 200 gallons of these materials were collected and poured into 55-gallon drums for disposal by contractor.

2

DRDAR-CLT

1 9 SEP 1977 SUBJECT: Report of Trip to Frankford Arsenal (FA), Philadelphia, PA, 28 July Through 4 August 1977 by A. Deiner, D. Gross, R. Kassell, G. Norris, and R. Yon

Commercial Materials, Unknown Chemicals, Paints, Thinners, Etc. hundreds of commercial materials and unknown chemicals, paints, thinners, etc., were sorted and stored in clearly marked cartons in bldg. 64.

Compressed Gases - large numbers of cylinders of compressed gases were removed from various locations and stored in the basement of bldg. 64.

Some gases were removed by the commercial vendor during the week of 1 August and arrangements were complete to remove the remaining compressed gases during the week of 8 August 1977.

LTC Wood inspected the results of the CSL team effort at 1500 hours. 5 August, and complimented and thanked the personnel for their efforts. There remains very minor work to be completed involving removing of the remaining volatile solvents to storage sheds, sweeping floors, etc. LtC Wood agreed to release the CSL personnel. We recommended the searched buildings be locked and access to these areas be controlled. LTC Wood said this was not possible because of removal of machinery and equipment from these locations and the lack of personnel to secure these areas.

b. At the close of the business day on 29 July 1977 there was approximately 2500 lbs. of metallic mercury stored under lock and key in bldg. 61A. About 2000 lbs. of the mercury was contained in 30 steel flasks while the remainder was in plastic bottles or ceramic flasks.

On 2 August 1977 it was discovered that bldg. 61A was broken into and that the 30 steel flasks were missing. The remaining 500 lbs. of mercury was untouched. This loss was reported to LTC Wood and he was briefed as to the toxicity of mercury and its potential hazard to the environment. An investigation by the FA Security Office was made and Mr. Deiner was questioned.

c. Recommendations:

(1) Greater security be implemented by FA to insure the integrity of the toxic materials being stored there; and

3

DRDAR-CLT SUBJECT:

1 9 SEP 1977

. .

ECT: Report of Trip to Frankford Arsenal (FA), Philadelphia, PA, 28 July Through 4 August 1977 by A. Deiner, D. Gross, R. Kassell, G. Norris, and R. Yon

(2) A notification of all purchasers of scrap mercury that about a ton of metal may appear on the market should be made by FA.

DONALD GROSS

GEORGE

Environ Tech Div, CSL

NORRIS

Developmental Support Div, CSL

Submitted by: DEINER ALBERT

Munitions Division, CSL

Fer Lits Kense RONALD KASSEL

Research Division, CSL

ROY KON

Munitions Division, CSL

1 Incl

Inventory of Buildings Searched by G. Norris and R. Yon

CF:

Chief, Environ Tech Div Chief, Munitions Division Chief, Munitions Division (A. Deiner) Chief, Research Division (R. Kassell) Chief, Environ Tech Div (D. Gross) Chief, Developmental Support Div (G. Norris) Chief, Munitions Division (R. Yon) Cdr, Frankford Arsenal Cdr, Frankford Arsenal (Mr. F. Fidell, Safety Dir) Cdr/Dir, LCWSL (DRDAR-LCE/Dr. J. Mikula)

INVENTORY OF BUILDINGS SEARCHED

BY G. NORRIS AND R.YON

Building

| Commercial quantities paints, thinners, polishes, paint removers, mineral spirits, dyes, turpentine, acylic retarders |
|---|
| lst - Commercial quantities trichlor, MEK, ethylene glycol (monobutyl) being used; Forming acid (being used) |
| 2nd - Soldering acids, cleaners, thinners being used |
| Shed - Flux, solvents, plotting solutions, paints, resins. Water leaked into this building. Very strong fumes emanating from this shed. |
| 2nd - Helium bottle Acids in baths Urethane primers Potting materials Adhesives Oils Lubricants |
| 3rd - Acetylene bottles (2) Paints; lacquers; waxes |
| 4th - Naptha, Toluol, Alcohol - Small quantities being used. Unknown solvent in bath |
| 5th - CO ₂ bottle |
| Large commercial quantities of caustics. |
| Soaps, cleaners, adnesives, lubricants. |
| Drawing compounds, resins, bakelite |
| Cyanide (1 drum) |
| 2 large vats with caustic 1 large vat Phosphoric Acid 1 large vat unknown solvent 3 empty carboys, unknown acid |
| |

| - | |
|--------------------------------------|--|
| Building | |
| 217 | Shed - 21 carboys H ₂ SO4; 4 cans Deoxylyte |
| | Complete listing available from Elwood Tees, ext. 5430. |
| 239A | Storage Shed - 55-gallon can caustic soda. |
| 513 518 520 | Hydrogen (6), Nitrogen (23), Argon (2) cylinders. |
| 251 | Plastic Lab - Large commercial quantities Resins, Polymers, Teflon, polycarbafils, lucites, nylon, cyclo-pellets. Refrigerated quantities of catalysts, teflons, RTV, potting compounds. All being used or to be shipped to ARRADCOM, Dover, NJ. Man in charge of shop at ARRADCOM making arrangements. |
| 59 · | Commercial quantities of alcohol, ethylene glycol, aviation gasoline. |
| 65 | All small quantities are being used. |
| 127 | All remaining quantities being used or to be taken to new installations. |
| 144 235 48 55 240 239 | Examined and cleaned. |
| 148A | Locked. |
| 68 | Did not enter (Dr. Mikula) |
| 149 | 55-gallon drums - molasses, activators, hypochlorites. bentonite, binders, ferrosilicon, silica. Small quantities being used. Radioactive area 6 Argon cylinders; 6 O2 cylinders; 4 CO2 cylinders; 2 Acetylene. |
| 150 | Commercial quantities Developer - to ARRADCOM Drums - Trichloroethylene; chlorothane; unmarked drums (approx. 15); Unidentified (18) in locked cage. I locked cabinet; I room radioactive materials. Basement locked. |
| 150 | Shed - 1 Argon cylinder. |
| | |

D-23

t

2

Building

308 Solvents in baths

1

Outside Pressure bottles; Difluoromethane, Mona Anhydrous ammonia; acetylene; Storage hydrogen.

242

Drums of hydraulic oil; Transitainers; 1 gal. gasoline; 1 five-gallon Freon; 2 cans grinding fluid (50 gal.)

....

Ł

