AD-A110 749	ROYAL AIRCRAFT ESTABLISH SWEDISH DEFENCE RESEARCH JUN 81	HMENT FARNBOROUGH (ENGLA) H Abstracts 80/81-2 (Fro	ND) F/6 15/3 E FORSVARS FORSKETC(U)	
UNCLASSIFIED	RAE-LIBRARY TRANS-2069	DRIC-88-80560	NL.	
1 x 1 29.8 mm				
	END 6411 11/100 3 -82			
		_		



0









## ROYAL AIRCRAFT ESTABLISHMENT

\*

Library Translation 2069

June 1981



01 21 82 124

}

j

# SWEDISH DEFENCE RESEARCH ABSTRACTS 80/81-2

by

National Defence Research Institute, Stockholm

 $\ast$ 

THE FILE COPY

Procurement Executive, Ministry of Defence Farnborough, Hants

> tor Matrice



			Accession For
			NTIS GRA&I DTIC TAB Unannounced Justification
	UDC 355.45(485)	: 001.5 : 014.3	By Distribution/ Availability Codes Avail and/or
KOYAL	AIRCRAFT	ESTABLIS	H M E N T

Library Translation 2069

Received for printing 2 June 1981

SWEDISH DEFENCE RESEARCH ABSTRACTS 80/81-2

[FRÖ FORSVARS FORSKNINGS REFERAT 80/81-2]

by

National Defence Research Institute, Stockholm

Translator D.P. Barrett Translation editor M.G.B. Weedon

### EDITOR'S SUMMARY

The Swedish National Defence Research Institute issues a quarterly list of unclassified Reports published by the Institute. The titles of these Reports and informative abstracts have been translat — Inglish. This volume is the second issue of 1980/81. Further volumes will — Franslated in due course. The main topics covered are: Protection - atomic, Lological, chemical; ammunition and weapons; conduct of war, information and commands; vehicles and spacecruft; reliability and logistics; human factors; associated studies and their solutions; positive methods for limitation and control of armaments; psychology reports.

### EDITOR'S NOTE

The Reports are in Swedish unless some other language is indicated (usually English). When requesting Reports it should be appreciated that an English version will not normally be available, and that the prices of the original Swedish documents have not been indicated in this Translation. Reports may be obtained from:

FOA Centralkansliet, 104 50 Stockholm, Sweden

Index to FRÖ 80/81-2

A	PROTECTION - ATOMIC	
A2	Nuclear warheads, basic characteristics and products	
(51)	BAC - a computer program to compute the shielding factor of buildings against initial radiation	
(52)	HINK - a computer program for interactively forming input data to the BAC radiation protection program	
(53)	Computer simulation of detonation waves (in English)	
D	AMMUNITION AND WEAPON TECHNOLOGY	
Dl	Technology of explosives	
(54)	Examination of 2-nitrodiphenylamine as a propellant stabiliser. 2. Repeated and extended measurements	
(55)	Some micro-calorimeter measurements of a couple of newly-manufactured propellants	
(56)	Explosive mixtures of LPG aluminium and air	
D2	Gunnery technology and associated ballistics	

2

(57)Stability measurement and impact-pattern tests of projectiles with different placing of the driving band. MALFOM 4.4831, Stage 5

- D4 Technical aspects of warheads
- (58)Experiments with plasterboard walls on a steel-frame carcase when stressed by an air shock wave
- Deformation, speed and acceleration of plastic systems when subjected to stress (59) of an air shock wave

(60)Calculation of the fragmentation of explosive shells, Part 2

- D6 Protection from exploding warheads
- Capacity of a damaged public water supply system fire service water studies (61)at Västeras
- D8 System studies
- (62)Introduction of critical path analysis in calculations of the effects on aerial targets
- E CONDUCT OF WAR - INFORMATION AND COMMAND TECHNIQUE
- (63)Optical multiplexing technique
- (64)Microwave tubes. Literature survey No.1, covering the period August 1978 - December 1979

#### Εl Reconnaissance, target location and fire control

- (65) Investigation of accuracy on the ground for a shortwave position-finding system
- (66)Manufacture of complex systems of integrated electronics with batch sizes less than 10000 circuits per year. Some requirements and proposals for organising the work

П

- (67) Some methods of automatic target detection and plot-to-target association. A study of the literature
- (68) Millimetre-wave techniques. A study visit to Switzerland and the Federal German Republic in May 1980
- (69) The use of radar and microwave radiometry in spy satellites
- E2 Communications
- (70) Computer program for processing ionospheric data

E3 Guidance, navigation and target identification (71)Positional errors in hydroacoustic navigation E4 Countermeasures, including signal interception and technical intelligence (72)The mechanism of a Baltic earthquake source obtained by analysis of recordings of surface waves (73)Weighted linear dispersive delay lines: calculations of the time function of an output signal when the input signal is an almost matching linearly-swept sine wave E5 Technical reliability (74)Industrial safety aspects of electronic control and protection systems F VEHICULAR AND SPACECRAFT TECHNOLOGY F4 Spacecraft (75)The 'Salyut-6' space station between 19 August 1979 - 30 June 1980 F9 Materials The effect of lightning on aircraft and composite materials (76) н HUMAN ENVIRONMENT нЗ Venous gas bubbles while flying with cabin altitudes of airliners or general aviation aircraft 3 h after diving (in English) Case report: Intracardial gas bubbles in relation to altitude decompression (79) (in English) chokes (80)Influence of preoxygenation on intracardial gas bubbles and decompression sickness during flying after diving (in English) Differences in ear and rectal temperatures on the rewarming of chilled test (81) subjects (82) Haemodynamic effects of extreme positive pressure breathing using a two-pressure (in English) flying suit Man in the Sea II. Development trends in underwater activity (83) Thyroid studies in pregnant and newborn beagles, using <sup>125</sup>I (84)(in English) H6 Individual and group efficiency Skeletal muscle metabolism; morphology and function in sedentary smokers and (85) non-smokers (in English) (86)Some features of the ultra-marathoner: A case study (in English) Irregular working hours. An investigation by interview into the working (87) hours environment of locomotive drivers (88)The working environment of Ordnance workers. Part I: Theoretical frame of reference The working environment of Ordnance workers. Part 2: Ordnance workers in an (89) Army unit (90) The working environment of Ordnance workers. Part 3: Experience and reality in Ordnance work - a concluding discussion Testing and job analysis H7 (91)Cardiopulmonary responses to arm exercise performed in various ways (in English) Muscle fatigue in man: with special reference to lactate accumulation during (92) (in English) short term intense exercise Н8 Training procedures

3

(93) Function of male youth during military service. Follow-up study of a youth clientèle (in English)

2069

E

### H9 Man and machine systems

4

- (94) Group communication via a computer: introductory studies in social psychology with reference to the KOM system at the FOA. Report No.1
- (95) Group communication via a computer: introductory studies in social psychology with reference to the KOM system at the FOA. Report No.2

### M INTERDISCIPLINARY STUDIES AND INVESTIGATIONS

### M3 Security aspects of Soviet strength: its causes and consequences

(97) The Soviet eastern Europe policy

### M6 Information systems

(98) Report on the evaluation of the KOM teleconference system from the standpoint of privacy and the working environment

### T CERTAIN MEASURES FOR LIMITATION AND CONTROL OF ARMAMENTS

### Tl Seismological multiple stations

- (99) International seismological datacenter. Input data for an experimental database (in English)
- (100) International seismological datacenter. Database structure, computer facilities, automatic and interactive analysis (in English)
- (101) International seismological datacenter. Output of an experimental database (in English)
- (102) International seismological datacenter. Preparation of an experimental database (in English)
- (103) International seismological datacenter. Compilation of identification data (in English)
- (104) International seismological datacenter. Automatic association of long-period surface-wave data (in English)
   (105) International seismological datacenter. An algorithm for associating reported
- (105) International seismological datacenter. An algorithm for associating reported arrivals to a global seismic network into groups defining seismic events (in English)

### EMERGENCY COUNCIL FOR PSYCHOLOGICAL DEFENCE

(106) Young people's attitudes to defence, 1965-1979

- (107) Mass media, society and defence
- (108) Opinion 80
- (109) Films, politics and press: Effects of the film 'All the President's Men'
- (110) The Americans and the Vietnam war
- (111) Women and defence in Sweden

(in English)

### PROTECTION - ATOMIC

A

A2

(51)

Nuclear warheads, basic characteristics and products FOA report C20376-A2 BAC - a computer program to compute the shielding factor of

BAC - a computer program to compute the shielding factor of buildings against initial radiation Göran Danielson October 1980

The report describes the computing method and the transmission of data in the BAC computer program which calculates the shielding factor of buildings against initial radiation from nuclear explosions. The shielding factor, *ie* the ratio between the dose at some point in a building and that in the open air, is calculated separately for neutrons which impinge on the building, gamma radiation from fission products and secondary gamma radiation. For computing the transmission of radiation in a building BAC employs data on the passage of radiation in concrete slabs, which means that the program can be principally used for shelters and other buildings in which the walls and floor/roof are largely made of concrete, brick etc. The report also contains a user's guide to the program and some comparisons between the BAC result and values computed by Monte Carlo methods. The *HINK* program, used for the interactive read-in of data into BAC is reported on in the FOA report C20377-A2 which is issued at the same time.

(52) FOA report C20377-A2 HINK - a computer pr

HINK - a computer program for interactively forming input data to the BAC radiation protection program Lisbeth Pers and others October 1980

HINK is a computer program which through the console describes a building, which must be a rectangular parallelopiped with rooms on several levels and with openings in the internal and external walls. These geometrical data, supplemented with other physical data, constitute the input to the BAC radiation protection program which computes the shielding factors of buildings against initial radiation.

The report contains a user's guide to *HINK*, a description of the method of representing and verifying the building data and a description of the principles of interactivity and the method of programming it.

The BAC radiation protection program is reported in FOA report C20376-A2, which is being issued at the same time.

(53) FOA report C20390-A2 Computer simulation of detonation waves Nils Hörnqvist and Janerik Persson

(in English) December 1980

5

A numerical method is analysed for simulating detonation processes (of TNT) in terms of the requirements for the number of spatial intervals and the time taken to obtain a detonation wave.

- D AMMUNITION AND WEAPON TECHNOLOGY
- D1 Technology of explosives

LT 2069

(54)	FOA report C20378-D1		
	Examination of 2-nitrodiphenylamine as a propellant stabiliser.		
	2 Repeated and extended measurements		
	Jan Hansson and Ingemar Ohlsson	October	1980

### explosive shells, Part 2

October 1980

alculations of fragmentation from the m/54 d by which to calculate the direction and e continuum-dynamic program TOODY. This the SRC model ERSB, when an improved version lso calculated both the SRC and the m/54 tigation shows that sufficiently accurate an the one quoted in the earlier report, so method for routine application.

### supply system - fire-service

Kapilashrami (KTH) December 1980 investigations of fire service water rea. The subject of study was Västeras. he local fire brigade and borough engineer, d with the Department of Water Conservancy oncludes the series of investigations n wartime.

mathematical model of the public water netincipally in the main pipes, but in some el was used to calculate the maximum extracected populated areas. The object was to practical example to perform calculations

sis in calculations of the

### October 1980

analysing relatively complex critical paths rg. This algorithm has now been implemented this report. It also describes how critical he effect of warheads on aerial targets. A TREDUT in order to assess the consequences at a judgment of the ability of the target

LT 2069

2069

H

### CONDUCT OF WAR - INFORMATION

(63) FOA report A30022-E Optical multiplexing techniq Lars Knutsson

Е

This report gives a descript optical multiplexing technique describe study of some 50 technical articles any years. The emphasis is placed on duple particular those employing multi-modal Increased interest has been

fibres, since fibre materials have been attenuation. The most interesting mulwavelength multiplexing, in which diffechannels. This affords simple multiple-Integrated optics is a term.

the function of which is based on optia substrate by ion implantation, and a the same chip. It is predicted that in optical techniques as LSI (large-scale The report concludes with a

phone link on a single fibre.

The list of references inclutions of optical multiplexing technique

(64) FOA report C30200-E Microwave tubes. Literature August 1978 to December 1979 Herbert Steyskal

This is an attempt to analysis supported by a comprehensive examinatimicrowave tubes are concerned, the gre travelling-wave tubes. At least an eq altogether new methods of signal gener power, and in certain cases frequencie the gyrotron, these have not yet left

E1Reconnaissance, target locat(65)FOA report A30021-E1, E3

Investigation of accuracy on position-finding system Åke Blomquist and Rune Lundq A position-finding system ba

FOA 3 took part in these mease .ments wave propagation. The object was to t continuous tracking of vehicle movemen The report gives a descripti

the system with respect to wave propag present design the system fails to sat  (66) FOA report C30198-E1 Manufacture of complex systems of integrated electronics with batch sizes less than 10000 circuits per year. Some requirements and proposals for organising the work. Rolf Helgodt

The present report is a collection of current information on the subject of LSI/VLSI, based on the needs and problems encountered in FMV-F:F, and includes some suggestions for future activity.

(67)

FOA report C30199-E1 Some methods of automatic target detection and plot-to-target association. A study of the literature Rune Thor

This literature survey covers methods intended to improve target detection and plot-to-target association in automatic target-tracking systems in a disturbed environment. The section on target detection deals mainly with methods of assessing the performance of variations of a method of detection in different environments. The association section describes some variants of the trace-division method, a few methods specially intended for formation target tracking and some suggested types of filter for tracking a target in a heavily disturbed environment. Also discussed are the results of a simulation and the mathematical requirements. In the last of the articles abstracted here comparisons are drawn between the proposed principles of target tracking and what is termed the nearest-neighbour method, combined with a Kalman filter. The abstracts are intended for the benefit both of those with a mathematical background and of those wishing to have only a general picture of these methods.

 (68) FOA report C30203-E1, E3 Millimetre-wave techniques. A study visit to Switzerland and the Federal German Republic in May 1980 Gunnar Stenström and Ain Sume October 1980

In May 1980 the authors paid a study visit to Switzerland and the Federal German Republic in order to visit institutes pursuing activities in the millimetre waveband and to discuss the design of radars and radiometers in this waveband and measurements made with them.

The visit in Switzerland was made to the University of Berne (Institut für Angewandte Physik), which in recent years has been performing measurements from groundbased and airborne radiometers between 1.8 and 230 GHz of features on the ground, including snow, and of molecules in the stratosphere and mesosphere. Activities include the development of subharmonically pumped converters.

In West Germany the visit was to AEG-Telefunken in Ulm, which has about 5 years experience of mm-wave systems, and has constructed several radiometers and radar systems for 35 and 94 GHz. They are willing to supply an Impatt transmitter of variable pulse-width at 10 W peak power at 94 GHz, and also a converter circuit with a local oscillator for the radar/radiometer planned by FOA 3.

In West Germany a visit was also paid to the Institut für Hochfrequenztechnik at the Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt in Oberpfaffenhofen, where they explained their development work and the results of measurements with airborne radiometers at 11, 32, 90 and 140 GHz, and also the work which had

10

August 1980

development of physical models of passive

etry in reconnaissance satellites October 1980

sent interesting reconnaissance sensors The report deals with the advantages and ensors in a satellite reconnaissance ensor systems is provided as a basis for wave band.

### spheric data

## November 1980

rogram MEDGEN, the purpose of which is to ed in what are termed ionospheric data

nd DELTST programs, which are test pro-

American one which had been converted and e in a poor state. It also contained a nnecessary since a separate test program we the program from an IBM to the DEC-10, igh tidying-up.

wly-developed, has no checks of input data. hich have also been newly written. ort C30004-E2 of August 1974, from which

### itification

### navigation

October 19**8**0

f studies conducted in recent years at the ramework agreement between FOA and STU. n of FOA report C30186-E3, 'positional 980. The April report mainly deals with ffect on the accuracy of navigation. detailed study of navigational errors, them. Particular attention is paid to the m' type and variance in the local estimate. 12

E4

(72)

## Countermeasures, including signa

FOA report B20026-E4 The mechanism of a Baltic earthq of recordings of surface waves Ragnar Slunga

The earthquake of 25 October 1970 generate long-period surface waves which we Fennescandia. Those recentions

Fennoscandia. These recordings were invert The resultant earthquake mechanism affords and theoretically expected surface-wave sig earthquake were mainly horizontal along the smaller but detectable vertical movement al moment amounted to  $3.5 \times 10^{15}$  Nm, and the f the greatest quake in this area for 350 yea which is too small to be able to determine distinct tele-seismic recording found by th mechanism if the radius of the source is as strain gradient greater than 15 bar. The h the earthquake was WNW-ESE, which is in agr Europe according to several matually consis of displacement agrees with geological info FOA reprints 1980/81:03

 (73) FOA report C30202-E4
 Weighted linear dispersive delay of an output signal when the inpu swept sine wave Rickard Walldén

The report describes calculations persive delay line with two different types The two inputs were firstly a signal whose from the characteristic matched to the dela not 'fill up' the line. A brief account is lations. The results are reported both in upon it.

### E5 <u>Technical reliability</u>

(74)

FOA report C30205-E5 Industrial satety aspects of elec Mats Gunnerhed

The present report gives the resu at the request of the Council for Industria tion on type-testing of control and protect reference to electronic control systems.

The report approaches systems from adopting methods of analysis currently in us in the change from electronucchanics to elecfor the feasibility of the analysis of produensure industrial safety.

#### VEHICULAR AND SPACECRAFT TECHNOLOGY

### F4 Spacecraft

(75)

F

FOA report C30206-F4 The 'Salyut-6' space station between 19 August 1979 to 30 June 1980 Astrid Rundkwist Nove

The present report deals both with the period during which 'Salyut-6' made unmanned orbits of the earth, *ie* 19 August 1979 to 9 April 1980, and 10 April to 30 June 1980 during the 185 days orbital period of the last crew, Leonid Popov and Valerij Ryumin, which ended with their landing in Kazakhstan on 11 October 1980. The events in 'Salyut-6' from 1 July to 10 October 1980 will be discussed in a later report.

### F9 Materials

(76) FOA report C20388-F9 The effect of lightning on aircraft and composite materials Anita Alm The report is based on literature mainly from the latter half of the 1970s and

is divided into three sections.

The first deals with the characteristic properties and effects of lightning and certain current problems in lightning research.

The next section deals with aircraft in natural and simulated lightning environments, eg the frequency and type of lightning damage to different parts of an aircraft, and with different types of protection against the direct and indirect effects of lightning.

The final main section concerns fibre composites. Lightning damage and the testing of lightning protection for these modern aircraft materials are studied by means of simulation techniques. Unprotected composite materials are damaged by lightning, however damage can be avoided by suitably designed lightning protection. The poor electromagnetic shielding properties of composite materials raise a number of recalcitrant and unsolved problems as regards modern electronic equipment in aircraft. Composite material with defined and reproducible electrical properties cannot be produced at present.

H HUMAN ENVIRONMENT

2069

Ы

- H3 Environmental extremes
- (77) Effects of different body positions on the Eustachian tube function in the selection of airmen
  Peter Groth and Örjan Tjernström (In English)
  Aviation, Space and Environmental Medicine, September 1980
- (78) Venous gas bubbles while flying with cabin altitudes of airliners or general aviation aircraft 3 h after diving (in English) Ulf Balldin

Venous gas bubbles due to decompression were recorded by the precordial Doppler ultrasonic technique on test subjects at simulated flight altitudes of 1000-3000 m 3 h after diving to 15 or 39 m, which permit direct ascent. Bubbles developed at 3000 m altitude in 60% of subjects; in 90% after the shallower dives to 15 m for 100 min with occasional bubbles even in the first few minutes (on average after 12 min), and in only 30% after the deeper dives to 39 m for 10 min, when bubbles developed later (on average after 28 min).

13

November 1980

(87)

18

FOA report C54031-H6 Irregular working hours. An investigation by interview into the working hours environment of locomotive drivers Jan E. Fröberg and Torbjörn Akerstedt Nov

November 1980

An account is given of the distribution of replies to an inquiry contributed by 1000 locomotive drivers. The results show that locomotive drivers are subject to extensive problems due to hours of work in addition to a stressful physical working environment. Working hours are highly irregular, and frequently involve locomotive drivers in serious difficulties in arranging their lives away from work. This irregularity also causes problems of sleep - nightshift working results in unsatisfactory sleep. Many drivers experience difficulty in remaining awake while driving at night. Otherwise however the driver's job has several positive aspects which may counteract the foregoing disadvantages. This report forms part of a wider project, which also includes field and laboratory studies.

(88) FOA report C55043-H6 The working environment of Ordnance workers. Part 1 Theoretical frame of reference Magnus Stenbeck and Bengt-Ove Gustavsson

September 1980

This report is the first part in a series of four reports which deal with the working environment of Ordnance personnel employed by the Defence services, from the standpoint of sociology and social psychology. Part 1 concerns our theoretical point of departure, and Part 2 the result of a study at an Ordnance unit with the Army. Part 3 is a continuation and development of the interpretative formulae in Part 2 linked with our own starting points in Part 1. In conclusion Part 4 contains some reflections on the development of the project in terms of scientific theory and research policy.

The background and purpose of the project are described in more detail in the introduction to Part 2. Parts 1-3 satisfy the first of the subsidiary objectives described therein. The second subsidiary objective has been satisfied by documentation for and collaboration in the FMV project, 'new forms of work in Ordnance activities' (see FMV skr K:FDD A66:21/79, Appx. 1).

The result demonstrates that Ordnance clerks exert very little influence on their work situation. The rationalisation measures taken during the last 10 year period tend further to aggravate this powerlessness by impoverishing the content of the job. The study has shown that the organisation of work and the structure of the working process have an overriding effect on an individual's attitude to work and on the collective strength and cooperation of the workforce.

(89)

FOA report C55044-H6 The working environment of Ordnance workers.

Part 2 Ordnance workers in an Army unit Magnus Stenback and Bengt-Ove Gustavsson

September 1980

This report is the second part in a series of four reports concerning the working environment of Ordnance workers employed by the Defence service from the point of view of sociology and social psychology. Part I deals with the theoretical basis of the project. This part is an account of our study of Ordnance work in an Army unit having what is termed Fo status (response to wartime mobilisation). This section contains a description of our method of work and an account of the result. In Part 3 the results are linked more closely with the theoretical starting-points, and it further develops both the interpretation of the results and the theory. Finally Part 4 contains some reflections on the project in terms of scientific theory and research policy.

The result shows that Ordnance clerks exercise very little influence on their work situation. The rationalisation measures taken during the last 10 year period tend further to aggravate this powerlessness by impoverishing the content of the job. The study has shown that the organisation of work and the structure of the working process have an overriding effect on an individual's attitude to work and on the collective strength and cooperation of the working ce.

(90)

(91)

2069

5

FOA report C55045-mp

The working environment of Ordnance Workers. Part 3 Experience and the prove Gustavsson September 1980 This report is the Carto part in a series of four reports concerning the working environment of Ordnance workers employed by the Defence service from the point of view of sociology and social esychology. Part 1 concerns the theoretical framework of the investigation, and Part 2 is an account of its method and results. In this third part the results are linked more closely with the theoretical principles. This has entailed a further development both of the results and of our theoretical framework. Finally Part 4 contains some reflections on the project in terms of scientific theory and research policy.

The result shows that Ordnance clerks exercise very little influence on their work situation. The rationalisation measures taken during the last 10 year period tend further to aggravate this powerlessness by impoverishing the content of the job. The study has shown that the organisation of work and the structure of the working process have an overriding effect on an individual's attitude to work and on the collective strength and cooperation of the workforce.

H7 Testing and job analysis

FOA report B54022-H7

Cardiopulmonary responses to arm exercise performed in various ways Ulf Danielsson and others (in English)

Power consumption, lung ventilation and heart rate were studied from arm exercise on a converted ergometer cycle, where the stress, the cranking rate and direction and the crank length all varied. The physiological variables were also studied when cranking was performed with both hands on the same side of the crankcase and with a diagonal grasp. Power consumption, heart rate and ventilation rose with increasing cranking speed, and reversed cranking was found to be more laborious than in the forward direction. The results were compared with those obtained for the cranking of a shelter fan, and calculations were made to show the differences in stress in the cranking of a shelter fan if the arm exercise is performed by one or two persons, and alternatively if it is performed by leg exercise by one person.

Offprint from Ergonomics (1980), 23, 5, 409-416; FOA reprints 1980/81:17

to materialise. This therefore means n within the department has increased e-saving has been achieved. There was department to use the *KOM* system, which ical difficulties.

n by interviews with the scientist group, ative staff with various duties in FOA. *KOM* system might influence equality ociations, the working environment and ed that it was still too early to be asking consulted had not been using the system to by be considered to be valuable in showing ertain towards *KOM*. In general it may be tages as regards working duties and the rst expressed by the scientists. Involverease since, thanks to *KOM*, it is easier b obtain information more quickly. The hough it was felt to be slight. As regards hat some group was treated unfairly, p.

introductory studies in social psychology the FOA. Report No.2 rg October 1980 s conducted on the use of the KOM system. ion, and these were divided into four killed users and those who had ceased to f FOA personnel who had never used the KOM d more training in the computer field, which se KOM, in their activity and in the type rs.

up using *HOM* and those who had never used degree of activity to the effect that they mmunication. There probably also exist situation had changed in a positive sense whereas non-users felt their working situ-

rs had access to a combination of VDU and rs had only limited access to terminals. to handling information, and the same ed for information was felt to be satisfied, s were in demand.

LT

2069

2069

The system was regarded as r written communication were not felt to who find it easy to express themselves

The effects of *HAM* were cons among departments, an increase in the groups. Many people can have their sa possible to work in larger groups. Th being overlooked, is diminished compar

The jobs to be performed and the better, it is easier to obtain pectime-consuming communication. The int seminate, though opinions were divided difficult to assimilate.

Compared with other media, 1 risks of any form of infringement of : tion. However, there was an increased

Interviews with senior offic divisions within FOA frequently occur: personal meetings daily contacts were or colleges was rather less, contacts telephone or letter.

Senior staff devoted a larg administrative tasks. Personnel matt important duties.

The *HOM* system had had some half of *HOM* users, while the other ha since the latter were not using the s a new medium of communication, not ha suited to *HOM*.

Systems of the  $\mathbb{R} \otimes \mathbb{K}$  type were changes, nor to mean that business shows idered unrealistic for a system is monitoring of staff.

Matters internal to a bran personal contact. For personnel to may be a flexible procedure in some workplaces should not be underestima

М	INTERDISCIPLINARY STUDIES
м3	Security aspects of enviro
(96)	FOA report C10161-M3 The build-up of Soviet st Gunnar Jervas

This study concerns certa

distribution of military strength i

more neglected aspects, leaving on one side the subjects more usually discussed. Thus no attempt is made to determine the exact pattern of the military balance of power. Instead emphasis is laid on what may be the cause of the power relationship having largely developed to the advantage of the East and the consequences of this. The discussion of causes is chiefly on the level of ideas, in the sense that efforts are concentrated on stating hypotheses which are assumed to explain the Soviet arms build-up. Analysis of the consequences is focussed on two different questions, one of which concerns the relation between the balance of power, stability and dangers of war during various phases of an international crisis. Bearing in mind that this study will clarify the possible consequences of some future balances of power, the author discusses the likely effects of alternative power relationships. The second question under the heading of Consequences is whether a future conflict may be expected to be conventional or nuclear.

This study forms part of the 'Eastern Project'.

(97) FOA report C10165-M3 The Soviet Eastern Europe policy Ingmar Oldberg

In parallel with the development of détente towards the West since the 1950s, the USSR has sought by various means to foster integration within the East Bloc. Its political and ideological effect on Eastern Europe is based however on cultural barriers and a growing nationalism, which is also creating problems in the Soviet Union.

The Soviet influence on Eastern Europe rests chiefly on her military dominance, although in the military sphere the USSR also has problems in the form of demands for equal standing, reduced defence expenditure and a run-down of troops.

poviet efforts to integrate the East Bloc in economic terms by common planning, joint projects and the distribution of labour have intensified during the 1970s. This is hindered however by the different levels of development in these countries, their aims at self-sufficiency and the inefficient price system. The capitalist countries also offer the USSR and the East European states modern techology and equipment, which can be used to improve productivity in their stagnating economies. Steeply rising energy prices in the 1970s on world markets have enabled the Soviet Union to finance her Western imports. The USSR has also increased her prices in trade with the East European states, though in order to maintain these regimes in power she is compelled to continue to afford them economic advantages. The USSR can even allow them to expand their trade with the West and undertake economic reforms so as to become less of a burden on the USSR, provided that the Soviet pattern of socialist system is preserved and the power monopoly of the communist party is not threatened.

The super-power ambitions of the USSR in the Third World are a threat to détente and East-West trade and constitute an economic burden for the East European countries. This helps to lead them closer to Western Europe, although the USSR would never slacken her military control over them.

This study forms part of the 'East Project'.

24

October 1980

25

/ teleconference system from the .ng environment November 1980

e system is used in FOA to facilitate communice Department and scientists outside FOA.. FOA study party on Teleconference Systems respect to matters governed by the Law on lating to intrusion into privacy, the attitude sts for deletions or corrections etc. ffects of the system as regards the working finds that the system does not involve any ent of personal privacy and that most users ced an improvement in their working situation. m's findings is contained on pp 6-9 of this

### ID CONTROL OF ARMAMENTS

entre. Input data for an

(in English) November 1980

ogical data centre has been set to at the "CA ted in Stockholm on 12-14 July 1979. For this compiled, the content of which is presented in

entre. Database structure, computer tive analysis (in English) November 1980

ogical data centre has been set up at the FOA ted in Stockholm on 12-14 July 1979. For this orted and computed data and methods for cription of the computers and programs used

entre. Ouput of an

(in English) November 1980

ogical data centre has been set up at the FOA ted in Stockholm on 12-14 July 1979. For this compiled with programs for analysing 'nese

This report contains the result of the auto-

56

. 1 4. .

and the second sec

The formal and the model of the transformation of the first of the fir

on associate the file it was to the subship experts group that the BN to ther than what it mould be that actually identifies of the details of the detail of seismic events.

data.

(103) FOA report 10% of Tr Enternational series Identification and Hens Israaloon

A being some som an etter totte to the ismoeismological observations i and demonstr cent report stalls actions . 1 compil to make compilations in the second it speci part of a system for details 117 I. supluie the report of the s tal i article the second S. Lugas 1. 1. L. A. ALC: N - iald® The ware to use Fatis eaken in teasing faring a 1 . . s stati 1. 11 IS Define for the second second Farmeter Los quier a cheste a sera consid diese han die anderen. Const Date R compliants of states to a complete second so ters a and the Revision of which also found

sere mable as as

(104) P.A. Liport and git but construction of a construction of data of the property of a construction of a target but construction of the second data

A read reaction to a non-cal sersme sciencies demonstr

report presents or interval or estate for

defined seismic events. A signal is accepted as being associated with an event if the observed arrival time falls within a specified time-window about the theoretical arrival time. The procedure, which was tested on surface-wave data over a 4-day period, yielded an unexpectedly good result. About two-thirds of all observed surface-wave signals were associated, and a magnitude for the surface-wave was assigned to about one-half of all seismic events. The observed signal value was used to compute this magnitude and, from stations which had not observed a signal, the current background noise value was used. The magnitude of events as calculated by this means compared with the magnitude determined by individual stations was found to be one method of verifying the associations. Another and better method was to compare the theoretical with the reported azimuth as determined at 3-component stations.

(105) FOA report C20386-TI International seismological datacentre. An algorithm for associating reported arrivals to a global seismic network into groups defining seismic events Ragnar Slunga

A temporary international seismological data centre has been set up at the FOA Seismological Observatory and was demonstrated in Stockholm on 12-14 July 1979. The global seismic network for monitoring a test ban treaty will report its observations (arrival times, amplitudes etc) to data centres. This report presents an automatic algorithm for the stage from these reported observations of seismic waves to the compilation of a list of seismic events (earthquakes or explosions) which produced the observations. The design of this algorithm naturally depends on the criteria for events which is used, and this algorithm is based on the kinematic criteria proposed in Geneva.

A special requirement which must be stipulated for an algorithm intended for use in monitoring a test ban treaty is that for completeness. All the events which satisfy the criteria for an event must be detected and reported. The report describes how completeness of the analysis can be achieved without resulting in unacceptably long execution times. The algorithm was applied to data from one week supplied by 50 stations and required 40 min CPU time on an IBM 370/75. The result shows that it is not only possible but also necessary, with automatic analysis, to achieve a complete analysis of the observations reported.

### EMERGENCY COUNCIL FOR PSYCHOLOGICAL DEFENCE

(106) BN report No.104 Young people's attitude to defence, 1965-1979 Lennart Jung (University of Stockholm)

### August 1980

October 1980

(in English)

November 1980

This report by Jung describes the development of young people's attitudes to defence during the period 1965-1979, using material from opinion polls conducted by the Emergency Council. He has also studied certain different types of influence which may be assumed to have a causal importance for young people's attitudes to defence.

(107) BN report No.105
 Mass media, society and defence
 Jan-Erik Nordlund (University of Umeå)

2069

Ы

This report presents the results of a local opinion poll in Umea. Its purpose was to study the relation between people's mass media habits, and their attitudes towards,

The importance of their social position was tes some tendencies which mean that individuals content also possess certain attitudes and te.

### December 1980

review of opinion by the Emergency Council. of the population to society, parties and polii their anxiety about the world situation, constance etc.

of the film 'All the President's Men' chenk-Hamlin (Journalism Quarterly) Ingemar Staaf July 1980 by of the film on Watergate, 'All the attitudes to politics and the press. The film on such political attitudes as alienthe electoral campaign then in progress in the ilm on people's attitudes to the press.

### Ingemar Staaf

## August 1980

about the Vietnam war correspond with what it communication contains the results of some nich afford a somewhat different picture of a war from what we usually imagine. Another entirely succeeded in conveying.

### (in English) September 1980

iew of changes in the rôle of women in Swedish is the employment of women in the armed on from voluntary work as field kitchen staff

### ADVANCE DISTRIBUTION:

APRE AUWE ASWE CDE DOAE DRIC PERME ITC BAe IAM MVEE MRE Science Reference Library Royal Netherlands Embassy NGTE NAL Bangalore, India RSRE, Malvern RARDE RMCS SHAPE Zambian Embassy

RAE

DD(A) DD(E) DD(W) Main Library Heads of Departments Weapons Library Head of Weapons Divisions

. 1