





UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER HDL-TR-1970	2. GOVT ACCESSION NO. AD-A113699	4. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) On the Nonlinear Conductivity Tensor for an Unmagnetized Relativistic Turbulent Plasma		5. TYPE OF REPORT & PERIOD COVERED Technical Report	
		6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) Howard E. Brandt		8. CONTRACT OR GRANT NUMBER(s)	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Harry Diamond Laboratories 2800 Powder Mill Road Adelphi, MD 20783		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Program Ele: 6.11.01.A	
11. CONTROLLING OFFICE NAME AND ADDRESS U.S. Army Materiel Development and Readiness Command Alexandria, VA 22333		12. REPORT DATE February 1982	
		13. NUMBER OF PAGES 29	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)  UNCLASSIFIED	
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES HDL Project: A10125 DRCMS Code: 611101.91A0011 DA Project: LL161101A91A			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Plasma turbulence                      Relativistic plasma turbulence Nonlinear conductivity                Plasma physics Dissipation                                Bremsstrahlung Symmetries			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The symmetry properties of the second-order nonlinear conductivity tensor for an unmagnetized, relativistic, and weakly turbulent plasma are important in the analysis of the collective bremsstrahlung instability. This tensor has some exact symmetries that, if resonant wave-particle interactions are neglected, become the widely known symmetry related to the Manley-Rowe relations, crossing symmetry, and the nondissipative nature of the			

DTIC  
SELECTED  
APR 21 1982  
H D

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. ABSTRACT (Cont'd)

nonlinear current. Using the well-known expression for the conductivity from plasma turbulence theory, a polynomial representation for the tensor is obtained in which all derivatives are removed and the pole structure is clearly exhibited. The exact symmetries are obtained by a lengthy algebraic reduction using this representation.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Code	
Dist	Special

DTIC  
COPY  
INSPECTED  
2

UNCLASSIFIED

2 SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

CONTENTS

	<u>Page</u>
1. INTRODUCTION .....	5
2. POLYNOMIAL REPRESENTATION OF SECOND-ORDER NONLINEAR CONDUCTIVITY TENSOR .....	6
3. THE EXACT SYMMETRIES .....	10
4. CONCLUSION .....	19
LITERATURE CITED .....	20
DISTRIBUTION .....	23

## 1. INTRODUCTION

The nature of the collective bremsstrahlung instability and its possible importance to plasma astrophysics and relativistic beam-plasma systems has been explored in considerable detail by Tsytovich and Akopyan.<sup>1-5\*</sup> For an unmagnetized plasma, the photonic growth rate depends on the collective bremsstrahlung probability. Nonlinear bremsstrahlung associated with the three-plasmon dynamic polarization vertex has been shown to make an important contribution to the bremsstrahlung probability.<sup>1,2</sup> In vacuum quantum electrodynamics, because of Furry's theorem,<sup>6</sup> the analogous diagram is vanishing and is therefore absent in the standard Bethe-Heitler bremsstrahlung cross section.<sup>7</sup> In plasma turbulence theory, the collective bremsstrahlung probability depends on the nonlinear bremsstrahlung amplitude through the second-order nonlinear conductivity tensor. The symmetry properties of this tensor are especially important in reducing the complex expression for the collective bremsstrahlung recoil force in a relativistic, weakly turbulent nonequilibrium plasma. The latter is needed to determine the collective bremsstrahlung probability.<sup>1,2</sup> The symmetry properties were documented to some extent by Tsytovich and were shown to be related to the approximate nondissipative nature of the nonlinear current and also to crossing symmetry in three-plasmon interactions.<sup>1,8,9</sup>

The symmetry properties of the nonlinear conductivity tensor have been investigated also in other work. For nonrelativistic, weakly turbulent plasmas, they were established long ago.<sup>10</sup> For relativistic plasmas in which the fields and the particle distributions are such that resonant wave-particle interactions can be ignored, the symmetry relating principal parts only has been demonstrated to all orders.<sup>11-13</sup> Others have investigated also the relationship between the approximate symmetry and the fact that the total energy dissipated by the nonlinear current is vanishing.<sup>8,13,14</sup> The relationship to crossing symmetry was also investigated in analyses of three-wave coupling between Langmuir, sound, and transverse waves.<sup>11,15</sup> The relationship to generalized Onsager relations also has been addressed.<sup>11</sup> The symmetry properties have been related to those of the Poisson brackets in a perturbation-theoretic Hamiltonian formulation.<sup>10,11</sup> Moreover, in coherent three-wave interactions and the weak turbulence equations, it follows from the symmetry properties that wave energy and momentum are approximately conserved, and the Manley-Rowe relations obtain.<sup>10,16-21</sup> To a limited extent, symmetry-breaking effects associated with violation of the Manley-Rowe relations have been addressed.<sup>16,21,22</sup>

---

\*See references in Literature Cited section.

This paper reports two exact symmetry properties of the nonlinear conductivity tensor for an unmagnetized, relativistic, weakly turbulent plasma. The symmetries are not limited to the principal part. Their principal parts reduce to the well-known approximate symmetry. One of the exact symmetries was obtained previously by using the standard expression for the second-order conductivity tensor in plasma turbulence theory, resulting from straightforward iteration of the Vlasov equation.<sup>14,23-26</sup> However, this symmetry was defined in an unphysical region of wave vector space, at least in its relationship to the second-order nonlinear current density. Another exact symmetry defined in the physical region is developed here. The iterative approach furnishes a new polynomial representation of the second-order conductivity tensor in which all derivatives are removed and the pole structure is clearly exhibited. It is hoped that the present elaboration of these symmetries will facilitate deeper understanding of the collective bremsstrahlung instability and the dissipative properties of the three-plasmon vertex.

In section 2, the polynomial representation of the second-order nonlinear conductivity tensor is presented. In section 3, the exact symmetries and their derivations by means of the polynomial representation are discussed. It is also shown that, ignoring resonant wave-particle interactions, the exact symmetries are reducible to the well-known symmetry relation for the nonrelativistic longitudinal case. In section 4, the results are briefly summarized.

## 2. POLYNOMIAL REPRESENTATION OF SECOND-ORDER NONLINEAR CONDUCTIVITY TENSOR

The second-order nonlinear conductivity tensor  $S_{ijl}(k, k_1, k_2)$  in plasma turbulence theory is defined by<sup>2,14</sup>

$$S_{ijl}(k, k_1, k_2) = e^2 \int \frac{d^3\vec{p}}{(2\pi)^3} \frac{v_i}{\omega - \vec{k} \cdot \vec{v} + i\delta} \left[ \left( \omega_1 - \vec{k}_1 \cdot \vec{v} \right) \frac{\partial}{\partial p_j} + v_j k_{1m} \frac{\partial}{\partial p_m} \right] \left( \frac{\partial}{\partial p_1} + \frac{v_1}{\omega_2 - \vec{k}_2 \cdot \vec{v} + i\delta} k_{2n} \frac{\partial}{\partial p_n} \right) f_P^{R(0)} \quad (1)$$

and is related to the second-order nonlinear current  $\vec{j}_k^{(2)}$  by

$$j_{ki}^{(2)} = -e \int \frac{dk_1 dk_2 \delta(k - k_1 - k_2)}{(\omega_1 + i\delta)(\omega_2 + i\delta)} S_{ijl}(k, k_1, k_2) E_{k_1 j} E_{k_2 l} \quad (2)$$

It should be mentioned here that the tensor defined by equations (18) and (20) of Akopyan and Tsytovich<sup>2</sup> differs implicitly from equation (1) here in that, instead, the first complex denominator  $\omega - \vec{k} \cdot \vec{v} + i\delta$  in equation (1) is implicitly  $\omega - \vec{k} \cdot \vec{v} - i\delta$  there. The notation of equations (1) and (2) corresponds more directly to equations (10) and (12) of Tsytovich.<sup>27</sup> The symmetries discussed here pertain to the two symmetrized forms

$$\sigma_{ijl}^{\pm}(k, k_1, k_2) \equiv S_{ijl}(k, k_1, k_2) \pm S_{ilj}(k, k_2, k_1) . \quad (3)$$

The tensor  $\sigma_{ijl}^+(k, k_1, k_2)$  is the same as  $\sigma_{ijl}(k, k_1, k_2)$  of earlier work.<sup>14,24,26</sup> It is convenient also to define the antisymmetrized form  $\sigma_{ijl}^-(k, k_1, k_2)$  above.

First integrating equation (1) by parts, dropping surface terms, then using the relativistic kinetic relations, performing the differentiations, and combining terms, one obtains

$$\begin{aligned} S_{ijl}(k, k_1, k_2) = e^2 c^2 \int \frac{d^3 \vec{p}}{(2\pi)^3} f_P^{R(0)} \frac{1}{\epsilon^2} & \left[ \frac{\alpha_1 + \bar{\alpha}_1 \Omega_1}{\Omega + i\delta} + \frac{\alpha_2 + \bar{\alpha}_2 \Omega_1}{(\Omega + i\delta)(\Omega_2 + i\delta)} \right. \\ & + \frac{\alpha_3 + \bar{\alpha}_3 \Omega_1}{(\Omega + i\delta)(\Omega_2 + i\delta)^2} + \frac{\alpha_4 + \bar{\alpha}_4 \Omega_1}{(\Omega + i\delta)^2} \\ & + \frac{\alpha_5 + \bar{\alpha}_5 \Omega_1}{(\Omega + i\delta)^2(\Omega_2 + i\delta)} + \frac{\alpha_6 + \bar{\alpha}_6 \Omega_1}{(\Omega + i\delta)^2(\Omega_2 + i\delta)^2} \\ & \left. + \frac{\alpha_7 + \bar{\alpha}_7 \Omega_1}{(\Omega + i\delta)^3} + \frac{\alpha_8 + \bar{\alpha}_8 \Omega_1}{(\Omega + i\delta)^3(\Omega_2 + i\delta)} \right] , \quad (4) \end{aligned}$$

where

$$\epsilon = (m^2 c^4 + p^2 c^2)^{1/2} , \quad (5)$$

$$\{\Omega, \Omega_1, \Omega_2\} = \{\omega - \mu, \omega_1 - \mu_1, \omega_2 - \mu_2\} , \quad (6)$$

$$\{\mu, \mu_1, \mu_2\} = \{\vec{k} \cdot \vec{v}, \vec{k}_1 \cdot \vec{v}, \vec{k}_2 \cdot \vec{v}\} , \quad (7)$$



and where  $\{\alpha_n, n = 1, 8\}$  and  $\{\bar{\alpha}_n, n = 1, 8\}$  are complicated tensor polynomials in the components of  $\vec{v}$ ,  $\vec{k}$ ,  $\vec{k}_1$ , and  $\vec{k}_2$ . They are simply a re-naming of the coefficients  $C_n$ .<sup>14</sup> For notational convenience, the tensor indices of the  $\alpha_n \equiv \alpha_{nijl}(k, k_1, k_2)$  and  $\bar{\alpha}_n \equiv \bar{\alpha}_{nijl}(k, k_1, k_2)$  are suppressed. Explicitly, the  $\alpha_n$  are given by

$$\alpha_1 = \left( c^2 k_{1i} - \mu_1 v_i \right) \delta_{j1} - \left( c^2 k_{11} - \mu_1 v_1 \right) \delta_{ij} - \mu_1 v_j \delta_{i1} - 2k_{1i} v_j v_1 + 3c^{-2} \mu_1 v_i v_j v_1, \quad (8)$$

$$\alpha_2 = \left( \mu_1 \mu_2 - c^2 \vec{k}_1 \cdot \vec{k}_2 \right) v_1 \delta_{ij} + 4c^{-2} \mu_1 \mu_2 v_i v_j v_1 + c^2 k_{1i} v_j k_{21} + c^2 k_{1i} k_{2j} v_1 - \mu_1 k_{2i} v_j v_1 - \mu_1 v_i k_{2j} v_1 - \mu_1 v_i v_j k_{21} - 3\mu_2 k_{1i} v_j v_1, \quad (9)$$

$$\alpha_3 = \left( c^2 k_2^2 - \mu_2^2 \right) k_{1i} v_j v_1 + \left( c^{-2} \mu_1 \mu_2^2 - \mu_1 k_2^2 \right) v_i v_j v_1, \quad (10)$$

$$\alpha_4 = \left( c^2 \vec{k} \cdot \vec{k}_1 - \mu \mu_1 \right) \left( v_i \delta_{j1} + v_j \delta_{i1} \right) - c^2 v_i k_j k_{11} + \mu_1 v_i k_j v_1 - 2\mu_1 v_i v_j k_1 - \mu k_{1i} v_j v_1 + c^2 k_{1i} v_j k_1 + \left( 5c^{-2} \mu \mu_1 - 3\vec{k} \cdot \vec{k}_1 \right) v_i v_j v_1, \quad (11)$$

$$\alpha_5 = \left( -c^2 \vec{k}_1 \cdot \vec{k}_2 + \mu_1 \mu_2 \right) v_i k_j v_1 + \left( c^2 \vec{k} \cdot \vec{k}_1 - \mu \mu_1 \right) v_i v_j k_{21} + \left( c^2 \vec{k} \cdot \vec{k}_1 - \mu \mu_1 \right) v_i k_{2j} v_1 + \left( c^2 \vec{k} \cdot \vec{k}_1 - \mu \mu_1 \right) k_{2i} v_j v_1 + \left( c^2 \vec{k} \cdot \vec{k}_2 - \mu \mu_2 \right) k_{1i} v_j v_1 + 2 \left( 3c^{-2} \mu \mu_1 \mu_2 - 2\vec{k} \cdot \vec{k}_1 \mu_2 - \vec{k} \cdot \vec{k}_2 \mu_1 \right) v_i v_j v_1, \quad (12)$$

$$\alpha_6 = (c^2 \vec{k} \cdot \vec{k}_1 k_2^2 - \mu \mu_1 k_2^2 - \vec{k} \cdot \vec{k}_1 \mu^2 + c^{-2} \mu \mu_1 \mu_2^2) v_i v_j v_l \quad (13)$$

$$\alpha_7 = 2(c^2 \vec{k} \cdot \vec{k}_1 - \mu \mu_1) v_i v_j k_l - 2(\vec{k} \cdot \vec{k}_1 \mu - c^{-2} \mu^2 \mu_1) v_i v_j v_l \quad (14)$$

$$\alpha_8 = 2(c^2 \vec{k} \cdot \vec{k}_1 \vec{k} \cdot \vec{k}_2 - \vec{k} \cdot \vec{k}_2 \mu \mu_1 - \vec{k} \cdot \vec{k}_1 \mu \mu_2 + c^{-2} \mu^2 \mu_1 \mu_2) v_i v_j v_l \quad (15)$$

The  $\bar{\alpha}_n$  are given by

$$\bar{\alpha}_1 = -v_i \delta_{jl} - v_j \delta_{il} - v_l \delta_{ij} + 3c^{-2} v_i v_j v_l \quad (16)$$

$$\begin{aligned} \bar{\alpha}_2 = & (c^2 k_{2l} - 2\mu_2 v_l) \delta_{ij} - k_{2i} v_j v_l - v_i k_{2j} v_l \\ & - v_i v_j k_{2l} + 4c^{-2} \mu_2 v_i v_j v_l \quad (17) \end{aligned}$$

$$\bar{\alpha}_3 = (c^2 k_2^2 - \mu_2^2) v_l \delta_{ij} + (c^{-2} \mu_2^2 - k_2^2) v_i v_j v_l \quad (18)$$

$$\begin{aligned} \bar{\alpha}_4 = & (c^2 k_l - \mu v_l) \delta_{ij} + (c^2 k_j - \mu v_j) \delta_{il} - \mu v_i \delta_{jl} \\ & - 2v_i v_j k_l - 2v_i k_j v_l + 5c^{-2} \mu v_i v_j v_l \quad (19) \end{aligned}$$

$$\begin{aligned} \bar{\alpha}_5 = & (c^2 \vec{k} \cdot \vec{k}_2 - \mu \mu_2) v_l \delta_{ij} + 2(3c^{-2} \mu \mu_2 - \vec{k} \cdot \vec{k}_2) v_i v_j v_l \\ & + c^2 k_{2i} k_j v_l + c^2 v_i k_j k_{2l} \\ & - \mu v_i k_{2j} v_l - \mu v_i v_j k_{2l} - \mu k_{2i} v_j v_l - 3\mu_2 v_i k_j v_l \quad (20) \end{aligned}$$

$$\bar{\alpha}_6 = \left( c^2 k_2^2 - \mu_2^2 \right) v_i k_j v_1 + \left( c^{-2} \mu \mu_2^2 - \mu k_2^2 \right) v_i v_j v_1, \quad (21)$$

$$\bar{\alpha}_7 = 2c^2 v_i k_j k_1 - 2\mu v_i k_j v_1 - 2\mu v_i v_j k_1 + 2c^{-2} \mu^2 v_i v_j v_1, \quad (22)$$

$$\bar{\alpha}_8 = 2 \left( c^2 \vec{k} \cdot \vec{k}_2 - \mu \mu_2 \right) v_i k_j v_1 - 2 \left( \vec{k} \cdot \vec{k}_2 \mu - c^{-2} \mu^2 \mu_2 \right) v_i v_j v_1. \quad (23)$$

The polynomial representation given by equation (4) contains no derivatives, and the explicit pole structure is clearly exhibited. In section 3, equation (4) is used to obtain the exact symmetries.

### 3. THE EXACT SYMMETRIES

In this section, the polynomial representation, equation (4), of the nonlinear conductivity tensor is used to explicitly establish the following exact symmetries in wave vector space:

$$\sigma_{ijl}^{\dagger}(\pm k_1 \pm k_2, k_1, k_2) = \sigma_{jil}^{\bar{\dagger}}(k_1, \pm k_1 \pm k_2, k_2). \quad (24)$$

The one involving  $\sigma_{ijl}^{\dagger}(-k_1 - k_2, k_1, k_2)$  was obtained previously. The one involving  $\sigma_{ijl}^{\dagger}(k_1 + k_2, k_1, k_2)$  occurs in the physical region of wave vector space of equation (2) and is therefore of greater interest.

First replacing  $k$  by  $\pm k_1 \pm k_2$  in equation (4) and then combining terms, one obtains

$$\begin{aligned} & \sigma_{ijl}^{\dagger}(\pm k_1 \pm k_2, k_1, k_2) \\ &= e^2 c^2 \int \frac{d^3 p}{(2\pi)^3} \frac{f_p^{R(0)} \sum_{n=1}^{24} \beta_n \Pi_n}{\epsilon^2 (\Omega_1 \pm \Omega_2 + i\delta)^3 (\Omega_1 + i\delta)^3 (\Omega_2 + i\delta)^3}, \end{aligned} \quad (25)$$

where

$$\begin{aligned}
\{\pi_n, n = 1, 24\} = & \{\Omega_1 \Omega_2^4, \Omega_1 \Omega_2^5, \Omega_1 \Omega_2^6, \Omega_1^2 \Omega_2^3, \Omega_1^2 \Omega_2^4, \Omega_1^2 \Omega_2^5, \Omega_1^2 \Omega_2^6, \Omega_1^3 \Omega_2^2, \\
& \Omega_1^3 \Omega_2^3, \Omega_1^3 \Omega_2^4, \Omega_1^3 \Omega_2^5, \Omega_1^3 \Omega_2^6, \Omega_1^4 \Omega_2, \Omega_1^4 \Omega_2^2, \Omega_1^4 \Omega_2^3, \Omega_1^4 \Omega_2^4, \\
& \Omega_1^4 \Omega_2^5, \Omega_1^5 \Omega_2, \Omega_1^5 \Omega_2^2, \Omega_1^5 \Omega_2^3, \Omega_1^5 \Omega_2^4, \Omega_1^6 \Omega_2, \Omega_1^6 \Omega_2^2, \Omega_1^6 \Omega_2^3\} ,
\end{aligned} \tag{26}$$

and where  $\{\beta_n, n = 1, 24\}$  are complicated tensor polynomials in the components of  $\vec{v}$ ,  $\vec{k}_1$ , and  $\vec{k}_2$ . The latter are given by

$$\begin{aligned}
\beta_1 = & (c^2 k_1^2 k_2^2 + c^2 \vec{k}_1 \cdot \vec{k}_2 k_1^2 - \mu_2^2 k_1^2 - \mu_1 \mu_2 k_1^2 - \mu_1^2 \vec{k}_1 \cdot \vec{k}_2 \\
& - \mu_1^2 k_2^2 + c^{-2} \mu_1^2 \mu_2^2 + c^{-2} \mu_1^3 \mu_2) v_i v_j v_1 ,
\end{aligned} \tag{27}$$

$$\begin{aligned}
\beta_2 = & (c^2 k_1^2 - \mu_1^2) k_{1i} v_i v_j + (c^2 k_1^2 - \mu_1^2) k_{2i} v_i v_j \\
& + (c^2 k_1^2 - \mu_1^2) k_{2i} v_j v_1 + (-2\mu_2 k_1^2 - \mu_1 k_1^2 + 2c^{-2} \mu_1^2 \mu_2 \\
& + c^{-2} \mu_1^3) v_i v_j v_1 ,
\end{aligned} \tag{28}$$

$$\beta_3 = (c^2 k_1^2 - \mu_1^2) v_j \delta_{i1} - (k_1^2 - c^{-2} \mu_1^2) v_i v_j v_1 , \tag{29}$$

$$\begin{aligned}
\beta_4 = & [3c^2 k_1^2 k_2^2 + 2c^2 k_2^2 \vec{k}_1 \cdot \vec{k}_2 + 2c^2 (\vec{k}_1 \cdot \vec{k}_2)^2 + 3c^2 k_1^2 \vec{k}_1 \cdot \vec{k}_2 \\
& - 3k_1^2 \mu_2^2 - 3k_1^2 \mu_1 \mu_2 - 2\vec{k}_1 \cdot \vec{k}_2 \mu_2^2 - 4\vec{k}_1 \cdot \vec{k}_2 \mu_1 \mu_2 \\
& - 2k_2^2 \mu_1 \mu_2 - 3k_2^2 \mu_1^2 - 3\vec{k}_1 \cdot \vec{k}_2 \mu_1^2 + 2c^{-2} \mu_1 \mu_2^3 \\
& + 5c^{-2} \mu_1^2 \mu_2^2 + 3c^{-2} \mu_1^3 \mu_2] v_i v_j v_1 ,
\end{aligned} \tag{30}$$

$$\begin{aligned}
\beta_5 = & \left( 2c^2 \vec{k}_1 \cdot \vec{k}_2 k_{11} + 3c^2 k_1^2 k_{11} - 2\mu_1 \mu_2 k_{11} - 3\mu_1^2 k_{11} \right. \\
& + c^2 \vec{k}_1 \cdot \vec{k}_2 k_{21} - \mu_2^2 k_{11} - \mu_1 \mu_2 k_{21} + c^2 k_2^2 k_{11} \\
& \left. + 3c^2 k_1^2 k_{21} - 3\mu_1^2 k_{21} \right) v_i v_j \\
& + \left( c^2 \vec{k}_1 \cdot \vec{k}_2 k_{1i} - \mu_1 \mu_2 k_{1i} + c^2 \vec{k}_1 \cdot \vec{k}_2 k_{2i} - \mu_1 \mu_2 k_{2i} \right. \\
& \left. + c^2 k_2^2 k_{1i} - \mu_2^2 k_{1i} + 3c^2 k_1^2 k_{2i} - 3\mu_1^2 k_{2i} \right) v_j v_1 \\
& + \left( c^2 \vec{k}_1 \cdot \vec{k}_2 k_{1j} - \mu_1 \mu_2 k_{1j} + c^2 k_2^2 k_{1j} - \mu_2^2 k_{1j} \right) v_i v_1 \\
& + \left( -6\vec{k}_1 \cdot \vec{k}_2 \mu_1 + 13c^{-2} \mu_1^2 \mu_2 - 3k_1^2 \mu_1 + 3c^{-2} \mu_1^3 \right. \\
& \left. - 7k_1^2 \mu_2 - 4\vec{k}_1 \cdot \vec{k}_2 \mu_2 - 4k_2^2 \mu_1 + 8c^{-2} \mu_1 \mu_2^2 \right) v_i v_j v_1 ,
\end{aligned} \tag{31}$$

$$\begin{aligned}
\beta_6 = & \left( -3\mu_1^2 + 3c^2 k_1^2 \right) v_j \delta_{i1} + \left( c^2 k_{21} k_{1j} + c^2 k_{11} k_{1j} \right) v_i \\
& + \left( c^2 k_{21} k_{1i} + c^2 k_{11} k_{1i} + c^2 k_{11} k_{2i} \right) v_j + c^2 k_{2i} k_{1j} v_1 \\
& + \left( -2\mu_2 k_{11} - 4\mu_1 k_{11} - 3\mu_1 k_{21} \right) v_i v_j \\
& + \left( -2\mu_2 k_{1j} - \mu_1 k_{1j} \right) v_i v_1 + \left( -2\mu_2 k_{1i} - \mu_1 k_{1i} - 3\mu_1 k_{2i} \right) v_j v_1 \\
& + \left( -4k_1^2 + 10c^{-2} \mu_1 \mu_2 + 8c^{-2} \mu_1^2 - 2\vec{k}_1 \cdot \vec{k}_2 \right) v_i v_j v_1 ,
\end{aligned} \tag{32}$$

$$\begin{aligned}
\beta_7 = & \left( -2\mu_1 v_j + c^2 k_{1j} \right) \delta_{i1} - k_{1i} v_j v_1 - k_{11} v_i v_j \\
& - k_{1j} v_i v_1 + 4c^{-2} \mu_1 v_i v_j v_1 ,
\end{aligned} \tag{33}$$

$$\begin{aligned}
\beta_8 = & \left[ 3c^2 k_1^2 k_2^2 + 2c^2 k_1^2 \vec{k}_1 \cdot \vec{k}_2 + 3c^2 k_2^2 \vec{k}_1 \cdot \vec{k}_2 + 2c^2 (\vec{k}_1 \cdot \vec{k}_2)^2 \right. \\
& - 3k_2^2 \mu_1^2 - 3k_2^2 \mu_1 \mu_2 - 2\vec{k}_1 \cdot \vec{k}_2 \mu_1^2 - 4\vec{k}_1 \cdot \vec{k}_2 \mu_1 \mu_2 \\
& - 2k_1^2 \mu_1 \mu_2 - 3k_1^2 \mu_2^2 - 3\vec{k}_1 \cdot \vec{k}_2 \mu_2^2 + 2c^{-2} \mu_1^3 \mu_2 \\
& \left. + 5c^{-2} \mu_1^2 \mu_2^2 + 3c^{-2} \mu_1 \mu_2^3 \right] v_i v_j v_1 \quad , \quad (34)
\end{aligned}$$

$$\begin{aligned}
\beta_9 = & \left( 3c^2 k_1^2 k_{21} + 2c^2 \vec{k}_1 \cdot \vec{k}_2 k_{21} - 3\mu_1^2 k_{21} - 2\mu_1 \mu_2 k_{21} \right. \\
& + 2c^2 k_1^2 k_{11} + 2c^2 \vec{k}_1 \cdot \vec{k}_2 k_{11} - 2\mu_1^2 k_{11} + c^2 k_2^2 k_{11} \\
& - 2\mu_1 \mu_2 k_{11} - \mu_2^2 k_{11} \left. \right) v_i v_j + \left( c^2 k_1^2 k_{2j} + 2c^2 \vec{k}_1 \cdot \vec{k}_2 k_{2j} \right. \\
& + 2c^2 k_2^2 k_{2j} - \mu_1^2 k_{2j} - 2\mu_1 \mu_2 k_{2j} - 2\mu_2^2 k_{2j} + 2c^2 \vec{k}_1 \cdot \vec{k}_2 k_{1j} \\
& - 2\mu_1 \mu_2 k_{1j} + 3c^2 k_2^2 k_{1j} - 3\mu_2^2 k_{1j} \left. \right) v_i v_1 \\
& + \left( 2c^2 \vec{k}_1 \cdot \vec{k}_2 k_{1i} - 2\mu_1 \mu_2 k_{1i} + 3c^2 k_2^2 k_{1i} - 3\mu_2^2 k_{1i} \right. \\
& + 3c^2 k_1^2 k_{2i} + 2c^2 \vec{k}_1 \cdot \vec{k}_2 k_{2i} - 3\mu_1^2 k_{2i} - 2\mu_1 \mu_2 k_{2i} \left. \right) v_j v_1 \\
& + \left( -10\vec{k}_1 \cdot \vec{k}_2 \mu_1 - 9k_1^2 \mu_2 - 10\vec{k}_1 \cdot \vec{k}_2 \mu_2 + 19c^{-2} \mu_1 \mu_2^2 \right. \\
& + 19c^{-2} \mu_2 \mu_1^2 - 2\mu_2 k_2^2 + 2c^{-2} \mu_2^3 - 9\mu_1 k_2^2 - 2\mu_1 k_1^2 \\
& \left. + 2c^{-2} \mu_1^3 \right) v_i v_j v_1 \quad , \quad (35)
\end{aligned}$$

$$\begin{aligned}
\beta_{10} = & \left( c^2 k_1^2 + 2c^2 \vec{k}_1 \cdot \vec{k}_2 - \mu_1^2 - 2\mu_1 \mu_2 + c^2 k_2^2 - \mu_2^2 \right) v_i \delta_{j1} \\
& + \left( -3\mu_1^2 + 3c^2 k_1^2 \right) v_j \delta_{i1} + \left( c^2 k_2^2 - \mu_2^2 \right) v_1 \delta_{ij} \\
& + \left( 2c^2 k_{11} k_{1j} + c^2 k_{2j} k_{21} + 3c^2 k_{1j} k_{21} \right) v_i \\
& + \left( 2c^2 k_{11} k_{1i} + 2c^2 k_{2i} k_{11} + 3c^2 k_{21} k_{1i} \right) v_j \\
& + \left( c^2 k_{1i} k_{2j} + c^2 k_{2j} k_{2i} + 3c^2 k_{1j} k_{2i} \right) v_1 \\
& + \left( -8\mu_1 k_{11} - 8\mu_1 k_{21} - \mu_2 k_{21} - 4\mu_2 k_{11} \right) v_i v_j \\
& + \left( -2\mu_1 k_{1i} - 7\mu_2 k_{1i} - 8\mu_1 k_{2i} - \mu_2 k_{2i} \right) v_j v_1 \\
& + \left( -2\mu_1 k_{2j} - 2\mu_1 k_{1j} - 7\mu_2 k_{1j} - 4\mu_2 k_{2j} \right) v_i v_1 \\
& + \left( 14c^{-2} \mu_1^2 + 32c^{-2} \mu_1 \mu_2 - 8\vec{k}_1 \cdot \vec{k}_2 - 6k_1^2 \right. \\
& \left. - 3k_2^2 + 7c^{-2} \mu_2^2 \right) v_i v_j v_1 \quad , \tag{36}
\end{aligned}$$

$$\begin{aligned}
\beta_{11} = & \left( c^2 k_{1i} + c^2 k_{2i} - 2\mu_1 v_i - 2\mu_2 v_i \right) \delta_{j1} \\
& + \left( c^2 k_{21} - 2\mu_2 v_1 \right) \delta_{ij} + \left( 3c^2 k_{1j} - 6\mu_1 v_j \right) \delta_{i1} \\
& - 2 \left( k_{21} + 2k_{11} \right) v_i v_j - 2 \left( 2k_{1i} + k_{2i} \right) v_j v_1 \\
& - 2 \left( k_{2j} + 2k_{1j} \right) v_1 v_i + 8 \left( \mu_2 + 2\mu_1 \right) c^{-2} v_i v_j v_1 \quad , \tag{37}
\end{aligned}$$

$$\beta_{12} = \left( -v_i \delta_{j1} - v_1 \delta_{ij} - v_j \delta_{i1} + 3c^{-2} v_i v_j v_1 \right) \quad , \tag{38}$$

$$\begin{aligned} \beta_{13} = & \left( c^2 k_1^2 k_2^2 + c^2 \bar{k}_1 \cdot \bar{k}_2 k_2^2 - \mu_1^2 k_2^2 - \mu_1 \mu_2 k_2^2 - \mu_2^2 \bar{k}_1 \cdot \bar{k}_2 \right. \\ & \left. - \mu_2^2 k_1^2 + c^{-2} \mu_2^2 \mu_1^2 + c^{-2} \mu_1 \mu_2^3 \right) v_i v_j v_1, \end{aligned} \quad (39)$$

$$\begin{aligned} \beta_{14} = & \left( c^2 \bar{k}_1 \cdot \bar{k}_2 k_{1i} - \mu_1 \mu_2 k_{1i} + 3c^2 k_2^2 k_{1i} - 3\mu_2^2 k_{1i} + c^2 k_1^2 k_{2i} \right. \\ & \left. + c^2 \bar{k}_1 \cdot \bar{k}_2 k_{2i} - \mu_1^2 k_{2i} - \mu_1 \mu_2 k_{2i} \right) v_j v_1 \\ & + \left( c^2 k_1^2 k_{21} - \mu_1 \mu_2 k_{21} + c^2 \bar{k}_1 \cdot \bar{k}_2 k_{21} - \mu_1^2 k_{21} \right) v_i v_j \\ & + \left( c^2 k_1^2 k_{2j} + 2c^2 \bar{k}_1 \cdot \bar{k}_2 k_{2j} - \mu_1^2 k_{2j} - 2\mu_1 \mu_2 k_{2j} + c^2 \bar{k}_1 \cdot \bar{k}_2 k_{1j} \right. \\ & \left. - \mu_1 \mu_2 k_{1j} + 3c^2 k_2^2 k_{1j} + 3c^2 k_2^2 k_{2j} - 3\mu_2^2 k_{1j} - 3\mu_2^2 k_{2j} \right) v_i v_1 \\ & + \left( -6\bar{k}_1 \cdot \bar{k}_2 \mu_2 - 4k_1^2 \mu_2 + 8c^{-2} \mu_1^2 \mu_2 - 7k_2^2 \mu_1 - 3k_2^2 \mu_2 \right. \\ & \left. + 13c^{-2} \mu_1 \mu_2^2 + 3c^{-2} \mu_2^3 - 4\bar{k}_1 \cdot \bar{k}_2 \mu_1 \right) v_i v_j v_1, \end{aligned} \quad (40)$$

$$\begin{aligned} \beta_{15} = & \left( -\mu_1^2 + c^2 k_1^2 \right) v_j \delta_{i1} + \left( -3\mu_2^2 + 3c^2 k_2^2 \right) v_1 \delta_{ij} \\ & + \left( -\mu_1^2 - 2\mu_1 \mu_2 + c^2 k_1^2 + 2c^2 \bar{k}_1 \cdot \bar{k}_2 - \mu_2^2 + c^2 k_2^2 \right) v_i \delta_{j1} \\ & + c^2 \left( k_{1j} k_{11} + 3k_{1j} k_{21} + 2k_{2j} k_{21} \right) v_i \\ & + c^2 \left( k_{1i} k_{11} + 3k_{1i} k_{21} + k_{2i} k_{11} \right) v_j \\ & + c^2 \left( 2k_{2i} k_{2j} + 3k_{2i} k_{1j} + 2k_{1i} k_{2j} \right) v_1 \\ & + \left( -7\mu_1 k_{21} - 2\mu_2 k_{21} - 4\mu_1 k_{11} - 2\mu_2 k_{11} \right) v_i v_j \\ & + \left( -\mu_1 k_{1j} - 8\mu_2 k_{1j} - 8\mu_2 k_{2j} - 4\mu_1 k_{2j} \right) v_i v_1 \\ & + \left( -\mu_1 k_{1i} - 8\mu_2 k_{1i} - 2\mu_2 k_{2i} - 7\mu_1 k_{2i} \right) v_j v_1 \\ & + \left( 7c^{-2} \mu_1^2 + 32c^{-2} \mu_1 \mu_2 + 14c^{-2} \mu_2^2 - 3k_1^2 - 8\bar{k}_1 \cdot \bar{k}_2 \right. \\ & \left. - 6k_2^2 \right) v_i v_j v_1, \end{aligned} \quad (41)$$



$$\begin{aligned}
\beta_{16} = & 2(c^2 k_{1i} + c^2 k_{2i}) \delta_{j1} + 3c^2 k_{21} \delta_{ij} + 3c^2 k_{1j} \delta_{i1} \\
& - 6\mu_1 v_j \delta_{i1} - 6\mu_2 v_1 \delta_{ij} - 4(\mu_1 + \mu_2) v_i \delta_{j1} - 5(k_{11} + k_{21}) v_i v_j \\
& - 5(k_{1i} + k_{2i}) v_j v_1 - 5(k_{1j} + k_{2j}) v_i v_1 \\
& + 20(c^{-2} \mu_1 + c^{-2} \mu_2) v_i v_j v_1 ,
\end{aligned} \tag{42}$$

$$\beta_{17} = -3v_i \delta_{j1} - 3v_1 \delta_{ij} - 3v_j \delta_{i1} + 9c^{-2} v_i v_j v_1 , \tag{43}$$

$$\begin{aligned}
\beta_{18} = & (c^2 k_{21}^2 k_{1j} + c^2 k_{22}^2 k_{2j} - \mu_2^2 k_{1j} - \mu_2^2 k_{2j}) v_i v_1 \\
& + (2c^{-2} \mu_1 \mu_2^2 + c^{-2} \mu_2^3 - 2\mu_1 k_2^2 - \mu_2 k_2^2) v_i v_j v_1 \\
& + (c^2 k_2^2 - \mu_2^2) k_{1i} v_j v_1 ,
\end{aligned} \tag{44}$$

$$\begin{aligned}
\beta_{19} = & c^2 k_{1i} k_{21} v_j + (c^2 k_{1i} k_{2j} + c^2 k_{1j} k_{2i} + c^2 k_{2j} k_{2i}) v_1 \\
& + (c^2 k_{1j} k_{21} + c^2 k_{2j} k_{21}) v_i + (3c^2 k_2^2 - 3\mu_2^2) v_1 \delta_{ij} \\
& - (\mu_2 k_{21} + 2\mu_1 k_{21}) v_i v_j - (\mu_2 k_{2i} + 2\mu_1 k_{2i} + 3\mu_2 k_{1i}) v_j v_1 \\
& - (2\mu_1 k_{2j} + 3\mu_2 k_{1j} + 4\mu_2 k_{2j}) v_i v_1 \\
& + 2(5c^{-2} \mu_1 \mu_2 - 2k_2^2 + 4c^{-2} \mu_2^2 - \vec{k}_1 \cdot \vec{k}_2) v_i v_j v_1 ,
\end{aligned} \tag{45}$$

$$\begin{aligned}
\beta_{20} = & (3c^2 k_{21} - 6\mu_2 v_1) \delta_{ij} + (c^2 k_{1j} - 2\mu_1 v_j) \delta_{i1} \\
& + (c^2 k_{1i} + c^2 k_{2i} - 2\mu_1 v_i - 2\mu_2 v_i) \delta_{j1} \\
& + 8(c^{-2} \mu_1 + 2c^{-2} \mu_2) v_i v_j v_1 - 2(k_{1j} + 2k_{2j}) v_i v_1 \\
& - 2(k_{11} + 2k_{21}) v_i v_j - (2k_{1i} + 2k_{2i}) v_j v_1 ,
\end{aligned} \tag{46}$$

$$\beta_{21} = -3v_i \delta_{j1} - 3v_j \delta_{i1} - 3v_1 \delta_{ij} + 9c^{-2} v_i v_j v_1 \quad , \quad (47)$$

$$\beta_{22} = (c^2 k_2^2 - u_2^2) v_1 \delta_{ij} + (c^{-2} u_2^2 - k_2^2) v_i v_j v_1 \quad , \quad (48)$$

$$\begin{aligned} \beta_{23} = & (-2u_2 v_1 + c^2 k_{21}) \delta_{ij} - k_{2i} v_j v_1 - k_{2j} v_i v_1 \\ & - k_{21} v_i v_j + 4c^{-2} u_2 v_i v_j v_1 \quad , \end{aligned} \quad (49)$$

$$\beta_{24} = -v_i \delta_{j1} - v_j \delta_{i1} - v_1 \delta_{ij} + 3c^{-2} v_i v_j v_1 \quad . \quad (50)$$

Similarly, by reducing  $(\sigma_{jil}^{\dagger}(-k_1, \bar{k}_1, \bar{k}_2, -k_2))^*$ , comparing the result with equation (25) term by term, and then using the reality property of the current and the electric field, the exact symmetry relations given by equations (24) follow.

The principal parts of equations (24) correspond to the well-known symmetry of the second-order nonlinear conductivity tensor. This correspondence results from ignoring resonant wave-particle interactions. In that case, the well-known symmetry relation for the nonrelativistic longitudinal case, equation (2.83) of Tsytovich,<sup>9</sup> also follows. To see this, one first notes that the pure longitudinal nonrelativistic second-order conductivity  $S_{k, k_1, k_2}$  is given by<sup>9</sup>

$$\begin{aligned} S_{k, k_1, k_2} = & - \frac{e^3}{|k| |k_1| |k_2|} \int \frac{\bar{k} \cdot \bar{v}}{\omega - \bar{k} \cdot \bar{v} + i\delta} (\bar{k}_1 \cdot \nabla_p) \frac{1}{\omega_2 - \bar{k}_2 \cdot \bar{v} + i\delta} \\ & \times \left( \bar{k}_2 \cdot \bar{v}_p \right) f_p^{R(0)} \frac{d^3 \bar{p}}{(2\pi)^3} \quad . \end{aligned} \quad (51)$$

Comparing equation (51) with equation (1) then yields

$$S_{k, k_1, k_2} = -e \frac{k_i}{|k|} \frac{k_{1j}}{|k_1|} \frac{k_{21}}{|k_2|} \frac{1}{\omega_1 \omega_2} S_{ij1}(k, k_1, k_2) \quad . \quad (52)$$

By using equation (3) and equation (52), it follows that

$$\begin{aligned} & \frac{1}{\omega_2} \left( S_{k_2, k_1+k_2, -k_1} + S_{k_2, -k_1, k_1+k_2} \right) \\ & = -e \frac{(k_{1j} + k_{2j}) k_{1l} k_{2i} \sigma_{ijl}^+(k_2, k_1+k_2, -k_1)}{|\vec{k}_1 + \vec{k}_2| |\vec{k}_1| |\vec{k}_2| (\omega_1 + \omega_2) \omega_1 \omega_2} \end{aligned} \quad (53)$$

and

$$\begin{aligned} & - \frac{1}{\omega_1 + \omega_2} \left( S_{-k_1 -k_2, -k_1, -k_2} + S_{-k_1 -k_2, -k_2, -k_1} \right) \\ & = -e \frac{(k_{1j} + k_{2j}) k_{1l} k_{2i} \sigma_{jil}^+(-k_1 -k_2, -k_2, -k_1)}{|\vec{k}_1 + \vec{k}_2| |\vec{k}_1| |\vec{k}_2| (\omega_1 + \omega_2) \omega_1 \omega_2} . \end{aligned} \quad (54)$$

If one ignores the imaginary part  $\delta$  in equation (1), then using equation (3) one immediately obtains the following approximate relation:

$$\sigma_{ijl}^+(-k, k_1, k_2) \approx -\sigma_{ijl}^+(k, k_1, k_2) . \quad (55)$$

By using equation (55) together with one of the exact symmetry relations equations (24), it follows that

$$\sigma_{jil}^+(-k_1 -k_2, -k_2, -k_1) \approx \sigma_{ijl}^+(k_2, k_1+k_2, -k_1) . \quad (56)$$

Substituting equation (56) into equation (54) and comparing the result with equation (53), one obtains

$$\begin{aligned} & \frac{1}{\omega_2} \left( S_{k_2, k_1+k_2, -k_1} + S_{k_2, -k_1, k_1+k_2} \right) \\ & \approx - \frac{1}{\omega_1 + \omega_2} \left( S_{-k_1 -k_2, -k_1, -k_2} + S_{-k_1 -k_2, -k_2, -k_1} \right) . \end{aligned} \quad (57)$$

Equation (57) is the well-known symmetry relation for the nonrelativistic longitudinal case (eq (2.83) of Tsytovich<sup>9</sup>). Ignoring the imaginary part  $\delta$  in equation (55) is equivalent to ignoring resonant wave-particle interactions and including only the principal part. The approximate symmetry can also be shown to follow from the other exact symmetry of equations (24).

#### 4. CONCLUSION

In conclusion then, the following exact symmetry relations hold for the second-order nonlinear conductivity tensor of an unmagnetized relativistic weakly turbulent plasma:

$$\sigma_{ijl}^{\pm}(\pm k_1, \pm k_2, k_1, k_2) = \sigma_{jil}^{\mp}(k_1, \pm k_1, \pm k_2, k_2) , \quad (58)$$

where  $\sigma_{ijl}^{\pm}(k, k_1, k_2)$  are defined by equations (1) and (3). Also, a polynomial representation, equation (4), for the tensor has been obtained in which all derivatives are removed and the pole structure is clearly exhibited. The principal part of the exact symmetries, equation (58), is the well-known approximate symmetry that applies when resonant wave-particle interactions are negligible, the Manley-Rowe relations obtain, and the nonlinear current is nondissipative.

The symmetry properties are especially useful in the calculation of the bremsstrahlung recoil force in a relativistic nonequilibrium plasma. The latter is necessary to determine the collective bremsstrahlung probability and to investigate the conditions for the occurrence of a bremsstrahlung instability.<sup>28</sup>

LITERATURE CITED

- (1) V. N. Tsytovich, Bremsstrahlung of a Relativistic Plasma, Tr. Fiz. Inst. Akad. Nauk SSSR 66 (1973), 191 [Proc. (TRUDY) of P. N. Lebedev Physics Inst., 66 (1975), 199].
- (2) A. V. Akopyan and V. N. Tsytovich, Bremsstrahlung in a Nonequilibrium Plasma, Fiz. Plazmy, 1 (1975), 673 [Sov. J. Plasma Phys., 1 (1975), 371].
- (3) A. V. Akopyan and V. N. Tsytovich, Transition Bremsstrahlung of Relativistic Particles, Zh. Eksp. Teor. Fiz., 71 (1976), 166 [Sov. Phys. JETP, 44 (1976), 87]; Bremsstrahlung of Relativistic Electrons in a Plasma in a Strong Magnetic Field, Zh. Eksp. Teor. Fiz., 72 (1977), 1824 [Sov. Phys. JETP, 45 (1977), 957].
- (4) A. V. Akopyan and V. N. Tsytovich, Bremsstrahlung of Relativistic Electrons in Plasmas, in Proc. of XIIIth International Conference on Phenomena in Ionized Gases, Physical Society of German Democratic Republic (1977), 917.
- (5) A. V. Akopyan and V. N. Tsytovich, Bremsstrahlung Instability of Relativistic Electrons in a Plasma, Astrofizika, 13 (1977), 717 [Astrophysics (1978), 423].
- (6) W. Furry, Symmetry Theorem in the Positron Theory, Phys. Rev., 51 (1937), 125.
- (7) H. Bethe and W. Heitler, On the Stopping of Fast Particles and on the Creation of Positive Electrons, Proc. Roy. Soc. A., 146 (1934), 83.
- (8) V. N. Tsytovich, Kinetic Equations for Elementary Excitations and Nonlinear Interactions Between Waves in a Plasma, Preprint, Fiz. Inst. Akad. Nauk SSSR, No. 12 (1968) [CTO/616, Culham Translations Office (1969)].
- (9) V. N. Tsytovich, Theory of Turbulent Plasma, 76 (Consultants Bureau), Plenum Publishing Corp., New York (1977).
- (10) L. M. Al'tshul' and V. I. Karpman, The Kinetics of Waves in a Weakly Turbulent Plasma, Zh. Eksp. Teor. Fiz., 47 (1964), 1552 [Sov. Phys. JETP, 20 (1965), 1043].
- (11) D. B. Melrose, Symmetry Properties of Nonlinear Responses in a Plasma, Plasma Phys., 14 (1972), 1035.

LITERATURE CITED (Cont'd)

- (12) J. Larsson, Current Responses of All Orders in a Collisionless Plasma, I. General Theory, *J. Math. Phys.*, 20 (1979), 1321; Current Responses of All Orders in a Collisionless Plasma, II. Homogeneous Plasma, *J. Math. Phys.*, 20 (1979), 1331.
- (13) J. Larsson, Conductivity Tensors of All Orders in a Collisionless Plasma, *J. Plasma Phys.*, 21 (1979), 519.
- (14) H. E. Brandt, Symmetries of the Nonlinear Conductivity for a Relativistic Turbulent Plasma, Harry Diamond Laboratories HDL-TR-1927 (March 1981).
- (15) L. M. Kovrizhnykh, On the Theory of a Turbulent Plasma, *Sov. Phys. JETP*, 21 (1965), 744.
- (16) A. N. Kaufman and L. Stenflo, Action Conservation in the Presence of a High-Frequency Field, *Plasma Phys.*, 17 (1975), 403.
- (17) S. Johnston and A. N. Kaufman, Generalized Ponderomotive Forces and Three-Wave Interaction, in *Plasma Physics, Nonlinear Theory and Experiments*, H. Wilhelmsson, ed., Plenum Publishing Corp., New York (1977), 159.
- (18) J. Dougherty, Lagrangian Methods in Plasma Dynamics, I. General Theory of the Method of the Averaged Lagrangian, *J. Plasma Phys.*, 4 (1970), 761.
- (19) J. Galloway and H. Kim, Lagrangian Approach to Non-linear Wave Interactions in a Warm Plasma, *J. Plasma Phys.*, 6 (1971), 53.
- (20) P. A. Sturrock, Action-Transfer and Frequency-Shift Relations in the Nonlinear Theory of Waves and Oscillations, *Annals of Physics*, 9 (1960), 422.
- (21) R. Z. Sagdeev and A. A. Galeev, *Nonlinear Plasma Theory*, The Benjamin Co., Inc., New York (1969).
- (22) K. Mima, Modification of Weak Turbulence Theory Due to Perturbed Orbit Effects, I. General Formulation, *J. Phys. Soc. Japan*, 34 (1973), 1620; Modification of Weak Turbulence Theory Due to Perturbed Orbit Effects, II. Nonlinear Landau Damping of Electron Plasma Waves, *J. Phys. Soc. Japan*, 35 (1973), 261.
- (23) H. E. Brandt, Symmetries of the Nonlinear Conductivity Tensor for a Relativistic Turbulent Plasma, *Bull. Am. Phys. Soc.*, 25 (1980), 1035.

LITERATURE CITED (Cont'd)

- (24) H. E. Brandt, Exact Symmetry of the Second-Order Nonlinear Conductivity for a Relativistic Turbulent Plasma, *Phys. Fluids*, 24 (1981), 1760.
- (25) H. E. Brandt, Exact Symmetry of the Second-Order Nonlinear Conductivity Tensor for a Relativistic Turbulent Plasma, *Bull. Am. Phys. Soc.*, 26 (1981), 588.
- (26) H. E. Brandt, Second-Order Nonlinear Conductivity Tensor for an Unmagnetized Relativistic Turbulent Plasma, *Proc. of Course and Workshop on Plasma Astrophysics, International School of Plasma Physics, Varenna, Italy, 27 August to 7 September 1981*, Pergamon Press (1982), 361.
- (27) V. N. Tsytovich, Nonlinear Absorption of Electromagnetic Waves During Resonant Plasma Heating, *Fiz. Plazmy*, 6 (1980), 1105 [*Sov. J. Plasma Phys.*, 6 (1980), 608].
- (28) V. Tsytovich, Collective Effects in Bremsstrahlung of Fast Particles in Plasmas, *Comments, Plasma Phys. Conf. Fusion*, 4 (1978), 73.

DISTRIBUTION

ADMINISTRATOR  
DEFENSE TECHNICAL INFORMATION CENTER  
ATTN DTIC-DDA (12 COPIES)  
CAMERON STATION, BUILDING 5  
ALEXANDRIA, VA 22314

COMMANDER  
US ARMY RSCH & STD GP (EUR)  
ATTN CHIEF, PHYSICS & MATH BRANCH  
FPO NEW YORK 09510

COMMANDER  
US ARMY MISSILE & MUNITIONS  
CENTER & SCHOOL  
ATTN ATSK-CTD-F  
REDSTONE ARSENAL, AL 35809

DIRECTOR  
US ARMY MATERIEL SYSTEMS  
ANALYSIS ACTIVITY  
ATTN DRXSY-MP  
ABERDEEN PROVING GROUND, MD 21005

DIRECTOR  
US ARMY BALLISTIC RESEARCH LABORATORY  
ATTN DRDAR-TSB-S (STINFO)  
ATTN D. ECCLESHALL  
ABERDEEN PROVING GROUND, MD 21005

US ARMY ELECTRONICS TECHNOLOGY &  
DEVICES LABORATORY  
ATTN DELET-DD  
ATTN N. WILSON  
FT MONMOUTH, NJ 07703

HQ USAF/SAMI  
WASHINGTON, DC 20330

TELEDYNE BROWN ENGINEERING  
CUMMINGS RESEARCH PARK  
ATTN MELVIN L. PRICE, MS-44  
HUNTSVILLE, AL 35807

ENGINEERING SOCIETIES LIBRARY  
345 EAST 47TH STREET  
ATTN ACQUISITIONS DEPARTMENT  
NEW YORK, NY 10017

WRIGHT-PATTERSON AFB  
FOREIGN TECHNOLOGY DIVISION/ETD  
ATTN J. BUTLER  
WRIGHT-PATTERSON AFB, OH 45433

UNDER SECRETARY OF DEFENSE  
FOR RESEARCH & ENGINEERING  
ATTN DEPUTY UNDER SECRETARY  
(RESEARCH & ADVANCED TECH)  
WASHINGTON, DC 20301

CENTRAL INTELLIGENCE AGENCY  
ATTN R. PETTIS  
PO BOX 1925  
WASHINGTON, DC 20013

US ARMY ERADCOM  
ATTN C. M. DESANTIS  
FT MONMOUTH, NJ 07703

DEPARTMENT OF ENERGY  
ATTN T. F. GODLOVE  
ATTN M. MURPHY  
ATTN A. COLE  
WASHINGTON, DC 20595

BROOKHAVEN NATIONAL LABORATORY  
ASSOCIATED UNIVERSITIES, INC.  
ATTN PHYSICS DEPT  
UPTON, LONG ISLAND, NY 11973

AMES LABORATORY (ERDA)  
IOWA STATE UNIVERSITY  
ATTN NUCLEAR SCIENCE CATEGORY  
AMES, IA 50011

ASTRONOMICAL INSTITUTE--ZONNENBURG 2  
ATTN M. KUPERUS  
3512 NL UTRECHT, THE NETHERLANDS

CALIFORNIA INSTITUTE OF TECHNOLOGY  
THEORETICAL ASTROPHYSICS  
ATTN K. THORNE  
130-33 PASADENA, CA 91125

DEPARTMENT OF COMMERCE  
NATIONAL BUREAU OF STANDARDS  
ATTN LIBRARY  
ATTN CENTER FOR RADIATION RESEARCH  
WASHINGTON, DC 20234

NATIONAL BUREAU OF STANDARDS  
ATTN J. WAIT  
BOULDER, CO 80303

DIRECTOR  
DEFENSE ADVANCED RESEARCH  
PROJECTS AGENCY  
ATTN D. H. TANIMOTO  
ATTN A. PIKE  
ATTN J. MANGANO  
ATTN J. R. BAYLESS  
1400 WILSON BLVD  
ARLINGTON, VA 22209



DISTRIBUTION (Cont'd)

DIRECTOR  
DEFENSE COMMUNICATIONS AGENCY  
WASHINGTON, DC 20305

DIRECTOR  
DEFENSE INTELLIGENCE AGENCY  
ATTN DT-1, NUCLEAR & APPLIED  
SCIENCES DIV  
ATTN ELECTRONIC WARFARE BRANCH  
WASHINGTON, DC 20301

CHIEF  
LIVERMORE DIVISION, FIELD COMMAND, DNA  
LAWRENCE LIVERMORE LABORATORY  
PO BOX 808  
LIVERMORE, CA 94550

DIRECTOR  
NATIONAL SECURITY AGENCY  
ATTN TECHNICAL LIBRARY  
ATTN F. BEDARD  
FT MEADE, MD 20755

DIRECTOR  
DEFENSE NUCLEAR AGENCY  
ATTN E. E. CONRAD, DEPUTY DIRECTOR  
SCIENTIFIC TECHNOLOGY  
ATTN RAEV, ELECTRONIC VULNERABILITY  
ATTN R. GULLICKSON  
WASHINGTON, DC 20305

OFFICE OF THE UNDER SECRETARY OF  
DEFENSE FOR RESEARCH & ENGINEERING  
DIR ENERGY TECHNOLOGY OFFICE  
ATTN J. R. AIREY  
THE PENTAGON  
WASHINGTON, DC 20301

ASSISTANT SECRETARY OF THE ARMY (RDA)  
ATTN DEP FOR SCI & TECH  
WASHINGTON, DC 20310

OFFICE, DEPUTY CHIEF OF STAFF  
FOR OPERATIONS & PLANS  
DEPT OF THE ARMY  
ATTN DAMO-SSN, NUCLEAR DIV  
WASHINGTON, DC 20310

OFFICE OF THE DEPUTY CHIEF OF STAFF  
FOR RESEARCH, DEVELOPMENT,  
& ACQUISITION  
DEPARTMENT OF THE ARMY  
ATTN DIRECTOR OF ARMY RESEARCH,  
M. E. LASSER  
ATTN DAMA-CSS-N, NUCLEAR TEAM  
ATTN DAMA-ARZ-O, F. D. VERDERAME  
WASHINGTON, DC 20310

COMMANDER  
BALLISTIC MISSILE DEFENSE  
ADVANCED TECHNOLOGY CENTER  
ATTN D. SCHENK  
PO BOX 1500  
HUNTSVILLE, AL 35807

COMMANDER  
US ARMY FOREIGN SCIENCE  
& TECHNOLOGY CENTER  
FEDERAL OFFICE BLDG  
ATTN DRXST-SD, SCIENCES DIV  
ATTN T. CALDWELL  
220 7TH STREET, NE  
CHARLOTTESVILLE, VA 22901

COMMANDER  
US ARMY MATERIALS & MECHANICS  
RESEARCH CENTER  
ATTN DRXMR-H, BALLISTIC MISSILE  
DEF MATLS PROG OFC  
WATERTOWN, MA 02172

COMMANDER  
US ARMY MISSILE COMMAND  
ATTN DRDMI-TR, PHYSICAL SCIENCES DIR  
REDSTONE ARSENAL, AL 35809

ARMY RESEARCH OFFICE (DURHAM)  
PO BOX 12211  
ATTN H. ROBL  
ATTN R. LONTZ  
ATTN B. D. GUENTHER  
ATTN TECH LIBRARY  
RESEARCH TRIANGLE PARK, NC 27709

COMMANDER  
US ARMY ABERDEEN PROVING GROUND  
ATTN STEAP-TL, TECH LIB  
ABERDEEN PROVING GROUND, MD 21005

NAVAL AIR SYSTEMS COMMAND  
ATTN R. J. WASNESKI  
WASHINGTON, DC 20361

SUPERINTENDENT  
NAVAL POSTGRADUATE SCHOOL  
ATTN LIBRARY, CODE 2124  
MONTEREY, CA 93940

DISTRIBUTION (Cont'd)

DIRECTOR  
NAVAL RESEARCH LABORATORY  
ATTN 2600, TECHNICAL INFO DIV  
ATTN 5540, LASER PHYSICS  
ATTN 6000, MATL & RADIATION SCI & TE  
ATTN B. RIPIN  
ATTN L. A. COSBY  
ATTN E. E. KEMPE  
ATTN J. T. SCHRIEMPF  
ATTN R. F. WENZEL  
ATTN R. HETTICHE  
ATTN J. GOLDEN  
ATTN V. L. GRANATSTEIN  
ATTN R. K. PARKER  
ATTN P. A. SPRANGLE  
ATTN C. A. KAPETANAKOS  
ATTN S. AHN  
ATTN T. P. COFFEY  
ATTN R. JACKSON  
WASHINGTON, DC 20375

COMMANDER  
NAVAL SURFACE WEAPONS CENTER  
ATTN V. PUGLIELLI  
ATTN DX-21, LIBRARY DIV  
DAHLGREN, VA 22448

OFFICE OF NAVAL RESEARCH  
ATTN W. J. CONDELL  
800 N. QUINCY ST  
ARLINGTON, VA 22217

COMMANDER  
NAVAL SURFACE WEAPONS CENTER  
ATTN J. Y. CHOE  
ATTN H. UHM  
ATTN WA-13, HIGH-ENERGY LASER BR  
ATTN WA-50, NUCLEAR WEAPONS  
EFFECTS DIV  
ATTN WR, RESEARCH & TECHNOLOGY DEPT  
ATTN WR-40, RADIATION DIV  
ATTN WX-40, TECHNICAL LIB  
WHITE OAK, MD 20910

NAVAL MATERIAL COMMAND  
ATTN T. HORWATH  
2211 JEFFERSON DAVIS HWY  
WASHINGTON, DC 20301

COMMANDER  
NAVAL WEAPONS CENTER  
ATTN 315, LASER/INFRARED SYS DIV  
ATTN 381, PHYSICS DIV  
CHINA LAKE, CA 93555

NAVAL INTELLIGENCE SUPPORT CENTER  
ATTN M. KOONTZ  
4301 SUITLAND RD.  
SUITLAND, MD 20390

ASSISTANT SECRETARY OF THE AIR FORCE  
(RESEARCH & DEVELOPMENT)  
WASHINGTON, DC 20330

DIRECTOR  
AF OFFICE OF SCIENTIFIC RESEARCH  
BOLLING AFB  
ATTN NP, DIR OF PHYSICS  
ATTN R. BARKER  
WASHINGTON, DC 20332

COMMANDER  
AF WEAPONS LAB, AFSC  
ATTN A. H. GUENTHER  
ATTN W. E. PAGE  
ATTN LR, LASER DEV DIV  
KIRTLAND AFB, NM 87117

ADMINISTRATOR  
NASA HEADQUARTERS  
WASHINGTON, DC 20546

AMES RESEARCH CENTER  
NASA  
ATTN TECHNICAL INFO DIV  
MOFFETT FIELD, CA 94035

DIRECTOR  
NASA  
GODDARD SPACE FLIGHT CENTER  
ATTN 250, TECH INFO DIV  
GREENBELT, MD 20771

OAK RIDGE NATIONAL LABORATORY  
PO BOX Y  
ATTN A. C. ENGLAND  
OAK RIDGE, TN 37830

NATIONAL RESEARCH COUNCIL  
DIVISION OF PHYSICS  
ATTN P. JAANIMAGI  
OTTOWA, ONTARIO  
CANADA

INSTITUTE OF EXPERIMENTAL PHYSICS  
RUHR-UNIVERSITY  
POSTFACH 2148  
ATTN H. KUNZE  
436 BOCHUM, WEST GERMANY

PHYSICS INTERNATIONAL  
2700 MERCER ST  
ATTN B. A. LIPPMANN  
ATTN R. D. GENUARIO  
SAN LEANDRO, CA 94577

DISTRIBUTION (Cont'd)

SRI INTERNATIONAL  
ATTN G. AUGUST  
ATTN C. L. RINO  
333 RAVENSWOOD AVE  
MENLO PARK, CA 94025

B. K. DYNAMICS  
ATTN J. M. BAIRD  
ATTN R. J. LINZ  
ATTN R. MATALONI  
15825 SHADY GROVE RD  
ROCKVILLE, MD 20850

JAYCOR  
ATTN R. A. MAHAFFEY  
205 S. WHITING ST  
ALEXANDRIA, VA 22304

LAWRENCE BERKELEY LAB  
ATTN A. FALTENS  
BERKELEY, CA 94720

LAWRENCE LIVERMORE LABORATORY  
UNIVERSITY OF CALIFORNIA  
ATTN V. W. SLIVINSKY  
ATTN S. L. YU  
ATTN G. CRAIG  
ATTN J. WYATT  
ATTN R. ALVAREZ  
ATTN G. LASCHE  
PO BOX 808  
LIVERMORE, CA 94550

LOS ALAMOS SCI LAB  
ATTN S. COLGATE  
ATTN D. F. DUBOIS  
ATTN D. FORSLAND  
ATTN C. M. FOWLER  
ATTN B. WARNER  
ATTN J. LANDT  
ATTN T. R. KING  
ATTN R. W. FREYMAN  
ATTN A. W. CHURMATZ  
ATTN L. M. DUNCAN  
ATTN D. B. HENDERSON  
ATTN L. E. THODE  
PO BOX 1663  
LOS ALAMOS, NM 87545

MAX PLANCK INST. FUR AERONOMIE  
3411 KATLENBG  
ATTN J. AXFORD  
ATTN E. MARSCH  
LINDAU 3, WEST GERMANY

MAX PLANCK INSTITUTE OF PHYSICS  
AND ASTROPHYSICS  
ATTN M. NORMAN  
ATTN J. TRUMPER  
GARCHING BEI MUNICH, WEST GERMANY

MAXWELL LABORATORIES  
ATTN J. S. PEARLMAN  
8835 BALBOA AVE  
SAN DIEGO, CA 92123

CAMBRIDGE UNIVERSITY  
INSTITUTE OF ASTRONOMY  
MADINGLEY ROAD  
ATTN S. PHINNEY  
ATTN M. REES  
CAMBRIDGE CB 3 0 HA, ENGLAND

COLUMBIA UNIVERSITY  
ATTN S. JOHNSTON  
216 MUDD BLDG  
NEW YORK, NY 10027

MISSION RESEARCH CORPORATION  
ATTN B. GODFREY  
ATTN D. J. SULLIVAN  
1400 SAN MATEO BOULEVARD, S.E.  
ALBUQUERQUE, NM 87108

NATIONAL SCIENCE FOUNDATION  
DIVISION OF ASTRONOMICAL SCIENCES  
1800 G STREET, N.W.  
ATTN M. AIZENMAN  
WASHINGTON, DC 20550

OCCIDENTAL RESEARCH CORP  
ATTN D. B. CHANG  
2100 S.E. MAIN  
IRVINE, CA 92713

OXFORD UNIVERSITY  
ASTROPHYSICS DEPARTMENT  
SOUTH PARK ROAD  
ATTN A. HALL  
OXFORD--OXI 3RQ, ENGLAND

SANDIA LABORATORIES  
ATTN S. HUMPHRIES, JR.  
4244 SANDIA LABS  
ALBUQUERQUE, NM 87115

SCIENCE APPLICATIONS INC.  
1710 GOODRIDGE DR.  
PO BOX 1303  
ATTN E. KANE  
MCLEAN, VA 22012

DISTRIBUTION (Cont'd)

WESTERN RESEARCH CORP  
ATTN R. O. HUNTER  
225 BROADWAY, SUITE 1600  
SAN DIEGO, CA 92101

THE AUSTRALIAN NATIONAL UNIVERSITY  
DEPT OF THEORETICAL PHYSICS  
ATTN D. B. MELROSE  
PO BOX 4  
CANBERRA A.C.T. 2600  
AUSTRALIA

UNIVERSITY OF CALIFORNIA  
DEPT OF APPL. PHYS. & INFORMATION  
SCIENCE  
ATTN H. ALFVEN  
LA JOLLA, CA 92093

CALIFORNIA INSTITUTE OF TECHNOLOGY  
JET PROPULSION LABORATORY  
ATTN J. C. HUBBARD  
IRVINE, CA 92717

UNIVERSITY OF CALIFORNIA  
ELECTRICAL ENGINEERING DEPT  
ATTN C. K. BIRDSALL  
BERKELEY, CA 94720

UNIVERSITY OF CALIFORNIA  
PHYSICS DEPT  
ATTN A. N. KAUFMAN  
BERKELEY, CA 94720

UNIVERSITY OF CALIFORNIA, DAVIS  
APPLIED SCIENCES  
ATTN J. DEGROOT  
DAVIS, CA 95616

UNIVERSITY OF CALIFORNIA IRVINE  
DEPT OF PHYSICS  
ATTN G. BENFORD  
ATTN N. ROSTOKER  
ATTN M. MAYER  
ATTN A. RAY  
IRVINE, CA 92717

UNIVERSITY OF CALIFORNIA, LOS ANGELES  
DEPT OF PHYSICS  
ATTN K. NOZAKI  
LOS ANGELES, CA 90025

UNIVERSITY OF CHICAGO  
LAB FOR ASTROPHYSICS & SPACE RESEARCH  
ATTN E. PARKER  
CHICAGO, IL 60637

CHALMERS UNIV. OF TECHNOLOGY  
INST. OF ELECTROMAGNETIC FIELD  
THEORY  
ATTN H. WILHELMSSON  
S-41296 GOTHENBURG, SWEDEN

UNIVERSITY OF COLORADO  
DEPT OF ASTROGEOPHYSICS  
ATTN M. GOLDMAN  
ATTN D. SMITH  
BOULDER, COLORADO 80309

CORNELL UNIVERSITY  
ATTN R. LOVELACE  
ATTN R. N. SUDAN  
ATTN, J. NATION  
ATTN D. HAMMER  
ITHACA, NY 14853

DARTMOUTH COLLEGE  
PHYSICS DEPT  
ATTN J. E. WALSH  
HANOVER, NH 03755

UNIVERSITY OF ILLINOIS AT  
URBANA--CHAMPAIGN  
DEPT OF PHYSICS  
ATTN N. IWAMOTO  
URBANA, IL 61801

ISTITUTO DI FISICA DELL' UNIVERSITA  
VIA CELORIA 16  
ATTN P. CALDIROLA  
ATTN C. PAIZIS  
ATTN E. SINDONI  
20133 MILANO, ITALY

ISTITUTO DI FISICA DELL' UNIVERSITA  
ATTN A. CAVALIERE  
ATTN R. RUFFINI  
ROME, ITALY

ISTITUTO DI FISICA GENERALE  
DELL' UNIVERSITA  
CORSO M. D'AZEGLIO  
ATTN A. FERRARI  
46 TORINO, ITALY

UNIVERSITY OF MARYLAND  
DEPT OF ELECTRICAL ENGINEERING  
ATTN M. REISER  
ATTN W. DESTLER  
ATTN M. T. RHEE  
COLLEGE PARK, MD 20742

UNIVERSITY OF MARYLAND  
DEPT OF PHYSICS AND ASTRONOMY  
ATTN H. R. GRIEM  
ATTN K. PAPADOPOULOS  
ATTN J. WEBER  
COLLEGE PARK, MD 20742

DISTRIBUTION (Cont'd)

MASSACHUSETTS INSTITUTE  
OF TECHNOLOGY  
PLASMA FUSION CENTER  
ATTN G. BEKEFI  
ATTN J. BELCHER  
ATTN T. CHANG  
ATTN B. COPPI  
ATTN R. DAVIDSON  
ATTN C. LIN  
ATTN S. OLBERT  
ATTN B. ROSSI  
CAMBRIDGE, MA 02139

UNIVERSITY OF NAGOYA  
DEPT OF PHYSICS  
ATTN S. HAYAKAWA  
NAGOYA, JAPAN

OXFORD UNIVERSITY  
DEPARTMENT THEORETICAL PHYSICS  
1 KEBLE RD  
ATTN D. TER HAAR  
OXFORD OX1 3NP, ENGLAND

QUEEN MARY COLLEGE  
DEPT OF APPLIED MATH  
MILE END ROAD  
ATTN D. BURGESS  
LONDON EI 4NS, ENGLAND

PRINCETON UNIVERSITY  
ASTROPHYSICAL SCIENCES  
PETON HALL  
ATTN R. KULSRUD  
PRINCETON, NJ 08540

PRINCETON UNIVERSITY  
PLASMAPHYSICS LABORATORY  
ATTN R. WHITE  
PRINCETON, NJ 08540

RUHR UNIVERSITY  
ATTN W. SEBOLD  
ATTN W. ZWINGMANN  
4630 BOCHUM 1, WEST GERMANY

OXFORD UNIVERSITY  
DEPT OF ENGINEERING SCIENCE  
PARKS ROAD  
ATTN L. M. WICKENS  
ATTN J. E. ALLEN  
OXFORD, UNITED KINGDOM

SPECOLA VATICANA  
ATTN W STOEGER, S. J.  
I-00120 CITTA DEL VATICANO  
ITALY

STANFORD UNIVERSITY  
INST. PLASMA RES  
ATTN P. A. STURROCK  
STANFORD, CA 94305

STERREWACHT-LEIDEN  
ATTN C. A. NORMAN  
ATTN P. ALLAN  
2300 RA LEIDEN, THE NETHERLANDS

TEL-AVIV UNIVERSITY  
DEPT OF PHYSICS & ASTRONOMY  
ATTN G. TAUBER  
TEL AVIV, ISRAEL

INSTITUTE FOR THEORETICAL MECHANICS-  
RUG  
KRIJGSLAAN 271-S9  
ATTN F. VERHEEST  
B-9000 GENT, BELGIUM

UNIVERSITY OF TENNESSEE  
DEPT OF ELECTRICAL ENGINEERING  
ATTN I. ALEXEFF  
KNOXVILLE, TN 37916

UMEA UNIVERSITY  
DEPT OF PLASMA PHYSICS  
ATTN J. LARSSON  
ATTN L. STENFLO  
S-90187 UMEA  
SWEDEN

UNIVERSITY OF WASHINGTON  
DEPT OF PHYSICS  
ATTN M. BAKER  
SEATTLE, WA 98195

WEIZMANN INSTITUTE  
DEPT OF NUCLEAR PHYSICS  
ATTN AMRI WANDEL  
REHOVOT, ISRAEL

US ARMY ELECTRONICS RESEARCH  
& DEVELOPMENT COMMAND  
ATTN TECHNICAL DIRECTOR, DRDEL-CT

DISTRIBUTION (Cont'd)

HARRY DIAMOND LABORATORIES  
ATTN CO/TD/TSO/DIVISION DIRECTORS  
ATTN RECORD COPY, 81200  
ATTN HDL LIBRARY, (2 COPIES) 81100  
ATTN HDL LIBRARY, (WOODBIDGE) 81100  
ATTN TECHNICAL REPORTS BRANCH, 81300  
(2 COPIES)  
ATTN LEGAL OFFICE, 97000  
ATTN CHAIRMAN, EDITORIAL COMMITTEE  
ATTN MORRISON, R. E., 13500  
ATTN CHIEF, 21000  
ATTN CHIEF, 21100  
ATTN CHIEF, 21200  
ATTN CHIEF, 21300  
ATTN CHIEF, 21400  
ATTN CHIEF, 21500  
ATTN CHIEF, 22000  
ATTN CHIEF, 22100  
ATTN CHIEF, 22300  
ATTN CHIEF, 22800  
ATTN CHIEF, 22900  
ATTN CHIEF, 11000  
ATTN CHIEF, 13000  
ATTN CHIEF, 13200  
ATTN CHIEF, 13300  
ATTN CHIEF, 13500  
ATTN CHIEF, 15200  
ATTN CHIEF, 20240  
ATTN GRAYBILL, S., 22300  
ATTN STEWART, A., 22900  
ATTN KERRIS, K., 22900  
ATTN BROWN, E., 00210  
ATTN WORTMAN, D., 13200  
ATTN BROMBORSKY, A., 22300  
ATTN KEHS, A., 22300  
ATTN GILBERT, R., 22800  
ATTN VANDERWALL, J., 22800  
ATTN CONWAY, T., 22300  
ATTN BLACKBURN, J., 22800  
ATTN MEYER, O., 22800  
ATTN OLDHAM, T., 22300  
ATTN MCLEAN, B., 22800  
ATTN SILVERSTEIN, J., 13300  
ATTN BRUNS, H., 15400  
ATTN HUTTLIN, G. A., 22900  
ATTN SOLN, J., 22300  
ATTN LEAVITT, R., 13200  
ATTN CROWNE, F., 13200  
ATTN MORRISON, C., 13200  
ATTN GERLACH, H., 11100  
ATTN LEVITT, L., 21400  
ATTN BRANDT, H. E., 22300 (40 COPIES)