

AD-A125 538

SPECTROSCOPIC INVESTIGATIONS OF MATERIALS FOR TUNABLE
INFRARED LASERS(I) OKLAHOMA STATE UNIV STILLWATER DEPT
OF PHYSICS R C POWELL 28 FEB 83 N00014-82-R-0109

1/1


UNCLASSIFIED

F/G 20/5

NL



END
DATE
FILMED
3 83
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS - 1963 - A

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

12

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 1	2. GOVT ACCESSION NO. A125538	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Spectroscopic Investigations of Materials for Tunable Infrared Lasers		5. TYPE OF REPORT & PERIOD COVERED Annual Progress Report No. 1 1 March 1982-28 February 1983
7. AUTHOR(s) Richard C. Powell		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Physics Oklahoma State University Stillwater, OK 74078		8. CONTRACT OR GRANT NUMBER(s) SFRC No.: N00014-82-K-0109
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Physics Division (Code 412), Dept. of the Navy Arlington, Virginia 22217		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Project No.: NR 379-053/ 12-31-81
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Office of Naval Research Rm 582, Federal Building 300 E. 8th Street Austin, Texas 78701		12. REPORT DATE 28 February 1983
		13. NUMBER OF PAGES 4
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Lasers, Materials, Spectroscopy		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report describes research on the crystal growth and spectroscopic properties of 4d and 5d transition metal ions in halide and oxide host materials. Problems encountered with getting the doping material in the halide crystals are discussed. The spectra of Rh ³⁺ in oxide hosts are compared to the well known Cr ³⁺ spectra.		

DTIC FILE COPY
 AD A125538

88 03 14 007

SPECTROSCOPIC INVESTIGATIONS OF MATERIALS


FOR TUNABLE INFRARED LASERS

ANNUAL PROGRESS REPORT No. 1
1 March 1982 - 28 February 1983

Principal Investigator:
Richard C. Powell
Department of Physics
Oklahoma State University

SFRC No. N00014-82-K-0109
Project No.: NR 379-053/12-31-81 410

Reproduction in whole or in part is permitted for any purpose of the United States Government.




This report summarizes the work performed on this contract during the first twelve months and describes the work planned for the second year. The research centers on the investigation of 4-d and 5-d transition metal ions in fluoride and oxide host crystals as possible tunable infrared lasers. The research effort is divided into three parts: acquisition of materials and equipment; crystal growth; and spectral analysis.

I. ACQUISITION OF MATERIALS AND EQUIPMENT

During this initial reporting period a significant amount of time was spent in acquiring the required materials, supplies, and equipment for this research. The equipment included a digital balance, furnace parts and crucibles for the crystal growth laboratory and infrared detection equipment for the spectroscopy laboratory. The major supplies needed were the chemicals for the starting materials for crystal growth. We obtained both oxides and chlorides of Ru, Rh, Re, Os, Ir, and Pt. Because of the unusual nature of these materials it took several months to receive the order and this created a significant delay in our work schedule.

II. CRYSTAL GROWTH

Single crystals of doped halides were grown by the Bridgeman technique. Each run required eight days and in each case the result was a single crystal of excellent optical quality having dimensions of about 6 cm in length and 2 cm in diameter. The samples grown during this time period are:



Single crystals of $\text{Bi}_4\text{Ge}_3\text{O}_{12}:\text{Rh}(1\%)$ and $\text{Bi}_4\text{Ge}_3\text{O}_{12}:\text{Cr}(1\%)$ were grown by the Czochralski technique. These samples had good optical quality except for nonuniform distribution of dopants.

As anticipated, the substitution of active ions in the halide crystal hosts is the major problem in this research project. The chloride dopants decompose at such low temperatures that they do not go into the host melt even for materials with low melting temperatures such as KCl. We are constructing double enclosed crucibles in the shop to inhibit the decomposition of the chloride dopants. Two crystals were obtained commercially for this project - $\text{LiNbO}_3:\text{Rh}(1\%)$ and $\text{LiNbO}_3:\text{Cr}(1\%)$. During the next reporting period samples of $\text{MgF}_2:\text{Ti}(1\%)$ and $\text{MgF}_2:\text{Cu}(1\%)$ will be obtained commercially.

III. SPECTROSCOPIC ANALYSIS

For each of the crystals grown during this time period, absorption spectra were run in the ultraviolet, visible, and infrared spectral regions. No spectral details associated with dopant transitions could be observed in any of the halide crystals.

The spectra in oxide host crystals were analyzed to determine their possible usefulness as tunable lasers. The $\text{Rh}^{3+}(\text{d}^6)$ ion in oxide hosts is in the very strong crystal field limit. In LiNbO_3 crystals the emission occurs as a broad ${}^1\text{T}_1$ band between 520 and 640 nm. Preliminary calculations indicate that the peak stimulated emission cross section should be of the order of $7 \times 10^{-18} \text{ cm}^2$ and the threshold parameter should be $3 \times 10^{24} \text{ cm}^{-2} \text{ sec}^{-1}$. These parameters and the tuning range compare favorable with known tunable laser ions such as Cr^{3+} , Co^{2+} , and V^{2+} . The weaker crystal field environment in the germanate host shifts the spectra into the infrared region as desired. The absorption band peaks near 1 mm and we are now in the process of analyzing the infrared emission. The absorption spectrum of Cr^{3+} in $\text{Bi}_4\text{Ge}_3\text{O}_{12}$ is a broad band peaking near 7000A and again we are in the process of measuring the emission.

During the next reporting period we will complete the detailed spectral analysis of the samples discussed above plus other fluoride samples grown during this period.

IV. OTHER INFORMATION

- a. No technical papers or reports were published during this reporting period.
- b. Two student research assistants worked on this project: Greg Quarles and Robert Schweitzer. In addition, Professor J.J. Martin assisted with the crystal growth, and Visiting Research Professor J. Cabrera assisted with both the crystal growth and the spectroscopy measurements.
- c. No students earned degrees on this contract.
- d. During this reporting period the principal investigator also worked on two other projects:

Use of Laser Spectroscopy Techniques for Investigating Energy

Transfer Among Ions in Crystals.

National Science Foundation

\$29,000 15 March 1982 - 14 March 1983.

and

Spectroscopic Investigation of Materials for Frequency Agile Laser
Systems

Army Research Office

\$69,830 15 January 1982 - 14 January 1983

ATE
LMED
8