

AD-A128 112 GRAY AAF/FORT LEWIS WASHINGTON REVISED UNIFORM SUMMARY
OF SURFACE WEATHER..(U) AIR FORCE ENVIRONMENTAL
UNCLASSIFIED TECHNICAL APPLICATIONS CENTER SCOTT A.. 14 DEC 82
USAFETAC/DS-82/082 SBI-AD-E850 362 F/G 4/2


GRAY AAF/FORT LEWIS WASHINGTON REVISED UNIFORM SUMMARY
OF SURFACE WEATHER..(U) AIR FORCE ENVIRONMENTAL
TECHNICAL APPLICATIONS CENTER SCOTT A.. 14 DEC 82
USAFETAC/DS-82/062 SBI-AD-E850 362 F/G 4/2


1/5

UNCLASSIFIED

F/G 4/2

NL






MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

PHOTOGRAPH THIS SHEET

AD-E850362

ADA128112


DTIC ACCESSION NUMBER



LEVEL

ATTENTION:
Camera Operator
When Filming attached document
use Bell & Howell camera ONLY!!!

Consult with Supervisor for
further instructions.



INVENTORY

USAFETAC/DS-82/062

DOCUMENT IDENTIFICATION

14 Dec '82


DISTRIBUTION STATEMENT A

Approved for public release
Distribution Unlimited

DISTRIBUTION STATEMENT

ACCESSION FOR	
NTIS	GRA&I ☒
DTIC	TAB ☐
UNANNOUNCED	☐
JUSTIFICATION	
BY	
DISTRIBUTION /	
AVAILABILITY CODES	
DIST	AVAIL AND/OR SPECIAL
A	

DISTRIBUTION STAMP



DATE ACCESSIONED

88 05 06 -209

DATE RECEIVED IN DTIC

PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-DDA-2

ADA 128112

DATA PROCESSING DIVISION
USAFETAC
Air Weather Service (MAC)

DE 82/062
TESTING LIBRARY
FL 414
SCOTT AFB, IL 62225

14 DEC 1982

GRAY AAF/FT LEWIS WA
N 47 05 W 122 35 FLS ELEV 301 FT GRF DDC #742070

PARIS AAF
FOR FROM HOURLY OBS: JAN 73 - DEC 81
FOR FROM DAILY OBS: APR 39 - JUL 40, JUNE 60 - DEC 81
TIME CONVERSION GMT TO LST: -4

DEC 10 1982

FEDERAL BUILDING

"THIS DOCUMENT HAS BEEN APPROVED ASHEVILLE, N. C.
FOR PUBLIC RELEASE AND SALE; ITS
DISTRIBUTION IS UNLIMITED."

/

REVIEW AND APPROVAL STATEMENT

This report is approved for public release. There is no objection to unlimited distribution of this report to the public at large, or by DDC to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved for publication.

Wayne E. McCollom

WAYNE E. MCCOLLUM
Chief, Technical Information Section
USAFETAC/TST

FOR THE COMMANDER

Walter S. Burmann

WALTER S. BURGMANN
AWS Scientific and Technical
Information Officer (STINFO)

1
UNCLASSIFIED **ADE 850 362** **USWA 742070**
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM															
1. REPORT NUMBER USAFETAC/DS- 82/062	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER															
4. TITLE (and Subtitle) Revised Uniform Summary of Surface Weather Observations (RUSSWO)- GRAY AAF/FT LEWIS, WA		5. TYPE OF REPORT & PERIOD COVERED Final rept.															
7. AUTHOR(s)		6. PERFORMING ORG. REPORT NUMBER															
9. PERFORMING ORGANIZATION NAME AND ADDRESS USAFETAC/OL-A Air Force Environmental Technical Appl. Center Scott AFB IL 62225		8. CONTRACT OR GRANT NUMBER(s)															
11. CONTROLLING OFFICE NAME AND ADDRESS USAFETAC/CBD Air Weather Service (MAC) Scott AFB IL 62225		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS															
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE 14 DEC 82															
		13. NUMBER OF PAGES 400															
		15. SECURITY CLASS. (of this report) UNCLASSIFIED															
		15a. DECLASSIFICATION DOWNGRADING SCHEDULE															
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.																	
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)																	
18. SUPPLEMENTARY NOTES																	
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) <table border="0"> <tr> <td>*RUSSWO</td> <td>Daily temperatures</td> <td>Atmospheric pressure</td> </tr> <tr> <td>Snowfall</td> <td>Extreme snow depth</td> <td>Extreme surface winds</td> </tr> <tr> <td>Climatology</td> <td>Sea-level pressure</td> <td>Psychrometric summary</td> </tr> <tr> <td>Surface Winds</td> <td>Extreme temperature</td> <td>Ceiling versus visibility</td> </tr> <tr> <td>Relative Humidity</td> <td>*Climatological data</td> <td>(over)</td> </tr> </table>			*RUSSWO	Daily temperatures	Atmospheric pressure	Snowfall	Extreme snow depth	Extreme surface winds	Climatology	Sea-level pressure	Psychrometric summary	Surface Winds	Extreme temperature	Ceiling versus visibility	Relative Humidity	*Climatological data	(over)
*RUSSWO	Daily temperatures	Atmospheric pressure															
Snowfall	Extreme snow depth	Extreme surface winds															
Climatology	Sea-level pressure	Psychrometric summary															
Surface Winds	Extreme temperature	Ceiling versus visibility															
Relative Humidity	*Climatological data	(over)															
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report is a six-part statistical summary of surface weather observations for GRAY AAF/FT LEWIS, WA It contains the following parts: (A) Weather Conditions; Atmospheric Phenomena; (B) Precipitation, Snowfall and Snow Depth (daily amounts and extreme values); (C) Surface winds; (D) Ceiling versus Visibility; Sky Cover; (E) Psychrometric Summaries (daily maximum and minimum temperatures, extreme maximum and minimum temperatures, psychrometric summary of wet-bulb temperature depression versus dry-bulb temperature, means and standard deviations of dry-bulb, wet-bulb (over)																	

DD FORM 1 JAN 73 1473

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

19. Percentage frequency of distribution tables
Dry-bulb temperature versus wet-bulb temperature
Cumulative percentage frequency of distribution tables, *Fort Hood*
Fort Lewis
20. and dew point temperatures and relative humidity); and (F) Pressure
Summary (means, standard, deviations, and observation counts of
station pressure and sea-level pressure). Data in this report are
presented in tabular form, in most cases in percentage frequency of
occurrence or cumulative percentage frequency of occurring tables.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

/

The number that identifies the station in this summary is an AWS Master Station Catalog number. This number is comprised of the WMO number with the addition of a suffix zero; or, in cases where there is no designated WMO number, a 5-digit number created in agreement with WMO rules, plus a sixth qualifying digit. These numbers (also referred to as DATSAV or USAFETAC numbers) uniquely identify each of more than 15,000 reporting stations around the world. This is the provenance of the number (e.g., MSC 999999) which will appear on future OL-A standard products.

U S AIR FORCE
ENVIRONMENTAL TECHNICAL
APPLICATIONS CENTER

REVISED UNIFORM SUMMARY OF SURFACE WEATHER OBSERVATIONS

HOURLY OBSERVATIONS

Hourly observations are defined as those record or record-special observations recorded at scheduled hourly intervals.

DAILY OBSERVATIONS

Daily observations are selected from all data recorded on reporting forms and combined into Summary of the Day observations. (Selected from record-special, local, summary of the day, remarks, etc.)

DESCRIPTION OF SUMMARIES

Preceding each section is a brief description of the data comprising each part of the Revised Uniform Summary of Surface Weather observations and the manner of presentation. Tabulations are prepared from hourly and daily observations recorded by stations operated by the U. S. Services and some foreign stations using similar reporting practices.

Unless otherwise noted the following summaries are included for this station:

PART A WEATHER CONDITIONS

ATMOSPHERIC PHENOMENA

PART B PRECIPITATION

SNOWFALL

SNOW DEPTH

PART C SURFACE WINDS

PART D CEILING VERSUS VISIBILITY

SKYCOVER

PART E DAILY MAX, MIN, & MEAN TEMP

EXTREME MAX & MIN TEMP

PSYCHROMETRIC DRY VS WET BULB

MEAN & STD DEV

(DRY BULB, WET BULB, & DEW POINT)

RELATIVE HUMIDITY

PART F STATION PRESSURE

SEA LEVEL PRESSURE

STANDARD 3-HOUR GROUPS

All summaries requiring diurnal variations are summarized in eight 3-hour periods corresponding to the following sets of hourly observations: 0000-0200, 0300-0500, 0600-0800, 0900-1100, 1200-1400, 1500-1700, 1800-2000, 2100-2300 hours local standard time.

MISSING HOUR GROUPS

Summary sheets are omitted when stations maintaining limited observing schedules did not report certain three-hour periods for any particular month during the available period of record. Such missing sheets are listed below, and are applicable to all summaries prepared from hourly observations.

JANUARY _____

APRIL _____

JULY _____

OCTOBER _____

FEBRUARY _____

MAY _____

AUGUST _____

NOVEMBER _____

MARCH _____

JUNE _____

SEPTEMBER _____

DECEMBER _____

STATION NO OR SUMMARY	STATION NAME	LATITUDE	LONGITUDE	STATION ELEV (FT)	CALL SIGN	WMO NUMBER
742070	PORT LEWIS WASHINGTON/GRAY AAF	N 47 05	W 122 35	301	GRF	74207

STATION LOCATION AND INSTRUMENTATION HISTORY

NUMBER OF LOCATION	GEOGRAPHICAL LOCATION & NAME	TYPE OF STATION	AT THIS LOCATION		LATITUDE	LONGITUDE	ELEVATION ABOVE MSL		OBS PER DAY
			FROM	TO			STATION (FT)	BAROMETER	
1	Gray Fld, Ft Lewis Wash.	AAF	Apr 39	Jul 40	N 47 05	W 122 37		283	24
2	Gray AAF, Ft Lewis Wash.	AAF	Jun 60	Feb 65	N 47 05	W 122 35	311	295	24
3	No change	AAF	Mar 65	Jul 68	No chge	No chge	No chge	330	No chge
4	No change	AAF	Aug 68	Aug 68	No chge	No chge	No chge	No chge	17
5	No change	AAF	Sep 68	Apr 69	No chge	No chge	No chge	No chge	24
6	No change	AAF	May 69	Sep 71	No chge	No chge	No chge	No chge	17
7	No change	AAF	Oct 71	Sep 72	No chge	No chge	No chge	No chge	24
8	No change	AAF	Oct 72	Dec 75	No chge	No chge	No chge	285	No chge
9	No change	AAF	Jan 76	Aug 82	No chge	No chge	301	No chge	No chge

NUMBER OF LOCATION	DATE OF CHANGE	SURFACE WIND EQUIPMENT INFORMATION				REMARKS, ADDITIONAL EQUIPMENT, OR REASON FOR CHANGE
		LOCATION	TYPE OF TRANSMITTER	TYPE OF RECORDER	HT ABOVE GROUND	
1	Apr 39 to Jul 40	Located in operations bldg.	Anemometer	None	40 ft	
2	Jun 60 to Nov 63	Located 1200 ft S of E-W Rwy, 800 ft E of N-S Rwy.	AN/GMQ-11	None	13 ft	
3	Dec 63 to Feb 64	Located 1040 ft from centerline off the N end of the N-S Rwy.	No chge	None	No chge	

NUMBER OF LOCATION	DATE OF CHANGE	SURFACE WIND EQUIPMENT INFORMATION				REMARKS, ADDITIONAL EQUIPMENT, OR REASON FOR CHANGE
		LOCATION	TYPE OF TRANSMITTER	TYPE OF RECORDER	HT. ABOVE GROUND	
4	Mar 64 to 13 Jun 67	Located 1040 ft E of N-S Rwy centerline and 648 ft S of E-W Rwy centerline.	No chge	None	No chge	
5	14 Jun 67 to Oct 71	No change	No chge	RO-214	No chge	
6	Nov 71 to Sep 72 Oct 72 to Aug 82	No Change	No chge	RO-362	No chge	
		No Change	AN/GMD 11/20	No chge	No chge	

U S AIR FORCE
ENVIRONMENTAL TECHNICAL
APPLICATIONS CENTER

A

PART A

WEATHER CONDITIONS

This summary is a percentage frequency occurrence of various atmospheric phenomena and obstructions to vision, derived from hourly observations, and is presented in two tables as follows:

1. By month and annual, all hours and years combined.
2. By month, all years combined, by standard 3-hour groups.

A percent value of ".0" in these tables indicates less than .05 percent, which is usually only one occurrence. The various phenomena included in each category on the forms are listed below:

Thunderstorms - All reported occurrences of thunderstorm, tornado, and waterspout.

Rain and/or drizzle - All liquid precipitation, falling to the ground, not freezing.

Freezing rain and/or freezing drizzle (glaze) - Precipitation falling in liquid form, but freezing on contact with an unheated surface.

Snow and/or sleet (ice pellets) - Included are snow, snow pellets, sleet, snow grains, ice crystals, and ice pellets from Jan 68 and later. (Snow pellets also known as soft hail)

Hail - Occurrences of hail and small hail are included.

Percentage of observations with precipitation - Included in this category are the observations when one or more of the above phenomena occurred. Since more than one type of precipitation may be reported in the same observation, the sums of the individual categories may exceed the percentages of the observations with precip.

Fog - Included are fog, ice fog, and ground fog.

Smoke and/or haze - Occurrences of smoke, haze, or combinations of smoke and haze are included.

Blowing snow - Occurrences of blowing snow (also drifting snow when reported from non-WEAM sources).

Dust and/or sand - Included are blowing dust, blowing sand, and dust.

Continued on Reverse

Blowing spray - This item if reported, is not shown in a separate category on this form but is included in the computation Percentage of Observations with Obstructions to Vision, below.

Percentage of observations with obstructions to vision - Included in this category are the observations when one or more of the above obstructions to vision occurred. Since more than one type of obstruction may be reported in the same observation, the sums of the individual categories may exceed the percentage total columns. Also, although precipitation may reduce visibility, it is not considered an obstruction to vision for purposes of this summary; therefore, the percentage total of obstructions to vision need reflect the total observations with reduced visibility.

WEATHER CONDITIONS

7-2-9

34
MONTH

4. CONTACT FREQUENCY OF OCCURRENCE OF WEATHER
CONDITION FROM HOURLY OBSERVATIONS

MONTH	HOURS WET	THUNDER STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS
JAN	2-7		20.6		2.4		23.0	73.4	1.7			73.4	627
	3-5		22.3	.2	2.2		24.7	75.4	1.6			75.3	622
	4-10		23.7	.6	1.8		25.7	74.5	1.6			75.5	677
	5-11		22.3	.5	2.6		22.7	73.1	3.2			74.7	617
	12-1		21.7		2.4		22.7	74.5	3.0			74.2	612
	12-17		24.5		2.3		26.6	71.3	4.4			77.2	603
	2-2		22.1		1.7		23.6	74.8	1.3			74.3	600
	1-27		21.7		1.8		21.4	71.7	1.3			71.5	600
TOTALS			20.8	.2	2.1		23.5	73.7	2.5			75.3	6577

CENTRAL CLIMATOLOGY BRANCH
 AFMPC
 AIR WEATHER SERVICE /MAC

WEATHER CONDITIONS

STATION 72-31 DAY AAF/ET LEWIS A STATION NAME 72-31 YEARS FEB MONTH

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS EST	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HALE	% OF OBS WITH PRECIP	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
FEB	2-1		22.2		.9		23.7	26.8	1.4			17.6	762
	1-5		24.5		1.4		26.7	29.7	1.1			20.1	762
	6-10		24.6	.3	2.1		27.6	31.6	1.3			22.7	762
	11-15		24.7	.3	2.0		22.6	25.1	2.9			25.2	762
	16-20		21.1		1.6	.3	22.4	12.1	2.1			17.1	762
	21-25		20.4		1.0	.3	24.0	9.2	1.6			11.7	762
	26-28		22.8		1.2		23.9	12.7	3.5			14.5	762
	29-31		21.4		1.3		22.6	19.2	1.2			17.8	762
TOTALS			22.6	.1	1.4	.1	23.9	23.6	1.9			21.7	6796

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

WEATHER CONDITIONS

70
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

70-61

YEARS

MAC
MONTH

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (LT)	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
MAR	0-02		15.2		.2		15.4	9.7	.2			9.8	837
	3-05		15.3		.5		13.5	14.9	.5			14.9	837
	6-08		15.9		.4		19.0	20.4	1.6			21.1	837
	9-11		19.6		.1		19.7	12.3	3.1			14.0	837
	12-14	.1	2.7		.4		20.8	4.1	1.1			4.6	837
	15-17		20.9		.2	.2	21.1	3.1	1.2			4.1	837
	18-20	.1	15.7		.5		19.0	3.1	.6			3.4	836
	21-23		15.2		.4		18.2	5.4	1.1			6.6	837
TOTALS		.2	15.8		.3	.2	19.0	9.1	1.2			9.7	6695

FEDERAL CLIMATOLOGY BRANCH
 WAFETAC
 AIR WEATHER SERVICE /MAC

WEATHER CONDITIONS

STATION 170 GRAY AAF/FT LEWIS WA 73-81 APP
 STATION NAME YEARS MONTH

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS LST	THUNDER STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS
APR	0-22	.4	14.3				14.3	5.7	.4			5.5	817
	23-25	.1	16.5				16.5	12.3	1.0			12.7	817
	6-22		14.1		.0		14.3	15.6	1.7			15.6	817
	9-11	.1	14.2				14.2	4.4	3.0			6.9	817
	12-14	.1	17.2		.1	.1	17.2	1.6	.5			2.1	817
	15-17	.1	14.1		.1		14.1	.7	.4			1.1	817
	18-2		15.9		.1		15.9	2.1				2.1	817
	11-23		14.0				14.0	2.5				2.5	817
TOTALS		.1	15.7		.1	.1	15.1	5.6	.9			6.1	6460

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AF WEATHER SERVICE/MAC

WEATHER CONDITIONS

74 75
STATION

SPAY AAF/FT LEWIS WA
STATION NAME

73-81

YEARS

MAY
MONTH

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (LST)	THUNDER STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS
MAY	0-22		1 .6				10.6	1.9				1.9	637
	03-25		14.8				14.8	4.5				4.5	837
	6-18		11.6				11.6	6.6	.4			6.9	637
	9-11		12.1				12.1	2.6	.4			2.7	637
	12-14		13.4				13.4	1.3	.1		.1	1.6	637
	15-17	.4	15.1			.1	15.1	1.4	.1		.1	1.7	637
	18-20	.5	11.9				11.9	1.4			.2	1.7	637
	21-23	.1	1 .4				10.4	2.0				2.0	637
TOTALS		.1	12.5			.1	12.5	2.7	.1		.1	2.9	6696

GENERAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

WEATHER CONDITIONS

STATION: SPAY AAF/FT LEWIS WA 73-81 JUN
STATION NAME: _____ YEARS: _____ MONTH: _____

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (LST)	THUNDER STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
JUN	0-02		7.1				7.1	3.2	.5			3.6	810
	03-05		9.5				9.5	4.9				4.9	810
	6-08		9.8				9.8	8.4	.7			9.5	810
	9-11		9.9				9.9	4.1	1.2			5.1	810
	12-14	.1	1.1				1.1	1.5	1.1			2.5	810
	15-17	.2	8.1				8.1	2.3	.1			2.5	810
	18-20		6.8				6.8	2.8	.5		.1	3.6	810
	21-23		8.7				8.7	1.9	.4		.1	2.3	810
TOTALS		.0	6.5				6.5	3.6	.6		.0	4.2	6480

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

WEATHER CONDITIONS

74-070 GRAY AAF/FT LEWIS WA
STATION STATION NAME

73-81

YEARS

JUL
MONTH

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (LST)	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS
JUL	0-12		2.9				2.9	.6	.6			1.2	937
	13-24		5.3				3.3	5.6	.7			5.4	937
	5-7	.1	6.7				6.7	10.6	1.2		.1	11.6	937
	8-11		5.3				5.3	3.6	1.4			4.4	937
	12-14	.5	4.9				4.9	.1	.5			.6	937
	15-17	.5	4.8				4.8	.4				.4	937
	18-20		3.5				3.5	.7	.7			1.4	937
	21-23	.1	2.9				2.9	.5	.6			1.1	937
TOTALS		.2	4.3				4.3	2.8	.7		.2	3.3	6696

CENTRAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

WEATHER CONDITIONS

75-070 STATION GRAY AAF/FT LEWIS WA 73-81 YEARS 8 MONTH

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS LST	THUNDER STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
JAN	0-23	.1	6.5				6.5	6.6	.5			7.7	937
FEB	0-23	.2	6.5				6.5	17.7	.8			17.9	937
MAR	0-23	.1	7.6				7.6	7.3	1.2			7.8	937
APR	0-23	.2	6.9				6.9	14.2	4.5			16.7	937
MAY	12-14	.6	9.2				9.2	4.2	1.1			5.3	937
JUN	15-17	.2	9.9				9.9	3.3	.7			3.7	937
JUL	18-20	.4	9.2				9.2	2.9	.7			3.3	937
AUG	1-23	.1	6.3				6.3	3.6	.1			3.7	937
TOTALS		.2	7.7				7.7	10.4	1.2			11.1	6696

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AFD WEATHER SERVICE/MAC

WEATHER CONDITIONS

740070
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

SEP
MONTH

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (LST)	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & / OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
SEP	00-22		10.0				10.0	13.8	1.1			14.2	810
	03-05		9.9				9.9	24.0	1.2			24.4	810
	6-08		12.1				12.1	34.6	2.7			36.3	810
	9-11	.1	3.8				6.8	16.3	5.8			21.0	810
	12-14	.4	9.8				9.8	6.4	3.5			6.6	810
	15-17	.1	11.6				11.6	4.7	1.6			5.8	810
	18-20		9.9				9.9	5.7	1.7			7.0	810
	21-23		9.3				9.3	7.8	.7			6.1	810
TOTALS		.1	10.2				10.2	14.2	2.3			15.7	6480

GLOBAL CLIMATOLOGY BRANCH
AFETAC
AF WEATHER SERVICE/MAC

WEATHER CONDITIONS

STATION 73-81 GRAY AAF/FT LEWIS WA 73-81 OCT MONTH

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS (LST)	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HALE	% OF OBS WITH PRECIP	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
OCT	0-02		11.7				11.7	33.7	2.7			34.4	837
	03-05		13.4				13.4	19.2	1.9			47.0	837
	6-08		14.1				14.1	44.8	2.4			45.3	837
	9-11		13.7				13.7	28.4	7.3			73.0	837
	12-14		14.9				14.9	10.4	8.5			16.6	837
	15-17		15.2				15.2	5.0	4.3			8.5	837
	18-20		12.7				12.7	7.4	4.9			17.0	837
	21-23		11.8				11.8	18.0	3.2			19.4	837
TOTALS			13.3				13.3	23.4	4.4			26.0	6696

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AFD WEATHER SERVICE/MAC

WEATHER CONDITIONS

74-75
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81

YEARS

NOV
MONTH

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS LST	THUNDER STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
NOV	0-22		22.5		1.2		23.5	29.8	.6			70.1	617
	23-29		20.2		1.1		21.4	30.6	.9			71.2	617
	6-22		20.5		.7		21.1	29.9	1.4			30.5	617
	9-11		17.3		.6		17.8	25.8	4.4			27.9	617
	12-14		21.0		.7		20.7	17.2	5.2			19.9	617
	15-17		21.5		1.0		22.3	16.3	5.4			19.6	617
	18-20		23.6		.9		24.1	20.7	4.2			22.8	617
	21-23		22.1		1.4		23.3	25.8	2.6			26.9	617
TOTALS			21.7		1.0		21.8	24.5	3.1			25.1	6487

WEATHER CONDITIONS

DEC
MONTH

MONTH	HOURS LST)	THUNDER STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
OCT	0-02		24.8		1.4		25.7	71.9	1.6			73.7	917
	03-05		25.2		2.1		26.7	71.4	.9			71.9	809
	6-08		24.7		1.5		25.9	69.1	1.1			29.6	917
	9-11		25.9		1.0		26.7	27.4	2.5			28.9	910
	12-14		25.9		.5		26.2	23.0	2.5			20.8	808
	15-17		27.6		.9		28.5	22.3	2.1			27.3	803
	18-20		26.7		1.1	.1	27.5	27.5	1.4			27.8	801
	21-23		26.2	.1	1.1		27.0	28.2	1.0			28.8	801
TOTALS			25.9	.0	1.2	.0	26.6	27.2	1.6			28.0	6454

CENTRAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

WEATHER CONDITIONS

841077
STATION

SPAY AAF/FT LEWIS WA
STATION NAME

73-81

YEARS

ALL
MONTH

PERCENTAGE FREQUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY OBSERVATIONS

MONTH	HOURS EST	THUNDER STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
JAN	ALL		21.6	.2	2.1		23.8	29.7	2.8			10.9	6577
FEB			22.6	.1	1.4	.1	23.9	20.8	1.9			21.7	6696
MAR		.0	18.8		.3	.0	19.0	9.1	1.2			9.7	6655
APR		.1	18.7		.1	.0	15.1	5.6	.9			6.1	6487
MAY		.1	12.5			.0	12.5	2.7	.1		.1	2.9	6696
JUN		.0	5.5				8.5	3.6	.6		.0	4.2	6487
JUL		.2	4.3				4.3	2.6	.7		.0	3.3	6696
AUG		.2	7.7				7.7	10.4	1.2			11.1	6696
SEP		.1	11.2				10.2	14.2	2.3			15.7	6487
OCT			13.3				13.3	23.4	4.4			26.7	6696
NOV			11.0		1.0		21.8	24.5	3.1			26.1	6487
DEC			25.9	.0	1.2	.0	26.8	27.2	1.6			25.7	6454
TOTALS		.1	15.1	.0	.5	.0	15.6	14.5	1.7		.0	15.5	78526

PART A

ATMOSPHERIC PHENOMENA

This summary is a presentation of the percentage of days with occurrence of various atmospheric phenomena. These data are obtained from all recorded information on the reporting forms or from hourly data and combined into a daily observation.

The descriptions of the phenomena in the Weather Conditions Summary above also apply for the categories summarized in these daily tabulations. However, it should be noted that in this summary the columns headed "% OF OBS WITH PRECIP" and "% OF OBS WITH OBST TO VISION" show the percentage of days rather than the percentage of observations. Since more than one type of precipitation or more than one type of obstruction may occur in the same daily observation, the sum of the values in the individual categories may differ from the total columns.

A percent value of ".0" in the table indicates less than .05 percent, which is usually only one occurrence.

This presentation is by month with annual totals, and is prepared with all years combined.

- NOTES: (1) A day with rain and/or drizzle was not separately reported in the WBAN data prior to year 1949. Therefore, percentages in this column are restricted to the period Jan 1949 and later.
- (2) A day with freezing rain and/or freezing drizzle is also properly reported as a day with rain and/or drizzle.
- (3) A day with dust and/or sand is included in this summary only when visibility is reduced to less than $5/8$ mile.

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

WEATHER CONDITIONS
ATMOSPHERIC PHENOMENA

STATION: GRAY AAF/ET LEWIS WA STATION NAME: 60-81 YEARS: ALL MONTH

PERCENTAGE OF DAYS WITH VARIOUS ATMOSPHERIC PHENOMENA
FROM DAILY OBSERVATIONS

MONTH	HOURS OBS	THUNDER STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBS TO VISION	TOTAL NO. OF OBS
JAN	DAILY	.2	64.8	1.3	2.2	.6	71.6	56.9	30.5	.3		61.4	649
FEB		.3	67.9	.5	9.4	.3	70.0	60.4	30.4			62.4	576
MAR		.5	62.7		9.9	2.4	64.6	38.6	21.3			41.7	639
APR		2.9	61.3		4.4	3.7	61.6	30.5	16.5			33.5	677
MAY		2.7	57.9		1.7	1.9	50.9	21.7	8.5			23.1	623
JUN		1.9	45.8			1.0	45.8	20.9	11.8			24.9	626
JUL		2.2	25.3			.2	25.3	18.9	13.4			23.0	636
AUG		3.2	30.7				36.7	35.0	23.6			41.2	622
SEP		0.9	42.7			.3	42.7	50.3	35.2			55.1	628
OCT		.6	35.5		.2	.6	55.5	59.4	36.0			62.4	657
NOV		.2	73.8		3.6	.9	74.6	55.7	27.5			57.6	637
DEC		.3	74.4	.8	16.0	.2	80.0	60.7	28.2			64.6	664
TOTALS		1.5	55.4	.2	5.4	1.1	56.9	42.4	23.6	.2		46.1	7562

U S AIR FORCE
ENVIRONMENTAL TECHNICAL
APPLICATIONS CENTER

PART B PRECIPITATION, SNOWFALL & SNOW DEPTH

This part of the Uniform Summary consists of eight summaries derived from daily observations as follows:

1. The first set presents, in three tables, the percentage frequency of various daily amounts of PRECIPITATION, SNOWFALL, and SNOW DEPTH. The daily amount summary is prepared by month and annual, all years combined, and includes percent of days with measurable amounts; percent of days having none, traces, and given amounts; and means, greatest and least monthly amounts. (The last three statistics are omitted from the snow depth summary because of their doubtful and limited value.) A total count of valid observations is given for months and annual. Stations are included in which a portion or all of the period may contain months with missing days. This will be noted on the summary pages. A percent value of ".0" in these daily amount tables indicates less than .05 percent which is usually only one occurrence.
2. The second set of three tables presents the extreme daily amounts, by individual year and month, of PRECIPITATION, SNOWFALL, and SNOW DEPTH for the entire period of record available. Also provided are the means and standard deviations for each month and annual (all months) and the total valid observation count. An asterisk (*) is printed in any year-month block when the extreme value is based on an incomplete month (at least one day missing for the month). When a month has valid observations reported but no occurrences, zeros are given in the tables as follows:

EXTREME DAILY PRECIPITATION	".00"	equals none for the month (hundredths)
EXTREME DAILY SNOWFALL	".0"	equals none for the month (tenths)
EXTREME DAILY SNOW DEPTH	"0"	equals none for the month (whole inches)
3. The third set of two tables provides the total monthly amounts of PRECIPITATION and SNOWFALL for each year-month and annual. Also prepared are the means, standard deviations, and total number of valid observations for each month and annual (all months). An asterisk (*) is printed in each data block if one or more days are missing for the month. No occurrences for a month are indicated in the same manner as in the extreme tables above. If a trace becomes the extreme or monthly total in any of these tables it is printed as "TRACE."

Continued on Reverse Side

* Values for means and standard deviations do not include measurements from incomplete months.

- NOTES: (1) The above studies may also be prepared for stations operating for less than full months for portions or all of the period of record. This may include stations operating 5 or 6 days a week and those with only random days missing. An asterisk (*) in the data blocks will give an indication that a month is incomplete. Please refer to Station History at front of book and observation counts in each summary to evaluate the amounts of data missing.
- (2) Hail was included in snowfall occurrences in the summary of day observations prior to Jan 56, but these occurrences have been removed from snowfall category and counted as Hail in these summaries.
- (3) Snow Depth was recorded and punched at various hours during the period available from U. S. operated stations. The hours used by each service for each period are as follows:

Air Force Stations:

Beginning thru 1945	at 0800LST
Jan 46-May 57	at 1230GMT
Jun 57-present	at 1200GMT

U. S. Navy and National Weather Service (USWB)

Beginning thru Jun 52	at 0030GMT
Jul 52-May 57	at 1230GMT
Jun 57-present	at 1200GMT

2

NATIONAL CLIMATOLOGY BRANCH
NO. 1-10
U.S. WEATHER SERVICE/NOAA

DAILY AMOUNTS

PERCENTAGE FREQUENCY OF
PRECIPITATION
(FROM DAILY OBSERVATIONS)

STATION
STATION NAME

DAY AARLEY, LEWIS, LA

70-41, 60-61

YEARS

AMOUNTS (INCHES)														PERCENT OF DAYS WITH MEASUR- ABLE AMTS	TOTAL NO OF OBS	MONTHLY AMOUNTS (INCHES)		
PRECIP	NONE	TRACE	01	02-05	06-10	11-25	26-50	51-100	101-250	251-500	501-1000	1001-2000	OVER 2000			MEAN	GREATEST	LEAST
SNOWFALL	NONE	TRACE	01-0.4	0.5-1.4	1.5-2.4	2.5-3.4	3.5-4.4	4.5-6.4	6.5-10.4	10.5-15.4	15.5-25.4	25.5-50.4	OVER 50.4					
SNOW DEPTH	NONE	TRACE	1	2	3	4-6	7-12	13-24	25-36	37-48	49-60	61-120	OVER 120					
JAN	0.5	0.9	0.4	1.5	4.3	15.9	14.1	3.4	7.9					60.5	678	5.77	17.34	1.5
FEB	0.9	0.2	0.7	0.8	0.6	15.3	12.5	7.4	1.9					59.3	672	4.51	9.1	1.0
MAR	0.1	0.3	0.4	1.7	0.7	13.9	10.7	6.2	0.4					54.5	682	3.72	7.72	0.4
APR	0.1	1.1	4.1	0.9	1.9	12.3	9.1	3.3	1.7					47.2	691	2.91	4.51	0.7
MAY	0.4	1.2	3.5	0.8	0.1	8.3	5.2	2.1	0.7					34.2	713	1.74	4.23	0.5
JUN	0.7	1.1	2.2	7.2	3.5	6.7	4.6	2.3	0.4					26.3	720	1.01	3.79	0.0
JUL	0.1	1.2	1.4	4.5	2.2	3.7	1.0	1.1	0.2					10.2	735	0.81	1.01	0.0
AUG	0.3	1.3	1.9	6.3	1.1	4.2	2.7	2.1	0.9					21.8	755	1.20	4.97	0.0
SEP	0.2	1.7	1.9	5.7	4.3	7.7	5.3	3.9	0.4					29.4	670	2.15	6.44	0.7
OCT	0.1	1.1	3.5	9.3	4.4	11.2	7.1	5.1	1.7	0.1				41.6	712	2.90	7.70	0.2
NOV	0.7	1.0	3.9	11.0	0.1	14.1	11.4	6.1	3.3	0.1				31.0	690	5.35	11.35	1.0
DEC	2.4	1.4	7.2	11.7	0.2	16.3	14.2	10.3	3.5					67.4	652	5.33	17.70	0.0
ANNUAL	4.5	11.2	2.8	3.8	6.3	1.8	9.2	5.7	1.3	0.3				43.2	8319	39.15		

CLIMATE DIVISION - WASH DC
 METEOROLOGICAL SERVICE

EXTREME VALUES

PRECIPITATION

FROM DAILY OBSERVATIONS

STATION NAME
 MAYAGUEZ, P.R.

1940-1941

YEARS

24 HOUR AMOUNTS IN INCHES

MONTH	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ALL MONTHS
1	.37	1.03	.79	1.22	.54	.74	.74	.43	.2	.2	.3	.	
2						.74	TRACE	.51	.23	1.31	1.67	1.77	
3	.37	1.53	.54	.43	.68	.47	.68	.51	.39	.51	1.10	.91	1.27
4	.37	.53	.43	.43	.37	.36	.11	.54	.61	1.7	2.97	.7	1.67
5	1.23	1.47	.73	.73	.47	.23	.61	.77	.47	.73	.9	.51	1.47
6	1.23	.26	.19	.29	.37	.82	.43	.42	1.61	.37	1.19	1.47	1.61
7	1.32	.24	.22	1.57	.39	.71	.41	.34	.22	.56	.91	1.12	1.27
8	.37	.71	.59	1.74	1.72	.41	.62	.11	.91	.91	1.35	1.77	1.77
9	1.32	.33	.43	.66	.22	1.13	.74	TRACE	.58	1.23	.72	.37	1.27
10	.37	1.16	1.43	.97	.83	1.48	1.20	1.30	.72	.61	.97	1.11	1.48
11	.37	1.32	.42	.45	.67	.4	.10	.51	.62	.72	1.25	.55	1.27
12	1.32	1.35	.89	1.12	.31	.62	.13	.14	.61	.68	.94	1.27	1.27
13	1.32	.64	1.24	.32	.54	.92	.34	.41	.74	1.49	.51	.54	1.27
14	1.74	1.83	1.27	.65	.45	.73	.30	.35	1.22	.12	.59	.69	.74
15	.37	.32	.66	1.3	.59	.82	.02	.25	.61	1.52	1.12	.72	1.27
16	1.41	.25	.56	.87	.44	.69	.58	.75	.47	.76	1.12	.7	1.27
17	1.32	1.68	.89	1.22	.59	.35	.17	1.17	.71	.94	.92	1.27	1.27
18	1.74	.81	.74	.38	.63	.43	.96	1.16	.87	.74	.37	.74	1.74
19	.23	.67	.72	.28	1.20	.53	.21	1.53	.75	.42	1.25	1.15	1.27
20	.37	.59	.51	.88	.73	.41	.66	.75	1.52	.19	1.75	.74	1.27
21	.37	1.36	.44	.46	.51	.37	1.31	.71	.74	.82	.71	1.27	1.27
22	.37	.68	.59	1.11	.57	.73	.15	.74	.47	.67	1.55	1.15	1.27
23	.37	1.17	.99	.58	.30	1.41	.52	.32	.60	2.71	1.20	1.74	1.27
24													
25													
26													
27													
28													
29													
30													
31													
MEAN	1.23	1.23	.75	.736	.554	.68	.457	.519	.463	.563	1.277	1.23	1.231
S.D.	.432	.477	.419	.367	.235	.344	.367	.412	.398	.544	.489	.549	.477
TOTAL OBS.	67		62	62	713	72	735	705	69	71	69	64	722

NOTE * (BASED ON LESS THAN FULL MONTHS)

USAF ETAC FORM 0-88-5 (OLA)
 JUL 64

1. METEOROLOGICAL BRANCH
2. ETAC
3. DATA SERVICE/MAC

EXTREME VALUES MONTHLY PRECIPITATION

FROM DAILY OBSERVATIONS

STATION NAME: 24. AIRPORT LEWIS W3

PERIOD: 6 - 8

YEARS

TOTAL MONTHLY PRECIPITATION IN INCHES

MONTH YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ALL MONTHS
1	1.5	0.66	4.52	7.29	1.52	0.62	1.37	0.7	0.73	2.67	2.14	.	
2	5.73	2.91	5.01	7.75	2.87	1.11	0.79	0.9	0.71	4.67	2.54	.	
3	1.42	2.11	2.42	2.12	1.77	0.91	0.27	1.01	2.13	7.57	1.75	2.2	
4	2.4	4.35	3.85	7.12	1.72	1.04	1.5	1.15	1.21	2.21	1.25	4.47	
5	1.33	1.41	2.42	1.43	0.23	3.72	1.22	1.11	2.44	1.21	4.71	5.72	
6	6.55	7.29	0.4	4.12	1.11	0.42	0.64	0.43	0.94	2.64	4.87	2.28	
7	4.73	1.97	4.06	2.23	1.63	2.12	1.36	0.15	2.56	3.7	1.42	5.71	
8	2.45	7.17	3.31	2.11	0.57	1.22	0.71	TRAC	1.42	7.32	2.74	4.2	
9	6.24	5.75	1.25	1.72	2.82	2.63	1.57	4.27	2.47	4.34	5.27	7.21	
10	6.43	7.01	1.44	2.78	1.74	0.94	0.24	0.17	4.51	1.67	2.37	1.58	
11	4.47	3.22	2.47	7.43	1.29	0.95	0.31	0.55	1.09	2.21	5.62	1.24	
12	3.71	3.57	7.22	2.27	1.27	2.23	0.53	0.77	2.62	2.21	3.11	7.24	
13	2.13	0.77	0.64	4.26	1.27	1.52	1.13	0.42	3.65	0.72	1.41	1.27	
14	4.21	1.37	2.13	1.67	2.25	3.22	0.12	0.7	2.27	3.21	7.72	2.22	
15	7.11	4.42	5.67	4.52	2.52	1.82	1.91	0.27	0.61	1.47	0.75	2.24	
16	7.27	5.69	3.88	2.67	2.83	0.96	0.27	4.89	0.31	6.13	5.55	4.2	
17	6.44	5.18	3.71	2.72	2.11	0.42	1.22	7.57	1.25	1.54	1.7	2.22	
18	1.24	2.27	4.24	0.96	4.23	0.72	0.31	4.16	4.17	2.72	5.65	5.89	
19	0.63	3.05	2.91	4.45	2.24	1.53	1.14	1.35	5.42	0.42	5.51	1.24	
20	2.14	7.5	2.23	2.22	1.72	0.63	1.45	1.41	2.09	4.51	2.27	1.27	
21	6.14	5.52	3.85	3.95	1.32	2.52	0.39	0.27	1.99	1.25	7.73	7.11	
22	2.55	6.59	7.74	4.15	2.3	3.72	0.77	0.51	2.21	5.62	0.75	4.22	
23													
24													
25													
26													
27													
28													
29													
30													
31													
32													
33													
34													
35													
36													
37													
38													
39													
40													
41													
42													
43													
44													
45													
46													
47													
48													
49													
50													
51													
52													
53													
54													
55													
56													
57													
58													
59													
60													
61													
62													
63													
64													
65													
66													
67													
68													
69													
70													
71													
72													
73													
74													
75													
76													
77													
78													
79													
80													
81													
82													
83													
84													
85													
86													
87													
88													
89													
90													
91													
92													
93													
94													
95													
96													
97													
98													
99													
100													
MEAN	5.73	4.516	3.782	2.913	1.743	1.614	0.914	1.322	2.15	2.329	5.345	6.72	35.627
S.D.	2.766	2.243	1.621	1.134	0.816	1.032	0.583	1.127	1.541	1.573	2.476	2.71	5.422
TOTAL OBS.	67	52	67	67	71	72	73	75	59	71	57	65	1222

NOTE: BASED ON LESS THAN FULL MONTHS

USAF ETAC FORM 0885 (OLA)

A STATE OF VIRGINIA

PERCENTAGE FREQUENCY OF
SNEEZE
(FROM DAILY OBSERVATIONS)

5-81

YEAR:

AMOUNTS (INCHES)														PERCENT OF DAYS WITH MEASUR- ABLE AMTS	TOTAL NO OF OBS	MONTHLY AMOUNTS (INCHES)		
PRECIP	NONE	TRACE	01	02-05	06-10	11-25	26-50	51-100	101-250	251-500	501-1000	1001-2000	OVER 2000			MEAN	GREATEST	LEAST
SNOWFALL	NONE	TRACE	01-04	05-14	15-24	25-34	35-44	45-64	65-104	105-154	155-254	255-504	OVER 504					
SNOW DEPTH	NONE	TRACE	1	2	3	4-6	7-12	13-24	25-36	37-48	49-60	61-120	OVER 120					
JAN	70.4	11.7	2.2	2.2	2.1	1.4	.7	.3	.7					4.6	647	4.7	26.7	
FEB		7.3	.7	.5	.3		.3	.2						1.7	593	.9	8.2	
MAR	40.1	6.4	.9	1.4		.7			.7					2.2	551	1.3	11.4	
APR	1.4	4.5													TRACE/TRACE			
MAY	9.1	.3													65 PERCENT TRACE			
JUN	70.1														65	.7	.7	
JUL	70.1														65	.7	.7	
AUG	3.1														65	.7	.7	
SEP	7.1														66	.7	.7	
OCT	70.1														65	.7	.7	
NOV	45.1	2.4	.6	.5		.3		.3						1.7	66	.9	8.2	
DEC	42.7	11.1	2.2	2.2	1.3	.7	.1	.1						6.5	674	2.4	14.1	
ANNUAL	64.5	7.7	.5	.6	.3	.2	.1	.1	.7					1.0	787	17.2		

1. CLIMATE/CLIMATE/CLIMATE
 2. CLIMATE/CLIMATE/CLIMATE
 3. CLIMATE/CLIMATE/CLIMATE

EXTREME VALUES

DATA

FROM DAILY OBSERVATIONS

STATION NAME
 STATION NAME

1951

YEARS

AMOUNTS IN INCHES

MONTH	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ALL MONTHS
YEAR													
1		1.5	TRACE	TRACE	TRACE								
2		1.3	1.3										
3		1.0	TRACE	TRACE									
4		1.0	TRACE	TRACE									
5		1.0	TRACE	TRACE									
6		1.0	TRACE	TRACE									
7		1.0	TRACE	TRACE									
8		1.0	TRACE	TRACE									
9		1.0	TRACE	TRACE									
10		1.0	TRACE	TRACE									
11		1.0	TRACE	TRACE									
12		1.0	TRACE	TRACE									
13		1.0	TRACE	TRACE									
14		1.0	TRACE	TRACE									
15		1.0	TRACE	TRACE									
16		1.0	TRACE	TRACE									
17		1.0	TRACE	TRACE									
18		1.0	TRACE	TRACE									
19		1.0	TRACE	TRACE									
20		1.0	TRACE	TRACE									
21		1.0	TRACE	TRACE									
22		1.0	TRACE	TRACE									
23		1.0	TRACE	TRACE									
24		1.0	TRACE	TRACE									
25		1.0	TRACE	TRACE									
26		1.0	TRACE	TRACE									
27		1.0	TRACE	TRACE									
28		1.0	TRACE	TRACE									
29		1.0	TRACE	TRACE									
30		1.0	TRACE	TRACE									
31		1.0	TRACE	TRACE									
32		1.0	TRACE	TRACE									
33		1.0	TRACE	TRACE									
34		1.0	TRACE	TRACE									
35		1.0	TRACE	TRACE									
36		1.0	TRACE	TRACE									
37		1.0	TRACE	TRACE									
38		1.0	TRACE	TRACE									
39		1.0	TRACE	TRACE									
40		1.0	TRACE	TRACE									
41		1.0	TRACE	TRACE									
42		1.0	TRACE	TRACE									
43		1.0	TRACE	TRACE									
44		1.0	TRACE	TRACE									
45		1.0	TRACE	TRACE									
46		1.0	TRACE	TRACE									
47		1.0	TRACE	TRACE									
48		1.0	TRACE	TRACE									
49		1.0	TRACE	TRACE									
50		1.0	TRACE	TRACE									
51		1.0	TRACE	TRACE									
52		1.0	TRACE	TRACE									
53		1.0	TRACE	TRACE									
54		1.0	TRACE	TRACE									
55		1.0	TRACE	TRACE									
56		1.0	TRACE	TRACE									
57		1.0	TRACE	TRACE									
58		1.0	TRACE	TRACE									
59		1.0	TRACE	TRACE									
60		1.0	TRACE	TRACE									
61		1.0	TRACE	TRACE									
62		1.0	TRACE	TRACE									
63		1.0	TRACE	TRACE									
64		1.0	TRACE	TRACE									
65		1.0	TRACE	TRACE									
66		1.0	TRACE	TRACE									
67		1.0	TRACE	TRACE									
68		1.0	TRACE	TRACE									
69		1.0	TRACE	TRACE									
70		1.0	TRACE	TRACE									
71		1.0	TRACE	TRACE									
72		1.0	TRACE	TRACE									
73		1.0	TRACE	TRACE									
74		1.0	TRACE	TRACE									
75		1.0	TRACE	TRACE									
76		1.0	TRACE	TRACE									
77		1.0	TRACE	TRACE									
78		1.0	TRACE	TRACE									
79		1.0	TRACE	TRACE									
80		1.0	TRACE	TRACE									
81		1.0	TRACE	TRACE									
82		1.0	TRACE	TRACE									
83		1.0	TRACE	TRACE									
84		1.0	TRACE	TRACE									
85		1.0	TRACE	TRACE									
86		1.0	TRACE	TRACE									
87		1.0	TRACE	TRACE									
88		1.0	TRACE	TRACE									
89		1.0	TRACE	TRACE									
90		1.0	TRACE	TRACE									
91		1.0	TRACE	TRACE									
92		1.0	TRACE	TRACE									
93		1.0	TRACE	TRACE									
94		1.0	TRACE	TRACE									
95		1.0	TRACE	TRACE									
96		1.0	TRACE	TRACE									
97		1.0	TRACE	TRACE									
98		1.0	TRACE	TRACE									
99		1.0	TRACE	TRACE									
100		1.0	TRACE	TRACE									
MEAN													
S.D.													
TOTAL OBS.													

EXTREME VALUES

MONTHLY SNOWFALL

(FROM DAILY OBSERVATIONS)

STATION NAME STATION NAME YEARS

TOTAL MONTHLY SNOWFALL IN INCHES

MONTH YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ALL MONTHS
1	1.4	1.8	TRACE	TRACE	TRACE	.1	.1	.1	.1	.1	.1	.1	2.9
2	TRACE	.1	2.3	.1	.1	.1	.1	.1	.1	.1	TRACE	.1	1.9
3	1.4	.1	TRACE	TRACE	.1	.1	.1	.1	.1	.1	TRACE	.1	1.9
4	1.4	TRACE	1.1	.1	.1	.1	.1	.1	.1	.1	1.3	.1	1.9
5	1.4	TRACE	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	.1	1.9
6	.1	1.0	11.9	.1	.1	.1	.1	.1	.1	.1	TRACE	TRACE	1.9
7	.1	TRACE	TRACE	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
8	1.0	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
9	2.2	TRACE	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	.1	1.9
10	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
11	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
12	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
13	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
14	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
15	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
16	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
17	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
18	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
19	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
20	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
21	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
22	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
23	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
24	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
25	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
26	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
27	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
28	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
29	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
30	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
31	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
32	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
33	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
34	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
35	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
36	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
37	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
38	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
39	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
40	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
41	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
42	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
43	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
44	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
45	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
46	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
47	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
48	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
49	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
50	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
51	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
52	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
53	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
54	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
55	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
56	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
57	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
58	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
59	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
60	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
61	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
62	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
63	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
64	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
65	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
66	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
67	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
68	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
69	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
70	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
71	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
72	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
73	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
74	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
75	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
76	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
77	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
78	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
79	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
80	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
81	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
82	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
83	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
84	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
85	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
86	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
87	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
88	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
89	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
90	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
91	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
92	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
93	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
94	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
95	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
96	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
97	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
98	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
99	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
100	.1	.1	.1	TRACE	.1	.1	.1	.1	.1	.1	.1	.1	1.9
MEAN	4.1	.90	1.2	TRACE	TRACE	.00	.00	.00	.00	.00	.00	.00	.00
S.D.	.45	2.48	3.48	.00	.00	.00	.00	.00	.00	.00	2.37	1.72	1.00
TOTAL OBS.	.47	593	551	53	55	660	682	672	66	66	660	670	7870

NOTE * (BASED ON LESS THAN FULL MONTHS)

2

U.S. AIR FORCE CLIMATOLOGY BRANCH
AF STAC
ATMOSPHERIC SERVICE/PA

DAILY AMOUNTS

PERCENTAGE FREQUENCY OF
PRECIPITATION
(FROM DAILY OBSERVATIONS)

STATION 77 DAY AAF/PT 10-15-66
STATION NAME

37-40, 60-61

YEARS

PRECIP	AMOUNTS (INCHES)													PERCENT OF DAYS WITH MEASUR- ABLE AMTS	TOTAL NO OF OBS	MONTHLY AMOUNTS (INCHES)		
	NONE	TRACE	01	02-05	06-10	11-25	26-50	51-100	101-250	251-500	501-1000	1001-2000	OVER 2000			MEAN	GREATEST	LEAST
SNOWFALL	NONE	TRACE	01-04	05-14	15-24	25-34	35-44	45-64	65-104	105-154	155-254	255-504	OVER 504					
SNOW DEPTH	NONE	TRACE	1	2	3	4-6	7-12	13-24	25-36	37-48	49-60	61-120	OVER 120					
JAN	8.0	2.0	3.3	1.2	.7	1.2	1.6	.3						4.3	617			
FEB	5.0	.0	.4	.2	.3	1.3								7.4	601			
MAR	0.0	.4	.1	.1	.4	.1								1.1	612			
APR	0.0														601			
MAY	0.0														717			
JUN	00.0														717			
JUL	00.0														774			
AUG	0.0														713			
SEP	0.0														600			
OCT	00.0														710			
NOV	4.0	1.0	.3	.3	.3	.9	.1	.1						8.0	690			
DEC	13.0	1.6	1.6	1.1	.7	1.0	.4							7.7	706			
ANNUAL	7.3	.6	.5	.2	.2	.4	.2	.3						1.6	9348			

EXTREME VALUES

FROM DAILY OBSERVATIONS

STATION NAME: STATION NAME YEARS: 1941-1942

DAILY SNOW DEPTH IN INCHES

MONTH YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ALL MONTHS
1													
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													
25													
26													
27													
28													
29													
30													
31													
32													
33													
34													
35													
36													
37													
38													
39													
40													
41													
42													
43													
44													
45													
46													
47													
48													
49													
50													
51													
52													
53													
54													
55													
56													
57													
58													
59													
60													
61													
62													
63													
64													
65													
66													
67													
68													
69													
70													
71													
72													
73													
74													
75													
76													
77													
78													
79													
80													
81													
82													
83													
84													
85													
86													
87													
88													
89													
90													
91													
92													
93													
94													
95													
96													
97													
98													
99													
100													
MEAN													
S D													
TOTAL OBS													

NOTE: * (BASED ON LESS THAN FULL MONTHS)

USAF ETAC FORM 0-88.5 (OLA)

U S AIR FORCE
ENVIRONMENTAL TECHNICAL
APPLICATIONS CENTER

PART C

SURFACE WINDS

Presented in this part are various tabulations of surface winds as follows:

- *1. Extreme Values - Peak Gusts: Derived from daily observations and presented by individual year and month for the entire period of record available. Speeds are presented in knots, while directions are given in 16 compass points from the beginning of record through June 1968, and in tens of degrees starting in July 1968. The extreme is selected and printed from available peak gusts for each year-month, however an asterisk (*) is printed in the data block if less than 90% (3 or more missing observations) of the peak gusts are available for the month. An ALL MONTHS value is presented when every month of the year has valid observations. Means and standard deviations are also computed when four or more values are present for any column. A total raw count of valid observations is presented for each month and ALL MONTHS.

NOTE: According to Federal Meteorological Handbook No. 1 specifications (formerly Circular N), "peak gust data are recorded only at stations with continuous instantaneous wind-speed recorders."

- *2. Bivariate percentage frequency tabulations: Derived from hourly observations, these tabulations are a percentage frequency of wind directions to 16 compass points and calm by wind speeds (knots) in increments of Beaufort classifications. Percentages are shown by both directions and speed, and in addition the mean wind speed is given for each direction.

A separate category is provided on the form for variable winds, which are reported in some data sources. In these data where light and variable winds are reported with no directions but with speeds given, the speeds will be summarized in the appropriate groups opposite the column headed VREL.

- a. Three tables are prepared for ALL WEATHER surface winds, all years combined, by: (1) Annual - all hours combined, (2) By month - all hours combined, and (3) By month - by standard 3-hour groups.
- b. A separate annual table is also presented for surface winds meeting INSTRUMENT CLASS conditions as follows: Ceiling 200 through 1400 feet inclusive with visibility equal to or greater than 1/2 mile, and/or visibility 1/2 through 2-1/2 miles inclusive with ceiling equal to or greater than 200 feet.

NOTE: A percentage frequency of ".0" in these tables represents one or more occurrences amounting to less than ".05" percent.

*Values for means and standard deviations do not include measurements from incomplete months.

EXTREME VALUES

FROM DAILY OBSERVATIONS

STATION

STATION NAME

00-81

YEARS

WIND SPEED IN KNOTS

MONTH	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ALL MONTHS
YEAR													
1	10	10	10	10	10	10	10	10	10	10	10	10	10
2	10	10	10	10	10	10	10	10	10	10	10	10	10
3	10	10	10	10	10	10	10	10	10	10	10	10	10
4	10	10	10	10	10	10	10	10	10	10	10	10	10
5	10	10	10	10	10	10	10	10	10	10	10	10	10
6	10	10	10	10	10	10	10	10	10	10	10	10	10
7	10	10	10	10	10	10	10	10	10	10	10	10	10
8	10	10	10	10	10	10	10	10	10	10	10	10	10
9	10	10	10	10	10	10	10	10	10	10	10	10	10
10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	10	10	10	10	10	10	10	10	10	10	10	10	10
12	10	10	10	10	10	10	10	10	10	10	10	10	10
13	10	10	10	10	10	10	10	10	10	10	10	10	10
14	10	10	10	10	10	10	10	10	10	10	10	10	10
15	10	10	10	10	10	10	10	10	10	10	10	10	10
16	10	10	10	10	10	10	10	10	10	10	10	10	10
17	10	10	10	10	10	10	10	10	10	10	10	10	10
18	10	10	10	10	10	10	10	10	10	10	10	10	10
19	10	10	10	10	10	10	10	10	10	10	10	10	10
20	10	10	10	10	10	10	10	10	10	10	10	10	10
21	10	10	10	10	10	10	10	10	10	10	10	10	10
22	10	10	10	10	10	10	10	10	10	10	10	10	10
23	10	10	10	10	10	10	10	10	10	10	10	10	10
24	10	10	10	10	10	10	10	10	10	10	10	10	10
25	10	10	10	10	10	10	10	10	10	10	10	10	10
26	10	10	10	10	10	10	10	10	10	10	10	10	10
27	10	10	10	10	10	10	10	10	10	10	10	10	10
28	10	10	10	10	10	10	10	10	10	10	10	10	10
29	10	10	10	10	10	10	10	10	10	10	10	10	10
30	10	10	10	10	10	10	10	10	10	10	10	10	10
31	10	10	10	10	10	10	10	10	10	10	10	10	10
MEAN	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
S.D.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL OBS.	40	40	40	40	40	40	40	40	40	40	40	40	40

NOTES * (BASED ON LESS THAN FULL MONTHS)

USAF ETAC FORM 0-88.5 (OLA)

† (BASED ON LESS THAN FULL MONTHS AND +100 KNOTS)

GENERAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION 173 GRAY AAF/FT LEWIS WA

73-81

DATE

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

CLASS

NUMBER OF

CONDITION

SPEED KNOTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.4	.6	.1									1.1	4.0
NNE	.5	1.1	.1	.2								1.9	5.0
NE	1.2	.6	.4	.4								2.6	6.1
ENE	.5	.1		.1								1.1	4.0
E	1.3	.4										1.7	5.1
ESE	.4	.1	.1									1.6	4.0
SE	.4	.6	.1									1.1	5.4
SSE	1.4	1.5	.5	.4								3.8	4.0
S	3.0	4.0	3.0	1.8	.1							14.7	7.0
SSW	.5	1.5	4.3	2.2	.5							10.0	6.6
SW	.6		1.2	.2	.1							1.9	6.0
WSW		.5	.1	.1								.7	7.2
W	.4											.4	2.7
WNW	.5											.1	6.0
NW	.3											.4	3.0
NNW	.1	.2										.7	4.3
VARIABLE													
CALM												5.0	
	10.6	12.3	10.8	6.5	.7							100.0	2.6

TOTAL NUMBER OF OBSERVATIONS

627

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

YF-01

77-2000
HOURS (LST)

ALL WEATHER

CLASS

CONCLUSION

TOTAL NUMBER OF OBSERVATIONS

432

$$\frac{d}{dt} \left(\frac{1}{2} \dot{\theta}^2 + \frac{1}{2} \dot{\phi}^2 + \frac{1}{2} \dot{\psi}^2 \right) = \frac{1}{2} \left(\dot{\theta}^2 + \dot{\phi}^2 + \dot{\psi}^2 \right) \quad (1)$$

2

JOURNAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION NAME DAY AAF/FT LEWIS WA

77-81

JAN
MONTH

ALL WEATHER

CLASS

1600-1800
HOURS LST

CONDITION

SPEED KNTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.2	.1	.1									.6	4.3
NNE	1.2	.6	.4	.1								2.1	4.7
NE	1.2	1.1	.2	.1								2.7	4.2
ENE	.4	.2		.4								1.0	2.6
E	1.5	.1	.1									1.2	2.6
ESE	.2	.2										.7	2.9
SE	.7	.6	.1									1.5	2.9
SSE	2.5	1.6	.6									4.3	3.7
S	5.7	5.1	4.4	1.8	.7							17.3	5.9
SSW	2.2	1.5	3.1	1.9	.1							9.8	6.6
SW	.7		.2	.4								1.3	6.4
WSW	.3		.5	.1								.7	5.6
W	.4	.2										.6	3.2
WNW	.4		.1									.6	3.2
NW	.2	.1										.4	3.0
NNW	.1	.1										.2	3.5
VARBL												54.6	
CALM													
	16.9	11.6	11.7	4.9	.4							100.0	2.5

TOTAL NUMBER OF OBSERVATIONS

802

2

GLOBAL CLIMATOLOGY BRANCH
 WAFS/TAC
 WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
 DIRECTION AND SPEED
 (FROM HOURLY OBSERVATIONS)

STATION
 NAME

DAW AAF/FT LEWIS WA
 STATION NAME

73-81
 YEAR

JAN
 MONTH

ALL WEATHER
 CLASS

900-1100
 HOURS U.S.T.

CONDITION

SPEED KNOTS D.R.	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-53	≥ 56	%	MEAN WIND SPEED
N	.5	.5										1.3	3.4
NNE	1.3	.6		.2								2.8	5.7
NE	1.5	1.6	.4	.1	.5							3.2	5.6
ENE	1.2	.7										1.9	3.1
E	.7	.1	.1									1.0	3.1
ESE	.5	.4	.4									1.2	5.5
SE	1.5	.2	.2									1.3	2.9
SSE	1.3	1.9	.2	.5								4.6	4.8
S	4.4	5.5	4.1	2.6	.1							16.7	6.4
SSW	1.5	1.1	5.4	2.1								10.0	6.4
SW	.9	.9	1.2	.2								3.2	5.5
WSW	.2	.1	.1									.5	5.0
W	1.1	.4		.1	.1							1.7	4.6
WNW	.5											.5	2.0
NW	.1											.1	2.1
NNW	.4											.4	1.7
VARBL													
CALM												49.4	
	15.1	13.4	12.8	5.8	.5							100.0	3.7

TOTAL NUMBER OF OBSERVATIONS

572

2

CENTRAL CLIMATOLOGY BRANCH
 AFMPC
 AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
 DIRECTION AND SPEED
 (FROM HOURLY OBSERVATIONS)

SURFACE WINDS

70-170 STATION NAME GRAY AAF/FT LEWIS WA CLASS ALL WEATHER YEARS 73-81 MONTH JAN NORTH 1220-1400 HOURS LST

SPEED KNTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	1.0	.0	.4									7.0	3.6
NNE	2.7	2.7	1.5	.4	.1							7.3	4.9
NE	2.7	2.2	.7	1.0	.1							6.7	5.5
ENE	1.0	.2	.5	.2								2.4	4.6
E	.3	.1										.6	2.7
ESE	.4	.1	.1	.1								1.7	4.4
SE	.6	.2	.2									1.1	4.3
SSE	.7	.2	.6	.1								1.7	6.7
S	3.1	2.7	4.7	3.2	.2							15.3	6.9
SSW	1.0	3.3	5.2	3.5	.5							13.5	9.0
SW	1.0	1.7	2.2	.7								5.6	6.9
WSW	.9	.6		.2								1.7	4.6
W	1.1	.2	.4	.1								1.8	4.1
WNW	.7	.7	.2									1.7	4.3
NW	1.1	.6										1.7	2.9
NNW	1.0	.0										1.2	2.5
VARBL													
CALM												73.0	
	22.9	16.8	16.8	9.6	1.0							100.0	4.2

TOTAL NUMBER OF OBSERVATIONS 822

2
 CENTRAL CLIMATOLOGY BRANCH
 USAFETAC
 AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
 DIRECTION AND SPEED
 (FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION 7-0775 GRAY AAF/FT LEWIS WA STATION NAME 77-81 YEARS JAN MONTH 1507-1700 MONTHS
 CLASS ALL WEATHER
 CONDITION

SPEED KNTS. DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	2.3	1.5	.5									4.5	3.3
NNE	2.7	3.3	1.6	.1								7.7	4.7
NE	1.6	2.1	1.1	.4	.2							5.4	5.9
ENE	.9	.4										1.2	3.1
E	1.1	.1										1.2	1.9
ESE	.9	.2										1.1	2.6
SE	.9	.1										1.3	2.4
SSE	.7	.4	.6	.1								1.9	5.5
S	2.6	2.8	4.5	2.4	.5							12.3	7.9
SSW	1.3	4.1	4.0	3.6	.5	.1						13.7	8.6
SW	1.7	1.2	1.7	.6								4.5	6.8
WSW	.4	.5	.1	.4								1.3	6.6
W	1.7	.6	.4									2.3	4.7
WNW	.4	.6	.4									1.3	4.7
NW	1.0											1.3	2.1
NNW	1.7	.4										2.1	2.4
VARBL												17.0	
CALM													
	20.6	18.2	15.2	7.7	1.2	.1						100.0	3.9

TOTAL NUMBER OF OBSERVATIONS 522

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

STATION 04770 GRAY AAF/FT LEWIS WA
STATION NAME

73-81

YEARS

JAN
MONTH

ALL WEATHER

1800-2000

HOURS (LST)

CLASS

CONDITION

SPEED KNTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.2	.5	.2									1.9	3.6
NNE	.6	1.7	.5									2.8	4.2
NE	.9	1.1	.7	.1	.1							2.9	5.5
ENE	.9	.4	.1		.1							1.5	4.3
E	.7											.7	1.9
ESE	.6											.6	1.9
SE	1.1	.5										1.3	2.4
SSE	1.2	1.9	.1	.1								3.4	4.4
S	2.4	4.7	3.9	1.9	.2							14.2	6.6
SSW	.4	2.6	3.6	2.4	.2	.1						9.4	9.0
SW	.1	.5	1.2	.9								2.7	9.5
WSW	.1	.1	.1	.2								.6	8.4
W	.7	.2	.2									1.2	4.0
WNW	.5	.1										.6	2.4
NW	.5											.5	2.0
NNW	.4											.4	2.7
VARBL													
CALM												55.2	
	13.3	14.1	10.8	5.7	.7	.1						100.0	2.8

TOTAL NUMBER OF OBSERVATIONS

622

2

GENERAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

742775 DAY AAF/FT LEWIS WA 71-81 JAN
STATION STATION NAME YEARS
ALL WEATHER CLASS 1100-2300
CONDITION HOURS (LST)

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.2	.4										.6	4.2
NNE	1.3	.2	.2									1.8	3.1
NE	.9	1.6	.5	.4	.1							3.4	6.4
ENE	.9	.4										1.2	2.7
E	1.0	.7										1.2	2.2
ESE	.4		.1									.5	4.3
SE	1.5	.5	.1	.1								2.2	3.5
SSE	2.6	1.7	.2									4.5	3.4
S	2.8	5.7	4.1	1.7	.1	.1						13.9	6.8
SSW	1.1	2.7	3.6	1.6								9.3	7.8
SW	.1	.1	.9	1.0								2.1	10.2
WSW	.1		.2		.1							.5	9.3
W	.9		.1									1.0	3.0
WNW	.5											.5	2.0
NW	.1											.1	2.0
NNW													
VARBL													
CALM												57.5	
	14.2	12.8	11.2	4.7	.4	.1						100.0	2.5

TOTAL NUMBER OF OBSERVATIONS 822

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION 73070 STATION NAME GRAY AAF/FT LEWIS WA YEARS 73-81 MONTH JAN
ALL WEATHER CLASS ALL HOURS (L.S.T.)
CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.9	.6	.2									1.7	3.7
NNE	1.4	1.4	.7	.2	.7							3.5	4.7
NE	1.4	1.3	.5	.3	.1							3.6	5.6
ENE	.9	.3	.1	.1	.0							1.4	4.0
E	.5	.1	.0									1.0	2.3
ESE	.6	.1	.1	.0								.9	3.5
SE	1.0	.4	.1	.0								1.5	3.2
SSE	1.7	1.3	.4	.2								3.5	4.3
S	4.1	4.5	4.2	2.2	.2	.7						15.3	5.5
SSW	1.7	2.3	4.5	2.4	.2	.7						10.4	8.7
SW	.6	.5	1.1	.5	.0	.0						2.3	7.7
WSW	.3	.2	.1	.1	.0							.9	6.6
W	.8	.2	.2	.0	.0							1.2	4.3
WNW	.4	.2	.1									.7	3.5
NW	.4	.1										.5	2.5
NNW	.5	.1										.7	2.6
VARBL													
CALM												50.4	
	16.6	13.8	12.4	6.0	.7	.1						100.0	3.0

TOTAL NUMBER OF OBSERVATIONS 6577

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION 760070 STATION NAME GRAY AAF/FT LEWIS WA YEARS 73-81
CLASS ALL WEATHER MONTH FEB
CONDITION

SPEED KNTS. DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.1	.1		.3								.5	9.7
NNE	.4	.6	.3									1.6	4.7
NE	1.4	.9	.3									2.6	3.6
ENE	.4											.4	1.3
E	.4	.3										.7	3.7
ESE	1.7	.9										2.7	3.3
SE	1.6	.8										2.4	2.6
SSE	2.1	1.4	.5									4.1	3.8
S	4.7	5.4	5.9	2.5	.1	.3						18.9	6.7
SSW	1.6	2.8	3.4	.9	.1							8.8	6.9
SW	.5	.7	.8	.4								2.4	6.8
WSW	.3		.3	.4								.9	9.4
W	.5	.1	.1		.1							.9	6.3
WNW	.3	.1										.4	2.7
NW	.3											.3	2.2
NNW	.1	.1										.3	3.0
VARBL													
CALM												53.0	
	15.7	14.6	11.5	4.5	.4	.3						100.0	2.7

TOTAL NUMBER OF OBSERVATIONS 762

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION GRAY AAF/FT LEWIS WA YEARS 73-81 FILE 0300-1500
STATION NAME ALL WEATHER CLASS 0300-1500
CONDITION

SPEED KNTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.5	.1	.4									1.3	4.2
NNE	.4	.7	.3									1.3	4.5
NE	1.2	.5	.4	.1								2.2	4.2
ENE	.5	.1										.7	3.6
E	.8		.1									.9	2.6
ESE	.7	.3	.1									1.0	3.4
SE	1.6	.9										2.5	3.4
SSE	.1	2.2	.5									4.9	4.7
S	.1	7.2	5.2	1.9	.1	.1						19.7	6.1
SSW	1.2	1.7	3.3	2.0	.3							8.4	8.4
SW	.4	.7	1.7	.5								3.3	7.8
WSW	.1	.4	.3			.1						.9	8.3
W	.3	.3	.1									.7	4.8
WNW	.1	.1										.3	3.0
NW	.1											.1	2.0
NNW													
VARBL												52.4	
CALM													
	14.8	15.2	12.5	4.5	.4	.3						100.0	2.8

TOTAL NUMBER OF OBSERVATIONS 762

2

GENERAL CLIMATOLOGY BRANCH
AFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION NAME
AY AAF/PT LEWIS WA

77-81

YEARS

FEET
MORTH

ALL WEATHER

CLASS

1600-2600

HOURLS (L.S.T.)

LOCATION

SPEED KNTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.4	.1	.3									.3	4.7
NNE	1.7	.2	.5									2.4	4.4
NE	1.2	.2										2.1	3.5
ENE	.5											.5	2.7
E	.2											.9	1.9
ESE	.7											.7	1.8
SE	.3	1.2	.1									2.2	3.5
SSE	2.2	2.5	.4	.4								5.5	4.3
S	5.3	5.6	6.2	1.8								19.9	5.7
SSW	1.6	1.4	5.4	2.2	.1							10.5	8.0
SW	.3	.4	1.4	1.7								3.1	6.8
WSW		.1		.1								.3	9.0
W	.3	.3		.3								.8	6.3
WNW		.1										.1	4.0
NW	.4	.1										.5	3.0
NNW	.1	.1										.3	3.0
VARBL													
CALM												49.3	
	16.8	13.8	14.3	5.6	.1							100.0	2.9

TOTAL NUMBER OF OBSERVATIONS

762

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AFW WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

740000 DAY AAF/FT LEWIS WA
STATION STATION NAME

77-81
YEARS

PER
MONTH

ALL WEATHER
CLASS

1970-117
HOURS LST

CONDITION

SPEED KNTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	1.2	.7	.4	.3								2.5	4.6
NNE	2.1	.7	.7									3.3	3.3
NE	3.0	1.1	.4									4.5	2.1
ENE	.8	.1										.9	2.0
E	.6	.1										1.0	2.0
ESE	.1	.0										.9	4.3
SE	1.2	.5	.3									2.0	3.3
SSE	1.0	1.2	1.6	.1								3.9	5.7
S	3.6	3.4	7.5	3.1	.3							16.1	7.4
SSW	.8	2.4	5.4	4.1	.3							12.9	9.2
SW	1.4	.5	2.8	.9								6.6	7.4
WSW	.4	.1	.1	.3								.9	6.1
W	.4	.4	.3	.4								1.8	5.7
WNW	.3	.1	.1									.7	3.3
NW	1.7	.3										1.6	2.5
NNW	.9											.9	1.9
VARBL												3.5	
CALM												10.0	3.9
	12.9	12.5	19.4	9.2	.5								

TOTAL NUMBER OF OBSERVATIONS

762

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

DAY BAF/PT LENTIC NA
STATION NAME

77-81

752

ALL WEATHER
CLASS

100-1400

CONCLUSIONS

TOTAL NUMBER OF OBSERVATIONS

752

$\Delta \text{G}^{\circ} = -RT \ln K$

NATIONAL CLIMATOLOGY BRANCH
 WASHINGTON, D. C.
 AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
 DIRECTION AND SPEED
 (FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION
 77

STATION NAME
 LEAY AAF/FT LEWIS WA

YEARS
 77-81

CLASS
 ALL WEATHER

CONDITION

PERIOD
 NORTH
 1500-1800
 HOURS LST

SPEED KNTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	2.4	3.5	.4	.3								1.0	4.0
NNE	2.5	4.1	2.1	.1								1.8	3.5
NE	2.1	2.1	1.4									5.5	5.1
ENE	.7	.1	.1									.9	3.3
E	.4	.5										1.0	3.4
ESE	1.2	.4	.3	.1								2.3	1.0
SE	1.7	.7	.1									1.4	2.9
SSE	1.6	.5	.1									2.8	2.2
S	1.7	3.1	5.5	7.2	.4							14.8	6.5
SSW	.3	2.9	5.1	3.4								11.7	5.5
SW	.9	2.7	2.5	.9								6.6	5.2
WSW	.7	.9	2.2	.9	.1							4.4	5.1
W	.4	.3	.4	.3								2.4	3.3
WNW		.3										1.7	3.6
NW	2.4	1.2	.1									4.7	3.4
NNW	2.1	1.4	.3									3.8	3.4
VARBL												21.5	
CALM													
	22.4	24.0	27.7	9.8	.5							100.0	4.5

TOTAL NUMBER OF OBSERVATIONS

762

GLOBAL CLIMATOLOGY BRANCH
AFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION NAME GRAY BAR/FT LEWIS WA STATION NUMBER 77-81 YEARS 1970-2000
CLASS ALL WEATHER HOURS 11,671

CONDITION

SPEED KNOTS OR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	1.0	.7	.4									.1	3.9
NNE	.2	1.4	.9	.3								.1	5.3
NE	.7	1.1	.1									.1	4.5
ENE	.7	.1	.1									.5	3.4
E	.5											.5	1.3
ESE	.8	.5										1.4	3.1
SE	.1	.9	.4	.4								2.8	5.3
SSE	.1	2.1	.1									4.3	3.5
S	7.5	6.4	9.3	2.6	.3							13.2	6.6
SSW	1.6	2.9	3.5	1.4								5.4	7.7
SW	.4	.5	1.3	.7								2.6	6.2
WSW	.1	.4	.4									1.3	5.2
W	.2	.5	.4									2.1	3.9
WNW	.8	.3	.1									.2	4.7
NW	.1	.3										.4	4.1
NNW	.4	.1										.5	3.8
VARBL													
CALM												45.3	
	10.0	21.0	11.9	5.0	.3							100.0	5.1

TOTAL NUMBER OF OBSERVATIONS 760

USAFETAC FORM 10-64 (REV. 10-64) PREPARED BY THE AIR FORCE

2

NATIONAL CLIMATOLOGY BRANCH
 MONTHLY - SEP. 1974

PERCENTAGE FREQUENCY OF WIND
 DIRECTION AND SPEED
 (FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION
 NAME

AY AAFVET LEWIS WA
 STATION NAME

77-81
 YEARS

ALL WEATHER
 CLASS

CONDITION

FE
 100-0.0
 HOURS PER YEAR

SPEED KNOTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.1	.1	.3	.1								.5	8.2
NNE	.0	.0	.3									3.1	8.9
NE	.7	.0										1.4	1.7
ENE	.1											.1	2.7
E	.0											.0	1.9
ESE	.2	.1										1.1	2.6
SE	2.4	1.8	.1	.1								3.7	1.5
SSE	1.4	2.2	.5	.1								6.4	1.6
S	4.0	5.0	4.5	2.5								17.2	6.3
SSW	.2	2.7	3.4	1.8	.1							8.8	7.7
SW	.0	.4	1.2	.7								2.5	8.5
WSW		.1			.1							.5	9.2
W	.1	.1				.1						.4	10.7
WNW	.1	.1										.4	3.7
NW	.7		.1									.4	4.7
NNW	.2											.1	1.5
VARBL													
CALM												57.3	
	17.1	13.8	17.4	5.0	.4	.1						100.0	2.8

TOTAL NUMBER OF OBSERVATIONS

762

USAF/AFM FORM 104-1 (REV. 1-64) THIS FORM IS OBSOLETE

2

GENERAL CLIMATOLOGY BRANCH
USAFETAC
4th WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION

STAY AAF/FT LEWIS WA

STATION NAME

73-P1

YEARS

FEH

MONTH

ALL WEATHER

CLASS

ALL

HOURLY OBS.

CONDITION

SPEED KNOTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.0	.9	.3	.1								2.3	4.5
NNE	1.7	1.7	.8	.1								3.6	4.7
NE	1.6	1.2	.5	.0								3.3	4.2
ENE	.5	.1	.7									.6	2.7
E	.7	.2	.0									.9	2.5
ESE	.4	.5	.1	.5								1.4	3.7
SE	1.3	.3	.1	.1								2.3	3.6
SSE	1.8	1.6	.5	.1								4.1	4.2
S	4.0	5.2	5.4	3.0	.2	.2						17.9	7.0
SW	1.7	2.3	4.9	2.4	.2	.2						10.9	5.5
WSW	.7	1.0	1.0	.7		.2	.2					4.2	7.4
W	.3	.4	.5	.3	.2	.2	.2					1.5	7.9
WNW	.4	.3	.2	.2	.2	.2	.2					1.7	5.9
NW	.0	.6	.0	.0								.6	3.5
NNW	.6	.5	.0	.0								1.5	3.5
VARBL												1.2	3.4
CALM												41.6	
	17.0	17.5	15.3	7.1	.5	.1						100.0	3.6

TOTAL NUMBER OF OBSERVATIONS

296

USAFETAC FORM 1-64 (REV. 1-64) (THIS FORM IS NOT TO BE USED FOR THIS FORM ARE 85-117)

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION 74 170 GRAY AAF/FT LEWIS WA

73-81

442

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

0000-2200

HOURLY OBS.

CONDITION

SPEED KNTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.0	.6	.1									1.3	4.3
NNE	.1	.2	.1									.5	5.0
NE	.6	.4	.1	.1								1.2	4.3
ENE	.6	.1	.1									.8	7.1
E	.7											.2	3.0
ESE	.7		.1									.8	2.9
SE	1.0	.7	.4									3.7	4.7
SSE	.2	2.7	.6	.1								6.7	4.1
S	2.5	8.6	5.5	2.6								23.2	5.9
SSW	1.3	2.7	3.9	.7								8.7	6.7
SW	.0	1.2	2.2	.5								4.1	7.7
WSW	.6		.1	.1								.8	5.0
W	.4											.4	1.7
WNW	.7											.2	2.0
NW													
NNW	.2	.2										.5	4.0
VARBL												48.9	
CALM													
	16.1	17.6	13.3	4.2								100.0	2.9

TOTAL NUMBER OF OBSERVATIONS

837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AFW WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION 130371 GRAY AAF/FT LEWIS WA 73-81
STATION NAME YEARS
ALL WEATHER
CLASS
CONDITION
MAP NORTH
1700-1500
HOURS (LST)

SPEED KNOTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.4	.4	.1									.3	4.1
NNE	.1	.6										.7	3.8
NE	.5	.6										1.1	3.8
ENE	.2	.1										.4	3.7
E	.1											.1	2.7
ESE	.7	.1										.8	2.4
SE	1.3	.8	.1									2.3	3.6
SSE	1.6	3.3	.8	.2								6.0	5.0
S	7.4	7.2	5.9	1.3	.2							22.7	5.5
SSW	1.3	3.1	3.9	.6	.1							9.1	6.0
SW	.5	1.1	.8	.4	.1							2.7	6.8
WSW	.2	.2	.2	.1	.1							1.0	6.4
W	.1	.1										.3	3.5
WNW	.1	.2	.1									.5	4.3
NW		.1										.1	5.0
NNW	.1	.1										.2	3.5
VARBL													
CALM												52.0	
	14.7	18.2	12.1	2.6	.5							100.0	2.7

TOTAL NUMBER OF OBSERVATIONS

877

USAFETAC: FORM 12-64 PREP. US AIR FORCE. THIS FORM IS OBSOLETE.

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

75-7700 PRAY AAF/FT LEWIS WA

73-81

MAR

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

CLASS

3600-0800

HOURS (LST)

CONDITION

SPEED KNOTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.1	.4	.1									.6	6.0
NNE	.5	.4	.1									1.0	3.8
NE	1.0	.2										1.2	2.4
ENE	.2											.3	1.5
E	.5	.2	.1									.8	3.4
ESE	1.0	.4	.1									1.4	3.1
SE	1.4	.5	.4	.1								2.4	4.0
SSE	3.3	3.3	.4	.1								7.2	3.7
S	6.8	6.8	5.7	2.2	.1							11.6	6.0
SSW	1.7	2.6	3.9	1.2								9.1	7.3
SW	1.7	.6	.6	.8								3.0	6.8
WSW	.5	.7	.2	.2								1.2	5.8
W	.7	.4										1.1	3.0
WNW	.6		.1									.7	3.0
NW	.4											.4	2.3
NNW	.5		.1									.5	2.8
VARBL													
CALM												47.6	
	12.7	16.0	11.9	4.7	.1							100.0	2.8

TOTAL NUMBER OF OBSERVATIONS

837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

STATION 740070 GRAY AAF/FT LEWIS WA STATION NAME 73-81 YEARS
ALL WEATHER CLASS MONTH 0900-1100
CONDITION

SPEED KNTS/ DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.4	.7	.5	.2								3.2	4.2
NNE	1.4	1.8	1.6	.4								5.1	5.9
NE	2.3	1.3	1.3									4.9	4.6
ENE	1.1	.5	.1									1.7	3.3
E	.5	.7										1.2	3.5
ESE	.4	.1										.5	2.8
SE	1.1	.4		.1								1.6	3.5
SSE	1.5	1.4	.7	.2								.9	4.3
S	3.5	4.9	6.6	4.3	.4	.1						17.7	7.7
SSW	2.4	3.7	7.8	2.2	.2							16.2	7.7
SW	1.7	3.1	3.0	.7								6.1	6.4
WSW	1.7	.3	1.1	.6	.1							3.6	6.9
W	1.2	1.1	.5	.2								3.5	4.3
WNW	1.1	.6										1.7	3.0
NW	1.1	.4										1.4	2.7
NNW	.5	.2		.1								1.0	4.0
VARBL													
CALM												22.7	
	22.7	21.6	23.1	9.1	.7	.1						100.0	4.8

TOTAL NUMBER OF OBSERVATIONS 637

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION 120170 GRAY AAF/FT LEWIS WA

73-81

YEAR

STATION

STATION NAME

YEAR

MONTH

ALL WEATHER

1700-1400

CLASS

HOURLY

CONDITION

SPEED KNTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	3.5	3.5	1.1	.5								8.5	4.7
NNE	1.4	2.3	1.8	.4								5.9	6.1
NE	1.3	2.3	1.8	.5								5.9	6.1
ENE	.6	.2	.1	.1								1.1	5.0
E	.7	.4										.6	3.4
ESE	.2	.2										.5	2.3
SE	.4	.7										1.1	3.8
SSE	.5	1.1	1.1	.5								3.2	6.3
S	1.4	2.7	6.2	4.3	.7							15.4	9.2
SSW	1.1	4.2	6.3	3.5	.4							15.4	8.7
SW	.6	2.3	3.5	1.9		.1						4.4	8.5
WSW	1.7	1.1	1.6	1.6	.1							5.9	7.7
W	1.7	1.6	1.7	1.3	.4							6.2	7.7
WNW	2.4	2.7	.5	.1								5.7	4.1
NW	1.6	2.2	.2									3.9	3.9
NNW	1.9	1.6	.4	.1								3.9	3.9
VARBL													
CALM												8.5	
	20.1	25.9	26.2	14.7	1.6	.1						100.0	6.4

TOTAL NUMBER OF OBSERVATIONS

837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION 74-070 STATION NAME GRAY AAF/FT LEWIS WA YEARS 73-81
CLASS ALL WEATHER
CONDITION
MAP NORTH
1500-1700
HOURS (LST)

SPEED (KNTS) DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	3.5	2.7	1.4	.4								8.0	4.6
NNE	1.9	3.6	3.0	.5								9.0	5.6
NE	1.4	2.2	1.2	.2								5.0	5.4
ENE	.3	.1										.4	3.7
E	.7	.1										.8	2.3
ESE	.5	.1										.5	3.1
SE	.7	.2	.1									1.1	3.4
SSE	1.2	.4	1.0	.6								3.1	6.4
S	1.6	3.6	6.1	1.3	.1	.1						12.8	7.5
SSW	1.0	3.7	6.3	1.9	.4							13.3	8.0
SW	1.4	2.4	4.2	2.6	.4							11.0	8.3
WSW	.6	1.8	1.6	2.5	.2							5.7	9.2
W	1.3	2.0	1.2	1.1	.6							6.2	7.6
WNW	1.7	1.8	.5	.2								4.2	4.7
NW	1.6	2.2	.6									4.3	4.2
NNW	2.2	2.2	1.0									5.3	4.4
VA-RL												3.4	
CALM													
	21.4	29.7	28.1	11.4	1.7	.1						100.0	6.1

TOTAL NUMBER OF OBSERVATIONS

837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

STATION 73 GRAY AAF/FT LEWIS WA

73-P1

MAC

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

1800-1800

CLAS

HOURS LST

CONDITION

SPEED (KNTS. DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.4	1.2	.2	.1								3.7	4.3
NNE	1.7	2.6	1.2	.1								5.6	4.8
NE	1.1	2.5	.6									4.2	4.5
ENE	.6	.5										1.1	3.7
E	.7											.7	1.6
ESE	.6	.5										.9	2.4
SE	.6	.4										1.2	3.1
SSE	1.1	1.9	1.1	.1								4.2	5.7
S	3.1	4.9	4.7	1.7	.2							14.6	6.5
SSW	1.2	2.9	4.5	1.2								9.8	7.2
SW	1.2	3.2	3.1	.5	.1							8.1	6.8
WSW	1.2	1.9	2.3	.8	.1							6.3	7.2
W	.8	1.8	1.3	.4	.2							4.5	6.8
WNW	.8	.6	.4									1.8	3.9
NW	1.4	.4	.1									1.9	2.8
NNW	.2											.2	1.5
VARBL													
CALM												32.1	
#	17.8	25.7	19.5	4.9	.7							100.0	4.7

TOTAL NUMBER OF OBSERVATIONS

836

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION: 7-0070 GRAY AAF/FT LEWIS WA STATION NAME: 73-81 YEARS: MONTH: 2100-2300
CLASS: ALL WEATHER HOURS: 1-24
CONDITION:

SPEED KNTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N		.4										.4	4.7
NNE	1.1	.5		.2								1.9	4.6
NE	1.1	.5	.4									1.9	4.0
ENE	.6											.5	2.0
E	.3											.2	1.5
ESE	.5											.5	1.5
SE	1.2	.5	.3									1.9	3.5
SSE	3.7	3.8	1.7									5.2	4.4
S	4.8	7.9	5.5	1.4	.1							19.2	5.9
SSW	1.7	4.3	4.1	1.3								11.4	6.7
SW	.4	1.6	1.9	.4								4.2	5.9
WSW	.4	.5	.4	.2	.1							1.9	5.6
W	.4	.4										.7	3.0
WNW	.2	.6										.8	4.4
NW	.2	.1										.4	3.0
NNW													
VARBL													
CALM												45.3	
	15.8	21.7	13.6	3.6	.2							100.0	3.0

TOTAL NUMBER OF OBSERVATIONS 337

GENERAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

73-81
STATION

AFM AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

MAC
MONTH

ALL WEATHER
CLASS

ALL
HOURS 11 S.T.

CONDITION

SPEED KNOTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	1.4	1.2	.4	.1								3.2	4.5
NNE	1.1	1.3	1.1	.2								3.7	5.4
NE	1.2	1.2	.7	.1								3.2	4.9
ENE	.5	.2	.0	.0								.3	3.4
E	.4	.2	.3									.5	2.9
ESE	.5	.1	.3									.7	2.7
SE	1.0	.5	.1	.5								1.7	3.7
SSE	1.3	2.3	.6	.2								5.7	4.7
S	4.4	5.8	5.7	2.4	.2	.3						18.6	6.6
SSW	1.4	3.4	5.1	1.6	.1	.3						11.5	7.5
SW	.3	1.6	2.4	1.6	.1	.7						6.2	7.4
WSW	.0	.3	.7	.8	.1							3.4	7.6
W	.0	.0	.6	.4	.1							2.7	6.5
WNW	.0	.3	.2	.0								3.0	4.1
NW	.0	.7	.1									1.6	3.6
NNW	.0	.5	.2	.0								1.5	4.0
VAPBL													
CALM												33.2	
	10.7	22.2	18.5	6.9	.7	.7						100.0	4.1

TOTAL NUMBER OF OBSERVATIONS

605

NATIONAL METEOROLOGY BRANCH
AFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

STATION NAME: AFETAC STATION NAME: 73-81 YEARS: 1970-1973
CLASS: ALL WEATHER
CONDITION: NORTH
HOURS: 11.57

SPEED KNOTS D.R.	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N													
NNE												.5	1.5
NE	.1	.1	.1									1.2	2.5
ENE	.2	.1	.1									.5	4.3
E	.4											.4	3.5
ESE	.4	.4	.1									.7	4.2
SE	1.6	.3										1.9	2.5
SSE	4.3	1.6	.5									5.9	3.1
S	7.2	8.9	4.2	.4								21.6	4.7
SSW	7.5	4.3	2.8	.2								9.9	5.2
SW	.5	1.7	1.1	.4								3.1	6.6
WSW	.5	.4	.2		.1							1.2	5.4
W	.5	.1		.1								1.5	3.7
WNW	.4	.1										.5	3.2
NW	.1	.2										.4	4.2
NNW	.4											.4	1.7
VARBL													
CALM												1.4	
	23.6	17.7	9.3	1.1	.1							100.0	2.2

TOTAL NUMBER OF OBSERVATIONS

210

AFETAC FORM 10-70 PREVIOUS EDITIONS ARE OBSOLETE

2

1. CLIMATE BRANCH
2. WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION NAME RAY AAF/FT LEWIS WA YEARS 71-81 MONTH APR
CLASS ALL WEATHER MONTH 0310-0500
COND TION

SPEED KNOTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N													
NNE	•	•1										•4	2.7
NE		•1	•1									•3	2.5
ENE	•2	•1										•4	2.7
E	•1											•1	1.7
ESE	•1											•5	1.5
SE	•4	•2										1.2	2.7
SSE	4.5	1.7	•2									5.3	2.7
S	1.5	3.6	1.7	•6								14.6	4.4
SSW	•4	3.5	3.2	•5								11.1	4.2
SW	•4	•5	1.1	•4								11.1	3.1
WSW	•5	•4	•1									1.1	2.7
W	•5	•1	•1									•7	3.7
WNW	•1	•2										•4	3.3
NW	•4											•4	2.7
NNW	•4											•7	2.7
VARBL													
CALM												51.7	
	2.1	16.7	8.6	1.5								100.2	2.1

TOTAL NUMBER OF OBSERVATIONS

817

FEDERAL CLIMATOLOGY BRANCH
AFSTAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

STATION NAME: GRAY AAF/FT LEWIS WA STATION: 71-81
CLASS: ALL WEATHER
CONDITION: _____
ADDITIONAL INFORMATION: _____

WIND DIRECTION	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.2	.4										.7	3.5
NNE	.2	1.7										1.7	3.5
NE	.2	.4	.1									1.3	3.7
ENE	.2	.1										.4	2.7
E	.1											.1	1.5
ESE	.1											.1	1.7
SE	.2	.4	.1									1.0	2.7
SSE	.3	1.7	.5									4.0	3.5
S	.7	7.7	6.2	1.1								23.2	4.9
SSW	.1	4.7	3.7	.5								11.2	5.5
SW	.2	2.1	1.7	.5	.1							5.3	5.5
WSW	.5	.7	.4	.2								1.7	5.9
W	.2	.4	.1	.2								1.5	5.3
WNW	.2											.5	1.9
NW	.2											.1	1.0
NNW	.1											.4	1.7
VARBL												44.0	
CALM													
	22.1	15.4	12.3	2.6	.1							100.0	2.7

TOTAL NUMBER OF OBSERVATIONS

817

STATION: GRAY AAF/FT LEWIS WA STATION: 71-81
CLASS: ALL WEATHER
CONDITION: _____

U.S. NAVAL CLIMATOLOGY BRANCH
 DETAC
 U.S. NAVAL AIR SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
 DIRECTION AND SPEED
 (FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION NAME: NAV AAF/FT LEWIS AA YEARS: 73-81 MONTH: APR
 CLASS: ALL WEATHER MONTH: APR-1170
 CONDITION:

SPEED KNOTS DIR	1-3	4-6	7-10	11-14	15-17	18-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	0.2	2.5	0.7										5.6	4.3
NNE	0.2	3.0	1.7										5.7	4.5
NE	0.0	1.5	1.0										4.4	4.3
ENE	0.4	1.7											1.4	3.6
E	0.0	0.7											0.0	1.4
ESE	0.6												0.0	2.5
SE	0.4	0.7											1.4	2.7
SSE	1.2	0.7	0.7										2.3	4.1
S	0.2	4.6	6.7	1.5									14.3	7.1
SSW	0.5	3.0	7.3	2.1									14.3	7.4
SW	1.5	3.6	3.5	0.7									9.3	6.5
WSW	0.7	1.7	1.6	0.5	0.4	0.1							5.1	3.0
W	0.7	2.1	1.5	0.5	0.1								6.4	5.7
WNW	1.7	1.4	0.4										3.5	3.7
NW	1.7	1.4											3.2	3.6
NNW	0.5	1.5	0.1										3.7	3.5
VARBL													15.3	
CALM													10.0	4.9

TOTAL NUMBER OF OBSERVATIONS 810

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
NAV WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

STATION NAME DAY AAF/ET LENO WA 77-81 YEARS MONTH 1200-1400 HOURS
CLASS ALL WEATHER
CONDITION

WIND KNOTS D.F.	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	0.3	5.2	1.7	.1								1.0	5.1
NNE	1.7	2.1	1.4	.2								2.4	5.3
NE	1.7	1.1	1.6	.1								3.4	5.8
ENE	.7	.4	.2									.9	5.0
E	.5	.1										.4	7.3
ESE	.4	.1		.1								.6	5.7
SE		.2	.1									.4	5.0
SSE	.6	.2	.5	.2								1.6	5.8
S	1.2	3.0	3.0	2.7	.4							10.2	5.0
SSW	1.0	3.7	6.2	2.5	.1							13.5	5.0
SW	1.1	3.1	4.5	1.9								10.0	7.4
WSW	.9	2.2	2.3	1.0	.5							6.2	5.1
W	1.5	2.7	3.0	.9	.5							8.5	7.1
WNW	.2	2.1	1.0	.2								5.6	4.9
NW	.2	4.3	.9									7.4	4.3
NNW	.7	4.2	1.7									7.9	5.0
VARBL													
CALM												5.9	
	12.6	35.4	27.5	10.0	1.5							100.0	6.0

TOTAL NUMBER OF OBSERVATIONS 810

GLOBAL CLIMATOLOGY BRANCH
 USA ETAC
 AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION 77 PRAY AAF/FT LEWIS WA
 STATION NAME

77-81
 YEARS

APT
 MONTH

ALL WEATHER
 CLASS

1500-1700
 HOURS (LST)

CONDITION

SPEED KNTS. DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	0.6	5.6	2.1									10.2	4.9
NNE	0.6	4.6	2.7	.1								9.7	5.1
NE	1.4	2.7	1.4	.2	.1							5.1	6.5
ENE	.6		.2									.9	4.7
E	.7											.3	1.9
ESE	.1	.1										.2	2.7
SE	.4	.1	.3									.5	4.3
SSE	.4	.7	.5									1.6	4.2
S	.6	3.2	3.8	1.0		.1						8.8	7.3
SSW	.6	3.2	2.9	1.2	.1							8.1	7.6
SW	1.4	4.3	4.1	1.5	.1							11.4	7.2
WSW	1.1	2.7	3.6	1.6	.2							8.5	8.2
W	1.7	3.3	3.2	2.1	.2							10.6	7.5
WNW	1.0	2.9	2.2	.7								6.3	6.6
NW	1.9	3.9	1.7	.1								7.6	5.7
NNW	1.4	3.0	.7									6.1	4.7
VARBL													
CALM												4.4	
	18.6	38.8	28.5	8.6	.9	.1						100.0	6.1

TOTAL NUMBER OF OBSERVATIONS

810

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION 160070 GRAY AAF/FT LEWIS MA

73-81

APR
MONTH

ALL WEATHER

1800-0000
HOURS (LST)

CONDITION

SPEED KNTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	1.1	2.3	.5									5.4	3.7
NNE	3.7	3.7	.5									7.9	3.3
NE	2.7	2.3	.4									5.4	3.7
ENE	.9	.2		.1								1.2	3.0
E	.5	.2										.7	2.7
ESE	.7	.3										1.2	3.2
SE	1.2	.2										1.3	2.5
SSE	1.2	.7										2.0	3.0
S	3.3	4.7	2.3	.6								10.0	5.5
SSW	1.7	4.4	3.7	.5								10.0	5.0
SW	1.7	3.3	3.5	.5								8.9	5.1
WSW	1.4	3.7	2.2	.5	.2							7.4	6.6
W	1.5	3.7	3.7	.4								9.3	6.4
WNW	.9	1.1	1.5	.1								3.6	6.0
NW	1.2	1.2	.4									2.6	3.8
NNW	1.5	.2	.1									1.9	2.7
VARBL													
CALM												19.5	
	25.4	32.2	19.8	2.8	.2							100.0	4.1

TOTAL NUMBER OF OBSERVATIONS

610

2

GENERAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION: GRAY AAF/FT LEWIS WA YEARS: 73-81
STATION NAME: ALL WEATHER CLASS: NORTH
HOURS: 2100-2300
CONDITION:

SPEED (KNTS) DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.7	.4										1.1	2.9
NNE	1.4	.2										1.6	2.5
NE	1.3	.7	.1									1.9	3.5
ENE	.7											.7	1.7
E	.7											.7	2.5
ESE	.5	.4	.1									1.5	3.5
SE	.6	.7	.2									1.9	3.9
SSE	2.9	2.5	.2									5.6	3.9
S	7.8	8.8	3.5									20.3	4.4
SSW	3.5	4.4	2.2	.2								9.4	5.2
SW	3.5	2.5	2.1	.2	.1							6.9	5.7
WSW	1.3	.6	.5	.2								2.1	4.9
W	1.7	1.1	.1									3.3	3.6
WNW	.2	.9	.2									1.4	5.1
NW	.6		.1									.7	3.2
NNW	.6											.5	1.4
VARBL													
CALM												41.5	
#	25.2	23.2	9.3	.7	.1							100.3	2.5

TOTAL NUMBER OF OBSERVATIONS

810

2

CLERICAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION 74170 GRAY AAF/ET LEWIS WA 73-81 APP MONTH
STATION NAME YEARS
ALL WEATHER CLASS ALL MONTHS (EST.)
CONDITION

SPEED (KNOTS) DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	1.4	2.7	.6	.0								4.3	4.5
NNE	1.6	1.8	.7	.0								4.2	4.5
NE	1.2	1.5	.6	.0	.0							2.9	4.6
ENE	.4	.7	.1	.7								.5	3.5
E	.4	.1										.5	2.4
ESE	.4	.0	.0	.0								.6	3.3
SE	1.0	.7	.1									1.4	2.8
SSE	2.2	1.1	.3	.0								3.7	3.9
S	5.1	6.2	4.1	1.0	.0	.0						16.5	6.4
SSW	2.0	3.8	4.0	1.0	.0							10.2	6.5
SW	1.3	2.5	2.6	.8	.0							7.2	6.6
WSW	.8	1.4	1.3	.5	.2	.0						4.3	7.2
W	1.3	1.8	1.5	.5	.1							5.2	6.3
WNW	.9	1.1	.7	.1								2.3	5.3
NW	1.1	1.3	.4	.0								2.8	4.3
NNW	1.5	1.1	.3									2.5	4.7
VARBL													
CALM												29.5	
	22.3	26.3	17.4	4.1	.4	.0						100.0	3.8

TOTAL NUMBER OF OBSERVATIONS 6480

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

74-177 DAY AAF/FT LEWIS WA
STATION STATION NAME

73-81

YEARS

MAY

MONTH

ALL WEATHER
CLASS

0000-2359
HOURS OF DAY

CONDITION

SPEED KNTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.1											.1	1.0
NNE		.1										.1	4.0
NE	.7											.7	2.2
ENE	.2											.2	1.0
E		.1										.1	4.0
ESE	.6	.1										.7	2.0
SE	1.0	.1										1.1	1.9
SSE	4.3	1.6	.1									6.0	2.3
S	7.6	7.9	1.6									17.1	3.9
SSW	3.8	6.6	3.0	.1								13.1	5.1
SW	1.9	2.9	1.3									6.0	4.0
WSW	.1	.4	.4									.8	5.6
W	.8	.6										1.4	3.3
WNW	1.2	.1										1.3	2.0
NW	.4											.4	1.3
NNW													
VARBL												50.8	
CALM													
	22.3	20.4	6.3	.1								100.0	2.0

TOTAL NUMBER OF OBSERVATIONS 537

GENERAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION NAME MAY AAF/FT LEWIS MA 77-81 YEARS MONTH MAY
STATION NAME CLASS ALL WEATHER
CONDITION

SPEED KNTS Dir	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N													
NNE													
NE													
ENE	.1											.1	2.0
E												.2	1.5
ESE	.5											1.1	1.6
SE	1.1											5.6	2.3
SSE	4.5	1.1										23.7	4.0
S	1.9	15.8	1.9	.1	.1							9.0	4.6
SSW	7.9	4.3	1.7	.1								4.3	4.6
SW	1.2	2.3	.8									1.1	4.5
WSW	.5	.9	.1	.1								1.0	4.4
W	.4	.4	.2									.5	3.8
WNW	.0	.1	.1									.1	4.7
NW												.2	3.0
NNW	.1	.1											
VARBL												3.3	
CALM													
	22.7	19.4	4.9	.4	.1							170.0	1.8

TOTAL NUMBER OF OBSERVATIONS 877

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

740070
STATION

SPAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

MAY
MONTH

ALL WEATHER
CLASS

CONDITION

SPEED KNTS; DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.6	.1										.7	2.5
NNE	.5	.3	.2									1.0	4.1
NE	1.1	.3	.1									1.7	2.9
ENE	.1	.1										.4	3.3
E	.7	.1										.2	4.6
ESE	.2											.2	2.7
SE	.6	.1										1.0	2.1
SSE	.2	1.2										3.3	2.9
S	7.8	8.5	3.5	.6								25.3	4.7
SSW	2.1	7.6	4.3	.5								15.5	5.6
SW	2.2	3.2	1.3	.1								6.3	4.7
WSW	1.3	.6	.7									2.6	4.2
W	1.9	1.3	.4									3.2	3.6
WNW	1.2	.5										1.7	2.5
NW	.7	.2										1.0	2.5
NNW	.7											.7	1.7
VARBL													
CALM												39.7	
	24.6	24.1	17.5	1.2								100.0	2.7

TOTAL NUMBER OF OBSERVATIONS

837

CLIMATE CLIMATOLOGY BRANCH
 AFETAC
 AF WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
 DIRECTION AND SPEED
 (FROM HOURLY OBSERVATIONS)

STATION NAME DAY AAF/FT LEWIS WA

71-81

MONTH
 NORTH

ALL WEATHER

900-1100
 HOURS LST

SPEED KNOTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	56	%	MEAN WIND SPEED
N	3.5	7.1	.4	.2								1.2	4.7
NNE	1.7	2.5	1.4									5.3	5.1
NE	.7	.3	.1									1.7	4.1
ENE	.4	.2	.1									1.0	3.9
E	.4	.1										.7	2.9
ESE	.4	.1										.7	2.3
SE	.1	.6										.7	1.9
SSE	.4	.6	.1									1.1	4.3
S	.2	3.7	4.4	1.4	.1							11.5	5.7
SSW	1.7	5.1	6.6	1.2	.5							17.1	7.7
SW	3.5	5.1	3.2	1.7								12.6	5.2
WSW	1.9	1.9	1.1									4.9	4.7
W	3.3	3.3	2.3	.4								7.3	5.1
WNW	1.7	2.5	.5	.2								4.4	4.6
NW	3.5	2.3	.1									6.0	3.2
NNW	2.3	1.9	.2									4.4	3.4
VARBL													
CALM												12.6	
	27.8	34.1	20.5	4.4	.6							100.0	4.7

TOTAL NUMBER OF OBSERVATIONS

537

AFETAC AFM 11-54

U.S. NAVAL CLIMATOLOGY BRANCH
 WASH DC
 AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
 DIRECTION AND SPEED
 (FROM HOURLY OBSERVATIONS)

STATION NAME
 GRAY AAF/FT LEWIS MA

77-81

YEARS

MAY
 MONTH

1220-1400

HOURS (EST)

ALL WEATHER

CLASS

CONDITION

SPEED KNOTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	1.2	4.7	1.7									5.4	4.4
NNE	1.9	2.7	1.9									5.5	5.7
NE	.5	1.2	.8	.1								2.5	5.2
ENE	.4	.4										.4	3.3
E	.2											.2	2.5
ESE	.1											.1	2.1
SE		.4										1.2	2.9
SSE	.4	.5	.1									1.3	4.0
S	.4	1.1	2.6	.7								1.3	6.9
SSW	.4	2.7	3.6	1.3	.1							3.5	7.5
SW	1.1	4.5	5.0	1.7								12.3	7.3
WSW	1.7	2.7	3.5	1.4	.1							4.3	7.5
W	1.2	4.7	3.3	1.1	.1							13.0	6.9
WNW	1.2	3.7	1.6	.6								4.3	6.4
NW	2.3	4.7	.8									8.2	4.4
NNW	2.0	3.7	.2									6.3	4.5
VARBL													
CALM												5.0	
TOTAL	12.0	40.5	25.2	6.9	.4							100.0	5.6

TOTAL NUMBER OF OBSERVATIONS

677

U.S. NAVAL CLIMATOLOGY BRANCH
 WASH DC
 AIR WEATHER SERVICE/MAC

GENERAL CLIMATOLOGY BRANCH
 W. F. L. TAC
 METEOROLOGICAL SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
 DIRECTION AND SPEED
 (FROM HOURLY OBSERVATIONS)

STATION NAME: GRAY AAF/FT LEWIS WA YEARS: 71-81
 CLASS: ALL WEATHER
 MONTH: MAY
 1900-1900
 HOURS: 12-12
 CONDITION:

SPEED KNOTS D.F.	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	5.0	5.5	1.1									0.1	4.5
NNE	1.4	4.9	1.4	.1								7.9	1.1
NE	.1	1.1	1.0									7.7	2.5
ENE	.5	.5										.5	2.4
E	.5	.7	.1									1.4	2.1
ESE	.1	.1										.7	2.0
SE	.1	.7	.1									1.2	3.5
SSE	.1	.1	.1									1.4	3.4
S	.1	2.9	3.1	.7								5.9	6.0
SSW	1.1	2.1	3.2	.6	.1							7.5	7.1
SW	1.1	3.4	3.9	1.1	.1							8.7	7.0
WSW	.1	3.2	3.9	.2								6.2	7.5
W	1.1	4.9	6.5	1.7	.3							15.1	7.3
WNW	1.2	7.7	3.1	.8								5.3	6.6
NW	1.6	4.4	3.0									9.4	4.1
NNW	1.3	2.7	.6									5.1	4.0
CALM												4.4	
	15.1	41.7	29.5	5.7	.5							100.0	5.5

TOTAL NUMBER OF OBSERVATIONS

177

W. F. L. TAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

AV AAF/FT LE IS A

72-61

542

ALL WEATHER
CLASS

200-11-111

CONCLUSION

DIR	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	0.0	0.0									0.0	0.4
NNE	1.0	5.3	1.7								1.0	4.1
N2	0.1	0.0	0.5								0.3	4.0
ENE	0.4										0.4	1.7
E											0.0	1.0
ESE	0.1	0.0	0.1								1.0	7.0
E2	0.1	0.1	0.1								1.1	2.0
SE	0.1	1.0									0.0	2.0
S	0.7	7.0	1.0	0.1							0.3	4.7
SSE	0.1	3.5	1.6	0.2							0.4	5.0
S2	0.7	1.0	4.5	0.7	0.1						11.7	5.7
SSW	0.0	4.0	2.0	0.5							0.4	6.3
SW	1.0	4.7	5.0	0.8							10.1	6.6
WSW	1.0	3.7	1.8	0.1							0.5	6.3
W2	0.0	1.0	1.0								0.7	4.0
WNW	1.0	1.0									0.0	3.4
WW											0.0	
NNW											0.0	
ABSL											0.0	
ALL											0.0	
	4.0	19.5	22.1	3.5	0.1						100.0	4.0

TOTAL NUMBER OF OBSERVATIONS

۷۳

GLOBAL CLIMATOLOGY RESEARCH
 STAD
 WEATHER SERVICE

PERCENTAGE FREQUENCY OF WIND
 DIRECTION AND SPEED
 FROM HOURLY OBSERVATIONS

SURFACE WINDS

STATION NAME: DAY MARINE CENTER

73-61

YEARS

NAV
 MONTH

ALL WEATHER
 CLASS

100-100
 HOURS

WIND DIRECTION	1-3	4-6	7-9	10-12	13-15	16-18	19-21	22-24	25-27	28-30	31-33	34-36	37-39	40-42	43-45	46-48	49-51	52-54	55-57	58-60	MEAN WIND SPEED
N	.2	.2																			1.7
NNE	.2	1.2																			1.7
NE	1.1	1.7	.1																		1.7
NNE	.3																				1.7
E	.7																				1.7
ESE	.7																				1.7
SE	1.7	.7																			1.7
SSE	.7	1.7	.4																		1.7
S	.5	4.7	.6																		1.7
SSW	.5	5.1	2.9	.1																	1.7
SW	2.0	4.7	1.2	.1																	1.7
WSW	1.1	1.7	.7	.1																	1.7
W	.7	2.9	.6																		1.7
WNW	1.7	1.7	.2																		1.7
NW	1.0	.7	.1																		1.7
NNW	.5	.1																			1.7
VARBL																					1.7
CALM																					1.7
	2.4	26.5	6.6	.4																	2.4

TOTAL NUMBER OF OBSERVATIONS

177

WEATHER SERVICE

NATIONAL CLIMATOLOGY SERVICE
 PETAG
 WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION NAME: 134 MARKET LEWIS WA YEAR: 77-81
 CLASS: ALL WEATHER
 MONTH: ALL
 NUMBER OF STATIONS: 1
 CONDITION: ALL

SPEED KNOTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥ 56	%	MEAN WIND SPEED
N	1.6	2.5	.4	.5								4.1	4.2
NNE	1.2	2.1	.6	.5								2.3	4.5
NE	.1	.3	.8	.3								.5	1.5
ENE	.1	.1	.4	.1								.5	1.5
E	.1	.1	.1									.3	2.3
ESE	.1	.1	.2									.3	2.7
SE	.1	.7	.1									.3	3.1
SSE	.1	1.1	.1									1.1	4.4
S	4.1	5.7	2.2	.4	.1							1.1	5.2
SSW	1.2	4.7	3.3	.6	.1							1.9	5.7
SW	1.5	7.8	2.7	.6	.2							2.6	6.3
WSW	.1	1.3	1.7	.4	.1							2.6	5.8
W	.1	2.7	2.3	.5	.1							4.1	4.9
WNW	1.4	1.3	1.2	.3								4.1	4.9
NW	1.7	2.1	.1									2.1	3.4
NNW	.2	1.3	.1									.5	3.4
VARBL												27.1	
CALM													
	21.6	32.7	15.7	3.7	.2							100.0	3.7

TOTAL NUMBER OF OBSERVATIONS 4606

U S AIR CLIMATOLOGY BRANCH
ATTN:
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

STATION	DAY ABE/FT LEWIS WA	77-81	JUN
	STATION NAME	YEARS	MONTH
	ALL WEATHER		1980-1980
	CLASS		HOURS (LST)

CONCLUSION

[illegible]

TOTAL NUMBER OF OBSERVATIONS

612

$\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
ALL WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION GRAY AAF/FT LEWIS WA 73-81 JUN
STATION NAME ALL WEATHER MONTH
CLASS ALL WEATHER 240-0500
COORDINATE 44° 45' N 100° 15' W HOURS LST

SPEED KNOTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.1											.1	1.0
NNE	.1											.1	3.0
NE	.4											.2	2.0
ENE	.1											.1	1.0
E	.1											.1	1.0
ESE	.5											.2	1.0
SE	.5	.5										.4	2.3
SSE	2.5	1.2										3.3	2.7
S	2.5	6.7	.7									15.6	3.1
SSW	3.9	6.2	2.8									13.3	4.4
SW	2.2	3.0	1.6									7.7	4.7
WSW	1.0	.5	.2									2.1	3.8
W	2.2	.4										2.6	2.4
WNW	.7	.4										1.1	2.7
NW	.1	.4										.5	3.3
NNW													
VARBL													
CALM												52.6	
	23.3	18.4	5.7									100.0	1.8

TOTAL NUMBER OF OBSERVATIONS 517

JOINT CLIMATOLOGY BRANCH
USAF/TAC
AF WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION GRAY AAF/FT LEWIS WA
STATION NAME

77-P1
YEARS

ALL WEATHER
CLASS

1000-0000
MONTH
HOURS LST

CONDITION

SPEED KNOTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.0	.4	.4									2.0	2.6
NNE	1.4	.2	.4									2.6	2.6
NE	1.2	.7	.1	.1								2.3	3.6
ENE	.5	.1	.1									.7	2.7
E	.2											.2	2.6
ESE	.1											.1	3.6
SE	.6	.2										.9	2.3
SSE	.2	.3										.8	2.3
S	3.3	6.3	1.9									14.4	4.1
SSW	5.1	6.9	7.3	.1	.1							15.6	4.8
SW	4.4	6.6	2.1	.1								13.2	4.5
WSW	1.0	1.1	.9									3.8	4.4
W	2.7	1.7	.1									4.3	3.3
WNW	2.1	.5										2.6	2.3
NW	1.7	.1										1.9	2.2
NNW	.7	.7										1.2	2.6
VARBL													
CALM												71.2	
	32.0	27.0	9.3	.4	.1							100.0	2.7

TOTAL NUMBER OF OBSERVATIONS

310

GENERAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION 74 070 STATION NAME GRAY AAF/FT LEWIS A CLASS 77-81 MONTH JUN
ALL WEATHER 1907-1100
CONDITION

SPEED KNTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	2.6	4.3	.5									7.4	4.1
NNE	3.1	3.6	1.5									7.2	4.6
NE	.6	.6	1.0									2.3	5.7
ENE	.4	.4	.5									1.2	5.3
E	.5											.5	1.8
ESE	.4	.1										.5	2.3
SE	.7	.1										.9	2.1
SSE	.5	.6										1.1	3.4
S	1.7	3.6	2.7	.2								8.3	5.7
SSW	2.6	6.7	4.2	.4								13.9	5.8
SW	3.6	6.2	4.0	.6								14.3	5.5
WSW	2.1	3.5	3.1	.2								8.9	5.7
W	3.5	3.5	1.7									8.6	4.3
WNW	2.2	1.7	.4									4.3	3.6
NW	3.3	2.8	.1									6.3	3.5
NNW	2.6	3.1	.5									6.2	3.8
VARBL													
CALM												8.3	
	29.3	40.9	27.1	1.5								100.0	4.5

TOTAL NUMBER OF OBSERVATIONS 810

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION NAME: DAY AAF/FT LEWIS WA YEARS: 73-81 MONTH: JUN
CLASS: ALL WEATHER HOURS: 1200-1400
CONDITION:

SPEED KNTS)	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
DIR													
N	2.0	5.3	1.6									6.9	4.9
NNE	2.0	3.6	1.9									7.4	4.9
NE	.9	1.1	.9									2.6	5.1
ENE	.2	.2	.4									.2	6.1
E	.4	.1										.5	7.7
ESE	.4											.4	2.3
SE	.5											.3	2.3
SSE	.4	.6										1.0	3.3
S	1.1	2.6	1.5	.2								5.4	3.6
SSW	1.0	4.6	5.1	.6								11.6	6.8
SW	2.1	4.7	6.8	1.0								14.6	6.9
WSW	2.7	2.8	4.1	.9								9.8	6.6
W	2.3	4.2	1.5	.9	.1							9.2	5.8
WNW	1.7	4.7	1.7	.1								5.3	5.0
NW	2.8	4.1	.7									7.7	4.4
NNW	2.6	4.1	1.7									7.7	4.3
VARBL													
CALM												3.7	
	22.3	43.1	27.0	3.7	.1							100.0	5.4

TOTAL NUMBER OF OBSERVATIONS 610

CLERICAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

STATION 71 GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

JUL
MONTH

ALL WEATHER
CLASS

15.0-17.0
HOURS LAST

CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	2.2	4.4	2.2									7.3	5.0
NNE	1.1	3.5	1.0									5.4	4.7
NE	1.4	1.7	.4									3.4	4.7
ENE	.2	.5	.4									1.4	4.5
E													
ESE	.1											.1	2.7
SE	.5	.4										.9	2.7
SSE	.1	.7										.6	5.0
S	.5	2.6	1.0	.5								4.4	5.8
SSW	.7	3.6	2.8	.5								7.7	6.6
SW	1.0	4.2	4.4	.5								10.1	6.6
WSW	1.1	2.5	3.3	1.9								8.3	7.6
W	1.2	4.1	5.9	1.7	.2							13.2	7.6
WNW	2.1	4.9	4.3	.9								13.2	6.3
NW	1.6	5.1	2.0	.4								9.0	5.5
NNW	3.2	3.6	.7									5.6	4.3
VARBL													
CALM												6.0	
	10.5	42.2	28.9	6.7	.2							100.0	5.7

TOTAL NUMBER OF OBSERVATIONS

817

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION: 01070 DAY AAF/FT LEWIS WA STATION NAME: 73-81 YEARS: JUN MONTH: 1970-2000 HOURS (LST):
CLASS: ALL WEATHER
CONDITION:

SPEED KNTS: DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	2.8	3.7	.9									7.4	4.2
NNE	2.7	6.2	2.0									10.9	4.7
NE	2.6	2.1	.6									5.3	3.9
ENE	.6	.1										.7	2.7
E	.6	.1										.7	2.3
ESE	.1											.1	3.0
SE	.2											.2	1.5
SSE	.6	.1										.7	2.2
S	1.1	1.1	.6									4.1	4.1
SSW	1.9	4.3	2.1	.7								9.6	6.7
SW	1.6	4.9	4.6	.6								11.6	6.7
WSW	.6	2.6	1.1	.7	.1							5.1	6.8
W	1.6	4.9	6.2	1.1								13.7	6.9
WNW	2.3	6.0	3.2	.2								12.3	5.6
NW	1.7	4.2	1.1									7.3	4.9
NNW	2.5	1.6										4.3	2.9
VARBL													
CALM												7.4	
	24.1	42.3	22.6	3.5	.1							170.0	4.9

TOTAL NUMBER OF OBSERVATIONS 810

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

STATION 78-170 GRAY AAF/FT LEWIS WA
STATION NAME

77-81

YEARS

JUN
MONTH

ALL WEATHER

CLASS

100-2000
HOURS (L & T)

CONDITION

SPEED KNTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.0	.4										1.0	2.7
NNE	0.0	1.6										3.5	3.0
NE	1.4	.7										2.1	3.1
ENE	.7											.7	1.5
E	.1											.1	2.0
ESE	.1											.1	1.0
SE	.0											.6	1.5
SSE	.0	.2										1.1	2.4
S	5.4	4.9	.4	.1								10.8	3.6
SSW	2.8	5.0	2.8	.1								11.6	5.1
SW	2.8	4.4	2.3	.1								9.8	5.1
WSW	1.7	1.9	.6									4.3	4.1
W	4.6	3.6	1.9									10.0	4.1
WNW	2.0	3.6	.9									6.9	4.3
NW	2.2	2.0	.4									4.6	3.6
NNW	.7											.7	1.8
VARBL													
CALM												31.0	
	30.3	29.7	9.3	.4								100.0	2.8

TOTAL NUMBER OF OBSERVATIONS

879

NATIONAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION NAME: GRAY AAF/FT LEWIS WA STATION NUMBER: 77-81 YEARS: MONTH: DAY: ALL WEATHER CLASS: ALL HOURS: 00-24

SPEED KNOTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	1.8	2.4	.7									4.5	4.4
NNE	1.5	2.5	.9									4.3	4.5
NE	1.1	.9	.4	.5								2.4	4.3
ENE	.4	.2	.2									.7	4.2
E	.7	.7										.3	2.5
ESE	.2	.7										.2	2.7
SE	.6	.1										.7	2.6
SSE	1.1	.7										1.5	2.9
S	4.4	4.2	1.2	.1								9.7	4.1
SSW	2.8	5.8	3.2	.4	.5							12.1	5.5
SW	2.5	4.7	3.5	.4								11.2	5.6
WSW	1.5	2.7	1.7	.5	.5							5.7	5.9
W	2.4	2.5	2.2	.5	.5							7.9	5.5
WNW	1.8	2.9	1.5	.2								6.2	5.5
NW	1.9	2.4	.5	.0								4.3	4.3
NNW	1.5	1.6	.3									3.3	3.9
VARBL													
CALM												23.5	
	25.5	32.0	16.1	2.0	.1							170.0	3.7

TOTAL NUMBER OF OBSERVATIONS 5479

2

CENTRAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

STATION 000000 DAY AAF/FT LEWIS WA
STATION NAME

73-81

YEARS

JUL

MONTH

ALL WEATHER

CLASS

1000-0000

HOURS LST

CONDITION

SPEED KNOTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.5	.1										.6	2.0
NNE	.2	.1										.4	1.0
NE	.2	.1										.4	1.0
ENE		.1										.1	0.1
E													
ESE	.2											.2	2.0
SE	.4											.4	1.5
SSE	.2	.1										.2	2.1
S	.2	.4	1.1									1.2	3.4
SSW	.2	.5	1.7	.1								2.0	4.4
SW	.2	1.1	.8									2.0	3.0
WSW	.7	.5	.1									2.2	3.0
W	.8	.5	.2									2.2	2.6
WNW	.4	.3										2.3	2.8
NW	.1	.5										1.7	2.9
NNW	.4	.1										.6	2.0
VARBL												53.4	
CALM													
	21.3	13.3	3.9	.1								100.0	1.5

TOTAL NUMBER OF OBSERVATIONS

237

FEDERAL CLIMATOLOGY BRANCH
WFO/TAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION NAME: GRAY AAF/PT LEWIS AFB
STATION NAME: GRAY AAF/PT LEWIS AFB
CLASS: ALL WEATHER
MONTH: JUL
YEAR: 77-81
HOURS: 0500-1500
CONDITION: ALL WEATHER

SPEED KNOTS MPH	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.4											.4	2.3
NNE	.4		.1									.5	2.3
NE													
ENE	.1											.1	2.3
E													
ESE	.1	.1										.2	2.3
SE	.1	.1										.5	2.3
SSE	.1	.1										1.2	1.9
S	6.0	3.6	.6									11.5	3.3
SSW	4.0	4.2	.6									4.7	3.3
SW	7.6	1.8	1.9									6.3	3.7
WSW	2.2	.7	.1									3.0	2.8
W	1.0	1.7										2.7	2.9
WNW	.6	.4										1.2	2.5
NW	.7	.1										.8	2.5
NNW	.2	.1										.4	2.7
VARBL													
CALM												45.7	
	24.1	12.9	2.4									177.7	1.3

TOTAL NUMBER OF OBSERVATIONS

577

WFO/TAC: 1.00
JUL 84

CLIMATE CLIMATOLOGY BRANCH
 WASHINGTON, D.C.
 WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
 DIRECTION AND SPEED
 (FROM HOURLY OBSERVATIONS)

STATION NAME: FAY AAF/FT LEWIS, WA STATION NUMBER: 77-81 YEARS: 25 MONTH: 12-1968 CLASS: ALL WEATHER CONDITION: ALL

SPEED KNOTS OR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.5	.5	.1									1.4	3.7
NNE	1.2	.7	.4									2.3	3.7
NE	1.7	.6	.1									1.8	3.7
ENE	.6	.1										.7	1.5
E	.4											.4	2.0
ESE	.1											.1	1.0
SE	.1											.1	2.0
SSE	.2	.3										1.1	2.4
S	1.1	5.7	.8	.1								9.8	4.3
SSW	7.2	4.6	1.7	.1								12.7	4.1
SW	8.1	4.4	1.4	.1								12.7	4.3
WSW	2.4	1.7	.6									4.7	3.7
W	1.4	1.9	.1									.1	2.9
WNW	.7	.4										.9	2.8
NW	1.2	.5										1.7	2.6
NNW	1.1		.1									1.2	2.6
VARBL													
CALM												43.1	
	11.2	21.7	5.5	.4								100.1	2.1

TOTAL NUMBER OF OBSERVATIONS

477

U.S. AIR FORCE METEOROLOGICAL SERVICE
 1. STATION SERVICE /MAC

PERCENTAGE FREQUENCY OF WIND
 DIRECTION AND SPEED
 (FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION NAME: AAF/FT LEWIS WA
 STATION NAME

77-81

YEARS

JUL

MONTH

ALL WEATHER

CLASS

100-110

WINDS

LOCATION

SPEED KNOTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	4.7	0.0	1.6									1.0	4.0
NNE	1.0	4.7	0.0									2.0	4.0
NE	0.0	1.0	0.0									0.0	0.0
ENE	0.0	0.0	0.0									0.0	0.0
E	0.0	0.0	0.0									0.0	0.0
ESE	0.0	0.0	0.0									0.0	0.0
SE	0.0	0.0	0.0									0.0	0.0
SSE	0.0	0.0	0.0									0.0	0.0
S	0.0	1.0	1.4	0.1								1.0	0.0
SSW	1.0	0.0	4.1	0.4								11.0	0.0
SW	1.2	0.0	3.0	0.1								12.0	0.0
WSW	0.0	0.0	1.3	0.0								1.0	0.0
W	0.5	0.0	0.6									1.0	0.0
WNW	3.0	0.0	0.0									0.0	0.0
NW	0.0	0.0	0.0									0.0	0.0
NNW	0.0	0.0	0.1									0.0	0.0
VARBL												0.0	0.0
CALM												0.0	0.0
	2.1	4.3	16.0	0.8								10.0	0.0

TOTAL NUMBER OF OBSERVATIONS

USAF/FA

FORM


1-64


AD-A128 112

GRAY AAF/FORT LEWIS WASHINGTON REVISED UNIFORM SUMMARY
OF SURFACE WEATHER..(U) AIR FORCE ENVIRONMENTAL
TECHNICAL APPLICATIONS CENTER SCOTT A.. 14 DEC 82
UNCLASSIFIED USAFETAC/DS-82/062 SBI-AD-E850 362 F/G 4/2

215

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

740070
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

JUL
MONTH

ALL WEATHER
CLASS

1200-1400
HOURS (LST)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	3.9	7.2	2.6	.1								13.9	4.9
NNE	1.4	4.1	2.6	.2								8.4	5.7
NE	.5	2.0	1.0									3.5	5.6
ENE	.2	.4	.1	.1								.3	6.0
E	.2											.2	1.5
ESE	.1											.1	2.0
SE	.4											.4	2.3
SSE	.2	.2	.2									.7	4.5
S	1.3	1.4	1.0									3.7	4.9
SSW	2.0	3.2	1.8	.2								7.3	5.3
SW	1.4	5.5	4.9	.5								12.3	6.3
WSW	1.4	2.6	1.9	.4								6.3	5.9
W	2.6	3.9	2.2									8.7	4.8
WNW	2.6	6.3	1.2									10.2	4.5
NW	3.3	5.4	1.2	.1								10.5	4.4
NNW	1.9	4.8	1.3	.1								8.1	4.7
VARBL													
CALM												4.9	
	23.8	47.6	22.0	1.8								100.0	4.9

TOTAL NUMBER OF OBSERVATIONS

837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

742070
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

JUL
MONTH

ALL WEATHER
CLASS

1500-1700
HOURS (LST)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	5.3	7.5	1.7	.1								14.6	4.3
NNE	2.3	4.7	1.4	.1								8.5	5.0
NE	1.0	2.7	1.3									5.0	5.4
ENE		.7	.1	.1								1.0	6.8
E	.2											.2	2.0
ESE		.5										.5	4.5
SE	.4	.1										.5	2.5
SSE		.2	.1									.4	5.3
S	.2	.7	.8									1.8	5.9
SSW	.8	2.9	1.1									4.8	5.1
SW	1.3	3.3	1.6	.1								6.3	5.5
WSW	.7	1.8	2.2	.8								5.5	6.9
W	2.6	5.0	2.9	.8								11.4	5.8
WNW	3.2	5.7	2.5	.7								12.2	5.4
NW	3.6	7.4	4.4	.7								16.1	5.5
NNW	2.4	5.0	1.1									8.5	4.7
VARBL													
CALM												2.9	
	24.0	48.4	21.1	3.6								100.0	5.1

TOTAL NUMBER OF OBSERVATIONS

837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

742770
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

JUL
MONTH

ALL WEATHER
CLASS

1800-2000
HOURS (LST)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	4.7	4.1	.7									9.4	3.7
NNE	4.1	9.1	1.8									14.9	4.5
NE	1.7	1.8	.6									4.1	4.3
ENE	.4	.2										.6	3.4
E	.5											.5	1.8
ESE	.1	.1										.2	3.4
SE	.4	.1										.5	2.5
SSE	.2	.2	.2									.7	5.0
S	.2	.8	.6									1.7	5.5
SSW	.7	2.5	1.1									4.3	5.1
SW	1.0	2.6	1.4									5.5	5.3
WSW	1.4	2.3	.8	.1								4.7	5.2
W	2.2	4.1	4.2	.2								10.6	5.7
WNW	1.8	10.2	4.7	.4								17.0	5.8
NW	3.6	6.3	1.9	.1								11.9	4.8
NNW	3.6	1.7	.4									5.6	3.3
VARBL													
CALM												8.2	
	26.4	46.1	18.4	.8								170.0	4.4

TOTAL NUMBER OF OBSERVATIONS

837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

742070

GRAY AAF/FT LEWIS WA

73-81

JUL

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

2100-2300

CLASS

HOURS (LST)

CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.0	.2										1.2	2.6
NNE	2.6	1.7										4.3	3.1
NE	1.4	.4										1.8	2.7
ENE	.7											.7	1.7
E													
ESE													
SE	.4	.1										.5	2.3
SSE	.6											.6	1.8
S	3.1	2.2	.6	.1								6.0	3.8
SSW	3.2	2.5	1.1	.1								6.9	4.2
SW	3.1	2.5	.7									6.3	3.8
WSW	1.9	.8	.4									3.1	3.6
W	4.8	5.1	.7									10.6	3.8
WNW	4.1	3.9	.6									8.6	3.8
NW	3.6	2.5	.2									6.3	3.2
NNW	1.7											1.7	2.1
VARBL													
CALM												41.3	
	32.1	22.0	4.3	.2								100.0	2.1

TOTAL NUMBER OF OBSERVATIONS

837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

742070
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

JUL
MONTH

ALL WEATHER
CLASS

ALL
MOUSE (L.S.T.)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	2.6	3.0	.8	.0								6.5	4.2
NNE	1.7	3.1	1.1	.0								6.0	4.8
NE	.8	1.1	.5									2.4	4.7
ENE	.3	.2	.0	.0								.6	4.1
E	.2											.2	1.4
ESE	.1	.1										.2	2.8
SE	.3	.1										.4	2.4
SSE	.7	.2	.1									1.0	2.8
S	2.7	2.6	.9	.0								6.2	4.2
SSW	3.0	3.7	1.6	.1								8.5	4.7
SW	2.4	3.4	2.0	.1								7.9	5.0
WSW	1.7	1.7	.9	.2								4.5	4.9
W	3.2	3.1	1.4	.1								7.8	4.5
WNW	2.4	3.9	1.1	.1								7.6	4.6
NW	2.6	3.3	1.0	.1								7.0	4.4
NNW	1.7	1.8	.4	.0								3.9	4.0
VARBL													
CALM												29.3	
	26.5	31.5	11.8	1.0								170.0	3.2

TOTAL NUMBER OF OBSERVATIONS

6696

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

742070
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

AUG
MONTH

ALL WEATHER
CLASS

0000-0200
HOURS (L.S.T.)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N		.1	.1									.2	5.5
NNE	.1											.1	2.0
NE	.2	.1										.4	3.0
ENE	.1											.1	1.0
E	.1											.1	3.0
ESE	.2											.2	1.5
SE	.4											.4	2.5
SSE	1.8	1.7	.1									2.9	2.9
S	5.3	4.4	.8									10.5	3.6
SSW	3.2	5.1	1.3									9.7	4.3
SW	3.1	2.5	1.0									6.6	4.0
WSW	1.7	1.0										2.6	3.0
W	4.5	1.2										5.7	2.6
WNW	2.5	1.1										3.6	2.7
NW	2.2	.1										2.3	2.0
NNW	.4											.4	1.7
VARBL													
CALM												54.2	
	25.8	16.6	3.3									100.0	1.6

TOTAL NUMBER OF OBSERVATIONS

837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIP WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

742070

GRAY AAF/FT LEWIS WA

73-81

AUG

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

0300-0500

CLASS

HOURS (L.S.T.)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N													
NNE		.2										.2	4.0
NE	.2											.2	2.0
ENE													
E	.2	.1										.4	3.0
ESE	.2											.2	1.5
SE	.5	.1										.6	2.2
SSE	1.7	.8										2.5	2.6
S	8.5	4.1	.5									13.5	3.1
SSW	4.4	5.5	1.3									11.2	4.2
SW	3.3	2.0	.5									5.9	3.3
WSW	2.4	1.2										3.6	3.0
W	5.3	.7										6.0	2.4
WNW	1.4		.1									1.6	2.6
NW	1.2	.4										1.6	2.2
NNW	.2											.2	2.0
VARBL													
CALM												52.8	
	29.6	15.2	2.4									100.0	1.5

TOTAL NUMBER OF OBSERVATIONS

837

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

742070
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

AUG
MONTH

ALL WEATHER
CLASS

0600-0800
HOURS (L.S.T.)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.6	.4										1.0	2.9
NNE	1.0	.1	.1									1.2	3.2
NE	.6	.1										.7	2.3
ENE													
E	.1											.1	3.0
ESE	.4											.4	1.3
SE	.2	.2										.5	3.0
SSE	1.3	1.7										2.3	3.3
S	5.9	5.1	1.3									12.3	3.8
SSW	5.4	5.9	2.6	.1								14.5	4.5
SW	4.4	3.8	1.0									9.2	3.8
WSW	3.8	.6	.5									4.9	2.8
W	3.3	.8										4.2	2.5
WNW	1.8	.6										2.4	2.5
NW	1.3	.2	.1									1.7	2.6
NNW	1.2	.2										1.4	2.2
VARBL													
CALM												43.8	
	31.3	19.1	5.6	.1								100.0	2.0

TOTAL NUMBER OF OBSERVATIONS

837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

742370
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

AUG
MONTH

ALL WEATHER
CLASS

0900-1100
HOURS (L.S.T.)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	3.7	4.2	.5									8.4	3.9
NNE	2.4	3.2	.6	.2								6.5	4.5
NE	1.4	.6	.6									2.6	4.0
ENE	.4	.4										.7	3.2
E													
ESE	.2											.2	2.0
SE	.4	.1										.5	2.0
SSE	.4	.4										.7	3.2
S	2.2	2.5	1.8	.5								6.9	5.5
SSW	3.5	4.5	5.5	.4								13.9	6.0
SW	3.2	5.1	2.4	.4								11.1	5.1
WSW	2.5	2.5	.2	.4								5.6	4.3
W	6.5	3.0	.5									9.9	3.1
WNW	2.6	2.0	.1	.1								4.9	3.4
NW	3.6	1.2	.1									4.9	2.8
NNW	2.4	3.1	.4									5.9	3.8
VARBL													
CALM												17.3	
	35.2	32.9	12.7	1.9								100.0	3.6

TOTAL NUMBER OF OBSERVATIONS

837

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

742070
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

AUG
MONTH

ALL WEATHER
CLASS

1200-1400
HOURS (LST)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	3.7	8.1	1.2	.1								13.1	4.5
NNE	2.2	3.7	2.6	.1								7.9	5.4
NE	1.1	1.1	.7	.1								3.0	5.0
ENE	.1											.1	2.0
E	.6											.6	2.2
ESE	.2	.1										.4	2.0
SE	.1											.1	2.0
SSE	.2	.2										.5	3.3
S	1.1	1.4	1.6	.6								4.7	6.4
SSW	1.2	2.2	3.7	1.3								7.6	7.0
SW	1.4	2.6	3.3	.4								7.8	6.2
WSW	1.2	3.2	1.1	.7								6.2	6.0
W	2.7	3.6	1.7									10.0	4.5
WNW	3.5	4.1	1.6	.1								9.4	4.5
NW	3.5	6.3	1.6									11.0	4.5
NNW	4.7	5.9	.8									10.8	3.9
VARBL													
CALM												6.8	
	27.5	42.9	19.4	3.5								100.0	4.7

TOTAL NUMBER OF OBSERVATIONS

837

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

742070
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

AUG
MONTH

ALL WEATHER
CLASS

1500-1700
HOURS (LST)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	4.2	10.5	1.4									16.1	4.5
NNE	1.8	4.5	.8									7.2	4.7
NE	.8	2.0	.4									3.2	4.7
ENE		.5										.5	4.3
E	.1											.1	2.7
ESE													
SE		.1										.1	4.7
SSE	.6	.2										.8	3.0
S	.7	2.5	.7									4.1	4.9
SSW	1.3	1.9	2.0	.2								5.4	6.0
SW	1.4	2.6	2.7	.5								7.3	6.4
WSW	1.7	2.6	1.9	.5								6.3	6.2
W	2.2	3.9	2.3	.4								8.6	5.5
WNW	2.7	6.2	3.9	.2								13.1	5.5
NW	3.3	6.3	2.5	.2								12.4	5.0
NNW	2.6	5.6	1.2									9.4	4.7
VARBL													
CALM												5.3	
	23.2	49.6	20.0	2.0								100.0	4.9

TOTAL NUMBER OF OBSERVATIONS

837

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

740070 STATION 740070 GRAY AAF/FT LEWIS WA STATION NAME 73-81 YEARS ALL WEATHER CLASS 1900-2000 MONTH HOURS 11 11 11

SPEED KNOTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	4.1	4.3	.2									6.6	3.5
NNE	4.3	6.6	1.1									11.2	4.1
NE	2.2	2.5										4.2	3.7
ENE	.4	.1										.5	2.5
E	.5											.5	2.3
ESE	.5											.5	1.8
SE	.1	.1										.2	4.5
SSE	1.4											1.4	2.1
S	.3	1.7	.4	.1								3.0	4.8
SSW	1.2	2.3	1.3	.2								6.0	5.6
SW	1.4	3.5	2.4									7.3	5.6
WSW	.6	2.5	1.5	.1								3.7	5.8
W	1.7	3.2	3.0	.5								8.4	6.2
WNW	2.0	6.6	3.6									12.2	5.4
NW	4.1	6.1	1.3									11.5	4.3
NNW	2.3	1.3	.1									3.7	3.1
VARBL													
CALM												17.1	
	27.5	40.1	14.4	1.0								100.0	3.8

TOTAL NUMBER OF OBSERVATIONS

835

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

740770
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

ALL
MONTH

ALL WEATHER
CLASS

1100-2100
HOURS LST

CONDITION

SPEED (KNTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.6	.4	.1									1.1	3.7
NNE	.9	.4	.1									1.3	3.6
NE	.5	.6	.1									1.2	4.3
ENE	.1	.1										.2	3.3
E													
ESE	.1											.1	2.7
SE	.4	.1										.5	2.3
SSE	1.7	.1										1.3	2.3
S	2.9	2.4	1.2									6.2	3.9
SSW	2.3	4.3	2.2	.1								8.7	5.1
SW	1.7	2.8	1.2									5.6	4.8
WSW	1.9	1.2	.4									3.3	3.7
W	4.9	2.3	.1									7.2	3.1
WNW	4.9	3.3	.5									8.7	3.3
NW	3.9	2.5										6.5	2.9
NNW	.6	.1										.7	2.3
VARBL													
CALM												46.8	
	27.3	27.6	5.5	.1								100.0	2.0

TOTAL NUMBER OF OBSERVATIONS

836

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AFR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

740070

GRAY AAF/FT LEWIS WA

73-81

AUG

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

ALL

CLASS

HOURS (LST)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	3.1	3.5	.4	.0								6.1	4.2
NNE	1.6	2.3	.7	.0								4.6	4.5
NE	.9	.8	.2	.0								1.9	4.0
ENE	.1	.1										.3	3.1
E	.2	.4										.2	2.6
ESE	.2	.3										.3	1.7
SE	.3	.1										.4	2.5
SSE	1.1	.5	.0									1.6	2.4
S	3.4	3.7	1.0	.1								7.6	4.1
SSW	2.8	3.9	2.4	.3								9.4	5.2
SW	2.5	3.1	1.8	.1								7.6	5.7
WSW	1.9	1.8	.6	.2								4.5	4.6
W	3.9	2.6	.9	.1								7.5	3.9
WNW	2.7	3.7	1.3	.1								7.9	4.4
NW	2.9	2.9	.7	.0								6.5	4.2
NNW	1.8	2.0	.3									4.1	3.9
VARBL													
CALM												30.5	
	28.4	29.6	17.4	1.1								100.0	3.2

TOTAL NUMBER OF OBSERVATIONS

6694

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

742077

GRAY AAF/FT LEWIS WA

73-81

SEP

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

0000-0200

CLASS

HOURS (LST)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N													
NNE													
NE	.5	.1										.9	2.3
ENE	.5											.5	2.5
E	.4											.4	1.3
ESE													
SE	1.0	.4										1.4	2.6
SSE	2.5	.5										3.0	2.5
S	5.8	4.5	.6	.1								11.1	3.6
SSW	1.7	3.1	1.7	.4								6.2	5.3
SW	1.5	1.4	.1	.1								3.1	4.0
WSW	.7	.6										1.4	3.4
W	1.9	.2	.1									2.2	2.7
WNW	.5	.2	.2									1.0	4.3
NW	1.0											1.0	1.6
NNW													
VARBL													
CALM												68.0	
	18.1	11.1	2.1	.6								170.0	1.2

TOTAL NUMBER OF OBSERVATIONS

810

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

740070
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

SEP
MONTH

ALL WEATHER
CLASS

0300-0500
HOURS (LST)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N													
NNE	.1											.1	1.0
NE	.9	.1										1.0	2.1
ENE	.1											.1	2.0
E	.5											.5	1.5
ESE													
SE	1.6	.1										1.7	2.1
SSE	2.5	.4										2.8	2.1
S	5.6	4.7										10.7	3.5
SSW	1.9	2.2	.5	.1								4.7	4.4
SW	1.4	2.2	.6									4.2	4.4
WSW	.4	.5										.9	3.8
W	1.2	.4										1.6	2.5
WNW	.5	.1										.6	2.2
NW													
NNW	.1											.1	2.0
VARBL													
CALM												70.9	
	16.7	10.7	1.6	.1								100.0	1.0

TOTAL NUMBER OF OBSERVATIONS

810

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

741770 STATION 0PAY AAF/FT LEWIS MA YEARS 73-81 SEP
STATION NAME CLASS ALL WEATHER NORTH
CONDITION 0600-0800
HOURS (LST)

SPEED KNTS: DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.9											.9	2.0
NNE	1.1											1.5	2.5
NE	1.9	.6										2.6	2.7
ENE	.9	.5	.1									1.5	3.4
E	.4	.1										.5	2.5
ESE	.1											.1	1.0
SE	1.1											1.1	1.9
SSE	2.8	.5										3.3	2.3
S	9.1	5.8	1.4									16.3	3.5
SSW	7.1	3.7	1.2									7.0	4.5
SW	1.7	1.2	.4									3.3	3.9
WSW	.4	.4	.1									.9	4.3
W	1.5	.6	.1									2.2	3.1
WNW	.2	.1										.4	3.0
NW	.5	.1										.4	3.7
NNW	.4											.4	1.7
VARBL													
CALM												57.7	
	24.9	14.1	3.5									100.0	1.4

TOTAL NUMBER OF OBSERVATIONS 810

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

742070
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

SEP
MONTH

ALL WEATHER
CLASS

0900-1100
HOURS (LST)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	3.7	2.7	1.1									7.5	4.0
NNE	3.3	4.2	1.5									9.0	4.4
NE	3.6	2.7	1.6									7.9	4.3
ENE	1.7	1.4	.4									3.5	3.7
E	.7	.1	.1									1.0	2.8
ESE	.4											.4	1.3
SE	.4	.2										.6	2.8
SSE	.6	.9		.1								1.6	4.5
S	1.5	3.2	2.6	.7	.1							8.1	6.3
SSW	3.6	5.1	3.3	.5								12.5	5.5
SW	2.0	4.4	2.5	.4								9.3	5.6
WSW	1.4	1.5	.5	.2								3.6	4.8
W	1.7	1.4	.9	.2								4.2	4.7
WNW	1.2	.5	.1									1.9	3.2
NW	1.5	1.5	.1									3.1	3.4
NNW	1.6	1.2										2.8	3.3
VARBL													
CALM												23.1	
	28.9	31.0	14.7	2.2	.1							100.0	3.6

TOTAL NUMBER OF OBSERVATIONS

810

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

742070
STATION

GRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

SEP
MONTH

ALL WEATHER
CLASS

1200-1400
HOURS (LST)

CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	2.7	7.7	1.5	.2								12.1	4.9
NNE	1.9	4.7	4.0	.1								10.6	5.6
NE	1.0	4.3	2.2									7.5	5.5
ENE	.5	.6		.1								1.2	4.4
E	.6											.6	2.0
ESE	.5	.1	.1									.7	3.7
SE	.2	.1										.4	2.7
SSE	.4	.2										.6	3.2
S	.7	2.0	2.3	1.0	.1							6.2	7.5
SSW	1.1	2.8	4.9	.4								9.3	6.9
SW	1.6	4.4	4.4	.6								11.1	6.3
WSW	1.4	1.7	1.9	.1								5.1	5.6
W	2.5	3.5	1.7	.2	.1							8.0	5.2
WNW	1.9	2.8	.5	.2								5.4	4.5
NW	2.5	3.6	.2	.1								6.4	3.9
NNW	2.6	3.5	1.1									7.2	4.4
VARBL													
CALM												7.5	
	22.0	42.1	24.9	3.2	.2							100.0	5.1

TOTAL NUMBER OF OBSERVATIONS

810

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

74270

GRAY AAF/FT LEWIS WA

73-81

SEP

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

1500-1700

CLASS

HOURS (LST)

CONDITION

SPEED (KNTS) DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	4.3	7.4	1.7									13.5	4.4
NNE	3.2	7.5	3.7	.4								14.8	5.4
NE	2.7	3.7	1.2									7.7	4.6
ENE	.4	.4										.7	3.3
E	.4											.4	2.5
ESE	.4											.4	1.7
SE	.5	.1										.6	2.8
SSE	.4	.5										.9	3.7
S	.6	1.6	2.1	.7								5.1	7.4
SSW	1.6	2.7	1.9	.4								6.6	5.6
SW	1.7	2.7	2.1									6.6	5.2
WSW	1.4	2.8	2.3	.4								6.9	6.1
W	1.2	2.3	2.1	.6								6.3	6.3
WNW	1.5	2.1	1.4									4.9	5.1
NW	3.2	4.2	.7									8.2	4.7
NNW	2.6	3.3	.5									6.4	3.9
VARBL													
CALM												10.1	
	26.1	41.5	19.8	2.5								100.0	4.6

TOTAL NUMBER OF OBSERVATIONS

809

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

740270 GRAY AAF/FT LEWIS WA

73-81

SEP

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

CLASS

1800-2000

HOURS (LST)

CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	2.1	1.7	.1									4.0	3.3
NNE	6.8	3.6	.6									11.0	3.4
NE	2.5	2.4	.4									5.2	3.7
ENE	.7											.7	2.3
E	.2	.1										.4	2.3
ESE	.5	.1										.6	2.2
SE	.5											.5	1.5
SSE	.7	.6										1.4	3.2
S	2.6	2.1	.7	.1								5.6	4.3
SSW	1.5	5.0	1.1									7.6	4.8
SW	1.2	3.0	.9									5.1	4.9
WSW	.9	1.5	.7									3.1	5.0
W	1.0	1.1	.6									2.7	4.6
WNW	.7	1.9	1.1	.1								3.8	5.6
NW	2.4	2.2	.1									4.7	3.4
NNW	1.4	.4	.1									1.9	2.7
VARBL													
CALM												41.8	
	25.8	25.7	6.6	.2								100.0	2.3

TOTAL NUMBER OF OBSERVATIONS

807

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

73-81 GRAY AAF/FT LEWIS WA

73-81

SEP

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

2100-2300

CLASS

HOURE (LST)

CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.4											.4	2.3
NNE	.9	1.0										1.9	3.3
NE	.6	.1										.7	2.3
ENE	.5											.5	1.5
E	.2											.2	2.3
ESE	.2											.2	2.0
SE	.5											.5	1.5
SSE	2.8	.1	.1									3.1	2.2
S	3.7	4.9	1.4									10.0	4.2
SSW	1.7	3.3	1.4									6.4	4.9
SW	1.0	1.4	1.0									3.3	4.9
WSW	.5	.5	.1									1.1	3.8
W	1.6	1.2	.1									3.0	3.1
WNW	2.0	1.9										3.8	3.6
NW	1.0	.4										1.4	3.0
NNW	.5											.5	2.5
VARBL													
CALM												62.9	
	18.2	14.8	4.1									100.0	1.4

TOTAL NUMBER OF OBSERVATIONS

809

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AF WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

740077 SPAY AAF/FT LEWIS WA

73-81

SEP

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

CLASS

ALL

HOURS (LST)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.8	2.4	.6	.0								4.8	4.3
NNE	2.2	2.7	1.2	.1								6.1	4.6
NE	1.7	1.9	.7									4.2	4.3
ENE	.7	.4	.1	.0								1.1	3.4
E	.4	.5	.0									.5	2.2
ESE	.3	.0	.0									.3	2.4
SE	.7	.1										.8	2.2
SSE	1.6	.5	.0	.0								2.1	2.6
S	3.7	3.6	1.5	.3	.7							9.1	4.6
SSW	1.9	3.5	1.9	.2								7.5	5.3
SW	1.5	2.6	1.5	.1								5.7	5.2
WSW	.9	1.2	.7	.1								2.9	5.2
W	1.6	1.3	.7	.1	.7							3.8	4.6
WNW	1.1	1.2	.4	.0								2.7	4.5
NW	1.5	1.5	.2	.0								3.1	3.6
NNW	1.1	1.1	.2									2.4	3.9
VARBL													
CALM												42.7	
	22.6	23.9	9.7	1.1	.0							100.0	2.6

TOTAL NUMBER OF OBSERVATIONS

6475

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

747770
STATION

SPRAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

OCT
MONTH

ALL WEATHER
CLASS

0000-0200
HOURS (LST)

CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.1	.1										.2	3.5
NNE	.1											.1	2.0
NE	.4											.4	1.7
ENE	.1											.1	3.0
E	.7											.7	1.3
ESE	.1											.1	2.0
SE	1.0	.6	.1	.1								1.8	4.0
SSE	2.5	1.8										4.3	3.0
S	7.2	5.7	1.9	.6	.2							15.7	4.6
SSW	2.3	1.9	2.3	.1	.1							6.7	5.7
SW	.5	.4	.2	.2								1.3	5.6
WSW		.2	.1									.4	6.0
W	.2	.1										.4	2.7
WNW	.2											.2	2.0
NW													
NNW													
VARBL													
CALM												67.6	
	15.4	10.9	4.7	1.1	.4							100.0	1.4

TOTAL NUMBER OF OBSERVATIONS

837

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

STATION 740170 GRAY AAF/FT LEWIS WA

73-81

001

STATION

STATION NAME

YEARS

NORTH

ALL WEATHER

0700-1500

CLASS

HOURLY (LST)

CONDITION

SPEED KNTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.2											.2	1.5
NNE	.3	.4	.2									.7	6.0
NE	1.5	.5	.1									1.6	2.9
ENE	.2											.2	2.0
E	.6											.6	2.0
ESE	.7	.1	.1									1.0	2.9
SE	1.3	.6	.1									2.0	3.1
SSE	2.5	1.2	.1	.1								3.9	3.0
S	5.6	5.7	1.6	.4	.1							13.6	4.4
SSW	.5	1.4	3.1	.7	.2							6.0	6.0
SW	.6		.6	.1								1.3	5.7
WSW	.1	.1										.2	4.7
W	.2	.1	.1									.5	4.3
WNW	.1											.1	2.0
NW	.2											.2	2.7
NNW	.2											.2	1.5
VARBL													
CALM												67.5	
	14.6	10.2	6.1	1.3	.4							100.0	1.5

TOTAL NUMBER OF OBSERVATIONS

837

GLOBAL CLIMATOLOGY BRANCH
JCFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

740700 GRAY AAF/FT LEWIS WA
STATION STATION NAME

73-21

٢٤٢

ALL WEATHER

1990-1991

CLASS

ENCLOSURE 2

CONCLUSION

[illegible]

TOTAL NUMBER OF OBSERVATIONS

877

CLASSIFICATION FORM ARE .01. ETC

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/HAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

740770 CRAY AAF/FT LEWIS WA

73-81

707

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

0900-1100

CLASS

NOVEMBER

CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.1	1.2	.7									1.0	4.7
NNE	1.6	2.3	1.1									4.9	4.5
NE	2.7	2.6	1.0	.1								6.5	4.3
ENE	1.6	.1										1.7	2.1
E	.6	.5	.1									1.2	3.3
ESE	.6											.6	1.8
SE	.7	.4	.1									1.2	3.3
SSE	3.6	1.1	.6									3.7	3.7
S	4.1	5.8	3.7	2.6								14.8	6.0
SSW	1.4	2.8	5.6	.7	.1							10.5	7.1
SW	1.1	1.0	1.6	.4								3.9	6.1
WSW	1.2	.6	.4									2.2	4.1
W	1.4	.7	.5									2.6	4.3
WNW	1.2	.4										1.6	2.5
NW	.6	.6										1.2	3.0
NNW	1.1	.2										1.3	2.6
VARBL												39.9	
CALM													
	22.9	19.5	15.3	3.2	.1							100.0	3.1

TOTAL NUMBER OF OBSERVATIONS

837

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
ATMOSPHERIC WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

73-077
STATION

GRAY AAF/FT LEWIS A
STATION NAME

73-81
YEARS

007
MONTH

ALL WEATHER
CLASS

1200-1400
HOURS

CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	2.5	5.7	1.2									9.7	4.4
NNE	3.0	3.9	2.6	.1								9.7	5.1
NE	1.2	4.1	1.1									6.3	5.0
ENE	1.1	.4										1.4	2.7
E	.3											.8	2.4
ESE	.5	.4										.8	3.0
SE	.2											.2	1.5
SSE	.9	1.5	.1	.1								2.0	4.6
S	1.8	2.4	4.2	1.4	.2							10.0	7.3
SSW	1.6	2.9	5.3	1.6	.2	.1						11.6	7.7
SW	1.1	2.4	2.7	.4	.2							6.3	6.6
WSW	.8	2.5	2.0	.4	.1							5.9	6.5
W	3.0	2.7	1.0									6.7	4.1
WNW	2.2	1.6	.5									4.2	3.8
NW	2.5	2.0	.1									4.7	3.4
NNW	2.5	2.7	.1									5.4	3.8
VARBL													
CALM												14.7	
	25.6	33.9	20.9	3.9	.8	.1						100.0	4.6

TOTAL NUMBER OF OBSERVATIONS

837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION 740070 STATION NAME GRAY AAF/FT LEWIS WA YEARS 73-81 MONTH OCT
CLASS ALL WEATHER HOURS (LST) 1500-1700
CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	2.2	4.1	1.0									7.2	4.3
NNE	4.1	5.5	3.3									12.7	4.8
NE	2.2	1.9	.6	.2								4.9	4.3
ENE	.2											.2	2.0
E	.6	.1										.7	2.5
ESE	.5	.1										.6	2.2
SE	.5	.2	.1									.8	3.9
SSE	1.4	1.4	1.0									3.8	4.6
S	1.3	3.5	3.6	.5								8.8	6.4
SSW	1.3	4.5	2.6	.6	.1							9.2	6.2
SW	.7	2.2	1.6	.1								4.5	5.9
WSW	1.0	1.3	1.0	.5	.1							3.8	6.6
W	1.7	2.4	.8	.2								5.1	4.8
WNW	1.4	2.0	1.1	.2								4.8	5.1
NW	3.6	1.8										5.4	2.9
NNW	3.5	2.7	.4									5.9	3.2
VARBL													
CALM												71.3	
	26.0	33.1	17.0	2.4	.2							100.0	3.9

TOTAL NUMBER OF OBSERVATIONS 837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AID WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION 742070 STATION NAME GRAY AAF/FT LEWIS WA YEARS 73-81 MONTH OCT
CLASS ALL WEATHER MONTH 1900-2000
CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.6	.6										1.2	3.4
NNE	3.1	1.0	.1									4.2	2.8
NE	1.7	.5										2.2	2.6
ENE	.2		.1									.4	4.0
E	.2											.2	2.5
ESE	.5	.2										.7	2.5
SE	1.7	.5	.1									1.8	2.7
SSE	1.4	.8	.2									2.5	3.5
S	4.3	4.8	3.1	1.1								13.3	5.4
SSW	1.4	2.9	1.7									6.0	5.2
SW	.7	1.3	.7	.1								2.9	5.8
WSW	.7	.5	.2	.1								1.6	5.1
W	.7	.7	.1									1.6	3.6
WNW		.1	.1									.2	7.0
NW		.1	.1									.2	5.5
NNW	.5											.5	1.5
VARBL												60.7	
CALM													
	17.3	14.0	6.7	1.3								100.0	1.7

TOTAL NUMBER OF OBSERVATIONS 837

2

CENTRAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

73-77 GRAY AAF/FT LEWIS WA
STATION STATION NAME

73-81
YEARS

007
MONTH

ALL WEATHER
CLASS

2100-2300
HOURS (L.S.T.)

CONDITION

SPEED KNTS: DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.5	.1										.4	2.7
NNE	.7	.2										1.0	2.6
NE	.6	.5										.8	2.4
ENE	.2											.2	1.5
E	.3											.2	1.9
ESE	.4	.5										.8	3.7
SE	1.7	.5										1.9	2.3
SSE	2.5	1.4										3.9	2.8
S	6.3	5.9	2.5	.6								5.2	4.6
SSW	1.2	2.3	2.4	.1								6.0	6.7
SW	.6	.4	1.2	.4								2.2	7.6
WSW	.1	.5	.2									.6	5.6
W	.4											.4	2.3
WNW	.4	.5										.6	3.0
NW	.1											.1	2.0
NNW	.1											.1	2.0
VARBL													
CALM												55.6	
	15.4	11.6	6.3	1.1								100.0	1.5

TOTAL NUMBER OF OBSERVATIONS

837

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

143770 SPRAY AAF/FT LEWIS WA
STATION

73-81
YEARS

007
MONTH

ALL WEATHER
CLASS

ALL
HOURS (LST)

CONDITION

SPEED KNTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.9	1.4	.4									2.7	4.2
NNE	1.6	1.7	.9	.0								4.3	4.6
NE	1.4	1.7	.3	.0								3.1	4.0
ENE	.5	.1	.7									.6	2.6
E	.6	.1	.7									.7	2.3
ESE	.5	.2	.0									.7	2.6
SE	1.0	.6	.1	.0								1.5	3.1
SSE	3.7	1.3	.3	.5								3.6	3.5
S	4.8	4.9	2.9	.9	.1							13.5	5.2
SSW	1.4	2.5	3.1	.5	.1	.7						7.7	6.6
SW	.7	1.0	1.1	.2	.0							3.0	6.2
WSW	.5	.7	.5	.1	.0							1.9	5.8
W	1.5	.9	.3	.0								2.3	4.1
WNW	.7	.5	.2	.0								1.5	4.1
NW	.9	.6	.0									1.5	3.1
NNW	1.0	.6	.1									1.7	3.3
VARBL													
CALM												49.8	
	19.6	18.1	10.3	2.0	.2	.0						100.0	2.4

TOTAL NUMBER OF OBSERVATIONS

6696

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

747770 GRAY AAF/FT LEWIS WA
STATION

73-81

NOV

ALL WEATHER

0000-0200

CLASS

HOURS (LST)

CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.2		.4									.6	6.6
NNE	1.1	.5	.7	.1								2.5	5.2
NE	.5	.7	.1									1.4	4.1
ENE	.4	.1										.5	2.5
E	.3	.2	.1									.9	3.4
ESE	.6		.2									.9	3.1
SE	.6	1.1										1.7	3.8
SSE	1.6	1.9	.6	.1								4.2	4.4
S	4.6	6.0	3.3	2.0	.5							16.4	6.4
SSW	1.4	2.5	3.2	.9	.2							8.1	7.2
SW	.7	.9	.7	.7								3.1	7.1
WSW	.1	.4	.1	.5	.1							1.2	9.3
W	.4	.4	.1									.9	4.7
WNW	.5											.5	2.8
NW													
NNW	.1											.1	2.0
VARBL													
CALM												57.0	
	13.3	14.7	9.8	4.3	.9							100.0	2.6

TOTAL NUMBER OF OBSERVATIONS

810

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

748070
STATION

SPAY AAF/FT LEWIS WA
STATION NAME

73-81
YEARS

NOV
MONTH

ALL WEATHER
CLASS

0300-0500
HOURS (LST)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.1	.2	.4	.2								1.7	8.3
NNE	.5	.4	.5									1.7	4.8
NE	.5	.4	.2									1.1	4.3
ENE	.4	.1										.5	2.3
E	.5											.9	2.1
ESE	.4	.1										.5	2.3
SE	1.7											1.7	2.1
SSE	2.0	2.3	.9	.2								5.4	4.6
S	4.7	6.4	4.4	2.5	.5							18.5	6.6
SSW	.6	1.4	3.0	.9								5.8	7.7
SW	.1	.6	.4	1.4								2.5	9.7
WSW	.2	.2	.1	.7								1.4	8.9
W	.2	.1			.1							.5	6.8
WNW	.1											.1	2.7
NW	.1											.1	2.0
NNW	.1											.1	3.0
VARBL													
CALM												58.1	
	13.1	12.3	9.9	5.9	.6							100.0	2.6

TOTAL NUMBER OF OBSERVATIONS

810

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

74-070 STATION NAME GRAY AAF/FT LEWIS WA 73-81 YEARS NORTH
ALL WEATHER CLASS 0600-1800 HOURS (LST)
CONDITION

SPEED (KNTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.9	.4	.2									1.5	3.5
NNE	.9	.4	.4	.2								1.9	5.5
NE	.9	1.7	.1									2.7	3.6
ENE	.9											.9	1.7
E	1.4											1.4	2.7
ESE	.5	.1										.6	2.4
SE	1.7	.5										1.5	2.3
SSE	2.5	2.7	.7		.1	.1						5.4	4.9
S	4.1	6.9	5.1	1.5	.1	.1						17.8	6.1
SSW	.6	1.9	2.6	1.5								6.5	8.7
SW	.4	.7	1.1	.5	.1							2.3	7.8
WSW	.1	.2	.6	.2								1.2	8.3
W	.4											.4	2.3
WNW		.2	.1									.4	6.7
NW													
NNW	.5	.1										.6	2.4
VARBL													
CALM												55.2	
	14.8	14.4	11.0	4.0	.4	.2						100.0	2.6

TOTAL NUMBER OF OBSERVATIONS 810

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4270 GRAY AAF/FT LEWIS LA
STATION STATION NAME

73-81
YEARS

NOV
MONTH

ALL WEATHER
CLASS

0900-1100
HOURS (LST)

CONDITION

SPEED KNTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.7	.1	.6									1.5	4.8
NNE	1.0	2.3	1.1									4.1	5.2
NE	1.7	1.2	.4	.1								3.5	4.0
ENE	1.7	.1	.1									1.2	2.6
E	.7											.7	2.5
ESE	.5	.4										.9	3.1
SE	1.5	.4		.1								1.5	3.4
SSE	3.5	1.4	.7	.2								4.8	4.3
S	3.5	5.7	5.3	2.1	.7	.1						17.4	7.2
SSW	.6	3.0	5.7	2.7								12.7	8.2
SW	.5	1.2	1.1	.5								3.3	7.1
WSW	.2	.7	.2	.7								2.7	8.1
W	.2	.4	.5	.4								1.5	7.6
WNW	.3											.2	2.0
NW	.1	.2										.4	3.3
NNW	1.0		.1									1.1	2.6
VARBL													
CALM												44.0	
	15.6	16.8	15.9	6.9	.7	.1						100.0	3.6

TOTAL NUMBER OF OBSERVATIONS

817

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

74 75 DAY AAF/FT LEWIS WA
STATION STATION NAME

73-81
YEARS

NOV
MONTH

ALL WEATHER
CLASS

1200-1400
HOURS (LST)

CONDITION

SPEED KNTS. DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.9	.9	1.2									4.0	4.7
NNE	1.5	2.1	1.7	.1								5.4	5.4
NE	2.2	2.2	1.0									5.4	4.3
ENE	.2	.4	.1									.7	4.2
E	.5	.1										.6	2.0
ESE	1.1											1.1	2.3
SE	1.2	.6	.2	.1								2.2	3.8
SSE	1.7	1.1	.6									2.7	4.7
S	1.7	2.3	5.9	3.8	.7	.2						15.3	8.9
SSW	2.1	2.5	6.8	3.1	.2							14.7	8.1
SW	.6	1.4	3.3	1.2								6.5	8.3
WSW	1.7	.5	.5	.4	.1							2.5	6.6
W	1.5	.6	1.1	.4								3.6	5.9
WNW	.2	.6	.2									1.1	4.9
NW	1.2	.1										1.4	2.1
NNW	2.7	.7										2.7	2.8
VARBL													
CALM												30.0	
	20.0	16.7	22.8	9.1	1.1	.2						100.0	4.6

TOTAL NUMBER OF OBSERVATIONS

810

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

73-81 YEAR AAF/FT LEWIS WA
STATION STATION NAME

73-81 YEARS

NO.

MONTH

1-12-17

NO. OF OBS.

ALL WEATHER

CLASS

CONDITION

SPEED KNTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	1.4	1.5	.4	.2								3.5	4.6
NNE	1.2	2.6	1.4									6.2	4.5
NE	1.4	1.2	.2	.1								3.7	4.3
ENE	1.7	.4	.1									1.5	3.6
E	.3											.5	1.6
ESE	1.1	.1										1.2	2.3
SE	1.4	.5	.1									2.0	2.9
SSE	1.7	1.5	.6									3.6	4.2
S	2.6	6.7	4.9	3.2	.2							17.2	7.1
SSW	1.5	3.2	5.9	2.5	.7	.1						14.0	6.7
SW	.9	1.0	1.9	.9								4.6	7.3
WSW	.6	.7	1.7	.1								2.5	6.2
W	.7	.1	1.0	.1								2.0	5.9
WNW	.4	.1										.6	2.3
NW	.7	.4	.1									1.2	3.4
NNW	1.1	.4										1.5	2.8
VARBL												35.4	
CALM													
	15.9	19.8	17.7	7.2	1.7	.1						100.0	4.7

TOTAL NUMBER OF OBSERVATIONS

810

FEDERAL CLIMATOLOGY BRANCH
 WAFETAC
 AIR WEATHER SERVICE/440

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION NAME: MAY AAF/FT LEWIS WA STATION NUMBER: 73-81 YEARS: 1970-1980 MONTH: NOV
 CLASS: ALL WEATHER
 CONDITION: 1500-2000 HOURS (LST)

SPEED KNTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.5	.5	.2	.2								1.5	5.5
NNE	.5	1.1	.6	.2								2.6	5.5
NE	.7	1.5	.1									1.5	3.7
ENE	.4	.1										.5	2.7
E	.4											.4	1.7
ESE	.7											.7	2.7
SE	1.2	1.1										2.6	2.7
SSE	1.5	1.4										3.5	4.4
S	4.6	7.4	4.1	7.3	.7							20.0	6.5
SSW	.5	7.7	2.3	1.7	.2							5.0	5.5
SW	.5	.5	.9	.5								2.6	7.5
WSW	.5	.1		.1								.7	3.8
W		.1	.1									.2	2.0
WNW		.1										.1	4.0
NW	.4	.1										.5	2.7
NNW	.1											.1	1.5
VARBL													
CALM												53.7	
	17.7	16.7	9.3	6.2	.5							100.0	2.8

TOTAL NUMBER OF OBSERVATIONS 610

FEDERAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION NAME DAY AAF/FT LEWIS A

73-81

YEARS

STATION

STATION NAME

YEARS

STATION

ALL WEATHER

CLASS

CONDITION

SPEED KNOTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	.2	.6	.1		.2							.2	0.2
NNE	.4	.6	.7									.2	0.2
NE	.7	.2	.1									.2	0.2
ENE	.1	.4										.2	0.2
E	.7	.1										.1	0.2
ESE	.7	.1										.4	0.2
SE	.1	.7										.7	0.2
SSE	.7	1.0	.8									.7	0.2
S	4.6	6.7	4.7	2.2	.4							14.1	0.2
SSW	.6	2.5	3.8	1.9	.6							9.3	0.2
SW	.1	.4	.5	.5								.7	0.2
WSW			.1	.1								.7	0.2
W	.2	.1	.1	.1								.7	0.2
WNW		.4										.7	0.2
NW												.7	0.2
NNW	.1											.1	0.2
VARBL												56.7	
CALM												100.0	0.2
	17.1	14.1	11.1	4.8	1.2								

TOTAL NUMBER OF OBSERVATIONS

171

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION NAME DAY AAF/FT LEWIS WA

77-81

NOV

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

ALL

CLASS

HOURLY

CONDITION

SPEED KNOTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.5	.5	.4	.1	.7							1.8	5.2
NNE	1.1	1.2	.9	.1								3.3	5.1
NE	1.1	1.7	.3	.7								2.5	4.1
NNE	.5	.5	.3									.8	2.9
E	.7	.1	.1									.3	2.2
ESE	.6	.1	.1									.8	2.5
SE	1.2	.5	.5	.1								1.9	3.1
SSE	1.8	1.2	.7	.1	.7	.7						4.4	4.4
S	1.8	6.5	4.7	2.6	.4	.1						17.6	6.9
SSW	1.8	2.5	4.2	1.9	.3	.1						9.8	4.7
SW	.5	.4	1.2	.8	.3	.1						3.4	7.8
WSW	.4	.6	.3	.4	.3	.1						1.5	7.4
W	.3	.2	.4	.1	.2							1.2	6.7
WNW	.3	.2	.1									.4	3.9
NW	.7	.1	.1									.1	2.7
NNW	.5	.1	.1									.5	2.7
VARBL												48.8	
CALM													
	19.2	15.7	13.4	6.7	.5	.1						100.0	3.2

TOTAL NUMBER OF OBSERVATIONS

6480

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
ATL WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

140070 STATION 00447 FT LEWIS WA 73-81 DEC 1900-0200
STATION MONTH
ALL WEATHER CLASS
CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.1											.1	3.1
NNE	.4	.4										.7	2.3
NE	.6	.1	.2									1.0	4.3
ENE	.4	.2	.1									.7	3.7
E	.7											.7	1.8
ESE	.6	.1										.7	2.4
SE	1.6	.5	.2									2.3	3.2
SSE	.4	2.4	.2	.1								6.2	3.5
S	4.8	4.9	5.9	2.6	.9							19.1	7.2
SSW	.9	2.1	6.0	2.6	.4							11.9	6.8
SW	.5	1.1	1.2	.6								3.4	7.6
WSW	.1	.2	.6	.2	.1							1.4	9.6
W	.1	.1	.1	.2								.6	7.8
WNW	.1	.2										.4	3.3
NW	.1											.1	2.0
NNW	.2	.1										.4	2.7
VARBL													
CALM												50.1	
	14.9	12.6	14.8	6.4	1.4							170.0	3.3

TOTAL NUMBER OF OBSERVATIONS

612

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AF WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION 04-171 GRAY AAF/FT LEWIS WA

73-81

DEC

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

0700-1500

CLASS

NOISE (L & T)

CONDITION

SPEED KNTS: DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.1	.2										.4	3.3
NNE	.1	.4	.1									.9	5.0
NE	.2	.7										1.0	4.3
ENE	.1											.1	2.0
E	.9	.1										1.0	2.4
ESE	.1	.2										.7	2.4
SE	1.6	.2	.1	.1								2.1	3.2
SSE	1.6	1.2	.2	.1								3.7	4.0
S	3.8	6.6	4.6	3.1	.2							18.3	7.0
SSW	.7	3.2	4.6	3.0	.1							11.6	8.5
SW	.5	1.7	1.4	1.0								3.8	8.4
WSW	.2		.1	.4								.7	9.7
W	.2	.1			.1							.5	7.0
WNW													
NW	.1	.1										.2	4.0
NNW													
VARBL													
CALM												54.9	
	11.1	14.7	11.1	7.7	.5							100.0	3.1

TOTAL NUMBER OF OBSERVATIONS

879

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AF WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

STATION 710070 GRAY AAF/FT LEWIS WA STATION NAME 73-81 YEARS DEC MONTH 1600-2600 HOURS (LST)

ALL WEATHER

CLASS

CONDITION

SPEED KNTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.1		.1									.2	5.0
NNE	.6	.4	.5	.1								1.6	5.6
NE	.6	.1										.7	2.5
ENE	.5	.4										.9	2.9
E	.4	.1										.5	2.8
ESE	.5	.1										.6	2.4
SE	1.2	.5	.1									1.9	3.4
SSE	2.2	2.5	.4	.1								5.2	4.7
S	4.5	6.8	4.7	3.0	.2							19.3	6.7
SSW	1.4	1.7	4.6	2.2	.5							10.4	6.5
SW	.2	.5	1.6	.6								3.8	9.7
WSW	.1	.4	.4	.5								1.4	6.3
W	.2											.2	2.5
WNW	.1	.1										.2	3.0
NW	.2											.2	2.0
NNW	.1	.1										.2	3.5
VARBL													
CALM												52.6	
	13.2	14.1	12.6	6.8	.7							100.0	3.1

TOTAL NUMBER OF OBSERVATIONS

810

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

741070 SPRAY AAF/FT LEWIS WA
STATION STATION NAME

73-81
YEARS

DEC
MONTH

ALL WEATHER
CLASS

0900-1100
HOURS (LST)

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.7	.6										1.4	3.5
NNE	.7	.7	.9	.1								2.5	5.6
NE	1.5	.4	.4									1.7	3.7
ENE	.6	.1	.2									1.0	3.8
E	.6											.6	2.7
ESE	1.0	.2	.1									1.4	3.1
SE	2.1	.5	.2	.1								3.0	3.6
SSE	1.5	1.0	.7	.1	.1							3.5	5.0
S	3.7	6.7	6.7	2.8	.4							19.6	7.2
SSW	1.1	3.5	5.8	2.2	.2							13.8	8.3
SW	.6	.9	2.2	1.2								4.9	8.9
WSW		.2	.1	.2								.6	8.7
W	.5		.2	.2								1.4	5.1
WNW	.1											.1	2.7
NW	.1	.6										.7	4.2
NNW	.5	.1										.6	2.6
VARBL													
CALM												43.2	
	15.2	15.1	17.7	8.1	.7							170.0	3.8

TOTAL NUMBER OF OBSERVATIONS

810

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

74-170 STATION NAME GRAY AAF/FT LEWIS #A YEARS 77-81 DEC MONTH 1700-1400 HOURS (LST)

ALL WEATHER CLASS

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.5	1.0	.1									3.5	3.8
NNE	.7	2.2	1.2									4.2	5.4
NE	1.4	1.7	1.5									4.1	4.7
ENE	1.5	.1										1.1	2.2
E	.5	.7										1.1	2.7
ESE	.7	.1										.9	2.9
SE	.9	1.7	.1									2.0	3.9
SSE	.9	.4	.6	.1								2.0	5.3
S	3.1	3.2	5.7	4.6	.4							17.0	8.3
SSW	.8	4.2	6.9	3.7	.5							16.2	8.7
SW	1.2	2.7	4.0	1.7								8.9	7.8
WSW	.6	.2	1.4	.4								2.6	7.8
W	.7	.7	.9	.4	.1							2.8	7.0
WNW	.7	.7										1.5	3.4
NW	.9	.6										1.5	3.6
NNW	.5	.1										.6	2.6
VARBL													
CALM												70.1	
	16.6	19.6	21.9	10.9	1.0							170.0	4.8

TOTAL NUMBER OF OBSERVATIONS

808

2

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

740070 STATION GRAY AAF/FT LEWIS WA 73-81 YEARS DEC NORTH
1500-1700 HOURS (LST)
ALL WEATHER CLASS
CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.9	1.0	.1									3.0	3.0
NNE	1.1	2.4	1.0	.1								4.6	5.4
NE	2.5	.7	.1									3.4	2.8
ENE	.6											.6	2.9
E	.1											.1	2.0
ESE	.6	.2	.1									1.0	3.0
SE	1.2	.5	.2									2.0	3.8
SSE	1.4	1.2	.7	.2								3.6	4.8
S	4.2	5.2	5.1	2.4	.4							17.3	6.9
SSW	1.2	3.1	7.7	2.4	.2							14.7	8.2
SW	.7	1.6	2.6	1.7	.1							6.3	8.9
WSW	.1	.1	.7	.6	.1							1.7	10.8
W	.6	.2	.4	.1								1.4	5.3
WNW	.2	.1										.4	3.3
NW	1.2	.6										1.9	2.9
NNW	.2	.4										.6	3.4
VARBL													
CALM												36.9	
	18.2	17.6	18.9	7.6	.9							100.0	4.1

TOTAL NUMBER OF OBSERVATIONS

803

2

CLERICAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

SURFACE WINDS

74-70 STATION GRAY AAF/FT LEWIS WA 73-81 YEARS DEC MONTH 1900-2000 HOURS (LST)

ALL WEATHER CLASS

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.5	.2	.2									1.3	4.5
NNE	.5	.9	.4									1.7	5.7
NE	.5	.5	.6									1.6	5.3
ENE	.2											.2	1.5
E	.5	.2										.7	3.6
ESE	.5	.5										.7	2.7
SE	.7	.6										1.4	3.3
SSE	2.6	2.1	.9	.2	.1							6.0	4.6
S	4.1	8.6	4.7	2.5	.6							20.6	6.6
SSW	.4	2.7	5.1	2.0	.4							12.6	8.9
SW	.5	.6	2.0	1.7								4.9	9.3
WSW	.1	.5	.1	.1	.2							1.1	6.2
W	.5											.5	2.5
WNW	.2	.2										.5	3.3
NW	.1											.1	3.0
NNW													
VARBL													
CALM												48.2	
	12.1	17.6	14.1	6.6	1.4							100.0	3.5

TOTAL NUMBER OF OBSERVATIONS 801

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

740077 DAY AAF/FT LEWIS WA

77-81

DEC

STATION

STATION NAME

YEARS

MONTH

ALL WEATHER

2100-2300

CLASS

HOURS (LST)

CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.2	.2										.5	3.3
NNE	.5	.5	.2									1.2	4.1
NE	.7	.4	.1									1.2	3.4
ENE	.7	.7										1.7	2.1
E	.1											.1	1.7
ESE	.4	.5										.6	3.8
SE	1.5	.7										2.2	3.0
SSE	2.4	2.6	.9									5.9	4.3
S	3.9	5.2	5.9	3.1	.5							18.6	7.3
SSW	.5	2.1	4.2	3.7	.2	.1						11.0	9.4
SW	.6	.4	1.1	1.4								3.5	6.7
WSW		.5	.1	.6	.1							1.4	13.4
W	.2	.2										.5	3.5
WNW	.2											.2	2.0
NW													
NNW		.2										.2	4.5
VARBL													
CALM												51.7	
	12.1	13.7	12.6	8.9	.9	.1						100.0	3.4

TOTAL NUMBER OF OBSERVATIONS

801

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

74 071 DAY AAF/FT LEWIS WA
STATION STATION NAME

73-81
YEARS

DEC
MONTH

ALL WEATHER
CLASS

ALL
HOURS LLST

CONDITION

SPEED KNTS DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.7	.5	.1									1.3	3.6
NNE	.6	1.6	.5	.0								2.2	5.2
NE	.9	.6	.3									1.8	3.9
ENE	.5	.1	.0									.7	2.7
E	.5	.1										.6	2.4
ESE	.6	.2	.0									.8	2.9
SE	1.4	.6	.1	.0								2.1	3.4
SSE	2.3	1.7	.6	.1	.0							4.5	4.3
S	4.0	5.8	5.4	3.0	.4							18.7	7.1
SSW	.6	2.8	5.6	2.9	.3	.0						12.5	8.6
SW	.6	1.1	2.0	1.3	.0							5.0	8.5
WSW	.3	.3	.4	.8	.1							1.4	9.1
W	.4	.2	.2	.1	.0							1.0	5.8
WNW	.7	.2										.4	3.2
NW	.4	.2										.6	3.1
NNW	.2	.1										.3	3.0
VARBL													
CALM												46.0	
	14.2	15.6	15.5	7.9	.9	.0						100.0	3.6

TOTAL NUMBER OF OBSERVATIONS 4454

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION 14-70 GRAY AAF/FT LEWIS WA 73-81 YEARS ALL MONTH ALL HOURS 1 BY 1

ALL WEATHER CLASS

CONDITION

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.4	1.7	.5	.0	.7							3.5	4.3
NNE	1.4	1.9	.5	.1	.0							4.2	4.7
NE	1.2	1.1	.5	.1	.0							2.3	4.5
ENE	.5	.2	.1	.0	.0							.7	3.4
E	.5	.1	.0									.6	2.4
ESE	.5	.1	.0	.0								.5	2.9
SE	.9	.4	.1	.0								1.3	3.1
SSE	1.7	1.1	.3	.1	.0	.7						3.2	3.9
S	4.1	4.8	3.3	1.3	.1	.7						13.6	5.9
SSW	1.9	3.5	3.6	1.2	.1	.7						10.2	6.8
SW	1.3	2.2	2.7	.5	.0	.7						6.1	6.3
WSW	.9	1.1	.8	.3	.0	.7						3.1	6.2
W	1.6	1.5	.9	.2	.0	.7						4.2	5.2
WNW	1.1	1.4	.6	.1								3.1	4.5
NW	1.3	1.3	.3	.0								2.9	4.7
NNW	1.2	.9	.2	.0								2.1	3.7
VARBL													
CALM												37.6	
	20.9	23.2	13.8	4.0	.4	.7						100.0	3.3

TOTAL NUMBER OF OBSERVATIONS 74514

FEDERAL CLIMATOLOGY BRANCH
AF/TAC
AIR WEATHER SERVICE/MAC

SURFACE WINDS

PERCENTAGE FREQUENCY OF WIND
DIRECTION AND SPEED
(FROM HOURLY OBSERVATIONS)

STATION 73-81
STATION NAME GRAY AAF/FT LEWIS WA

73-81

ALL
MONTH

INSTRUMENT

CLASS

CIG 200 TO 1400 FT W/ VSBY 1/2 MI OR MORE,

CONDITION

AND/OR VSBY 1/2 TO 2-1/2 MI W/CIG 200 FT OR MORE

ALL
HOURS U.S.T.

SPEED KNOTS DIR	1-3	4-6	7-10	11-16	17-21	22-27	28-33	34-40	41-47	48-55	≥56	%	MEAN WIND SPEED
N	1.6	.6	.1									2.7	3.7
NNE	2.4	1.2	.6	.1								4.1	4.1
NE	2.1	1.2	.2	.7								3.5	3.3
ENE	.8	.1	.7									.9	2.3
E	.8	.1										.9	2.1
ESE	.5	.1	.7									.6	2.3
SE	.7	.1	.7									.9	2.6
SSE	1.7	.3	.6	.6								1.3	2.8
S	3.2	1.0	1.5	.5	.1							7.3	5.1
SSW	2.6	2.6	2.6	1.2	.2	.0						9.2	5.6
SW	2.2	2.3	1.4	.6	.2							6.4	5.5
WSW	1.4	1.1	.2	.1								2.4	4.0
W	2.3	1.2	.2	.0	.0	.0						3.7	3.5
WNW	1.7	.6	.1									2.0	3.1
NW	1.1	.5	.6									1.6	2.7
NNW	1.0	.3	.0									1.3	2.6
VARBL												1.2	
CALM													
	24.4	14.4	7.0	2.5	.3	.0						100.0	2.2

TOTAL NUMBER OF OBSERVATIONS

7474

U S AIR FORCE
ENVIRONMENTAL TECHNICAL
APPLICATIONS CENTER

PART D CEILING VERSUS VISIBILITY

This summary is a bivariate percentage frequency distribution by classes of ceiling from zero to equal to or greater than 20,000 feet and as a separate class "no ceiling", versus visibility in 16 classes from zero to equal to or greater than 10 miles. Data are derived from hourly observations, and three sets of tables are presented as follows:

1. Annual - all years and all hours combined
2. By month - all years and all hours combined
3. By month - by standard 3-hour groups

Due to the cumulative nature of this presentation, it is possible to determine the percentage frequency of occurrence for any given limit of ceiling or visibility separately, or in combination of ceiling and visibility. The totals progress to the right and downward. Ceiling may be determined independently by referring to totals in the extreme right hand column. Also, visibility may be determined independently by reference to the horizontal row of totals at the bottom of the page. The percentage frequency for which the station was meeting or exceeding any given set of minima may be determined from the figure at the intersection of the appropriate ceiling column and visibility row. Several examples in the use of these tables are shown on pages 2 and 3 below.

U. S. Weather Bureau and Navy stations did not report ceilings within the range 10,000 feet and higher prior to January 1949. Summaries prepared from data for these stations using the earlier period and data subsequent to January 1949 will be modified to limit ceilings to 10,000 feet. Short periods of record prior to 1949 for these stations will be eliminated from the summary. For Air Force stations, the "no ceiling" category includes clear and scattered conditions, and ceilings above 20,000 feet for period through June 1948. Beginning in July 1948 for Air Force stations and January 1949 for USWB and U. S. Navy stations the "no ceiling" category consists of observations with less than 6/10 total sky cover and those cases where total sky cover is 6/10 or more, but not more than 1/2 of the sky cover is opaque.

Beginning in January 1968, METAR stations report visibilities to 6 miles and then greater than 6 miles. Thus, for METAR stations, the category equal to or greater than 10 miles is not printed in the tables, unless the summary was for a period ending before January 1968.

Continued on Reverse Side

EXAMPLES FOR USE OF CEILING VERSUS VISIBILITY TABLES IN THIS TABULATION

CEILING (FEET)	VISIBILITY (STATUTE MILES)														
	≥ 10	≥ 6	≥ 5	≥ 4	≥ 3	$\geq 2\frac{1}{2}$	≥ 2	$\geq 1\frac{1}{2}$	$\geq 1\frac{1}{4}$	≥ 1	$\geq \frac{3}{4}$	$\geq \frac{1}{2}$	$\geq \frac{1}{4}$	$\geq 5/16$	≥ 0
NO CEILING															
V V 1800															
V V 1500					91.0										92.6
V V 1200															
V V 1000															
V V 900															
V V 800															
V V 700															
V V 600															
V V 500										97.4					98.1
V V 400															
V V 300															
V V 200															
V V 100															
V V 0					95.4		96.9			98.3					100.0

EXAMPLE # 1 Read ceiling values independently of visibility under column at right headed ≥ 0 .
For instance, from the table: Ceiling ≥ 1500 feet = 92.6%.
Ceiling ≥ 500 feet = 98.1%.

EXAMPLE # 2 Read visibilities independently of ceilings on bottom line opposite ≥ 0 . From the table:
Visibility ≥ 3 miles = 95.4%.
Visibility ≥ 2 miles = 96.9%.
Visibility ≥ 1 mile = 98.3%.

EXAMPLE # 3 To obtain combinations of ceiling with visibility, read figure at intersection of the two categories; i.e.: Ceiling ≥ 1500 feet with visibility ≥ 3 miles = 91.0%.

ADDITIONAL EXAMPLES

EXAMPLE # 4 Values below minimums stated in the table may be obtained by subtracting the value given in the table from 100%.
Thus, to obtain the percentage of observations with ceiling < 1500 feet and/or visibility < 3 miles, subtract the value read from the table at the intersection, which is 91.0, from 100.0. The answer 9.0 is the percentage of observations with ceiling < 1500 feet and/or visibility < 3 miles.

Likewise, the percentage of observations with ceiling < 500 feet and/or visibility < 1 mile is 2.6, obtained by subtracting 97.4 from 100.0.

EXAMPLE # 5 To find the percentage of observations falling within the two categories given in example above, subtract the value read from the table for the first set of limits from the value in the table for the second set of limits. The difference will be the percentage of observations meeting the lower set of limits, but not meeting the higher set of limits.

The value 91.0 read from the table at the intersection of ≥ 1500 feet with ≥ 3 miles, subtracted from 97.4 read from the table at the intersection of ≥ 500 feet with ≥ 1 mile is equal to 6.4%. Thus; 6.4 percent of the observations meet the criteria: "ceiling ≥ 500 feet with visibility ≥ 1 mile, but < 3 miles; or ceiling ≥ 500 feet, but < 1500 feet with visibility ≥ 1 mile."

Since these tabulations are prepared in several ways including by month, by 3-hour groups it is possible to determine diurnal variations of ceiling and visibility limits as well as probabilities of various ceiling-visibility combinations.

CLIMATE DIVISION - BRANCH
 1. F. T. C.
 1. FATHER SERVICE ANAC

CEILING VERSUS VISIBILITY

1. MAY AIRPORT LEWIS, WA

73-31

34

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATIONS

1000-1201

1.0	20.1	23.5	24.2	25.0	25.3	25.6	26.4	27.2	27.5	28.1	28.1	28.6	28.8	29.5	29.7
1.7	23.7	25.7	25.8	26.6	26.6	27.2	27.9	28.2	29.2	29.6	29.6	29.8	30.1	31.4	31.6
1.7	23.7	25.7	25.8	26.6	26.6	27.2	27.9	28.2	29.2	29.6	29.6	29.8	30.1	31.4	31.6
1.7	23.8	25.3	25.9	26.9	26.9	27.5	28.2	29.1	29.4	29.7	29.9	30.4	30.6	31.3	31.8
1.7	24.5	26.4	27.0	27.9	27.9	28.6	29.3	30.1	30.5	31.0	31.1	31.6	31.8	32.4	32.7
1.7	26.3	27.8	28.4	29.4	29.4	30.0	30.7	31.6	32.0	32.4	32.4	33.1	33.3	34.0	34.5
1.7	27.3	29.4	30.0	31.0	31.0	31.5	31.7	32.4	33.3	33.7	34.1	34.1	34.8	35.0	35.7
1.7	28.8	30.9	31.5	32.4	32.4	33.2	33.2	34.8	35.1	35.6	35.6	36.2	36.5	37.2	37.7
1.7	30.5	30.6	33.3	34.3	34.3	35.0	35.7	36.6	36.9	37.4	37.4	38.0	38.2	39.1	39.6
1.7	33.0	38.2	36.2	37.3	37.3	38.0	38.8	39.6	40.0	40.4	40.6	41.2	41.4	42.2	42.6
1.7	34.4	36.8	37.8	38.9	38.9	39.6	40.3	41.2	41.6	42.2	42.2	42.8	43.0	43.7	44.2
1.7	37.4	40.3	41.1	42.4	42.4	43.4	44.1	45.0	45.3	45.6	46.0	46.5	47.0	47.8	48.2
1.7	39.1	41.7	42.9	44.3	44.5	45.6	46.5	47.4	47.8	48.4	48.4	49.0	49.5	50.2	50.7
1.7	44.8	47.8	49.5	51.0	51.2	52.2	53.2	54.1	54.4	55.0	55.1	55.7	56.1	56.9	57.4
1.7	44.9	50.2	55.2	57.2	57.4	58.6	59.5	60.4	60.9	61.5	61.5	62.2	62.7	63.4	63.9
2.1	52.5	55.0	58.1	60.4	60.5	62.0	62.9	63.9	64.4	65.0	65.0	65.7	66.0	67.0	67.4
2.1	57.5	61.5	64.0	66.5	66.6	68.0	69.0	70.0	70.5	71.1	71.1	71.8	72.3	73.0	73.5
2.1	61.6	66.7	68.5	71.8	71.9	73.5	75.0	75.9	76.4	77.0	77.0	77.8	78.3	79.0	79.5
2.1	62.6	67.7	69.5	72.9	73.0	74.6	76.1	77.0	77.6	78.3	78.3	79.0	79.5	80.2	80.7
2.1	63.6	68.4	71.1	74.6	74.7	76.3	77.8	78.7	79.3	80.1	80.3	81.0	81.5	82.3	82.7
2.1	65.4	70.0	72.7	76.3	76.4	78.0	79.8	80.8	81.4	82.1	82.4	83.1	83.6	84.7	84.8
2.1	66.7	70.5	73.4	77.0	77.2	78.9	80.7	81.7	82.3	83.1	83.2	84.0	84.4	85.2	85.7
2.1	66.7	71.0	74.2	77.9	78.0	79.7	81.7	82.6	83.2	84.0	84.2	84.9	85.4	86.1	86.6
2.1	66.5	71.4	74.4	78.0	78.4	80.1	82.0	83.0	83.6	84.6	84.8	85.5	86.0	86.8	87.2
2.1	67.3	72.1	75.0	78.7	79.1	80.9	83.1	84.1	84.7	85.7	85.9	86.6	87.1	87.8	88.3
2.1	67.4	72.2	75.7	79.6	80.1	82.0	84.2	85.2	85.8	86.8	87.1	87.7	88.2	88.9	89.4
2.1	67.4	72.2	75.7	79.6	80.3	82.6	85.1	86.0	86.6	87.6	87.8	88.6	89.1	89.8	90.3
2.1	67.4	72.2	75.7	79.6	80.8	83.5	86.0	87.1	87.8	88.8	89.1	89.9	90.4	91.1	91.6
2.1	67.4	72.2	75.7	79.8	81.0	84.1	87.4	88.7	89.6	90.9	91.1	92.1	93.1	93.9	94.8
2.1	67.4	72.2	75.7	80.0	81.3	84.8	88.3	89.7	90.6	92.2	92.7	93.8	94.8	96.0	97.7
2.1	67.4	72.2	75.7	80.0	81.3	84.8	88.3	89.7	90.6	92.2	92.7	93.8	94.9	96.4	99.7
2.1	67.4	72.2	75.7	80.0	81.3	84.8	88.3	89.7	90.6	92.2	92.7	93.8	94.9	96.4	99.7

TOTAL NUMBER OF OBSERVATIONS 623

U.S. AIR FORCE
CLIMATE BRANCH
METEOROLOGICAL SERVICE/MAC

CEILING VERSUS VISIBILITY

STATION: DAY AAF/FT LEWIS, A

73-81

104

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1000-1000

1.2	22.3	27.0	27.1	24.9	24.9	25.5	26.2	26.5	26.9	27.7	27.7	27.3	27.5	27.7	28.1
1.2	23.4	24.6	24.9	27.0	27.0	27.6	28.2	28.6	29.0	29.1	29.1	29.3	29.6	29.8	30.0
1.2	23.8	24.6	25.1	27.1	27.1	27.7	28.3	28.7	29.1	29.2	29.2	29.4	29.7	29.9	30.2
1.2	24.0	25.2	25.7	27.7	27.7	28.3	29.0	29.3	29.7	29.8	29.8	30.0	30.7	30.9	30.8
1.2	25.1	27.0	27.5	29.7	29.7	30.3	30.9	31.3	31.6	31.8	31.8	32.0	32.2	32.5	32.7
1.3	27.6	28.8	29.4	31.6	31.6	32.2	32.8	33.2	33.6	33.7	33.7	33.9	34.2	34.4	34.7
1.3	27.3	29.6	30.3	32.5	32.5	33.1	33.7	34.1	34.4	34.5	34.5	34.9	35.0	35.3	35.5
1.3	28.4	30.7	31.4	33.6	33.6	34.2	34.8	35.2	35.5	35.6	35.6	35.9	36.1	36.4	36.6
1.3	31.8	33.0	33.7	36.3	36.3	36.9	37.5	37.9	38.2	38.3	38.3	38.6	38.8	39.1	39.3
1.3	33.1	34.3	35.0	37.6	37.6	38.2	38.8	39.2	39.5	39.7	39.7	39.9	40.1	40.4	40.6
1.5	37.1	39.6	39.3	42.1	42.1	42.7	43.6	43.9	44.4	44.5	44.5	44.8	45.1	45.3	45.5
1.5	40.4	41.8	42.8	45.7	45.7	46.4	47.2	47.6	48.1	48.2	48.2	48.4	48.7	48.9	49.1
1.7	46.5	47.0	47.9	50.9	51.0	51.6	52.4	52.9	53.4	53.5	53.5	53.9	54.1	54.4	54.6
1.7	48.4	51.6	51.7	55.0	55.1	55.7	56.8	57.3	57.8	57.9	57.9	58.3	58.5	58.8	59.0
1.7	50.4	53.3	54.7	59.0	59.1	59.7	60.8	61.3	61.8	61.9	61.9	62.3	62.5	62.8	63.0
1.7	55.6	60.5	62.0	66.3	66.4	67.7	68.1	68.6	69.1	69.2	69.2	69.6	69.8	70.1	70.3
1.7	59.5	63.6	65.3	70.0	70.1	70.7	72.0	72.5	73.0	73.2	73.2	73.6	73.8	74.1	74.3
1.7	59.9	64.7	65.8	70.7	70.8	71.4	72.7	73.2	73.7	74.0	74.0	74.3	74.6	74.8	75.1
1.7	61.8	66.5	68.4	73.5	73.6	74.3	75.8	76.3	76.8	77.0	77.0	77.4	77.6	77.9	78.1
1.7	62.9	67.6	69.5	74.8	75.1	75.8	77.4	77.9	78.5	78.8	78.8	79.2	79.4	79.7	79.9
1.7	63.6	68.4	70.3	75.7	75.9	76.8	78.5	79.1	79.7	80.0	80.0	80.4	80.7	80.9	81.1
1.7	63.7	68.5	70.4	75.8	76.0	76.9	78.6	79.2	79.8	80.2	80.2	80.5	80.8	81.1	81.4
1.7	64.2	69.7	70.9	76.6	76.9	77.9	79.6	80.2	80.8	81.1	81.1	81.5	81.8	82.1	82.4
1.7	64.7	69.6	71.7	77.5	77.7	79.0	80.8	81.4	82.0	82.4	82.4	82.7	83.0	83.3	83.6
1.7	65.2	70.2	73.4	79.3	79.6	80.9	82.7	83.3	84.1	84.4	84.4	84.8	85.1	85.4	85.6
1.7	65.3	70.6	73.8	79.9	80.3	82.2	84.3	84.9	86.0	86.4	86.4	86.7	87.0	87.3	87.6
1.7	65.3	71.6	74.0	80.3	80.9	82.8	85.0	86.0	87.2	87.7	87.7	88.2	88.4	88.9	89.3
1.7	65.5	71.8	74.2	81.5	81.3	83.7	86.5	87.6	89.1	89.5	89.5	90.0	90.4	90.9	91.2
1.7	65.5	70.8	74.2	81.7	81.6	84.2	87.2	88.9	90.4	91.7	91.7	92.9	93.4	94.8	95.9
1.7	65.5	70.8	74.2	80.7	81.6	84.2	87.2	88.9	90.5	92.2	92.2	93.8	94.8	96.2	98.4
1.7	65.5	71.8	74.2	80.7	81.6	84.2	87.2	88.9	90.5	92.2	92.2	93.8	94.8	96.4	100.0

TOTAL NUMBER OF OBSERVATIONS 822

CEILING VERSUS VISIBILITY

AN AAF/FT LENS, WA

73-21

454

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

2022-2023

10.1	20.2	21.3	21.5	22.5	22.6	22.6	22.7	22.9	23.1	23.1	23.1	23.1	23.2	23.5	23.3
10.3	22.1	21.5	24.2	24.9	25.1	25.1	25.3	25.4	25.5	25.5	25.5	25.7	25.8	26.0	26.4
10.9	22.3	21.6	24.3	25.1	25.2	25.2	25.4	25.5	25.7	25.7	25.7	25.8	25.9	26.0	26.5
10.9	22.3	23.6	24.3	25.1	25.2	25.2	25.4	25.5	25.7	25.7	25.7	25.8	25.9	26.0	26.5
11.1	22.9	24.3	25.1	25.9	26.1	26.1	26.3	26.4	26.5	26.5	26.5	26.6	26.8	27.0	27.4
11.1	23.4	21.0	27.7	28.6	28.7	28.7	29.0	29.1	29.2	29.3	29.3	29.4	29.6	29.8	30.2
11.3	27.9	29.3	30.3	31.1	31.3	31.3	31.5	31.6	31.8	31.9	31.9	32.0	32.1	32.4	32.7
11.7	29.1	29.8	31.5	31.4	31.5	31.5	31.8	31.9	32.0	32.1	32.1	32.2	32.4	32.6	33.0
11.9	30.3	30.1	32.8	33.7	33.8	33.9	34.1	34.2	34.3	34.4	34.4	34.5	34.7	34.9	35.3
11.9	32.2	34.2	34.9	36.0	36.1	36.1	36.5	36.6	36.7	36.9	36.9	37.1	37.2	37.6	38.0
11.9	33.5	35.4	36.1	37.2	37.3	37.3	37.7	37.8	38.0	38.1	38.1	38.2	38.4	38.8	39.2
11.9	35.4	37.3	38.2	39.3	39.4	39.4	39.8	39.9	40.1	40.3	40.3	40.4	40.6	41.0	41.4
12.4	31.2	41.1	41.1	42.3	42.5	42.5	42.8	42.9	43.2	43.3	43.3	43.6	43.8	44.2	44.5
12.9	40.7	46.1	47.0	48.3	48.5	48.5	48.9	49.1	49.3	49.4	49.4	49.6	49.9	50.2	50.6
12.9	41.1	49.2	51.3	53.2	53.4	53.6	54.1	54.3	54.5	54.9	54.9	55.1	55.4	55.7	56.1
13.1	51.4	51.6	55.4	57.2	57.4	57.7	58.3	58.4	58.8	59.1	59.1	59.5	59.7	60.1	60.4
13.5	55.8	58.7	62.2	64.4	65.3	65.5	66.2	66.3	66.7	67.1	67.2	67.4	67.6	68.0	68.4
13.9	59.9	63.4	66.5	69.1	69.7	70.7	71.4	71.5	71.9	72.5	72.5	73.1	73.2	73.4	74.0
13.9	59.1	67.4	67.0	69.6	70.2	71.2	71.9	72.0	72.4	73.1	73.1	73.5	73.7	74.1	74.5
13.4	61.8	65.6	69.3	71.9	72.5	73.6	74.5	74.9	75.5	75.5	75.5	76.2	76.3	76.6	77.1
13.9	61.7	67.6	71.7	74.3	74.9	76.3	77.3	77.4	77.7	78.3	78.3	78.8	79.1	79.4	79.8
13.5	62.9	68.7	72.3	74.8	75.4	76.9	77.9	78.1	78.3	79.1	79.1	79.4	79.7	80.2	80.5
13.9	63.3	68.5	72.5	75.3	75.9	77.5	78.6	78.7	79.1	79.7	79.7	80.2	80.4	80.9	81.3
13.9	63.7	69.1	73.1	76.0	76.6	78.2	79.3	79.4	79.9	80.5	80.5	81.0	81.3	81.8	82.1
13.9	64.4	69.8	73.6	77.0	77.6	79.6	80.8	80.9	81.5	82.2	82.2	82.7	83.0	83.6	83.9
13.9	64.6	71.8	74.9	77.5	79.1	81.1	82.5	82.7	83.5	84.3	84.3	84.8	85.1	85.6	86.0
13.9	64.6	71.8	75.2	79.2	79.8	82.0	83.9	84.4	85.2	86.0	86.0	86.6	86.9	87.6	88.2
13.9	64.6	71.9	75.7	80.0	81.1	83.7	86.3	86.7	87.8	88.8	88.9	89.7	89.9	90.6	91.4
13.9	64.6	72.9	75.7	80.0	81.1	83.7	87.0	87.5	88.9	90.3	90.6	91.6	92.5	94.2	95.7
13.9	64.6	72.9	75.7	80.0	81.1	83.8	87.3	87.8	89.3	90.6	91.0	92.1	92.9	94.9	98.7
13.9	64.6	72.9	75.7	80.0	81.1	83.8	87.3	87.8	89.3	90.6	91.0	92.1	92.9	95.11	100.0

TOTAL NUMBER OF OBSERVATIONS 822

NAVAL CLIMATOLOGY BRANCH
TAC
ATLANTIC SERVICE/MAC

CEILING VERSUS VISIBILITY

ANALYST: FILE: 15.14

DATE: 10-11-50

NO:

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

100-1100

100	20.4	21.3	21.5	21.8	21.8	21.8	21.9	21.9	21.9	21.9	21.9	22.1	22.1	22.4	22.6
110	20.1	24.1	24.3	24.6	24.6	24.6	24.7	24.7	24.7	24.7	24.7	24.8	24.9	25.2	25.4
120	23.5	24.5	24.7	24.9	24.9	24.9	25.1	25.1	25.1	25.1	25.1	25.2	25.3	25.5	25.8
130	23.6	24.6	24.8	25.1	25.1	25.1	25.2	25.2	25.2	25.2	25.2	25.3	25.4	25.7	25.9
140	27.1	27.3	27.5	27.7	27.7	27.9	28.0	28.0	28.0	28.0	28.0	28.1	28.2	28.3	28.6
150	28.0	29.9	30.2	30.4	30.4	30.4	30.5	30.7	30.7	30.7	30.7	30.7	30.9	31.0	31.5
160	30.7	31.6	32.0	32.2	32.2	32.2	32.5	32.7	32.7	32.7	32.7	32.7	33.0	33.1	33.7
170	31.6	32.6	33.1	33.2	33.2	33.2	33.5	33.7	33.7	33.7	33.7	33.7	33.9	34.1	34.7
180	34.5	35.5	35.9	36.4	36.4	36.4	36.6	36.9	36.9	36.9	36.9	36.9	37.1	37.2	37.8
190	37.1	38.2	38.6	39.3	39.3	39.7	39.7	39.9	39.9	39.9	39.9	39.9	40.3	42.4	42.8
200	38.4	39.5	39.9	40.9	40.9	41.2	41.5	41.5	41.5	41.5	41.5	41.5	41.8	42.0	42.6
210	40.5	41.6	42.2	43.3	43.3	43.8	44.2	44.2	44.2	44.2	44.2	44.2	44.5	44.6	45.3
220	43.9	45.1	45.7	47.0	47.0	47.4	47.8	47.8	47.8	47.8	47.8	47.8	48.2	48.3	48.9
230	47.0	48.7	49.4	50.9	51.0	51.5	51.8	51.8	51.8	51.8	51.8	51.8	52.2	52.3	52.9
240	51.3	52.4	53.5	54.5	55.2	55.3	56.9	57.7	57.7	57.7	57.7	57.7	58.0	58.2	58.8
250	54.0	55.0	56.0	56.0	56.0	56.0	56.0	56.0	56.0	56.0	56.0	56.0	56.0	56.0	56.0
260	57.0	58.0	59.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0	60.0
270	61.0	62.0	63.0	64.0	64.0	64.0	64.0	64.0	64.0	64.0	64.0	64.0	64.0	64.0	64.0
280	65.0	66.0	67.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0
290	69.0	70.0	71.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0	72.0
300	73.0	74.0	75.0	76.0	76.0	76.0	76.0	76.0	76.0	76.0	76.0	76.0	76.0	76.0	76.0
310	77.0	78.0	79.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0	80.0
320	81.0	82.0	83.0	84.0	84.0	84.0	84.0	84.0	84.0	84.0	84.0	84.0	84.0	84.0	84.0
330	85.0	86.0	87.0	88.0	88.0	88.0	88.0	88.0	88.0	88.0	88.0	88.0	88.0	88.0	88.0
340	89.0	90.0	91.0	92.0	92.0	92.0	92.0	92.0	92.0	92.0	92.0	92.0	92.0	92.0	92.0
350	93.0	94.0	95.0	96.0	96.0	96.0	96.0	96.0	96.0	96.0	96.0	96.0	96.0	96.0	96.0
360	97.0	98.0	99.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TOTAL NUMBER OF OBSERVATIONS

822

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS:

1250-1400

[illegible]TOTAL NUMBER OF OBSERVATIONS 822

2

LOCAL CLIMATOLOGY BRANCH
ETAC
FATHER SERVICE/MAAC

CEILING VERSUS VISIBILITY

DAY 661/FT LEWIS WA

73-11

040

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1500-1700

22.2	22.3	22.4	22.7	23.1	23.1	23.3	23.3	23.7	23.4	23.4	23.4	23.4	23.4	23.4	23.4	23.4
22.2	26.2	26.9	27.4	28.3	28.3	28.4	28.4	28.4	28.5	28.5	28.5	28.5	28.5	28.5	28.5	28.5
23.4	27.6	27.8	28.3	29.1	29.1	29.2	29.2	29.2	29.4	29.4	29.4	29.4	29.4	29.4	29.4	29.4
23.1	28.1	28.3	28.7	28.6	28.6	29.7	29.7	29.7	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8
26.2	31.6	31.9	32.4	33.3	33.3	33.4	33.4	33.4	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5
33.0	33.4	33.5	34.0	34.8	34.8	35.0	35.0	35.0	35.1	35.1	35.1	35.1	35.1	35.1	35.1	35.1
34.9	35.1	35.2	35.7	35.5	35.7	36.8	36.8	36.8	36.9	36.9	36.9	36.9	36.9	36.9	36.9	36.9
37.1	35.4	35.6	36.2	37.0	37.1	37.3	37.3	37.3	37.4	37.4	37.4	37.4	37.4	37.4	37.4	37.4
37.5	38.2	38.4	39.0	39.8	39.8	40.0	40.1	40.1	40.2	40.2	40.2	40.2	40.2	40.2	40.2	40.2
40.5	41.0	41.2	41.9	42.8	42.9	43.0	43.0	43.0	43.1	43.1	43.1	43.1	43.1	43.1	43.1	43.1
43.4	43.1	43.2	44.0	44.8	44.9	45.2	45.2	45.2	45.3	45.3	45.3	45.3	45.3	45.3	45.3	45.3
45.1	45.4	45.6	46.3	47.4	47.5	47.7	47.7	47.7	47.9	47.9	47.9	47.9	47.9	47.9	47.9	47.9
47.1	49.1	49.2	50.2	51.3	51.4	51.6	51.6	51.6	51.9	51.9	51.9	51.9	51.9	51.9	51.9	51.9
51.5	54.4	55.2	56.3	57.6	57.7	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.2
42.4	60.5	61.5	62.7	64.1	64.2	64.8	64.9	65.2	65.4	65.4	65.4	65.4	65.4	65.4	65.4	65.4
44.2	65.1	66.5	68.2	69.9	70.0	70.6	70.8	71.1	71.4	71.4	71.4	71.4	71.4	71.4	71.4	71.4
47.4	67.8	69.8	71.7	73.6	73.7	74.3	74.4	74.9	75.2	75.2	75.3	75.4	75.4	75.4	75.4	75.4
48.2	70.5	72.7	75.0	77.5	77.6	78.3	78.4	78.9	79.5	79.7	79.7	79.8	79.8	79.8	79.8	79.8
46.1	71.4	73.6	76.0	78.4	78.6	79.3	79.4	79.9	80.5	80.6	80.6	80.8	80.8	80.8	80.8	80.8
47.7	73.3	76.1	78.4	81.1	81.2	82.0	82.2	82.7	83.3	83.4	83.4	83.6	83.6	83.6	83.6	83.6
45.2	74.1	77.2	79.6	82.8	82.9	83.9	84.2	84.7	85.3	85.4	85.4	85.5	85.5	85.5	85.5	85.5
46.9	74.9	78.1	80.8	84.0	84.2	85.4	85.6	86.7	87.1	87.1	87.1	87.2	87.2	87.2	87.2	87.2
46.2	75.2	78.4	81.2	84.7	84.9	86.2	86.6	87.7	87.9	88.1	88.1	88.2	88.2	88.2	88.2	88.2
46.0	75.3	78.6	81.6	85.3	85.5	87.1	87.5	88.1	88.8	88.9	88.9	89.0	89.0	89.0	89.0	89.0
46.9	75.3	78.6	81.6	85.4	86.0	87.8	88.2	88.8	89.5	89.5	89.5	89.6	89.6	89.6	89.6	89.6
46.2	75.3	78.6	81.6	85.5	86.2	88.8	89.8	90.6	91.5	91.7	91.7	92.1	92.1	92.1	92.1	92.1
46.2	75.4	78.7	82.1	86.0	86.7	89.3	90.6	91.8	92.9	93.4	93.4	93.8	93.8	93.8	93.8	93.8
46.1	75.4	78.7	82.1	86.0	86.8	89.9	91.7	93.1	94.8	95.6	95.6	96.0	96.0	96.0	96.0	96.0
46.9	75.4	78.7	82.1	86.0	86.8	89.9	92.1	93.7	96.2	97.4	97.4	97.8	97.8	97.8	97.8	97.8
46.2	75.4	78.7	82.1	86.0	86.8	90.0	92.3	93.0	96.6	97.8	97.8	98.2	98.2	98.2	98.2	98.2
46.0	75.4	78.7	82.1	86.0	86.8	90.0	92.3	93.0	96.6	97.8	97.8	98.2	98.2	98.2	98.2	98.2
46.2	75.4	78.7	82.1	86.0	86.8	90.0	92.3	93.0	96.7	97.9	97.9	98.3	98.3	98.3	98.3	98.3

TOTAL NUMBER OF OBSERVATIONS 821

USAF ETAC 0-14-5 D. A. PERIOD FOR WHICH DATA WAS OBSERVED

FEDERAL CLIMATOLOGY BRANCH
METAC
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

PAY AAF/FT LENTS MA

73-61

44

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1400-2220

24.1	24.5	24.7	25.4	25.4	25.9	26.3	26.9	27.1	27.3	27.3	27.5	27.9	28.6	29.1
27.9	28.2	28.7	29.4	29.4	29.9	30.3	30.9	31.1	31.3	31.3	31.6	32.1	32.7	33.1
28.8	29.2	29.7	30.4	30.4	30.9	31.3	31.9	32.1	32.2	32.2	32.6	33.1	33.7	34.1
29.1	29.3	29.8	30.5	30.5	31.0	31.4	32.0	32.2	32.4	32.4	32.7	33.1	33.8	34.2
31.3	31.6	32.1	33.1	33.2	33.7	34.1	34.7	34.9	35.1	35.0	35.4	35.8	36.5	36.9
32.4	33.2	33.7	34.7	34.8	35.3	35.6	36.3	36.5	36.6	36.6	37.0	37.1	38.1	38.4
33.3	33.7	34.2	35.2	35.3	35.8	36.1	36.7	37.0	37.1	37.1	37.5	37.8	38.6	38.9
34.2	34.7	35.2	36.1	36.3	36.7	37.1	37.7	38.0	38.1	38.1	38.4	38.8	39.5	39.9
36.5	37.1	37.6	38.8	38.9	39.4	39.8	40.4	40.6	40.8	40.8	41.1	41.5	42.2	42.6
38.1	38.8	39.3	40.5	40.6	41.1	41.5	42.1	42.3	42.5	42.5	42.8	43.2	43.9	44.3
39.1	39.8	40.3	41.5	41.6	42.1	42.5	43.1	43.3	43.4	43.4	43.8	44.2	44.9	45.3
41.2	42.1	42.6	43.8	43.9	44.4	44.9	45.5	45.7	45.9	46.0	46.5	47.0	47.7	48.1
44.8	45.7	46.4	47.7	47.9	48.4	48.9	49.5	49.8	49.9	50.0	50.5	51.0	51.7	52.1
49.5	50.7	51.7	53.4	53.6	54.5	55.1	55.8	56.1	56.2	56.3	56.8	57.3	58.0	58.4
53.8	55.4	56.6	58.3	58.5	59.6	60.3	61.1	61.3	61.4	61.6	62.0	62.5	63.3	63.6
59.3	60.7	61.7	63.5	63.7	64.8	65.7	66.4	66.7	66.8	66.9	67.4	67.9	68.6	69.0
64.1	66.4	68.4	7.7	73.9	72.1	73.0	74.3	74.9	75.2	75.3	75.8	76.7	77.0	77.4
67.9	70.6	72.6	75.3	75.5	77.1	78.1	79.1	8.3	80.5	80.7	81.1	81.6	82.4	82.7
68.9	71.7	73.7	76.4	76.6	78.2	79.2	80.2	81.4	81.6	81.8	82.2	82.7	83.5	83.8
7.7	73.2	75.5	78.6	78.8	80.7	81.6	82.6	83.8	84.1	84.2	84.7	85.2	85.9	86.3
71.3	74.7	77.3	80.5	80.8	82.7	83.7	84.7	85.9	86.1	86.3	86.7	87.2	88.0	88.3
71.7	75.3	78.0	81.6	81.9	83.8	84.9	85.9	87.1	87.3	87.5	88.0	88.4	89.2	89.5
71.7	75.5	78.5	82.2	82.5	84.5	85.6	86.6	87.8	88.1	88.2	88.7	89.2	89.9	90.7
71.8	75.8	78.7	82.6	82.8	85.0	86.3	87.2	88.4	88.7	89.0	89.3	89.8	90.5	90.9
71.9	75.9	79.0	83.0	83.2	85.4	86.6	87.6	88.8	89.1	89.2	89.7	90.1	90.9	91.2
71.9	75.9	79.1	83.0	83.2	85.5	87.1	88.3	89.8	90.0	90.1	90.6	91.1	91.8	92.2
71.9	75.9	79.2	83.3	83.6	86.0	87.8	89.2	90.9	91.8	92.0	92.5	92.9	93.8	94.2
71.9	75.9	79.3	83.9	84.2	87.0	89.4	90.8	92.9	94.0	94.2	94.6	95.1	96.0	96.4
71.9	75.9	79.6	84.3	84.5	87.5	90.0	91.4	93.7	94.8	95.0	95.5	96.0	97.1	97.4
71.9	76.1	79.8	84.5	84.8	87.8	91.0	92.3	94.9	96.1	96.5	97.0	97.4	98.5	98.9
71.9	76.0	79.8	84.5	84.8	87.8	91.0	92.3	94.9	96.1	96.5	97.1	97.6	98.9	99.9
71.9	76.7	79.8	84.5	84.8	87.6	91.0	92.3	94.9	96.1	96.5	97.1	97.6	98.9	99.9

TOTAL NUMBER OF OBSERVATIONS 822

USAF ETAC 1. 10-15-68. A PERSONS FOR THE 10-15-68. 10-15-68.

LOCAL CLIMATOLOGY BRANCH
 WFO TAC
 METEOROLOGICAL SERVICE/MAC

CEILING VERSUS VISIBILITY

DAY 000/FT LEWIS, WA

70-01

JAN

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATIONS

1100-2300

4.4	23.5	24.2	24.7	26.7	26.7	26.5	27.4	28.7	28.6	29.2	29.2	29.6	29.8	31.7	31.8
4.4	24.7	25.4	25.9	27.3	27.3	27.9	28.6	29.2	29.8	30.4	30.4	30.8	31.0	32.5	33.1
4.4	25.5	26.3	26.8	28.1	28.1	28.7	29.4	30.0	30.7	31.3	31.3	31.6	31.9	33.3	33.6
4.4	25.7	26.4	26.9	28.2	28.2	28.8	29.6	30.2	30.8	31.4	31.4	31.9	32.0	33.5	33.7
4.4	26.8	27.6	28.1	29.8	29.8	30.4	31.1	31.8	32.4	33.0	33.0	33.5	33.7	35.2	35.6
4.4	27.5	28.3	29.6	31.5	31.5	32.1	32.8	33.5	34.1	34.7	34.7	35.2	35.4	36.9	37.3
4.4	30.5	31.5	32.2	34.1	34.1	34.7	35.4	36.0	36.6	37.2	37.2	37.7	38.0	39.4	39.9
4.4	31.5	32.5	33.2	35.2	35.0	35.8	36.5	37.1	37.7	38.3	38.3	38.8	39.1	40.5	41.0
4.4	33.6	34.5	35.4	37.3	37.3	38.2	38.9	39.5	40.1	40.8	40.8	41.2	41.5	42.9	43.4
4.4	35.5	36.5	37.5	39.4	39.4	40.3	41.1	41.7	42.3	42.9	42.9	43.4	43.8	45.3	45.7
4.4	36.7	37.7	38.7	40.6	40.6	41.5	42.3	42.9	43.6	44.2	44.2	44.6	45.0	46.5	47.0
4.4	37.7	40.8	41.7	43.7	43.8	44.6	45.5	46.1	46.7	47.4	47.4	48.1	48.4	49.9	50.4
4.4	41.5	42.7	43.8	45.7	46.0	46.8	47.8	48.4	49.0	49.8	49.8	50.4	50.7	52.2	52.7
4.4	46.0	47.4	49.1	51.6	51.8	52.7	53.6	54.3	54.9	55.6	55.6	56.2	56.6	58.2	58.6
4.4	51.2	52.9	55.0	57.5	57.8	58.9	59.9	60.5	61.2	61.9	61.9	62.5	63.0	64.6	65.1
4.4	55.5	57.8	60.1	62.7	62.9	64.6	65.6	66.2	66.9	67.6	67.6	68.2	68.7	70.3	70.8
4.4	59.6	62.2	65.1	67.8	68.0	69.7	70.7	71.4	72.3	73.0	73.0	73.7	74.2	75.9	76.3
4.4	63.3	66.1	71.0	74.0	74.2	76.0	77.1	78.0	79.0	79.7	79.7	80.4	80.9	82.5	83.0
4.4	65.7	68.5	71.4	74.5	74.7	76.5	77.6	78.5	79.7	80.4	80.4	81.3	81.8	83.3	83.8
4.4	66.7	70.0	73.0	76.0	76.3	78.1	79.2	80.2	81.4	82.2	82.2	83.1	83.6	85.2	85.6
4.4	67.6	71.2	74.5	77.7	78.0	80.2	81.4	82.4	83.6	84.4	84.4	85.3	85.8	87.3	87.8
4.4	69.1	71.7	75.1	78.5	78.7	80.9	82.1	83.1	84.3	85.2	85.2	86.0	86.7	88.3	88.8
4.4	69.0	72.4	76.0	79.4	80.0	82.2	83.5	84.4	85.6	86.5	86.5	87.3	88.1	89.7	90.1
4.4	69.2	72.9	76.3	79.7	80.7	83.0	84.2	85.2	86.4	87.2	87.2	88.1	88.8	90.4	90.9
4.4	69.3	73.2	76.6	80.3	81.3	83.7	84.9	85.9	87.1	88.0	88.0	88.8	89.5	91.1	91.6
4.4	69.3	73.2	76.8	80.5	81.6	84.3	85.5	86.5	87.7	88.6	88.6	89.4	90.1	91.7	92.2
4.4	69.3	73.2	76.8	80.8	82.2	85.2	86.5	87.5	88.7	89.5	89.5	90.4	91.1	92.7	93.2
4.4	69.7	73.6	77.1	81.1	82.6	85.6	87.1	88.1	89.3	90.1	90.1	91.0	91.7	93.3	93.8
4.4	69.7	73.6	77.3	81.4	83.0	86.0	88.2	89.2	90.5	91.6	91.6	92.5	93.2	95.1	95.6
4.4	69.7	73.7	77.4	81.6	83.2	86.5	88.8	89.9	91.1	92.7	92.7	93.9	94.6	96.7	97.4
4.4	69.7	73.7	77.4	81.6	83.2	86.5	88.8	89.9	91.1	92.9	93.1	94.3	95.0	97.2	99.5
4.4	69.7	73.7	77.4	81.6	83.2	86.5	88.8	89.9	91.1	92.9	93.1	94.3	95.0	97.2	99.5

TOTAL NUMBER OF OBSERVATIONS 822

NAL CLIMATOLOGY BRANCH
METAC
4 WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

DAY AARFET LEWIS WA

73-81

SEA

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

ALL

20.1	24.4	25.2	25.7	26.5	26.6	26.9	27.2	27.6	27.8	28.0	28.1	28.3	28.5	28.5	28.7	28.8	29.3	29.6
21.1	24.2	25.7	26.2	27.0	27.1	27.4	27.7	28.1	28.3	28.5	28.5	28.7	28.8	29.3	29.6	29.9	30.5	30.9
21.1	24.2	25.7	26.4	27.3	27.3	27.6	28.0	28.3	28.6	28.7	28.7	28.9	29.1	29.5	29.9	30.5	30.9	31.3
21.2	27.0	27.9	28.3	29.3	29.3	29.7	30.0	30.4	30.6	30.8	30.8	31.7	31.2	31.7	32.0	32.0	32.0	32.0
21.9	29.0	29.9	30.4	31.4	31.4	31.8	32.1	32.5	32.7	32.9	32.9	33.1	33.3	33.5	34.1	34.1	34.1	34.1
23.5	31.7	31.7	32.2	33.2	33.3	33.7	34.0	34.4	34.6	34.8	34.8	35.0	35.2	35.7	36.0	36.0	36.0	36.0
23.7	31.5	32.5	33.0	34.1	34.1	34.5	34.9	35.2	35.4	35.6	35.6	35.9	36.1	36.5	36.9	36.9	36.9	36.9
24.5	33.7	34.4	35.4	36.5	36.5	37.0	37.3	37.7	37.9	38.1	38.1	38.3	38.5	39.0	39.3	39.3	39.3	39.3
25.5	36.1	37.3	37.9	39.2	39.2	39.6	40.0	40.4	40.6	40.8	41.1	41.3	41.5	41.8	42.1	42.1	42.1	42.1
26.1	37.6	38.7	39.4	40.7	40.7	41.1	41.5	41.9	42.1	42.3	42.3	42.6	42.8	43.3	43.6	43.6	43.6	43.6
26.7	41.3	41.5	42.3	43.7	43.7	44.2	44.7	45.0	45.3	45.5	45.5	45.8	46.0	46.5	46.9	46.9	46.9	46.9
27.3	43.0	44.4	45.2	46.7	46.8	47.3	47.8	48.2	48.4	48.7	49.0	49.2	49.7	50.1	50.1	50.1	50.1	50.1
28.1	47.7	49.3	50.4	52.1	52.3	52.9	53.5	53.8	54.1	54.3	54.3	54.7	54.9	55.4	55.9	55.9	55.9	55.9
28.3	52.3	54.3	55.7	57.6	57.9	58.6	59.3	59.7	60.0	60.3	60.7	60.9	61.4	61.8	62.3	62.3	62.3	62.3
28.5	55.8	59.3	59.9	62.1	62.3	63.2	64.0	64.5	64.9	65.1	65.1	65.5	65.8	66.7	66.9	66.9	66.9	66.9
28.8	58.3	63.4	65.5	67.8	68.2	69.1	69.9	70.5	71.0	71.3	71.3	71.7	71.9	72.4	72.8	72.8	72.8	72.8
29.2	64.0	67.4	69.7	72.5	72.9	74.1	75.0	75.7	76.3	76.6	76.6	77.0	77.3	77.8	78.1	78.1	78.1	78.1
29.3	64.5	69.7	70.4	73.3	73.6	74.8	75.7	76.4	77.1	77.4	77.4	77.8	78.1	78.6	79.0	79.0	79.0	79.0
29.5	66.1	71.1	72.5	75.6	76.0	77.3	78.2	79.0	79.6	80.0	80.0	80.5	80.7	81.2	81.5	81.5	81.5	81.5
29.7	67.2	71.8	74.0	77.3	77.7	79.2	80.2	81.0	81.6	82.0	82.0	82.5	82.7	83.7	83.7	83.7	83.7	83.7
29.7	68.7	72.1	74.9	78.3	78.8	80.3	81.4	82.3	82.9	83.3	83.3	83.8	84.1	84.6	85.0	85.0	85.0	85.0
29.7	68.3	72.5	75.5	78.9	79.4	81.0	82.2	83.1	83.7	84.1	84.2	84.6	84.9	85.4	85.8	85.8	85.8	85.8
29.7	68.6	72.9	75.9	79.5	80.1	81.8	83.1	84.0	84.7	85.1	85.2	85.6	85.9	86.4	86.8	86.8	86.8	86.8
29.7	68.9	73.3	76.3	80.0	80.7	82.5	83.9	84.9	85.4	85.9	85.9	86.3	86.6	87.2	87.5	87.5	87.5	87.5
29.7	69.1	73.5	76.8	81.7	81.4	83.5	85.0	86.1	86.8	87.3	87.3	87.8	88.1	88.7	89.1	89.1	89.1	89.1
29.7	69.2	73.8	77.3	81.4	82.3	84.5	86.3	87.3	88.3	89.0	89.0	89.5	89.8	90.4	90.8	90.8	90.8	90.8
29.7	69.2	73.9	77.5	81.7	82.7	85.3	87.4	88.7	89.9	90.7	90.8	91.3	91.6	92.3	92.7	92.7	92.7	92.7
29.7	69.3	74.1	77.7	82.7	83.1	85.8	88.4	89.9	91.4	92.5	92.6	93.2	93.6	94.4	95.1	95.1	95.1	95.1
29.7	69.3	74.1	77.7	82.1	83.3	86.1	89.0	90.5	92.2	93.6	93.8	94.7	95.2	96.6	97.6	97.6	97.6	97.6
29.7	69.3	74.0	77.7	82.1	83.3	86.1	89.0	90.6	92.3	93.7	94.0	94.9	95.6	97.0	99.3	99.3	99.3	99.3
29.7	69.3	74.0	77.7	82.1	83.3	86.1	89.0	90.6	92.3	93.8	94.0	95.0	95.7	97.0	100.0	100.0	100.0	100.0

TOTAL NUMBER OF OBSERVATIONS 6576

NAFETA

CLIMATE BRANCH
TAC
ATLANTA, GEORGIA

CEILING VERSUS VISIBILITY

ATLANTA, GEORGIA

7-51

55

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

000-1000

19.7	22.4	27.6	25.3	25.5	26.7	26.5	26.4	27.4	27.7	27.7	28.5	28.5	24.7	29.7
21.5	24.2	26.0	27.7	27.8	28.3	28.9	29.1	29.8	30.1	30.1	30.2	30.2	27.9	31.4
21.9	24.4	26.0	27.7	27.8	28.3	28.9	29.1	29.8	30.1	30.1	30.2	30.2	27.9	31.4
21.8	24.3	26.3	27.8	28.2	28.5	29.0	29.3	29.9	30.2	30.2	31.7	31.7	31.7	31.5
22.2	25.2	26.4	28.3	28.5	29.7	29.5	29.8	31.4	30.7	31.7	31.5	31.5	31.5	32.7
22.3	25.5	26.8	28.7	28.9	29.5	31.2	30.4	31.1	31.4	31.4	32.2	32.2	32.2	32.7
24.9	28.7	29.3	31.2	31.4	32.7	32.7	32.9	33.6	33.9	33.9	34.6	34.6	34.6	35.7
26.7	29.1	31.3	32.3	32.4	33.1	33.7	34.7	34.6	34.9	34.9	35.7	35.7	35.7	36.7
24.7	31.8	32.9	34.9	35.2	36.7	36.6	37.7	37.8	38.1	38.1	38.8	38.9	38.9	39.4
22.2	35.4	36.7	39.1	39.5	40.7	40.9	41.7	42.1	42.4	42.4	43.2	43.2	43.2	43.7
24.0	37.3	38.6	40.9	41.3	42.1	42.8	43.2	44.0	44.2	44.2	45.0	45.0	45.0	45.5
29.9	43.4	45.1	47.8	48.2	49.0	49.6	50.0	50.8	51.0	51.0	51.8	51.8	51.8	52.4
43.2	47.2	48.6	51.3	51.7	52.5	53.1	53.5	54.3	54.6	54.6	55.4	55.4	55.4	55.9
47.6	52.4	53.7	56.4	56.8	57.6	58.3	58.9	59.7	60.1	60.1	60.9	60.9	60.9	61.4
54.3	57.5	60.9	63.9	64.3	65.1	65.7	66.4	67.2	67.6	67.6	68.4	68.4	68.4	68.9
59.6	65.6	67.1	70.1	70.5	71.3	71.9	72.7	73.5	73.9	73.9	74.7	74.7	74.7	75.2
65.6	72.3	74.1	77.2	77.7	78.5	79.1	79.9	80.7	81.1	81.1	81.9	81.9	81.9	82.4
65.4	75.1	77.2	81.2	81.7	82.5	83.3	83.7	84.2	84.4	84.4	85.2	85.2	85.2	85.7
69.3	76.1	78.2	81.2	81.8	82.5	83.3	84.3	85.0	85.4	85.4	86.2	86.2	86.2	86.7
71.1	77.2	79.3	82.3	82.8	83.6	84.4	85.3	86.4	86.7	86.7	87.7	87.7	87.7	88.2
71.3	79.7	81.1	84.1	84.6	85.4	86.2	87.1	88.2	88.6	88.6	89.5	89.5	89.5	90.7
71.5	79.5	81.9	85.0	85.6	86.4	87.1	88.1	89.1	89.5	89.5	90.4	90.4	90.4	91.1
72.2	79.9	82.4	85.6	86.1	86.9	87.7	88.6	89.6	90.0	90.0	90.9	90.9	91.1	91.1
72.2	80.1	82.5	85.8	86.4	87.3	88.3	89.2	90.3	90.8	90.8	91.7	91.7	91.7	92.4
72.3	81.6	83.1	86.4	86.9	87.8	88.8	89.7	90.8	91.5	91.5	92.4	92.7	92.7	93.2
72.7	81.7	83.5	86.7	87.3	88.2	89.2	90.2	91.2	91.9	91.9	92.8	93.0	93.0	93.6
72.7	81.1	83.7	87.0	87.5	88.5	89.5	90.4	91.5	92.1	92.1	93.3	93.6	93.6	94.1
72.7	81.1	83.9	87.5	88.5	89.4	90.4	91.3	92.4	93.0	93.0	94.2	94.5	94.5	95.7
72.8	81.2	84.0	87.9	88.8	90.2	91.3	92.7	93.4	94.1	94.1	95.3	95.5	95.5	96.1
72.8	81.2	84.0	87.9	88.8	90.2	91.3	92.5	93.7	94.4	94.4	95.5	95.8	96.5	97.6
72.9	81.2	84.0	87.9	88.8	90.2	91.3	92.5	93.7	94.5	94.6	95.9	96.2	97.2	99.7
72.8	81.2	84.0	87.9	88.8	90.2	91.3	92.5	93.7	94.6	94.6	95.9	96.2	97.4	100.0

TOTAL NUMBER OF OBSERVATIONS 762

SAFETY

DAY DACT/CT LENTS IN

'3-6'

53

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM NO. OF OBSERVATIONS

100-2-235

14.0	15.7	16.7	17.4	18.6	19.9	19.2	19.8	19.8	20.3	20.3	20.5	20.6	20.6	21.0
15.2	16.3	18.1	20.2	20.5	20.9	21.1	21.3	22.0	22.6	22.6	22.7	22.8	22.8	23.2
15.2	16.3	18.1	20.2	20.5	20.9	21.1	21.3	22.0	22.6	22.6	22.7	22.8	22.8	23.2
15.2	16.3	18.1	21.2	21.5	21.9	21.1	21.7	22.0	22.6	22.6	22.7	22.8	22.8	23.2
16.3	17.3	19.2	21.3	21.5	21.9	22.2	22.7	23.1	23.4	23.6	23.8	23.9	23.9	24.4
17.1	18.1	19.9	22.0	22.3	22.7	23.0	23.1	23.9	24.4	24.4	24.5	24.7	24.7	25.0
18.0	20.1	21.9	24.0	24.3	24.7	24.9	25.1	25.9	26.4	26.4	26.5	26.6	26.6	27.0
19.1	21.1	23.1	25.1	25.3	25.7	26.0	26.1	26.9	27.4	27.4	27.6	27.7	27.7	28.0
20.3	23.5	25.5	27.6	27.8	28.2	28.5	28.6	29.4	29.9	29.9	30.1	30.2	30.2	31.1
25.2	26.6	28.5	30.8	31.1	31.8	32.0	32.2	32.9	33.5	33.5	33.6	33.7	33.7	34.0
27.4	28.7	31.0	33.3	33.6	34.3	34.5	34.6	35.4	36.0	36.0	36.1	36.2	36.2	37.1
32.5	34.5	36.7	39.1	39.4	40.2	40.3	40.4	41.2	41.7	41.7	41.9	42.0	42.0	42.9
38.2	38.5	40.7	43.0	43.3	44.0	44.2	44.4	45.3	45.8	45.8	45.9	46.1	46.1	47.0
42.4	45.4	48.0	50.7	51.9	51.9	52.1	52.2	53.1	53.7	53.7	53.8	53.9	53.9	54.9
48.3	52.1	55.0	58.0	58.3	59.2	59.4	59.6	60.5	61.0	61.0	61.2	61.3	61.3	62.2
53.4	55.1	61.1	64.0	64.3	65.2	65.5	65.6	66.5	67.1	67.1	67.2	67.3	67.3	68.2
59.1	64.2	67.3	70.3	70.9	71.6	72.3	72.4	73.4	73.9	73.9	74.0	74.1	74.1	75.1
62.5	68.4	71.7	74.9	75.5	76.4	76.9	77.0	78.0	78.5	78.5	78.6	78.7	78.7	79.7
63.7	69.2	72.6	76.0	76.5	77.4	78.0	78.1	79.1	79.7	79.7	79.8	79.9	79.9	80.9
65.1	71.4	75.1	78.5	79.0	79.9	80.4	80.6	81.6	82.2	82.2	82.3	82.5	82.5	83.5
67.2	74.0	77.7	81.1	81.6	82.5	83.1	83.2	84.3	84.5	84.9	85.0	85.2	85.2	86.1
67.8	74.7	78.5	82.3	82.8	83.9	84.4	84.5	85.6	86.0	86.2	86.4	86.5	86.5	87.4
68.2	75.7	79.3	83.1	83.6	84.6	85.2	85.3	86.4	87.0	87.1	87.1	87.7	87.7	88.7
68.2	75.7	79.4	83.2	83.7	84.8	85.4	85.6	86.7	87.7	87.7	87.8	87.9	87.9	88.4
68.4	75.5	79.8	83.6	84.1	85.0	85.8	86.0	87.1	88.1	88.2	88.3	88.7	88.7	89.7
68.6	75.9	80.2	84.1	84.6	85.7	86.4	86.5	87.7	88.6	88.6	88.7	88.9	88.9	89.8
67.7	75.4	81.0	84.8	85.4	86.5	87.1	87.3	88.5	89.4	89.4	89.5	89.9	89.9	90.8
69.3	76.0	81.5	85.7	86.4	87.4	88.1	88.2	89.4	90.3	90.3	90.6	90.8	90.8	91.7
69.4	76.0	81.8	86.0	86.6	87.9	88.6	88.7	89.9	90.9	90.8	91.1	91.7	91.7	92.4
69.4	76.0	81.8	86.0	86.6	87.9	88.6</								

TOTAL NUMBER OF WORKERS 55

ARMY CLIMATOLOGY BRANCH

U.S. ARMY AIR SERVICE/NAAC

AM 4445/ET LE 31 41

70-1

CEILING VERSUS VISIBILITY

PER CENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1944-1950

1	11.7	17.0	17.2	14.7	16.0	18.1	18.5	15.5	18.0	16.7	16.3	11.7	16.5	17.1	17.8
2	13.5	14.8	15.7	11.7	16.9	17.1	17.5	17.5	17.5	18.0	18.2	18.2	18.5	19.0	19.8
3	15.0	15.8	16.1	16.0	17.1	17.3	17.5	17.8	17.9	18.4	18.6	18.6	18.7	19.4	20.7
4	14.0	15.4	16.3	17.3	17.6	17.7	18.1	18.1	18.6	18.9	18.9	19.3	19.6	19.7	20.5
5	16.0	17.5	18.5	18.9	19.2	19.3	20.7	20.7	21.3	21.5	21.5	21.9	22.7	22.7	23.1
6	16.5	18.5	19.0	20.3	20.7	20.9	21.3	21.3	21.9	22.0	22.0	22.4	22.7	23.0	23.6
7	18.0	18.6	21.1	22.2	23.6	24.0	24.1	24.7	24.8	25.3	25.6	25.5	26.1	26.4	26.5
8	18.8	21.4	22.4	23.0	24.3	24.4	24.9	25.1	25.6	25.9	25.0	26.4	26.4	26.9	27.7
9	20.3	24.1	25.2	26.6	27.1	27.2	28.0	28.0	28.7	29.0	29.0	29.5	29.8	30.1	30.8
10	23.5	25.5	26.5	28.1	28.5	28.9	29.7	29.9	30.4	30.7	30.7	31.2	31.5	31.8	32.5
11	24.0	28.3	29.4	31.0	31.4	31.8	32.5	32.8	33.7	33.6	33.6	34.1	34.4	34.6	35.4
12	27.3	33.5	34.5	35.1	36.5	36.7	37.7	37.2	38.5	38.7	38.7	39.2	39.5	39.9	40.6
13	32.1	38.1	37.3	39.1	37.0	40.0	40.8	41.1	41.6	41.9	41.9	42.4	42.7	42.9	43.7
14	40.7	44.4	45.9	47.8	48.3	49.7	49.5	49.7	50.3	50.5	52.5	51.7	51.3	51.6	52.4
15	48.4	49.3	51.7	52.5	54.1	54.5	55.2	55.5	56.2	56.4	56.4	57.2	57.2	57.5	58.2
16	54.3	57.7	56.2	58.4	59.1	59.4	60.2	60.6	61.2	61.4	61.4	61.9	62.2	62.5	63.1
17	58.4	61.0	64.2	66.4	67.2	67.7	68.6	69.0	69.5	69.8	69.8	70.7	70.5	70.9	71.7
18	60.5	65.6	68.9	71.5	72.3	73.0	74.1	74.5	75.1	75.3	75.3	75.9	76.1	76.4	77.2
19	61.5	68.4	70.1	72.7	73.5	74.1	75.3	75.7	76.2	76.5	76.5	77.0	77.7	77.6	78.7
20	62.5	69.0	72.0	75.3	76.2	76.9	78.1	78.6	79.1	79.4	79.4	79.9	80.2	80.4	81.2
21	64.6	71.5	74.1	76.9	77.8	78.9	80.1	80.6	81.1	81.4	81.4	81.9	82.2	82.5	83.7
22	65.6	71.8	75.3	78.3	79.4	80.6	81.8	82.4	83.1	83.5	83.5	84.0	84.3	84.6	85.4
23	68.5	71.5	75.5	78.7	79.8	81.1	82.3	82.9	83.6	84.1	84.1	84.6	84.9	85.7	86.1
24	65.7	72.2	76.1	79.4	80.4	81.8	83.1	83.3	84.8	85.3	85.3	85.8	86.1	86.5	87.2
25	65.9	72.4	76.5	79.8	81.8	82.2	83.6	84.4	85.3	85.8	85.8	86.4	86.6	87.0	87.8
26	65.7	72.5	76.8	80.2	81.2	82.5	84.1	85.0	86.0	86.5	86.5	87.2	87.3	87.7	88.5
27	65.7	73.1	77.4	80.8	81.9	83.2	84.9	85.5	86.9	87.5	87.5	88.2	88.5	89.0	89.8
28	67.1	74.0	78.3	81.8	82.8	84.1	86.1	87.1	88.2	88.8	89.0	89.5	89.8	90.7	91.1
29	67.1	74.0	78.5	82.2	83.2	84.5	86.5	87.7	89.1	89.9	90.0	90.7	91.2	91.9	92.7
30	67.1	74.0	78.5	82.2	83.3	84.8	86.7	88.1	89.8	90.2	91.1	92.7	93.7	94.4	95.8
31	67.1	74.0	78.5	82.3	83.5	84.9	86.9	88.7	89.9	91.1	91.2	92.8	94.1	95.5	99.6
32	67.1	74.0	78.5	82.3	83.5	84.9	86.9	88.7	89.9	91.1	91.2	92.8	94.1	95.5	99.6

TOTAL NUMBER OF OBSERVATIONS 762

—

72-51

PERCENTAGE FREQUENCY OF OCCURRENCE FOR LOGIC OPERATIONS

[illegible]

$\Delta \rho_{\text{eff}} = 0$ at $\Delta \rho = 0$

1. *Journal of the American Medical Association*, 1997; 278: 1039-1044.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

25. 6. 1945

THE UNIVERSITY OF CHICAGO

100

11

RELATIVE FREQUENCY OF OCCURRENCE OF EACH OBSERVATION

100-14777

[illegible]TOTAL NUMBER OF OBSERVATIONS 76

CLIMATE DATA BRANCH
METEOROLOGICAL SERVICE CANADA

CEILING VERSUS VISIBILITY

STATION: HARVEY LEAS, WA

73-01

550

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1970-1972

| | | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1.4 | 12.2 | 27.2 | 2.2 | 2.5 | 2.5 | 27.5 | 20.6 | 27.6 | 20.6 | 27.6 | 20.6 | 27.6 | 20.6 | 27.6 | 20.6 | 27.6 | 20.6 |
| 2.3 | 27.3 | 27.5 | 27.7 | 28.0 | 28.0 | 28.7 | 28.1 | 28.1 | 28.1 | 28.1 | 28.1 | 28.1 | 28.1 | 28.1 | 28.1 | 28.1 | 28.1 |
| 3.2 | 28.2 | 28.5 | 28.6 | 28.9 | 28.9 | 28.9 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 | 29.0 |
| 4.1 | 28.5 | 28.9 | 29.7 | 29.3 | 29.3 | 29.3 | 29.4 | 29.4 | 29.4 | 29.4 | 29.4 | 29.4 | 29.4 | 29.4 | 29.4 | 29.4 | 29.4 |
| 5.0 | 28.6 | 28.9 | 32.2 | 32.3 | 32.5 | 32.5 | 32.7 | 32.7 | 32.7 | 32.7 | 32.7 | 32.7 | 32.7 | 32.7 | 32.7 | 32.7 | 32.7 |
| 6.1 | 34.6 | 34.2 | 35.0 | 35.3 | 35.3 | 35.3 | 35.4 | 35.4 | 35.4 | 35.4 | 35.4 | 35.4 | 35.4 | 35.4 | 35.4 | 35.4 | 35.4 |
| 7.4 | 36.7 | 37.0 | 37.1 | 37.4 | 37.4 | 37.4 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 |
| 8.6 | 37.3 | 37.6 | 38.7 | 39.0 | 39.7 | 39.7 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 |
| 9.7 | 42.4 | 47.7 | 42.8 | 43.4 | 43.4 | 43.4 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 |
| 10.8 | 44.9 | 45.1 | 45.3 | 45.9 | 45.9 | 45.9 | 46.1 | 46.1 | 46.1 | 46.1 | 46.1 | 46.1 | 46.1 | 46.1 | 46.1 | 46.1 | 46.1 |
| 11.9 | 47.5 | 47.8 | 47.9 | 48.6 | 48.6 | 48.6 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 |
| 12.0 | 52.4 | 52.8 | 52.9 | 53.7 | 53.7 | 53.8 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 |
| 13.1 | 56.8 | 57.7 | 57.5 | 58.3 | 58.3 | 58.4 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 |
| 14.2 | 64.7 | 65.2 | 65.5 | 65.8 | 66.8 | 66.8 | 67.1 | 67.1 | 67.1 | 67.1 | 67.1 | 67.1 | 67.1 | 67.1 | 67.1 | 67.1 | 67.1 |
| 15.3 | 69.7 | 70.3 | 70.6 | 70.9 | 72.0 | 72.0 | 72.6 | 72.6 | 72.6 | 72.6 | 72.6 | 72.6 | 72.6 | 72.6 | 72.6 | 72.6 | 72.6 |
| 16.4 | 76.4 | 77.2 | 77.6 | 78.0 | 79.0 | 79.0 | 79.4 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 |
| 17.5 | 81.7 | 82.0 | 83.1 | 84.6 | 84.8 | 85.3 | 85.4 | 85.4 | 85.4 | 85.4 | 85.4 | 85.4 | 85.4 | 85.4 | 85.4 | 85.4 | 85.4 |
| 18.6 | 84.5 | 86.2 | 87.8 | 89.5 | 89.6 | 90.3 | 90.4 | 90.4 | 90.4 | 90.4 | 90.4 | 90.4 | 90.4 | 90.4 | 90.4 | 90.4 | 90.4 |
| 19.7 | 95.2 | 88.9 | 88.5 | 90.3 | 90.4 | 91.2 | 91.3 | 91.3 | 91.3 | 91.3 | 91.3 | 91.3 | 91.3 | 91.3 | 91.3 | 91.3 | 91.3 |
| 20.8 | 95.2 | 88.1 | 99.6 | 91.7 | 91.9 | 92.9 | 93.4 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 |
| 21.9 | 95.7 | 88.6 | 9.3 | 92.5 | 92.7 | 93.8 | 94.4 | 94.6 | 94.6 | 94.6 | 94.6 | 94.6 | 94.6 | 94.6 | 94.6 | 94.6 | 94.6 |
| 22.0 | 97.3 | 89.1 | 9.6 | 93.3 | 93.4 | 94.6 | 95.1 | 95.4 | 95.5 | 95.5 | 95.5 | 95.5 | 95.5 | 95.5 | 95.5 | 95.5 | 95.5 |
| 23.1 | 97.3 | 89.1 | 90.8 | 93.3 | 93.6 | 94.9 | 95.4 | 95.7 | 95.9 | 96.1 | 96.1 | 96.1 | 96.1 | 96.1 | 96.1 | 96.1 | 96.1 |
| 24.2 | 97.4 | 89.2 | 90.9 | 93.6 | 93.8 | 95.4 | 96.1 | 96.3 | 96.6 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 |
| 25.3 | 97.4 | 89.7 | 91.9 | 93.6 | 94.0 | 95.7 | 96.3 | 96.6 | 97.0 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 |
| 26.4 | 97.4 | 89.2 | 91.9 | 93.7 | 94.2 | 95.9 | 96.6 | 96.9 | 97.2 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 |
| 27.5 | 97.4 | 89.2 | 90.9 | 93.7 | 94.2 | 96.1 | 97.0 | 97.2 | 97.8 | 98.0 | 98.0 | 98.0 | 98.0 | 98.0 | 98.0 | 98.0 | 98.0 |
| 28.6 | 97.4 | 89.2 | 90.9 | 93.7 | 94.2 | 96.1 | 97.2 | 97.6 | 98.2 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 |
| 29.7 | 97.4 | 89.2 | 91.9 | 93.7 | 94.2 | 96.2 | 97.6 | 98.0 | 98.8 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 |
| 30.8 | 97.4 | 89.2 | 90.9 | 93.7 | 94.2 | 96.2 | 97.6 | 98.0 | 98.8 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 |
| 31.9 | 97.4 | 89.2 | 90.9 | 93.7 | 94.2 | 96.2 | 97.6 | 98.0 | 98.8 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 |
| 32.0 | 97.4 | 89.2 | 90.9 | 93.7 | 94.2 | 96.2 | 97.6 | 98.0 | 98.8 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 |

TOTAL NUMBER OF OBSERVATIONS 762

U.S. AIR FORCE
METEOROLOGICAL SERVICE/MAC

CEILING VERSUS VISIBILITY

STATION: DAY 447/ET LEWIS, LA

73-51

551

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

100-2000

| | | | | | | | | | | | | | | | |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 3.9 | 24.6 | 26.5 | 27.4 | 29.7 | 29.4 | 30.1 | 30.7 | 30.7 | 31.2 | 31.5 | 31.6 | 31.9 | 32.0 | 32.7 | 32.7 |
| 4.2 | 27.7 | 29.4 | 30.3 | 31.9 | 32.3 | 32.9 | 33.6 | 33.6 | 34.1 | 34.4 | 34.5 | 34.8 | 34.9 | 35.0 | 35.0 |
| 4.3 | 27.7 | 29.4 | 30.3 | 31.9 | 32.3 | 32.9 | 33.6 | 33.6 | 34.1 | 34.4 | 34.5 | 34.9 | 34.9 | 35.0 | 35.0 |
| 4.7 | 27.7 | 29.4 | 30.3 | 31.9 | 32.3 | 32.9 | 33.6 | 33.6 | 34.1 | 34.4 | 34.5 | 34.8 | 34.9 | 35.0 | 35.0 |
| 4.5 | 28.5 | 30.3 | 31.5 | 33.2 | 33.6 | 34.3 | 34.9 | 34.9 | 35.4 | 35.7 | 35.8 | 36.1 | 36.2 | 36.4 | 36.4 |
| 4.7 | 29.3 | 31.1 | 32.3 | 34.0 | 34.4 | 35.0 | 35.7 | 35.7 | 36.2 | 36.5 | 36.6 | 36.9 | 37.0 | 37.1 | 37.1 |
| 5.1 | 31.9 | 33.7 | 34.9 | 36.6 | 37.0 | 37.7 | 38.3 | 38.3 | 38.8 | 39.1 | 39.2 | 39.5 | 39.6 | 39.8 | 39.8 |
| 5.1 | 32.2 | 34.0 | 35.2 | 36.9 | 37.3 | 37.9 | 38.6 | 38.6 | 39.1 | 39.4 | 39.5 | 39.8 | 39.9 | 40.0 | 40.0 |
| 5.1 | 34.5 | 36.4 | 37.5 | 39.4 | 39.8 | 40.4 | 41.3 | 41.3 | 41.9 | 42.1 | 42.3 | 42.5 | 42.7 | 42.8 | 42.8 |
| 5.1 | 32.8 | 39.6 | 40.8 | 42.7 | 43.0 | 43.7 | 44.6 | 44.6 | 45.1 | 45.4 | 45.5 | 45.8 | 45.9 | 46.1 | 46.1 |
| 5.4 | 37.5 | 41.3 | 42.5 | 44.4 | 44.6 | 45.4 | 46.5 | 46.5 | 47.0 | 47.2 | 47.4 | 47.6 | 47.8 | 47.9 | 47.9 |
| 5.5 | 44.1 | 46.0 | 47.6 | 49.6 | 50.3 | 50.7 | 51.7 | 51.7 | 52.2 | 52.5 | 52.6 | 52.9 | 53.0 | 53.1 | 53.1 |
| 5.8 | 47.5 | 51.0 | 51.4 | 53.8 | 54.2 | 54.9 | 55.9 | 55.9 | 56.6 | 56.8 | 57.0 | 57.2 | 57.3 | 57.5 | 57.5 |
| 5.8 | 52.7 | 56.3 | 57.7 | 60.1 | 60.5 | 61.2 | 62.2 | 62.2 | 62.9 | 63.1 | 63.3 | 63.5 | 63.6 | 63.8 | 63.8 |
| 5.8 | 59.3 | 60.7 | 64.3 | 66.9 | 67.2 | 67.8 | 68.9 | 68.9 | 69.6 | 69.8 | 69.9 | 70.2 | 70.3 | 70.5 | 70.5 |
| 5.8 | 66.4 | 69.7 | 71.4 | 74.1 | 74.5 | 75.2 | 76.2 | 76.2 | 76.9 | 77.2 | 77.3 | 77.6 | 77.7 | 77.8 | 77.8 |
| 5.9 | 72.3 | 76.7 | 78.0 | 81.0 | 81.4 | 82.2 | 83.2 | 83.2 | 83.9 | 84.1 | 84.3 | 84.5 | 84.6 | 84.8 | 84.8 |
| 5.9 | 75.9 | 79.8 | 81.6 | 84.8 | 85.2 | 86.0 | 87.0 | 87.0 | 87.7 | 87.9 | 88.1 | 88.3 | 88.5 | 88.6 | 88.6 |
| 5.9 | 76.1 | 80.1 | 81.9 | 85.0 | 85.4 | 86.2 | 87.3 | 87.3 | 87.9 | 88.2 | 88.3 | 88.6 | 88.7 | 88.8 | 88.8 |
| 5.9 | 77.4 | 81.5 | 83.2 | 86.5 | 87.0 | 87.8 | 88.8 | 88.8 | 89.5 | 89.8 | 89.9 | 90.2 | 90.3 | 90.4 | 90.4 |
| 5.9 | 78.6 | 82.7 | 84.8 | 88.1 | 88.6 | 89.5 | 90.6 | 90.6 | 91.2 | 91.5 | 91.6 | 91.9 | 92.0 | 92.1 | 92.1 |
| 5.9 | 79.3 | 83.6 | 85.7 | 89.0 | 89.5 | 90.4 | 91.5 | 91.5 | 92.1 | 92.4 | 92.5 | 92.8 | 92.9 | 93.0 | 93.0 |
| 5.9 | 79.4 | 83.7 | 86.0 | 89.2 | 90.0 | 91.1 | 92.1 | 92.3 | 92.9 | 93.2 | 93.3 | 93.6 | 93.7 | 93.8 | 93.8 |
| 5.9 | 79.4 | 84.3 | 86.5 | 89.9 | 90.8 | 91.9 | 92.9 | 93.0 | 93.7 | 94.0 | 94.1 | 94.4 | 94.5 | 94.6 | 94.6 |
| 5.9 | 79.7 | 84.8 | 87.0 | 90.4 | 91.3 | 92.4 | 93.6 | 93.7 | 94.4 | 94.6 | 94.8 | 95.0 | 95.1 | 95.3 | 95.3 |
| 5.9 | 79.9 | 85.1 | 87.3 | 91.8 | 91.7 | 92.8 | 94.0 | 94.1 | 94.8 | 95.0 | 95.1 | 95.4 | 95.5 | 95.7 | 95.7 |
| 5.9 | 80.6 | 85.7 | 87.9 | 91.6 | 92.5 | 93.6 | 94.8 | 94.9 | 95.5 | 95.8 | 95.9 | 96.2 | 96.3 | 96.5 | 96.5 |
| 5.9 | 80.6 | 85.7 | 87.9 | 91.6 | 92.7 | 93.7 | 95.0 | 95.1 | 95.8 | 96.1 | 96.2 | 96.5 | 96.6 | 96.7 | 96.7 |
| 5.9 | 80.6 | 85.7 | 87.9 | 91.6 | 92.7 | 93.8 | 95.1 | 95.3 | 95.9 | 96.2 | 96.3 | 96.6 | 96.9 | 97.0 | 97.0 |
| 5.9 | 80.6 | 85.7 | 87.9 | 91.7 | 92.8 | 94.0 | 95.4 | 95.7 | 96.5 | 96.9 | 97.0 | 97.4 | 97.6 | 98.2 | 98.3 |
| 5.9 | 80.6 | 85.7 | 87.9 | 91.7 | 92.8 | 94.0 | 95.4 | 95.8 | 96.6 | 97.0 | 97.1 | 97.6 | 97.9 | 98.6 | 99.5 |
| 5.9 | 80.6 | 85.7 | 87.9 | 91.7 | 92.8 | 94.0 | 95.4 | 95.8 | 96.6 | 97.1 | 97.2 | 97.9 | 98.2 | 98.8 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 762

73-51

RAY AAF/FT LEWIS AA

55

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

9. LL

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 10.0 | 18.5 | 19.5 | 20.2 | 21.1 | 21.2 | 21.4 | 21.8 | 21.8 | 22.1 | 22.3 | 22.3 | 22.5 | 22.5 | 22.6 | 22.9 |
| 10.1 | 22.2 | 23.2 | 24.1 | 25.0 | 25.2 | 25.4 | 25.7 | 25.8 | 26.1 | 26.3 | 26.3 | 26.5 | 26.5 | 26.6 | 26.9 |
| 10.2 | 22.7 | 23.7 | 24.6 | 25.5 | 25.7 | 25.9 | 26.2 | 26.3 | 26.6 | 26.8 | 26.8 | 27.0 | 27.1 | 27.1 | 27.4 |
| 10.5 | 23.1 | 24.2 | 25.0 | 26.0 | 26.1 | 26.4 | 26.7 | 26.7 | 27.1 | 27.2 | 27.2 | 27.5 | 27.5 | 27.6 | 27.9 |
| 11.0 | 24.0 | 25.0 | 26.0 | 26.9 | 27.9 | 28.1 | 28.3 | 28.6 | 28.7 | 29.0 | 29.2 | 29.2 | 29.4 | 29.5 | 29.8 |
| 12.0 | 26.5 | 27.7 | 28.5 | 29.5 | 29.7 | 30.0 | 30.3 | 30.4 | 30.7 | 30.9 | 30.9 | 31.1 | 31.2 | 31.2 | 31.5 |
| 12.5 | 29.5 | 30.5 | 31.2 | 32.2 | 32.4 | 32.6 | 33.0 | 33.1 | 33.4 | 33.6 | 33.6 | 33.8 | 33.9 | 33.9 | 34.2 |
| 14.4 | 31.2 | 31.3 | 32.2 | 33.3 | 33.4 | 33.7 | 34.1 | 34.1 | 34.5 | 34.6 | 34.6 | 34.9 | 34.9 | 35.0 | 35.3 |
| 15.1 | 32.9 | 34.3 | 35.2 | 36.3 | 36.5 | 36.8 | 37.2 | 37.4 | 37.7 | 37.9 | 37.9 | 38.1 | 38.2 | 38.3 | 38.6 |
| 15.5 | 35.7 | 37.2 | 38.1 | 39.3 | 39.5 | 39.9 | 40.3 | 40.4 | 40.8 | 40.9 | 41.2 | 41.2 | 41.3 | 41.4 | 41.6 |
| 15.9 | 37.8 | 39.4 | 40.3 | 41.5 | 41.7 | 42.1 | 42.6 | 42.7 | 43.1 | 43.2 | 43.2 | 43.5 | 43.5 | 43.6 | 43.9 |
| 16.0 | 42.6 | 44.5 | 45.5 | 46.9 | 47.1 | 47.5 | 47.9 | 48.1 | 48.4 | 48.6 | 48.6 | 48.9 | 48.9 | 49.0 | 49.3 |
| 16.1 | 46.9 | 47.9 | 49.0 | 50.5 | 50.7 | 51.1 | 51.6 | 51.7 | 52.1 | 52.3 | 52.3 | 52.6 | 52.6 | 52.7 | 53.0 |
| 16.3 | 52.7 | 55.1 | 56.4 | 58.0 | 58.3 | 58.7 | 59.1 | 59.4 | 59.8 | 60.0 | 60.0 | 60.2 | 60.3 | 60.4 | 60.6 |
| 16.5 | 58.2 | 60.5 | 62.3 | 64.1 | 64.3 | 64.8 | 65.3 | 65.5 | 65.9 | 66.1 | 66.1 | 66.4 | 66.4 | 66.5 | 66.8 |
| 16.6 | 63.8 | 67.0 | 68.5 | 70.4 | 70.7 | 71.1 | 71.6 | 71.9 | 72.3 | 72.5 | 72.5 | 72.8 | 72.8 | 72.9 | 73.2 |
| 21.2 | 66.7 | 73.5 | 75.4 | 77.4 | 77.9 | 78.4 | 79.0 | 79.2 | 79.7 | 79.9 | 79.9 | 80.1 | 80.2 | 80.3 | 80.5 |
| 21.5 | 73.4 | 77.6 | 79.8 | 82.0 | 82.5 | 83.1 | 83.6 | 84.0 | 84.5 | 84.7 | 84.7 | 84.9 | 85.0 | 85.1 | 85.4 |
| 21.6 | 74.0 | 79.3 | 80.5 | 82.8 | 83.3 | 83.9 | 84.6 | 84.8 | 85.3 | 85.5 | 85.5 | 85.7 | 85.8 | 85.9 | 86.2 |
| 21.7 | 75.2 | 79.7 | 82.0 | 84.4 | 84.9 | 85.7 | 86.4 | 86.7 | 87.2 | 87.5 | 87.5 | 87.7 | 87.8 | 87.9 | 88.2 |
| 21.9 | 76.2 | 81.0 | 83.4 | 85.9 | 86.5 | 87.3 | 88.0 | 88.3 | 88.8 | 89.1 | 89.1 | 89.4 | 89.4 | 89.5 | 89.8 |
| 22.0 | 76.3 | 81.7 | 84.2 | 86.7 | 87.5 | 88.3 | 89.1 | 89.5 | 90.0 | 90.3 | 90.3 | 90.6 | 90.6 | 90.7 | 91.0 |
| 22.0 | 77.0 | 81.9 | 84.6 | 87.3 | 87.9 | 88.9 | 89.7 | 90.1 | 90.7 | 91.0 | 91.0 | 91.3 | 91.4 | 91.5 | 91.7 |
| 22.0 | 77.3 | 82.1 | 84.8 | 87.5 | 88.3 | 89.4 | 90.2 | 90.7 | 91.3 | 91.6 | 91.7 | 91.9 | 92.0 | 92.1 | 92.4 |
| 22.0 | 77.1 | 82.3 | 85.1 | 87.9 | 88.7 | 89.8 | 90.7 | 91.2 | 91.8 | 92.1 | 92.2 | 92.5 | 92.6 | 92.7 | 92.9 |
| 22.0 | 77.3 | 82.5 | 85.4 | 88.3 | 89.1 | 90.3 | 91.2 | 91.7 | 92.3 | 92.7 | 92.7 | 93.0 | 93.1 | 93.2 | 93.5 |
| 22.0 | 77.4 | 82.5 | 85.7 | 88.6 | 89.4 | 90.6 | 91.7 | 92.3 | 93.1 | 93.5 | 93.5 | 93.9 | 94.0 | 94.1 | 94.4 |
| 22.0 | 77.6 | 82.9 | 86.0 | 89.0 | 89.9 | 91.1 | 92.4 | 93.0 | 93.8 | 94.3 | 94.3 | 94.7 | 94.8 | 94.9 | 95.2 |
| 22.0 | 77.6 | 83.0 | 86.0 | 89.1 | 90.0 | 91.4 | 92.7 | 93.4 | 94.4 | 95.0 | 95.1 | 95.5 | 95.8 | 95.9 | 96.3 |
| 22.0 | 77.6 | 83.0 | 86.0 | 89.1 | 90.1 | 91.5 | 92.8 | 93.6 | 94.7 | 95.5 | 95.6 | 96.3 | 96.7 | 97.2 | 97.9 |
| 22.0 | 77.6 | 83.0 | 86.0 | 89.2 | 90.1 | 91.5 | 92.9 | 93.7 | 94.8 | 95.6 | 95.6 | 96.5 | 97.0 | 97.8 | 99.7 |
| 22.0 | 77.6 | 83.0 | 86.0 | 89.2 | 90.1 | 91.5 | 92.9 | 93.7 | 94.8 | 95.6 | 95.8 | 96.5 | 97.0 | 97.9 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 6096

2

FEDERAL CLIMATOLOGY BRANCH
ETAC
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

PRAY AAF/FT LEWIS WA

73-81

MAR

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

0700-1500

| | | | | | | | | | | | | | | | |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 3.1 | 30.2 | 31.2 | 30.8 | 31.7 | 31.9 | 32.4 | 32.7 | 32.7 | 33.7 | 33.2 | 33.2 | 33.3 | 33.7 | 33.8 | 33.9 |
| 3.1 | 30.7 | 31.9 | 32.6 | 33.5 | 33.7 | 34.2 | 34.5 | 34.5 | 34.8 | 35.2 | 35.1 | 35.1 | 35.2 | 35.6 | 35.6 |
| 3.1 | 31.1 | 32.3 | 33.0 | 33.8 | 34.1 | 34.5 | 34.9 | 34.9 | 35.1 | 35.4 | 35.4 | 35.5 | 35.6 | 36.0 | 36.0 |
| 3.1 | 31.1 | 32.3 | 33.0 | 33.9 | 34.1 | 34.5 | 34.9 | 34.9 | 35.1 | 35.4 | 35.4 | 35.5 | 35.6 | 36.0 | 36.0 |
| 3.1 | 32.1 | 33.7 | 34.1 | 34.9 | 35.1 | 35.6 | 36.0 | 36.0 | 36.2 | 36.4 | 36.4 | 36.6 | 36.7 | 37.7 | 37.7 |
| 3.1 | 33.0 | 34.2 | 34.9 | 35.7 | 36.1 | 36.4 | 36.8 | 36.9 | 37.1 | 37.3 | 37.3 | 37.4 | 37.5 | 37.9 | 37.9 |
| 3.2 | 35.7 | 36.9 | 37.6 | 38.5 | 38.7 | 39.2 | 39.5 | 39.5 | 39.6 | 40.0 | 40.0 | 40.1 | 40.3 | 40.6 | 40.6 |
| 3.2 | 37.2 | 38.4 | 39.0 | 40.3 | 40.5 | 41.0 | 41.3 | 41.3 | 41.6 | 41.8 | 41.8 | 41.9 | 42.1 | 42.4 | 42.4 |
| 3.2 | 41.5 | 42.7 | 43.5 | 44.6 | 44.8 | 45.3 | 45.6 | 45.6 | 45.9 | 46.1 | 46.1 | 46.2 | 46.4 | 46.7 | 46.7 |
| 3.3 | 44.1 | 45.3 | 46.4 | 47.4 | 47.8 | 48.3 | 48.6 | 48.6 | 48.9 | 49.1 | 49.1 | 49.2 | 49.3 | 49.8 | 49.8 |
| 3.3 | 46.5 | 47.7 | 48.7 | 49.8 | 50.2 | 50.7 | 51.0 | 51.0 | 51.3 | 51.5 | 51.5 | 51.6 | 51.7 | 52.2 | 52.4 |
| 3.3 | 51.1 | 51.7 | 52.3 | 53.4 | 53.8 | 54.2 | 54.6 | 54.6 | 54.8 | 55.1 | 55.1 | 55.2 | 55.3 | 55.8 | 56.1 |
| 3.3 | 53.5 | 54.7 | 55.9 | 57.0 | 57.3 | 57.8 | 58.2 | 58.2 | 58.4 | 58.8 | 58.9 | 59.0 | 59.5 | 59.7 | 59.7 |
| 3.3 | 61.2 | 62.6 | 63.8 | 65.2 | 65.6 | 66.2 | 66.5 | 66.5 | 66.8 | 67.1 | 67.1 | 67.3 | 67.4 | 67.9 | 68.1 |
| 3.3 | 66.8 | 68.5 | 69.7 | 71.3 | 71.7 | 72.3 | 72.6 | 72.9 | 73.1 | 73.5 | 73.5 | 73.6 | 73.7 | 74.2 | 74.4 |
| 3.3 | 70.8 | 72.5 | 73.7 | 75.4 | 75.7 | 76.3 | 76.7 | 76.9 | 77.3 | 77.7 | 77.7 | 77.8 | 77.9 | 78.4 | 78.6 |
| 3.3 | 77.5 | 79.3 | 81.9 | 82.9 | 83.3 | 84.0 | 84.3 | 84.6 | 84.9 | 85.3 | 85.3 | 85.4 | 85.5 | 86.0 | 86.3 |
| 3.3 | 81.5 | 82.3 | 83.9 | 85.9 | 86.3 | 87.0 | 87.3 | 87.6 | 87.9 | 88.3 | 88.3 | 88.5 | 88.6 | 89.1 | 89.4 |
| 3.3 | 81.1 | 83.3 | 84.8 | 86.9 | 87.2 | 87.9 | 88.3 | 88.5 | 88.9 | 89.2 | 89.2 | 89.5 | 89.5 | 90.1 | 90.3 |
| 3.3 | 82.4 | 84.6 | 86.1 | 88.2 | 88.5 | 89.2 | 89.7 | 90.0 | 90.3 | 90.7 | 90.7 | 90.9 | 91.1 | 91.5 | 91.8 |
| 3.3 | 84.7 | 86.9 | 88.4 | 90.7 | 91.0 | 91.8 | 92.2 | 92.5 | 92.8 | 93.3 | 93.3 | 93.5 | 93.7 | 94.1 | 94.4 |
| 3.3 | 85.1 | 87.2 | 88.8 | 91.2 | 91.5 | 92.2 | 92.7 | 93.1 | 93.5 | 94.0 | 94.0 | 94.3 | 94.4 | 94.9 | 95.1 |
| 3.3 | 85.9 | 88.1 | 89.6 | 92.7 | 92.4 | 93.2 | 93.7 | 94.1 | 94.5 | 95.0 | 95.0 | 95.2 | 95.3 | 95.9 | 96.2 |
| 3.3 | 85.9 | 88.1 | 89.6 | 92.0 | 92.4 | 93.2 | 93.7 | 94.1 | 94.5 | 95.0 | 95.0 | 95.2 | 95.3 | 95.9 | 96.2 |
| 3.3 | 86.1 | 88.3 | 89.8 | 92.2 | 92.6 | 93.4 | 93.9 | 94.3 | 94.7 | 95.2 | 95.2 | 95.5 | 95.6 | 96.2 | 96.4 |
| 3.3 | 86.3 | 88.4 | 90.0 | 92.4 | 92.7 | 93.5 | 94.0 | 94.4 | 94.9 | 95.3 | 95.3 | 95.6 | 95.7 | 96.3 | 96.5 |
| 3.3 | 86.3 | 88.5 | 90.1 | 92.7 | 93.1 | 93.9 | 94.5 | 94.9 | 95.3 | 95.6 | 95.6 | 96.1 | 96.2 | 96.8 | 97.0 |
| 3.3 | 86.3 | 88.5 | 90.1 | 93.2 | 93.7 | 94.5 | 95.1 | 95.5 | 95.9 | 96.5 | 96.5 | 96.8 | 96.9 | 97.5 | 97.7 |
| 3.3 | 86.3 | 88.5 | 90.1 | 93.4 | 93.9 | 95.0 | 95.6 | 96.1 | 96.5 | 97.1 | 97.1 | 97.4 | 97.5 | 98.1 | 98.3 |
| 3.3 | 86.3 | 88.5 | 90.1 | 93.5 | 94.0 | 95.1 | 95.9 | 96.5 | 97.0 | 97.7 | 97.7 | 98.1 | 98.2 | 98.9 | 99.6 |
| 3.3 | 86.3 | 88.5 | 90.1 | 93.5 | 94.0 | 95.1 | 95.9 | 96.5 | 97.0 | 97.7 | 97.7 | 98.1 | 98.2 | 98.9 | 99.6 |
| 3.3 | 86.3 | 88.5 | 90.1 | 93.5 | 94.0 | 95.1 | 95.9 | 96.5 | 97.0 | 97.7 | 97.7 | 98.1 | 98.2 | 99.0 | 99.0 |

TOTAL NUMBER OF OBSERVATIONS 837

USAF ETAC 10445 01 A 10445 01 A 10445 01 A 10445 01 A

U.S. AIR FORCE CLIMATOLOGY BRANCH
 AFMAG
 WEATHER SERVICE/MAG

CEILING VERSUS VISIBILITY

STATION: DAY AAF/ST LEUIS, MO

73-81

267

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATIONS

1000-2000

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 14.0 | 23.5 | 24.0 | 24.6 | 25.2 | 25.4 | 25.6 | 26.3 | 26.4 | 26.8 | 26.8 | 26.8 | 27.0 | 27.7 | 27.7 | 27.4 |
| 15.0 | 26.3 | 27.0 | 27.6 | 28.3 | 28.7 | 28.8 | 29.5 | 29.6 | 30.0 | 30.2 | 30.2 | 30.3 | 30.3 | 30.6 | 30.4 |
| 15.4 | 26.5 | 27.2 | 27.8 | 28.6 | 28.9 | 29.0 | 29.7 | 29.9 | 30.2 | 30.2 | 30.2 | 30.6 | 30.6 | 30.8 | 31.1 |
| 16.1 | 27.1 | 28.1 | 28.6 | 29.3 | 29.6 | 29.7 | 30.5 | 30.6 | 30.9 | 30.9 | 30.9 | 31.3 | 31.3 | 31.5 | 31.8 |
| 16.5 | 27.6 | 28.4 | 29.0 | 29.7 | 30.1 | 30.2 | 30.9 | 31.1 | 31.4 | 31.4 | 31.4 | 31.8 | 31.8 | 32.0 | 32.3 |
| 17.2 | 30.2 | 31.1 | 31.7 | 32.4 | 32.7 | 32.9 | 33.6 | 33.7 | 34.1 | 34.1 | 34.1 | 34.4 | 34.4 | 34.8 | 35.1 |
| 18.1 | 32.1 | 33.0 | 33.6 | 34.3 | 34.6 | 34.8 | 35.5 | 35.6 | 36.0 | 36.0 | 36.0 | 36.3 | 36.3 | 36.7 | 36.9 |
| 19.2 | 32.4 | 33.2 | 33.8 | 34.6 | 35.0 | 35.1 | 35.8 | 36.0 | 36.3 | 36.3 | 36.3 | 36.7 | 36.9 | 37.3 | 37.6 |
| 20.2 | 36.2 | 37.0 | 37.6 | 38.5 | 38.8 | 38.9 | 39.7 | 39.8 | 40.1 | 40.1 | 40.1 | 40.5 | 40.7 | 41.1 | 41.3 |
| 21.7 | 38.7 | 39.5 | 40.1 | 41.0 | 41.3 | 41.5 | 42.2 | 42.3 | 42.7 | 42.7 | 42.7 | 43.0 | 43.2 | 43.6 | 43.8 |
| 22.7 | 40.5 | 41.4 | 41.1 | 41.9 | 42.3 | 42.4 | 43.1 | 43.2 | 43.6 | 43.6 | 43.6 | 44.0 | 44.2 | 44.5 | 44.8 |
| 23.3 | 43.5 | 44.6 | 45.0 | 46.4 | 46.7 | 46.8 | 47.6 | 47.7 | 48.0 | 48.0 | 48.0 | 48.4 | 48.6 | 49.0 | 49.2 |
| 23.9 | 47.0 | 48.0 | 48.9 | 49.9 | 50.3 | 50.4 | 51.1 | 51.3 | 51.6 | 51.7 | 51.7 | 52.1 | 52.3 | 52.7 | 52.9 |
| 26.0 | 56.2 | 56.4 | 57.7 | 59.1 | 59.5 | 59.6 | 60.5 | 60.6 | 60.9 | 61.1 | 61.1 | 61.4 | 61.6 | 62.0 | 62.2 |
| 27.7 | 61.9 | 63.3 | 64.6 | 66.2 | 66.7 | 66.9 | 67.7 | 67.9 | 68.2 | 68.5 | 68.5 | 68.8 | 69.1 | 69.4 | 69.7 |
| 29.3 | 67.5 | 69.5 | 70.8 | 72.4 | 72.9 | 73.4 | 74.4 | 74.6 | 75.1 | 75.4 | 75.4 | 75.7 | 76.1 | 76.3 | 76.6 |
| 29.8 | 71.6 | 74.0 | 75.3 | 76.8 | 77.3 | 77.9 | 79.0 | 79.1 | 79.7 | 79.9 | 79.9 | 80.3 | 80.5 | 80.9 | 81.1 |
| 29.2 | 74.3 | 77.1 | 78.7 | 80.3 | 80.8 | 81.4 | 82.6 | 82.7 | 83.3 | 83.5 | 83.5 | 83.9 | 84.1 | 84.5 | 84.7 |
| 29.2 | 74.9 | 77.9 | 79.3 | 81.0 | 81.5 | 82.2 | 83.4 | 83.5 | 84.1 | 84.3 | 84.3 | 84.7 | 84.9 | 85.3 | 85.5 |
| 29.4 | 76.8 | 79.9 | 81.5 | 83.5 | 84.0 | 84.7 | 85.9 | 86.0 | 86.6 | 86.9 | 86.9 | 87.2 | 87.5 | 87.8 | 88.1 |
| 29.7 | 79.3 | 83.0 | 84.8 | 87.0 | 87.5 | 88.2 | 89.4 | 89.5 | 90.1 | 90.3 | 90.3 | 90.7 | 90.9 | 91.3 | 91.5 |
| 29.7 | 79.5 | 83.5 | 85.3 | 87.6 | 88.1 | 88.8 | 90.0 | 90.1 | 90.7 | 90.9 | 90.9 | 91.3 | 91.5 | 91.9 | 92.1 |
| 30.0 | 80.0 | 84.1 | 85.9 | 88.2 | 88.6 | 89.4 | 90.6 | 90.7 | 91.4 | 91.6 | 91.6 | 92.0 | 92.2 | 92.6 | 92.8 |
| 30.1 | 80.2 | 84.2 | 86.0 | 88.3 | 88.8 | 89.5 | 90.7 | 90.8 | 91.5 | 91.8 | 91.8 | 92.1 | 92.4 | 92.7 | 93.0 |
| 30.1 | 82.2 | 84.3 | 86.1 | 88.4 | 88.9 | 89.6 | 90.8 | 90.9 | 91.6 | 92.0 | 92.0 | 92.4 | 92.6 | 93.0 | 93.2 |
| 30.1 | 82.2 | 84.3 | 86.5 | 88.8 | 89.2 | 90.0 | 91.2 | 91.3 | 92.0 | 92.4 | 92.4 | 92.7 | 93.0 | 93.3 | 93.5 |
| 30.1 | 80.4 | 84.7 | 86.9 | 89.4 | 89.8 | 90.7 | 91.9 | 92.0 | 92.7 | 93.1 | 93.1 | 93.4 | 93.7 | 94.0 | 94.3 |
| 30.1 | 80.4 | 84.8 | 87.0 | 89.6 | 90.2 | 91.0 | 92.2 | 92.7 | 93.4 | 93.8 | 93.8 | 94.3 | 94.5 | 94.9 | 95.1 |
| 30.1 | 80.4 | 84.8 | 87.0 | 89.6 | 90.4 | 91.4 | 92.8 | 93.3 | 94.1 | 94.6 | 94.6 | 95.1 | 95.3 | 95.6 | 95.7 |
| 30.1 | 80.4 | 84.8 | 87.0 | 89.6 | 90.4 | 91.6 | 93.4 | 94.0 | 94.9 | 95.3 | 95.3 | 96.1 | 96.5 | 97.6 | 98.9 |
| 30.1 | 80.4 | 84.8 | 87.0 | 89.6 | 90.4 | 91.6 | 93.4 | 94.0 | 95.0 | 95.6 | 95.6 | 96.3 | 96.5 | 98.3 | 99.9 |
| 30.1 | 80.5 | 84.9 | 87.1 | 89.7 | 90.6 | 91.8 | 93.5 | 94.1 | 95.1 | 95.7 | 95.7 | 96.4 | 96.7 | 98.4 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 277

USAF STATION 14-5 2 A. PREPARED BY: [illegible] DATE: [illegible]

CLIMATE CLIMATOLOGY BRANCH
METEOROLOGICAL SERVICE

CEILING VERSUS VISIBILITY

14-00000 AV AAF/FT LEWIS AA

77-51

42

THE FREQUENCY OF OUR PRESENT
 RESEARCH OBSERVATIONS

0-1110

[illegible]TOTAL NUMBER OF OBSERVATIONS 637

USDA Forest Service, Pacific Southwest Region, San Francisco, California 94117

1

17-31

42

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1000-1400

[illegible]TOTAL NUMBER OF OBSERVATIONS 377

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 101–108

CLIMATE CLIMATOLOGY BRANCH
 METAR
 METEOROLOGICAL SERVICE /MET

CEILING VERSUS VISIBILITY

DAY AFTER LE 10 10 10

12-91

10

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATIONS

10 10 10

| |
|-------|
| 25.4 | 25.9 | 26.7 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 | 29.2 |
| 35.6 |
| 36.1 | 36.1 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 | 36.3 |
| 37.2 |
| 38.9 |
| 41.1 | 41.1 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 |
| 44.6 |
| 48.7 |
| 51.1 |
| 53.9 |
| 59.3 |
| 61.8 |
| 69.5 |
| 77.8 |
| 84.7 |
| 90.6 |
| 95.2 |
| 97.1 |
| 98.4 |
| 99.2 |
| 99.4 |
| 99.5 |
| 99.6 |
| 99.7 |
| 99.8 |
| 99.9 |
| 100.0 |

TOTAL NUMBER OF OBSERVATIONS 317

CEILING VERSUS VISIBILITY

AV AAF/FT LF 13 44

77-1

24

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM FIELD OBSERVATIONS

1. *Chlorophyll a* (Chl *a*)

[illegible]TOTAL NUMBER OF OBSERVATIONS 23

1992

2

CEILING VERSUS VISIBILITY

—

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1

DATE OF OBSERVATION: 277

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112

WORLD CLIMATOLOGICAL ARCHIVE
145
1. MONTHLY SEA LEVEL WIND

CEILING VERSUS VISIBILITY

1. MONTHLY SEA LEVEL WIND

1. MONTHLY

1. MONTHLY

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATION

1. MONTHLY

| | | | | | | | | | | | | | | | |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1.0 | 1.4 | 18.9 | 3.2 | 3.5 | 7.6 | 32.7 | 37.2 | 35.1 | 31.3 | 31.7 | 31.7 | 31.1 | 31.1 | 31.1 | 31.1 |
| 1.1 | 13.4 | 37.1 | 34.2 | 34.6 | 74.7 | 34.3 | 15.1 | 35.1 | 35.1 | 35.1 | 35.1 | 35.1 | 35.1 | 35.1 | 35.1 |
| 1.2 | 13.7 | 38.4 | 34.7 | 37.3 | 70.1 | 35.2 | 35.4 | 35.4 | 35.6 | 35.6 | 35.6 | 35.6 | 35.6 | 35.6 | 35.6 |
| 1.3 | 14.3 | 34.1 | 35.2 | 71.5 | 35.1 | 35.7 | 35.9 | 35.4 | 35.2 | 36.1 | 31.1 | 31.2 | 31.2 | 31.2 | 31.2 |
| 1.4 | 17.6 | 34.6 | 34.7 | 36.5 | 36.8 | 37.1 | 37.7 | 37.2 | 37.2 | 37.3 | 37.4 | 37.4 | 37.4 | 37.4 | 37.4 |
| 1.5 | 17.2 | 37.7 | 34.1 | 34.4 | 3.5 | 39.6 | 38.3 | 38.4 | 38.9 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 |
| 1.6 | 17.8 | 40.4 | 41.7 | 41.2 | 41.3 | 41.4 | 41.5 | 41.5 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 |
| 1.7 | 18.2 | 41.4 | 41.6 | 42.2 | 42.3 | 42.4 | 42.5 | 42.5 | 42.7 | 42.9 | 42.9 | 42.9 | 42.9 | 42.9 | 42.9 |
| 1.8 | 14.3 | 44.3 | 44.7 | 45.3 | 45.7 | 45.2 | 45.7 | 45.1 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 |
| 1.9 | 14.9 | 47.5 | 4.1 | 41.4 | 41.6 | 45.7 | 45.5 | 45.9 | 49.1 | 49.1 | 49.1 | 49.2 | 49.2 | 49.2 | 49.2 |
| 2.0 | 14.7 | 44.7 | 47.4 | 52.8 | 41.5 | 41.1 | 41.2 | 41.3 | 41.3 | 41.4 | 41.4 | 41.4 | 41.4 | 41.4 | 41.4 |
| 2.1 | 14.1 | 54.7 | 54.1 | 55.3 | 55.3 | 56.2 | 56.1 | 56.3 | 56.7 | 56.4 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 |
| 2.2 | 17.2 | 55.1 | 55.5 | 55.5 | 55.5 | 56.2 | 56.7 | 56.4 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 |
| 2.3 | 14.5 | 55.5 | 55.1 | 55.7 | 55.4 | 57.1 | 57.2 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 |
| 2.4 | 11.4 | 72.5 | 73.3 | 74.7 | 74.2 | 74.4 | 74.5 | 74.7 | 74.5 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 |
| 2.5 | 17.1 | 78.7 | 74.3 | 77.1 | 77.3 | 77.4 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 |
| 2.6 | 17.3 | 83.7 | 84.3 | 83.9 | 83.1 | 83.7 | 83.4 | 83.6 | 83.4 | 83.6 | 83.4 | 83.6 | 83.4 | 83.6 | 83.4 |
| 2.7 | 17.3 | 87.7 | 86.8 | 87.8 | 87.1 | 87.4 | 87.6 | 87.5 | 87.1 | 87.1 | 87.1 | 87.1 | 87.1 | 87.1 | 87.1 |
| 2.8 | 16.5 | 87.1 | 87.4 | 87.4 | 87.5 | 87.9 | 87.9 | 87.9 | 87.9 | 87.9 | 87.9 | 87.9 | 87.9 | 87.9 | 87.9 |
| 2.9 | 16.1 | 87.1 | 87.1 | 87.1 | 87.2 | 87.5 | 87.5 | 87.5 | 87.5 | 87.5 | 87.5 | 87.5 | 87.5 | 87.5 | 87.5 |
| 3.0 | 16.3 | 90.7 | 87.5 | 84.8 | 81.1 | 85.4 | 85.7 | 86.1 | 86.1 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 |
| 3.1 | 16.1 | 90.4 | 87.3 | 87.1 | 86.3 | 85.4 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 |
| 3.2 | 16.2 | 90.7 | 87.5 | 87.3 | 87.5 | 86.2 | 86.2 | 86.5 | 86.7 | 86.8 | 86.8 | 86.8 | 86.8 | 86.8 | 86.8 |
| 3.3 | 16.7 | 90.7 | 84.1 | 87.5 | 86.5 | 86.7 | 86.5 | 86.7 | 86.5 | 87.1 | 87.1 | 87.2 | 87.2 | 87.2 | 87.2 |
| 3.4 | 16.2 | 90.7 | 84.1 | 87.6 | 86.9 | 86.4 | 86.7 | 87.0 | 87.1 | 87.7 | 87.7 | 87.7 | 87.7 | 87.7 | 87.7 |
| 3.5 | 16.4 | 91.1 | 84.3 | 87.8 | 86.1 | 86.1 | 87.1 | 87.7 | 87.4 | 87.5 | 87.5 | 87.5 | 87.5 | 87.5 | 87.5 |
| 3.6 | 16.4 | 92.8 | 84.4 | 86.2 | 85.4 | 86.9 | 87.3 | 87.7 | 87.5 | 88.1 | 88.1 | 88.2 | 88.2 | 88.2 | 88.2 |
| 3.7 | 16.4 | 91.9 | 84.4 | 86.1 | 86.5 | 87.1 | 87.6 | 87.9 | 88.1 | 88.4 | 88.4 | 88.6 | 88.6 | 88.6 | 88.6 |
| 3.8 | 16.4 | 91.5 | 84.4 | 86.2 | 86.5 | 87.7 | 87.7 | 88.1 | 88.3 | 88.7 | 88.7 | 88.7 | 88.7 | 88.7 | 88.7 |
| 3.9 | 16.4 | 91.5 | 84.4 | 86.2 | 86.5 | 87.2 | 87.7 | 88.1 | 88.3 | 88.7 | 88.7 | 88.9 | 88.9 | 88.9 | 88.9 |
| 4.0 | 16.4 | 93.7 | 84.5 | 86.2 | 86.5 | 87.2 | 87.7 | 88.1 | 88.4 | 88.7 | 88.7 | 88.9 | 88.9 | 88.9 | 88.9 |

WORLD CLIMATOLOGICAL ARCHIVE

1. MONTHLY

WALLA WALLA CLIMATOLOGY BRANCH
 WAC
 WALLA WALLA, WASHINGTON

CEILING VERSUS VISIBILITY

WALLA WALLA AIRPORT, LEVEL 100

73-31

APR

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATIONS

1945-1949

| | | | | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 24.4 | 24.4 | 31.4 | 31.4 | 31.6 | 31.7 | 31.7 | 31.7 | 31.7 | 31.7 | 31.7 | 31.7 | 31.7 | 31.7 | 31.7 | 31.7 | 31.7 | 31.7 | 31.7 | 31.7 |
| 34.3 | 34.7 | 34.7 | 35.9 | 36.2 | 36.3 | 36.4 | 36.5 | 36.5 | 36.7 | 36.7 | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 |
| 34.7 | 34.7 | 36.0 | 36.0 | 36.3 | 36.4 | 36.5 | 36.7 | 36.7 | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 |
| 34.9 | 34.9 | 36.3 | 36.3 | 36.5 | 36.7 | 36.8 | 36.9 | 36.9 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 |
| 37.2 | 37.2 | 37.5 | 37.5 | 37.8 | 37.9 | 38.0 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 |
| 39.5 | 39.5 | 41.1 | 41.1 | 41.2 | 41.4 | 41.5 | 41.5 | 41.5 | 41.6 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 |
| 42.7 | 42.7 | 44.1 | 44.1 | 44.3 | 44.4 | 44.6 | 44.7 | 44.7 | 44.8 | 44.9 | 44.9 | 44.9 | 44.9 | 44.9 | 44.9 | 44.9 | 44.9 | 44.9 | 44.9 |
| 47.2 | 47.2 | 47.6 | 47.6 | 47.8 | 47.9 | 48.0 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 |
| 48.3 | 48.3 | 48.7 | 48.7 | 48.8 | 48.9 | 49.0 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 |
| 51.2 | 51.2 | 51.6 | 51.6 | 51.7 | 51.8 | 51.9 | 52.0 | 52.0 | 52.1 | 52.1 | 52.1 | 52.1 | 52.1 | 52.1 | 52.1 | 52.1 | 52.1 | 52.1 | 52.1 |
| 52.3 | 52.3 | 52.8 | 52.8 | 53.0 | 53.1 | 53.2 | 53.3 | 53.3 | 53.3 | 53.3 | 53.3 | 53.3 | 53.3 | 53.3 | 53.3 | 53.3 | 53.3 | 53.3 | 53.3 |
| 54.9 | 54.9 | 56.4 | 56.4 | 56.7 | 56.8 | 56.9 | 57.0 | 57.0 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 |
| 57.8 | 57.8 | 58.4 | 58.4 | 58.6 | 58.7 | 58.8 | 58.9 | 59.0 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 |
| 63.1 | 63.1 | 64.4 | 64.4 | 64.7 | 64.8 | 64.9 | 65.0 | 65.1 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 |
| 67.0 | 67.0 | 68.5 | 68.5 | 68.9 | 69.0 | 69.1 | 69.2 | 69.2 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 |
| 71.2 | 71.2 | 72.6 | 72.6 | 73.2 | 73.2 | 73.4 | 73.5 | 73.5 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 |
| 75.6 | 75.6 | 77.1 | 77.1 | 77.9 | 78.0 | 78.1 | 78.2 | 78.2 | 78.3 | 78.3 | 78.3 | 78.3 | 78.3 | 78.3 | 78.3 | 78.3 | 78.3 | 78.3 | 78.3 |
| 81.4 | 81.4 | 82.8 | 82.8 | 83.2 | 83.3 | 83.4 | 83.5 | 83.5 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 |
| 84.7 | 84.7 | 86.1 | 86.1 | 86.5 | 86.6 | 86.7 | 86.8 | 86.8 | 86.9 | 86.9 | 86.9 | 86.9 | 86.9 | 86.9 | 86.9 | 86.9 | 86.9 | 86.9 | 86.9 |
| 87.1 | 87.1 | 88.5 | 88.5 | 88.9 | 89.0 | 89.1 | 89.2 | 89.2 | 89.3 | 89.3 | 89.3 | 89.3 | 89.3 | 89.3 | 89.3 | 89.3 | 89.3 | 89.3 | 89.3 |
| 91.4 | 91.4 | 92.8 | 92.8 | 93.2 | 93.3 | 93.4 | 93.5 | 93.5 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 |
| 94.4 | 94.4 | 95.8 | 95.8 | 96.2 | 96.3 | 96.4 | 96.5 | 96.5 | 96.6 | 96.6 | 96.6 | 96.6 | 96.6 | 96.6 | 96.6 | 96.6 | 96.6 | 96.6 | 96.6 |
| 97.9 | 97.9 | 99.3 | 99.3 | 99.7 | 99.8 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 610

2

72-52

22

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

100-1111

TOTAL NUMBER OF OBSERVATIONS 410

2

72-51

AE:

PER. FIVE-FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1900-1902

[illegible]TOTAL NUMBER OF OBSERVATIONS 81

$\Delta = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$

U.S. NAVAL CLIMATE BRANCH
NAFAC
NAFAC SERVICE / MAC

CEILING VERSUS VISIBILITY

AFAC/FT LEWIS, WA

73-61

ARF

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1948-1950

| | | | | | | | | | | | | | | | | | | | |
|----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 |
| 2 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 |
| 3 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 | 49.1 |
| 4 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 |
| 5 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 |
| 6 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 | 53.5 |
| 7 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 |
| 8 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 | 55.9 |
| 9 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 |
| 10 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 | 61.7 |
| 11 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 | 63.5 |
| 12 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 | 71.4 |
| 13 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 |
| 14 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 |
| 15 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 | 84.7 |
| 16 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 |
| 17 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 |
| 18 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 |
| 19 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 | 97.2 |
| 20 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 |
| 21 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 |
| 22 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 |
| 23 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 |
| 24 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 |
| 25 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 |
| 26 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 |
| 27 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 28 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 29 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 30 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 812

NAFAC/FT LEWIS, WA

٧٣-٤١

423

THEORETICAL FREQUENCY OF OCCURRENCE
FROM DAILY OBSERVATIONS

44-38861-2323

[illegible]TOTAL NUMBER OF OBSERVATIONS 812

526 E. A.

U.S. AIR FORCE
METEOROLOGICAL SERVICE/MAC

CEILING VERSUS VISIBILITY

STATION: DAY AAF/ST LEWIS, MO

73-31

AE

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

ALL

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1.9 | 31.5 | 36.9 | 37.0 | 37.1 | 37.1 | 37.2 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.4 | 37.4 | 37.4 |
| 2.2 | 42.7 | 43.1 | 43.2 | 43.4 | 43.4 | 43.5 | 43.5 | 43.5 | 43.5 | 43.6 | 43.6 | 43.6 | 43.7 | 43.7 | 43.7 |
| 27.3 | 43.3 | 43.7 | 43.8 | 44.0 | 44.0 | 44.1 | 44.1 | 44.2 | 44.2 | 44.2 | 44.2 | 44.3 | 44.3 | 44.4 | 44.4 |
| 27.3 | 43.7 | 44.1 | 44.2 | 44.4 | 44.4 | 44.5 | 44.5 | 44.5 | 44.6 | 44.6 | 44.6 | 44.6 | 44.7 | 44.7 | 44.8 |
| 24.3 | 45.1 | 45.4 | 45.5 | 45.7 | 45.7 | 45.8 | 45.9 | 45.9 | 46.0 | 46.0 | 46.0 | 46.1 | 46.1 | 46.1 | 46.1 |
| 27.5 | 47.1 | 47.5 | 47.7 | 47.8 | 47.8 | 47.9 | 48.0 | 48.0 | 48.1 | 48.1 | 48.1 | 48.2 | 48.2 | 48.2 | 48.2 |
| 24.7 | 49.8 | 51.2 | 51.3 | 51.5 | 51.5 | 51.6 | 51.6 | 51.7 | 51.7 | 51.8 | 51.8 | 51.8 | 51.9 | 51.9 | 51.9 |
| 26.3 | 51.5 | 51.8 | 51.9 | 51.2 | 51.2 | 51.3 | 51.3 | 51.3 | 51.4 | 51.4 | 51.4 | 51.4 | 51.5 | 51.5 | 51.6 |
| 25.0 | 53.4 | 53.8 | 54.1 | 54.2 | 54.3 | 54.4 | 54.4 | 54.4 | 54.5 | 54.5 | 54.5 | 54.5 | 54.6 | 54.6 | 54.6 |
| 26.7 | 55.5 | 56.0 | 56.1 | 56.3 | 56.3 | 56.4 | 56.5 | 56.5 | 56.6 | 56.6 | 56.6 | 56.6 | 56.7 | 56.7 | 56.7 |
| 27.4 | 57.1 | 57.7 | 57.8 | 58.0 | 58.0 | 58.1 | 58.2 | 58.2 | 58.3 | 58.3 | 58.3 | 58.4 | 58.4 | 58.5 | 58.5 |
| 31.3 | 62.7 | 63.3 | 63.5 | 63.8 | 63.8 | 63.9 | 64.0 | 64.0 | 64.1 | 64.1 | 64.1 | 64.2 | 64.2 | 64.2 | 64.2 |
| 32.1 | 65.5 | 66.2 | 66.4 | 66.6 | 66.6 | 66.7 | 66.8 | 66.9 | 67.0 | 67.0 | 67.1 | 67.1 | 67.1 | 67.2 | 67.2 |
| 33.7 | 71.4 | 71.2 | 71.4 | 71.7 | 71.7 | 71.8 | 71.9 | 71.9 | 72.1 | 72.1 | 72.1 | 72.2 | 72.2 | 72.3 | 72.3 |
| 35.2 | 76.2 | 77.1 | 77.4 | 77.7 | 77.7 | 77.9 | 78.0 | 78.0 | 78.1 | 78.2 | 78.2 | 78.3 | 78.3 | 78.3 | 78.3 |
| 37.3 | 82.2 | 83.4 | 83.7 | 84.0 | 84.1 | 84.2 | 84.3 | 84.4 | 84.5 | 84.5 | 84.5 | 84.6 | 84.7 | 84.7 | 84.7 |
| 38.2 | 86.2 | 87.6 | 88.1 | 88.5 | 88.6 | 88.8 | 88.9 | 88.9 | 89.0 | 89.1 | 89.1 | 89.2 | 89.2 | 89.2 | 89.2 |
| 41.1 | 89.7 | 91.3 | 91.9 | 92.4 | 92.5 | 92.7 | 92.8 | 92.8 | 93.0 | 93.0 | 93.0 | 93.1 | 93.1 | 93.2 | 93.2 |
| 41.1 | 92.4 | 93.1 | 93.2 | 93.1 | 93.2 | 93.4 | 93.5 | 93.5 | 93.7 | 93.7 | 93.7 | 93.8 | 93.9 | 93.9 | 93.9 |
| 41.3 | 91.9 | 93.5 | 94.3 | 94.8 | 94.9 | 95.1 | 95.2 | 95.2 | 95.3 | 95.4 | 95.4 | 95.5 | 95.5 | 95.6 | 95.6 |
| 43.7 | 92.6 | 94.4 | 95.1 | 95.7 | 95.8 | 96.0 | 96.2 | 96.2 | 96.3 | 96.4 | 96.4 | 96.5 | 96.5 | 96.5 | 96.5 |
| 47.4 | 92.9 | 94.5 | 95.5 | 96.2 | 96.3 | 96.5 | 96.6 | 96.7 | 96.8 | 96.8 | 96.8 | 96.9 | 97.0 | 97.0 | 97.0 |
| 48.4 | 93.1 | 95.1 | 95.8 | 96.5 | 96.6 | 96.8 | 96.9 | 97.0 | 97.1 | 97.2 | 97.2 | 97.3 | 97.3 | 97.3 | 97.3 |
| 48.4 | 93.3 | 95.7 | 96.1 | 96.8 | 96.9 | 97.1 | 97.3 | 97.3 | 97.5 | 97.5 | 97.5 | 97.6 | 97.6 | 97.7 | 97.7 |
| 48.4 | 93.5 | 95.6 | 96.4 | 97.1 | 97.2 | 97.4 | 97.6 | 97.6 | 97.7 | 97.8 | 97.8 | 97.9 | 97.9 | 98.0 | 98.0 |
| 48.4 | 93.7 | 95.8 | 96.7 | 97.4 | 97.5 | 97.7 | 97.9 | 97.9 | 98.1 | 98.1 | 98.1 | 98.2 | 98.2 | 98.3 | 98.3 |
| 48.4 | 93.8 | 95.9 | 96.8 | 97.6 | 97.7 | 98.0 | 98.2 | 98.3 | 98.4 | 98.4 | 98.4 | 98.5 | 98.5 | 98.6 | 98.6 |
| 48.4 | 93.8 | 96.1 | 96.9 | 97.7 | 97.8 | 98.2 | 98.4 | 98.4 | 98.6 | 98.6 | 98.6 | 98.7 | 98.8 | 98.8 | 98.8 |
| 48.4 | 93.8 | 96.1 | 96.9 | 97.8 | 97.9 | 98.3 | 98.5 | 98.6 | 98.7 | 98.8 | 98.8 | 98.9 | 98.9 | 99.0 | 99.0 |
| 48.4 | 93.8 | 96.1 | 96.9 | 97.9 | 98.0 | 98.4 | 98.7 | 98.8 | 98.9 | 99.0 | 99.0 | 99.2 | 99.3 | 99.5 | 99.5 |
| 48.4 | 93.8 | 96.1 | 96.9 | 97.9 | 98.0 | 98.4 | 98.7 | 98.8 | 99.0 | 99.1 | 99.1 | 99.4 | 99.5 | 99.8 | 99.9 |
| 48.4 | 93.8 | 96.1 | 96.9 | 97.9 | 98.0 | 98.4 | 98.7 | 98.8 | 99.0 | 99.1 | 99.1 | 99.4 | 99.5 | 99.8 | 99.9 |

TOTAL NUMBER OF OBSERVATIONS 5437

USAF FORM 12-1 (10-64) PREVIOUS EDITIONS ARE OBSOLETE

CEILING VERSUS VISIBILITY

2. 2. 2

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

[illegible]TOTAL NUMBER OF OBSERVATIONS 837

CEILING VERSUS VISIBILITY

24 APR 1975

- 2 -

42

STANDARD FREQUENCY OF CLERICAL SIX HOUR OBSERVATIONS

—

[illegible]

1. The first step is to identify the main topic of the document. This is often found in the title or the first paragraph.

—

100

NUMBER OF OBSERVATIONS 12

... ..

—

• • •

[illegible]

100

$$A = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}, \quad B = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}, \quad C = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}.$$


• **•**


AD-A128 112

GRAY AAF/FORT LEWIS WASHINGTON REVISED UNIFORM SUMMARY
OF SURFACE WEATHER..(U) AIR FORCE ENVIRONMENTAL
TECHNICAL APPLICATIONS CENTER SCOTT A.. 14 DEC 82
UNCLASSIFIED USAFETAC/DS-82/062 SBI-AD-E850 362 F/G 4/2

3/5

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
AFS WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

740270 GRAY AAF/FT LEWIS WA

73-81

MAY

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1800-2000

| | | VISIBILITY IN STATUTE MILES | | | | | | | | | | | | | | | |
|------|------|-----------------------------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 2 | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | 30 | 32 |
| 1000 | FEET | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 | 43.6 |
| 900 | FEET | 45.2 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 | 48.7 |
| 800 | FEET | 46.1 | 49.7 | 49.7 | 49.7 | 49.7 | 49.7 | 49.7 | 49.7 | 49.7 | 49.7 | 49.7 | 49.7 | 49.7 | 49.7 | 49.7 | 49.7 |
| 700 | FEET | 46.2 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 |
| 600 | FEET | 46.6 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 |
| 500 | FEET | 47.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 |
| 400 | FEET | 49.2 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 |
| 300 | FEET | 49.8 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 |
| 200 | FEET | 51.7 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 |
| 100 | FEET | 53.5 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 |
| 0 | FEET | 54.8 | 65.6 | 65.6 | 65.6 | 65.6 | 65.6 | 65.6 | 65.6 | 65.6 | 65.6 | 65.6 | 65.6 | 65.6 | 65.6 | 65.6 | 65.6 |
| 0 | FEET | 57.5 | 71.2 | 71.2 | 71.2 | 71.2 | 71.2 | 71.2 | 71.2 | 71.2 | 71.2 | 71.2 | 71.2 | 71.2 | 71.2 | 71.2 | 71.2 |
| 0 | FEET | 59.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 |
| 0 | FEET | 62.4 | 80.8 | 80.8 | 80.8 | 80.8 | 80.8 | 80.8 | 80.8 | 80.8 | 80.8 | 80.8 | 80.8 | 80.8 | 80.8 | 80.8 | 80.8 |
| 0 | FEET | 65.1 | 87.9 | 88.5 | 88.8 | 88.9 | 88.9 | 88.9 | 88.9 | 88.9 | 88.9 | 88.9 | 88.9 | 88.9 | 88.9 | 88.9 | 88.9 |
| 0 | FEET | 66.1 | 92.0 | 93.7 | 93.2 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 |
| 0 | FEET | 67.1 | 94.9 | 95.8 | 96.1 | 96.4 | 96.4 | 96.4 | 96.4 | 96.4 | 96.4 | 96.4 | 96.4 | 96.4 | 96.4 | 96.4 | 96.4 |
| 0 | FEET | 67.5 | 96.4 | 97.5 | 97.7 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 |
| 0 | FEET | 67.5 | 96.5 | 97.6 | 97.8 | 98.2 | 98.2 | 98.2 | 98.2 | 98.2 | 98.2 | 98.2 | 98.2 | 98.2 | 98.2 | 98.2 | 98.2 |
| 0 | FEET | 67.5 | 97.0 | 98.2 | 98.6 | 99.0 | 99.0 | 99.0 | 99.0 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 |
| 0 | FEET | 67.5 | 97.4 | 98.6 | 99.0 | 99.6 | 99.6 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 0 | FEET | 67.5 | 97.4 | 98.6 | 99.0 | 99.8 | 99.8 | 99.8 | 99.8 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 0 | FEET | 67.5 | 97.4 | 98.6 | 99.0 | 99.8 | 99.8 | 99.8 | 99.8 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 0 | FEET | 67.5 | 97.4 | 98.6 | 99.0 | 99.8 | 99.8 | 99.8 | 99.8 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 0 | FEET | 67.5 | 97.4 | 98.6 | 99.0 | 99.9 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 | FEET | 67.5 | 97.4 | 98.6 | 99.0 | 99.9 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 | FEET | 67.5 | 97.4 | 98.6 | 99.0 | 99.9 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 | FEET | 67.5 | 97.4 | 98.6 | 99.0 | 99.9 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 | FEET | 67.5 | 97.4 | 98.6 | 99.0 | 99.9 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 | FEET | 67.5 | 97.4 | 98.6 | 99.0 | 99.9 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 | FEET | 67.5 | 97.4 | 98.6 | 99.0 | 99.9 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 837

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
AF WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

740170 GRAY AAF/FT LEWIS WA

73-81

MAY

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

2120-2320

| | | VISIBILITY IN STATUTE MILES | | | | | | | | | | | | | | | |
|---------|------|-----------------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 1000 | 18.5 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 |
| 900 | 19.8 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 |
| 800 | 20.1 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 |
| 700 | 20.1 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 | 54.7 |
| 600 | 20.1 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 |
| 500 | 20.1 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 | 56.5 |
| 400 | 20.8 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 | 59.0 |
| 300 | 21.0 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 |
| 200 | 22.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 |
| 100 | 23.1 | 67.6 | 67.6 | 67.6 | 67.6 | 67.6 | 67.6 | 67.6 | 67.6 | 67.6 | 67.6 | 67.6 | 67.6 | 67.6 | 67.6 | 67.6 | 67.6 |
| 50 | 23.1 | 69.2 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 |
| 20 | 24.3 | 74.3 | 74.7 | 74.8 | 74.8 | 74.8 | 74.8 | 74.8 | 74.8 | 74.8 | 74.8 | 74.8 | 74.8 | 74.8 | 74.8 | 74.8 | 74.8 |
| 10 | 24.4 | 78.7 | 78.5 | 78.6 | 78.6 | 78.6 | 78.6 | 78.6 | 78.6 | 78.6 | 78.6 | 78.6 | 78.6 | 78.6 | 78.6 | 78.6 | 78.6 |
| 5 | 25.7 | 83.2 | 83.8 | 84.0 | 84.0 | 84.0 | 84.0 | 84.0 | 84.0 | 84.0 | 84.0 | 84.0 | 84.0 | 84.0 | 84.0 | 84.0 | 84.0 |
| 2 | 25.2 | 87.5 | 88.4 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 |
| 1 | 25.3 | 91.5 | 93.1 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 |
| 0.5 | 25.3 | 93.9 | 95.5 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 |
| 0.2 | 25.4 | 95.0 | 96.8 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 |
| 0.1 | 25.4 | 95.3 | 97.1 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 |
| 0.05 | 25.4 | 96.5 | 98.3 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 |
| 0.02 | 25.4 | 97.3 | 99.0 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 |
| 0.01 | 25.4 | 97.6 | 99.5 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 0.005 | 25.4 | 97.6 | 99.5 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 0.002 | 25.4 | 97.6 | 99.5 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0.001 | 25.4 | 97.6 | 99.5 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0.0005 | 25.4 | 97.6 | 99.5 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0.0002 | 25.4 | 97.6 | 99.5 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0.0001 | 25.4 | 97.6 | 99.5 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0.00005 | 25.4 | 97.6 | 99.5 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0.00002 | 25.4 | 97.6 | 99.5 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 0.00001 | 25.4 | 97.6 | 99.5 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 837

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

740070 GPAY AAF/FT LEWIS WA

73-81

MAY

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

ALL

| CEILING | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 |
|---------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 1000 | 26.7 | 38.4 | 38.4 | 38.4 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 |
| 900 | 29.7 | 43.0 | 43.1 | 43.1 | 43.1 | 43.1 | 43.1 | 43.1 | 43.1 | 43.1 | 43.1 | 43.1 | 43.1 | 43.2 | 43.2 | 43.2 | 43.2 |
| 800 | 29.9 | 43.2 | 43.3 | 43.3 | 43.3 | 43.3 | 43.3 | 43.3 | 43.3 | 43.3 | 43.3 | 43.3 | 43.4 | 43.4 | 43.4 | 43.4 | 43.4 |
| 700 | 30.0 | 43.3 | 43.4 | 43.4 | 43.4 | 43.4 | 43.4 | 43.4 | 43.4 | 43.4 | 43.4 | 43.4 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 |
| 600 | 31.7 | 44.3 | 44.4 | 44.4 | 44.4 | 44.4 | 44.4 | 44.4 | 44.4 | 44.4 | 44.4 | 44.4 | 44.5 | 44.5 | 44.5 | 44.5 | 44.5 |
| 500 | 31.6 | 45.6 | 45.7 | 45.7 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 |
| 400 | 33.1 | 48.2 | 48.3 | 48.3 | 48.4 | 48.4 | 48.4 | 48.4 | 48.4 | 48.4 | 48.4 | 48.4 | 48.4 | 48.4 | 48.5 | 48.5 | 48.5 |
| 300 | 33.6 | 48.8 | 49.7 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.1 | 49.1 | 49.1 | 49.1 |
| 200 | 35.5 | 52.3 | 52.5 | 52.5 | 52.5 | 52.5 | 52.5 | 52.5 | 52.5 | 52.5 | 52.5 | 52.5 | 52.6 | 52.6 | 52.6 | 52.6 | 52.6 |
| 100 | 36.4 | 54.3 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.5 | 54.6 | 54.6 | 54.6 | 54.6 | 54.6 |
| 000 | 37.6 | 56.4 | 56.6 | 56.6 | 56.7 | 56.7 | 56.7 | 56.7 | 56.7 | 56.7 | 56.7 | 56.7 | 56.7 | 56.7 | 56.7 | 56.8 | 56.8 |
| 5000 | 40.2 | 61.6 | 61.9 | 61.9 | 62.0 | 62.0 | 62.0 | 62.0 | 62.0 | 62.0 | 62.0 | 62.0 | 62.0 | 62.0 | 62.0 | 62.1 | 62.1 |
| 4000 | 41.5 | 65.0 | 65.3 | 65.3 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 | 65.5 | 65.5 | 65.5 | 65.5 |
| 3000 | 44.7 | 71.5 | 72.0 | 72.1 | 72.1 | 72.1 | 72.2 | 72.2 | 72.2 | 72.2 | 72.2 | 72.2 | 72.2 | 72.3 | 72.3 | 72.3 | 72.3 |
| 2000 | 48.2 | 78.9 | 79.5 | 79.7 | 79.8 | 79.8 | 79.8 | 79.9 | 79.9 | 79.9 | 79.9 | 79.9 | 79.9 | 80.0 | 80.0 | 80.0 | 80.0 |
| 1000 | 50.1 | 84.3 | 85.1 | 85.3 | 85.5 | 85.5 | 85.5 | 85.6 | 85.6 | 85.6 | 85.6 | 85.6 | 85.6 | 85.7 | 85.7 | 85.7 | 85.7 |
| 500 | 51.9 | 89.5 | 90.5 | 90.8 | 90.9 | 91.0 | 91.0 | 91.0 | 91.0 | 91.0 | 91.1 | 91.1 | 91.1 | 91.1 | 91.1 | 91.2 | 91.2 |
| 000 | 53.1 | 92.4 | 93.6 | 93.9 | 94.1 | 94.1 | 94.1 | 94.2 | 94.2 | 94.2 | 94.2 | 94.3 | 94.3 | 94.3 | 94.3 | 94.3 | 94.3 |
| 5000 | 53.2 | 93.1 | 94.3 | 94.5 | 94.8 | 94.8 | 94.8 | 94.9 | 94.9 | 94.9 | 94.9 | 95.0 | 95.0 | 95.0 | 95.0 | 95.0 | 95.0 |
| 4000 | 53.5 | 94.9 | 96.3 | 96.6 | 96.9 | 96.9 | 97.7 | 97.0 | 97.0 | 97.0 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 |
| 3000 | 53.8 | 95.9 | 97.3 | 97.7 | 98.0 | 98.1 | 98.1 | 98.2 | 98.2 | 98.2 | 98.2 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 |
| 2000 | 53.9 | 96.3 | 97.8 | 98.3 | 98.6 | 98.7 | 98.7 | 98.8 | 98.8 | 98.8 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 |
| 1000 | 53.9 | 96.4 | 98.0 | 98.5 | 98.9 | 99.0 | 99.0 | 99.0 | 99.1 | 99.1 | 99.1 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 |
| 500 | 53.9 | 96.6 | 98.1 | 98.6 | 99.1 | 99.2 | 99.2 | 99.3 | 99.3 | 99.3 | 99.3 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 |
| 000 | 53.9 | 96.6 | 98.1 | 98.7 | 99.2 | 99.3 | 99.4 | 99.5 | 99.5 | 99.5 | 99.5 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 |
| 5000 | 53.9 | 96.7 | 98.2 | 98.8 | 99.3 | 99.4 | 99.5 | 99.6 | 99.6 | 99.6 | 99.6 | 99.7 | 99.7 | 99.7 | 99.7 | 99.7 | 99.7 |
| 4000 | 53.9 | 96.7 | 98.2 | 98.8 | 99.3 | 99.5 | 99.6 | 99.7 | 99.7 | 99.7 | 99.7 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 3000 | 53.9 | 96.7 | 98.2 | 98.8 | 99.3 | 99.5 | 99.6 | 99.7 | 99.7 | 99.7 | 99.7 | 99.8 | 99.8 | 99.8 | 99.8 | 99.9 | 99.9 |
| 2000 | 53.9 | 96.7 | 98.2 | 98.8 | 99.3 | 99.5 | 99.6 | 99.7 | 99.7 | 99.7 | 99.8 | 99.8 | 99.8 | 99.9 | 99.9 | 99.9 | 99.9 |
| 1000 | 53.9 | 96.7 | 98.2 | 98.8 | 99.3 | 99.5 | 99.6 | 99.7 | 99.7 | 99.7 | 99.8 | 99.9 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 |
| 000 | 53.9 | 96.7 | 98.2 | 98.8 | 99.3 | 99.5 | 99.6 | 99.7 | 99.7 | 99.7 | 99.8 | 99.9 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 6696

2

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

76070 GRAY AAF/FT LEWIS WA

73-81

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE
(FROM HOURLY OBSERVATIONS)

0000-0200

| | | VISIBILITY - STATUTE MILES | | | | | | | | | | | | | | | |
|---------|------|----------------------------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|
| | | 20 | 26 | 25 | 24 | 23 | 22 | 21 | 20 | 19 | 18 | 17 | 16 | 15 | 14 | 13 | 12 |
| NO. OF | 14.2 | 48.4 | 48.4 | 48.4 | 48.4 | 48.4 | 48.5 | 48.6 | 48.6 | 48.6 | 48.9 | 48.9 | 49.0 | 49.0 | 49.1 | 49.1 | 49.1 |
| 2 10000 | 14.3 | 47.4 | 49.4 | 49.4 | 49.4 | 49.4 | 49.5 | 49.6 | 49.6 | 49.6 | 49.9 | 49.9 | 50.0 | 50.0 | 50.1 | 50.1 | 50.1 |
| 2 18000 | 14.4 | 49.5 | 49.5 | 49.5 | 49.5 | 49.5 | 49.6 | 49.8 | 49.8 | 49.8 | 50.0 | 50.0 | 50.1 | 50.1 | 50.2 | 50.2 | 50.2 |
| 2 16000 | 14.4 | 49.5 | 49.5 | 49.5 | 49.5 | 49.5 | 49.6 | 49.8 | 49.8 | 49.8 | 50.0 | 50.0 | 50.1 | 50.1 | 50.2 | 50.2 | 50.2 |
| 2 14000 | 14.6 | 49.8 | 49.8 | 49.8 | 49.8 | 49.8 | 49.9 | 50.0 | 50.0 | 50.0 | 50.2 | 50.2 | 50.4 | 50.4 | 50.5 | 50.5 | 50.5 |
| 2 12000 | 14.8 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.1 | 51.2 | 51.2 | 51.2 | 51.5 | 51.5 | 51.6 | 51.6 | 51.7 | 51.7 | 51.7 |
| 2 10000 | 15.2 | 52.3 | 52.3 | 52.6 | 52.6 | 52.6 | 52.7 | 52.8 | 52.8 | 52.8 | 53.1 | 53.1 | 53.2 | 53.2 | 53.3 | 53.3 | 53.3 |
| 2 9000 | 15.2 | 52.3 | 52.3 | 52.6 | 52.6 | 52.6 | 52.7 | 52.8 | 52.8 | 52.8 | 53.1 | 53.1 | 53.2 | 53.2 | 53.3 | 53.3 | 53.3 |
| 2 8000 | 15.9 | 54.4 | 54.4 | 54.7 | 54.7 | 54.7 | 54.8 | 54.9 | 54.9 | 54.9 | 55.2 | 55.2 | 55.3 | 55.3 | 55.4 | 55.4 | 55.4 |
| 2 7000 | 16.4 | 55.7 | 55.7 | 55.9 | 55.9 | 55.9 | 56.0 | 56.2 | 56.2 | 56.2 | 56.4 | 56.4 | 56.5 | 56.5 | 56.7 | 56.7 | 56.7 |
| 2 6000 | 16.7 | 56.7 | 56.8 | 57.0 | 57.0 | 57.0 | 57.2 | 57.3 | 57.3 | 57.3 | 57.5 | 57.5 | 57.7 | 57.7 | 57.8 | 57.8 | 57.8 |
| 2 5000 | 17.3 | 62.0 | 62.1 | 62.3 | 62.3 | 62.3 | 62.5 | 62.6 | 62.6 | 62.6 | 62.8 | 62.8 | 63.0 | 63.0 | 63.1 | 63.1 | 63.1 |
| 2 4500 | 17.2 | 65.9 | 66.3 | 66.3 | 66.3 | 66.3 | 66.4 | 66.5 | 66.5 | 66.5 | 66.8 | 66.8 | 66.9 | 66.9 | 67.0 | 67.0 | 67.0 |
| 2 4000 | 17.5 | 73.1 | 73.3 | 73.6 | 73.6 | 73.6 | 73.7 | 73.8 | 73.8 | 73.8 | 74.1 | 74.1 | 74.2 | 74.2 | 74.3 | 74.3 | 74.3 |
| 2 3500 | 17.9 | 78.1 | 78.4 | 78.6 | 78.6 | 78.6 | 78.8 | 78.9 | 78.9 | 78.9 | 79.1 | 79.1 | 79.3 | 79.3 | 79.4 | 79.4 | 79.4 |
| 2 3000 | 18.0 | 81.4 | 81.6 | 81.9 | 82.0 | 82.0 | 82.1 | 82.2 | 82.2 | 82.2 | 82.5 | 82.5 | 82.6 | 82.6 | 82.7 | 82.7 | 82.7 |
| 2 2500 | 18.1 | 86.8 | 87.2 | 87.4 | 87.7 | 87.7 | 87.8 | 87.9 | 87.9 | 87.9 | 88.1 | 88.1 | 88.3 | 88.3 | 88.4 | 88.4 | 88.4 |
| 2 2000 | 18.4 | 91.0 | 91.4 | 91.6 | 92.1 | 92.1 | 92.2 | 92.3 | 92.3 | 92.3 | 92.6 | 92.6 | 92.7 | 92.7 | 92.8 | 92.8 | 92.8 |
| 2 1800 | 18.5 | 92.2 | 92.6 | 92.8 | 93.3 | 93.3 | 93.5 | 93.6 | 93.6 | 93.6 | 93.8 | 93.8 | 94.0 | 94.0 | 94.1 | 94.1 | 94.1 |
| 2 1500 | 18.5 | 94.6 | 94.9 | 95.3 | 95.9 | 95.9 | 96.0 | 96.2 | 96.2 | 96.2 | 96.4 | 96.4 | 96.5 | 96.5 | 96.7 | 96.7 | 96.7 |
| 2 1200 | 18.5 | 95.3 | 95.7 | 96.0 | 96.7 | 96.8 | 96.9 | 97.0 | 97.0 | 97.0 | 97.3 | 97.3 | 97.4 | 97.4 | 97.5 | 97.5 | 97.5 |
| 2 1000 | 18.5 | 96.4 | 96.8 | 97.2 | 97.9 | 98.0 | 98.1 | 98.3 | 98.3 | 98.3 | 98.5 | 98.5 | 98.6 | 98.6 | 98.8 | 98.8 | 98.8 |
| 2 900 | 18.5 | 96.8 | 97.2 | 97.5 | 98.4 | 98.5 | 98.6 | 98.8 | 98.8 | 98.8 | 99.0 | 99.0 | 99.1 | 99.1 | 99.3 | 99.3 | 99.3 |
| 2 800 | 18.5 | 96.8 | 97.2 | 97.5 | 98.4 | 98.5 | 98.6 | 98.8 | 98.8 | 98.8 | 99.0 | 99.0 | 99.1 | 99.1 | 99.3 | 99.3 | 99.3 |
| 2 700 | 18.5 | 96.8 | 97.2 | 97.5 | 98.4 | 98.5 | 98.6 | 98.8 | 98.8 | 98.8 | 99.0 | 99.0 | 99.1 | 99.1 | 99.3 | 99.3 | 99.3 |
| 2 600 | 18.5 | 96.9 | 97.3 | 97.7 | 98.5 | 98.6 | 98.8 | 98.9 | 98.9 | 98.9 | 99.1 | 99.1 | 99.3 | 99.3 | 99.4 | 99.4 | 99.4 |
| 2 500 | 18.5 | 96.9 | 97.3 | 97.7 | 98.5 | 98.6 | 98.9 | 99.1 | 99.1 | 99.1 | 99.4 | 99.4 | 99.5 | 99.5 | 99.6 | 99.6 | 99.6 |
| 2 400 | 18.6 | 97.0 | 97.4 | 97.8 | 98.6 | 98.8 | 99.3 | 99.5 | 99.5 | 99.5 | 99.8 | 99.8 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 |
| 2 300 | 18.6 | 97.0 | 97.4 | 97.8 | 98.6 | 98.8 | 99.3 | 99.5 | 99.5 | 99.5 | 99.8 | 99.8 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 |
| 2 200 | 18.6 | 97.0 | 97.4 | 97.8 | 98.6 | 98.8 | 99.3 | 99.5 | 99.5 | 99.5 | 99.8 | 99.8 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 |
| 2 100 | 18.6 | 97.0 | 97.4 | 97.8 | 98.6 | 98.8 | 99.3 | 99.5 | 99.5 | 99.5 | 99.8 | 99.8 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 |
| 2 00 | 18.6 | 97.0 | 97.4 | 97.8 | 98.6 | 98.8 | 99.3 | 99.5 | 99.5 | 99.5 | 99.8 | 99.8 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 810

USAF ETAC 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

740070 GPAY AAF/FT LEWIS WA

73-81

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

0300-2500

| | | VISIBILITY - STATUTE MILES | | | | | | | | | | | | | | | |
|----|---------|----------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 1 | 1000 | 23.2 | 37.5 | 37.8 | 37.9 | 37.9 | 37.9 | 38.0 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 | 38.1 | 38.3 |
| 2 | 900 | 25.1 | 39.9 | 40.1 | 40.2 | 40.2 | 40.2 | 40.4 | 40.5 | 40.5 | 40.5 | 40.5 | 40.5 | 40.5 | 40.5 | 40.5 | 40.6 |
| 3 | 800 | 25.2 | 40.0 | 40.2 | 40.4 | 40.4 | 40.4 | 40.5 | 40.6 | 40.6 | 40.6 | 40.6 | 40.6 | 40.6 | 40.6 | 40.6 | 40.7 |
| 4 | 700 | 25.4 | 40.2 | 40.5 | 40.6 | 40.6 | 40.6 | 40.7 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 41.0 |
| 5 | 600 | 25.9 | 41.1 | 41.4 | 41.5 | 41.5 | 41.5 | 41.6 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.9 |
| 6 | 500 | 26.4 | 42.3 | 42.6 | 42.7 | 42.7 | 42.7 | 42.8 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.1 |
| 7 | 400 | 26.4 | 42.3 | 42.6 | 42.7 | 42.7 | 42.7 | 42.8 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.1 |
| 8 | 300 | 27.4 | 45.3 | 45.6 | 45.7 | 45.7 | 45.7 | 45.8 | 45.9 | 45.9 | 45.9 | 45.9 | 45.9 | 45.9 | 45.9 | 45.9 | 46.0 |
| 9 | 200 | 28.3 | 47.2 | 47.4 | 47.5 | 47.5 | 47.5 | 47.7 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.9 |
| 10 | 100 | 28.6 | 48.9 | 49.1 | 49.3 | 49.3 | 49.3 | 49.4 | 49.5 | 49.5 | 49.5 | 49.5 | 49.5 | 49.5 | 49.5 | 49.5 | 49.6 |
| 11 | 50 | 30.6 | 53.7 | 54.1 | 54.1 | 54.1 | 54.1 | 54.2 | 54.3 | 54.3 | 54.3 | 54.3 | 54.3 | 54.3 | 54.3 | 54.3 | 54.4 |
| 12 | 20 | 31.9 | 57.2 | 57.5 | 57.7 | 57.7 | 57.7 | 57.8 | 57.9 | 57.9 | 57.9 | 57.9 | 57.9 | 57.9 | 57.9 | 57.9 | 58.0 |
| 13 | 10 | 33.5 | 62.7 | 63.5 | 63.6 | 63.6 | 63.6 | 63.7 | 63.8 | 63.8 | 63.8 | 63.8 | 63.8 | 63.8 | 63.8 | 63.8 | 64.0 |
| 14 | 5 | 35.6 | 68.9 | 69.8 | 69.9 | 70.0 | 70.0 | 70.1 | 70.2 | 70.2 | 70.2 | 70.2 | 70.2 | 70.2 | 70.2 | 70.2 | 70.4 |
| 15 | 2 | 36.2 | 73.8 | 74.9 | 75.1 | 75.2 | 75.2 | 75.3 | 75.4 | 75.4 | 75.4 | 75.4 | 75.4 | 75.4 | 75.4 | 75.4 | 75.6 |
| 16 | 1 | 36.8 | 78.3 | 79.4 | 79.5 | 79.8 | 79.8 | 79.9 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 | 80.1 |
| 17 | 0.5 | 38.0 | 85.2 | 86.3 | 86.4 | 86.7 | 86.8 | 86.9 | 87.0 | 87.0 | 87.0 | 87.0 | 87.0 | 87.0 | 87.2 | 87.2 | 87.3 |
| 18 | 0.2 | 38.1 | 86.5 | 87.8 | 87.9 | 88.1 | 88.3 | 88.4 | 88.5 | 88.5 | 88.5 | 88.5 | 88.5 | 88.5 | 88.6 | 88.6 | 88.8 |
| 19 | 0.1 | 38.5 | 88.5 | 89.9 | 90.0 | 90.4 | 90.5 | 90.6 | 90.7 | 90.7 | 90.7 | 90.7 | 90.7 | 90.7 | 90.9 | 90.9 | 91.2 |
| 20 | 0.05 | 38.6 | 91.1 | 92.5 | 92.6 | 93.0 | 93.1 | 93.3 | 93.5 | 93.5 | 93.5 | 93.5 | 93.5 | 93.5 | 93.6 | 93.6 | 93.7 |
| 21 | 0.02 | 38.6 | 92.8 | 94.2 | 94.3 | 94.7 | 94.8 | 95.1 | 95.2 | 95.2 | 95.2 | 95.2 | 95.2 | 95.2 | 95.3 | 95.3 | 95.4 |
| 22 | 0.01 | 38.6 | 93.2 | 94.6 | 94.7 | 95.1 | 95.2 | 95.4 | 95.6 | 95.6 | 95.6 | 95.6 | 95.6 | 95.6 | 95.7 | 95.7 | 95.8 |
| 23 | 0.005 | 38.6 | 94.0 | 95.3 | 95.4 | 96.0 | 96.2 | 96.4 | 96.5 | 96.5 | 96.7 | 96.7 | 96.7 | 96.8 | 96.8 | 96.9 | 96.9 |
| 24 | 0.002 | 38.6 | 94.1 | 95.4 | 95.6 | 96.2 | 96.3 | 96.5 | 96.8 | 96.8 | 96.9 | 96.9 | 96.9 | 97.0 | 97.0 | 97.2 | 97.2 |
| 25 | 0.001 | 38.6 | 94.3 | 95.9 | 96.0 | 96.7 | 96.8 | 97.0 | 97.4 | 97.4 | 97.5 | 97.7 | 97.7 | 97.8 | 97.8 | 98.0 | 98.0 |
| 26 | 0.0005 | 38.6 | 94.6 | 96.2 | 96.3 | 96.9 | 97.0 | 97.5 | 97.9 | 97.9 | 98.0 | 98.3 | 98.3 | 98.4 | 98.4 | 98.6 | 98.6 |
| 27 | 0.0002 | 38.6 | 94.8 | 96.4 | 96.5 | 97.2 | 97.4 | 98.4 | 98.8 | 98.8 | 98.9 | 99.1 | 99.1 | 99.3 | 99.3 | 99.5 | 99.5 |
| 28 | 0.0001 | 38.6 | 94.8 | 96.4 | 96.5 | 97.2 | 97.4 | 98.5 | 98.9 | 98.9 | 99.1 | 99.4 | 99.4 | 99.5 | 99.5 | 99.8 | 99.8 |
| 29 | 0.00005 | 38.6 | 94.9 | 96.5 | 96.7 | 97.3 | 97.5 | 98.6 | 99.0 | 99.0 | 99.3 | 99.6 | 99.6 | 99.8 | 99.8 | 100.0 | 100.0 |
| 30 | 0.00002 | 38.6 | 94.9 | 96.5 | 96.7 | 97.3 | 97.5 | 98.6 | 99.0 | 99.0 | 99.3 | 99.6 | 99.6 | 99.8 | 99.8 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 810

2

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

710770 GRAY AAF/FT LEWIS WA

73-81

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

0600-2600

| | | VISIBILITY - STATUTE MILES | | | | | | | | | | | | | | | |
|----|------|----------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 |
| 1 | 1000 | 30.6 | 32.6 | 33.7 | 33.2 | 33.2 | 33.2 | 33.2 | 33.2 | 33.2 | 33.2 | 33.2 | 33.2 | 33.2 | 33.2 | 33.2 | 33.2 |
| 2 | 900 | 34.9 | 36.9 | 37.3 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 |
| 3 | 800 | 34.8 | 36.9 | 37.3 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 |
| 4 | 700 | 34.3 | 36.9 | 37.3 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 |
| 5 | 600 | 35.6 | 37.8 | 38.1 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 |
| 6 | 500 | 36.7 | 38.9 | 39.3 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 |
| 7 | 400 | 38.4 | 40.7 | 41.1 | 41.4 | 41.4 | 41.4 | 41.4 | 41.4 | 41.4 | 41.4 | 41.4 | 41.4 | 41.4 | 41.4 | 41.4 | 41.4 |
| 8 | 300 | 38.5 | 41.0 | 41.4 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 |
| 9 | 200 | 40.0 | 43.1 | 43.5 | 43.7 | 43.7 | 43.7 | 43.7 | 43.7 | 43.7 | 43.7 | 43.7 | 43.7 | 43.7 | 43.7 | 43.7 | 43.7 |
| 10 | 100 | 41.7 | 45.2 | 45.6 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 |
| 11 | 50 | 42.5 | 46.2 | 46.5 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.9 |
| 12 | 25 | 45.6 | 50.1 | 50.5 | 50.7 | 50.7 | 50.7 | 50.7 | 50.7 | 50.7 | 50.7 | 50.7 | 50.7 | 50.7 | 50.7 | 50.7 | 50.7 |
| 13 | 10 | 46.8 | 52.5 | 52.8 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 |
| 14 | 5 | 51.2 | 58.9 | 59.3 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 | 59.5 |
| 15 | 2 | 54.2 | 63.3 | 63.8 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 |
| 16 | 1 | 55.7 | 66.4 | 66.9 | 67.4 | 67.5 | 67.5 | 67.5 | 67.5 | 67.5 | 67.5 | 67.5 | 67.5 | 67.5 | 67.5 | 67.5 | 67.5 |
| 17 | 0 | 58.0 | 72.3 | 73.7 | 73.6 | 74.0 | 74.0 | 74.2 | 74.2 | 74.2 | 74.2 | 74.2 | 74.2 | 74.2 | 74.2 | 74.2 | 74.2 |
| 18 | 0 | 62.3 | 79.3 | 80.1 | 80.7 | 81.4 | 81.5 | 81.7 | 81.7 | 81.7 | 81.7 | 81.7 | 81.7 | 81.7 | 81.7 | 81.7 | 81.7 |
| 19 | 0 | 63.0 | 80.4 | 81.4 | 82.0 | 82.6 | 82.7 | 83.0 | 83.0 | 83.0 | 83.0 | 83.0 | 83.0 | 83.0 | 83.0 | 83.0 | 83.0 |
| 20 | 0 | 64.3 | 84.9 | 86.0 | 86.7 | 87.3 | 87.4 | 87.7 | 87.7 | 87.7 | 87.8 | 87.8 | 87.8 | 87.8 | 87.8 | 87.8 | 87.8 |
| 21 | 0 | 64.8 | 87.3 | 88.5 | 89.1 | 89.8 | 89.9 | 90.2 | 90.4 | 90.4 | 90.5 | 90.5 | 90.5 | 90.5 | 90.5 | 90.5 | 90.5 |
| 22 | 0 | 65.3 | 89.1 | 90.4 | 91.1 | 91.7 | 91.9 | 92.2 | 92.3 | 92.3 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 |
| 23 | 0 | 65.3 | 89.9 | 91.1 | 91.9 | 92.5 | 92.6 | 93.0 | 93.1 | 93.1 | 93.2 | 93.2 | 93.2 | 93.2 | 93.2 | 93.2 | 93.2 |
| 24 | 0 | 65.3 | 90.9 | 92.1 | 92.8 | 93.5 | 93.6 | 94.0 | 94.1 | 94.1 | 94.2 | 94.2 | 94.2 | 94.2 | 94.2 | 94.2 | 94.2 |
| 25 | 0 | 65.3 | 91.2 | 92.7 | 93.5 | 94.1 | 94.2 | 94.6 | 94.7 | 94.7 | 94.8 | 94.8 | 94.8 | 94.8 | 94.8 | 94.8 | 94.8 |
| 26 | 0 | 65.4 | 91.7 | 93.5 | 94.3 | 95.3 | 95.4 | 96.0 | 96.3 | 96.3 | 96.4 | 96.4 | 96.4 | 96.4 | 96.4 | 96.4 | 96.4 |
| 27 | 0 | 65.4 | 91.7 | 93.5 | 94.3 | 95.3 | 95.4 | 96.3 | 96.5 | 96.5 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 |
| 28 | 0 | 65.4 | 91.7 | 94.0 | 94.9 | 95.9 | 96.0 | 97.7 | 98.0 | 98.0 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 |
| 29 | 0 | 65.4 | 91.7 | 94.0 | 94.9 | 96.2 | 96.3 | 97.9 | 98.5 | 98.6 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 |
| 30 | 0 | 65.4 | 91.7 | 94.0 | 94.9 | 96.3 | 96.4 | 98.0 | 98.6 | 98.9 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 |
| 31 | 0 | 65.4 | 91.7 | 94.0 | 94.9 | 96.3 | 96.4 | 98.0 | 98.6 | 98.9 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 |

TOTAL NUMBER OF OBSERVATIONS 810

USAF ETAC 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
AFS WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

740070 GRAY AAF/FT LEWIS WA

73-81

JUL

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

0900-1100

| USAF ETAC FORM 10-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE | | | | | | | | | | | | | | | | |
|---|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| CEILING
FEET | 20 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 |
| 0-100 | 20.8 | 37.4 | 37.7 | 30.7 | 30.7 | 30.7 | 30.7 | 30.7 | 30.7 | 30.7 | 30.7 | 30.7 | 30.7 | 30.7 | 30.7 | 30.7 |
| 100-150 | 32.7 | 33.6 | 34.1 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 |
| 150-200 | 33.1 | 33.8 | 34.2 | 34.2 | 34.2 | 34.2 | 34.2 | 34.2 | 34.2 | 34.2 | 34.2 | 34.2 | 34.2 | 34.2 | 34.2 | 34.2 |
| 200-250 | 33.2 | 34.1 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 |
| 250-300 | 34.3 | 35.4 | 35.8 | 35.8 | 35.8 | 35.8 | 35.8 | 35.8 | 35.8 | 35.8 | 35.8 | 35.8 | 35.8 | 35.8 | 35.8 | 35.8 |
| 300-350 | 35.9 | 36.9 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 |
| 350-400 | 36.9 | 38.0 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 | 38.4 |
| 400-450 | 37.9 | 38.9 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 |
| 450-500 | 39.0 | 40.7 | 41.1 | 41.1 | 41.1 | 41.1 | 41.1 | 41.1 | 41.1 | 41.1 | 41.1 | 41.1 | 41.1 | 41.1 | 41.1 | 41.1 |
| 500-550 | 39.5 | 41.4 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 |
| 550-600 | 40.9 | 42.8 | 43.2 | 43.2 | 43.2 | 43.2 | 43.2 | 43.2 | 43.2 | 43.2 | 43.2 | 43.2 | 43.2 | 43.2 | 43.2 | 43.2 |
| 600-650 | 43.8 | 46.3 | 46.7 | 46.7 | 46.7 | 46.7 | 46.7 | 46.7 | 46.7 | 46.7 | 46.7 | 46.7 | 46.7 | 46.7 | 46.7 | 46.7 |
| 650-700 | 45.6 | 48.9 | 49.3 | 49.3 | 49.3 | 49.3 | 49.3 | 49.3 | 49.3 | 49.3 | 49.3 | 49.3 | 49.3 | 49.3 | 49.3 | 49.3 |
| 700-750 | 49.1 | 53.8 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 |
| 750-800 | 54.4 | 60.1 | 60.7 | 61.0 | 61.0 | 61.0 | 61.0 | 61.0 | 61.0 | 61.0 | 61.0 | 61.0 | 61.0 | 61.0 | 61.0 | 61.0 |
| 800-850 | 58.6 | 65.7 | 66.3 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 | 66.5 |
| 850-900 | 65.3 | 75.1 | 75.8 | 76.0 | 76.2 | 76.2 | 76.2 | 76.2 | 76.2 | 76.2 | 76.2 | 76.2 | 76.2 | 76.2 | 76.2 | 76.2 |
| 900-950 | 69.5 | 82.2 | 83.3 | 83.7 | 84.0 | 84.3 | 84.3 | 84.3 | 84.3 | 84.3 | 84.3 | 84.3 | 84.3 | 84.3 | 84.3 | 84.3 |
| 950-1000 | 70.4 | 84.1 | 85.2 | 85.6 | 85.8 | 86.2 | 86.2 | 86.2 | 86.2 | 86.2 | 86.2 | 86.2 | 86.2 | 86.2 | 86.2 | 86.2 |
| 1000-1100 | 73.5 | 90.2 | 91.5 | 92.0 | 92.2 | 92.6 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 |
| 1100-1200 | 74.1 | 92.1 | 93.3 | 93.8 | 94.1 | 94.4 | 94.6 | 94.6 | 94.6 | 94.6 | 94.6 | 94.6 | 94.6 | 94.6 | 94.6 | 94.6 |
| 1200-1300 | 74.3 | 93.6 | 95.1 | 95.6 | 96.0 | 96.5 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 |
| 1300-1400 | 74.3 | 94.3 | 95.8 | 96.3 | 96.8 | 97.3 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 |
| 1400-1500 | 74.3 | 94.4 | 96.1 | 96.5 | 97.0 | 97.5 | 97.8 | 97.8 | 97.8 | 97.8 | 97.8 | 97.8 | 97.8 | 97.8 | 97.8 | 97.8 |
| 1500-1600 | 74.3 | 94.6 | 96.5 | 97.2 | 97.7 | 98.1 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 |
| 1600-1700 | 74.3 | 94.8 | 96.9 | 97.7 | 98.4 | 99.0 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 |
| 1700-1800 | 74.3 | 94.8 | 96.9 | 97.7 | 98.6 | 99.3 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 1800-1900 | 74.3 | 94.8 | 96.9 | 97.7 | 98.6 | 99.3 | 99.8 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 1900-2000 | 74.3 | 94.9 | 97.0 | 97.8 | 98.8 | 99.4 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 2000-2100 | 74.3 | 94.9 | 97.0 | 97.8 | 98.8 | 99.4 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 2100-2200 | 74.3 | 94.9 | 97.0 | 97.8 | 98.8 | 99.4 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 810

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
ATMOSPHERIC SERVICE/MAC

CEILING VERSUS VISIBILITY

140070 GRAY AAF/FT LEWIS #A

73-81

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1200-1400

| VISIBILITY (STATUTE MILES) | | | | | | | | | | | | | | | | |
|----------------------------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 32.5 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 | 34.0 |
| 40.1 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 |
| 40.7 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 |
| 40.9 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 |
| 41.5 | 43.8 | 43.8 | 43.8 | 43.8 | 43.8 | 43.8 | 43.8 | 43.8 | 43.8 | 43.8 | 43.8 | 43.8 | 43.8 | 43.8 | 43.8 | 43.8 |
| 42.7 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 |
| 44.4 | 46.9 | 46.9 | 46.9 | 46.9 | 46.9 | 46.9 | 46.9 | 46.9 | 46.9 | 46.9 | 46.9 | 46.9 | 46.9 | 46.9 | 46.9 | 46.9 |
| 45.3 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 | 47.8 |
| 47.7 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 | 50.5 |
| 49.1 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 |
| 49.6 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 | 53.1 |
| 53.6 | 58.3 | 58.4 | 58.4 | 58.4 | 58.4 | 58.4 | 58.4 | 58.4 | 58.4 | 58.4 | 58.4 | 58.4 | 58.4 | 58.4 | 58.4 | 58.4 |
| 54.3 | 60.1 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 |
| 59.8 | 64.9 | 65.2 | 65.3 | 65.3 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 | 65.4 |
| 66.8 | 74.0 | 74.2 | 74.4 | 74.6 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 |
| 71.7 | 80.9 | 81.1 | 81.4 | 81.5 | 81.6 | 81.6 | 81.7 | 81.7 | 81.7 | 81.7 | 81.7 | 81.7 | 81.7 | 81.7 | 81.7 | 81.7 |
| 75.2 | 87.4 | 87.7 | 87.9 | 88.1 | 88.3 | 88.3 | 88.4 | 88.4 | 88.4 | 88.4 | 88.4 | 88.4 | 88.4 | 88.4 | 88.4 | 88.4 |
| 77.2 | 91.7 | 92.1 | 92.3 | 92.7 | 93.0 | 93.0 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 |
| 78.3 | 93.2 | 93.8 | 94.1 | 94.4 | 94.7 | 94.7 | 94.8 | 94.8 | 94.8 | 94.8 | 94.8 | 94.8 | 94.8 | 94.8 | 94.8 | 94.8 |
| 79.1 | 95.7 | 96.4 | 96.7 | 97.0 | 97.3 | 97.3 | 97.4 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 |
| 79.3 | 96.9 | 97.9 | 98.1 | 98.6 | 98.9 | 99.0 | 99.1 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 |
| 79.3 | 96.9 | 97.9 | 98.1 | 98.6 | 98.9 | 99.1 | 99.3 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 |
| 79.3 | 96.9 | 97.9 | 98.1 | 98.6 | 98.9 | 99.1 | 99.3 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 |
| 79.3 | 97.0 | 98.0 | 98.3 | 98.8 | 99.0 | 99.3 | 99.4 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 |
| 79.3 | 97.4 | 98.4 | 98.6 | 99.3 | 99.5 | 99.8 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 79.3 | 97.4 | 98.4 | 98.6 | 99.3 | 99.5 | 99.8 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 79.3 | 97.4 | 98.4 | 98.6 | 99.3 | 99.5 | 99.8 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 79.3 | 97.4 | 98.4 | 98.6 | 99.3 | 99.5 | 99.8 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 79.3 | 97.4 | 98.4 | 98.6 | 99.3 | 99.5 | 99.8 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 79.3 | 97.4 | 98.4 | 98.6 | 99.3 | 99.5 | 99.8 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 79.3 | 97.4 | 98.4 | 98.6 | 99.3 | 99.5 | 99.8 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 810

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

71-75 DEAF AAF/FT. LEWIS, A

71-81

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1500-1700

| | | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 39.3 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 | 39.5 |
| 45.2 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 | 47.3 |
| 45.3 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 | 47.9 |
| 45.9 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 | 48.0 |
| 46.9 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 |
| 48.8 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 | 51.0 |
| 50.5 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 |
| 51.5 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 | 53.7 |
| 53.6 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 |
| 56.3 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 | 59.1 |
| 57.8 | 61.6 | 61.9 | 61.9 | 61.9 | 61.9 | 61.9 | 61.9 | 61.9 | 61.9 | 61.9 | 61.9 | 61.9 | 61.9 | 61.9 | 61.9 | 61.9 | 61.9 |
| 62.8 | 67.9 | 69.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 |
| 64.2 | 69.5 | 69.8 | 69.8 | 69.8 | 69.8 | 69.8 | 69.8 | 69.8 | 69.8 | 69.8 | 69.8 | 69.8 | 69.8 | 69.8 | 69.8 | 69.8 | 69.8 |
| 68.3 | 74.3 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 | 74.6 |
| 74.7 | 83.5 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 |
| 78.1 | 89.6 | 90.0 | 90.0 | 90.0 | 90.0 | 90.0 | 90.0 | 90.0 | 90.0 | 90.0 | 90.0 | 90.0 | 90.0 | 90.0 | 90.0 | 90.0 | 90.0 |
| 79.4 | 93.6 | 94.0 | 94.0 | 94.1 | 94.1 | 94.1 | 94.1 | 94.1 | 94.1 | 94.1 | 94.1 | 94.1 | 94.1 | 94.1 | 94.1 | 94.1 | 94.1 |
| 80.1 | 95.8 | 96.4 | 96.4 | 96.5 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 | 96.7 |
| 82.5 | 96.4 | 97.0 | 97.0 | 97.3 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 |
| 87.7 | 97.4 | 98.1 | 98.3 | 98.5 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 |
| 87.7 | 97.5 | 98.4 | 98.5 | 98.9 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 |
| 87.7 | 97.5 | 98.4 | 98.5 | 99.0 | 99.1 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 |
| 87.7 | 97.5 | 98.4 | 98.5 | 99.0 | 99.1 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 |
| 87.7 | 97.5 | 98.4 | 98.5 | 99.1 | 99.3 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 |
| 87.7 | 97.5 | 98.4 | 98.6 | 99.3 | 99.4 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 87.7 | 97.5 | 98.4 | 98.6 | 99.3 | 99.4 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 87.7 | 97.5 | 98.4 | 98.6 | 99.3 | 99.4 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 87.7 | 97.5 | 98.4 | 98.6 | 99.3 | 99.4 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 87.7 | 97.5 | 98.4 | 98.6 | 99.3 | 99.4 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 87.7 | 97.5 | 98.4 | 98.6 | 99.3 | 99.4 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 810

U.S. NATIONAL CLIMATOLOGY BRANCH
WFO/TAC
FEDERAL WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

DAY AAF/FT LENTS NA

73-81

444

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

44-38861-22222

TOTAL NUMBER OF OBSERVATIONS 810

54: f' 2

AIR AND CLIMATOLOGY BRANCH
 METAC
 AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

DAY CAFE/FT LEWIS

73-61

•

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

ALL

TOTAL NUMBER OF OBSERVATIONS 6480

CEILING VERSUS VISIBILITY

77 GRAY AAF/FT LEWIS WA

73-61

444

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1000-1210

TOTAL NUMBER OF OBSERVATIONS 837

GENERAL CLIMATOLOGY BRANCH
AFETAC
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

PRAY AAF/FT LEWIS WA

73-81

JUL

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

720-0500

| | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 24.4 | 43.6 | 49.6 | 49.6 | 49.7 | 49.7 | 49.8 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 49.9 | 50.1 | 50.1 |
| 49.1 | 50.4 | 51.5 | 51.5 | 51.6 | 51.6 | 51.7 | 51.9 | 51.9 | 51.9 | 51.9 | 51.9 | 51.9 | 51.9 | 51.9 | 52.2 | 52.2 |
| 50.7 | 51.7 | 51.7 | 51.9 | 51.9 | 52.0 | 52.1 | 52.1 | 52.1 | 52.1 | 52.1 | 52.1 | 52.1 | 52.1 | 52.1 | 52.2 | 52.2 |
| 51.0 | 52.1 | 52.1 | 52.2 | 52.2 | 52.3 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.6 | 52.6 |
| 51.6 | 52.7 | 52.7 | 52.8 | 52.8 | 52.9 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.2 | 53.2 |
| 52.6 | 53.6 | 53.6 | 53.8 | 53.8 | 53.9 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.1 | 54.1 |
| 53.9 | 55.1 | 55.1 | 55.2 | 55.2 | 55.3 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.6 | 55.6 |
| 54.2 | 55.4 | 55.4 | 55.6 | 55.6 | 55.7 | 55.8 | 55.8 | 55.8 | 55.8 | 55.8 | 55.8 | 55.8 | 55.8 | 55.8 | 55.9 | 55.9 |
| 56.2 | 57.3 | 57.3 | 57.5 | 57.5 | 57.6 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.8 | 57.8 |
| 57.2 | 58.4 | 58.4 | 58.5 | 58.5 | 58.7 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.9 | 58.9 |
| 59.0 | 60.0 | 60.2 | 60.3 | 60.3 | 60.5 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.7 | 60.7 |
| 61.9 | 63.1 | 63.1 | 63.2 | 63.2 | 63.3 | 63.4 | 63.4 | 63.4 | 63.4 | 63.4 | 63.4 | 63.4 | 63.4 | 63.4 | 63.6 | 63.6 |
| 65.6 | 66.8 | 66.8 | 66.9 | 66.9 | 67.0 | 67.1 | 67.1 | 67.1 | 67.1 | 67.1 | 67.1 | 67.1 | 67.1 | 67.1 | 67.3 | 67.3 |
| 70.7 | 71.9 | 71.9 | 72.0 | 72.0 | 72.2 | 72.3 | 72.3 | 72.3 | 72.3 | 72.3 | 72.3 | 72.3 | 72.3 | 72.3 | 72.4 | 72.4 |
| 73.8 | 75.0 | 75.0 | 75.1 | 75.1 | 75.3 | 75.4 | 75.4 | 75.4 | 75.4 | 75.4 | 75.4 | 75.4 | 75.4 | 75.4 | 75.5 | 75.5 |
| 76.2 | 77.4 | 77.4 | 77.5 | 77.5 | 77.7 | 77.8 | 77.8 | 77.8 | 77.8 | 77.8 | 77.8 | 77.8 | 77.8 | 77.8 | 77.9 | 77.9 |
| 79.7 | 80.9 | 80.9 | 81.0 | 81.0 | 81.1 | 81.2 | 81.2 | 81.2 | 81.2 | 81.2 | 81.2 | 81.2 | 81.2 | 81.2 | 81.4 | 81.4 |
| 83.0 | 84.2 | 84.2 | 84.3 | 84.3 | 84.5 | 84.6 | 84.6 | 84.6 | 84.6 | 84.6 | 84.6 | 84.6 | 84.6 | 84.6 | 84.7 | 84.7 |
| 84.2 | 85.4 | 85.4 | 85.5 | 85.5 | 85.7 | 85.8 | 85.8 | 85.8 | 85.8 | 85.8 | 85.8 | 85.8 | 85.8 | 85.8 | 85.9 | 85.9 |
| 86.6 | 87.8 | 87.8 | 87.9 | 87.9 | 88.1 | 88.2 | 88.2 | 88.2 | 88.2 | 88.2 | 88.2 | 88.2 | 88.2 | 88.2 | 88.3 | 88.3 |
| 87.9 | 89.1 | 89.1 | 89.2 | 89.2 | 89.4 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.6 | 89.6 |
| 89.8 | 91.0 | 91.0 | 91.2 | 91.2 | 91.3 | 91.4 | 91.4 | 91.4 | 91.4 | 91.4 | 91.4 | 91.4 | 91.4 | 91.4 | 91.5 | 91.5 |
| 90.6 | 91.8 | 91.8 | 92.0 | 92.0 | 92.1 | 92.2 | 92.2 | 92.2 | 92.2 | 92.2 | 92.2 | 92.2 | 92.2 | 92.2 | 92.4 | 92.4 |
| 91.4 | 92.6 | 92.6 | 92.8 | 92.8 | 93.0 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.2 | 93.2 |
| 92.6 | 93.8 | 93.8 | 94.0 | 94.0 | 94.1 | 94.3 | 94.3 | 94.3 | 94.3 | 94.3 | 94.3 | 94.3 | 94.3 | 94.3 | 94.4 | 94.4 |
| 94.3 | 95.5 | 95.5 | 95.7 | 95.7 | 95.8 | 96.1 | 96.1 | 96.1 | 96.1 | 96.1 | 96.1 | 96.1 | 96.1 | 96.1 | 96.2 | 96.2 |
| 94.9 | 96.3 | 96.5 | 96.8 | 96.8 | 96.9 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.1 | 97.3 | 97.3 |
| 95.1 | 96.8 | 97.0 | 97.3 | 97.3 | 97.5 | 97.8 | 97.8 | 97.8 | 97.8 | 97.8 | 97.8 | 97.8 | 97.8 | 97.8 | 98.0 | 98.0 |
| 95.3 | 97.0 | 97.4 | 97.6 | 97.7 | 98.1 | 98.4 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.9 | 98.9 |
| 95.3 | 97.0 | 97.4 | 97.6 | 97.7 | 98.2 | 98.7 | 99.0 | 99.0 | 99.0 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.5 | 99.5 |
| 95.3 | 97.0 | 97.4 | 97.6 | 97.7 | 98.2 | 98.8 | 99.2 | 99.2 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.5 | 99.5 |
| 95.3 | 97.0 | 97.4 | 97.6 | 97.7 | 98.2 | 98.8 | 99.2 | 99.2 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.3 | 99.5 | 99.5 |

TOTAL NUMBER OF OBSERVATIONS 837

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

700077 GRAY AAF/FT LEWIS, MO

73-81

JUL

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1500-2000

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 33.3 | 36.4 | 36.8 | 37.0 | 37.0 | 37.3 | 37.2 | 37.2 | 37.2 | 37.2 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 | 37.3 |
| 36.7 | 39.5 | 39.9 | 40.1 | 40.1 | 40.1 | 40.3 | 40.3 | 40.3 | 40.3 | 40.4 | 40.4 | 40.4 | 40.4 | 40.4 | 40.4 |
| 36.3 | 39.9 | 40.3 | 40.5 | 40.5 | 40.5 | 40.6 | 40.6 | 40.6 | 40.6 | 40.7 | 40.7 | 40.7 | 40.7 | 40.7 | 40.7 |
| 36.7 | 40.3 | 40.6 | 40.9 | 40.9 | 40.9 | 41.0 | 41.0 | 41.0 | 41.0 | 41.1 | 41.1 | 41.1 | 41.1 | 41.1 | 41.1 |
| 37.2 | 40.9 | 41.2 | 41.5 | 41.5 | 41.5 | 41.6 | 41.6 | 41.6 | 41.6 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 | 41.7 |
| 38.4 | 42.3 | 42.7 | 42.9 | 42.9 | 42.9 | 43.0 | 43.0 | 43.0 | 43.0 | 43.1 | 43.1 | 43.1 | 43.1 | 43.1 | 43.1 |
| 39.9 | 43.8 | 44.2 | 44.4 | 44.4 | 44.4 | 44.6 | 44.6 | 44.6 | 44.6 | 44.7 | 44.7 | 44.7 | 44.7 | 44.7 | 44.7 |
| 40.3 | 44.2 | 44.6 | 44.8 | 44.8 | 44.8 | 44.9 | 44.9 | 44.9 | 44.9 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 | 45.0 |
| 41.3 | 46.4 | 46.7 | 47.0 | 47.0 | 47.0 | 47.1 | 47.1 | 47.1 | 47.1 | 47.2 | 47.2 | 47.2 | 47.2 | 47.2 | 47.2 |
| 43.1 | 48.1 | 48.5 | 48.7 | 48.7 | 48.7 | 48.9 | 48.9 | 48.9 | 48.9 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 | 49.0 |
| 44.8 | 50.4 | 50.8 | 51.0 | 51.1 | 51.1 | 51.3 | 51.3 | 51.3 | 51.3 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 |
| 49.1 | 55.8 | 56.2 | 56.4 | 56.5 | 56.5 | 56.8 | 56.8 | 56.8 | 56.8 | 56.9 | 56.9 | 56.9 | 56.9 | 56.9 | 56.9 |
| 51.6 | 59.1 | 59.5 | 59.7 | 59.9 | 59.9 | 60.1 | 60.1 | 60.1 | 60.1 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 |
| 55.6 | 65.1 | 65.5 | 65.7 | 65.8 | 65.8 | 66.1 | 66.1 | 66.1 | 66.1 | 66.2 | 66.2 | 66.2 | 66.2 | 66.2 | 66.2 |
| 57.3 | 67.5 | 67.9 | 68.1 | 68.2 | 68.2 | 68.5 | 68.5 | 68.5 | 68.5 | 68.6 | 68.6 | 68.6 | 68.6 | 68.6 | 68.6 |
| 58.5 | 69.3 | 69.7 | 69.9 | 70.0 | 70.0 | 70.3 | 70.3 | 70.3 | 70.3 | 70.4 | 70.4 | 70.4 | 70.4 | 70.4 | 70.4 |
| 60.3 | 71.9 | 72.3 | 72.5 | 72.6 | 72.6 | 72.9 | 72.9 | 72.9 | 72.9 | 73.0 | 73.0 | 73.0 | 73.0 | 73.0 | 73.0 |
| 62.2 | 75.1 | 75.7 | 76.1 | 76.2 | 76.2 | 76.5 | 76.5 | 76.5 | 76.5 | 76.6 | 76.6 | 76.6 | 76.6 | 76.6 | 76.6 |
| 62.9 | 76.1 | 76.7 | 77.1 | 77.2 | 77.2 | 77.4 | 77.4 | 77.4 | 77.4 | 77.5 | 77.5 | 77.5 | 77.5 | 77.5 | 77.5 |
| 64.5 | 79.9 | 80.5 | 80.9 | 81.1 | 81.1 | 81.5 | 81.5 | 81.5 | 81.5 | 81.6 | 81.6 | 81.6 | 81.6 | 81.6 | 81.6 |
| 64.9 | 82.2 | 83.0 | 83.4 | 83.8 | 83.8 | 84.1 | 84.1 | 84.1 | 84.1 | 84.2 | 84.2 | 84.2 | 84.2 | 84.2 | 84.2 |
| 65.7 | 84.2 | 85.2 | 85.5 | 85.9 | 85.9 | 86.3 | 86.3 | 86.3 | 86.3 | 86.4 | 86.4 | 86.4 | 86.4 | 86.4 | 86.4 |
| 65.5 | 85.7 | 86.7 | 87.1 | 87.5 | 87.5 | 87.9 | 87.9 | 87.9 | 87.9 | 88.1 | 88.1 | 88.1 | 88.1 | 88.1 | 88.1 |
| 65.6 | 86.6 | 87.9 | 88.3 | 88.8 | 88.8 | 89.4 | 89.4 | 89.5 | 89.5 | 89.6 | 89.6 | 89.6 | 89.6 | 89.6 | 89.6 |
| 66.1 | 88.3 | 89.6 | 90.0 | 90.4 | 90.4 | 91.0 | 91.0 | 91.2 | 91.2 | 91.3 | 91.3 | 91.3 | 91.3 | 91.3 | 91.3 |
| 66.1 | 89.0 | 90.4 | 90.8 | 91.6 | 91.6 | 92.4 | 92.5 | 92.6 | 92.6 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 |
| 66.1 | 89.5 | 91.0 | 91.9 | 92.7 | 92.8 | 93.8 | 94.0 | 94.1 | 94.4 | 94.5 | 94.5 | 94.6 | 94.6 | 94.6 | 94.9 |
| 66.1 | 89.5 | 91.0 | 92.1 | 93.3 | 93.7 | 95.1 | 95.6 | 95.7 | 95.9 | 96.3 | 96.3 | 96.4 | 96.4 | 96.4 | 96.7 |
| 66.1 | 89.5 | 91.0 | 92.1 | 93.5 | 93.9 | 95.3 | 95.8 | 96.2 | 96.8 | 97.3 | 97.3 | 97.6 | 97.6 | 97.6 | 97.8 |
| 66.1 | 89.5 | 91.0 | 92.1 | 93.7 | 94.0 | 95.5 | 96.2 | 96.5 | 97.3 | 98.4 | 98.6 | 98.9 | 99.5 | 99.5 | 99.8 |
| 66.1 | 89.5 | 91.0 | 92.1 | 93.7 | 94.0 | 95.5 | 96.2 | 96.5 | 97.3 | 98.4 | 98.6 | 99.0 | 99.6 | 99.8 | 100.0 |
| 66.1 | 89.5 | 91.0 | 92.1 | 93.7 | 94.0 | 95.5 | 96.2 | 96.5 | 97.3 | 98.4 | 98.6 | 99.0 | 99.6 | 99.8 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 837

2

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

73-81 DAY AAF/FT LEWIS WA

73-81

JUL

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1500-1722

| | | VISIBILITY STATISTICS | | | | | | | | | | | | | | | |
|------|------|-----------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 1000 | 52.7 | 53.6 | 53.6 | 57.6 | 53.6 | 53.6 | 53.6 | 53.6 | 53.6 | 53.6 | 53.6 | 53.6 | 53.6 | 53.6 | 53.6 | 53.6 | 53.6 |
| 900 | 59.4 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 | 60.6 |
| 800 | 60.7 | 61.2 | 61.2 | 61.2 | 61.2 | 61.2 | 61.2 | 61.2 | 61.2 | 61.2 | 61.2 | 61.2 | 61.2 | 61.2 | 61.2 | 61.2 | 61.2 |
| 700 | 61.2 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 |
| 600 | 61.5 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 |
| 500 | 64.2 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 |
| 400 | 65.8 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 |
| 300 | 66.4 | 68.5 | 68.5 | 68.5 | 68.5 | 68.5 | 68.5 | 68.5 | 68.5 | 68.5 | 68.5 | 68.5 | 68.5 | 68.5 | 68.5 | 68.5 | 68.5 |
| 200 | 68.7 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 |
| 100 | 70.3 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 |
| 000 | 71.1 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 |
| 5000 | 73.5 | 77.2 | 77.2 | 77.5 | 77.5 | 77.5 | 77.5 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 |
| 4000 | 75.5 | 79.5 | 79.5 | 79.8 | 79.8 | 79.8 | 79.9 | 79.9 | 79.9 | 79.9 | 79.9 | 79.9 | 79.9 | 79.9 | 79.9 | 79.9 | 79.9 |
| 3000 | 79.3 | 84.6 | 84.6 | 84.9 | 84.9 | 84.9 | 85.1 | 85.1 | 85.1 | 85.1 | 85.1 | 85.1 | 85.1 | 85.1 | 85.1 | 85.1 | 85.1 |
| 2000 | 83.0 | 90.4 | 90.4 | 90.8 | 90.8 | 90.8 | 90.9 | 90.9 | 90.9 | 90.9 | 90.9 | 90.9 | 90.9 | 90.9 | 90.9 | 90.9 | 90.9 |
| 1000 | 85.3 | 93.9 | 93.9 | 94.3 | 94.3 | 94.3 | 94.4 | 94.4 | 94.4 | 94.4 | 94.4 | 94.4 | 94.4 | 94.4 | 94.4 | 94.4 | 94.4 |
| 000 | 87.5 | 97.0 | 97.0 | 97.4 | 97.5 | 97.5 | 97.6 | 97.6 | 97.6 | 97.6 | 97.6 | 97.6 | 97.6 | 97.6 | 97.6 | 97.6 | 97.6 |
| 5000 | 87.7 | 98.3 | 98.3 | 98.7 | 98.8 | 98.8 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 |
| 4000 | 87.7 | 98.3 | 98.3 | 98.7 | 98.8 | 98.8 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 |
| 3000 | 87.7 | 98.6 | 98.6 | 98.9 | 99.0 | 99.0 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 |
| 2000 | 87.7 | 98.9 | 98.9 | 99.3 | 99.4 | 99.4 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 |
| 1000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 5000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 4000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 3000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 2000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 1000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 5000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 4000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 3000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 2000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 1000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 5000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 4000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 3000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 2000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 1000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 000 | 87.7 | 98.9 | 99.0 | 99.5 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |

TOTAL NUMBER OF OBSERVATIONS 837

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AF WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

10770 GRAY AAF/FT LEWIS, WA

73-81

JUL

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

ALL

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 38.0 | 50.9 | 51.1 | 51.2 | 51.3 | 51.3 | 51.3 | 51.3 | 51.3 | 51.3 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 |
| 41.0 | 54.6 | 54.9 | 55.0 | 55.0 | 55.0 | 55.1 | 55.1 | 55.1 | 55.1 | 55.1 | 55.1 | 55.1 | 55.1 | 55.1 | 55.1 |
| 41.3 | 55.1 | 55.3 | 55.4 | 55.4 | 55.4 | 55.5 | 55.5 | 55.5 | 55.5 | 55.5 | 55.5 | 55.5 | 55.5 | 55.5 | 55.5 |
| 41.9 | 55.7 | 55.9 | 56.0 | 56.1 | 56.1 | 56.1 | 56.1 | 56.1 | 56.1 | 56.2 | 56.2 | 56.2 | 56.2 | 56.2 | 56.2 |
| 42.5 | 56.5 | 56.8 | 56.9 | 56.9 | 56.9 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 |
| 43.7 | 58.2 | 58.4 | 58.5 | 58.6 | 58.6 | 58.6 | 58.6 | 58.6 | 58.6 | 58.7 | 58.7 | 58.7 | 58.7 | 58.7 | 58.7 |
| 44.7 | 59.8 | 60.7 | 60.1 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 |
| 45.1 | 60.3 | 60.6 | 60.7 | 60.8 | 60.8 | 60.8 | 60.8 | 60.8 | 60.8 | 60.8 | 60.8 | 60.8 | 60.8 | 60.8 | 60.8 |
| 45.1 | 62.4 | 62.7 | 62.8 | 62.8 | 62.8 | 62.9 | 62.9 | 62.9 | 62.9 | 62.9 | 62.9 | 62.9 | 62.9 | 62.9 | 62.9 |
| 47.1 | 64.1 | 64.3 | 64.4 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 |
| 48.1 | 65.7 | 66.1 | 66.1 | 66.2 | 66.2 | 66.2 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 |
| 50.0 | 69.4 | 69.7 | 69.8 | 69.9 | 70.0 | 70.0 | 70.0 | 70.0 | 70.1 | 70.1 | 70.1 | 70.1 | 70.1 | 70.1 | 70.1 |
| 51.3 | 72.4 | 72.7 | 72.9 | 73.0 | 73.0 | 73.1 | 73.1 | 73.1 | 73.1 | 73.1 | 73.1 | 73.1 | 73.1 | 73.1 | 73.1 |
| 54.2 | 77.3 | 77.6 | 77.7 | 77.8 | 77.8 | 77.9 | 77.9 | 77.9 | 77.9 | 77.9 | 77.9 | 77.9 | 77.9 | 77.9 | 77.9 |
| 57.3 | 80.9 | 81.2 | 81.4 | 81.4 | 81.5 | 81.5 | 81.6 | 81.6 | 81.6 | 81.6 | 81.6 | 81.6 | 81.6 | 81.6 | 81.6 |
| 58.1 | 84.2 | 84.5 | 84.6 | 84.7 | 84.7 | 84.8 | 84.8 | 84.8 | 84.8 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 |
| 59.6 | 87.6 | 88.1 | 88.2 | 88.2 | 88.3 | 88.4 | 88.4 | 88.4 | 88.4 | 88.4 | 88.4 | 88.4 | 88.4 | 88.4 | 88.4 |
| 60.6 | 90.2 | 90.6 | 90.8 | 90.9 | 91.0 | 91.0 | 91.1 | 91.1 | 91.1 | 91.1 | 91.1 | 91.1 | 91.1 | 91.1 | 91.1 |
| 60.8 | 90.9 | 91.3 | 91.5 | 91.6 | 91.7 | 91.7 | 91.8 | 91.8 | 91.8 | 91.8 | 91.8 | 91.8 | 91.8 | 91.8 | 91.8 |
| 61.4 | 92.8 | 93.2 | 93.4 | 93.6 | 93.6 | 93.7 | 93.8 | 93.8 | 93.8 | 93.8 | 93.8 | 93.8 | 93.8 | 93.8 | 93.8 |
| 61.6 | 94.0 | 94.5 | 94.7 | 94.9 | 94.9 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 |
| 61.8 | 95.2 | 95.8 | 96.0 | 96.2 | 96.3 | 96.4 | 96.4 | 96.4 | 96.4 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 |
| 61.8 | 95.6 | 96.3 | 96.5 | 96.7 | 96.8 | 96.9 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 |
| 61.9 | 95.9 | 96.6 | 96.9 | 97.1 | 97.1 | 97.3 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 | 97.4 |
| 61.9 | 96.3 | 97.0 | 97.3 | 97.6 | 97.6 | 97.8 | 97.8 | 97.8 | 97.8 | 97.9 | 97.9 | 97.9 | 97.9 | 97.9 | 97.9 |
| 61.9 | 96.7 | 97.4 | 97.7 | 98.1 | 98.1 | 98.3 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 |
| 61.9 | 96.8 | 97.6 | 98.1 | 98.4 | 98.4 | 98.7 | 98.8 | 98.8 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 |
| 61.9 | 96.8 | 97.7 | 98.1 | 98.6 | 98.6 | 99.0 | 99.1 | 99.1 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 |
| 61.9 | 96.9 | 97.7 | 98.2 | 98.7 | 98.7 | 99.1 | 99.3 | 99.3 | 99.4 | 99.5 | 99.5 | 99.6 | 99.6 | 99.6 | 99.6 |
| 61.9 | 96.9 | 97.7 | 98.2 | 98.7 | 98.8 | 99.1 | 99.3 | 99.4 | 99.5 | 99.7 | 99.7 | 99.8 | 99.9 | 99.9 | 99.9 |
| 61.9 | 96.9 | 97.7 | 98.2 | 98.7 | 98.8 | 99.1 | 99.3 | 99.4 | 99.6 | 99.7 | 99.7 | 99.8 | 99.9 | 99.9 | 100.0 |
| 61.9 | 96.9 | 97.7 | 98.2 | 98.7 | 98.8 | 99.1 | 99.3 | 99.4 | 99.6 | 99.7 | 99.7 | 99.8 | 99.9 | 99.9 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 6696

GLOBAL CLIMATOLOGY BRANCH
AFETAC
AF WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

73-81 GRAY AAF/FT LEWIS WA

73-81

AUG

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

0000-0200

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|
| 0.8 | 57.7 | 57.8 | 58.3 | 58.4 | 58.5 | 58.5 | 58.5 | 58.5 | 58.7 | 58.9 | 58.9 | 59.0 | 59.0 | 59.7 | 59.7 |
| 0.8 | 57.7 | 58.5 | 59.0 | 59.1 | 59.3 | 59.3 | 59.3 | 59.3 | 59.4 | 59.6 | 59.6 | 59.7 | 59.7 | 59.7 | 59.7 |
| 1.2 | 58.2 | 59.0 | 59.5 | 59.6 | 59.7 | 59.7 | 59.7 | 59.7 | 59.9 | 60.1 | 60.1 | 60.2 | 60.2 | 60.2 | 60.2 |
| 1.2 | 58.2 | 59.0 | 59.5 | 59.6 | 59.7 | 59.7 | 59.7 | 59.7 | 59.9 | 60.1 | 60.1 | 60.2 | 60.2 | 60.2 | 60.2 |
| 1.2 | 59.0 | 59.9 | 60.3 | 60.5 | 60.6 | 60.6 | 60.6 | 60.6 | 60.7 | 60.9 | 60.9 | 61.1 | 61.1 | 61.1 | 61.1 |
| 1.2 | 60.3 | 61.2 | 61.6 | 61.8 | 61.9 | 61.9 | 61.9 | 61.9 | 62.2 | 62.2 | 62.2 | 62.4 | 62.4 | 62.4 | 62.4 |
| 10.6 | 62.1 | 63.0 | 63.4 | 63.6 | 63.7 | 63.7 | 63.7 | 63.7 | 63.8 | 64.0 | 64.0 | 64.2 | 64.2 | 64.2 | 64.2 |
| 10.6 | 62.6 | 63.4 | 64.0 | 64.2 | 64.3 | 64.3 | 64.3 | 64.3 | 64.4 | 64.6 | 64.6 | 64.8 | 64.8 | 64.8 | 64.8 |
| 10.6 | 63.6 | 64.5 | 65.1 | 65.2 | 65.4 | 65.4 | 65.4 | 65.4 | 65.5 | 65.7 | 65.7 | 65.8 | 65.8 | 65.8 | 65.8 |
| 10.6 | 64.0 | 65.0 | 65.2 | 65.7 | 65.8 | 65.8 | 65.8 | 65.8 | 65.9 | 66.2 | 66.2 | 66.3 | 66.3 | 66.3 | 66.3 |
| 11.1 | 65.0 | 65.9 | 66.5 | 66.7 | 66.8 | 66.8 | 66.8 | 66.8 | 66.9 | 67.1 | 67.1 | 67.3 | 67.3 | 67.3 | 67.3 |
| 11.2 | 67.1 | 68.1 | 68.7 | 68.8 | 68.9 | 68.9 | 68.9 | 68.9 | 69.1 | 69.3 | 69.3 | 69.4 | 69.4 | 69.4 | 69.4 |
| 11.6 | 69.8 | 70.7 | 71.3 | 71.4 | 71.6 | 71.6 | 71.6 | 71.6 | 71.7 | 71.9 | 71.9 | 72.0 | 72.0 | 72.0 | 72.0 |
| 11.2 | 74.6 | 75.5 | 76.1 | 76.2 | 76.3 | 76.3 | 76.3 | 76.3 | 76.5 | 76.7 | 76.7 | 76.8 | 76.8 | 76.8 | 76.8 |
| 11.2 | 76.1 | 77.2 | 77.8 | 78.1 | 78.3 | 78.3 | 78.3 | 78.3 | 78.4 | 78.6 | 78.6 | 78.7 | 78.7 | 78.7 | 78.7 |
| 12.3 | 77.3 | 80.4 | 81.0 | 81.5 | 81.6 | 81.6 | 81.6 | 81.6 | 81.7 | 82.0 | 82.0 | 82.1 | 82.1 | 82.1 | 82.1 |
| 12.3 | 83.3 | 84.6 | 85.3 | 85.8 | 86.0 | 86.0 | 86.0 | 86.0 | 86.1 | 86.4 | 86.4 | 86.5 | 86.5 | 86.5 | 86.5 |
| 12.3 | 87.1 | 89.0 | 89.7 | 90.2 | 90.7 | 90.7 | 90.7 | 90.7 | 90.8 | 91.0 | 91.0 | 91.2 | 91.2 | 91.2 | 91.2 |
| 13.1 | 87.8 | 89.7 | 90.4 | 90.9 | 91.4 | 91.4 | 91.4 | 91.4 | 91.5 | 91.8 | 91.8 | 91.9 | 91.9 | 91.9 | 91.9 |
| 13.1 | 89.6 | 91.5 | 92.2 | 93.1 | 93.5 | 93.5 | 93.5 | 93.5 | 93.7 | 93.9 | 93.9 | 94.0 | 94.0 | 94.0 | 94.0 |
| 14.0 | 90.9 | 92.8 | 93.5 | 94.4 | 94.9 | 94.9 | 94.9 | 94.9 | 95.0 | 95.2 | 95.2 | 95.3 | 95.3 | 95.3 | 95.3 |
| 14.0 | 91.8 | 94.0 | 94.9 | 95.7 | 96.2 | 96.2 | 96.2 | 96.2 | 96.3 | 96.5 | 96.5 | 96.7 | 96.7 | 96.7 | 96.7 |
| 14.0 | 92.0 | 94.3 | 95.1 | 95.9 | 96.4 | 96.4 | 96.4 | 96.4 | 96.5 | 96.8 | 96.8 | 96.9 | 96.9 | 96.9 | 96.9 |
| 14.0 | 92.5 | 94.9 | 95.7 | 96.5 | 97.0 | 97.0 | 97.0 | 97.0 | 97.1 | 97.4 | 97.4 | 97.5 | 97.5 | 97.5 | 97.5 |
| 14.0 | 92.8 | 95.5 | 96.3 | 97.3 | 97.7 | 97.7 | 97.7 | 97.7 | 97.8 | 98.1 | 98.1 | 98.2 | 98.2 | 98.2 | 98.2 |
| 14.0 | 93.2 | 95.9 | 96.9 | 97.8 | 98.3 | 98.3 | 98.3 | 98.3 | 98.4 | 98.7 | 98.7 | 98.8 | 98.8 | 98.8 | 98.8 |
| 14.0 | 93.3 | 96.1 | 97.0 | 98.0 | 98.4 | 98.4 | 98.4 | 98.4 | 98.6 | 98.8 | 98.8 | 98.9 | 98.9 | 98.9 | 98.9 |
| 14.0 | 93.4 | 96.2 | 97.1 | 98.2 | 98.7 | 98.8 | 99.2 | 99.2 | 99.3 | 99.5 | 99.5 | 99.6 | 99.6 | 99.6 | 99.6 |
| 14.0 | 93.4 | 96.2 | 97.1 | 98.2 | 98.7 | 98.9 | 99.3 | 99.3 | 99.5 | 99.8 | 99.8 | 100.0 | 100.0 | 100.0 | 100.0 |
| 14.0 | 93.4 | 96.2 | 97.1 | 98.2 | 98.7 | 98.9 | 99.3 | 99.3 | 99.5 | 99.8 | 99.8 | 100.0 | 100.0 | 100.0 | 100.0 |
| 14.0 | 93.4 | 96.2 | 97.1 | 98.2 | 98.7 | 98.9 | 99.3 | 99.3 | 99.5 | 99.8 | 99.8 | 100.0 | 100.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 837

USAF ETAC 10-14-5 D. A. PREVIOUS EDITIONS WITH A NEW ARE OBSOLETE

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
AF WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

70 70 GRAY AAF/FT LEWIS WA

73-81

AUG

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1930-1999

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 12.2 | 30.5 | 39.9 | 40.4 | 41.2 | 41.6 | 41.9 | 41.9 | 42.1 | 42.3 | 42.5 | 42.5 | 42.5 | 42.5 | 42.9 | 42.9 |
| 12.3 | 30.4 | 41.1 | 41.5 | 42.3 | 42.7 | 43.0 | 43.0 | 43.1 | 43.4 | 43.6 | 43.6 | 43.6 | 43.6 | 44.2 | 44.2 |
| 12.5 | 30.7 | 41.2 | 41.7 | 42.5 | 42.9 | 43.2 | 43.2 | 43.4 | 43.6 | 43.8 | 43.8 | 43.8 | 43.8 | 44.2 | 44.2 |
| 12.5 | 39.8 | 41.3 | 41.8 | 42.7 | 43.0 | 43.4 | 43.4 | 43.5 | 43.7 | 44.0 | 44.0 | 44.0 | 44.0 | 44.3 | 44.3 |
| 12.5 | 40.3 | 41.9 | 42.4 | 43.2 | 43.6 | 44.0 | 44.0 | 44.1 | 44.3 | 44.6 | 44.6 | 44.6 | 44.6 | 44.9 | 44.9 |
| 12.7 | 41.1 | 42.8 | 43.2 | 44.1 | 44.4 | 44.8 | 44.8 | 44.9 | 45.2 | 45.4 | 45.4 | 45.4 | 45.4 | 45.8 | 45.8 |
| 13.0 | 42.3 | 44.6 | 45.0 | 45.9 | 46.2 | 46.6 | 46.6 | 46.7 | 47.0 | 47.2 | 47.2 | 47.2 | 47.2 | 47.6 | 47.6 |
| 13.0 | 42.3 | 44.8 | 45.3 | 46.1 | 46.5 | 46.8 | 46.8 | 47.1 | 47.2 | 47.4 | 47.4 | 47.4 | 47.4 | 47.8 | 47.8 |
| 13.0 | 43.4 | 45.4 | 45.9 | 46.7 | 47.1 | 47.4 | 47.4 | 47.6 | 47.8 | 48.0 | 48.0 | 48.0 | 48.0 | 48.4 | 48.4 |
| 13.1 | 44.4 | 46.5 | 47.1 | 47.9 | 48.3 | 48.6 | 48.6 | 48.7 | 49.0 | 49.2 | 49.2 | 49.2 | 49.2 | 49.6 | 49.6 |
| 13.4 | 45.4 | 47.4 | 48.0 | 48.9 | 49.2 | 49.7 | 49.7 | 49.8 | 50.1 | 50.3 | 50.3 | 50.3 | 50.3 | 50.7 | 50.7 |
| 14.0 | 48.5 | 50.5 | 51.3 | 52.1 | 52.4 | 52.9 | 52.9 | 53.3 | 53.3 | 53.5 | 53.5 | 53.5 | 53.5 | 53.9 | 53.9 |
| 14.2 | 51.5 | 53.5 | 54.2 | 55.2 | 55.7 | 56.2 | 56.2 | 56.3 | 56.5 | 56.8 | 56.8 | 56.8 | 56.8 | 57.1 | 57.1 |
| 15.1 | 54.6 | 56.9 | 57.7 | 58.8 | 59.3 | 59.9 | 59.9 | 60.2 | 60.2 | 60.5 | 60.5 | 60.5 | 60.5 | 60.8 | 60.8 |
| 15.2 | 58.1 | 60.5 | 61.3 | 62.5 | 63.0 | 63.6 | 63.6 | 63.7 | 63.9 | 64.2 | 64.2 | 64.2 | 64.2 | 64.5 | 64.5 |
| 15.4 | 60.8 | 63.2 | 64.2 | 65.4 | 65.8 | 66.4 | 66.4 | 66.5 | 66.8 | 67.2 | 67.2 | 67.2 | 67.2 | 67.4 | 67.4 |
| 16.2 | 65.9 | 68.5 | 69.4 | 70.6 | 71.1 | 71.9 | 71.9 | 72.0 | 72.3 | 72.5 | 72.5 | 72.5 | 72.5 | 72.9 | 72.9 |
| 17.3 | 71.6 | 74.4 | 75.7 | 77.4 | 77.9 | 78.7 | 78.7 | 78.9 | 79.1 | 79.3 | 79.3 | 79.3 | 79.3 | 79.7 | 79.7 |
| 17.7 | 72.6 | 75.5 | 76.9 | 78.6 | 79.1 | 79.9 | 79.9 | 80.0 | 80.3 | 80.5 | 80.5 | 80.5 | 80.5 | 80.9 | 80.9 |
| 18.4 | 75.3 | 78.4 | 79.8 | 81.5 | 82.0 | 82.8 | 82.8 | 82.9 | 83.2 | 83.4 | 83.4 | 83.4 | 83.4 | 83.8 | 83.8 |
| 18.5 | 77.3 | 80.4 | 81.8 | 83.5 | 84.0 | 84.8 | 84.8 | 84.9 | 85.2 | 85.4 | 85.4 | 85.4 | 85.4 | 85.8 | 85.8 |
| 18.6 | 79.7 | 82.3 | 84.0 | 85.8 | 86.3 | 87.1 | 87.1 | 87.2 | 87.5 | 87.7 | 87.7 | 87.7 | 87.7 | 88.1 | 88.1 |
| 18.6 | 79.8 | 83.3 | 84.9 | 86.7 | 87.2 | 88.1 | 88.1 | 88.2 | 88.4 | 88.6 | 88.6 | 88.6 | 88.6 | 89.0 | 89.0 |
| 18.6 | 80.5 | 84.1 | 85.8 | 87.6 | 88.1 | 88.9 | 88.9 | 89.1 | 89.2 | 89.5 | 89.5 | 89.5 | 89.5 | 89.8 | 89.8 |
| 19.6 | 80.6 | 84.2 | 86.0 | 87.8 | 88.3 | 89.1 | 89.1 | 89.2 | 89.5 | 89.7 | 89.7 | 89.7 | 89.7 | 90.1 | 90.1 |
| 19.6 | 81.1 | 84.7 | 87.0 | 88.8 | 89.2 | 90.1 | 90.1 | 90.2 | 90.4 | 90.7 | 90.7 | 90.7 | 90.7 | 91.0 | 91.0 |
| 19.8 | 82.6 | 86.4 | 88.8 | 90.6 | 91.2 | 92.0 | 92.0 | 92.1 | 92.4 | 92.6 | 92.6 | 92.6 | 92.6 | 93.0 | 93.0 |
| 18.8 | 82.9 | 87.3 | 90.0 | 92.1 | 92.7 | 93.5 | 93.8 | 93.9 | 94.1 | 94.4 | 94.4 | 94.5 | 94.5 | 94.9 | 94.9 |
| 18.8 | 83.3 | 87.7 | 90.4 | 92.8 | 93.5 | 94.6 | 95.1 | 95.2 | 95.7 | 95.9 | 96.1 | 96.4 | 96.4 | 96.8 | 96.8 |
| 18.8 | 83.3 | 87.7 | 90.4 | 92.8 | 93.5 | 94.7 | 95.2 | 95.7 | 96.4 | 96.7 | 96.8 | 97.6 | 97.6 | 98.4 | 98.6 |
| 18.8 | 83.3 | 87.7 | 90.4 | 92.8 | 93.5 | 94.7 | 95.3 | 95.8 | 96.7 | 96.9 | 97.0 | 98.2 | 98.4 | 99.6 | 99.9 |
| 18.8 | 83.3 | 87.7 | 90.4 | 92.8 | 93.5 | 94.7 | 95.3 | 95.8 | 96.7 | 96.9 | 97.0 | 98.2 | 98.4 | 99.6 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 837

GLOBAL CLIMATOLOGY BRANCH
AF TAC
AF WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

AF TAC
AF WEATHER SERVICE/MAC

73-51

140

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1600-1800

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 27.6 | 27.6 | 24.7 | 24.5 | 24.9 | 25.0 | 25.0 | 25.0 | 25.0 | 25.0 | 25.1 | 25.1 | 25.2 | 25.4 | 25.6 | 25.7 |
| 27.4 | 25.3 | 27.7 | 27.4 | 27.7 | 27.8 | 27.8 | 27.8 | 27.8 | 27.8 | 28.2 | 28.2 | 28.1 | 28.3 | 28.4 | 28.5 |
| 27.7 | 25.6 | 27.2 | 27.6 | 28.0 | 28.1 | 28.1 | 28.1 | 28.1 | 28.1 | 28.2 | 28.2 | 28.3 | 28.6 | 28.7 | 28.8 |
| 27.1 | 26.7 | 27.7 | 28.1 | 28.4 | 28.6 | 28.6 | 28.6 | 28.6 | 28.6 | 28.7 | 28.7 | 28.8 | 29.2 | 29.2 | 29.2 |
| 27.7 | 26.9 | 28.6 | 28.9 | 29.3 | 29.4 | 29.4 | 29.4 | 29.4 | 29.4 | 29.5 | 29.5 | 29.6 | 29.9 | 30.0 | 30.1 |
| 22.3 | 28.0 | 29.6 | 30.0 | 30.3 | 30.5 | 30.5 | 30.5 | 30.5 | 30.5 | 30.6 | 30.6 | 30.7 | 30.9 | 31.1 | 31.2 |
| 23.1 | 29.0 | 30.7 | 31.1 | 31.4 | 31.5 | 31.5 | 31.5 | 31.5 | 31.5 | 31.7 | 31.7 | 31.8 | 32.0 | 32.1 | 32.3 |
| 23.2 | 29.2 | 30.9 | 31.3 | 31.7 | 31.8 | 31.8 | 31.8 | 31.8 | 31.8 | 31.9 | 31.9 | 32.2 | 32.3 | 32.4 | 32.5 |
| 27.7 | 30.5 | 30.3 | 32.6 | 33.0 | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 | 33.2 | 33.2 | 33.3 | 33.6 | 33.7 | 33.8 |
| 24.4 | 31.8 | 33.1 | 33.9 | 34.3 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.5 | 34.5 | 34.6 | 34.9 | 35.0 | 35.1 |
| 24.7 | 32.6 | 34.6 | 35.0 | 35.4 | 35.5 | 35.5 | 35.5 | 35.5 | 35.6 | 35.7 | 35.7 | 35.8 | 36.1 | 36.2 | 36.3 |
| 28.4 | 35.7 | 37.6 | 38.0 | 38.4 | 38.5 | 38.5 | 38.5 | 38.5 | 38.6 | 38.7 | 38.7 | 38.8 | 39.1 | 39.2 | 39.3 |
| 33.3 | 38.4 | 40.4 | 40.7 | 41.1 | 41.2 | 41.2 | 41.2 | 41.2 | 41.3 | 41.5 | 41.5 | 41.6 | 41.8 | 41.9 | 42.1 |
| 42.2 | 42.4 | 44.4 | 44.8 | 45.3 | 45.4 | 45.5 | 45.5 | 45.6 | 45.8 | 45.9 | 45.9 | 46.2 | 46.2 | 46.4 | 46.5 |
| 41.9 | 46.6 | 48.6 | 49.0 | 49.5 | 49.7 | 49.8 | 49.8 | 49.9 | 50.2 | 50.3 | 50.3 | 50.4 | 50.7 | 50.9 | 51.0 |
| 43.1 | 49.7 | 51.7 | 52.2 | 53.0 | 53.3 | 53.5 | 53.9 | 54.0 | 54.2 | 54.4 | 54.4 | 54.5 | 54.7 | 55.0 | 55.1 |
| 34.5 | 52.0 | 55.2 | 56.2 | 57.2 | 57.6 | 57.9 | 58.3 | 58.4 | 58.7 | 58.8 | 58.8 | 58.9 | 59.1 | 59.4 | 59.5 |
| 36.9 | 57.2 | 59.5 | 60.5 | 61.5 | 61.9 | 62.2 | 62.6 | 62.7 | 63.1 | 63.1 | 63.1 | 63.2 | 63.4 | 63.7 | 63.8 |
| 36.2 | 57.8 | 60.1 | 61.1 | 62.1 | 62.5 | 62.8 | 63.2 | 63.3 | 63.6 | 63.7 | 63.7 | 63.8 | 64.1 | 64.3 | 64.4 |
| 35.5 | 62.4 | 64.8 | 65.7 | 67.1 | 67.6 | 68.0 | 68.3 | 68.5 | 68.7 | 68.8 | 68.8 | 68.9 | 69.2 | 69.4 | 69.5 |
| 38.1 | 66.1 | 68.5 | 69.7 | 71.2 | 71.8 | 72.2 | 72.5 | 72.6 | 72.9 | 73.0 | 73.0 | 73.1 | 73.4 | 73.6 | 73.7 |
| 37.4 | 67.5 | 70.1 | 71.4 | 73.1 | 73.7 | 74.1 | 74.4 | 74.7 | 74.9 | 75.0 | 75.0 | 75.1 | 75.4 | 75.6 | 75.7 |
| 36.9 | 68.5 | 71.1 | 72.5 | 74.2 | 74.8 | 75.1 | 75.5 | 75.7 | 76.0 | 76.1 | 76.1 | 76.2 | 76.5 | 76.7 | 76.8 |
| 35.9 | 69.5 | 72.3 | 74.0 | 75.6 | 76.2 | 76.6 | 76.9 | 77.2 | 77.4 | 77.5 | 77.5 | 77.7 | 77.9 | 78.1 | 78.2 |
| 36.9 | 70.4 | 73.2 | 75.0 | 76.8 | 77.4 | 77.8 | 78.1 | 78.4 | 78.6 | 78.7 | 78.7 | 78.9 | 79.1 | 79.3 | 79.5 |
| 40.0 | 71.2 | 74.1 | 76.0 | 77.9 | 78.5 | 78.9 | 79.3 | 79.6 | 79.9 | 82.2 | 82.2 | 82.2 | 82.4 | 82.5 | 82.8 |
| 40.0 | 72.0 | 75.6 | 77.9 | 80.5 | 81.1 | 81.8 | 82.3 | 82.8 | 83.2 | 83.4 | 83.4 | 83.5 | 83.8 | 84.0 | 84.1 |
| 40.1 | 72.3 | 76.0 | 78.6 | 81.8 | 82.4 | 83.4 | 84.7 | 85.8 | 86.3 | 86.7 | 86.7 | 86.9 | 87.1 | 87.3 | 87.5 |
| 40.1 | 72.3 | 76.0 | 78.9 | 82.1 | 82.7 | 84.3 | 86.7 | 88.3 | 89.6 | 90.7 | 90.7 | 91.5 | 91.8 | 92.1 | 92.2 |
| 40.1 | 72.3 | 76.0 | 79.1 | 82.3 | 82.9 | 84.7 | 87.1 | 88.6 | 90.3 | 92.1 | 92.2 | 94.2 | 94.6 | 96.1 | 96.9 |
| 40.1 | 72.3 | 76.0 | 79.1 | 82.3 | 82.9 | 84.7 | 87.1 | 88.6 | 90.4 | 92.2 | 92.4 | 94.4 | 95.6 | 97.7 | 99.5 |
| 40.1 | 72.3 | 76.0 | 79.1 | 82.3 | 82.9 | 84.7 | 87.1 | 88.6 | 90.4 | 92.2 | 92.4 | 94.5 | 95.7 | 98.2 | 99.2 |

TOTAL NUMBER OF OBSERVATIONS 837

USAF ETAC 73-51 140 A. PREPARED BY THE CLIMATE DATA CENTER

FEDERAL CLIMATOLOGY BRANCH
METEOROLOGICAL
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

STATION: KAFB/FT LEWIS, WA

73-81

1960

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

207-1111

| |
|------|
| 27.7 | 32.7 | 34.0 | 34.3 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 | 34.4 |
| 29.7 | 35.1 | 36.7 | 36.8 | 36.9 | 36.9 | 36.9 | 36.9 | 36.9 | 36.9 | 36.9 | 36.9 | 36.9 | 36.9 | 36.9 | 36.9 | 36.9 | 36.9 | 36.9 | 36.9 |
| 29.6 | 35.2 | 36.8 | 36.9 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 | 37.0 |
| 29.7 | 35.4 | 36.9 | 37.0 | 37.2 | 37.2 | 37.2 | 37.2 | 37.2 | 37.2 | 37.2 | 37.2 | 37.2 | 37.2 | 37.2 | 37.2 | 37.2 | 37.2 | 37.2 | 37.2 |
| 30.5 | 36.1 | 37.6 | 37.8 | 37.9 | 37.9 | 37.9 | 37.9 | 37.9 | 37.9 | 37.9 | 37.9 | 37.9 | 37.9 | 37.9 | 37.9 | 37.9 | 37.9 | 37.9 | 37.9 |
| 31.4 | 37.6 | 39.2 | 39.3 | 39.4 | 39.4 | 39.4 | 39.4 | 39.4 | 39.4 | 39.4 | 39.4 | 39.4 | 39.4 | 39.4 | 39.4 | 39.4 | 39.4 | 39.4 | 39.4 |
| 32.5 | 38.5 | 40.7 | 40.1 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 |
| 33.1 | 39.1 | 40.6 | 40.7 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 | 40.9 |
| 33.5 | 40.3 | 41.4 | 41.9 | 42.1 | 42.1 | 42.1 | 42.1 | 42.1 | 42.1 | 42.1 | 42.1 | 42.1 | 42.1 | 42.1 | 42.1 | 42.1 | 42.1 | 42.1 | 42.1 |
| 33.3 | 40.9 | 42.5 | 42.7 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 | 42.8 |
| 33.9 | 41.6 | 43.2 | 43.4 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 | 43.5 |
| 35.1 | 43.2 | 44.2 | 45.0 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 | 45.2 |
| 36.7 | 45.6 | 47.3 | 47.4 | 47.6 | 47.6 | 47.6 | 47.6 | 47.6 | 47.6 | 47.6 | 47.6 | 47.6 | 47.6 | 47.6 | 47.6 | 47.6 | 47.6 | 47.6 | 47.6 |
| 40.6 | 50.9 | 52.6 | 52.7 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 |
| 44.1 | 55.6 | 57.3 | 57.5 | 57.6 | 57.6 | 57.6 | 57.6 | 57.6 | 57.6 | 57.6 | 57.6 | 57.6 | 57.6 | 57.6 | 57.6 | 57.6 | 57.6 | 57.6 | 57.6 |
| 47.1 | 60.2 | 62.1 | 62.4 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 |
| 47.5 | 63.2 | 67.1 | 67.4 | 67.9 | 67.9 | 67.9 | 67.9 | 67.9 | 67.9 | 67.9 | 67.9 | 67.9 | 67.9 | 67.9 | 67.9 | 67.9 | 67.9 | 67.9 | 67.9 |
| 52.6 | 69.7 | 72.1 | 72.3 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 |
| 52.9 | 70.5 | 72.9 | 73.2 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 |
| 54.5 | 76.5 | 79.2 | 79.6 | 80.3 | 80.3 | 80.3 | 80.3 | 80.3 | 80.3 | 80.3 | 80.3 | 80.3 | 80.3 | 80.3 | 80.3 | 80.3 | 80.3 | 80.3 | 80.3 |
| 55.7 | 80.6 | 83.5 | 84.1 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 |
| 55.4 | 82.4 | 85.2 | 86.5 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 | 87.3 |
| 56.1 | 83.2 | 86.9 | 87.8 | 89.6 | 89.8 | 89.8 | 89.8 | 89.8 | 89.8 | 89.8 | 89.8 | 89.8 | 89.8 | 89.8 | 89.8 | 89.8 | 89.8 | 89.8 | 89.8 |
| 56.1 | 83.6 | 87.6 | 88.5 | 89.8 | 90.1 | 90.6 | 90.7 | 90.9 | 91.0 | 91.0 | 91.0 | 91.0 | 91.0 | 91.0 | 91.0 | 91.0 | 91.0 | 91.0 | 91.0 |
| 56.7 | 84.1 | 89.4 | 90.1 | 91.8 | 92.0 | 92.6 | 92.7 | 92.8 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 | 93.1 |
| 56.1 | 84.3 | 89.4 | 90.6 | 93.0 | 93.4 | 94.4 | 95.2 | 95.5 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 | 95.7 |
| 56.1 | 84.7 | 89.4 | 91.2 | 93.7 | 94.3 | 95.9 | 97.1 | 97.5 | 98.0 | 98.0 | 98.0 | 98.0 | 98.0 | 98.0 | 98.0 | 98.0 | 98.0 | 98.0 | 98.0 |
| 56.7 | 84.7 | 89.4 | 91.2 | 93.8 | 94.4 | 96.3 | 98.2 | 98.8 | 99.5 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 |
| 56.7 | 84.7 | 89.4 | 91.2 | 93.8 | 94.4 | 96.3 | 98.3 | 98.9 | 99.3 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 56.0 | 84.7 | 89.4 | 91.2 | 93.8 | 94.4 | 96.3 | 98.3 | 98.9 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 56.7 | 84.7 | 89.4 | 91.2 | 93.8 | 94.4 | 96.3 | 98.3 | 98.9 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 56.1 | 84.7 | 89.4 | 91.2 | 93.8 | 94.4 | 96.3 | 98.3 | 98.9 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |

TOTAL NUMBER OF OBSERVATIONS 237

U.S. AIR FORCE CLIMATE BRANCH
 WFO
 WFO WEATHER SERVICE

CEILING VERSUS VISIBILITY

WFO WEATHER SERVICE

72-81

84

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATIONS

1972-1981

| |
|------|
| 7.4 | 48.3 | 48.4 | 48.5 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 |
| 48.4 | 51.4 | 51.5 | 51.7 | 51.8 | 51.8 | 51.8 | 51.8 | 51.8 | 51.8 | 51.8 | 51.8 | 51.8 | 51.8 | 51.8 | 51.8 | 51.8 | 51.8 | 51.8 | 51.8 |
| 48.8 | 51.8 | 51.9 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 | 51.1 |
| 48.1 | 51.1 | 51.1 | 51.3 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 |
| 48.6 | 51.5 | 51.7 | 51.9 | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 |
| 47.8 | 52.3 | 52.3 | 53.1 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 |
| 48.7 | 53.3 | 53.9 | 54.0 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 |
| 48.5 | 54.6 | 54.7 | 54.8 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 | 55.0 |
| 50.0 | 56.5 | 56.8 | 56.9 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 |
| 1.7 | 57.1 | 57.3 | 57.6 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 | 57.7 |
| 51.7 | 58.2 | 58.5 | 58.7 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 | 58.8 |
| 53.1 | 61.0 | 61.1 | 61.7 | 61.8 | 61.8 | 61.8 | 61.8 | 61.8 | 61.8 | 61.8 | 61.8 | 61.8 | 61.8 | 61.8 | 61.8 | 61.8 | 61.8 | 61.8 | 61.8 |
| 54.1 | 62.6 | 63.1 | 63.1 | 63.2 | 63.2 | 63.2 | 63.2 | 63.2 | 63.2 | 63.2 | 63.2 | 63.2 | 63.2 | 63.2 | 63.2 | 63.2 | 63.2 | 63.2 | 63.2 |
| 51.7 | 68.3 | 68.7 | 68.6 | 68.9 | 68.9 | 68.9 | 68.9 | 68.9 | 68.9 | 68.9 | 68.9 | 68.9 | 68.9 | 68.9 | 68.9 | 68.9 | 68.9 | 68.9 | 68.9 |
| 51.8 | 72.3 | 72.6 | 72.5 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 | 72.9 |
| 55.5 | 79.3 | 80.2 | 80.4 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 | 81.5 |
| 67.1 | 84.1 | 85.3 | 85.5 | 85.7 | 85.8 | 85.9 | 86.0 | 86.0 | 86.0 | 86.0 | 86.0 | 86.0 | 86.0 | 86.0 | 86.0 | 86.0 | 86.0 | 86.0 | 86.0 |
| 68.7 | 88.9 | 90.4 | 90.7 | 91.0 | 91.2 | 91.3 | 91.5 | 91.5 | 91.5 | 91.5 | 91.5 | 91.5 | 91.5 | 91.5 | 91.5 | 91.5 | 91.5 | 91.5 | 91.5 |
| 71.1 | 90.2 | 91.8 | 92.0 | 92.4 | 92.5 | 92.6 | 92.8 | 92.8 | 92.8 | 92.8 | 92.8 | 92.8 | 92.8 | 92.8 | 92.8 | 92.8 | 92.8 | 92.8 | 92.8 |
| 71.5 | 92.1 | 93.2 | 94.0 | 94.4 | 94.5 | 94.6 | 95.0 | 95.0 | 95.0 | 95.0 | 95.0 | 95.0 | 95.0 | 95.0 | 95.0 | 95.0 | 95.0 | 95.0 | 95.0 |
| 71.2 | 93.9 | 95.7 | 95.9 | 96.4 | 96.5 | 96.7 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 | 97.0 |
| 71.2 | 94.3 | 96.4 | 96.8 | 97.5 | 97.6 | 97.7 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 |
| 71.2 | 94.4 | 96.5 | 96.9 | 97.7 | 97.8 | 98.1 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 |
| 71.3 | 94.5 | 96.7 | 97.1 | 97.8 | 98.1 | 98.3 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 | 98.7 |
| 71.3 | 94.7 | 96.9 | 97.3 | 98.1 | 98.3 | 98.8 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 | 99.2 |
| 71.3 | 94.7 | 96.9 | 97.3 | 98.1 | 98.4 | 99.0 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 |
| 71.3 | 94.7 | 96.9 | 97.3 | 98.1 | 98.4 | 99.0 | 99.5 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 71.3 | 94.7 | 96.9 | 97.3 | 98.1 | 98.4 | 99.0 | 99.5 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 71.3 | 94.7 | 96.9 | 97.3 | 98.1 | 98.4 | 99.0 | 99.5 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 71.3 | 94.7 | 96.9 | 97.3 | 98.1 | 98.4 | 99.0 | 99.5 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |

TOTAL NUMBER OF OBSERVATIONS 837

WFO WEATHER SERVICE

2

JOINT CLIMATOLOGY BRANCH
AFMPC
AF WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

RAY AAF/FT LEWIS, MO

73-81

80-

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1947-1950

| | | | | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 44.0 | 56.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 |
| 53.3 | 62.6 | 62.8 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 | 63.0 |
| 63.7 | 63.4 | 63.4 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 | 63.6 |
| 64.6 | 64.2 | 64.2 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 | 64.3 |
| 65.0 | 65.1 | 65.1 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 |
| 65.6 | 66.2 | 66.2 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 | 66.3 |
| 66.9 | 66.8 | 66.8 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 | 66.9 |
| 67.1 | 69.4 | 69.4 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 | 69.5 |
| 67.8 | 70.7 | 70.8 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 | 71.0 |
| 69.7 | 72.2 | 72.3 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 | 72.4 |
| 69.1 | 73.4 | 73.5 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 | 73.6 |
| 71.5 | 75.6 | 75.7 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 | 75.9 |
| 72.4 | 79.9 | 80.0 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 | 80.2 |
| 84.1 | 83.5 | 83.8 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 | 83.9 |
| 85.2 | 86.5 | 87.1 | 87.2 | 87.5 | 87.5 | 87.5 | 87.5 | 87.6 | 87.6 | 87.6 | 87.6 | 87.6 | 87.6 | 87.6 | 87.6 | 87.6 | 87.6 | 87.6 | 87.6 |
| 85.8 | 88.6 | 89.5 | 89.6 | 90.0 | 90.0 | 90.1 | 90.2 | 90.2 | 90.2 | 90.2 | 90.2 | 90.2 | 90.2 | 90.2 | 90.2 | 90.2 | 90.2 | 90.2 | 90.2 |
| 86.5 | 91.8 | 93.0 | 93.1 | 93.8 | 93.8 | 93.9 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 |
| 87.1 | 93.7 | 95.0 | 95.1 | 95.8 | 95.8 | 96.1 | 96.3 | 96.3 | 96.3 | 96.3 | 96.3 | 96.3 | 96.3 | 96.3 | 96.3 | 96.3 | 96.3 | 96.3 | 96.3 |
| 87.1 | 94.1 | 95.5 | 95.6 | 96.3 | 96.3 | 96.5 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 |
| 87.1 | 94.9 | 96.3 | 96.4 | 97.4 | 97.4 | 98.0 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 |
| 87.1 | 95.1 | 96.5 | 96.7 | 97.7 | 97.7 | 98.4 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 |
| 87.1 | 95.2 | 96.8 | 96.9 | 98.1 | 98.1 | 98.9 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 |
| 87.1 | 95.3 | 96.9 | 97.0 | 98.2 | 98.2 | 99.0 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 |
| 87.1 | 95.3 | 96.9 | 97.1 | 98.2 | 98.2 | 99.0 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 |
| 87.1 | 95.3 | 96.9 | 97.1 | 98.3 | 98.3 | 99.2 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 87.1 | 95.3 | 96.9 | 97.1 | 98.3 | 98.3 | 99.3 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 87.1 | 95.3 | 96.9 | 97.1 | 98.4 | 98.4 | 99.4 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 87.1 | 95.3 | 96.9 | 97.1 | 98.4 | 98.4 | 99.4 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 87.1 | 95.3 | 96.9 | 97.1 | 98.4 | 98.4 | 99.4 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 87.1 | 95.3 | 96.9 | 97.1 | 98.4 | 98.4 | 99.4 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 87.1 | 95.3 | 96.9 | 97.1 | 98.4 | 98.4 | 99.4 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 87.1 | 95.3 | 96.9 | 97.1 | 98.4 | 98.4 | 99.4 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 837

USAF FPC 0-14-5 CL A PREVIOUS EDITIONS ARE OBSOLETE

ALBANY CLIMATOLOGY BRANCH
 ALBANY, NY
 AIR WEATHER SERVICE/MAC

ALBANY, NY GRAY AAF/FT LEWIS, WA

73-51

AWC

CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATIONS

2100-2300

| | | | | | | | | | | | | | | | | | |
|----|---|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 9 | 61.2 | 61.2 | 61.2 | 61.2 | 61.3 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 | 61.4 |
| 10 | 3 | 63.9 | 63.9 | 63.9 | 63.9 | 64.0 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 |
| 17 | 7 | 64.4 | 64.4 | 64.4 | 64.4 | 64.5 | 64.6 | 64.6 | 64.6 | 64.6 | 64.6 | 64.6 | 64.6 | 64.6 | 64.6 | 64.6 | 64.6 |
| 19 | 1 | 64.6 | 64.6 | 64.6 | 64.6 | 64.6 | 64.8 | 64.9 | 64.9 | 64.9 | 64.9 | 64.9 | 64.9 | 64.9 | 64.9 | 64.9 | 64.9 |
| 14 | 4 | 65.9 | 65.9 | 65.8 | 65.8 | 65.9 | 66.1 | 66.1 | 66.1 | 66.1 | 66.1 | 66.1 | 66.1 | 66.1 | 66.1 | 66.1 | 66.1 |
| 17 | 5 | 67.1 | 67.1 | 67.1 | 67.1 | 67.3 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 |
| 27 | 1 | 69.1 | 69.1 | 69.1 | 69.1 | 69.2 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 | 69.3 |
| 27 | 1 | 69.4 | 69.4 | 69.4 | 69.4 | 69.5 | 69.7 | 69.7 | 69.7 | 69.7 | 69.7 | 69.7 | 69.7 | 69.7 | 69.7 | 69.7 | 69.7 |
| 20 | 8 | 70.8 | 71.1 | 71.1 | 71.1 | 71.2 | 71.3 | 71.3 | 71.3 | 71.3 | 71.3 | 71.3 | 71.3 | 71.3 | 71.3 | 71.3 | 71.3 |
| 2 | 1 | 72.3 | 72.5 | 72.5 | 72.5 | 72.6 | 72.8 | 72.8 | 72.8 | 72.8 | 72.8 | 72.8 | 72.8 | 72.8 | 72.8 | 72.8 | 72.8 |
| 21 | 8 | 73.4 | 73.6 | 73.6 | 73.6 | 73.7 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 |
| 21 | 3 | 77.2 | 77.4 | 77.4 | 77.4 | 77.5 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 | 77.7 |
| 12 | 1 | 79.0 | 79.3 | 79.3 | 79.3 | 79.5 | 79.6 | 79.6 | 79.6 | 79.6 | 79.6 | 79.6 | 79.6 | 79.6 | 79.6 | 79.6 | 79.6 |
| 12 | 6 | 83.1 | 83.4 | 83.4 | 83.4 | 83.5 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 | 83.6 |
| 23 | 1 | 85.6 | 86.1 | 86.1 | 86.5 | 86.6 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 | 86.7 |
| 23 | 3 | 87.2 | 87.6 | 87.6 | 87.9 | 88.1 | 88.2 | 88.2 | 88.2 | 88.2 | 88.2 | 88.2 | 88.2 | 88.2 | 88.2 | 88.2 | 88.2 |
| 23 | 7 | 91.3 | 91.9 | 91.9 | 92.4 | 92.5 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 | 92.7 |
| 23 | 7 | 93.4 | 94.1 | 94.1 | 94.7 | 94.9 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 |
| 23 | 7 | 93.9 | 94.6 | 94.6 | 95.2 | 95.3 | 95.6 | 95.6 | 95.6 | 95.6 | 95.6 | 95.6 | 95.6 | 95.6 | 95.6 | 95.6 | 95.6 |
| 23 | 2 | 94.9 | 95.6 | 95.6 | 96.2 | 96.3 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 | 96.8 |
| 23 | 0 | 95.2 | 95.9 | 95.9 | 96.5 | 96.7 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 |
| 23 | 2 | 95.8 | 96.5 | 96.5 | 97.1 | 97.3 | 97.8 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 |
| 23 | 9 | 96.3 | 97.1 | 97.1 | 97.7 | 97.8 | 98.6 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 |
| 23 | 2 | 96.3 | 97.1 | 97.1 | 97.7 | 97.8 | 98.6 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 |
| 23 | 9 | 96.3 | 97.1 | 97.3 | 98.2 | 98.3 | 99.0 | 99.4 | 99.4 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 |
| 23 | 0 | 96.3 | 97.3 | 97.4 | 98.4 | 98.6 | 99.3 | 99.6 | 99.6 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 23 | 1 | 96.3 | 97.3 | 97.4 | 98.6 | 98.7 | 99.4 | 99.8 | 99.8 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 23 | 4 | 96.3 | 97.3 | 97.4 | 98.7 | 98.8 | 99.5 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 23 | 7 | 96.3 | 97.3 | 97.4 | 98.7 | 98.8 | 99.5 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 23 | 9 | 96.3 | 97.3 | 97.4 | 98.7 | 98.8 | 99.5 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 23 | 9 | 96.3 | 97.3 | 97.4 | 98.7 | 98.8 | 99.5 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 23 | 7 | 96.3 | 97.3 | 97.4 | 98.7 | 98.8 | 99.5 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 837

2
GLOBAL CLIMATOLOGY BRANCH
AFETAC
AF WEATHER SERVICE/HAC

CEILING VERSUS VISIBILITY

PRAY AAF/FT LEWIS, WA

73-81

400

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

ALL

| | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 46.5 | 46.5 | 47.2 | 47.4 | 47.6 | 47.6 | 47.7 | 47.7 | 47.7 | 47.8 | 47.8 | 47.8 | 47.8 | 47.9 | 47.9 | 48.0 | 48.0 |
| 49.3 | 49.3 | 50.2 | 50.2 | 50.4 | 50.5 | 50.6 | 50.6 | 50.6 | 50.6 | 50.7 | 50.7 | 50.7 | 50.8 | 50.8 | 50.8 | 50.8 |
| 49.7 | 49.7 | 50.4 | 50.6 | 50.8 | 50.9 | 51.0 | 51.0 | 51.0 | 51.0 | 51.1 | 51.1 | 51.1 | 51.2 | 51.2 | 51.2 | 51.3 |
| 50.0 | 50.0 | 50.7 | 51.0 | 51.1 | 51.2 | 51.3 | 51.3 | 51.3 | 51.4 | 51.4 | 51.4 | 51.4 | 51.5 | 51.5 | 51.6 | 51.6 |
| 50.9 | 50.9 | 51.6 | 51.8 | 52.0 | 52.1 | 52.2 | 52.2 | 52.2 | 52.2 | 52.3 | 52.3 | 52.3 | 52.4 | 52.4 | 52.4 | 52.4 |
| 52.4 | 52.4 | 52.7 | 53.0 | 53.2 | 53.2 | 53.3 | 53.3 | 53.3 | 53.4 | 53.4 | 53.4 | 53.4 | 53.5 | 53.5 | 53.6 | 53.6 |
| 53.1 | 53.5 | 54.2 | 54.5 | 54.6 | 54.7 | 54.8 | 54.8 | 54.8 | 54.9 | 54.9 | 54.9 | 55.0 | 55.0 | 55.0 | 55.0 | 55.1 |
| 53.3 | 53.9 | 54.7 | 55.0 | 55.2 | 55.3 | 55.3 | 55.3 | 55.3 | 55.4 | 55.5 | 55.5 | 55.5 | 55.5 | 55.5 | 55.6 | 55.6 |
| 53.9 | 55.2 | 56.1 | 56.3 | 56.5 | 56.6 | 56.7 | 56.7 | 56.7 | 56.7 | 56.8 | 56.8 | 56.8 | 56.8 | 56.9 | 56.9 | 56.9 |
| 54.3 | 56.1 | 57.1 | 57.3 | 57.5 | 57.6 | 57.7 | 57.7 | 57.7 | 57.7 | 57.8 | 57.8 | 57.8 | 57.8 | 57.9 | 57.9 | 57.9 |
| 54.7 | 57.2 | 58.2 | 58.4 | 58.6 | 58.7 | 58.8 | 58.8 | 58.8 | 58.8 | 58.9 | 58.9 | 58.9 | 58.9 | 59.0 | 59.0 | 59.1 |
| 55.9 | 60.2 | 61.2 | 61.4 | 61.6 | 61.7 | 61.8 | 61.8 | 61.8 | 61.9 | 61.9 | 61.9 | 62.0 | 62.0 | 62.0 | 62.1 | 62.1 |
| 57.0 | 62.4 | 63.4 | 63.7 | 63.9 | 64.0 | 64.1 | 64.1 | 64.1 | 64.2 | 64.2 | 64.2 | 64.3 | 64.3 | 64.3 | 64.4 | 64.4 |
| 59.9 | 66.7 | 67.7 | 68.0 | 68.2 | 68.4 | 68.5 | 68.5 | 68.5 | 68.6 | 68.7 | 68.7 | 68.7 | 68.7 | 68.8 | 68.8 | 68.8 |
| 60.5 | 70.3 | 71.4 | 71.7 | 72.1 | 72.2 | 72.3 | 72.4 | 72.4 | 72.5 | 72.6 | 72.6 | 72.6 | 72.7 | 72.7 | 72.7 | 72.7 |
| 62.2 | 74.0 | 75.3 | 75.6 | 76.2 | 76.3 | 76.5 | 76.6 | 76.6 | 76.7 | 76.8 | 76.8 | 76.8 | 76.9 | 76.9 | 76.9 | 76.9 |
| 63.4 | 78.2 | 79.7 | 80.2 | 80.8 | 81.0 | 81.2 | 81.3 | 81.3 | 81.5 | 81.5 | 81.5 | 81.6 | 81.6 | 81.7 | 81.7 | 81.7 |
| 64.6 | 81.8 | 83.6 | 84.1 | 84.9 | 85.1 | 85.4 | 85.5 | 85.6 | 85.7 | 85.8 | 85.8 | 85.8 | 85.8 | 85.9 | 85.9 | 85.9 |
| 64.8 | 82.5 | 84.3 | 84.9 | 85.7 | 85.9 | 86.1 | 86.3 | 86.3 | 86.4 | 86.5 | 86.5 | 86.5 | 86.5 | 86.5 | 86.6 | 86.6 |
| 65.5 | 84.9 | 86.9 | 87.5 | 88.4 | 88.6 | 89.0 | 89.2 | 89.2 | 89.3 | 89.4 | 89.4 | 89.4 | 89.4 | 89.5 | 89.5 | 89.6 |
| 65.3 | 86.6 | 88.7 | 89.4 | 90.4 | 90.6 | 91.0 | 91.2 | 91.2 | 91.3 | 91.4 | 91.4 | 91.4 | 91.4 | 91.5 | 91.5 | 91.6 |
| 65.2 | 87.5 | 89.8 | 90.5 | 91.6 | 91.9 | 92.3 | 92.6 | 92.6 | 92.7 | 92.8 | 92.8 | 92.8 | 92.8 | 92.9 | 93.0 | 93.0 |
| 66.0 | 87.9 | 90.3 | 91.1 | 92.2 | 92.4 | 93.0 | 93.2 | 93.3 | 93.4 | 93.5 | 93.5 | 93.5 | 93.5 | 93.6 | 93.6 | 93.6 |
| 66.0 | 88.3 | 90.7 | 91.5 | 92.7 | 93.0 | 93.5 | 93.8 | 93.8 | 94.0 | 94.1 | 94.1 | 94.1 | 94.1 | 94.2 | 94.2 | 94.2 |
| 66.0 | 88.5 | 91.1 | 92.0 | 93.4 | 93.6 | 94.2 | 94.5 | 94.5 | 94.7 | 94.8 | 94.8 | 94.8 | 94.8 | 94.9 | 94.9 | 94.9 |
| 66.0 | 88.8 | 91.4 | 92.4 | 93.9 | 94.2 | 94.8 | 95.2 | 95.3 | 95.5 | 95.6 | 95.6 | 95.6 | 95.7 | 95.7 | 95.7 | 95.7 |
| 66.0 | 89.1 | 91.8 | 93.0 | 94.5 | 94.9 | 95.7 | 96.1 | 96.3 | 96.5 | 96.6 | 96.6 | 96.6 | 96.6 | 96.7 | 96.7 | 96.7 |
| 66.0 | 89.2 | 92.0 | 93.2 | 95.0 | 95.3 | 96.2 | 96.9 | 97.1 | 97.4 | 97.5 | 97.5 | 97.6 | 97.6 | 97.7 | 97.7 | 97.7 |
| 66.0 | 89.3 | 92.1 | 93.3 | 95.1 | 95.4 | 96.4 | 97.3 | 97.7 | 98.0 | 98.3 | 98.3 | 98.4 | 98.5 | 98.6 | 98.6 | 98.6 |
| 66.0 | 89.3 | 92.1 | 93.4 | 95.1 | 95.5 | 96.5 | 97.4 | 97.8 | 98.2 | 98.5 | 98.6 | 98.6 | 98.9 | 99.2 | 99.3 | 99.4 |
| 66.0 | 89.3 | 92.1 | 93.4 | 95.1 | 95.5 | 96.5 | 97.4 | 97.8 | 98.3 | 98.6 | 98.6 | 99.1 | 99.2 | 99.7 | 99.9 | 99.9 |
| 66.0 | 89.3 | 92.1 | 93.4 | 95.1 | 95.5 | 96.5 | 97.4 | 97.8 | 98.3 | 98.6 | 98.6 | 99.1 | 99.3 | 99.7 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 6696

CLIMATOLOGY BRANCH
AFETAC
WEATHER SERVICE/MAC

73-81 PRAY AAF/FT LEWIS WA

73-81

SEP

CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1000-0000

| | | | | | | | | | | | | | | | |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 5.3 | 53.1 | 54.1 | 55.1 | 55.3 | 55.9 | 56.2 | 56.3 | 56.4 | 56.7 | 57.0 | 57.0 | 57.3 | 57.5 | 58.0 | 58.6 |
| 5.3 | 54.1 | 55.1 | 56.0 | 56.3 | 56.9 | 57.2 | 57.3 | 57.4 | 57.7 | 58.0 | 58.0 | 58.3 | 58.5 | 59.0 | 59.6 |
| 5.3 | 54.0 | 55.1 | 56.0 | 56.3 | 56.9 | 57.2 | 57.3 | 57.4 | 57.7 | 58.0 | 58.0 | 58.3 | 58.5 | 59.0 | 59.6 |
| 5.3 | 54.0 | 55.0 | 56.0 | 56.3 | 56.9 | 57.2 | 57.3 | 57.4 | 57.7 | 58.0 | 58.0 | 58.3 | 58.5 | 59.0 | 59.6 |
| 5.3 | 54.0 | 55.0 | 56.0 | 56.3 | 56.9 | 57.2 | 57.3 | 57.4 | 57.7 | 58.0 | 58.0 | 58.3 | 58.5 | 59.0 | 59.6 |
| 5.3 | 56.2 | 57.3 | 58.3 | 58.6 | 59.3 | 59.5 | 59.6 | 59.8 | 60.0 | 60.4 | 60.4 | 60.6 | 60.9 | 61.4 | 62.0 |
| 5.3 | 57.0 | 58.1 | 59.1 | 59.5 | 60.1 | 60.4 | 60.5 | 60.6 | 60.9 | 61.2 | 61.2 | 61.5 | 61.7 | 62.2 | 62.8 |
| 5.3 | 58.0 | 59.1 | 60.1 | 60.5 | 61.1 | 61.4 | 61.5 | 61.6 | 61.9 | 62.2 | 62.2 | 62.5 | 62.7 | 63.2 | 63.6 |
| 5.3 | 59.1 | 60.2 | 61.2 | 61.6 | 62.2 | 62.5 | 62.6 | 62.7 | 63.0 | 63.3 | 63.3 | 63.6 | 63.8 | 64.3 | 64.9 |
| 5.4 | 60.1 | 61.2 | 62.2 | 62.6 | 63.2 | 63.5 | 63.6 | 63.7 | 64.0 | 64.3 | 64.3 | 64.6 | 64.8 | 65.3 | 65.9 |
| 5.4 | 61.2 | 62.3 | 63.3 | 63.7 | 64.3 | 64.6 | 64.7 | 64.8 | 65.1 | 65.4 | 65.4 | 65.7 | 65.9 | 66.4 | 67.0 |
| 5.5 | 65.8 | 66.9 | 67.9 | 68.3 | 68.9 | 69.1 | 69.3 | 69.4 | 69.6 | 70.0 | 70.0 | 70.2 | 70.5 | 71.0 | 71.6 |
| 5.5 | 68.6 | 69.9 | 70.9 | 71.2 | 71.9 | 72.1 | 72.2 | 72.3 | 72.6 | 73.0 | 73.0 | 73.2 | 73.5 | 74.0 | 74.6 |
| 5.5 | 72.1 | 73.5 | 74.4 | 74.8 | 75.4 | 75.7 | 75.8 | 75.9 | 76.2 | 76.5 | 76.5 | 76.8 | 77.0 | 77.5 | 78.1 |
| 5.5 | 76.0 | 77.4 | 78.5 | 79.4 | 80.0 | 80.2 | 80.4 | 80.5 | 80.7 | 81.1 | 81.1 | 81.4 | 81.6 | 82.1 | 82.7 |
| 5.5 | 78.1 | 79.3 | 80.9 | 81.9 | 82.5 | 82.7 | 82.8 | 83.0 | 83.2 | 83.6 | 83.6 | 83.8 | 84.1 | 84.6 | 85.2 |
| 5.7 | 81.7 | 83.5 | 84.6 | 85.6 | 86.3 | 86.5 | 86.7 | 86.8 | 87.0 | 87.4 | 87.4 | 87.7 | 87.9 | 88.4 | 89.0 |
| 5.7 | 84.0 | 86.0 | 87.2 | 88.3 | 89.0 | 89.3 | 89.4 | 89.5 | 89.8 | 90.1 | 90.1 | 90.4 | 90.6 | 91.1 | 91.7 |
| 5.7 | 84.4 | 86.5 | 87.7 | 88.8 | 89.5 | 89.8 | 89.9 | 90.0 | 90.2 | 90.6 | 90.6 | 90.9 | 91.1 | 91.6 | 92.2 |
| 5.7 | 85.6 | 87.7 | 88.9 | 90.0 | 90.7 | 91.0 | 91.1 | 91.2 | 91.5 | 91.9 | 91.9 | 92.1 | 92.3 | 92.8 | 93.5 |
| 5.7 | 86.3 | 88.4 | 89.6 | 90.7 | 91.5 | 91.7 | 91.9 | 92.0 | 92.2 | 92.6 | 92.6 | 92.8 | 93.1 | 93.6 | 94.2 |
| 5.7 | 86.5 | 88.6 | 89.9 | 91.1 | 91.9 | 92.1 | 92.2 | 92.3 | 92.6 | 93.0 | 93.0 | 93.2 | 93.5 | 94.0 | 94.6 |
| 5.7 | 86.9 | 89.1 | 90.4 | 91.7 | 92.5 | 92.7 | 92.8 | 93.0 | 93.2 | 93.6 | 93.6 | 93.8 | 94.1 | 94.6 | 95.2 |
| 5.7 | 87.2 | 89.4 | 90.6 | 92.1 | 92.8 | 93.1 | 93.2 | 93.3 | 93.6 | 94.0 | 94.0 | 94.2 | 94.4 | 94.9 | 95.6 |
| 5.7 | 87.7 | 90.0 | 91.2 | 92.8 | 93.6 | 93.8 | 94.0 | 94.1 | 94.3 | 94.7 | 94.7 | 94.9 | 95.2 | 95.7 | 96.3 |
| 5.7 | 87.7 | 90.1 | 91.4 | 93.0 | 93.7 | 94.0 | 94.1 | 94.2 | 94.4 | 94.8 | 94.8 | 95.1 | 95.3 | 95.8 | 96.4 |
| 5.7 | 87.8 | 90.2 | 91.5 | 93.1 | 93.8 | 94.3 | 94.4 | 94.7 | 94.9 | 95.3 | 95.3 | 95.6 | 95.8 | 96.3 | 96.9 |
| 5.7 | 87.8 | 90.4 | 91.7 | 93.6 | 94.3 | 94.9 | 95.1 | 95.3 | 95.6 | 95.9 | 95.9 | 96.2 | 96.4 | 96.9 | 97.5 |
| 5.7 | 87.8 | 90.5 | 92.0 | 94.0 | 94.7 | 95.3 | 95.4 | 95.8 | 96.0 | 96.4 | 96.4 | 96.7 | 96.9 | 97.4 | 98.0 |
| 5.7 | 87.8 | 90.5 | 92.0 | 94.0 | 94.7 | 95.3 | 95.4 | 95.8 | 96.0 | 96.4 | 96.4 | 96.7 | 97.0 | 97.7 | 98.3 |
| 5.7 | 87.8 | 90.5 | 92.1 | 94.1 | 94.8 | 95.4 | 95.6 | 95.9 | 96.2 | 96.5 | 96.5 | 96.8 | 97.3 | 98.1 | 98.7 |
| 5.7 | 87.8 | 90.5 | 92.1 | 94.1 | 94.8 | 95.4 | 95.6 | 95.9 | 96.2 | 96.5 | 96.5 | 96.8 | 97.3 | 98.1 | 98.7 |

TOTAL NUMBER OF OBSERVATIONS 810

GLOBAL CLIMATOLOGY BRANCH
AFETAC
41 WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

SPAY AAF/FT LEWIS, MO

73-81

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

0300-0500

| | | | | | | | | | | | | | | | |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 6.0 | 39.5 | 41.5 | 43.0 | 44.9 | 45.2 | 45.7 | 45.8 | 45.9 | 47.4 | 47.5 | 47.5 | 47.8 | 48.0 | 48.3 | 49.0 |
| 6.5 | 40.4 | 42.3 | 44.0 | 45.9 | 46.2 | 46.7 | 46.8 | 46.9 | 48.4 | 48.5 | 48.5 | 48.8 | 49.0 | 49.3 | 50.0 |
| 6.9 | 40.4 | 42.3 | 44.0 | 45.9 | 46.2 | 46.7 | 46.8 | 46.9 | 48.4 | 48.5 | 48.5 | 48.8 | 49.0 | 49.3 | 50.0 |
| 6.9 | 40.4 | 42.3 | 44.0 | 45.9 | 46.2 | 46.7 | 46.8 | 46.9 | 48.4 | 48.5 | 48.5 | 48.8 | 49.0 | 49.3 | 50.0 |
| 6.9 | 41.7 | 43.7 | 45.3 | 47.3 | 47.5 | 48.0 | 48.1 | 48.3 | 49.8 | 49.9 | 49.9 | 50.1 | 50.4 | 51.6 | 51.4 |
| 7.0 | 41.7 | 43.7 | 45.3 | 47.3 | 47.5 | 48.0 | 48.1 | 48.3 | 49.8 | 49.9 | 49.9 | 50.1 | 50.4 | 51.6 | 51.4 |
| 7.0 | 42.7 | 44.7 | 46.3 | 48.4 | 48.6 | 49.1 | 49.3 | 49.4 | 50.9 | 51.0 | 51.0 | 51.2 | 51.5 | 51.7 | 52.5 |
| 7.0 | 43.8 | 45.8 | 47.4 | 49.5 | 49.8 | 50.2 | 50.4 | 50.5 | 52.0 | 52.1 | 52.2 | 53.7 | 53.8 | 54.1 | 54.3 |
| 7.2 | 45.6 | 47.5 | 49.1 | 51.2 | 51.5 | 52.0 | 52.1 | 52.2 | 53.7 | 53.8 | 53.8 | 54.1 | 54.3 | 54.6 | 55.3 |
| 7.3 | 46.9 | 48.9 | 50.5 | 52.6 | 52.8 | 53.3 | 53.5 | 53.6 | 55.1 | 55.2 | 55.2 | 55.4 | 55.7 | 55.9 | 56.7 |
| 7.3 | 48.4 | 50.4 | 52.0 | 54.1 | 54.3 | 54.8 | 54.9 | 55.1 | 56.5 | 56.7 | 56.7 | 56.9 | 57.2 | 57.4 | 58.1 |
| 7.7 | 52.6 | 54.6 | 56.2 | 58.3 | 58.5 | 59.0 | 59.1 | 59.3 | 60.7 | 60.9 | 60.9 | 61.1 | 61.4 | 61.6 | 62.3 |
| 7.8 | 54.4 | 56.5 | 58.3 | 60.4 | 60.6 | 61.2 | 61.4 | 61.5 | 63.0 | 63.1 | 63.1 | 63.3 | 63.6 | 63.8 | 64.6 |
| 8.1 | 58.4 | 60.7 | 62.6 | 64.9 | 65.2 | 65.9 | 66.2 | 66.3 | 67.7 | 67.8 | 67.8 | 68.0 | 68.3 | 68.5 | 69.3 |
| 8.3 | 61.7 | 64.2 | 66.3 | 69.0 | 69.3 | 70.1 | 70.2 | 70.4 | 71.9 | 72.0 | 72.0 | 72.2 | 72.5 | 72.7 | 73.5 |
| 8.3 | 63.6 | 66.3 | 68.5 | 71.4 | 71.6 | 72.7 | 72.8 | 73.0 | 74.4 | 74.6 | 74.6 | 74.8 | 75.1 | 75.3 | 76.0 |
| 8.3 | 65.6 | 68.3 | 70.6 | 73.5 | 73.7 | 74.8 | 74.9 | 75.1 | 76.5 | 76.7 | 76.7 | 76.9 | 77.2 | 77.4 | 78.1 |
| 8.5 | 69.4 | 72.2 | 74.8 | 77.7 | 77.9 | 79.0 | 79.1 | 79.3 | 80.7 | 80.9 | 80.9 | 81.1 | 81.4 | 81.6 | 82.3 |
| 8.5 | 69.6 | 72.5 | 75.1 | 77.9 | 78.1 | 79.3 | 79.4 | 79.5 | 81.0 | 81.1 | 81.1 | 81.4 | 81.6 | 81.9 | 82.6 |
| 8.6 | 72.2 | 75.1 | 77.7 | 80.6 | 80.9 | 82.1 | 82.2 | 82.3 | 83.8 | 84.0 | 84.0 | 84.2 | 84.4 | 84.7 | 85.4 |
| 8.6 | 73.7 | 76.5 | 79.3 | 82.2 | 82.5 | 83.7 | 83.8 | 84.0 | 85.4 | 85.6 | 85.6 | 85.8 | 86.0 | 86.3 | 87.0 |
| 8.8 | 74.9 | 78.0 | 80.7 | 83.7 | 84.0 | 85.2 | 85.3 | 85.4 | 86.9 | 87.0 | 87.0 | 87.3 | 87.5 | 87.8 | 88.5 |
| 8.8 | 75.7 | 78.9 | 81.6 | 84.6 | 84.8 | 86.0 | 86.2 | 86.3 | 87.8 | 87.9 | 87.9 | 88.1 | 88.4 | 88.6 | 89.4 |
| 8.8 | 76.3 | 79.5 | 82.2 | 85.3 | 85.6 | 86.9 | 87.0 | 87.2 | 88.6 | 88.8 | 88.8 | 89.0 | 89.3 | 89.5 | 90.2 |
| 8.8 | 76.5 | 79.8 | 82.5 | 85.6 | 85.8 | 87.2 | 87.3 | 87.4 | 88.9 | 89.1 | 89.1 | 89.4 | 89.6 | 89.9 | 90.6 |
| 8.8 | 76.7 | 80.0 | 82.7 | 85.8 | 86.0 | 87.4 | 87.8 | 88.0 | 89.5 | 89.8 | 89.8 | 90.0 | 90.2 | 90.5 | 91.2 |
| 8.8 | 77.4 | 81.1 | 83.8 | 87.3 | 87.5 | 88.9 | 89.3 | 89.5 | 91.0 | 91.2 | 91.2 | 91.5 | 91.7 | 92.0 | 92.7 |
| 8.8 | 77.5 | 81.4 | 84.1 | 87.8 | 88.0 | 89.5 | 89.9 | 90.2 | 91.7 | 92.0 | 92.0 | 92.3 | 92.6 | 92.8 | 93.6 |
| 8.8 | 77.7 | 81.6 | 84.3 | 88.5 | 88.8 | 90.6 | 91.0 | 91.4 | 93.0 | 93.2 | 93.2 | 93.8 | 94.2 | 94.4 | 95.3 |
| 8.8 | 77.7 | 81.6 | 84.3 | 88.5 | 88.8 | 91.1 | 91.9 | 92.2 | 94.1 | 94.6 | 94.6 | 95.6 | 95.9 | 96.2 | 97.4 |
| 8.8 | 77.7 | 81.6 | 84.3 | 88.5 | 88.8 | 91.2 | 92.0 | 92.3 | 94.2 | 94.8 | 94.8 | 95.9 | 96.4 | 97.0 | 99.5 |
| 8.8 | 77.7 | 81.6 | 84.3 | 88.5 | 88.8 | 91.2 | 92.0 | 92.3 | 94.2 | 94.8 | 94.8 | 95.9 | 96.4 | 97.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 810

USAF ETAC 10-14-65 OF A PREVIOUS EDITION OF THIS FORM ARE OBSOLETE

GLOBAL CLIMATOLOGY BRANCH
USAF ETAC
AF WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

73-81 DAY AAF/FT LEWIS WA

73-81

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

2600-2800

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 29.4 | 29.5 | 31.9 | 32.3 | 34.6 | 35.1 | 35.8 | 36.2 | 36.2 | 36.7 | 37.2 | 37.2 | 37.8 | 37.9 | 38.8 | 39.4 |
| 31.4 | 31.4 | 32.7 | 34.2 | 35.6 | 36.0 | 36.9 | 37.4 | 37.5 | 38.0 | 38.6 | 38.6 | 39.3 | 39.4 | 40.2 | 40.9 |
| 31.4 | 31.7 | 33.1 | 34.6 | 35.9 | 36.4 | 37.3 | 37.8 | 37.9 | 38.4 | 39.0 | 39.0 | 39.6 | 39.8 | 40.6 | 41.2 |
| 21.5 | 31.9 | 33.2 | 34.7 | 36.0 | 36.5 | 37.4 | 37.9 | 38.7 | 38.5 | 39.1 | 39.1 | 39.8 | 39.9 | 40.7 | 41.4 |
| 22.2 | 31.9 | 34.2 | 35.7 | 37.0 | 37.5 | 38.4 | 38.9 | 39.7 | 39.5 | 40.1 | 40.1 | 40.7 | 40.9 | 41.7 | 42.3 |
| 22.7 | 32.3 | 34.8 | 36.4 | 37.8 | 38.3 | 39.1 | 39.6 | 39.8 | 40.2 | 40.9 | 40.9 | 41.5 | 41.6 | 42.5 | 43.1 |
| 23.6 | 33.7 | 36.2 | 37.8 | 39.1 | 39.6 | 40.5 | 41.0 | 41.1 | 41.6 | 42.2 | 42.2 | 42.9 | 43.0 | 43.8 | 44.4 |
| 23.7 | 34.1 | 36.7 | 38.3 | 39.6 | 40.1 | 41.0 | 41.5 | 41.6 | 42.1 | 42.7 | 42.7 | 43.3 | 43.5 | 44.3 | 44.9 |
| 24.9 | 37.0 | 39.6 | 41.2 | 42.7 | 43.2 | 44.3 | 44.9 | 45.1 | 45.6 | 46.2 | 46.2 | 46.8 | 46.9 | 47.8 | 48.4 |
| 25.4 | 38.1 | 40.9 | 42.5 | 44.4 | 44.9 | 46.2 | 46.8 | 47.0 | 47.5 | 48.1 | 48.1 | 48.8 | 48.9 | 49.8 | 50.5 |
| 25.9 | 39.7 | 41.7 | 43.3 | 45.3 | 45.8 | 47.0 | 47.7 | 47.9 | 48.4 | 49.1 | 49.1 | 49.8 | 49.9 | 50.7 | 51.5 |
| 27.1 | 41.7 | 44.4 | 46.0 | 48.0 | 48.5 | 49.8 | 50.4 | 50.6 | 51.1 | 51.9 | 51.9 | 52.5 | 52.6 | 53.5 | 54.2 |
| 27.8 | 44.3 | 47.3 | 48.9 | 50.9 | 51.4 | 52.6 | 53.2 | 53.5 | 54.0 | 54.7 | 54.7 | 55.3 | 55.4 | 56.3 | 57.0 |
| 28.1 | 49.0 | 52.3 | 54.1 | 56.0 | 56.5 | 58.0 | 58.8 | 59.0 | 59.5 | 60.2 | 60.2 | 60.9 | 61.0 | 61.9 | 62.6 |
| 29.4 | 53.1 | 56.4 | 58.3 | 60.2 | 60.7 | 62.2 | 63.0 | 63.2 | 63.7 | 64.4 | 64.4 | 65.1 | 65.2 | 66.0 | 66.9 |
| 29.6 | 55.1 | 58.6 | 60.5 | 62.5 | 63.1 | 64.6 | 65.3 | 65.6 | 66.0 | 66.8 | 66.8 | 67.4 | 67.5 | 68.4 | 69.3 |
| 30.5 | 59.3 | 63.7 | 65.6 | 67.8 | 68.4 | 69.9 | 70.6 | 70.9 | 71.4 | 72.1 | 72.1 | 72.7 | 72.8 | 73.7 | 74.6 |
| 31.2 | 62.0 | 66.8 | 68.8 | 71.2 | 71.9 | 73.3 | 74.1 | 74.3 | 74.8 | 75.6 | 75.6 | 76.2 | 76.3 | 77.2 | 78.0 |
| 31.6 | 62.7 | 67.5 | 69.5 | 72.0 | 72.6 | 74.1 | 74.8 | 75.1 | 75.6 | 76.3 | 76.3 | 76.9 | 77.0 | 77.9 | 78.8 |
| 31.9 | 64.3 | 69.5 | 71.5 | 74.0 | 74.6 | 76.2 | 77.0 | 77.3 | 77.8 | 78.5 | 78.5 | 79.1 | 79.3 | 80.1 | 81.0 |
| 32.0 | 65.2 | 70.6 | 72.7 | 75.2 | 75.8 | 77.4 | 78.3 | 78.5 | 79.0 | 79.8 | 79.8 | 80.4 | 80.5 | 81.4 | 82.2 |
| 32.3 | 65.6 | 71.2 | 73.3 | 75.8 | 76.4 | 78.0 | 79.0 | 79.4 | 79.9 | 80.6 | 80.6 | 81.2 | 81.4 | 82.2 | 83.1 |
| 32.3 | 66.0 | 71.7 | 73.8 | 76.7 | 77.3 | 78.9 | 79.9 | 80.2 | 80.7 | 81.5 | 81.5 | 82.1 | 82.2 | 83.1 | 84.0 |
| 32.5 | 66.5 | 72.2 | 74.4 | 77.4 | 78.1 | 79.9 | 81.0 | 81.5 | 82.0 | 82.7 | 82.7 | 83.3 | 83.5 | 84.4 | 85.3 |
| 32.5 | 66.8 | 72.6 | 74.9 | 78.0 | 78.8 | 80.5 | 81.7 | 82.3 | 82.8 | 83.6 | 83.6 | 84.2 | 84.3 | 85.3 | 86.2 |
| 32.5 | 67.1 | 73.3 | 75.7 | 78.9 | 79.6 | 81.6 | 82.8 | 83.6 | 84.1 | 84.8 | 84.8 | 85.4 | 85.6 | 86.5 | 87.4 |
| 32.5 | 67.2 | 73.6 | 76.2 | 80.0 | 81.0 | 83.2 | 84.7 | 85.4 | 86.3 | 87.0 | 87.0 | 87.7 | 87.8 | 88.8 | 89.6 |
| 32.5 | 67.3 | 73.8 | 76.7 | 80.7 | 81.9 | 84.1 | 86.3 | 87.2 | 88.1 | 88.9 | 88.9 | 89.6 | 89.8 | 90.7 | 91.6 |
| 32.5 | 67.3 | 74.0 | 76.8 | 81.0 | 82.1 | 84.3 | 87.0 | 87.9 | 89.1 | 89.9 | 89.9 | 90.9 | 91.1 | 92.3 | 93.3 |
| 32.5 | 67.4 | 74.1 | 76.9 | 81.1 | 82.2 | 84.4 | 87.3 | 88.1 | 89.5 | 90.9 | 91.5 | 93.0 | 93.3 | 94.9 | 97.7 |
| 32.5 | 67.4 | 74.1 | 76.9 | 81.1 | 82.2 | 84.4 | 87.3 | 88.1 | 89.5 | 90.9 | 91.5 | 93.3 | 93.7 | 95.7 | 99.3 |
| 32.5 | 67.4 | 74.1 | 76.9 | 81.1 | 82.2 | 84.4 | 87.3 | 88.1 | 89.5 | 90.9 | 91.5 | 93.3 | 93.7 | 95.7 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 810

2

GLOBAL CLIMATOLOGY BRANCH
ETAC
WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

GRAY AAF/FT LEWIS WA

73-81

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

2908-1107

| | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 24.7 | 36.8 | 38.7 | 38.8 | 39.0 | 39.0 | 39.0 | 39.0 | 39.0 | 39.0 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 | 39.1 |
| 31.6 | 39.8 | 41.2 | 42.0 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.2 | 42.3 | 42.3 | 42.3 | 42.3 | 42.3 | 42.3 | 42.3 |
| 32.0 | 40.1 | 41.6 | 42.3 | 42.6 | 42.6 | 42.6 | 42.6 | 42.6 | 42.6 | 42.7 | 42.7 | 42.7 | 42.7 | 42.7 | 42.7 | 42.7 |
| 32.3 | 40.5 | 42.0 | 42.7 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.0 | 43.1 | 43.1 | 43.1 | 43.1 | 43.1 | 43.1 | 43.1 |
| 33.0 | 42.2 | 43.9 | 44.6 | 44.9 | 44.9 | 44.9 | 44.9 | 44.9 | 44.9 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 | 45.1 |
| 34.7 | 43.3 | 44.9 | 45.8 | 46.2 | 46.2 | 46.2 | 46.2 | 46.2 | 46.2 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 | 46.3 |
| 35.1 | 43.8 | 45.4 | 46.3 | 46.7 | 46.7 | 46.7 | 46.7 | 46.7 | 46.7 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 | 46.8 |
| 35.8 | 44.6 | 46.2 | 47.0 | 47.4 | 47.4 | 47.4 | 47.4 | 47.4 | 47.4 | 47.5 | 47.5 | 47.5 | 47.5 | 47.5 | 47.5 | 47.5 |
| 36.5 | 46.0 | 47.7 | 48.6 | 49.1 | 49.3 | 49.4 | 49.4 | 49.4 | 49.4 | 49.5 | 49.5 | 49.5 | 49.5 | 49.5 | 49.5 | 49.5 |
| 37.7 | 47.8 | 49.4 | 50.4 | 50.9 | 51.0 | 51.2 | 51.2 | 51.2 | 51.2 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 | 51.4 |
| 38.9 | 49.6 | 51.2 | 52.2 | 52.7 | 52.8 | 53.1 | 53.1 | 53.1 | 53.1 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 | 53.2 |
| 40.4 | 52.3 | 54.1 | 55.3 | 55.8 | 55.9 | 56.2 | 56.2 | 56.2 | 56.2 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 | 56.3 |
| 41.6 | 55.8 | 57.5 | 58.8 | 59.3 | 59.4 | 59.6 | 59.6 | 59.6 | 59.6 | 59.8 | 59.8 | 59.8 | 59.8 | 59.8 | 59.8 | 59.8 |
| 44.0 | 60.7 | 62.5 | 63.8 | 64.3 | 64.4 | 64.7 | 64.8 | 64.8 | 64.8 | 64.9 | 64.9 | 64.9 | 64.9 | 64.9 | 64.9 | 64.9 |
| 44.6 | 64.7 | 65.8 | 67.5 | 68.0 | 68.1 | 68.4 | 68.6 | 68.6 | 68.6 | 68.8 | 68.8 | 68.8 | 68.8 | 68.8 | 68.8 | 68.8 |
| 45.7 | 67.2 | 69.4 | 71.1 | 71.6 | 71.7 | 72.0 | 72.3 | 72.3 | 72.3 | 72.5 | 72.5 | 72.5 | 72.5 | 72.5 | 72.5 | 72.5 |
| 47.5 | 71.1 | 73.5 | 75.2 | 76.0 | 76.2 | 76.4 | 76.9 | 76.9 | 76.9 | 77.0 | 77.0 | 77.0 | 77.0 | 77.0 | 77.0 | 77.0 |
| 48.9 | 73.5 | 75.9 | 77.7 | 78.5 | 78.6 | 79.1 | 79.6 | 79.6 | 79.6 | 79.8 | 79.8 | 79.8 | 79.8 | 79.8 | 79.8 | 79.8 |
| 49.3 | 74.7 | 77.2 | 78.9 | 79.9 | 80.0 | 80.5 | 81.0 | 81.0 | 81.0 | 81.1 | 81.1 | 81.1 | 81.1 | 81.1 | 81.1 | 81.1 |
| 49.9 | 77.9 | 80.7 | 82.5 | 83.6 | 83.7 | 84.2 | 84.7 | 84.7 | 84.7 | 84.8 | 84.8 | 84.8 | 84.8 | 84.8 | 84.8 | 84.8 |
| 50.0 | 79.9 | 83.2 | 84.9 | 86.2 | 86.3 | 86.8 | 87.3 | 87.3 | 87.3 | 87.4 | 87.4 | 87.4 | 87.4 | 87.4 | 87.4 | 87.4 |
| 50.1 | 81.1 | 84.8 | 86.7 | 88.0 | 88.1 | 88.6 | 89.1 | 89.1 | 89.1 | 89.3 | 89.3 | 89.3 | 89.3 | 89.3 | 89.3 | 89.3 |
| 50.1 | 81.4 | 85.7 | 87.5 | 88.9 | 89.0 | 89.5 | 90.0 | 90.0 | 90.0 | 90.1 | 90.1 | 90.1 | 90.1 | 90.1 | 90.1 | 90.1 |
| 50.1 | 81.9 | 86.7 | 88.5 | 90.2 | 90.5 | 91.4 | 91.9 | 91.9 | 91.9 | 92.0 | 92.0 | 92.0 | 92.0 | 92.0 | 92.0 | 92.0 |
| 50.1 | 81.9 | 86.9 | 88.8 | 90.5 | 90.7 | 91.7 | 92.2 | 92.2 | 92.2 | 92.3 | 92.3 | 92.3 | 92.3 | 92.3 | 92.3 | 92.3 |
| 50.1 | 82.3 | 87.4 | 89.3 | 91.4 | 91.7 | 92.8 | 93.3 | 93.3 | 93.3 | 93.5 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 | 93.6 |
| 50.1 | 82.5 | 87.5 | 89.4 | 91.9 | 92.7 | 94.2 | 95.1 | 95.2 | 95.3 | 95.4 | 95.4 | 95.4 | 95.4 | 95.4 | 95.4 | 95.4 |
| 50.1 | 82.5 | 87.5 | 89.4 | 92.0 | 93.0 | 94.6 | 96.0 | 96.4 | 96.8 | 97.2 | 97.2 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 |
| 50.1 | 82.5 | 87.5 | 89.4 | 92.0 | 93.0 | 94.6 | 96.2 | 96.9 | 97.5 | 98.3 | 98.3 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 |
| 50.1 | 82.5 | 87.5 | 89.4 | 92.0 | 93.0 | 94.6 | 96.2 | 96.9 | 97.5 | 98.4 | 98.4 | 98.8 | 99.0 | 99.3 | 99.3 | 99.3 |
| 50.1 | 82.5 | 87.5 | 89.4 | 92.1 | 93.1 | 94.7 | 96.3 | 97.0 | 97.7 | 98.5 | 98.5 | 98.9 | 99.1 | 99.6 | 99.9 | 99.9 |
| 50.1 | 82.5 | 87.5 | 89.4 | 92.1 | 93.1 | 94.7 | 96.3 | 97.0 | 97.7 | 98.5 | 98.5 | 98.9 | 99.1 | 99.6 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 810

JOINT CLIMATOLOGY BRANCH
USAF ETAG
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

STATION DAY AAF/FT LEWIS, WA

73-81

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1200-1400

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|
| 41.2 | 46.2 | 46.5 | 46.8 | 47.0 | 47.0 | 47.0 | 47.0 | 47.0 | 47.0 | 47.0 | 47.0 | 47.0 | 47.0 | 47.0 | 47.0 |
| 46.3 | 51.2 | 51.7 | 52.0 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 | 52.3 |
| 46.7 | 51.6 | 52.1 | 52.3 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 | 52.7 |
| 46.2 | 51.9 | 52.3 | 52.6 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 |
| 47.7 | 52.8 | 53.3 | 53.6 | 54.0 | 54.0 | 54.0 | 54.0 | 54.0 | 54.0 | 54.0 | 54.0 | 54.0 | 54.0 | 54.0 | 54.0 |
| 48.0 | 53.2 | 53.7 | 54.0 | 54.3 | 54.3 | 54.3 | 54.3 | 54.3 | 54.3 | 54.3 | 54.3 | 54.3 | 54.3 | 54.3 | 54.3 |
| 48.5 | 54.2 | 54.7 | 55.1 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 |
| 49.5 | 54.2 | 54.7 | 55.1 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 | 55.4 |
| 50.5 | 56.7 | 57.2 | 57.5 | 57.9 | 57.9 | 57.9 | 57.9 | 57.9 | 57.9 | 57.9 | 57.9 | 57.9 | 57.9 | 57.9 | 57.9 |
| 62.0 | 59.0 | 59.5 | 59.9 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 | 60.2 |
| 63.3 | 61.1 | 61.6 | 62.2 | 62.6 | 62.6 | 62.6 | 62.6 | 62.6 | 62.6 | 62.6 | 62.6 | 62.6 | 62.6 | 62.6 | 62.6 |
| 64.5 | 63.3 | 64.2 | 64.8 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 | 65.2 |
| 66.3 | 66.2 | 67.3 | 68.0 | 68.4 | 68.4 | 68.4 | 68.4 | 68.4 | 68.4 | 68.4 | 68.4 | 68.4 | 68.4 | 68.4 | 68.4 |
| 69.5 | 71.4 | 72.7 | 73.5 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 | 74.0 |
| 71.1 | 76.7 | 76.3 | 79.0 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 |
| 83.2 | 80.9 | 82.6 | 83.3 | 83.8 | 83.8 | 83.8 | 83.8 | 83.8 | 83.8 | 83.8 | 83.8 | 83.8 | 83.8 | 83.8 | 83.8 |
| 85.8 | 85.7 | 87.9 | 88.6 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 | 89.5 |
| 96.7 | 88.1 | 97.4 | 91.1 | 92.1 | 92.3 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 | 92.5 |
| 96.7 | 99.0 | 91.2 | 92.0 | 93.0 | 93.2 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 | 93.3 |
| 96.7 | 90.2 | 92.7 | 93.6 | 94.6 | 94.8 | 94.9 | 94.9 | 94.9 | 94.9 | 94.9 | 94.9 | 94.9 | 94.9 | 94.9 | 94.9 |
| 96.2 | 91.6 | 94.1 | 94.9 | 95.9 | 96.2 | 96.3 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 | 96.5 |
| 97.1 | 92.2 | 95.1 | 95.9 | 96.9 | 97.2 | 97.3 | 97.8 | 97.9 | 97.9 | 97.9 | 97.9 | 97.9 | 97.9 | 97.9 | 97.9 |
| 97.1 | 92.2 | 95.3 | 96.2 | 97.2 | 97.4 | 97.5 | 98.0 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 |
| 97.1 | 92.2 | 95.3 | 96.4 | 97.5 | 97.9 | 98.0 | 98.6 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 | 98.8 |
| 97.1 | 92.2 | 95.3 | 96.4 | 97.9 | 98.3 | 98.4 | 99.0 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 | 99.1 |
| 97.1 | 92.2 | 95.3 | 96.5 | 98.0 | 98.5 | 98.6 | 99.3 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 |
| 97.1 | 92.2 | 95.3 | 96.5 | 98.0 | 98.5 | 98.8 | 99.4 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 | 99.5 |
| 97.0 | 92.2 | 95.3 | 96.5 | 98.0 | 98.5 | 98.8 | 99.4 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 | 99.8 |
| 97.1 | 92.2 | 95.3 | 96.5 | 98.0 | 98.5 | 98.9 | 99.5 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 97.1 | 92.2 | 95.3 | 96.5 | 98.0 | 98.5 | 98.9 | 99.5 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 97.1 | 92.2 | 95.3 | 96.5 | 98.0 | 98.5 | 98.9 | 99.5 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 97.1 | 92.2 | 95.3 | 96.5 | 98.0 | 98.5 | 98.9 | 99.5 | 99.9 | 99.9 | 99.9 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 610

ANALYST'S NAME

7-2-2017

•

CONFIDENTIAL REFERENCE

100-117

[illegible]TOTAL NUMBER OF OBSERVATIONS 312

24 446,FT LEWIS 24

25-11-11

452

10-5304

| | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 11.4 | 61.7 | 61.7 | 61.7 | 61.9 | 62.0 | 62.5 | 62.0 | 62.7 | 62.5 | 62.7 | 62.5 | 62.6 | 62.5 | 62.5 | 62.5 | 62.5 |
| 11.5 | 62.6 | 62.6 | 63.6 | 63.7 | 63.8 | 63.8 | 63.8 | 64.1 | 64.3 | 64.2 | 64.3 | 64.4 | 64.4 | 64.4 | 64.4 | 64.4 |
| 11.6 | 62.6 | 62.9 | 63.6 | 63.7 | 63.8 | 63.8 | 63.8 | 64.1 | 64.3 | 64.2 | 64.3 | 64.4 | 64.4 | 64.4 | 64.4 | 64.4 |
| 11.7 | 62.7 | 62.7 | 63.7 | 63.8 | 64.0 | 64.0 | 64.0 | 64.2 | 64.4 | 64.4 | 64.4 | 64.4 | 64.6 | 64.6 | 64.6 | 64.6 |
| 11.7 | 63.0 | 63.0 | 64.1 | 64.1 | 64.2 | 64.2 | 64.2 | 64.4 | 64.7 | 64.7 | 64.7 | 64.8 | 64.8 | 64.8 | 64.8 | 64.8 |
| 11.7 | 64.1 | 64.3 | 65.1 | 65.2 | 65.3 | 65.3 | 65.3 | 65.6 | 65.8 | 65.8 | 65.8 | 65.8 | 65.9 | 65.9 | 65.9 | 65.9 |
| 11.7 | 65.2 | 65.4 | 66.2 | 66.3 | 66.4 | 66.4 | 66.4 | 66.7 | 66.9 | 66.9 | 66.9 | 67.0 | 67.1 | 67.1 | 67.1 | 67.1 |
| 11.7 | 65.6 | 65.9 | 66.5 | 66.7 | 66.8 | 66.8 | 66.8 | 67.0 | 67.3 | 67.3 | 67.3 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 |
| 11.7 | 66.8 | 67.0 | 67.8 | 67.9 | 68.0 | 68.0 | 68.0 | 68.3 | 68.5 | 68.5 | 68.5 | 68.6 | 68.6 | 68.6 | 68.6 | 68.6 |
| 11.7 | 67.9 | 68.2 | 69.0 | 69.1 | 69.3 | 69.3 | 69.3 | 69.5 | 69.8 | 69.9 | 69.9 | 69.9 | 70.0 | 70.0 | 70.0 | 70.0 |
| 11.7 | 69.3 | 69.5 | 70.5 | 70.6 | 70.7 | 70.7 | 70.7 | 71.0 | 71.2 | 71.4 | 71.4 | 71.5 | 71.5 | 71.5 | 71.5 | 71.5 |
| 12.3 | 74.1 | 74.7 | 75.4 | 75.6 | 75.7 | 75.7 | 75.7 | 75.9 | 76.2 | 76.3 | 76.3 | 76.4 | 76.4 | 76.4 | 76.4 | 76.4 |
| 12.5 | 77.7 | 78.3 | 79.1 | 79.1 | 79.3 | 79.3 | 79.3 | 79.5 | 79.9 | 79.9 | 79.9 | 80.0 | 80.0 | 80.0 | 80.0 | 80.0 |
| 12.5 | 80.2 | 81.7 | 82.7 | 82.8 | 83.0 | 83.0 | 83.0 | 83.2 | 83.5 | 83.6 | 83.6 | 83.7 | 83.7 | 83.7 | 83.7 | 83.7 |
| 12.7 | 85.2 | 86.7 | 87.2 | 87.4 | 87.5 | 87.5 | 87.5 | 87.8 | 88.7 | 88.1 | 88.1 | 88.3 | 88.3 | 88.3 | 88.3 | 88.3 |
| 12.7 | 87.0 | 88.3 | 89.4 | 89.6 | 89.8 | 89.9 | 89.9 | 90.1 | 90.4 | 90.5 | 90.5 | 90.6 | 90.6 | 90.6 | 90.6 | 90.6 |
| 13.0 | 93.1 | 94.5 | 94.9 | 95.1 | 95.2 | 95.2 | 95.2 | 95.4 | 95.7 | 95.8 | 95.8 | 95.9 | 95.9 | 95.9 | 95.9 | 95.9 |
| 13.0 | 96.0 | 97.0 | 97.3 | 97.4 | 97.5 | 97.5 | 97.5 | 97.6 | 97.9 | 97.9 | 97.9 | 98.0 | 98.0 | 98.0 | 98.0 | 98.0 |
| 13.1 | 91.7 | 93.6 | 95.4 | 95.8 | 96.3 | 96.5 | 96.5 | 96.8 | 97.0 | 97.2 | 97.2 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 |
| 13.1 | 92.0 | 94.1 | 95.9 | 96.3 | 96.8 | 97.0 | 97.0 | 97.3 | 97.5 | 97.7 | 97.7 | 97.7 | 97.8 | 97.8 | 97.8 | 97.8 |
| 13.1 | 92.1 | 94.2 | 96.0 | 96.5 | 97.0 | 97.3 | 97.3 | 97.7 | 97.9 | 98.0 | 98.0 | 98.1 | 98.1 | 98.1 | 98.1 | 98.1 |
| 13.1 | 92.2 | 94.3 | 96.2 | 96.7 | 97.2 | 97.4 | 97.4 | 97.9 | 98.0 | 98.1 | 98.1 | 98.3 | 98.3 | 98.3 | 98.3 | 98.3 |
| 13.1 | 92.2 | 94.4 | 96.3 | 96.9 | 97.4 | 97.7 | 97.7 | 98.0 | 98.3 | 98.4 | 98.4 | 98.5 | 98.5 | 98.5 | 98.5 | 98.5 |
| 13.1 | 92.3 | 94.6 | 96.4 | 97.0 | 97.5 | 97.8 | 97.8 | 98.1 | 98.4 | 98.5 | 98.5 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 |
| 13.1 | 92.3 | 94.6 | 96.4 | 97.0 | 97.5 | 97.8 | 97.8 | 98.1 | 98.4 | 98.5 | 98.5 | 98.6 | 98.6 | 98.6 | 98.6 | 98.6 |
| 13.1 | 92.3 | 94.7 | 96.5 | 97.2 | 97.7 | 97.7 | 97.7 | 98.0 | 98.3 | 98.4 | 98.4 | 98.5 | 98.5 | 98.5 | 98.5 | 98.5 |
| 13.1 | 92.3 | 94.7 | 96.5 | 97.2 | 97.7 | 97.7 | 97.7 | 98.0 | 98.3 | 98.4 | 98.4 | 98.5 | 98.5 | 98.5 | 98.5 | 98.5 |
| 13.1 | 92.3 | 94.7 | 96.5 | 97.2 | 97.7 | 98.1 | 98.3 | 98.9 | 99.1 | 99.3 | 99.3 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 |
| 13.1 | 92.3 | 94.7 | 96.5 | 97.2 | 97.7 | 98.1 | 98.3 | 98.9 | 99.1 | 99.3 | 99.3 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 |
| 13.1 | 92.3 | 94.7 | 96.5 | 97.2 | 97.7 | 98.1 | 98.3 | 98.9 | 99.1 | 99.3 | 99.3 | 99.4 | 99.4 | 99.4 | 99.4 | 99.4 |

TOTAL NUMBER OF OBSERVATIONS 917

1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 26

JOINT CLIMATE LOG BRANCH
 145, TAC
 145, PATH 4 SERVICE, MAC

CEILING VERSUS VISIBILITY

145, TAC
 145, PATH 4 SERVICE, MAC

73-81

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATIONS

ALL

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 46.4 | 46.2 | 47.1 | 47.9 | 48.4 | 48.6 | 48.8 | 48.9 | 48.9 | 49.2 | 49.4 | 49.4 | 49.5 | 49.6 | 49.6 | 49.6 |
| 49.3 | 50.7 | 51.1 | 51.6 | 51.8 | 52.1 | 52.2 | 52.2 | 52.5 | 52.7 | 52.7 | 52.9 | 52.9 | 53.1 | 53.1 | 53.4 |
| 49.5 | 50.9 | 51.3 | 51.9 | 52.1 | 52.3 | 52.4 | 52.5 | 52.8 | 52.9 | 53.1 | 53.1 | 53.2 | 53.3 | 53.3 | 53.5 |
| 49.7 | 51.7 | 51.5 | 52.1 | 52.3 | 52.5 | 52.6 | 52.7 | 53.0 | 53.1 | 53.1 | 53.3 | 53.3 | 53.3 | 53.3 | 53.5 |
| 51.7 | 51.7 | 51.8 | 52.5 | 52.1 | 53.3 | 53.5 | 53.5 | 53.6 | 53.7 | 54.0 | 54.0 | 54.2 | 54.3 | 54.4 | 54.9 |
| 51.3 | 52.6 | 53.4 | 54.0 | 54.2 | 54.4 | 54.5 | 54.6 | 54.9 | 55.0 | 55.2 | 55.2 | 55.3 | 55.5 | 55.5 | 55.7 |
| 52.6 | 53.7 | 54.5 | 55.1 | 55.3 | 55.5 | 55.6 | 55.7 | 56.0 | 56.1 | 56.1 | 56.3 | 56.4 | 56.5 | 56.5 | 56.6 |
| 53.2 | 54.7 | 55.1 | 55.7 | 55.9 | 56.1 | 56.2 | 56.3 | 56.6 | 56.7 | 56.7 | 56.9 | 57.0 | 57.2 | 57.2 | 57.4 |
| 53.0 | 54.7 | 55.9 | 57.5 | 57.7 | 58.1 | 58.1 | 58.2 | 58.5 | 58.7 | 58.7 | 58.8 | 58.9 | 59.1 | 59.1 | 59.7 |
| 53.6 | 57.7 | 59.6 | 59.3 | 59.5 | 59.8 | 59.9 | 60.1 | 60.3 | 60.5 | 60.6 | 60.7 | 60.7 | 60.7 | 60.9 | 61.2 |
| 54.2 | 59.7 | 60.2 | 60.9 | 61.1 | 61.4 | 61.5 | 61.6 | 61.9 | 62.1 | 62.1 | 62.2 | 62.3 | 62.5 | 62.5 | 62.8 |
| 61.8 | 63.1 | 64.0 | 64.7 | 64.9 | 65.2 | 65.3 | 65.4 | 65.7 | 65.9 | 65.9 | 66.0 | 66.1 | 66.3 | 66.3 | 66.6 |
| 64.6 | 65.9 | 66.9 | 67.6 | 67.8 | 68.1 | 68.3 | 68.4 | 68.7 | 68.9 | 68.9 | 69.0 | 69.1 | 69.2 | 69.2 | 69.6 |
| 66.1 | 70.7 | 71.8 | 72.6 | 72.8 | 73.2 | 73.3 | 73.4 | 73.7 | 73.9 | 73.9 | 74.1 | 74.2 | 74.4 | 74.4 | 74.6 |
| 73.3 | 75.7 | 76.3 | 77.2 | 77.4 | 77.8 | 78.0 | 78.1 | 78.4 | 78.5 | 78.6 | 78.7 | 78.8 | 79.0 | 79.0 | 79.7 |
| 75.1 | 77.9 | 79.2 | 80.3 | 80.5 | 81.0 | 81.1 | 81.2 | 81.5 | 81.7 | 81.7 | 81.9 | 82.0 | 82.1 | 82.1 | 82.4 |
| 79.4 | 81.4 | 83.1 | 84.2 | 84.5 | 85.0 | 85.2 | 85.3 | 85.6 | 85.8 | 85.8 | 85.9 | 86.0 | 86.2 | 86.2 | 86.5 |
| 81.8 | 84.2 | 85.7 | 87.0 | 87.3 | 87.9 | 88.1 | 88.2 | 88.5 | 88.7 | 88.7 | 88.8 | 88.9 | 89.1 | 89.1 | 89.4 |
| 83.2 | 84.6 | 86.2 | 87.5 | 87.9 | 88.4 | 88.6 | 88.7 | 89.0 | 89.2 | 89.2 | 89.2 | 89.4 | 89.5 | 89.7 | 89.9 |
| 83.6 | 86.7 | 87.8 | 89.2 | 89.6 | 90.1 | 90.4 | 90.5 | 90.8 | 91.0 | 91.0 | 91.1 | 91.2 | 91.4 | 91.4 | 91.7 |
| 84.5 | 87.7 | 88.9 | 90.4 | 90.7 | 91.3 | 91.6 | 91.7 | 92.0 | 92.2 | 92.2 | 92.2 | 92.4 | 92.7 | 92.7 | 92.9 |
| 85.2 | 87.9 | 89.6 | 91.1 | 91.5 | 92.0 | 92.4 | 92.5 | 92.9 | 93.0 | 93.1 | 93.1 | 93.2 | 93.5 | 93.5 | 93.8 |
| 85.2 | 89.7 | 90.0 | 91.6 | 91.9 | 92.5 | 92.9 | 93.0 | 93.3 | 93.5 | 93.5 | 93.7 | 93.8 | 94.0 | 94.0 | 94.2 |
| 85.4 | 89.6 | 90.4 | 92.0 | 92.5 | 93.1 | 93.5 | 93.7 | 94.0 | 94.1 | 94.2 | 94.2 | 94.3 | 94.4 | 94.6 | 94.9 |
| 85.6 | 89.8 | 90.6 | 92.4 | 92.8 | 93.5 | 93.9 | 94.1 | 94.4 | 94.6 | 94.6 | 94.6 | 94.7 | 94.8 | 95.0 | 95.7 |
| 85.7 | 89.9 | 90.8 | 92.7 | 93.1 | 93.8 | 94.3 | 94.5 | 94.8 | 95.0 | 95.0 | 95.2 | 95.2 | 95.2 | 95.5 | 95.7 |
| 85.8 | 89.9 | 91.1 | 93.1 | 93.6 | 94.4 | 95.0 | 95.2 | 95.6 | 95.8 | 95.8 | 95.8 | 96.0 | 96.0 | 96.3 | 96.5 |
| 85.9 | 89.7 | 91.2 | 93.3 | 93.9 | 94.8 | 95.5 | 95.8 | 96.3 | 96.5 | 96.5 | 96.5 | 96.7 | 96.8 | 97.0 | 97.3 |
| 85.9 | 89.7 | 91.3 | 93.5 | 94.1 | 95.0 | 95.8 | 96.2 | 96.5 | 97.1 | 97.1 | 97.3 | 97.4 | 97.7 | 98.0 | 98.0 |
| 85.9 | 89.4 | 91.3 | 93.5 | 94.1 | 95.1 | 96.0 | 96.4 | 97.0 | 97.4 | 97.5 | 97.9 | 98.1 | 98.4 | 98.4 | 99.0 |
| 85.9 | 89.4 | 91.3 | 93.5 | 94.1 | 95.2 | 96.0 | 96.5 | 97.0 | 97.5 | 97.6 | 98.1 | 98.2 | 98.9 | 99.8 | 99.8 |
| 85.9 | 89.4 | 91.3 | 93.5 | 94.1 | 95.2 | 96.0 | 96.5 | 97.0 | 97.5 | 97.6 | 98.1 | 98.2 | 98.8 | 99.8 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 5490

CLIMATE BRANCH

720

AT - SERVICE AREA

CEILING VERSUS VISIBILITY

DAY MARKET LEADS

75-57

207

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOUR-TO-HOUR OBSERVATIONS

1700-2100

| | | | | | | | | | | | | | | | |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0.7 | 32.3 | 34.7 | 39.9 | 43.2 | 43.8 | 45.4 | 46.4 | 46.4 | 47.8 | 49.7 | 49.1 | 49.6 | 49.2 | 49.7 | 50.0 |
| 0.2 | 32.3 | 34.7 | 41.8 | 45.3 | 45.9 | 47.6 | 48.6 | 48.9 | 52.1 | 50.2 | 52.4 | 52.2 | 51.5 | 52.1 | 51.7 |
| 0.7 | 33.9 | 38.1 | 41.8 | 43.3 | 45.9 | 47.6 | 48.6 | 48.9 | 50.1 | 50.7 | 50.4 | 50.9 | 51.5 | 52.0 | 52.7 |
| 0.2 | 34.1 | 38.1 | 41.9 | 45.4 | 46.1 | 47.7 | 48.7 | 49.0 | 50.2 | 50.4 | 50.5 | 51.0 | 51.6 | 52.1 | 51.3 |
| 0.2 | 34.1 | 38.1 | 41.9 | 45.4 | 46.1 | 47.7 | 48.7 | 49.0 | 50.2 | 50.4 | 50.5 | 51.0 | 51.6 | 52.1 | 51.3 |
| 0.2 | 34.4 | 38.5 | 42.3 | 45.9 | 46.5 | 48.1 | 49.2 | 49.5 | 50.7 | 50.9 | 51.1 | 51.5 | 52.1 | 52.6 | 53.2 |
| 0.3 | 34.4 | 40.7 | 44.3 | 47.9 | 48.5 | 50.2 | 51.3 | 51.5 | 52.7 | 52.9 | 53.2 | 53.5 | 54.1 | 54.6 | 55.3 |
| 0.3 | 34.7 | 41.1 | 44.9 | 48.5 | 49.1 | 50.8 | 51.9 | 52.1 | 53.3 | 53.5 | 53.6 | 54.1 | 54.7 | 55.2 | 55.9 |
| 0.7 | 34.1 | 43.5 | 47.3 | 50.9 | 51.5 | 53.2 | 54.2 | 54.5 | 55.7 | 55.9 | 56.7 | 56.5 | 57.1 | 57.6 | 58.3 |
| 0.1 | 41.6 | 47.2 | 49.8 | 53.4 | 54.0 | 55.7 | 56.8 | 57.0 | 58.2 | 58.4 | 58.5 | 59.0 | 59.6 | 60.1 | 60.8 |
| 0.7 | 43.2 | 47.9 | 51.7 | 55.3 | 55.9 | 57.6 | 58.7 | 58.9 | 60.1 | 60.7 | 60.5 | 60.9 | 61.5 | 62.0 | 62.7 |
| 0.1 | 47.8 | 52.4 | 56.8 | 60.3 | 60.9 | 62.8 | 63.9 | 64.7 | 65.5 | 65.7 | 65.8 | 66.3 | 66.9 | 67.4 | 68.1 |
| 0.6 | 47.8 | 54.4 | 58.7 | 62.2 | 62.8 | 64.8 | 65.8 | 66.7 | 67.4 | 67.6 | 67.7 | 68.2 | 68.8 | 69.3 | 70.0 |
| 0.1 | 55.3 | 60.6 | 65.7 | 69.7 | 69.9 | 72.2 | 73.1 | 73.5 | 74.8 | 75.0 | 75.1 | 75.6 | 76.2 | 76.7 | 77.4 |
| 0.1 | 57.3 | 64.7 | 69.9 | 73.6 | 74.2 | 76.6 | 77.7 | 78.1 | 79.3 | 79.7 | 79.8 | 80.4 | 81.0 | 81.5 | 82.2 |
| 0.1 | 61.6 | 67.5 | 72.6 | 76.3 | 77.1 | 80.0 | 81.1 | 81.5 | 82.8 | 83.0 | 83.3 | 83.9 | 84.5 | 84.9 | 85.7 |
| 0.1 | 62.7 | 69.9 | 75.0 | 78.9 | 79.6 | 82.8 | 83.9 | 84.2 | 85.5 | 85.9 | 86.1 | 86.6 | 87.2 | 87.7 | 88.4 |
| 0.1 | 64.8 | 71.3 | 76.6 | 80.5 | 81.2 | 84.6 | 85.8 | 86.1 | 87.5 | 87.8 | 87.9 | 88.5 | 89.1 | 89.6 | 90.3 |
| 0.1 | 65.5 | 72.7 | 77.4 | 81.4 | 82.1 | 85.5 | 86.7 | 87.1 | 88.4 | 88.8 | 89.9 | 89.5 | 90.1 | 90.5 | 91.3 |
| 0.1 | 67.0 | 73.4 | 79.0 | 82.7 | 83.8 | 87.3 | 88.5 | 88.9 | 90.2 | 90.7 | 91.7 | 91.8 | 92.4 | 92.5 | 93.2 |
| 0.1 | 67.5 | 74.2 | 79.6 | 83.6 | 84.3 | 87.9 | 89.1 | 89.5 | 90.8 | 91.3 | 91.4 | 92.0 | 92.6 | 93.1 | 93.8 |
| 0.1 | 67.7 | 74.3 | 79.7 | 83.8 | 84.5 | 88.1 | 89.2 | 89.6 | 90.9 | 91.4 | 91.5 | 92.1 | 92.7 | 93.2 | 93.9 |
| 0.1 | 67.7 | 74.3 | 79.7 | 84.0 | 84.7 | 88.3 | 89.5 | 89.8 | 91.2 | 91.6 | 91.8 | 92.4 | 93.0 | 93.4 | 94.1 |
| 0.1 | 68.2 | 74.8 | 80.3 | 84.6 | 85.3 | 88.9 | 90.1 | 90.4 | 91.8 | 92.2 | 92.4 | 93.0 | 93.5 | 94.0 | 94.7 |
| 0.1 | 68.2 | 74.8 | 80.3 | 84.6 | 85.3 | 88.9 | 90.1 | 90.4 | 91.8 | 92.2 | 92.4 | 93.0 | 93.5 | 94.0 | 94.7 |
| 0.1 | 68.2 | 75.0 | 80.4 | 84.8 | 85.5 | 89.1 | 90.3 | 90.7 | 92.0 | 92.5 | 92.6 | 93.2 | 93.8 | 94.3 | 95.0 |
| 0.1 | 68.2 | 75.0 | 80.6 | 85.1 | 85.8 | 89.4 | 90.6 | 90.9 | 92.2 | 92.7 | 92.8 | 93.4 | 94.0 | 94.5 | 95.2 |
| 0.1 | 68.2 | 75.0 | 80.6 | 85.1 | 85.8 | 89.4 | 90.6 | 90.9 | 92.2 | 92.7 | 92.8 | 93.4 | 94.0 | 94.5 | 95.2 |
| 0.1 | 68.3 | 75.1 | 80.8 | 85.2 | 85.9 | 89.5 | 90.8 | 91.2 | 92.6 | 93.1 | 93.2 | 93.8 | 94.4 | 94.9 | 95.6 |
| 0.1 | 68.3 | 75.1 | 80.8 | 85.2 | 85.9 | 89.5 | 90.8 | 91.2 | 92.6 | 93.3 | 93.4 | 94.0 | 94.7 | 95.3 | 96.0 |
| 0.1 | 68.3 | 75.1 | 80.8 | 85.2 | 85.9 | 89.5 | 90.8 | 91.2 | 92.7 | 93.4 | 93.5 | 94.4 | 95.1 | 95.9 | 96.4 |
| 0.1 | 68.3 | 75.1 | 80.8 | 85.2 | 85.9 | 89.5 | 90.8 | 91.2 | 92.7 | 93.4 | 93.5 | 94.5 | 95.2 | 96.2 | 96.9 |

TOTAL NUMBER OF OBSERVATIONS 637

FEDERAL CLIMATOLOGY BRANCH
 WFO
 WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

WFO DAY AIRPORT LEWIS, WA

73-81

297

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATION

73-81-2522

| | | | | | | | | | | | | | | | | |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1.2 | 22.2 | 24.6 | 26.6 | 29.6 | 31.9 | 33.1 | 33.0 | 33.5 | 34.5 | 35.4 | 35.4 | 35.4 | 35.7 | 36.5 | 37.4 | 37.9 |
| 1.1 | 24.3 | 26.1 | 28.1 | 31.3 | 31.5 | 33.9 | 34.8 | 35.2 | 36.4 | 37.2 | 37.2 | 38.6 | 38.7 | 39.3 | 39.3 | 39.7 |
| 1.1 | 24.3 | 26.1 | 28.1 | 31.3 | 31.5 | 33.9 | 34.8 | 35.2 | 36.6 | 37.3 | 37.3 | 38.7 | 38.8 | 39.5 | 39.5 | 39.9 |
| 1.1 | 24.4 | 26.2 | 28.2 | 31.4 | 31.7 | 34.1 | 34.9 | 35.4 | 36.7 | 37.4 | 37.4 | 38.8 | 38.9 | 39.7 | 39.7 | 40.0 |
| 1.1 | 24.9 | 26.6 | 28.8 | 32.7 | 32.3 | 34.8 | 35.6 | 36.1 | 37.4 | 38.1 | 38.1 | 39.5 | 39.7 | 40.4 | 40.4 | 40.7 |
| 1.3 | 25.7 | 27.5 | 29.6 | 33.1 | 33.3 | 35.8 | 36.7 | 37.2 | 38.6 | 39.3 | 39.3 | 40.7 | 40.7 | 41.9 | 41.9 | 41.9 |
| 1.3 | 27.6 | 29.4 | 31.5 | 35.1 | 35.4 | 37.9 | 36.7 | 39.2 | 40.6 | 41.3 | 41.3 | 42.8 | 42.9 | 43.6 | 43.6 | 44.0 |
| 1.3 | 28.1 | 29.9 | 32.0 | 35.7 | 36.0 | 38.5 | 39.3 | 39.8 | 41.2 | 41.9 | 41.9 | 43.4 | 43.5 | 44.2 | 44.2 | 44.6 |
| 1.4 | 28.6 | 31.4 | 33.7 | 37.8 | 38.0 | 40.5 | 41.3 | 41.8 | 43.2 | 44.0 | 44.0 | 45.4 | 45.5 | 46.2 | 46.2 | 46.5 |
| 1.4 | 30.7 | 32.5 | 34.8 | 38.8 | 39.1 | 41.5 | 42.4 | 42.9 | 44.3 | 45.0 | 45.0 | 46.5 | 46.6 | 47.3 | 47.3 | 47.7 |
| 1.1 | 33.1 | 35.7 | 37.4 | 41.5 | 41.7 | 44.2 | 45.0 | 45.5 | 47.0 | 47.7 | 47.7 | 49.1 | 49.2 | 49.9 | 49.9 | 50.3 |
| 1.2 | 37.2 | 40.3 | 42.5 | 46.7 | 47.0 | 49.5 | 50.3 | 50.8 | 52.2 | 52.9 | 52.9 | 54.4 | 54.5 | 55.2 | 55.2 | 55.6 |
| 1.2 | 41.5 | 43.5 | 46.5 | 51.7 | 51.9 | 53.4 | 54.2 | 54.7 | 56.2 | 56.9 | 56.9 | 58.3 | 58.4 | 59.1 | 59.1 | 59.5 |
| 1.2 | 46.1 | 48.5 | 51.4 | 55.7 | 55.9 | 58.9 | 59.7 | 60.2 | 61.6 | 62.4 | 62.4 | 63.8 | 63.9 | 64.6 | 64.6 | 65.0 |
| 1.4 | 49.6 | 52.4 | 55.4 | 60.3 | 60.3 | 63.3 | 64.2 | 64.6 | 66.1 | 66.8 | 66.8 | 68.2 | 68.3 | 69.1 | 69.1 | 69.4 |
| 1.7 | 53.5 | 56.5 | 59.5 | 64.4 | 64.6 | 67.6 | 68.5 | 68.9 | 70.4 | 71.1 | 71.1 | 72.5 | 72.6 | 73.4 | 73.4 | 73.7 |
| 1.7 | 55.7 | 59.7 | 62.0 | 66.9 | 67.1 | 70.4 | 71.2 | 71.7 | 73.1 | 73.8 | 73.8 | 75.3 | 75.4 | 76.1 | 76.1 | 76.5 |
| 1.7 | 57.8 | 61.8 | 64.6 | 69.8 | 70.0 | 73.5 | 74.3 | 74.8 | 76.2 | 76.9 | 76.9 | 78.4 | 78.5 | 79.2 | 79.2 | 79.6 |
| 1.7 | 58.5 | 62.4 | 65.4 | 70.5 | 70.7 | 74.2 | 75.1 | 75.6 | 77.1 | 77.8 | 77.8 | 79.2 | 79.3 | 80.0 | 80.0 | 80.4 |
| 1.3 | 60.2 | 64.2 | 67.1 | 72.3 | 72.5 | 76.1 | 77.1 | 77.5 | 79.0 | 79.7 | 79.7 | 81.1 | 81.2 | 82.0 | 82.0 | 82.3 |
| 1.3 | 60.7 | 64.6 | 68.0 | 73.2 | 73.5 | 77.1 | 78.0 | 78.5 | 79.9 | 80.6 | 80.6 | 82.1 | 82.2 | 83.0 | 83.0 | 83.3 |
| 1.3 | 61.3 | 65.4 | 68.8 | 74.1 | 74.3 | 77.9 | 78.9 | 79.3 | 80.8 | 81.5 | 81.5 | 82.9 | 83.0 | 83.9 | 83.9 | 84.1 |
| 1.7 | 61.5 | 65.7 | 69.2 | 74.4 | 74.7 | 78.3 | 79.2 | 79.7 | 81.1 | 81.8 | 81.8 | 83.3 | 83.4 | 84.1 | 84.1 | 84.5 |
| 1.3 | 62.0 | 66.2 | 69.8 | 75.0 | 75.3 | 79.0 | 79.9 | 80.5 | 82.0 | 82.7 | 82.7 | 84.1 | 84.2 | 84.9 | 84.9 | 85.3 |
| 1.3 | 62.0 | 66.2 | 69.8 | 75.0 | 75.3 | 79.0 | 79.9 | 80.5 | 82.0 | 82.7 | 82.7 | 84.1 | 84.2 | 84.9 | 84.9 | 85.3 |
| 1.3 | 62.5 | 66.7 | 70.4 | 75.7 | 76.2 | 80.2 | 81.1 | 81.7 | 83.2 | 83.9 | 83.9 | 85.3 | 85.4 | 86.1 | 86.1 | 86.5 |
| 1.3 | 62.6 | 67.7 | 70.7 | 76.2 | 76.7 | 80.8 | 81.7 | 82.3 | 83.9 | 84.6 | 84.6 | 86.1 | 86.1 | 86.9 | 86.9 | 87.2 |
| 1.3 | 63.2 | 67.8 | 71.1 | 76.7 | 77.2 | 81.2 | 82.3 | 83.0 | 84.7 | 85.4 | 85.4 | 86.9 | 87.2 | 88.1 | 88.1 | 88.4 |
| 1.3 | 63.2 | 67.8 | 71.1 | 76.8 | 77.3 | 81.4 | 82.5 | 83.4 | 85.4 | 86.1 | 86.1 | 87.7 | 88.1 | 89.1 | 89.1 | 89.6 |
| 1.3 | 63.3 | 67.6 | 71.3 | 77.5 | 78.0 | 82.2 | 83.8 | 84.6 | 86.9 | 88.2 | 88.2 | 89.8 | 90.7 | 91.9 | 91.9 | 92.7 |
| 1.7 | 63.4 | 67.7 | 71.4 | 77.7 | 78.1 | 82.3 | 83.9 | 84.7 | 87.0 | 88.4 | 88.4 | 90.7 | 91.8 | 94.3 | 94.3 | 97.4 |
| 1.3 | 63.4 | 67.7 | 71.4 | 77.7 | 78.1 | 82.3 | 83.9 | 84.7 | 87.0 | 88.4 | 88.4 | 90.8 | 91.9 | 94.5 | 94.5 | 10.0 |

TOTAL NUMBER OF OBSERVATIONS 297

GENERAL CLIMATOLOGY BRANCH
METAC
AIR WEATHER SERVICE/MAF

CEILING VERSUS VISIBILITY

WINDY AAFVET LE 10 10

73-51

20

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

300-1000

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 1.7 | 17.2 | 18.5 | 19.6 | 20.0 | 22.1 | 22.7 | 23.3 | 23.7 | 23.9 | 24.1 | 24.1 | 25.1 | 25.2 | 25.6 | 26.1 |
| 1.4 | 18.8 | 21.6 | 23.1 | 25.4 | 25.6 | 26.3 | 27.0 | 27.1 | 27.7 | 28.0 | 28.0 | 28.9 | 29.7 | 29.8 | 30.1 |
| 1.4 | 20.7 | 21.7 | 23.2 | 25.6 | 25.7 | 26.4 | 27.1 | 27.2 | 27.8 | 28.1 | 28.1 | 28.3 | 29.7 | 29.5 | 30.1 |
| 1.4 | 20.0 | 21.9 | 23.3 | 25.7 | 25.8 | 26.5 | 27.2 | 27.4 | 28.0 | 28.2 | 28.2 | 29.2 | 29.2 | 29.6 | 30.0 |
| 1.1 | 21.1 | 23.1 | 24.6 | 27.1 | 27.2 | 28.0 | 28.7 | 28.8 | 29.4 | 29.9 | 29.9 | 30.3 | 30.9 | 31.7 | 31.9 |
| 12.2 | 22.2 | 24.9 | 26.4 | 28.9 | 29.1 | 29.7 | 30.5 | 30.6 | 31.2 | 31.7 | 31.7 | 32.6 | 32.7 | 33.1 | 33.7 |
| 13.3 | 24.6 | 26.5 | 28.1 | 30.7 | 31.8 | 31.5 | 32.3 | 32.4 | 33.0 | 33.5 | 33.5 | 34.4 | 34.5 | 34.9 | 35.5 |
| 13.7 | 25.4 | 27.4 | 28.9 | 31.5 | 31.7 | 32.4 | 33.2 | 33.3 | 33.9 | 34.4 | 34.4 | 35.4 | 35.5 | 35.8 | 36.4 |
| 14.8 | 27.6 | 29.7 | 31.4 | 34.3 | 34.4 | 35.2 | 36.1 | 36.3 | 36.9 | 37.4 | 37.4 | 38.4 | 38.5 | 38.8 | 39.4 |
| 14.7 | 28.4 | 30.6 | 32.3 | 35.1 | 35.2 | 36.1 | 36.9 | 37.2 | 37.8 | 38.2 | 38.2 | 39.2 | 39.3 | 39.7 | 40.3 |
| 15.1 | 30.5 | 32.7 | 34.5 | 37.4 | 37.5 | 38.4 | 39.2 | 39.4 | 40.0 | 40.5 | 40.5 | 41.5 | 41.6 | 41.9 | 42.5 |
| 15.2 | 34.5 | 36.3 | 38.7 | 41.6 | 41.7 | 42.5 | 43.5 | 44.0 | 44.6 | 45.2 | 45.2 | 46.2 | 46.1 | 46.5 | 47.1 |
| 15.7 | 37.4 | 40.7 | 41.9 | 44.8 | 44.9 | 45.8 | 46.7 | 47.2 | 47.8 | 48.3 | 48.3 | 49.2 | 49.3 | 49.7 | 50.3 |
| 17.8 | 41.6 | 44.2 | 46.2 | 49.6 | 49.7 | 50.5 | 51.5 | 52.0 | 52.6 | 53.0 | 53.0 | 54.0 | 54.1 | 54.5 | 55.1 |
| 18.8 | 45.2 | 47.8 | 49.9 | 53.3 | 53.4 | 54.6 | 55.7 | 56.0 | 57.1 | 57.6 | 57.6 | 58.5 | 58.7 | 59.0 | 59.6 |
| 19.0 | 49.9 | 52.7 | 55.0 | 58.4 | 58.5 | 59.7 | 60.8 | 61.3 | 62.2 | 62.7 | 62.7 | 63.7 | 63.8 | 64.2 | 64.8 |
| 20.2 | 52.3 | 55.2 | 57.5 | 60.9 | 61.1 | 62.4 | 63.6 | 64.0 | 65.0 | 65.7 | 65.8 | 66.8 | 66.9 | 67.3 | 67.9 |
| 20.5 | 53.8 | 56.9 | 59.5 | 63.4 | 63.9 | 65.7 | 66.9 | 67.5 | 68.5 | 69.2 | 69.3 | 70.3 | 70.4 | 70.7 | 71.3 |
| 20.7 | 54.2 | 57.6 | 60.2 | 64.3 | 64.9 | 66.7 | 67.9 | 68.5 | 69.4 | 70.1 | 70.3 | 71.2 | 71.3 | 71.7 | 72.3 |
| 20.8 | 55.7 | 59.4 | 62.1 | 66.2 | 66.8 | 68.6 | 70.0 | 70.6 | 71.6 | 72.3 | 72.4 | 73.4 | 73.5 | 73.8 | 74.4 |
| 21.0 | 56.4 | 60.2 | 63.1 | 67.3 | 67.9 | 69.7 | 71.1 | 71.7 | 72.6 | 73.4 | 73.5 | 74.4 | 74.6 | 74.9 | 75.5 |
| 21.1 | 56.6 | 60.5 | 63.3 | 67.7 | 68.3 | 70.1 | 71.8 | 72.4 | 73.4 | 74.1 | 74.2 | 75.1 | 75.3 | 75.7 | 76.3 |
| 21.1 | 57.3 | 61.2 | 64.3 | 68.8 | 69.5 | 71.4 | 73.1 | 73.8 | 74.8 | 75.5 | 75.6 | 76.6 | 76.7 | 77.2 | 77.8 |
| 21.1 | 57.3 | 61.3 | 64.5 | 69.2 | 69.9 | 71.8 | 73.5 | 74.2 | 75.1 | 75.9 | 76.0 | 76.9 | 77.1 | 77.5 | 78.1 |
| 21.1 | 57.5 | 61.4 | 64.8 | 69.7 | 70.5 | 72.4 | 74.1 | 74.8 | 75.9 | 76.6 | 76.7 | 77.7 | 77.8 | 78.3 | 78.9 |
| 21.1 | 57.8 | 61.8 | 65.2 | 70.4 | 71.2 | 73.4 | 75.1 | 76.0 | 77.1 | 77.8 | 77.9 | 78.9 | 79.0 | 79.5 | 80.0 |
| 21.1 | 57.8 | 61.9 | 65.5 | 70.8 | 71.7 | 74.0 | 75.9 | 77.1 | 78.1 | 78.9 | 79.0 | 80.0 | 80.2 | 80.6 | 81.2 |
| 21.1 | 57.8 | 61.9 | 65.7 | 71.4 | 72.3 | 74.7 | 76.9 | 78.4 | 79.8 | 80.8 | 80.9 | 82.3 | 82.4 | 82.9 | 83.5 |
| 21.1 | 57.8 | 61.9 | 65.7 | 72.0 | 72.9 | 75.4 | 77.9 | 79.7 | 81.6 | 82.9 | 83.0 | 84.9 | 85.1 | 85.8 | 87.1 |
| 21.1 | 57.8 | 61.9 | 65.7 | 72.3 | 73.1 | 75.6 | 78.1 | 79.7 | 82.3 | 84.7 | 84.8 | 87.7 | 87.8 | 89.2 | 90.9 |
| 21.1 | 57.8 | 61.9 | 65.7 | 72.3 | 73.1 | 75.6 | 78.1 | 79.8 | 82.7 | 85.3 | 85.4 | 88.8 | 89.2 | 92.7 | 97.6 |
| 21.1 | 57.8 | 61.9 | 65.7 | 72.3 | 73.1 | 75.6 | 78.1 | 79.8 | 82.7 | 85.3 | 85.4 | 88.8 | 89.2 | 92.7 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 17

USAF ET A 11400 01 A WEATHER SERVICE/MAF

U. S. AIR FORCE CLIMATOLOGY BRANCH
 WHEELS
 AIR WEATHER SERVICE/MAO

CEILING VERSUS VISIBILITY

DAY MARKET LEADS 44

73-81

007

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATIONS

1955-1970

| | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 14.4 | 23.3 | 25.6 | 25.7 | 26.4 | 26.5 | 27.1 | 27.2 | 27.4 | 27.4 | 27.4 | 27.4 | 27.4 | 27.4 | 27.4 | 27.4 | 27.4 |
| 14.9 | 23.3 | 30.7 | 30.9 | 32.0 | 32.1 | 32.9 | 33.0 | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 | 33.1 |
| 19.1 | 23.7 | 30.7 | 31.3 | 32.4 | 32.5 | 33.2 | 33.3 | 33.5 | 33.5 | 33.5 | 33.5 | 33.5 | 33.5 | 33.5 | 33.5 | 33.5 |
| 19.1 | 23.8 | 30.7 | 31.4 | 32.5 | 32.6 | 33.3 | 33.5 | 33.6 | 33.6 | 33.6 | 33.6 | 33.6 | 33.6 | 33.6 | 33.6 | 33.6 |
| 20.4 | 30.6 | 32.5 | 33.3 | 34.4 | 34.5 | 35.2 | 35.4 | 35.5 | 35.5 | 35.5 | 35.5 | 35.5 | 35.5 | 35.5 | 35.5 | 35.5 |
| 21.7 | 32.6 | 34.6 | 35.4 | 36.4 | 36.6 | 37.3 | 37.4 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 | 37.5 |
| 22.4 | 34.4 | 36.4 | 37.2 | 38.2 | 39.4 | 39.1 | 39.2 | 39.3 | 39.3 | 39.3 | 39.3 | 39.3 | 39.3 | 39.3 | 39.3 | 39.3 |
| 23.5 | 35.5 | 37.5 | 38.2 | 39.3 | 39.4 | 40.1 | 40.3 | 40.4 | 40.4 | 40.4 | 40.4 | 40.4 | 40.4 | 40.4 | 40.4 | 40.4 |
| 24.7 | 37.3 | 39.4 | 40.1 | 41.2 | 41.3 | 42.2 | 42.3 | 42.4 | 42.4 | 42.4 | 42.4 | 42.4 | 42.4 | 42.4 | 42.4 | 42.4 |
| 25.6 | 38.8 | 41.0 | 41.7 | 42.8 | 42.9 | 43.8 | 44.0 | 44.1 | 44.1 | 44.1 | 44.1 | 44.1 | 44.1 | 44.1 | 44.1 | 44.1 |
| 26.3 | 40.7 | 42.2 | 42.9 | 44.0 | 44.2 | 45.2 | 45.3 | 45.4 | 45.4 | 45.4 | 45.4 | 45.4 | 45.4 | 45.4 | 45.4 | 45.4 |
| 27.3 | 43.7 | 45.9 | 46.6 | 47.7 | 47.9 | 48.9 | 49.1 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 |
| 28.0 | 46.7 | 50.5 | 51.3 | 52.4 | 52.6 | 53.8 | 54.0 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 | 54.1 |
| 29.1 | 53.3 | 56.7 | 56.8 | 58.2 | 58.5 | 59.5 | 59.7 | 59.9 | 59.9 | 59.9 | 59.9 | 59.9 | 59.9 | 59.9 | 59.9 | 59.9 |
| 30.5 | 57.6 | 60.3 | 61.1 | 62.7 | 63.2 | 64.2 | 64.4 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 | 64.5 |
| 31.3 | 59.7 | 62.7 | 63.6 | 65.2 | 65.7 | 66.9 | 67.3 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 | 67.4 |
| 32.5 | 62.8 | 66.4 | 67.4 | 69.3 | 69.8 | 71.2 | 71.6 | 71.7 | 71.7 | 71.7 | 71.7 | 71.7 | 71.7 | 71.7 | 71.7 | 71.7 |
| 33.1 | 64.6 | 68.5 | 69.5 | 71.8 | 72.4 | 74.0 | 74.4 | 74.6 | 74.6 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 | 74.7 |
| 34.2 | 64.8 | 68.6 | 69.7 | 72.0 | 72.6 | 74.2 | 74.7 | 74.8 | 74.8 | 74.9 | 74.9 | 74.9 | 74.9 | 74.9 | 74.9 | 74.9 |
| 35.9 | 66.7 | 70.5 | 71.6 | 74.2 | 74.8 | 76.6 | 77.2 | 77.3 | 77.3 | 77.4 | 77.4 | 77.4 | 77.4 | 77.4 | 77.4 | 77.4 |
| 37.5 | 67.6 | 71.9 | 73.4 | 76.2 | 76.8 | 78.6 | 79.2 | 79.3 | 79.3 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 | 79.5 |
| 37.5 | 68.6 | 73.1 | 74.8 | 78.1 | 78.7 | 80.5 | 81.1 | 81.2 | 81.2 | 81.4 | 81.4 | 81.4 | 81.4 | 81.4 | 81.4 | 81.4 |
| 37.6 | 69.2 | 73.7 | 75.9 | 79.3 | 80.0 | 82.0 | 82.6 | 82.7 | 82.7 | 82.8 | 82.8 | 82.8 | 82.8 | 82.8 | 82.8 | 82.8 |
| 37.6 | 69.3 | 74.1 | 76.5 | 80.3 | 81.1 | 83.2 | 83.8 | 83.9 | 83.9 | 84.1 | 84.1 | 84.1 | 84.1 | 84.1 | 84.1 | 84.1 |
| 37.6 | 69.3 | 74.1 | 76.7 | 80.5 | 81.4 | 83.6 | 84.2 | 84.3 | 84.3 | 84.6 | 84.6 | 84.6 | 84.6 | 84.6 | 84.6 | 84.6 |
| 37.6 | 69.3 | 74.1 | 77.2 | 81.1 | 82.2 | 84.8 | 85.8 | 85.9 | 85.9 | 86.1 | 86.1 | 86.1 | 86.1 | 86.1 | 86.1 | 86.1 |
| 37.6 | 69.3 | 74.1 | 77.3 | 82.2 | 83.3 | 86.3 | 87.8 | 88.1 | 88.2 | 88.5 | 88.5 | 88.5 | 88.5 | 88.5 | 88.5 | 88.5 |
| 37.6 | 69.4 | 74.2 | 77.5 | 82.4 | 83.6 | 87.2 | 89.1 | 89.5 | 90.2 | 90.6 | 90.6 | 90.6 | 90.6 | 90.6 | 90.6 | 90.6 |
| 37.6 | 69.4 | 74.2 | 77.5 | 82.4 | 83.6 | 87.3 | 89.4 | 90.4 | 92.0 | 92.8 | 92.8 | 92.8 | 92.8 | 92.8 | 92.8 | 92.8 |
| 37.6 | 69.4 | 74.3 | 77.7 | 82.6 | 83.8 | 87.5 | 89.5 | 90.8 | 92.5 | 93.5 | 93.5 | 93.5 | 93.5 | 93.5 | 93.5 | 93.5 |
| 37.6 | 69.4 | 74.3 | 77.7 | 82.6 | 83.8 | 87.6 | 89.6 | 90.9 | 92.6 | 93.7 | 93.7 | 93.7 | 93.7 | 93.7 | 93.7 | 93.7 |
| 37.6 | 69.4 | 74.3 | 77.7 | 82.6 | 83.8 | 87.6 | 89.6 | 90.9 | 92.6 | 93.7 | 93.7 | 93.7 | 93.7 | 93.7 | 93.7 | 93.7 |

TOTAL NUMBER OF OBSERVATIONS 837

2

AL CLIMATOLOGY BRANCH
TAC
WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

DAY AAFST LEWIS WA

73-81

207

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

12-0-1400

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1.1 | 35.3 | 37.2 | 39.0 | 33.4 | 33.4 | 38.4 | 38.4 | 38.4 | 39.4 | 36.4 | 33.4 | 39.4 | 38.4 | 38.4 | 38.4 |
| 1.1 | 43.1 | 44.2 | 45.4 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 | 45.8 |
| 1.3 | 43.4 | 44.4 | 45.6 | 46.0 | 46.0 | 46.0 | 46.0 | 46.0 | 46.0 | 46.0 | 46.0 | 46.0 | 46.0 | 46.0 | 46.0 |
| 1.3 | 43.6 | 44.7 | 45.9 | 46.2 | 46.2 | 46.2 | 46.2 | 46.2 | 46.2 | 46.2 | 46.2 | 46.2 | 46.2 | 46.2 | 46.2 |
| 3.7 | 45.5 | 46.6 | 47.8 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 | 48.1 |
| 34.6 | 47.6 | 49.6 | 49.9 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 | 50.3 |
| 34.3 | 49.7 | 50.8 | 52.1 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 | 52.4 |
| 37.8 | 51.1 | 52.0 | 53.5 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 | 53.9 |
| 36.2 | 52.8 | 53.9 | 55.2 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 | 55.6 |
| 34.4 | 54.2 | 55.4 | 56.6 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 | 57.1 |
| 31.5 | 55.6 | 56.8 | 58.2 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 | 58.5 |
| 32.1 | 56.3 | 59.5 | 60.9 | 61.3 | 61.3 | 61.3 | 61.3 | 61.3 | 61.3 | 61.3 | 61.3 | 61.3 | 61.3 | 61.3 | 61.3 |
| 40.7 | 60.9 | 62.1 | 63.7 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 | 64.2 |
| 46.1 | 66.2 | 67.6 | 69.2 | 69.8 | 69.8 | 69.9 | 69.9 | 69.9 | 69.9 | 69.9 | 69.9 | 69.9 | 69.9 | 69.9 | 69.9 |
| 40.3 | 71.7 | 73.1 | 74.7 | 75.5 | 75.5 | 75.6 | 75.7 | 75.7 | 75.7 | 75.7 | 75.7 | 75.7 | 75.7 | 75.7 | 75.7 |
| 50.4 | 76.3 | 77.8 | 79.3 | 80.5 | 80.6 | 80.8 | 80.9 | 80.9 | 80.9 | 80.9 | 80.9 | 80.9 | 80.9 | 80.9 | 80.9 |
| 2.0 | 80.4 | 82.1 | 83.8 | 85.1 | 85.2 | 85.4 | 85.5 | 85.5 | 85.5 | 85.5 | 85.5 | 85.5 | 85.5 | 85.5 | 85.5 |
| 32.5 | 82.9 | 84.7 | 86.6 | 88.1 | 88.2 | 88.5 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 | 88.6 |
| 33.2 | 83.4 | 85.2 | 87.1 | 88.5 | 88.6 | 89.0 | 89.1 | 89.1 | 89.1 | 89.1 | 89.1 | 89.1 | 89.1 | 89.1 | 89.1 |
| 3.6 | 85.4 | 87.3 | 89.6 | 91.3 | 91.6 | 92.1 | 92.2 | 92.2 | 92.2 | 92.2 | 92.2 | 92.2 | 92.2 | 92.2 | 92.2 |
| 34.0 | 86.6 | 88.5 | 91.2 | 93.1 | 93.4 | 93.9 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 | 94.0 |
| 34.0 | 86.7 | 88.8 | 91.9 | 94.0 | 94.4 | 94.9 | 95.0 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 | 95.1 |
| 4.1 | 86.9 | 88.9 | 92.2 | 94.6 | 95.0 | 95.6 | 95.7 | 95.8 | 95.8 | 95.8 | 95.8 | 95.8 | 95.8 | 95.8 | 95.8 |
| 4.0 | 87.0 | 89.0 | 92.4 | 94.7 | 95.3 | 95.9 | 96.1 | 96.2 | 96.2 | 96.2 | 96.2 | 96.2 | 96.2 | 96.2 | 96.2 |
| 4.0 | 87.0 | 89.0 | 92.7 | 95.2 | 95.9 | 96.8 | 97.1 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 |
| 4.0 | 87.0 | 89.0 | 92.7 | 95.2 | 95.9 | 96.9 | 97.4 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 | 97.5 |
| 4.0 | 87.0 | 89.1 | 92.8 | 95.5 | 96.2 | 97.4 | 98.1 | 98.3 | 98.3 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 |
| 4.0 | 87.0 | 89.1 | 92.8 | 95.5 | 96.2 | 97.5 | 98.6 | 98.8 | 98.8 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 |
| 4.0 | 87.0 | 89.1 | 92.8 | 95.5 | 96.2 | 97.5 | 98.8 | 99.2 | 99.4 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 | 99.6 |
| 4.0 | 87.0 | 89.1 | 92.8 | 95.5 | 96.2 | 97.5 | 98.8 | 99.2 | 99.4 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 4.0 | 87.0 | 89.1 | 92.8 | 95.5 | 96.2 | 97.5 | 98.8 | 99.2 | 99.4 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 4.0 | 87.0 | 89.1 | 92.8 | 95.5 | 96.2 | 97.5 | 98.8 | 99.2 | 99.4 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |

TOTAL NUMBER OF OBSERVATIONS 837

USAF ETAC 74 04145 CL A WEATHER SERVICE/MAC 105070

f

73-81

- OCT

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

18 12-2020

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 16.9 | 48.5 | 46.6 | 47.4 | 47.9 | 47.9 | 48.4 | 48.4 | 48.4 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 | 48.6 |
| 17.3 | 49.7 | 50.8 | 51.6 | 52.0 | 52.1 | 52.6 | 52.6 | 52.6 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.8 | 52.9 |
| 17.3 | 49.8 | 51.0 | 51.9 | 52.3 | 52.3 | 52.8 | 52.8 | 52.8 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.2 |
| 17.3 | 49.8 | 51.0 | 51.9 | 52.3 | 52.3 | 52.8 | 52.8 | 52.8 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 53.2 |
| 17.6 | 51.0 | 52.2 | 53.0 | 53.5 | 53.5 | 54.0 | 54.0 | 54.0 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.2 | 54.4 |
| 18.8 | 53.8 | 55.0 | 55.8 | 56.3 | 56.3 | 56.8 | 56.8 | 56.8 | 57.1 | 57.1 | 57.0 | 57.0 | 57.0 | 57.0 | 57.2 |
| 19.0 | 55.9 | 57.1 | 57.9 | 58.7 | 58.7 | 59.1 | 59.1 | 59.1 | 59.4 | 59.4 | 59.4 | 59.4 | 59.4 | 59.4 | 59.5 |
| 19.0 | 56.2 | 57.3 | 58.2 | 58.9 | 58.9 | 59.4 | 59.4 | 59.4 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.6 | 59.7 |
| 20.1 | 57.3 | 60.5 | 61.3 | 62.0 | 62.0 | 62.5 | 62.5 | 62.5 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.7 | 62.8 |
| 20.2 | 58.5 | 61.7 | 62.5 | 63.2 | 63.2 | 63.7 | 63.7 | 63.7 | 63.9 | 63.9 | 63.9 | 63.9 | 63.9 | 63.9 | 64.0 |
| 20.5 | 62.0 | 63.4 | 64.3 | 65.0 | 65.0 | 65.5 | 65.5 | 65.5 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.7 | 65.8 |
| 20.7 | 64.4 | 65.8 | 66.7 | 67.4 | 67.4 | 67.9 | 67.9 | 67.9 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.1 | 68.2 |
| 21.0 | 64.3 | 69.8 | 70.6 | 71.4 | 71.4 | 71.9 | 71.9 | 71.9 | 72.2 | 72.2 | 72.2 | 72.2 | 72.2 | 72.2 | 72.3 |
| 21.2 | 74.9 | 77.1 | 77.9 | 78.7 | 78.9 | 79.5 | 79.5 | 79.5 | 79.8 | 79.8 | 79.8 | 79.8 | 79.8 | 79.8 | 79.9 |
| 22.0 | 77.6 | 82.0 | 82.9 | 83.9 | 84.0 | 84.6 | 84.6 | 84.6 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 84.9 | 85.1 |
| 22.5 | 83.9 | 86.6 | 87.9 | 89.0 | 89.1 | 89.7 | 89.7 | 89.7 | 90.1 | 90.1 | 90.1 | 90.1 | 90.1 | 90.1 | 90.2 |
| 22.6 | 77.3 | 90.6 | 91.9 | 93.0 | 93.1 | 93.7 | 93.7 | 93.8 | 94.1 | 94.1 | 94.1 | 94.1 | 94.1 | 94.1 | 94.3 |
| 22.6 | 88.6 | 92.1 | 93.7 | 94.7 | 94.9 | 95.5 | 95.6 | 95.7 | 96.1 | 96.1 | 96.1 | 96.1 | 96.1 | 96.1 | 96.2 |
| 22.6 | 86.8 | 92.2 | 93.8 | 94.9 | 95.0 | 95.6 | 95.7 | 95.8 | 96.2 | 96.2 | 96.2 | 96.2 | 96.2 | 96.2 | 96.3 |
| 22.6 | 89.7 | 93.3 | 94.9 | 95.9 | 96.1 | 96.7 | 96.8 | 96.9 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 | 97.3 | 97.4 |
| 22.6 | 89.7 | 93.3 | 95.0 | 96.2 | 96.3 | 97.0 | 97.1 | 97.3 | 97.6 | 97.6 | 97.6 | 97.6 | 97.6 | 97.6 | 97.7 |
| 22.6 | 89.8 | 93.5 | 95.3 | 96.7 | 96.8 | 97.5 | 97.6 | 97.8 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.4 | 98.6 |
| 22.6 | 89.8 | 93.5 | 95.3 | 96.7 | 96.8 | 97.8 | 98.0 | 98.3 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 99.0 |
| 22.6 | 89.8 | 93.5 | 95.3 | 96.7 | 96.8 | 97.8 | 98.0 | 98.3 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 99.0 |
| 22.6 | 89.8 | 93.5 | 95.3 | 96.7 | 96.8 | 97.8 | 98.0 | 98.3 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 98.9 | 99.0 |
| 22.6 | 89.8 | 93.5 | 95.3 | 96.7 | 96.8 | 97.8 | 98.1 | 98.4 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.2 |
| 22.6 | 89.8 | 93.5 | 95.3 | 96.7 | 96.8 | 97.8 | 98.1 | 98.4 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.0 | 99.2 |
| 22.6 | 89.8 | 93.5 | 95.3 | 96.7 | 96.8 | 97.8 | 98.2 | 98.6 | 99.2 | 99.2 | | | | | |

TOTAL NUMBER OF OBSERVATIONS 277

USA PATENT AND TRADE OFFICE

GLOBAL CLIMATOLOGY BRANCH
AFETAC
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

73-81 DAY AAFET LENTS WA

73-81

007

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

11.0-2300

| | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 43.1 | 45.1 | 47.1 | 48.5 | 49.6 | 49.5 | 49.8 | 50.2 | 50.2 | 50.3 | 50.3 | 50.9 | 51.7 | 51.7 | 51.7 |
| 46.2 | 48.1 | 49.9 | 51.4 | 51.5 | 52.3 | 52.7 | 53.0 | 53.0 | 53.2 | 53.2 | 53.8 | 53.8 | 54.1 | 54.6 |
| 46.4 | 48.5 | 50.3 | 51.7 | 51.9 | 52.7 | 53.0 | 53.4 | 53.4 | 53.5 | 53.5 | 54.1 | 54.2 | 54.5 | 55.0 |
| 46.4 | 48.5 | 50.3 | 51.7 | 51.9 | 52.7 | 53.0 | 53.4 | 53.4 | 53.5 | 53.5 | 54.1 | 54.2 | 54.5 | 55.0 |
| 47.2 | 49.3 | 51.1 | 52.6 | 52.7 | 53.5 | 53.9 | 54.2 | 54.2 | 54.4 | 54.4 | 55.0 | 55.1 | 55.3 | 55.8 |
| 49.0 | 51.1 | 52.9 | 54.4 | 54.5 | 55.3 | 55.7 | 56.2 | 56.2 | 56.2 | 56.2 | 56.8 | 56.9 | 57.1 | 57.6 |
| 50.3 | 52.6 | 54.4 | 55.8 | 55.9 | 56.9 | 57.2 | 57.6 | 57.6 | 57.7 | 57.7 | 58.3 | 58.4 | 58.7 | 59.1 |
| 51.0 | 53.3 | 55.1 | 56.5 | 56.6 | 57.6 | 57.9 | 58.3 | 58.3 | 58.4 | 58.4 | 59.1 | 59.1 | 59.4 | 59.9 |
| 54.2 | 56.5 | 58.3 | 59.7 | 59.9 | 60.9 | 61.3 | 61.6 | 61.6 | 61.8 | 61.8 | 62.4 | 62.5 | 62.7 | 63.2 |
| 55.8 | 58.1 | 59.9 | 61.3 | 61.4 | 62.5 | 62.8 | 63.2 | 63.2 | 63.3 | 63.3 | 63.9 | 64.0 | 64.3 | 64.8 |
| 57.2 | 59.5 | 61.3 | 62.7 | 62.8 | 63.9 | 64.3 | 64.6 | 64.6 | 64.8 | 64.8 | 65.4 | 65.5 | 65.7 | 66.2 |
| 60.8 | 63.2 | 65.1 | 66.9 | 67.1 | 68.3 | 68.7 | 69.1 | 69.1 | 69.2 | 69.2 | 69.8 | 69.9 | 70.1 | 70.6 |
| 63.4 | 65.9 | 67.9 | 69.7 | 69.9 | 71.1 | 71.4 | 71.8 | 71.8 | 71.9 | 71.9 | 72.5 | 72.6 | 72.9 | 73.4 |
| 69.3 | 71.8 | 73.8 | 76.0 | 76.2 | 77.4 | 77.8 | 78.1 | 78.1 | 78.3 | 78.3 | 78.9 | 79.0 | 79.3 | 79.8 |
| 74.1 | 77.2 | 79.3 | 81.6 | 81.8 | 83.0 | 83.4 | 83.8 | 83.8 | 83.9 | 83.9 | 84.5 | 84.6 | 84.9 | 85.4 |
| 76.3 | 79.5 | 82.1 | 84.3 | 84.6 | 85.9 | 86.3 | 86.6 | 86.6 | 86.7 | 86.7 | 87.3 | 87.5 | 87.8 | 88.3 |
| 79.8 | 83.2 | 86.4 | 88.8 | 89.0 | 90.7 | 91.0 | 91.4 | 91.4 | 91.5 | 91.5 | 92.1 | 92.2 | 92.6 | 93.1 |
| 81.1 | 84.3 | 87.8 | 90.2 | 90.4 | 92.1 | 92.5 | 93.0 | 93.0 | 93.1 | 93.1 | 93.7 | 93.8 | 94.1 | 94.6 |
| 81.6 | 84.9 | 88.4 | 90.8 | 91.0 | 92.7 | 93.1 | 93.5 | 93.5 | 93.7 | 93.7 | 94.3 | 94.4 | 94.7 | 95.2 |
| 82.1 | 85.4 | 89.0 | 91.4 | 91.6 | 93.5 | 93.9 | 94.4 | 94.4 | 94.5 | 94.5 | 95.1 | 95.2 | 95.6 | 96.1 |
| 82.2 | 85.7 | 89.4 | 91.8 | 92.1 | 93.9 | 94.3 | 94.7 | 94.7 | 94.9 | 94.9 | 95.5 | 95.6 | 95.9 | 96.4 |
| 82.3 | 85.8 | 89.6 | 92.0 | 92.2 | 94.1 | 94.5 | 95.0 | 95.1 | 95.2 | 95.2 | 95.8 | 95.9 | 96.3 | 96.8 |
| 82.7 | 86.1 | 90.0 | 92.4 | 92.6 | 94.5 | 94.9 | 95.3 | 95.5 | 95.6 | 95.6 | 96.2 | 96.3 | 96.7 | 97.1 |
| 82.7 | 86.1 | 90.0 | 92.4 | 92.6 | 94.5 | 94.9 | 95.3 | 95.5 | 95.6 | 95.6 | 96.2 | 96.3 | 96.7 | 97.1 |
| 82.9 | 86.4 | 90.2 | 92.6 | 92.8 | 94.7 | 95.1 | 95.6 | 95.7 | 95.8 | 95.8 | 96.4 | 96.5 | 96.9 | 97.4 |
| 83.1 | 86.5 | 90.3 | 92.7 | 93.0 | 94.9 | 95.2 | 95.7 | 95.8 | 95.9 | 95.9 | 96.5 | 96.7 | 97.0 | 97.5 |
| 83.2 | 86.6 | 90.4 | 92.8 | 93.1 | 95.0 | 95.3 | 95.8 | 95.9 | 96.1 | 96.1 | 96.7 | 96.8 | 97.1 | 97.6 |
| 83.2 | 86.6 | 90.4 | 92.8 | 93.1 | 95.0 | 95.3 | 95.8 | 95.9 | 96.1 | 96.1 | 96.8 | 96.9 | 97.4 | 97.8 |
| 83.2 | 86.6 | 90.4 | 92.8 | 93.1 | 95.0 | 95.5 | 95.9 | 96.2 | 96.3 | 96.3 | 97.0 | 97.1 | 97.6 | 98.1 |
| 83.2 | 86.6 | 90.6 | 93.0 | 93.2 | 95.1 | 95.6 | 96.1 | 96.4 | 96.5 | 96.5 | 97.3 | 97.4 | 98.0 | 98.4 |
| 83.2 | 86.6 | 90.6 | 93.0 | 93.2 | 95.1 | 95.6 | 96.1 | 96.4 | 96.5 | 96.5 | 97.3 | 97.4 | 98.1 | 99.0 |
| 83.2 | 86.6 | 90.6 | 93.0 | 93.2 | 95.1 | 95.6 | 96.1 | 96.4 | 96.5 | 96.5 | 97.3 | 97.4 | 98.2 | 99.0 |

TOTAL NUMBER OF OBSERVATIONS 817

CEILING VERSUS VISIBILITY

73-21

367

ALL

TOTAL NUMBER OF OBSERVATIONS 6696

LOCAL CLIMATOLOGY BRANCH
AF TAC
FATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

DAY AAF/FT LEWIS AA

73-81

NOV

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

100-2500

| | | | | | | | | | | | | | | | |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 1.4 | 23.4 | 24.4 | 25.7 | 26.3 | 26.5 | 27.4 | 27.5 | 27.7 | 27.9 | 28.3 | 28.4 | 28.6 | 29.0 | 29.4 | 29.6 |
| 1.4 | 24.4 | 25.4 | 26.9 | 27.5 | 27.8 | 28.6 | 28.8 | 28.9 | 29.1 | 29.5 | 29.6 | 29.9 | 30.2 | 30.6 | 31.4 |
| 1.4 | 24.9 | 25.9 | 27.0 | 27.7 | 27.9 | 28.6 | 28.9 | 29.0 | 29.3 | 29.6 | 29.8 | 30.0 | 30.4 | 30.7 | 31.5 |
| 1.4 | 24.9 | 25.9 | 27.0 | 27.7 | 27.9 | 28.6 | 28.9 | 29.0 | 29.3 | 29.6 | 29.8 | 30.0 | 30.4 | 30.7 | 31.5 |
| 1.7 | 25.9 | 27.0 | 28.3 | 28.9 | 29.1 | 30.0 | 30.1 | 30.2 | 30.6 | 31.0 | 31.1 | 31.4 | 31.7 | 32.1 | 32.4 |
| 1.7 | 26.3 | 27.4 | 28.6 | 29.3 | 29.5 | 30.4 | 30.5 | 30.6 | 31.0 | 31.4 | 31.5 | 31.7 | 32.1 | 32.5 | 33.0 |
| 1.7 | 27.4 | 28.4 | 30.0 | 31.0 | 31.2 | 32.1 | 32.2 | 32.3 | 32.7 | 33.1 | 33.2 | 33.5 | 33.8 | 34.2 | 34.7 |
| 1.7 | 28.9 | 30.1 | 31.5 | 32.5 | 32.7 | 33.6 | 33.7 | 33.8 | 34.2 | 34.6 | 34.7 | 34.9 | 35.3 | 35.7 | 36.4 |
| 1.7 | 30.7 | 32.1 | 33.7 | 34.8 | 35.1 | 35.9 | 36.0 | 36.2 | 36.5 | 36.9 | 37.0 | 37.3 | 37.7 | 38.0 | 38.4 |
| 1.7 | 30.7 | 34.2 | 36.0 | 37.2 | 37.4 | 38.3 | 38.4 | 38.6 | 38.9 | 39.2 | 39.4 | 39.6 | 40.0 | 40.4 | 41.1 |
| 2.0 | 33.3 | 35.3 | 37.2 | 38.3 | 38.5 | 39.5 | 39.6 | 39.8 | 40.1 | 40.5 | 40.6 | 40.9 | 41.2 | 41.6 | 42.3 |
| 2.0 | 33.3 | 37.4 | 39.8 | 40.9 | 41.1 | 42.3 | 42.6 | 42.7 | 43.1 | 43.5 | 43.6 | 43.8 | 44.2 | 44.6 | 45.3 |
| 2.0 | 41.0 | 42.5 | 44.4 | 45.6 | 45.8 | 47.0 | 47.3 | 47.4 | 47.8 | 48.1 | 48.3 | 48.5 | 48.9 | 49.3 | 50.0 |
| 2.0 | 47.2 | 50.0 | 52.6 | 53.8 | 54.1 | 55.3 | 55.8 | 55.9 | 56.3 | 56.7 | 56.8 | 57.0 | 57.4 | 57.8 | 58.5 |
| 2.0 | 57.2 | 60.0 | 62.8 | 64.1 | 64.4 | 65.7 | 66.3 | 66.4 | 66.8 | 67.2 | 67.3 | 67.8 | 68.1 | 68.5 | 69.3 |
| 2.0 | 61.0 | 64.6 | 66.9 | 68.4 | 68.8 | 70.0 | 70.6 | 70.7 | 71.1 | 71.5 | 71.6 | 72.1 | 72.5 | 72.8 | 73.6 |
| 2.0 | 63.7 | 67.7 | 70.0 | 72.1 | 72.5 | 73.7 | 74.4 | 74.6 | 74.9 | 75.3 | 75.4 | 75.9 | 76.3 | 76.7 | 77.4 |
| 2.0 | 65.8 | 69.8 | 72.2 | 74.8 | 75.2 | 76.4 | 77.2 | 77.3 | 77.7 | 78.1 | 78.1 | 78.6 | 79.1 | 79.4 | 80.1 |
| 2.0 | 66.8 | 70.7 | 73.3 | 76.2 | 76.5 | 77.8 | 78.5 | 78.6 | 79.0 | 79.4 | 79.5 | 80.0 | 80.4 | 80.7 | 81.5 |
| 2.0 | 68.0 | 72.2 | 74.9 | 77.9 | 78.3 | 79.5 | 80.2 | 80.4 | 80.7 | 81.1 | 81.2 | 81.7 | 82.1 | 82.5 | 83.2 |
| 2.0 | 68.5 | 72.7 | 75.8 | 78.8 | 79.1 | 80.4 | 81.1 | 81.2 | 81.6 | 82.0 | 82.1 | 82.6 | 83.0 | 83.3 | 84.1 |
| 2.0 | 69.1 | 73.3 | 76.4 | 79.5 | 79.9 | 81.1 | 81.9 | 82.0 | 82.3 | 82.7 | 82.8 | 83.5 | 83.8 | 84.2 | 84.9 |
| 2.0 | 69.1 | 73.5 | 76.5 | 79.8 | 80.1 | 81.5 | 82.2 | 82.3 | 82.7 | 83.1 | 83.2 | 83.9 | 84.2 | 84.6 | 85.3 |
| 2.0 | 69.1 | 73.7 | 76.8 | 80.0 | 80.4 | 81.7 | 82.5 | 82.6 | 83.1 | 83.5 | 83.6 | 84.2 | 84.6 | 84.9 | 85.7 |
| 2.0 | 69.5 | 74.1 | 77.2 | 80.4 | 81.1 | 82.7 | 83.5 | 83.6 | 84.2 | 84.7 | 84.8 | 85.4 | 85.8 | 86.2 | 86.9 |
| 2.0 | 69.5 | 74.1 | 77.3 | 80.5 | 81.4 | 83.0 | 83.7 | 83.8 | 84.4 | 84.9 | 85.1 | 85.7 | 86.0 | 86.4 | 87.2 |
| 2.0 | 69.9 | 74.4 | 78.1 | 81.6 | 82.5 | 84.6 | 85.7 | 85.8 | 86.4 | 86.9 | 87.0 | 87.7 | 88.0 | 88.4 | 89.4 |
| 2.0 | 69.9 | 74.4 | 78.3 | 82.0 | 82.8 | 85.3 | 86.5 | 86.8 | 87.7 | 88.3 | 88.8 | 89.5 | 89.9 | 90.4 | 91.4 |
| 2.0 | 69.9 | 74.4 | 78.3 | 82.0 | 83.0 | 85.6 | 87.0 | 87.7 | 88.8 | 89.8 | 90.4 | 91.4 | 92.1 | 92.8 | 94.4 |
| 2.0 | 69.9 | 74.4 | 78.3 | 82.0 | 83.0 | 85.6 | 87.0 | 87.8 | 88.9 | 90.0 | 90.9 | 92.1 | 93.1 | 94.1 | 97.5 |
| 2.0 | 69.9 | 74.4 | 78.3 | 82.0 | 83.0 | 85.6 | 87.0 | 87.8 | 88.9 | 90.0 | 91.0 | 92.2 | 93.3 | 94.3 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 810

20.

THE BAPTIST LEADER

1-23

PERCENT FREQUENCY OF OCCURRENCE OF TYPES OF OPERATIONS

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1

[illegible]

14-00000

© 2001 Blackwell Science Ltd *Journal of Internal Medicine* 250: 105–112

CEILING VERSUS VISIBILITY

NY 64-157101-10

1990

44

PERCENTAGE PREVALENCE OF OUTLIERNESS
FROM FIELD OBSERVATIONS

100-10500

[illegible]TOTAL NUMBER OF OBSERVATIONS 51

AN AIRPORT LEADS...

77-19

44

PERCENTAGE FREQUENCY OF OCCURRENCE
OF THE SUBSTITUTIONS

1. *Phragmites* (common)

[illegible]

TOTAL NUMBER OF OBSERVATIONS 81

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

2
FEDERAL CLIMATOLOGY BRANCH
METAC
WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

DAY AAC/FT LEWIS, MO

73-31

500

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

11-2-2000

| |
|-------|
| 23.3 | 23.7 | 24.0 | 24.4 | 24.8 | 25.1 | 25.4 | 25.8 | 26.2 | 26.6 | 27.0 | 27.4 | 27.8 | 28.2 | 28.6 | 29.0 | 29.4 | 29.8 | 30.2 | 30.6 | 31.0 | 31.4 | 31.8 | 32.2 | 32.6 | 33.0 | 33.4 | 33.8 | 34.2 | 34.6 | 35.0 | 35.4 | 35.8 | 36.2 | 36.6 | 37.0 | 37.4 | 37.8 | 38.2 | 38.6 | 39.0 | 39.4 | 39.8 | 40.2 | 40.6 | 41.0 | 41.4 | 41.8 | 42.2 | 42.6 | 43.0 | 43.4 | 43.8 | 44.2 | 44.6 | 45.0 | 45.4 | 45.8 | 46.2 | 46.6 | 47.0 | 47.4 | 47.8 | 48.2 | 48.6 | 49.0 | 49.4 | 49.8 | 50.2 | 50.6 | 51.0 | 51.4 | 51.8 | 52.2 | 52.6 | 53.0 | 53.4 | 53.8 | 54.2 | 54.6 | 55.0 | 55.4 | 55.8 | 56.2 | 56.6 | 57.0 | 57.4 | 57.8 | 58.2 | 58.6 | 59.0 | 59.4 | 59.8 | 60.2 | 60.6 | 61.0 | 61.4 | 61.8 | 62.2 | 62.6 | 63.0 | 63.4 | 63.8 | 64.2 | 64.6 | 65.0 | 65.4 | 65.8 | 66.2 | 66.6 | 67.0 | 67.4 | 67.8 | 68.2 | 68.6 | 69.0 | 69.4 | 69.8 | 70.2 | 70.6 | 71.0 | 71.4 | 71.8 | 72.2 | 72.6 | 73.0 | 73.4 | 73.8 | 74.2 | 74.6 | 75.0 | 75.4 | 75.8 | 76.2 | 76.6 | 77.0 | 77.4 | 77.8 | 78.2 | 78.6 | 79.0 | 79.4 | 79.8 | 80.2 | 80.6 | 81.0 | 81.4 | 81.8 | 82.2 | 82.6 | 83.0 | 83.4 | 83.8 | 84.2 | 84.6 | 85.0 | 85.4 | 85.8 | 86.2 | 86.6 | 87.0 | 87.4 | 87.8 | 88.2 | 88.6 | 89.0 | 89.4 | 89.8 | 90.2 | 90.6 | 91.0 | 91.4 | 91.8 | 92.2 | 92.6 | 93.0 | 93.4 | 93.8 | 94.2 | 94.6 | 95.0 | 95.4 | 95.8 | 96.2 | 96.6 | 97.0 | 97.4 | 97.8 | 98.2 | 98.6 | 99.0 | 99.4 | 99.8 | 100.0 |
|-------|

TOTAL NUMBER OF OBSERVATIONS 810

DATA FROM 11-2-2000 TO 11-2-2000

72-21

40.

ALL

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 10.0 | 21.3 | 22.0 | 22.5 | 22.2 | 23.4 | 23.7 | 24.0 | 24.3 | 24.4 | 24.7 | 24.7 | 25.7 | 26.1 | 26.3 | 26.6 |
| 10.0 | 24.1 | 24.8 | 25.4 | 26.1 | 26.4 | 26.7 | 27.1 | 27.2 | 27.5 | 27.5 | 27.9 | 28.1 | 28.3 | 28.5 | 28.5 |
| 10.1 | 24.3 | 25.0 | 25.7 | 26.4 | 26.6 | 27.0 | 27.4 | 27.5 | 27.8 | 28.0 | 28.2 | 28.4 | 28.5 | 28.8 | 29.1 |
| 10.1 | 24.8 | 25.6 | 26.2 | 26.9 | 27.2 | 27.5 | 27.9 | 28.1 | 28.3 | 28.7 | 28.7 | 28.9 | 29.1 | 29.3 | 29.6 |
| 11.0 | 26.6 | 27.4 | 28.1 | 28.8 | 29.0 | 29.4 | 29.6 | 29.9 | 30.2 | 30.4 | 30.6 | 30.8 | 31.1 | 31.2 | 31.5 |
| 10.3 | 28.2 | 29.0 | 29.8 | 30.6 | 30.8 | 31.2 | 31.5 | 31.7 | 32.0 | 32.4 | 32.4 | 32.6 | 32.7 | 33.0 | 33.3 |
| 10.1 | 30.3 | 31.2 | 32.1 | 32.9 | 33.1 | 33.5 | 33.9 | 34.0 | 34.3 | 34.7 | 34.7 | 34.9 | 35.1 | 35.7 | 35.6 |
| 10.1 | 31.6 | 32.5 | 33.3 | 34.3 | 34.5 | 34.8 | 35.2 | 35.4 | 35.7 | 36.0 | 36.1 | 36.3 | 36.4 | 36.7 | 37.2 |
| 10.4 | 34.7 | 35.7 | 36.6 | 37.6 | 37.8 | 38.2 | 38.6 | 38.9 | 39.1 | 39.4 | 39.4 | 39.7 | 39.8 | 40.0 | 40.3 |
| 10.5 | 36.9 | 37.7 | 38.9 | 39.9 | 40.1 | 40.5 | 40.9 | 41.0 | 41.4 | 41.7 | 41.7 | 41.9 | 42.1 | 42.3 | 42.5 |
| 10.1 | 38.7 | 39.6 | 40.8 | 41.7 | 42.0 | 42.3 | 42.7 | 42.9 | 43.2 | 43.5 | 43.6 | 43.8 | 44.1 | 44.2 | 44.5 |
| 10.3 | 40.2 | 41.4 | 44.6 | 45.6 | 45.8 | 46.3 | 46.7 | 46.9 | 47.2 | 47.5 | 47.6 | 47.8 | 47.9 | 48.2 | 48.5 |
| 10.3 | 45.4 | 46.5 | 48.2 | 49.3 | 49.6 | 50.0 | 50.4 | 50.6 | 50.9 | 51.3 | 51.3 | 51.5 | 51.7 | 51.9 | 52.2 |
| 10.5 | 53.6 | 55.6 | 57.1 | 58.3 | 58.5 | 59.0 | 59.5 | 59.7 | 60.0 | 60.3 | 60.4 | 60.6 | 60.7 | 61.0 | 61.3 |
| 10.5 | 60.7 | 62.4 | 64.1 | 65.4 | 65.6 | 66.2 | 66.6 | 66.8 | 67.1 | 67.5 | 67.5 | 67.8 | 67.9 | 68.1 | 68.5 |
| 10.2 | 64.4 | 67.2 | 69.1 | 70.4 | 70.8 | 71.3 | 71.8 | 72.2 | 72.3 | 72.7 | 72.7 | 73.1 | 73.1 | 73.4 | 73.7 |
| 10.5 | 69.3 | 71.5 | 73.4 | 75.1 | 75.5 | 76.1 | 76.6 | 76.8 | 77.1 | 77.5 | 77.5 | 77.8 | 78.0 | 78.2 | 78.5 |
| 10.2 | 70.6 | 73.9 | 76.2 | 78.2 | 78.6 | 79.4 | 80.0 | 80.2 | 80.2 | 80.5 | 80.5 | 80.9 | 81.2 | 81.4 | 81.8 |
| 10.6 | 71.2 | 74.5 | 76.9 | 79.0 | 79.5 | 80.3 | 80.9 | 81.1 | 81.4 | 81.5 | 81.8 | 82.1 | 82.2 | 82.5 | 82.8 |
| 10.7 | 72.6 | 76.2 | 79.0 | 81.3 | 81.8 | 82.6 | 83.2 | 83.5 | 83.8 | 84.2 | 84.2 | 84.5 | 84.7 | 84.9 | 85.2 |
| 10.7 | 73.0 | 76.7 | 79.8 | 82.1 | 82.6 | 83.5 | 84.2 | 84.4 | 84.8 | 85.2 | 85.2 | 85.5 | 85.6 | 85.9 | 86.2 |
| 10.7 | 73.2 | 77.1 | 80.2 | 82.8 | 83.3 | 84.3 | 85.0 | 85.2 | 85.6 | 86.0 | 86.0 | 86.3 | 86.5 | 86.8 | 87.1 |
| 10.7 | 73.4 | 77.3 | 80.5 | 83.2 | 83.7 | 84.8 | 85.5 | 85.8 | 86.2 | 86.7 | 86.7 | 87.1 | 87.1 | 87.4 | 87.7 |
| 10.7 | 73.4 | 77.4 | 80.7 | 83.4 | 84.0 | 85.0 | 85.9 | 86.2 | 86.6 | 87.1 | 87.1 | 87.4 | 87.5 | 87.8 | 88.1 |
| 10.7 | 73.5 | 77.6 | 80.9 | 83.7 | 84.4 | 85.5 | 86.4 | 86.7 | 87.2 | 87.6 | 87.7 | 88.0 | 88.1 | 88.4 | 88.8 |
| 10.7 | 73.7 | 77.8 | 81.2 | 84.1 | 85.0 | 86.3 | 87.3 | 87.6 | 88.2 | 88.7 | 88.7 | 89.2 | 89.2 | 89.5 | 89.8 |
| 10.7 | 73.8 | 77.9 | 81.4 | 84.4 | 85.5 | 86.7 | 87.0 | 88.5 | 89.1 | 89.6 | 89.6 | 89.9 | 90.1 | 90.4 | 90.8 |
| 10.7 | 74.1 | 78.2 | 81.7 | 84.8 | 86.1 | 87.7 | 89.2 | 89.5 | 90.2 | 90.8 | 90.8 | 91.1 | 91.3 | 91.7 | 92.1 |
| 10.7 | 74.0 | 78.2 | 81.8 | 85.0 | 86.2 | 88.2 | 89.6 | 90.1 | 91.2 | 92.1 | 92.2 | 92.6 | 92.8 | 93.2 | 93.9 |
| 10.7 | 74.0 | 78.2 | 81.8 | 85.0 | 86.2 | 88.3 | 89.9 | 90.8 | 91.8 | 92.9 | 93.1 | 93.8 | 94.1 | 95.0 | 96.1 |
| 10.7 | 74.0 | 78.2 | 81.8 | 85.0 | 86.3 | 88.4 | 90.0 | 90.8 | 91.9 | 93.0 | 93.2 | 94.1 | 94.7 | 95.7 | 96.4 |
| 10.7 | 74.0 | 78.2 | 81.8 | 85.1 | 86.3 | 88.4 | 90.0 | 90.8 | 91.9 | 93.1 | 93.3 | 94.2 | 94.8 | 96.2 | 97.2 |

TOTAL NUMBER OF OBSERVATIONS 6497

CEILING VERSUS VISIBILITY

1 MAY 1964

77-31

240

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

100-2482

| | | | | | | | | | | | | | | | |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0.0 | 17.2 | 21.5 | 22.4 | 24.1 | 24.4 | 25.1 | 25.5 | 25.7 | 26.1 | 26.4 | 26.7 | 27.1 | 27.1 | 27.7 | 27.8 |
| 0.1 | 21.1 | 22.2 | 24.4 | 26.1 | 26.4 | 27.1 | 27.5 | 27.7 | 28.1 | 28.6 | 28.7 | 29.1 | 29.1 | 29.2 | 29.2 |
| 0.2 | 21.1 | 22.2 | 24.4 | 26.1 | 26.4 | 27.1 | 27.5 | 27.7 | 28.1 | 28.6 | 28.7 | 29.1 | 29.1 | 29.2 | 29.2 |
| 0.3 | 21.2 | 22.2 | 24.5 | 26.2 | 26.5 | 27.2 | 27.6 | 27.8 | 28.2 | 28.7 | 28.8 | 29.2 | 29.2 | 29.3 | 29.3 |
| 0.4 | 22.1 | 23.0 | 25.5 | 27.5 | 27.7 | 28.4 | 28.8 | 29.1 | 29.5 | 30.0 | 30.2 | 30.5 | 30.5 | 30.7 | 31.3 |
| 0.5 | 22.4 | 24.3 | 25.9 | 27.8 | 28.1 | 28.8 | 29.2 | 29.4 | 29.9 | 30.4 | 30.5 | 30.9 | 31.0 | 31.0 | 31.7 |
| 0.6 | 24.3 | 26.1 | 27.7 | 29.7 | 29.9 | 30.7 | 31.0 | 31.3 | 31.8 | 32.3 | 32.4 | 32.8 | 32.8 | 32.9 | 33.5 |
| 0.7 | 24.8 | 26.6 | 28.2 | 30.2 | 30.4 | 31.2 | 31.5 | 31.8 | 32.3 | 32.8 | 32.9 | 33.3 | 33.3 | 33.4 | 34.0 |
| 1.0 | 26.7 | 28.7 | 30.4 | 32.4 | 32.6 | 33.4 | 33.7 | 34.0 | 34.5 | 35.0 | 35.1 | 35.5 | 35.5 | 35.6 | 36.2 |
| 1.2 | 23.7 | 30.7 | 32.5 | 34.5 | 34.7 | 35.5 | 35.8 | 36.1 | 36.6 | 37.1 | 37.2 | 37.6 | 37.6 | 37.7 | 38.3 |
| 1.4 | 30.0 | 32.0 | 33.9 | 35.8 | 36.1 | 36.5 | 37.2 | 37.4 | 37.9 | 38.4 | 38.5 | 38.9 | 38.9 | 39.0 | 39.7 |
| 1.6 | 33.0 | 35.2 | 37.2 | 39.3 | 39.5 | 40.3 | 40.8 | 41.0 | 41.5 | 42.0 | 42.1 | 42.5 | 42.5 | 42.6 | 43.2 |
| 1.8 | 33.7 | 39.0 | 41.1 | 43.3 | 43.6 | 44.5 | 45.0 | 45.2 | 45.7 | 46.2 | 46.3 | 46.7 | 46.7 | 46.8 | 47.4 |
| 1.2 | 43.3 | 46.1 | 48.4 | 50.7 | 51.1 | 52.0 | 52.7 | 53.0 | 53.4 | 53.9 | 54.1 | 54.4 | 54.4 | 54.6 | 55.2 |
| 1.4 | 50.2 | 53.0 | 55.4 | 58.3 | 58.6 | 59.6 | 60.3 | 60.7 | 61.2 | 61.8 | 61.9 | 62.3 | 62.3 | 62.4 | 63.1 |
| 1.6 | 54.7 | 58.1 | 60.8 | 64.2 | 64.5 | 65.5 | 66.3 | 66.6 | 67.1 | 67.8 | 68.0 | 68.3 | 68.3 | 68.5 | 69.1 |
| 1.8 | 60.1 | 64.3 | 67.0 | 70.6 | 70.9 | 72.0 | 72.8 | 73.2 | 73.6 | 74.4 | 74.5 | 74.9 | 74.9 | 75.0 | 75.6 |
| 1.5 | 61.9 | 66.5 | 69.6 | 73.9 | 74.3 | 75.5 | 76.4 | 76.7 | 77.2 | 77.8 | 77.9 | 78.4 | 78.4 | 78.6 | 79.2 |
| 1.7 | 63.2 | 68.0 | 71.1 | 75.5 | 75.9 | 77.1 | 78.0 | 78.3 | 78.8 | 79.6 | 79.7 | 80.0 | 80.0 | 80.2 | 80.8 |
| 1.9 | 65.0 | 70.4 | 73.8 | 78.7 | 79.1 | 80.3 | 81.3 | 81.7 | 82.1 | 82.9 | 83.0 | 83.4 | 83.4 | 83.5 | 84.1 |
| 1.5 | 65.6 | 71.3 | 74.9 | 79.9 | 80.3 | 81.5 | 82.5 | 82.9 | 83.4 | 84.1 | 84.2 | 84.6 | 84.6 | 84.7 | 85.3 |
| 1.5 | 66.9 | 72.7 | 76.7 | 82.5 | 82.9 | 84.1 | 85.1 | 85.5 | 86.0 | 86.7 | 86.8 | 87.2 | 87.2 | 87.3 | 87.9 |
| 1.5 | 67.4 | 73.2 | 77.3 | 83.1 | 83.5 | 84.7 | 85.7 | 86.1 | 86.6 | 87.3 | 87.4 | 87.8 | 87.8 | 87.9 | 88.5 |
| 1.5 | 67.5 | 73.3 | 77.6 | 83.5 | 83.9 | 85.2 | 86.2 | 86.6 | 87.1 | 87.8 | 87.9 | 88.3 | 88.3 | 88.4 | 89.0 |
| 1.5 | 68.0 | 73.5 | 78.1 | 84.0 | 84.4 | 85.7 | 86.7 | 87.1 | 87.6 | 88.3 | 88.4 | 88.8 | 88.8 | 88.9 | 89.5 |
| 1.5 | 68.1 | 73.9 | 78.4 | 84.7 | 85.2 | 87.1 | 88.1 | 88.4 | 88.9 | 89.6 | 89.9 | 90.3 | 90.3 | 90.4 | 91.0 |
| 1.5 | 68.1 | 73.9 | 78.7 | 85.1 | 85.6 | 87.8 | 88.8 | 89.2 | 88.9 | 90.8 | 90.9 | 91.3 | 91.3 | 91.4 | 92.0 |
| 1.5 | 68.1 | 73.9 | 78.7 | 85.2 | 85.8 | 88.2 | 89.3 | 89.7 | 90.4 | | | | | | |

TOTAL NUMBER OF OBSERVATIONS 812

USAF F-16, 0-14-82. A previous set of 20 programs are obsolete.

CLIMATE CLIMATOLOGY BRANCH
 WAFB/TAC
 WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

DAY 447/ET LE 15 4A

73-31

DEC

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATIONS

310-0500

| | | | | | | | | | | | | | | | |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 1.1 | 17.7 | 19.5 | 19.3 | 20.0 | 20.4 | 20.6 | 21.0 | 21.1 | 21.4 | 21.5 | 21.9 | 22.1 | 22.1 | 22.7 | 22.7 |
| 1.1 | 18.9 | 20.1 | 20.6 | 21.4 | 21.8 | 22.0 | 22.4 | 22.6 | 22.9 | 23.0 | 23.4 | 23.5 | 23.5 | 23.5 | 23.5 |
| 1.1 | 18.9 | 20.1 | 20.6 | 21.4 | 21.8 | 22.0 | 22.4 | 22.6 | 22.9 | 23.0 | 23.4 | 23.5 | 23.5 | 23.5 | 23.5 |
| 1.1 | 18.9 | 20.1 | 20.6 | 21.4 | 21.8 | 22.0 | 22.4 | 22.6 | 22.9 | 23.0 | 23.4 | 23.5 | 23.5 | 23.5 | 23.5 |
| 1.1 | 19.2 | 20.5 | 21.1 | 22.1 | 22.5 | 22.7 | 23.1 | 23.4 | 23.6 | 23.7 | 24.1 | 24.2 | 24.2 | 24.2 | 24.2 |
| 1.1 | 19.5 | 21.1 | 21.5 | 22.5 | 22.9 | 23.1 | 23.5 | 23.7 | 24.0 | 24.1 | 24.5 | 24.6 | 24.6 | 24.6 | 24.6 |
| 1.2 | 23.0 | 24.7 | 25.5 | 26.6 | 26.9 | 27.2 | 27.6 | 27.8 | 28.1 | 28.2 | 28.6 | 28.7 | 28.7 | 28.7 | 28.7 |
| 1.2 | 23.2 | 25.7 | 26.6 | 27.7 | 28.1 | 28.3 | 28.7 | 28.9 | 29.2 | 29.3 | 29.7 | 29.8 | 29.8 | 29.8 | 29.8 |
| 1.4 | 25.6 | 27.6 | 28.6 | 29.7 | 30.0 | 30.4 | 30.8 | 31.0 | 31.3 | 31.4 | 31.8 | 31.9 | 31.9 | 31.9 | 31.9 |
| 1.4 | 26.7 | 28.3 | 29.8 | 30.9 | 31.3 | 31.6 | 32.0 | 32.3 | 32.5 | 32.6 | 33.0 | 33.1 | 33.1 | 33.1 | 33.1 |
| 1.4 | 28.1 | 30.7 | 31.1 | 32.3 | 32.6 | 33.0 | 33.4 | 33.6 | 33.9 | 34.0 | 34.4 | 34.5 | 34.5 | 34.5 | 34.5 |
| 1.4 | 32.0 | 34.1 | 35.4 | 36.7 | 37.1 | 37.5 | 37.8 | 38.1 | 38.4 | 38.6 | 38.9 | 39.1 | 39.1 | 39.1 | 39.1 |
| 1.6 | 36.1 | 38.3 | 39.7 | 41.2 | 41.5 | 41.9 | 42.3 | 42.5 | 42.9 | 43.1 | 43.4 | 43.5 | 43.5 | 43.5 | 43.5 |
| 1.7 | 43.5 | 46.6 | 48.0 | 49.8 | 50.6 | 51.3 | 51.7 | 51.9 | 52.3 | 52.4 | 52.8 | 52.9 | 52.9 | 52.9 | 52.9 |
| 1.7 | 50.2 | 53.5 | 55.3 | 57.2 | 58.0 | 58.7 | 59.1 | 59.7 | 59.7 | 59.8 | 60.2 | 60.3 | 60.3 | 60.3 | 60.3 |
| 1.7 | 55.4 | 59.1 | 61.1 | 63.8 | 64.5 | 65.5 | 66.0 | 66.4 | 66.9 | 67.2 | 67.4 | 67.5 | 67.5 | 67.5 | 67.5 |
| 1.7 | 59.6 | 63.4 | 65.8 | 68.9 | 69.6 | 70.8 | 71.3 | 71.7 | 72.2 | 72.3 | 72.7 | 72.8 | 72.8 | 72.8 | 72.8 |
| 1.7 | 63.2 | 67.2 | 70.3 | 73.8 | 74.5 | 75.8 | 76.4 | 76.8 | 77.3 | 77.4 | 77.8 | 77.9 | 77.9 | 77.9 | 77.9 |
| 1.7 | 64.4 | 68.6 | 71.7 | 75.2 | 75.9 | 77.3 | 77.9 | 78.2 | 78.7 | 78.9 | 79.2 | 79.4 | 79.4 | 79.4 | 79.4 |
| 1.7 | 66.3 | 71.1 | 74.3 | 77.9 | 76.6 | 80.1 | 80.8 | 81.2 | 81.7 | 81.8 | 82.2 | 82.3 | 82.3 | 82.3 | 82.3 |
| 1.7 | 67.2 | 72.9 | 76.3 | 80.7 | 80.7 | 82.2 | 82.9 | 83.3 | 83.8 | 83.9 | 84.3 | 84.4 | 84.4 | 84.4 | 84.4 |
| 1.7 | 67.9 | 73.7 | 77.4 | 81.8 | 82.6 | 84.3 | 85.0 | 85.4 | 86.2 | 86.3 | 86.7 | 86.8 | 86.8 | 86.8 | 86.8 |
| 1.7 | 68.4 | 74.3 | 78.0 | 82.4 | 83.2 | 84.9 | 85.7 | 86.0 | 86.8 | 86.9 | 87.3 | 87.4 | 87.4 | 87.4 | 87.4 |
| 1.7 | 68.5 | 74.5 | 78.2 | 82.8 | 83.6 | 85.4 | 86.3 | 86.7 | 87.4 | 87.5 | 87.9 | 88.0 | 88.0 | 88.0 | 88.0 |
| 1.7 | 68.6 | 74.5 | 78.5 | 83.2 | 83.9 | 86.0 | 86.9 | 87.1 | 88.0 | 88.1 | 88.5 | 88.6 | 88.6 | 88.6 | 88.6 |
| 1.7 | 68.7 | 75.1 | 79.1 | 84.1 | 84.8 | 87.1 | 88.0 | 88.4 | 89.1 | 89.2 | 89.6 | 89.7 | 89.7 | 89.7 | 89.7 |
| 1.7 | 68.7 | 75.3 | 79.7 | 84.8 | 85.5 | 88.0 | 88.9 | 89.2 | 90.0 | 90.1 | 90.5 | 90.6 | 90.6 | 90.6 | 90.6 |
| 1.7 | 68.7 | 75.3 | 79.7 | 84.9 | 85.7 | 88.3 | 89.1 | 89.5 | 90.2 | 90.5 | 90.9 | 91.0 | 91.0 | 91.0 | 91.0 |
| 1.7 | 68.9 | 75.4 | 80.1 | 85.4 | 85.8 | 88.4 | 90.0 | 90.5 | 91.5 | 91.7 | 92.1 | 92.2 | 92.2 | 92.2 | 92.2 |
| 1.7 | 68.9 | 75.4 | 80.1 | 85.4 | 86.4 | 89.2 | 90.7 | 91.3 | 93.0 | 93.3 | 93.7 | 94.1 | 94.3 | 95.1 | 95.4 |
| 1.7 | 68.9 | 75.4 | 80.1 | 85.4 | 86.4 | 89.2 | 91.0 | 91.6 | 93.2 | 93.7 | 94.2 | 95.3 | 95.7 | 97.2 | 99.0 |
| 1.7 | 68.9 | 75.4 | 80.1 | 85.4 | 86.4 | 89.2 | 91.0 | 91.6 | 93.2 | 93.7 | 94.2 | 95.4 | 95.8 | 97.4 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 809

USAF STATION 73-31 (A) (1) (2) (3) (4) (5) (6) (7) (8) (9) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (20) (21) (22) (23) (24) (25) (26) (27) (28) (29) (30) (31) (32) (33) (34) (35) (36) (37) (38) (39) (40) (41) (42) (43) (44) (45) (46) (47) (48) (49) (50) (51) (52) (53) (54) (55) (56) (57) (58) (59) (60) (61) (62) (63) (64) (65) (66) (67) (68) (69) (70) (71) (72) (73) (74) (75) (76) (77) (78) (79) (80) (81) (82) (83) (84) (85) (86) (87) (88) (89) (90) (91) (92) (93) (94) (95) (96) (97) (98) (99) (100)

LOCAL CLIMATOLOGY BRANCH
 TAC
 WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

DAY AAF/FT LEWIS, MD

73-81

Q57

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATIONS

1600-2800

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 4.7 | 13.3 | 14.0 | 14.2 | 15.1 | 15.1 | 15.2 | 15.6 | 15.6 | 15.6 | 15.8 | 15.9 | 16.5 | 16.5 | 16.5 | 16.5 |
| 5.7 | 15.8 | 15.4 | 16.7 | 17.5 | 17.5 | 17.7 | 18.0 | 18.0 | 18.0 | 18.3 | 18.4 | 19.0 | 19.0 | 19.0 | 19.0 |
| 6.4 | 16.5 | 17.2 | 17.4 | 18.3 | 18.3 | 18.4 | 18.8 | 18.8 | 18.8 | 19.0 | 19.1 | 19.9 | 19.9 | 19.9 | 19.9 |
| 7.4 | 16.7 | 17.3 | 17.5 | 18.4 | 18.4 | 18.5 | 18.9 | 18.9 | 18.9 | 19.1 | 19.3 | 19.9 | 19.9 | 19.9 | 19.9 |
| 8.6 | 17.2 | 18.0 | 18.3 | 19.1 | 19.1 | 19.3 | 19.6 | 19.6 | 19.6 | 19.9 | 20.0 | 20.6 | 20.6 | 20.6 | 20.6 |
| 9.7 | 17.9 | 18.5 | 19.0 | 20.0 | 20.1 | 20.2 | 20.6 | 20.6 | 20.6 | 20.9 | 21.0 | 21.6 | 21.6 | 21.6 | 21.6 |
| 10.7 | 20.0 | 20.6 | 21.1 | 22.2 | 22.5 | 22.6 | 23.0 | 23.0 | 23.0 | 23.2 | 23.3 | 24.0 | 24.0 | 24.0 | 24.0 |
| 11.7 | 20.5 | 21.4 | 21.7 | 23.0 | 23.2 | 23.3 | 23.7 | 23.7 | 23.7 | 24.1 | 24.1 | 24.7 | 24.7 | 24.7 | 24.7 |
| 12.7 | 22.2 | 23.3 | 23.7 | 25.2 | 25.4 | 25.6 | 25.9 | 25.9 | 25.9 | 26.2 | 26.3 | 26.9 | 26.9 | 26.9 | 26.9 |
| 13.4 | 23.5 | 24.9 | 25.3 | 26.8 | 27.0 | 27.3 | 27.7 | 27.7 | 27.7 | 27.9 | 28.0 | 28.6 | 28.6 | 28.6 | 28.6 |
| 14.5 | 25.7 | 26.9 | 27.3 | 29.8 | 29.0 | 29.3 | 29.6 | 29.6 | 29.6 | 29.9 | 30.0 | 30.6 | 30.6 | 30.6 | 30.6 |
| 15.2 | 31.1 | 31.5 | 32.1 | 34.0 | 34.2 | 34.4 | 34.8 | 34.8 | 34.8 | 35.1 | 35.2 | 35.8 | 35.8 | 35.8 | 35.8 |
| 16.5 | 33.5 | 34.5 | 35.7 | 37.5 | 37.8 | 38.0 | 38.4 | 38.4 | 38.4 | 38.6 | 38.8 | 39.4 | 39.4 | 39.4 | 39.4 |
| 17.7 | 41.4 | 43.7 | 44.3 | 46.5 | 46.8 | 47.0 | 47.4 | 47.4 | 47.4 | 47.7 | 47.8 | 48.4 | 48.4 | 48.4 | 48.4 |
| 18.4 | 48.5 | 51.0 | 52.2 | 54.7 | 54.9 | 55.2 | 55.6 | 55.6 | 55.6 | 55.8 | 55.9 | 56.5 | 56.5 | 56.5 | 56.5 |
| 19.5 | 52.7 | 55.6 | 57.0 | 60.2 | 60.5 | 60.7 | 61.1 | 61.1 | 61.2 | 61.5 | 61.6 | 62.2 | 62.2 | 62.2 | 62.2 |
| 20.8 | 58.6 | 62.1 | 63.6 | 67.3 | 67.5 | 67.9 | 68.3 | 68.3 | 68.4 | 68.8 | 68.9 | 69.5 | 69.5 | 69.5 | 69.5 |
| 21.2 | 63.2 | 67.2 | 68.8 | 72.8 | 73.1 | 74.0 | 74.3 | 74.3 | 74.4 | 74.8 | 74.9 | 75.6 | 75.6 | 75.6 | 75.7 |
| 22.2 | 64.0 | 69.0 | 69.8 | 73.8 | 74.1 | 74.9 | 75.3 | 75.3 | 75.4 | 75.8 | 75.9 | 76.5 | 76.5 | 76.5 | 76.7 |
| 23.0 | 66.5 | 71.0 | 73.1 | 77.3 | 77.5 | 78.5 | 79.0 | 79.0 | 79.1 | 79.5 | 79.6 | 80.2 | 80.2 | 80.2 | 80.4 |
| 24.7 | 67.9 | 72.7 | 74.9 | 79.4 | 79.6 | 80.6 | 81.1 | 81.1 | 81.2 | 81.6 | 81.7 | 82.3 | 82.3 | 82.3 | 82.5 |
| 25.1 | 69.0 | 74.1 | 77.2 | 81.7 | 82.1 | 83.2 | 83.8 | 83.8 | 84.0 | 84.3 | 84.4 | 85.1 | 85.1 | 85.1 | 85.2 |
| 26.1 | 69.4 | 74.4 | 77.7 | 82.2 | 82.6 | 83.8 | 84.4 | 84.4 | 84.6 | 84.9 | 85.1 | 85.7 | 85.7 | 85.7 | 85.8 |
| 27.1 | 69.8 | 74.9 | 78.1 | 82.8 | 83.2 | 84.4 | 85.2 | 85.2 | 85.3 | 85.7 | 85.8 | 86.4 | 86.4 | 86.4 | 86.5 |
| 28.1 | 69.9 | 75.1 | 78.3 | 83.0 | 83.5 | 84.7 | 85.4 | 85.4 | 85.6 | 85.9 | 86.0 | 86.7 | 86.7 | 86.7 | 86.8 |
| 29.1 | 70.1 | 75.3 | 78.5 | 83.7 | 84.2 | 85.4 | 86.3 | 86.3 | 86.4 | 86.8 | 86.9 | 87.5 | 87.5 | 87.5 | 87.7 |
| 30.1 | 70.5 | 75.9 | 79.1 | 84.4 | 84.9 | 86.2 | 87.0 | 87.0 | 87.3 | 87.7 | 87.9 | 88.5 | 88.5 | 88.6 | 88.8 |
| 31.1 | 70.6 | 76.0 | 79.5 | 84.8 | 85.3 | 86.7 | 87.7 | 88.0 | 88.1 | 88.5 | 88.8 | 89.4 | 89.4 | 89.5 | 89.6 |
| 32.1 | 70.9 | 76.4 | 79.9 | 85.6 | 86.0 | 87.5 | 88.9 | 89.4 | 89.8 | 90.1 | 90.4 | 91.2 | 91.2 | 91.5 | 91.6 |
| 33.1 | 70.9 | 76.4 | 80.0 | 85.8 | 86.4 | 88.1 | 89.5 | 90.1 | 91.7 | 91.5 | 91.7 | 93.1 | 93.6 | 94.6 | 95.6 |
| 34.1 | 70.9 | 76.0 | 80.1 | 85.9 | 86.5 | 88.3 | 89.6 | 90.2 | 91.1 | 91.6 | 91.9 | 93.5 | 94.0 | 95.7 | 99.0 |
| 35.1 | 70.9 | 76.5 | 80.1 | 85.9 | 86.5 | 88.3 | 89.6 | 90.2 | 91.1 | 91.6 | 91.9 | 93.5 | 94.0 | 95.7 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 810

USAF STATION 10-44-11-A. WEATHER OBSERVATIONS ARE OBSOLETE

2

1

255

900-2422

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 14.3 | 17.5 | 19.1 | 19.1 | 19.5 | 19.5 | 19.8 | 19.5 | 19.7 | 19.1 | 19.1 | 19.1 | 19.1 | 19.1 | 19.1 | 19.4 |
| 15.8 | 19.3 | 19.9 | 19.9 | 20.2 | 20.2 | 20.6 | 20.9 | 20.9 | 21.3 | 21.1 | 21.1 | 21.1 | 21.1 | 21.2 | 21.5 |
| 16.1 | 19.8 | 20.4 | 20.4 | 20.7 | 20.7 | 21.1 | 21.4 | 21.4 | 21.5 | 21.6 | 21.6 | 21.6 | 21.6 | 21.7 | 22.0 |
| 16.4 | 20.4 | 21.1 | 21.1 | 21.5 | 21.5 | 21.9 | 22.1 | 22.1 | 22.2 | 22.3 | 22.3 | 22.3 | 22.3 | 22.5 | 22.7 |
| 17.9 | 21.9 | 22.4 | 22.4 | 22.7 | 22.7 | 23.0 | 23.7 | 23.7 | 23.8 | 24.0 | 24.0 | 24.0 | 24.0 | 24.1 | 24.3 |
| 18.8 | 23.2 | 24.1 | 24.1 | 24.6 | 24.7 | 25.2 | 25.6 | 25.6 | 25.7 | 25.8 | 25.8 | 25.8 | 25.8 | 25.9 | 26.2 |
| 19.5 | 24.2 | 24.9 | 25.1 | 25.6 | 25.7 | 26.2 | 26.7 | 26.7 | 26.8 | 26.9 | 26.9 | 26.9 | 26.9 | 27.0 | 27.3 |
| 20.2 | 24.3 | 25.7 | 25.8 | 26.3 | 26.4 | 26.9 | 27.4 | 27.4 | 27.5 | 27.7 | 27.7 | 27.7 | 27.7 | 27.8 | 28.1 |
| 22.7 | 28.5 | 29.5 | 29.6 | 30.4 | 30.5 | 31.0 | 31.6 | 31.6 | 31.7 | 31.9 | 31.9 | 31.9 | 31.9 | 32.0 | 32.2 |
| 23.1 | 31.7 | 32.7 | 32.7 | 33.2 | 33.3 | 33.8 | 34.4 | 34.4 | 34.6 | 34.7 | 34.7 | 34.7 | 34.7 | 34.8 | 35.1 |
| 24.7 | 33.2 | 34.2 | 34.3 | 35.6 | 35.7 | 36.2 | 36.8 | 36.8 | 36.9 | 37.0 | 37.0 | 37.0 | 37.0 | 37.2 | 37.4 |
| 25.2 | 36.4 | 37.7 | 38.5 | 39.5 | 39.6 | 40.1 | 40.9 | 40.9 | 41.0 | 41.1 | 41.1 | 41.1 | 41.1 | 41.2 | 41.5 |
| 26.3 | 39.5 | 41.4 | 41.9 | 43.7 | 43.1 | 43.6 | 44.3 | 44.3 | 44.4 | 44.6 | 44.6 | 44.6 | 44.6 | 44.7 | 44.9 |
| 27.4 | 47.1 | 49.3 | 49.9 | 51.1 | 51.2 | 51.7 | 52.5 | 52.5 | 52.6 | 52.7 | 52.7 | 52.7 | 52.7 | 52.8 | 53.1 |
| 28.5 | 51.5 | 54.6 | 55.3 | 56.8 | 56.9 | 57.5 | 58.3 | 58.3 | 58.4 | 58.5 | 58.5 | 58.5 | 58.5 | 58.6 | 58.9 |
| 29.1 | 55.9 | 59.8 | 60.6 | 62.6 | 62.7 | 63.7 | 64.4 | 64.4 | 64.6 | 64.7 | 64.7 | 64.7 | 64.7 | 64.8 | 65.1 |
| 29.8 | 60.5 | 65.1 | 66.2 | 68.5 | 68.8 | 70.0 | 71.0 | 71.0 | 71.1 | 71.2 | 71.2 | 71.2 | 71.2 | 71.4 | 71.6 |
| 30.4 | 64.1 | 69.4 | 70.6 | 73.0 | 73.7 | 75.2 | 76.4 | 76.4 | 76.5 | 76.7 | 76.7 | 76.7 | 76.7 | 76.8 | 77.2 |
| 30.5 | 64.7 | 70.1 | 71.5 | 74.2 | 74.9 | 76.4 | 77.7 | 77.7 | 77.8 | 77.9 | 77.9 | 77.9 | 77.9 | 78.0 | 78.3 |
| 30.7 | 66.8 | 72.5 | 74.2 | 77.3 | 78.0 | 80.1 | 81.4 | 81.4 | 81.5 | 81.6 | 81.6 | 81.6 | 81.6 | 81.7 | 82.2 |
| 30.8 | 68.0 | 73.4 | 75.9 | 79.3 | 80.0 | 82.1 | 83.3 | 83.3 | 83.5 | 83.6 | 83.6 | 83.6 | 83.6 | 83.7 | 84.0 |
| 30.9 | 68.6 | 74.6 | 77.3 | 81.0 | 82.1 | 84.2 | 85.4 | 85.4 | 85.6 | 85.7 | 85.7 | 85.7 | 85.7 | 85.8 | 86.1 |
| 30.9 | 69.1 | 75.4 | 77.9 | 81.6 | 82.7 | 84.8 | 86.0 | 86.0 | 86.2 | 86.3 | 86.3 | 86.3 | 86.3 | 86.4 | 86.7 |
| 30.9 | 69.3 | 75.6 | 78.1 | 82.0 | 83.1 | 85.2 | 86.4 | 86.4 | 86.5 | 86.7 | 86.7 | 86.7 | 86.7 | 86.8 | 87.2 |
| 30.9 | 69.5 | 75.8 | 78.4 | 82.5 | 83.6 | 85.7 | 86.9 | 86.9 | 87.0 | 87.4 | 87.4 | 87.4 | 87.4 | 87.5 | 87.8 |
| 30.9 | 70.0 | 76.3 | 78.9 | 83.1 | 84.2 | 86.5 | 87.8 | 87.8 | 87.9 | 88.3 | 88.3 | 88.3 | 88.3 | 88.4 | 88.6 |
| 30.9 | 70.3 | 76.4 | 79.3 | 83.6 | 84.8 | 87.2 | 88.6 | 88.6 | 88.9 | 89.3 | 89.3 | 89.3 | 89.3 | 89.4 | 89.6 |
| 30.9 | 70.7 | 76.7 | 79.3 | 84.7 | 85.4 | 87.8 | 89.5 | 89.9 | 90.2 | 90.5 | 90.5 | 90.5 | 90.5 | 90.6 | 90.9 |
| 30.9 | 70.1 | 76.9 | 79.8 | 84.6 | 86.0 | 88.9 | 90.9 | 91.5 | 91.7 | 92.5 | 92.5 | 93.1 | 93.2 | 93.6 | 93.8 |
| 30.9 | 70.1 | 76.9 | 79.8 | 84.6 | 86.0 | 89.0 | 91.2 | 92.0 | 92.3 | 93.5 | 93.5 | 94.3 | 94.4 | 95.2 | 96.7 |
| 30.9 | 70.1 | 76.9 | 79.8 | 84.6 | 86.0 | 89.0 | 91.2 | 92.1 | 92.5 | 93.6 | 93.6 | 94.4 | 94.7 | 96.0 | 96.8 |
| 30.9 | 70.1 | 76.9 | 79.8 | 84.6 | 86.0 | 89.0 | 91.2 | 92.1 | 92.5 | 93.6 | 93.6 | 94.4 | 94.7 | 96.0 | 96.8 |

TOTAL NUMBER OF OBSERVATIONS 815

SAFETY: The use of this product is safe when the following instructions are followed:

JOURNAL CLIMATOLOGY BRANCH
WAFB-TAC
AIR WEATHER SERVICE/MAC

CEILING VERSUS VISIBILITY

STATION: DAY AAF/FT LEWIS, MO

73-81

DEC

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1540-1700

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 16.9 | 21.0 | 27.2 | 30.3 | 20.4 | 20.5 | 20.7 | 20.7 | 20.7 | 20.8 | 20.8 | 20.8 | 27.9 | 21.7 | 21.7 | 21.2 |
| 17.1 | 22.7 | 22.8 | 22.9 | 23.0 | 23.2 | 23.3 | 23.3 | 23.7 | 23.4 | 27.4 | 23.4 | 23.5 | 23.7 | 23.7 | 23.3 |
| 17.3 | 22.7 | 23.7 | 23.2 | 23.3 | 23.4 | 23.5 | 23.5 | 23.5 | 23.7 | 23.7 | 23.7 | 23.8 | 23.9 | 23.9 | 24.0 |
| 17.4 | 23.2 | 27.3 | 23.4 | 23.5 | 23.7 | 23.8 | 23.8 | 23.8 | 23.9 | 23.9 | 23.9 | 24.0 | 24.2 | 24.2 | 24.3 |
| 19.2 | 25.9 | 25.9 | 26.0 | 26.2 | 26.3 | 26.4 | 26.4 | 26.4 | 26.5 | 26.5 | 26.5 | 26.7 | 26.8 | 26.8 | 26.9 |
| 20.1 | 27.6 | 27.8 | 27.9 | 28.0 | 28.1 | 28.3 | 28.3 | 28.3 | 28.4 | 28.4 | 28.4 | 28.5 | 28.6 | 28.6 | 28.8 |
| 22.2 | 29.9 | 30.1 | 30.1 | 30.3 | 30.4 | 30.5 | 30.5 | 30.5 | 30.6 | 30.6 | 30.6 | 30.8 | 30.9 | 30.9 | 31.0 |
| 22.4 | 30.3 | 30.4 | 30.5 | 30.6 | 30.8 | 30.9 | 31.0 | 31.0 | 31.1 | 31.1 | 31.1 | 31.3 | 31.4 | 31.4 | 31.5 |
| 24.7 | 34.0 | 34.7 | 34.5 | 34.6 | 34.7 | 34.9 | 35.0 | 35.0 | 35.1 | 35.1 | 35.1 | 35.2 | 35.4 | 35.4 | 35.5 |
| 24.5 | 35.4 | 35.9 | 36.1 | 36.2 | 36.4 | 36.5 | 36.6 | 36.6 | 36.7 | 36.7 | 36.7 | 36.9 | 37.0 | 37.0 | 37.1 |
| 24.5 | 36.5 | 37.0 | 37.4 | 37.5 | 37.6 | 37.7 | 37.9 | 37.9 | 38.0 | 38.0 | 38.0 | 38.1 | 38.2 | 38.2 | 38.4 |
| 25.1 | 41.8 | 42.5 | 43.0 | 43.2 | 43.3 | 43.5 | 43.6 | 43.6 | 43.7 | 43.7 | 43.7 | 43.8 | 44.0 | 44.0 | 44.1 |
| 27.7 | 44.2 | 45.5 | 46.0 | 46.3 | 46.5 | 46.7 | 46.9 | 46.9 | 47.1 | 47.1 | 47.1 | 47.2 | 47.3 | 47.3 | 47.4 |
| 29.3 | 51.9 | 52.3 | 52.9 | 53.5 | 53.8 | 54.0 | 54.5 | 54.5 | 54.7 | 54.7 | 54.7 | 54.8 | 54.9 | 54.9 | 55.0 |
| 31.4 | 56.8 | 58.7 | 59.7 | 60.5 | 60.8 | 61.1 | 61.9 | 61.9 | 62.0 | 62.0 | 62.0 | 62.1 | 62.3 | 62.3 | 62.4 |
| 31.7 | 62.8 | 64.5 | 66.4 | 67.5 | 67.7 | 68.2 | 69.0 | 69.0 | 69.1 | 69.1 | 69.1 | 69.2 | 69.4 | 69.4 | 69.5 |
| 32.9 | 67.2 | 70.2 | 72.6 | 74.0 | 74.3 | 75.0 | 75.8 | 75.8 | 76.0 | 76.0 | 76.0 | 76.1 | 76.2 | 76.2 | 76.3 |
| 32.9 | 69.6 | 73.2 | 75.8 | 77.5 | 78.1 | 79.7 | 80.3 | 80.3 | 80.6 | 80.7 | 80.7 | 80.8 | 80.9 | 80.9 | 81.1 |
| 32.9 | 70.2 | 73.8 | 76.5 | 79.1 | 79.8 | 79.7 | 81.1 | 81.1 | 81.3 | 81.4 | 81.4 | 81.6 | 81.7 | 81.7 | 81.9 |
| 32.9 | 72.6 | 76.3 | 79.2 | 81.7 | 82.6 | 83.4 | 85.1 | 85.1 | 85.3 | 85.4 | 85.4 | 85.6 | 85.7 | 85.7 | 85.8 |
| 33.1 | 73.2 | 77.5 | 80.6 | 83.3 | 84.2 | 85.3 | 86.9 | 86.9 | 87.2 | 87.3 | 87.3 | 87.4 | 87.5 | 87.5 | 87.7 |
| 33.3 | 74.1 | 78.7 | 82.1 | 84.8 | 85.7 | 87.0 | 88.8 | 88.8 | 89.0 | 89.2 | 89.2 | 89.3 | 89.4 | 89.4 | 89.5 |
| 33.3 | 74.2 | 79.1 | 82.4 | 85.2 | 86.1 | 87.7 | 89.7 | 89.7 | 89.9 | 90.0 | 90.0 | 90.2 | 90.3 | 90.3 | 90.4 |
| 33.3 | 74.3 | 79.3 | 82.8 | 85.7 | 86.6 | 88.2 | 90.2 | 90.2 | 90.4 | 90.5 | 90.5 | 90.7 | 90.8 | 90.8 | 90.9 |
| 33.3 | 74.5 | 79.7 | 83.2 | 86.3 | 87.2 | 89.0 | 91.0 | 91.0 | 91.3 | 91.4 | 91.4 | 91.5 | 91.7 | 91.7 | 91.8 |
| 33.3 | 74.5 | 79.7 | 83.3 | 86.4 | 87.4 | 89.8 | 91.8 | 92.0 | 92.3 | 92.5 | 92.5 | 92.7 | 92.8 | 92.8 | 92.9 |
| 33.3 | 74.5 | 80.1 | 83.6 | 86.8 | 87.8 | 90.2 | 92.3 | 92.5 | 92.8 | 93.0 | 93.0 | 93.2 | 93.3 | 93.3 | 93.4 |
| 33.3 | 74.5 | 80.1 | 83.6 | 86.8 | 87.8 | 90.4 | 93.4 | 93.9 | 94.3 | 94.5 | 94.9 | 95.0 | 95.1 | 95.4 | 95.5 |
| 33.3 | 74.5 | 80.7 | 83.6 | 86.8 | 87.8 | 90.7 | 93.9 | 94.4 | 95.3 | 95.9 | 95.9 | 96.3 | 96.5 | 96.8 | 97.0 |
| 33.3 | 74.5 | 80.7 | 83.6 | 86.8 | 87.8 | 90.7 | 94.0 | 94.5 | 95.4 | 96.0 | 96.1 | 96.6 | 97.0 | 97.5 | 98.5 |
| 33.3 | 74.5 | 80.7 | 83.6 | 86.8 | 87.8 | 90.7 | 94.0 | 94.5 | 95.4 | 96.1 | 96.3 | 96.9 | 97.3 | 98.1 | 99.9 |
| 33.3 | 74.5 | 80.7 | 83.6 | 86.8 | 87.8 | 90.7 | 94.0 | 94.5 | 95.4 | 96.1 | 96.3 | 96.9 | 97.3 | 98.1 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 603

1
2

U.S. AIR FORCE CLIMATOLOGY BRANCH
AFMPC
WRIGHT PATTENSON AIR FORCE BASE

CEILING VERSUS VISIBILITY

STATION: DAY MARKET LEWIS WA

73-81

355

PER CENT FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

12-2-2102

| | | | | | | | | | | | | | | | |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 4.6 | 19.7 | 21.1 | 21.0 | 22.1 | 22.2 | 22.5 | 22.7 | 23.0 | 23.6 | 24.1 | 24.1 | 24.6 | 24.7 | 25.7 | 26.0 |
| 4.7 | 22.1 | 22.6 | 23.5 | 24.6 | 24.7 | 25.1 | 25.2 | 25.5 | 26.1 | 26.6 | 26.7 | 27.2 | 27.3 | 27.6 | 28.2 |
| 4.7 | 22.1 | 22.6 | 23.6 | 24.7 | 24.8 | 25.2 | 25.3 | 25.6 | 26.2 | 26.7 | 26.8 | 27.3 | 27.5 | 27.7 | 28.3 |
| 4.7 | 22.1 | 22.6 | 23.6 | 24.7 | 24.8 | 25.2 | 25.3 | 25.6 | 26.2 | 26.7 | 26.8 | 27.3 | 27.5 | 27.7 | 28.3 |
| 4.7 | 23.3 | 23.4 | 24.8 | 25.1 | 26.2 | 26.5 | 26.7 | 27.0 | 27.6 | 28.1 | 28.2 | 28.7 | 28.8 | 29.1 | 29.7 |
| 5.0 | 24.2 | 24.7 | 25.7 | 27.0 | 27.1 | 27.5 | 27.6 | 27.8 | 28.5 | 29.2 | 29.1 | 29.6 | 29.7 | 30.0 | 30.6 |
| 5.5 | 26.3 | 26.8 | 28.2 | 29.2 | 29.3 | 29.7 | 29.8 | 30.1 | 30.7 | 31.2 | 31.3 | 31.8 | 32.0 | 32.2 | 32.8 |
| 5.7 | 27.5 | 29.0 | 29.3 | 30.6 | 30.7 | 31.2 | 31.3 | 31.6 | 32.2 | 32.8 | 33.0 | 33.6 | 33.7 | 34.2 | 34.8 |
| 5.7 | 27.5 | 29.0 | 31.1 | 32.6 | 33.8 | 34.0 | 34.5 | 34.6 | 34.8 | 35.5 | 36.1 | 36.2 | 36.8 | 37.0 | 37.8 |
| 5.9 | 28.3 | 33.0 | 34.6 | 35.8 | 36.0 | 36.5 | 36.6 | 36.8 | 37.5 | 38.1 | 38.2 | 38.8 | 39.2 | 39.2 | 39.8 |
| 5.9 | 28.3 | 34.0 | 35.6 | 36.8 | 37.1 | 37.5 | 37.6 | 37.8 | 38.5 | 39.1 | 39.2 | 39.8 | 40.0 | 40.2 | 40.8 |
| 6.2 | 36.6 | 38.3 | 40.1 | 41.3 | 41.4 | 41.9 | 42.1 | 42.3 | 42.9 | 43.6 | 43.7 | 44.3 | 44.4 | 44.7 | 45.3 |
| 6.2 | 40.6 | 42.2 | 44.1 | 45.4 | 45.6 | 46.1 | 46.2 | 46.4 | 47.1 | 47.7 | 47.8 | 48.4 | 48.6 | 48.8 | 49.4 |
| 6.5 | 47.8 | 49.6 | 51.4 | 53.1 | 53.3 | 53.9 | 54.1 | 54.3 | 55.1 | 55.7 | 55.8 | 56.4 | 56.6 | 56.8 | 57.4 |
| 7.1 | 52.6 | 54.7 | 56.8 | 58.9 | 59.2 | 59.8 | 59.9 | 60.7 | 61.0 | 61.7 | 61.8 | 62.4 | 62.5 | 62.6 | 63.4 |
| 7.2 | 57.8 | 60.0 | 62.4 | 64.5 | 64.8 | 65.4 | 65.5 | 65.9 | 66.7 | 67.3 | 67.4 | 68.2 | 68.2 | 68.4 | 69.0 |
| 7.2 | 62.2 | 66.0 | 69.0 | 71.4 | 72.0 | 72.7 | 72.9 | 73.3 | 74.0 | 74.7 | 74.8 | 75.4 | 75.5 | 75.8 | 76.4 |
| 7.2 | 66.4 | 71.4 | 75.3 | 77.9 | 78.8 | 79.4 | 79.7 | 80.0 | 80.6 | 81.4 | 81.5 | 82.1 | 82.3 | 82.5 | 83.1 |
| 7.2 | 66.7 | 71.8 | 75.7 | 79.3 | 79.3 | 79.9 | 80.1 | 80.5 | 81.3 | 81.9 | 82.0 | 82.6 | 82.8 | 83.0 | 83.6 |
| 7.2 | 69.0 | 74.5 | 78.7 | 81.8 | 82.8 | 83.4 | 83.8 | 84.3 | 85.1 | 85.8 | 85.9 | 86.5 | 86.6 | 86.9 | 87.5 |
| 7.2 | 69.5 | 75.7 | 79.3 | 82.5 | 83.6 | 84.5 | 84.9 | 85.4 | 86.3 | 86.9 | 87.0 | 87.6 | 87.8 | 88.0 | 88.6 |
| 7.2 | 70.2 | 76.7 | 80.3 | 83.6 | 84.8 | 85.9 | 86.3 | 86.8 | 87.8 | 88.4 | 88.5 | 89.1 | 89.3 | 89.5 | 90.1 |
| 7.2 | 70.4 | 76.5 | 80.9 | 84.3 | 85.4 | 86.5 | 86.9 | 87.4 | 88.4 | 89.0 | 89.1 | 89.8 | 89.9 | 90.0 | 90.8 |
| 7.2 | 70.8 | 77.7 | 81.5 | 85.1 | 86.3 | 87.4 | 87.8 | 88.3 | 89.4 | 90.1 | 90.3 | 90.9 | 91.0 | 91.3 | 91.9 |
| 7.2 | 71.0 | 77.3 | 81.8 | 85.4 | 86.5 | 87.6 | 88.0 | 88.5 | 89.6 | 90.4 | 90.5 | 91.1 | 91.2 | 91.5 | 92.1 |
| 7.2 | 71.3 | 77.5 | 82.0 | 85.6 | 86.8 | 88.3 | 89.1 | 89.8 | 90.9 | 91.8 | 91.9 | 92.5 | 92.6 | 92.9 | 93.5 |
| 7.2 | 71.5 | 77.8 | 82.3 | 85.9 | 87.0 | 88.5 | 89.4 | 90.0 | 91.3 | 92.3 | 92.4 | 93.0 | 93.1 | 93.4 | 94.0 |
| 7.2 | 71.5 | 77.8 | 82.3 | 86.1 | 87.5 | 89.1 | 90.0 | 90.6 | 92.0 | 93.3 | 93.4 | 94.0 | 94.1 | 94.4 | 95.0 |
| 7.2 | 71.5 | 77.8 | 82.3 | 86.1 | 87.5 | 89.4 | 90.4 | 91.0 | 92.4 | 93.6 | 93.8 | 94.5 | 94.6 | 95.0 | 95.6 |
| 7.2 | 71.5 | 77.8 | 82.3 | 86.1 | 87.5 | 89.4 | 90.5 | 91.1 | 92.5 | 93.8 | 93.9 | 94.9 | 95.0 | 95.8 | 96.9 |
| 7.2 | 71.5 | 77.8 | 82.3 | 86.1 | 87.5 | 89.4 | 90.5 | 91.1 | 92.6 | 93.9 | 94.0 | 95.0 | 95.6 | 96.8 | 99.0 |
| 7.2 | 71.5 | 77.8 | 82.3 | 86.1 | 87.5 | 89.4 | 90.5 | 91.1 | 92.6 | 93.9 | 94.0 | 95.0 | 95.6 | 96.8 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 501

USAF FORM 12-2 (1-4-45) OF A. REVISIONS: 1. 1-1-50 BY AIR. 2. 1-1-50 BY AIR. 3. 1-1-50 BY AIR.

1
2

GLOBAL CLIMATOLOGY BRANCH
METAC
AIR WEATHER SERVICE ZAAO

CEILING VERSUS VISIBILITY

DAY MARKET LENSEN AR

70-81

000

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

ALL

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|
| 16.3 | 19.1 | 19.5 | 20.7 | 20.4 | 20.7 | 21.1 | 21.1 | 21.3 | 21.5 | 21.5 | 21.8 | 21.9 | 21.9 | 22.0 | 22.1 |
| 20.3 | 21.2 | 21.7 | 22.4 | 22.5 | 22.9 | 23.2 | 23.3 | 23.5 | 23.6 | 23.8 | 24.1 | 24.1 | 24.4 | 24.4 | 24.5 |
| 21.7 | 22.2 | 22.9 | 23.1 | 23.4 | 23.7 | 23.9 | 24.0 | 24.3 | 24.4 | 24.6 | 24.7 | 24.8 | 24.8 | 24.9 | 25.0 |
| 22.9 | 23.4 | 24.3 | 24.4 | 24.8 | 25.0 | 25.1 | 25.4 | 25.5 | 25.7 | 25.9 | 26.0 | 26.1 | 26.2 | 26.3 | 26.4 |
| 23.9 | 24.4 | 25.3 | 25.4 | 25.8 | 26.1 | 26.2 | 26.4 | 26.7 | 26.8 | 27.0 | 27.1 | 27.2 | 27.3 | 27.4 | 27.5 |
| 24.9 | 25.7 | 26.5 | 27.4 | 27.6 | 28.7 | 28.2 | 28.7 | 28.6 | 28.7 | 28.9 | 29.0 | 29.1 | 29.2 | 29.3 | 29.4 |
| 25.6 | 26.7 | 27.3 | 28.2 | 28.4 | 28.8 | 29.1 | 29.2 | 29.4 | 29.7 | 29.8 | 30.1 | 30.2 | 30.3 | 30.4 | 30.5 |
| 26.4 | 27.0 | 27.5 | 28.3 | 31.3 | 31.5 | 31.9 | 32.2 | 32.3 | 32.6 | 32.8 | 33.1 | 33.2 | 33.3 | 33.4 | 33.5 |
| 30.1 | 31.4 | 32.2 | 33.3 | 33.4 | 33.9 | 34.2 | 34.3 | 34.6 | 34.8 | 34.9 | 35.2 | 35.3 | 35.4 | 35.5 | 35.6 |
| 31.7 | 33.7 | 33.8 | 34.9 | 35.0 | 35.5 | 35.8 | 35.9 | 36.1 | 36.4 | 36.5 | 36.8 | 36.9 | 37.0 | 37.1 | 37.2 |
| 35.6 | 37.2 | 38.2 | 39.4 | 39.6 | 40.2 | 40.4 | 40.5 | 40.8 | 41.1 | 41.2 | 41.5 | 41.6 | 41.7 | 41.8 | 41.9 |
| 39.9 | 40.8 | 41.9 | 43.1 | 43.3 | 43.8 | 44.2 | 44.3 | 44.6 | 44.8 | 45.1 | 45.2 | 45.3 | 45.4 | 45.5 | 45.6 |
| 46.3 | 48.5 | 49.7 | 51.3 | 51.5 | 52.1 | 52.5 | 52.6 | 53.0 | 53.2 | 53.3 | 53.6 | 53.7 | 53.8 | 53.9 | 54.0 |
| 52.1 | 54.7 | 56.2 | 58.0 | 58.4 | 59.0 | 59.5 | 59.6 | 59.9 | 60.2 | 60.3 | 60.6 | 60.8 | 60.9 | 61.0 | 61.1 |
| 57.1 | 60.1 | 61.9 | 64.1 | 64.5 | 65.2 | 65.7 | 65.8 | 66.2 | 66.5 | 66.6 | 66.9 | 66.9 | 67.1 | 67.3 | 67.4 |
| 61.9 | 65.9 | 67.9 | 70.5 | 70.9 | 71.7 | 72.3 | 72.8 | 72.9 | 73.1 | 73.3 | 73.6 | 73.7 | 73.8 | 73.9 | 74.0 |
| 65.4 | 69.7 | 70.2 | 75.2 | 75.8 | 76.7 | 77.6 | 77.7 | 78.1 | 78.4 | 78.5 | 78.8 | 78.9 | 79.0 | 79.1 | 79.2 |
| 66.1 | 70.8 | 73.1 | 76.2 | 76.8 | 77.9 | 78.6 | 78.8 | 79.2 | 79.5 | 79.6 | 79.9 | 79.9 | 80.1 | 80.3 | 80.4 |
| 68.1 | 73.1 | 75.9 | 79.3 | 80.0 | 81.2 | 82.1 | 82.3 | 82.7 | 83.0 | 83.2 | 83.4 | 83.5 | 83.6 | 83.7 | 83.8 |
| 69.2 | 74.4 | 77.4 | 81.7 | 81.7 | 82.9 | 83.9 | 84.0 | 84.4 | 84.8 | 84.9 | 85.2 | 85.2 | 85.4 | 85.6 | 85.7 |
| 71.1 | 75.6 | 79.0 | 82.9 | 83.7 | 85.1 | 86.1 | 86.2 | 86.7 | 87.0 | 87.1 | 87.4 | 87.5 | 87.6 | 87.7 | 87.8 |
| 72.5 | 76.1 | 79.4 | 83.4 | 84.2 | 85.6 | 86.7 | 86.8 | 87.3 | 87.6 | 87.8 | 88.0 | 88.1 | 88.2 | 88.3 | 88.4 |
| 73.7 | 76.4 | 79.9 | 84.0 | 84.7 | 86.2 | 87.3 | 87.5 | 87.9 | 88.3 | 88.4 | 88.7 | 88.8 | 88.9 | 89.0 | 89.1 |
| 73.9 | 76.7 | 80.2 | 84.4 | 85.1 | 86.7 | 87.8 | 88.0 | 88.5 | 88.8 | 89.0 | 89.3 | 89.3 | 89.5 | 89.7 | 89.8 |
| 71.1 | 76.2 | 80.5 | 84.9 | 85.7 | 87.6 | 88.8 | 89.0 | 89.5 | 89.9 | 90.0 | 90.3 | 90.4 | 90.5 | 90.6 | 90.7 |
| 71.2 | 77.1 | 80.9 | 85.4 | 86.3 | 88.2 | 89.4 | 89.7 | 90.2 | 90.7 | 90.8 | 91.1 | 91.2 | 91.3 | 91.4 | 91.5 |
| 71.3 | 77.2 | 81.0 | 85.6 | 86.5 | 88.6 | 90.1 | 90.5 | 91.1 | 91.7 | 91.9 | 92.1 | 92.2 | 92.3 | 92.4 | 92.5 |
| 71.3 | 77.3 | 81.1 | 85.9 | 86.8 | 89.1 | 90.8 | 91.4 | 92.2 | 92.9 | 93.1 | 93.6 | 93.7 | 93.8 | 93.9 | 94.0 |
| 71.3 | 77.3 | 81.2 | 85.9 | 86.9 | 89.3 | 91.2 | 92.0 | 92.9 | 93.8 | 93.9 | 94.7 | 95.0 | 95.1 | 95.2 | 95.3 |
| 71.3 | 77.7 | 81.2 | 86.0 | 86.9 | 89.3 | 91.3 | 92.1 | 93.1 | 93.9 | 94.1 | 95.1 | 95.7 | 96.9 | 99.7 | 100.0 |
| 71.3 | 77.3 | 81.2 | 86.0 | 86.9 | 89.3 | 91.3 | 92.1 | 93.1 | 93.9 | 94.1 | 95.2 | 95.7 | 97.0 | 100.0 | 100.0 |

TOTAL NUMBER OF OBSERVATIONS 454

USAF 57A

1
2

1. GENERAL CLIMATE DATA
2. METEOROLOGICAL DATA
3. DATA ON SERVICE AREA

CEILING VERSUS VISIBILITY

1. NAME OF THE STATION

2. DATE

3. TIME

PERCENTAGE FREQUENCY OF OCCURRENCE
FOR EACH OBSERVATION

4. ALL

| | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 21.5 | 34.7 | 34.6 | 38.1 | 38.2 | 38.4 | 35.6 | 38.4 | 38.8 | 38.9 | 38.9 | 38.1 | 38.1 | 38.7 | 38.1 |
| 21.7 | 37.2 | 37.5 | 38.4 | 38.9 | 39.2 | 39.2 | 39.4 | 39.5 | 39.6 | 39.8 | 39.8 | 39.9 | 40.0 | 40.0 | 40.0 |
| 1.7 | 37.5 | 38.3 | 38.8 | 38.7 | 39.4 | 39.6 | 39.5 | 39.5 | 40.0 | 40.1 | 40.1 | 40.3 | 40.7 | 40.8 | 40.8 |
| 1.1 | 37.9 | 38.0 | 39.1 | 39.6 | 39.7 | 39.2 | 40.1 | 40.2 | 40.3 | 40.4 | 40.5 | 40.6 | 40.7 | 40.8 | 40.8 |
| 12.7 | 38.1 | 38.9 | 40.3 | 40.9 | 41.0 | 41.2 | 41.4 | 41.5 | 41.6 | 41.7 | 41.8 | 41.9 | 42.0 | 42.1 | 42.2 |
| 27.4 | 40.6 | 41.4 | 41.2 | 42.4 | 42.5 | 42.8 | 42.9 | 43.0 | 43.2 | 43.7 | 43.8 | 43.5 | 43.8 | 43.7 | 43.7 |
| 44.4 | 40.5 | 43.4 | 43.9 | 44.5 | 44.8 | 44.8 | 45.0 | 45.1 | 45.3 | 45.4 | 45.4 | 45.6 | 45.6 | 45.9 | 45.9 |
| 1.1 | 40.4 | 44.2 | 44.7 | 45.3 | 45.4 | 45.6 | 45.8 | 45.9 | 46.1 | 46.2 | 46.2 | 46.4 | 46.4 | 46.5 | 46.7 |
| 1.7 | 40.1 | 44.1 | 47.5 | 48.0 | 48.1 | 48.3 | 48.5 | 48.6 | 48.8 | 48.9 | 48.9 | 49.1 | 49.1 | 49.3 | 49.3 |
| 1.7 | 40.7 | 44.3 | 48.4 | 50.0 | 50.1 | 50.4 | 50.6 | 50.7 | 50.9 | 51.0 | 51.1 | 51.2 | 51.2 | 51.8 | 51.8 |
| 7.1 | 40.5 | 50.1 | 51.1 | 51.8 | 51.9 | 52.2 | 52.4 | 52.5 | 52.6 | 52.8 | 52.8 | 52.9 | 53.0 | 53.1 | 53.3 |
| 1.1 | 51.1 | 51.1 | 55.4 | 56.1 | 56.3 | 56.5 | 56.8 | 56.9 | 57.0 | 57.2 | 57.2 | 57.4 | 57.4 | 57.6 | 57.7 |
| 1.4 | 54.7 | 57.0 | 58.6 | 59.3 | 59.4 | 59.7 | 59.9 | 60.0 | 60.2 | 60.4 | 60.4 | 60.5 | 60.6 | 60.8 | 60.8 |
| 1.7 | 62.1 | 61.3 | 64.7 | 65.6 | 65.7 | 66.2 | 66.3 | 66.4 | 66.5 | 66.7 | 66.7 | 66.8 | 67.0 | 67.1 | 67.1 |
| 1.7 | 61.1 | 62.5 | 70.4 | 71.4 | 71.5 | 71.9 | 72.2 | 72.3 | 72.5 | 72.6 | 72.7 | 72.8 | 72.9 | 73.0 | 73.0 |
| 24.7 | 72.4 | 74.2 | 75.2 | 76.3 | 76.5 | 76.9 | 77.2 | 77.3 | 77.5 | 77.7 | 77.7 | 77.8 | 77.9 | 78.0 | 78.0 |
| 1.1 | 71.8 | 73.9 | 81.1 | 81.7 | 81.9 | 82.0 | 82.3 | 82.4 | 82.7 | 82.8 | 82.9 | 83.1 | 83.1 | 83.7 | 83.7 |
| 38.7 | 73.9 | 82.7 | 82.6 | 83.0 | 83.3 | 83.8 | 86.2 | 86.4 | 86.6 | 86.8 | 86.8 | 86.8 | 87.0 | 87.0 | 87.4 |
| 15.7 | 81.1 | 87.1 | 84.3 | 85.8 | 86.1 | 86.6 | 87.0 | 87.1 | 87.4 | 87.4 | 87.6 | 87.7 | 87.8 | 88.0 | 88.1 |
| 1.3 | 81.3 | 84.1 | 86.4 | 87.9 | 88.2 | 88.9 | 89.3 | 89.4 | 89.7 | 89.7 | 89.9 | 90.1 | 90.1 | 90.1 | 90.4 |
| 1.3 | 83.3 | 86.1 | 87.6 | 88.3 | 88.6 | 89.3 | 90.7 | 90.9 | 91.1 | 91.7 | 91.7 | 91.8 | 91.8 | 91.8 | 91.9 |
| 1.4 | 83.9 | 86.8 | 88.4 | 89.2 | 89.5 | 91.2 | 91.7 | 91.9 | 92.0 | 92.2 | 92.4 | 92.4 | 92.6 | 92.6 | 92.9 |
| 1.6 | 84.2 | 87.1 | 88.8 | 89.6 | 91.0 | 91.7 | 92.2 | 92.4 | 92.7 | 92.9 | 92.9 | 93.1 | 93.1 | 93.7 | 93.8 |
| 1.4 | 84.4 | 87.2 | 89.1 | 91.0 | 91.4 | 92.1 | 92.6 | 92.9 | 93.2 | 93.4 | 93.4 | 93.6 | 93.6 | 93.8 | 94.0 |
| 1.4 | 84.5 | 87.6 | 89.4 | 91.3 | 91.7 | 92.5 | 93.1 | 93.7 | 93.6 | 93.8 | 93.8 | 94.0 | 94.1 | 94.3 | 94.4 |
| 1.4 | 84.7 | 87.8 | 89.7 | 91.7 | 92.1 | 93.1 | 93.6 | 93.9 | 94.2 | 94.4 | 94.5 | 94.7 | 94.7 | 94.9 | 95.1 |
| 1.4 | 84.8 | 88.1 | 89.9 | 92.0 | 92.5 | 93.5 | 94.2 | 94.5 | 94.8 | 95.1 | 95.1 | 95.3 | 95.4 | 95.6 | 95.9 |
| 1.4 | 84.9 | 88.1 | 90.1 | 92.3 | 92.8 | 93.9 | 94.7 | 95.1 | 95.5 | 95.8 | 95.9 | 96.1 | 96.2 | 96.4 | 96.5 |
| 1.4 | 84.9 | 88.1 | 90.1 | 92.4 | 92.9 | 94.2 | 95.1 | 95.5 | 96.1 | 96.5 | 96.8 | 97.0 | 97.0 | 97.2 | 97.4 |
| 1.4 | 84.9 | 88.1 | 90.2 | 92.5 | 93.0 | 94.3 | 95.3 | 95.5 | 96.4 | 96.9 | 97.0 | 97.5 | 97.7 | 98.1 | 98.6 |
| 1.4 | 84.9 | 88.1 | 90.2 | 92.5 | 93.0 | 94.3 | 95.3 | 95.8 | 96.5 | 97.0 | 97.1 | 97.6 | 97.9 | 98.6 | 99.6 |
| 1.4 | 84.9 | 88.1 | 90.2 | 92.5 | 93.0 | 94.3 | 95.3 | 95.8 | 96.5 | 97.0 | 97.1 | 97.7 | 97.9 | 98.6 | 99.6 |

TOTAL NUMBER OF OBSERVATIONS 7000



TOTAL SKY COVER

FOR AIRWAYS STATIONS THE SYMBOLS OF CLEAR, SCATTERED, BROKEN,
OVERCAST, & OBSCURED WERE USED AS INPUT FOR THE TOTAL SKY COVER.

CLEAR WAS CONVERTED TO 0/10

SCATTERED WAS CONVERTED TO 3/10

BROKEN WAS CONVERTED TO 9/10

OVERCAST WAS CONVERTED TO 10/10

OBSCURED WAS CONVERTED TO 10/10

CLIMATE DIVISION
 WASHINGTON, D.C.
 20540-0001

SKY COVER

STATION NAME
 STATION NUMBER

1955

1956

PERCENTAGE FREQUENCY OF OCCURRENCE
 FROM HOURLY OBSERVATIONS:

| MONTH | HOURS
LST | PERCENTAGE FREQUENCY OF TENTHS OF TOTAL SKY COVER | | | | | | | | | | MEAN
TENTHS
PER MONTH | TOTAL
SKY COVER
PER MONTH |
|--------|--------------|---|---|---|------|---|---|---|---|---|------|-----------------------------|---------------------------------|
| | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | |
| 1 | -17 | 14.4 | | | 1.7 | | | | | | 1.4 | 1.7 | 1.7 |
| 2 | -17 | 1.4 | | | 1.7 | | | | | | 1.4 | 1.7 | 1.7 |
| 3 | -17 | 1.7 | | | 1.7 | | | | | | 1.4 | 1.7 | 1.7 |
| 4 | -11 | 1.7 | | | 1.7 | | | | | | 1.4 | 1.7 | 1.7 |
| 5 | -14 | 4.7 | | | 1.7 | | | | | | 1.4 | 1.7 | 1.7 |
| 6 | -7 | 4.7 | | | 1.7 | | | | | | 1.4 | 1.7 | 1.7 |
| 7 | -7 | 4.7 | | | 1.7 | | | | | | 1.4 | 1.7 | 1.7 |
| 8 | -7 | 4.7 | | | 1.7 | | | | | | 1.4 | 1.7 | 1.7 |
| 9 | -27 | 11.0 | | | 1.7 | | | | | | 1.4 | 1.7 | 1.7 |
| 10 | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | |
| TOTALS | | | | | 17.4 | | | | | | 14.4 | 17.4 | 17.4 |

USAFETAC

FORM JUL 64 0-9.5 (OL A)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

• • •

SKY COVER

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

100

... ..

NAME

262

• • •

1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 2680, 26

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

[illegible]

SKY COVER

7-21

20

USAFETAC FORM 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE
JUL 64

SKY COVER

77-21

| MONTH | HOURS
LST | PERCENTAGE FREQUENCY OF TENTHS OF TOTAL SKY COVER | | | | | | | | | | MEAN
PERCENTAGE
SKY COVER | TOTAL
SKY COVER
% | |
|--------|--------------|---|---|---|------|---|---|---|---|------|------|---------------------------------|-------------------------|------|
| | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | 10 |
| 1944 | 10-02 | 11.7 | | | 11.0 | | | | | | 21.4 | 4.3 | 6.6 | 67.9 |
| | 1-11 | 11.7 | | | 21.7 | | | | | 18.4 | 46.0 | 7.1 | 61.4 | |
| | 8-19 | 7.1 | | | 18.9 | | | | | 12.7 | 45.3 | 9.7 | 67.3 | |
| | -11 | 2.6 | | | 18.1 | | | | | 34.7 | 44.8 | 9.1 | 61.1 | |
| | 1-14 | 2.6 | | | 18.7 | | | | | 37.8 | 41.4 | 9.1 | 61.7 | |
| | 1-17 | 1.0 | | | 21.6 | | | | | 25.8 | 32.4 | 7.9 | 61.1 | |
| | 1-21 | 2.7 | | | 2.7 | | | | | 11.1 | 35.6 | 7.7 | 61.1 | |
| | 1-23 | 15.2 | | | 20.2 | | | | | 23.2 | 37.4 | 6.6 | 61.7 | |
| TOTALS | | 1.1 | | | 12.0 | | | | | 35.8 | 41.4 | 7.5 | 64.75 | |

SKY COVER

77-4

~ ~ ~
~ ~ ~

[illegible]

U. S. AIR FORCE
U. S. AIR FORCE
U. S. AIR FORCE

SKY COVER

STATION _____ STATION NAME _____

٢٢٠

[illegible]

PERCENTAGE FREQUENCY OF OCCURRENCE
(FROM HOURLY OBSERVATIONS)

[illegible]

SKY COVER

10-21

2

USAFETAC FORM 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE
JUL 64

U.S. AIR FORCE CLIMATOLOGY BRANCH
 AFMPC
 AIR WEATHER SERVICE/ANAC

SKY COVER

STATION: AFMPC/FT LEWIS, WA
 STATION NAME: FT LEWIS, WA

77-81

PERCENTAGE FREQUENCY OF OCCURRENCE
 (FROM HOURLY OBSERVATIONS)

| MONTH | HOURS
(LST) | PERCENTAGE FREQUENCY OF TENTHS OF TOTAL SKY COVER | | | | | | | | | | MEAN
TENTHS OF
SKY COVER | TOTAL
OCCURRENCE |
|--------|----------------|---|---|---|------|---|---|---|---|---|------|--------------------------------|---------------------|
| | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | |
| 1-11 | 1-11 | 33.3 | | | 17.6 | | | | | | 15.6 | 9.0 | 6.4 |
| 1-15 | 1-15 | 10.8 | | | 17.6 | | | | | | 15.6 | 43.5 | 6.4 |
| 1-18 | 1-18 | 6.1 | | | 17.6 | | | | | | 17.6 | 37.7 | 6.4 |
| 1-11 | 1-11 | 6.2 | | | 17.6 | | | | | | 15.6 | 41.5 | 6.4 |
| 1-14 | 1-14 | 17.2 | | | 17.6 | | | | | | 24.4 | 17.6 | 6.4 |
| 1-17 | 1-17 | 11.7 | | | 17.6 | | | | | | 17.6 | 17.6 | 6.4 |
| 1-2 | 1-2 | 17.4 | | | 17.6 | | | | | | 15.6 | 17.6 | 6.4 |
| 1-23 | 1-23 | 27.9 | | | 17.6 | | | | | | 17.6 | 24.3 | 6.4 |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| TOTALS | | 15.7 | | | 27.9 | | | | | | 22.4 | 32.9 | 6.4 |

USAFETAC

FORM 0-9-5 (OL A)
 JUL 64

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

SKY COVER

7-3-2

[illegible]

SKY COVER

7-31

| MONTH | HOURS
(LST) | PERCENTAGE FREQUENCY OF TENTHS OF TOTAL SKY COVER | | | | | | | | | | TOTAL
PERCENTAGE
SKY COVER | TOTAL
HOURS | |
|--------|----------------|---|---|---|------|---|---|---|---|---|------|----------------------------------|----------------|----|
| | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | 10 |
| 1 | 1-1 | 23.1 | | | 1.0 | | | | | | 77.4 | 31.4 | 1.0 | 1 |
| 1 | 1-2 | 19.7 | | | 1.1 | | | | | | 2.0 | 45.7 | 1.1 | 1 |
| 1 | 1-3 | 1.7 | | | 1.5 | | | | | | 77.7 | 1.0 | 1.5 | 1 |
| 1 | 1-4 | 1.4 | | | 1.7 | | | | | | 77.1 | 47.5 | 1.7 | 1 |
| 1 | 1-15 | 1.7 | | | 23.1 | | | | | | 71.4 | 19.4 | 1.4 | 1 |
| 1 | 1-17 | 17.9 | | | 1.7 | | | | | | 75.7 | 15.7 | 1.7 | 17 |
| 1 | 1-20 | 17.9 | | | 1.9 | | | | | | 79.1 | 15.0 | 1.9 | 20 |
| 1 | 1-23 | 25.1 | | | 2.1 | | | | | | 76.0 | 15.3 | 2.1 | 23 |
| TOTALS | | 1.1 | | | 21.7 | | | | | | 75.3 | 42.6 | 1.0 | 61 |

U.S. AIRCRAFT METEOROLOGICAL BRANCH
 AFMTC
 AIRCRAFT METEOROLOGICAL SERVICE / 1940

SKY COVER

STATION: AY AAF/PT LEWIS AFB PERIOD: 17-18 MONTH: July

PERCENTAGE FREQUENCY OF OCCURRENCE
 (FROM HOURLY OBSERVATIONS)

| MONTH | HOURS
LST | PERCENTAGE FREQUENCY OF TENTHS OF TOTAL SKY COVER | | | | | | | | | | MEAN
PERCENTAGE
TOTAL SKY COVER | TOTAL
HOURS OF
OBSERVATION |
|--------|--------------|---|---|---|------|---|---|---|---|---|------|---------------------------------------|----------------------------------|
| | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | |
| July | 0-11 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-12 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-13 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-14 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-15 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-16 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-17 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-18 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-19 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-20 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-21 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-22 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-23 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-24 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-25 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-26 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-27 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-28 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-29 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-30 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| | 1-31 | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |
| TOTALS | | 0.0 | | | 14.7 | | | | | | 14.7 | 14.7 | 7.35 |

SKY COVER

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

| MONTH | HOURS
(LST) | PERCENTAGE FREQUENCY OF TENTH OF TOTAL SKY COVER | | | | | | | | | | MEAN
TENTH OF
SKY COVER | TOTAL
SKY COVER | |
|--------|----------------|--|---|---|-----|---|---|---|---|---|------|-------------------------------|--------------------|-----|
| | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | 10 |
| 2-7 | -10 | 0.0 | | | 1.0 | | | | | | 10.0 | 1.0 | 0.0 | 7.0 |
| 3-7 | -10 | 0.0 | | | 1.0 | | | | | | 10.0 | 6.7 | 0.0 | 7.0 |
| 4-7 | -10 | 0.0 | | | 0.0 | | | | | | 0.0 | 14.0 | 0.0 | 0.0 |
| 5-7 | -10 | 0.0 | | | 1.0 | | | | | | 0.0 | 6.7 | 0.0 | 0.0 |
| 6-7 | -10 | 1.0 | | | 1.0 | | | | | | 0.0 | 0.0 | 0.0 | 0.0 |
| 7-7 | -10 | 1.0 | | | 1.0 | | | | | | 0.0 | 0.0 | 0.0 | 0.0 |
| 8-7 | 0 | 0.0 | | | 1.0 | | | | | | 10.0 | 0.0 | 0.0 | 0.0 |
| 9-7 | 0 | 0.0 | | | 1.0 | | | | | | 0.0 | 0.0 | 0.0 | 7.0 |
| 10-7 | 0 | 0.0 | | | 0.0 | | | | | | 0.0 | 0.0 | 0.0 | 0.0 |
| 11-7 | 0 | 0.0 | | | 0.0 | | | | | | 0.0 | 0.0 | 0.0 | 0.0 |
| 12-7 | 0 | 0.0 | | | 0.0 | | | | | | 0.0 | 0.0 | 0.0 | 0.0 |
| TOTALS | 4.0 | | | | 1.0 | | | | | | 1.0 | 0.0 | 0.0 | 0.0 |

SKY COVER

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM H.C. R. 1 OBSERVATIONS

[illegible]

U.S. AIR FORCE
ENVIRONMENTAL TECHNICAL
APPLICATIONS CENTER

PART E PSYCHROMETRIC SUMMARIES

In this section are presented various summaries of dry- and wet-bulb temperatures, dew points, and relative humidity. The order and manner of presentations follows:

Cumulative percentage frequency of occurrence - derived from daily observations and presented by month and annual for all years combined. These tabulations provide the cumulative percentage frequency of occurrence of temperatures in 5-degree Fahrenheit increments, plus mean temperature, standard deviations, and total number of observations in three separate tables as follows:

- a. Daily maximum temperatures
- b. Daily minimum temperatures
- c. Daily mean temperatures

NOTE: Beginning in January 1964, daily maximum and minimum temperatures are routinely selected from hourly observations recorded on surface observing forms or from automated data collections for all Air Force operated stations. For those stations observing less than 24 hours per day, and where maximum and minimum temperatures are required but not recorded, these are also selected from hourly data from as early as January 1949 and later. Please refer to notations on summary pages and Station History for further information on reporting practices of individual stations.

Extreme values - derived from daily observations with the extreme value selected for each year and month of record available. An annual (ALL MONTHS) value is selected when all months for a year have valid extremes. Mean and standard deviations are computed for months and annual when four or more values are present for any column. Two tables of daily extremes are prepared:

- a. Extreme maximum temperature
- b. Extreme minimum temperature

NOTE: The following symbols are used in the extreme data blocks:

- (1) * indicates the extreme was selected from a month with one or more days missing.
- (2) # indicates the extreme was selected from a month in which hourly temperatures were available for less than 24 hours for at least one day in the month.

Continued on Reverse

3. Bivariate percentage frequency distribution and computations of dry-bulb versus wet-bulb temperature. This tabulation is derived from hourly observations and is presented by month and annual, all hours and years combined. The following information is provided:

- a. The main body of the summary consists of a bivariate percentage frequency distribution of wet-bulb depression in 17 classes spread horizontally; by 2-degree intervals of dry-bulb temperature spread vertically. Also provided for each of the dry-bulb intervals is the percentage of observations with dry-bulb and wet-bulb temperature combined; and again for dry-bulb, wet-bulb, and dew-point temperatures separately. Total observations for these four items is also provided in two lines at end of each tabulation table, which may be continued on several pages.

NOTE: A percentage frequency in this table of ".0" represents one or more occurrences amounting to less than .05 percent.

- b. Statistical data for the individual elements of relative humidity, dry-bulb, wet-bulb, and dew-point temperatures are shown in the section at the bottom left of the forms. These consist of the sum of squares ($\sum X^2$), sums of values ($\sum X$), means ($\bar{X}$), and standard deviations (σX). The number of observations used in the computation for each element is also shown.

- c. At the lower right of the form are given the mean number of hours of occurrence for six ranges of dry-bulb, wet-bulb, and dew-point temperatures, and total number of hours possible in the period represented. Mean number of hours is shown to tenths and indicates mean number of hours per year in the annual summary, or mean number of hours per month in the tabulation by month.

NOTE: Wet-bulb temperature usually was not reported prior to 1940. Relative humidity usually was not reported prior to 1947, nor subsequent to June 1958; and was computed by machine methods for observations recorded during these periods. All values of dew-point temperature and relative humidity are with respect to water, unless otherwise indicated.

4. Means and standard deviations - These tabulations are derived from hourly observations and present the mean, standard deviation, and total number of observations for the eight standard 3-hour groups, by month and annual and again at the bottom for all hours combined. Records for all years combined are presented in the following three tables; DRY-BULB TEMPERATURE, WET-BULB TEMPERATURE, and DEW-POINT TEMPERATURE.
5. Cumulative percentage frequency of occurrence of relative humidity - This summary is derived from hourly observations and presents the cumulative percentage frequency of occurrence of relative humidity by increments of 10% classes, plus the mean relative humidity and total number of observations in two tables.
- a. Table 1 is prepared by month and annual, all years combined, with month being the vertical argument.
- b. Table 2 is prepared by month by standard 3-hour groups, with the hour groups being the vertical argument and a separate page for each month. All years are also combined for this summary.

AL CLIMATOLOGY BRANCH
 AFAC
 STATE SERVICE / MAC
 STATION NAME
 STATION NAME

DAILY TEMPERATURES

71-47, 61-69, 71-91
 YEARS

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE
 (FROM DAILY OBSERVATIONS)

STATION

| TEMP. °F | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANN. A. |
|-----------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|
| 1 | | | | | .4 | .3 | .8 | 1.6 | | | | | |
| 2 | | | | | 1.7 | 3.0 | 11.9 | 12.3 | 2.7 | | | | |
| 3 | | | | .3 | 4.3 | 10.2 | 21.2 | 23.2 | 2.3 | .3 | | | |
| 4 | | | | 1.5 | 11.3 | 22.3 | 48.7 | 43.5 | 21.1 | 1.3 | | | 1.7 |
| 5 | | .1 | .5 | 4.1 | 19.3 | 35.9 | 67.2 | 67.6 | 4.0 | 7.7 | .3 | | 11.1 |
| 6 | | .1 | 2.3 | 13.3 | 38.3 | 62.7 | 9.7 | 87.4 | 49.1 | 21.1 | 1.1 | | 13.1 |
| 7 | .4 | 1.3 | 11.5 | 34.5 | 62.8 | 88.5 | 98.7 | 99.1 | 83.8 | 48.3 | 5.4 | 1.1 | 47.4 |
| 8 | 4.9 | 11.3 | 31.3 | 51.1 | 86.3 | 98.5 | 100.0 | 100.0 | 99.4 | 81.5 | 28.2 | 7.6 | 89.4 |
| 9 | 19.8 | 44.3 | 61.7 | 88.3 | 98.2 | 99.8 | | | 100.0 | 98.6 | 56.5 | 29.4 | 74.1 |
| 10 | 4.3 | 75.3 | 90.3 | 99.4 | 100.0 | 100.0 | | | | 99.4 | 82.7 | 64.4 | 87.4 |
| 11 | 7.1 | 81.1 | 96.6 | 100.0 | | | | | | 100.0 | 98.4 | 75.1 | 94.1 |
| 12 | 8.8 | 89.3 | 100.0 | | | | | | | | 99.4 | 90.1 | 98.0 |
| 13 | 7.4 | 1.0 | | | | | | | | | 100.0 | 97.8 | 99.0 |
| 14 | 9.3 | | | | | | | | | | | 99.1 | 99.1 |
| 15 | 10.4 | | | | | | | | | | | 99.1 | 100.0 |
| 16 | | | | | | | | | | | | 100.0 | 100.0 |
| 17 | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | |
| 32 | | | | | | | | | | | | | |
| 33 | | | | | | | | | | | | | |
| 34 | | | | | | | | | | | | | |
| 35 | | | | | | | | | | | | | |
| 36 | | | | | | | | | | | | | |
| 37 | | | | | | | | | | | | | |
| 38 | | | | | | | | | | | | | |
| 39 | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | |
| 41 | | | | | | | | | | | | | |
| 42 | | | | | | | | | | | | | |
| 43 | | | | | | | | | | | | | |
| 44 | | | | | | | | | | | | | |
| 45 | | | | | | | | | | | | | |
| 46 | | | | | | | | | | | | | |
| 47 | | | | | | | | | | | | | |
| 48 | | | | | | | | | | | | | |
| 49 | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | |
| 51 | | | | | | | | | | | | | |
| 52 | | | | | | | | | | | | | |
| 53 | | | | | | | | | | | | | |
| 54 | | | | | | | | | | | | | |
| 55 | | | | | | | | | | | | | |
| 56 | | | | | | | | | | | | | |
| 57 | | | | | | | | | | | | | |
| 58 | | | | | | | | | | | | | |
| 59 | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | |
| 61 | | | | | | | | | | | | | |
| 62 | | | | | | | | | | | | | |
| 63 | | | | | | | | | | | | | |
| 64 | | | | | | | | | | | | | |
| 65 | | | | | | | | | | | | | |
| 66 | | | | | | | | | | | | | |
| 67 | | | | | | | | | | | | | |
| 68 | | | | | | | | | | | | | |
| 69 | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | |
| 71 | | | | | | | | | | | | | |
| 72 | | | | | | | | | | | | | |
| 73 | | | | | | | | | | | | | |
| 74 | | | | | | | | | | | | | |
| 75 | | | | | | | | | | | | | |
| 76 | | | | | | | | | | | | | |
| 77 | | | | | | | | | | | | | |
| 78 | | | | | | | | | | | | | |
| 79 | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | |
| 81 | | | | | | | | | | | | | |
| 82 | | | | | | | | | | | | | |
| 83 | | | | | | | | | | | | | |
| 84 | | | | | | | | | | | | | |
| 85 | | | | | | | | | | | | | |
| 86 | | | | | | | | | | | | | |
| 87 | | | | | | | | | | | | | |
| 88 | | | | | | | | | | | | | |
| 89 | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | |
| 91 | | | | | | | | | | | | | |
| 92 | | | | | | | | | | | | | |
| 93 | | | | | | | | | | | | | |
| 94 | | | | | | | | | | | | | |
| 95 | | | | | | | | | | | | | |
| 96 | | | | | | | | | | | | | |
| 97 | | | | | | | | | | | | | |
| 98 | | | | | | | | | | | | | |
| 99 | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | |
| MEAN | 3.3 | 48.6 | 51.7 | 58.6 | 43.7 | 63.3 | 74.2 | 74.1 | 66.8 | 51.7 | 4.3 | 45.1 | 43.6 |
| STD | 1.09 | 3.16 | 6.23 | 8.97 | 8.24 | 7.93 | 6.02 | 6.20 | 7.15 | 6.37 | 6.79 | 1.17 | 10.74 |
| TOTAL OBS | 47 | 594 | 651 | 661 | 671 | 661 | 673 | 651 | 631 | 673 | 671 | 643 | 7747 |

AL CLIMATOLOGY BRANCH
 AFAC
 AIRCRAFT SERVICE ZNAC
 10000 MAY AAFET LEWIS WA
 STATION NAME

DAILY TEMPERATURES

55-4, 61-69, 71-81
 YEARS

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE
 (FROM DAILY OBSERVATIONS)

MINIMUM

| TEMP °F | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|-----------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| 1 | | | | | | | .1 | | | | | | .1 |
| 2 | | | | | | .3 | 1.4 | .1 | 1.3 | .2 | | | .3 |
| 3 | | | | | 1.3 | .8 | 3.9 | 45.3 | 15.1 | 2.1 | | | 3.9 |
| 4 | | | | 2.1 | 11.7 | 47.4 | 78.2 | 82.2 | 48.6 | 15.9 | 2.4 | 1.1 | 47.4 |
| 5 | | | | 6.3 | 43.7 | 83.2 | 95.5 | 96.5 | 79.3 | 41.1 | 14.9 | 11.2 | 83.2 |
| 6 | | | | 29.7 | 77.9 | 97.4 | 99.7 | 99.8 | 96.5 | 71.2 | 42.4 | 38.5 | 97.4 |
| 7 | | | | 59.4 | 95.7 | 99.7 | 100.0 | 100.0 | 99.7 | 91.9 | 67.9 | 52.7 | 99.7 |
| 8 | | | | 82.4 | 97.9 | 100.0 | | | 99.8 | 95.9 | 77.9 | 63.5 | 97.9 |
| 9 | | | | 96.8 | 100.0 | | | | 100.0 | 99.2 | 98.2 | 78.1 | 96.8 |
| 10 | | | | 98.2 | | | | | | 99.8 | 97.3 | 92.5 | 98.2 |
| 11 | | | | 99.8 | | | | | | 100.0 | 95.8 | 96.7 | 99.8 |
| 12 | | | | 100.0 | | | | | | | 100.0 | 98.3 | 100.0 |
| 13 | | | | | | | | | | | | 98.2 | |
| 14 | | | | | | | | | | | | 97.3 | |
| 15 | | | | | | | | | | | | 96.7 | |
| 16 | | | | | | | | | | | | 95.8 | |
| 17 | | | | | | | | | | | | 94.9 | |
| 18 | | | | | | | | | | | | 93.9 | |
| 19 | | | | | | | | | | | | 92.9 | |
| 20 | | | | | | | | | | | | 91.9 | |
| 21 | | | | | | | | | | | | 90.9 | |
| 22 | | | | | | | | | | | | 89.9 | |
| 23 | | | | | | | | | | | | 88.9 | |
| 24 | | | | | | | | | | | | 87.9 | |
| 25 | | | | | | | | | | | | 86.9 | |
| 26 | | | | | | | | | | | | 85.9 | |
| 27 | | | | | | | | | | | | 84.9 | |
| 28 | | | | | | | | | | | | 83.9 | |
| 29 | | | | | | | | | | | | 82.9 | |
| 30 | | | | | | | | | | | | 81.9 | |
| 31 | | | | | | | | | | | | 80.9 | |
| 32 | | | | | | | | | | | | 79.9 | |
| 33 | | | | | | | | | | | | 78.9 | |
| 34 | | | | | | | | | | | | 77.9 | |
| 35 | | | | | | | | | | | | 76.9 | |
| 36 | | | | | | | | | | | | 75.9 | |
| 37 | | | | | | | | | | | | 74.9 | |
| 38 | | | | | | | | | | | | 73.9 | |
| 39 | | | | | | | | | | | | 72.9 | |
| 40 | | | | | | | | | | | | 71.9 | |
| 41 | | | | | | | | | | | | 70.9 | |
| 42 | | | | | | | | | | | | 69.9 | |
| 43 | | | | | | | | | | | | 68.9 | |
| 44 | | | | | | | | | | | | 67.9 | |
| 45 | | | | | | | | | | | | 66.9 | |
| 46 | | | | | | | | | | | | 65.9 | |
| 47 | | | | | | | | | | | | 64.9 | |
| 48 | | | | | | | | | | | | 63.9 | |
| 49 | | | | | | | | | | | | 62.9 | |
| 50 | | | | | | | | | | | | 61.9 | |
| 51 | | | | | | | | | | | | 60.9 | |
| 52 | | | | | | | | | | | | 59.9 | |
| 53 | | | | | | | | | | | | 58.9 | |
| 54 | | | | | | | | | | | | 57.9 | |
| 55 | | | | | | | | | | | | 56.9 | |
| 56 | | | | | | | | | | | | 55.9 | |
| 57 | | | | | | | | | | | | 54.9 | |
| 58 | | | | | | | | | | | | 53.9 | |
| 59 | | | | | | | | | | | | 52.9 | |
| 60 | | | | | | | | | | | | 51.9 | |
| 61 | | | | | | | | | | | | 50.9 | |
| 62 | | | | | | | | | | | | 49.9 | |
| 63 | | | | | | | | | | | | 48.9 | |
| 64 | | | | | | | | | | | | 47.9 | |
| 65 | | | | | | | | | | | | 46.9 | |
| 66 | | | | | | | | | | | | 45.9 | |
| 67 | | | | | | | | | | | | 44.9 | |
| 68 | | | | | | | | | | | | 43.9 | |
| 69 | | | | | | | | | | | | 42.9 | |
| 70 | | | | | | | | | | | | 41.9 | |
| 71 | | | | | | | | | | | | 40.9 | |
| 72 | | | | | | | | | | | | 39.9 | |
| 73 | | | | | | | | | | | | 38.9 | |
| 74 | | | | | | | | | | | | 37.9 | |
| 75 | | | | | | | | | | | | 36.9 | |
| 76 | | | | | | | | | | | | 35.9 | |
| 77 | | | | | | | | | | | | 34.9 | |
| 78 | | | | | | | | | | | | 33.9 | |
| 79 | | | | | | | | | | | | 32.9 | |
| 80 | | | | | | | | | | | | 31.9 | |
| 81 | | | | | | | | | | | | 30.9 | |
| 82 | | | | | | | | | | | | 29.9 | |
| 83 | | | | | | | | | | | | 28.9 | |
| 84 | | | | | | | | | | | | 27.9 | |
| 85 | | | | | | | | | | | | 26.9 | |
| 86 | | | | | | | | | | | | 25.9 | |
| 87 | | | | | | | | | | | | 24.9 | |
| 88 | | | | | | | | | | | | 23.9 | |
| 89 | | | | | | | | | | | | 22.9 | |
| 90 | | | | | | | | | | | | 21.9 | |
| 91 | | | | | | | | | | | | 20.9 | |
| 92 | | | | | | | | | | | | 19.9 | |
| 93 | | | | | | | | | | | | 18.9 | |
| 94 | | | | | | | | | | | | 17.9 | |
| 95 | | | | | | | | | | | | 16.9 | |
| 96 | | | | | | | | | | | | 15.9 | |
| 97 | | | | | | | | | | | | 14.9 | |
| 98 | | | | | | | | | | | | 13.9 | |
| 99 | | | | | | | | | | | | 12.9 | |
| 100 | | | | | | | | | | | | 11.9 | |
| MEAN | 30.1 | 34.2 | 36.1 | 38.8 | 43.5 | 48.1 | 52.4 | 57.1 | 49.1 | 42.3 | 37.2 | 24.9 | 42.2 |
| S.D. | 14.1 | 8.15 | 5.709 | 5.173 | 5.145 | 4.534 | 4.190 | 4.274 | 5.177 | 5.933 | 6.566 | 7.760 | 9.150 |
| TOTAL OBS | 47 | 54 | 61 | 66 | 67 | 66 | 67 | 65 | 63 | 63 | 60 | 64 | 747 |

CLIMATE CLIMATOLOGY BRANCH

TAC

WEATHER SERVICE / MAC

DAY AAF/FT LEATO A1

STATION

STATION NAME

70-4, 60-69, 71-41

YEARS

DAILY TEMPERATURES

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE
(FROM DAILY OBSERVATIONS)

7-1

| TEMP °F | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| 1 | | | | | | | 2.4 | 4.3 | | | | | |
| 2 | | | | | 1.3 | 12.5 | 13.4 | 12.9 | 1.4 | | | | |
| 3 | | | | 1.1 | 13.6 | 42.4 | 79.5 | 81.9 | 44.4 | 5.6 | | | |
| 4 | 0.3 | 1.2 | 1.2 | 8.5 | 38.5 | 8.2 | 97.3 | 86.6 | 86.5 | 79.7 | 2.3 | | |
| 5 | 4.2 | 6.2 | 12.7 | 32.7 | 77.5 | 95.5 | 100.0 | 100.0 | 98.6 | 65.4 | 17.5 | 9.7 | |
| 6 | 10.3 | 10.3 | 46.1 | 75.0 | 97.6 | 100.0 | | | 99.8 | 91.5 | 5.3 | 99.7 | |
| 7 | 31.9 | 65.7 | 82.6 | 99.2 | 100.0 | | | | 100.0 | 99.2 | 79.5 | 95.1 | |
| 8 | 71.9 | 93.9 | 97.5 | 100.0 | | | | | | 99.8 | 94.8 | 79.8 | |
| 9 | 8.7 | 98.1 | 100.0 | | | | | | | 100.0 | 99.7 | 93.6 | |
| 10 | 8.7 | 99.1 | | | | | | | | | 100.0 | 98.7 | |
| 11 | 8.7 | 100.0 | | | | | | | | | | 98.8 | |
| 12 | 10.3 | | | | | | | | | | | 99.8 | |
| 13 | | | | | | | | | | | | 100.0 | |
| 14 | | | | | | | | | | | | 100.0 | |
| 15 | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | |
| MEAN | 42.2 | 42.0 | 44.1 | 47.9 | 53.5 | 58.9 | 63.5 | 63.4 | 59.1 | 51.5 | 44.2 | 41.2 | 51.0 |
| S.D. | 1.134 | 5.435 | 4.778 | 4.617 | 5.346 | 4.901 | 4.963 | 4.868 | 4.464 | 5.563 | 5.737 | 7.119 | 1.31 |
| TOTAL OBS | 647 | 594 | 651 | 661 | 677 | 661 | 653 | 651 | 631 | 678 | 671 | 643 | 7747 |

EXTREME VALUES

FROM DAILY OBSERVATIONS

STATION NAME: LAY MARKET LEWIS STATION NAME: 1951-1952 YEARS

WIND DIRECTION: 000-090-180-270-360

| MONTH
YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ALL
MONTHS |
|---------------|-----|-------|------|------|-------|------|-------|-------|------|-------|-------|-------|---------------|
| 1 | | 24 | 27 | | 27 | 37 | 4 | | 27 | | | | |
| 2 | | 23 | 27 | 29 | 34 | 27 | 4 | 4 | 27 | | | | |
| 3 | | 14 | 26 | 24 | 34 | 47 | 4 | 4 | 27 | | | | |
| 4 | | 2 | 27 | 22 | 14 | 45 | 4 | 4 | 27 | | | | |
| 5 | | 23 | 24 | 29 | 27 | 14 | 4 | 4 | 27 | | | | |
| 6 | | 16 | 19 | 11 | 21 | 42 | 4 | 4 | 27 | | | | |
| 7 | | 24 | 15 | 16 | 7 | 20 | 4 | 4 | 27 | | | | |
| 8 | | 25 | 24 | 26 | 36 | 4 | 4 | 4 | 27 | | | | |
| 9 | | 11 | 3 | 9 | 26 | 4 | 4 | 4 | 27 | | | | |
| 10 | | 22 | 1 | 7 | 27 | 20 | 4 | 4 | 27 | | | | |
| 11 | | 2 | 1 | 21 | 27 | 4 | 4 | 4 | 27 | | | | |
| 12 | | 22 | 27 | 21 | 24 | 4 | 4 | 4 | 27 | | | | |
| 13 | 1 | 24 | 24 | 21 | 34 | 4 | 4 | 4 | 27 | | | | |
| 14 | 2 | 25 | 24 | 27 | 26 | 23 | 4 | 4 | 27 | | | | |
| 15 | 2 | 25 | 21 | 20 | 26 | 23 | 4 | 4 | 27 | | | | |
| 16 | 3 | 27 | 22 | 27 | 38 | 4 | 4 | 4 | 27 | | | | |
| 17 | 1 | 23 | 2 | 9 | 27 | 4 | 4 | 4 | 27 | | | | |
| 18 | 4 | 15 | 26 | 34 | 27 | 24 | 4 | 4 | 27 | | | | |
| 19 | 4 | 19 | 27 | 2 | 34 | 27 | 4 | 4 | 27 | | | | |
| 20 | 5 | 25 | 27 | 22 | 37 | 27 | 4 | 4 | 27 | | | | |
| 21 | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | |
| 32 | | | | | | | | | | | | | |
| 33 | | | | | | | | | | | | | |
| 34 | | | | | | | | | | | | | |
| 35 | | | | | | | | | | | | | |
| 36 | | | | | | | | | | | | | |
| 37 | | | | | | | | | | | | | |
| 38 | | | | | | | | | | | | | |
| 39 | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | |
| 41 | | | | | | | | | | | | | |
| 42 | | | | | | | | | | | | | |
| 43 | | | | | | | | | | | | | |
| 44 | | | | | | | | | | | | | |
| 45 | | | | | | | | | | | | | |
| 46 | | | | | | | | | | | | | |
| 47 | | | | | | | | | | | | | |
| 48 | | | | | | | | | | | | | |
| 49 | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | |
| 51 | | | | | | | | | | | | | |
| 52 | | | | | | | | | | | | | |
| 53 | | | | | | | | | | | | | |
| 54 | | | | | | | | | | | | | |
| 55 | | | | | | | | | | | | | |
| 56 | | | | | | | | | | | | | |
| 57 | | | | | | | | | | | | | |
| 58 | | | | | | | | | | | | | |
| 59 | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | |
| 61 | | | | | | | | | | | | | |
| 62 | | | | | | | | | | | | | |
| 63 | | | | | | | | | | | | | |
| 64 | | | | | | | | | | | | | |
| 65 | | | | | | | | | | | | | |
| 66 | | | | | | | | | | | | | |
| 67 | | | | | | | | | | | | | |
| 68 | | | | | | | | | | | | | |
| 69 | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | |
| 71 | | | | | | | | | | | | | |
| 72 | | | | | | | | | | | | | |
| 73 | | | | | | | | | | | | | |
| 74 | | | | | | | | | | | | | |
| 75 | | | | | | | | | | | | | |
| 76 | | | | | | | | | | | | | |
| 77 | | | | | | | | | | | | | |
| 78 | | | | | | | | | | | | | |
| 79 | | | | | | | | | | | | | |
| 80 | | | | | | | | | | | | | |
| 81 | | | | | | | | | | | | | |
| 82 | | | | | | | | | | | | | |
| 83 | | | | | | | | | | | | | |
| 84 | | | | | | | | | | | | | |
| 85 | | | | | | | | | | | | | |
| 86 | | | | | | | | | | | | | |
| 87 | | | | | | | | | | | | | |
| 88 | | | | | | | | | | | | | |
| 89 | | | | | | | | | | | | | |
| 90 | | | | | | | | | | | | | |
| 91 | | | | | | | | | | | | | |
| 92 | | | | | | | | | | | | | |
| 93 | | | | | | | | | | | | | |
| 94 | | | | | | | | | | | | | |
| 95 | | | | | | | | | | | | | |
| 96 | | | | | | | | | | | | | |
| 97 | | | | | | | | | | | | | |
| 98 | | | | | | | | | | | | | |
| 99 | | | | | | | | | | | | | |
| 100 | | | | | | | | | | | | | |
| MEAN | 1.1 | 27.2 | 26.2 | 28.2 | 31.2 | 40.2 | 44.7 | 45.2 | 29.2 | 21.2 | 2.2 | 1.2 | 2.2 |
| S.D. | 5.1 | 1.355 | 1.4 | 2.16 | 2.527 | 3.5 | 2.633 | 3.057 | 1.15 | 3.177 | 3.496 | 7.657 | 2.2 |
| TOTAL OBS | 247 | 594 | 631 | 661 | 67 | 16 | 573 | 651 | 53 | 62 | 67 | 142 | 16 |

NOTES * (BASED ON LESS THAN FULL MONTHS)

USAF ETAC FORM 0885 (OLA)

* (AT LEAST ONE DAY LESS THAN 24 OBS)

PSYCHROMETRIC SUMMARY

100

YEARS

59
MONTH

DATE: 1-1-68
HOURS: 11:55 A.M.

[illegible]

PSYCHROMETRIC SUMMARY

75-53

YEARS

2
MONTH

PAGE 1 76-104-220
HOURS 0.5.1

[illegible]

1. WORLD CLIMATE - 1970
2. WORLD CLIMATE - 1971
3. WORLD CLIMATE - 1972

MON'N

HOURS . 5. 7.

USAFETAC FORM 0-26-5 (OLA) REVISED PER ANNO, EDITIONS OF THIS FORM ARE OBSOLETE
JUN 64

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

5.2.2.

[illegible]

GRAY AAF/FORT LEWIS WASHINGTON REVISED UNIFORM SUMMARY
OF SURFACE WEATHER..(U) AIR FORCE ENVIRONMENTAL
TECHNICAL APPLICATIONS CENTER SCOTT A.. 14 DEC 82
USAFETAC/DS-82/082 SBI-AD-E850 362 F/G 4/2


4/5

UNCLASSIFIED

14 DEC 82

F/G 4/2

NL



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

PSYCHROMETRIC SUMMARY

JAN
MONTH

PAGE 1 157C-1750
HOURS (L. S. T.)

[illegible]

USAFETAC
FORM 0-26-5 (OL A)
REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

YEARS

JAN
MONTH

[illegible]

USAFETAC
FORM
JUL 64
0-26-5 (OL A)
REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

YEARS

PAGE 1

[illegible]

USAFETAC FORM 0-26-5 (OLA)
REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

JAN
MONTH

ALL
HOURS (L. S. T.)

[illegible]

PSYCHROMETRIC SUMMARY

JAN
MONTH

PAGE 2 ALL
HOURS 11.5

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

PAGE 1 030-7500
HOURS 10.5.1

| Temp.
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | | | | | | | | | | | | | | | | | | | TOTAL | | TOTAL | |
|--------------|-------------------------------------|------|------|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-----------|----------|----------|-----------|-----|--|--|--|--|--|--|-------|--|-------|--|
| | 0 | 1-2 | 3-4 | 5-6 | 7-8 | 9-10 | 11-12 | 13-14 | 15-16 | 17-18 | 19-20 | 21-22 | 23-24 | 25-26 | 27-28 | 29-30 | ≥ 31 | D.B./W.B. | Dry Bulb | Wet Bulb | Dew Point | | | | | | | | | | | |
| 5 / 65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 / 53 | | | 1.0 | .1 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 / 41 | | | .1 | .4 | | .4 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 / 29 | | | 2.2 | 1.0 | .4 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 17 | .1 | 3.6 | 1.2 | .5 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 / 5 | .1 | 4.1 | .9 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 47 / 43 | | | 5.8 | 1.4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 27 / 41 | .2 | 6.3 | 2.9 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 / 29 | 2.2 | 8.7 | 3.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 17 | 2.8 | 6.8 | .9 | .4 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 / 5 | 3.0 | 6.4 | .7 | .3 | .3 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 / 33 | .9 | 6.0 | 1.8 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 / 31 | 1.4 | 7.3 | | | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 19 | 1.1 | 4.1 | .7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 / 27 | 1.3 | 5.1 | | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 25 | .2 | .4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 / 23 | .4 | .1 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 / 21 | | .5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 / 19 | .3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 17 | | .3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 / 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 / 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 / 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 / 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 / 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 / -1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 15.7 | 66.1 | 14.7 | 2.2 | 1.2 | | | | | | | | | | | | | | 762 | 762 | 762 | 762 | | | | | | | | | | |

PSYCHROMETRIC SUMMARY

FF
MONTH

PAGE 1 1600-0800
HOURS (L. S. T.)

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PSYCHROMETRIC SUMMARY

STATION NAME DAY AAF/FT LEWIS WA

77-81

YEARS

FEB
MONTH

PAGE 1 210-2700
HOURS (L.S.T.)

| Temp.
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | TOTAL | | TOTAL | |
|--------------|-------------------------------------|-----|-----|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|--------------------|--|----------|--|-----------|--|--|--|--|--|--|--|--|--|--|--|-------|--|-------|--|
| | 0 | 1-2 | 3-4 | 5-6 | 7-8 | 9-10 | 11-12 | 13-14 | 15-16 | 17-18 | 19-20 | 21-22 | 23-24 | 25-26 | 27-28 | 29-30 | 31 | D.B./W.B. Dry Bulb | | Wet Bulb | | Dew Point | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | 4 | | 4 | | | | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | | | | | 11 | | 11 | | | | | | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | | | | | | | 15 | | 15 | | | | | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | | | | | | 42 | | 42 | | | | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | | | | | 47 | | 47 | | | | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | | | | | 69 | | 69 | | | | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | | | | | 76 | | 76 | | | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | | | | 75 | | 75 | | | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | | | | 92 | | 92 | | | | | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | | | | | | 89 | | 89 | | | | | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | | | | | | 85 | | 85 | | | | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | | | | | 67 | | 67 | | | | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | | | | | 54 | | 54 | | | | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | | | | | 29 | | 29 | | | | | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | | | | | | 3 | | 3 | | | | | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | | | | | | 4 | | 4 | | | | | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | | | | | | 2 | | 2 | | | | | | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | 762 | | 762 | | | | | | | | | | | | | | | | | |

| Element (X) | Σx^2 | Σx | $\bar{x}$ | s^2 | No. Obs. | Mean No. of Hours with Temperature | | | | | Total | |
|-------------|--------------|------------|-----------|-------|----------|------------------------------------|------|------|------|------|-------|----|
| Rel. Hum. | 365.46 | 433.4 | 83.11 | 1.756 | 76 | 0 F | 32 F | 67 F | 73 F | 80 F | 93 F | |
| Dry Bulb | 1242.76 | 7442 | 4.5 | 6.27 | 76 | | 17.7 | | | | | 64 |
| Wet Bulb | 1122.74 | 78896 | 37.8 | 5.958 | 76 | | 15.3 | | | | | 64 |
| Dew Point | 971.01 | 26657 | 35.1 | 7.109 | 76 | | 29.5 | | | | | 64 |

USAFETAC FORM 0-26-5 (OL A) REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

YEARS

FFD
MONTH

PAGE 1

ALL

HOURS 11.5. T.

PSYCHROMETRIC SUMMARY

YEARS

MONTH

PAGE 1

7000-2200
HOURS (L.S.T.)

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

MAZ
MONTH

PAGE 1 1600-2922
HOURS 11.5.7.1

PSYCHROMETRIC SUMMARY

M A S
MONTH

PAGE 1 1200-1400
HOURS 11.5.11

[illegible]

| | |
|---------|-----------------|
| STATION | STATION NAME |
| 70 | AAF/FT LEWIS MA |

72-41

YEARS

MA =
MÖNYH

DATE: 10-10-54
HOURS: 5:15

USAFETAC FORM 0-26-5 (OL A) REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

YEARS

W A D
MONTH

PAGE 21 C-27
HOURS 11.5.17

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

NOV 1955

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

| Temp
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | TOTAL | | TOTAL | | |
|-------------|-------------------------------------|---|---|---|---|---|---|---|---|---|-------|-----------|----------|----------|-----------|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | D.B. W.B. | Dry Bulb | Wet Bulb | Dew Point |
| 1 | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | | |

USAFETAC
FORM 0.26-5 (OL A)
JUL 64
REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

STATION STATE OR NAME

YEARS

200
MONTH

PAGE 1 7000-05 0
HOURS . . S. T.

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

ADD
MONTH
PAGE 1
HOURS S. T.

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

423

MONTH

DATE: 10-2-77
HOURS: 5:30

PSYCHROMETRIC SUMMARY

77-51

YEARS

AD:
MON:1

PAGE 1 ALL

MOUSE, S. T.

U.S. AIR FORCE
CLIMATE BRANCH
AFMTC
AIR WEATHER SERVICE/MAC

PSYCHROMETRIC SUMMARY

STATION NAME: GRAY AAF/FT LEWIS, MS
STATION: 72-61

YEARS: 1950-1951

MONTH: MAY

PAGE: 1
HOURS: 0000-2359

| Temp.
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | TOTAL | | TOTAL | |
|--------------|-------------------------------------|-----|-----|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|-----------|----------|----------|-----------|----|--|--|--|--|--|--|--|--|--|-------|--|-------|--|
| | 0 | 1-2 | 3-4 | 5-6 | 7-8 | 9-10 | 11-12 | 13-14 | 15-16 | 17-18 | 19-20 | 21-22 | 23-24 | 25-26 | 27-28 | 29-30 | 31 | D.B. W.B. | Dry Bulb | Wet Bulb | Dew Point | | | | | | | | | | | | | | |
| / 59 | | | | .5 | .1 | | | | | | | | | | | | | 6 | 6 | | | | | | | | | | | | | | | | |
| / 57 | | | | .2 | .5 | | | | | | | | | | | | | 15 | 15 | | | | | | | | | | | | | | | | |
| / 55 | | .6 | .8 | 1.2 | .2 | | | | | | | | | | | | | 26 | 26 | 10 | 10 | | | | | | | | | | | | | | |
| / 53 | | 1.1 | 3.2 | .6 | | | | | | | | | | | | | | 41 | 41 | 17 | 17 | | | | | | | | | | | | | | |
| / 51 | | 2.4 | 7.8 | 1.8 | | | | | | | | | | | | | | 100 | 100 | 33 | 33 | | | | | | | | | | | | | | |
| / 49 | | 3.5 | 8.8 | 1.9 | | | | | | | | | | | | | | 100 | 100 | 40 | 40 | | | | | | | | | | | | | | |
| / 47 | | 7.9 | 8.1 | 2.5 | | | | | | | | | | | | | | 155 | 155 | 115 | 115 | | | | | | | | | | | | | | |
| / 45 | | 7.8 | 8.6 | .1 | | | | | | | | | | | | | | 100 | 100 | 142 | 142 | | | | | | | | | | | | | | |
| / 43 | | 6.1 | 5.3 | | | | | | | | | | | | | | | 95 | 95 | 155 | 155 | | | | | | | | | | | | | | |
| / 41 | .1 | 5.7 | 4.2 | .1 | | | | | | | | | | | | | | 79 | 79 | 100 | 100 | | | | | | | | | | | | | | |
| / 39 | | 4.7 | 1.8 | | | | | | | | | | | | | | | 64 | 64 | 97 | 97 | | | | | | | | | | | | | | |
| / 37 | .1 | 1.2 | .5 | | | | | | | | | | | | | | | 15 | 15 | 7 | 7 | | | | | | | | | | | | | | |
| / 35 | | .5 | | | | | | | | | | | | | | | | 4 | 4 | 15 | 15 | | | | | | | | | | | | | | |
| / 33 | | | | | | | | | | | | | | | | | | | | 7 | 7 | | | | | | | | | | | | | | |
| / 31 | | | | | | | | | | | | | | | | | | | | | 15 | 15 | | | | | | | | | | | | | |
| / 29 | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | |
| TOTAL | | .41 | .64 | .79 | .3 | .7 | | .2 | | | | | | | | | | 937 | 937 | 877 | 877 | | | | | | | | | | | | | | |

| Element (X) | ΣX^2 | ΣX | $\bar{X}$ | σ^2 | No. Obs. | Mean No. of Hours with Temperature | | | | | | Total |
|-------------|--------------|------------|-----------|------------|----------|------------------------------------|--------|--------|--------|--------|--------|-------|
| Rel. Hum. | 340626 | 66568 | 79.5 | 7.914 | 937 | ≤ 0 F | ≤ 32 F | ≤ 67 F | ≤ 73 F | ≤ 80 F | ≤ 93 F | |
| Dry Bulb | 1875556 | 39424 | 47.0 | 4.725 | 937 | | | | | | | 93 |
| Wet Bulb | 1653427 | 3727 | 44.2 | 4.297 | 937 | | | | | | | 93 |
| Dew Point | 1426177 | 34327 | 41.0 | 4.677 | 937 | | 1.0 | | | | | 93 |

PSYCHROMETRIC SUMMARY

YEARS

✓ A ✓
640474

PAGE 10

[illegible]USAFETAC
FORM
0-26.5 (O.L.A.)
REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

CENTRAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PSYCHROMETRIC SUMMARY

STATION MAY AAF/FT LEWIS WA
STATION NAME

70-81

YEARS

MAY

MONTH

PAGE 1 0000-1100

HOURS U.S.T.

| Temp.
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | TOTAL
D.B. W.B. Dry Bulb | TOTAL
Wet Bulb Dew Point |
|--------------|-------------------------------------|-----------------------------|-----------------------------|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | | | |
| 70 | | 1 | 1 | |
| 71 | | 1 | 1 | |
| 72 | | 1 | 1 | |
| 73 | | 1 | 1 | |
| 74 | | 1 | 1 | |
| 75 | | 1 | 1 | |
| 76 | | 1 | 1 | |
| 77 | | 1 | 1 | |
| 78 | | 1 | 1 | |
| 79 | | 1 | 1 | |
| 80 | | 1 | 1 | |
| 81 | | 1 | 1 | |
| 82 | | 1 | 1 | |
| 83 | | 1 | 1 | |
| 84 | | 1 | 1 | |
| 85 | | 1 | 1 | |
| 86 | | 1 | 1 | |
| 87 | | 1 | 1 | |
| 88 | | 1 | 1 | |
| 89 | | 1 | 1 | |
| 90 | | 1 | 1 | |
| 91 | | 1 | 1 | |
| 92 | | 1 | 1 | |
| 93 | | 1 | 1 | |
| 94 | | 1 | 1 | |
| 95 | | 1 | 1 | |
| 96 | | 1 | 1 | |
| 97 | | 1 | 1 | |
| 98 | | 1 | 1 | |
| 99 | | 1 | 1 | |
| 100 | | 1 | 1 | |
| TOTAL | | 837 | 837 | |
| Element (X) | | | |
| Rel. Hum. | 55.6 | 53.5 | 54.1 | | |
| Dry Bulb | 55.6 | 54.1 | | |
| Wet Bulb | 55.6 | 54.1 | | |
| Dew Point | 55.6 | 54.1 | | |

USAFETAC FORM 44 0-26-5 (OL A) REVISION PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

| | |
|---------|--------------|
| STATION | STATION NAME |
|---------|--------------|

6 A V
MONTH

21 (1-27) 1954
HOURS 10:30

PSYCHROMETRIC SUMMARY

| STATION | STATION NAME |
|---------|--------------|
|---------|--------------|

YEARS

MON*

DATE _____
HOURS _____

PSYCHROMETRIC SUMMARY

2234

YEARS

• • •

MONTH

PAGE 1 72-1-70
HOURS 5.7

HOURS 5 7

PSYCHROMETRIC SUMMARY

٧٣-٥٤:

YEARS

7455

74-11-1
HOURS 5.1

[illegible]

CLIMATE CLIMATOLOGY BRANCH
 WETBULB
 AIR WEATHER SERVICE/MAC

PSYCHROMETRIC SUMMARY

STATION 7 DAY AAF/ET LEWIS A
 STATION NAME

73-81

YEARS

MONTH

PAGE 1

10-17
 HOURS 11, 5, 11

| Temp.
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | | TOTAL | | TOTAL | |
|--------------|-------------------------------------|---|---|---|---|---|---|---|---|---|-----------|----------|----------|-----------|--|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | D.B. W.B. | Dry Bulb | Wet Bulb | Dew Point | |
| 1 | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | |
| Element (X) | | | | | | | | | | | | | | | |
| Rel. Hum. | | | | | | | | | | | | | | | |
| Dry Bulb | | | | | | | | | | | | | | | |
| Wet Bulb | | | | | | | | | | | | | | | |
| Dew Point | | | | | | | | | | | | | | | |

USAETAC FORM 0-26-5 (OL A) REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

73-01

YEARS

MONITOR

PAGE 1 1870-0010
HOURS: 5:1

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

MONTH

| | | |
|---|---|---|
| 1 | 0 | 1 |
| 2 | 0 | 1 |

40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100

[illegible]

USAFETAC
FORM
JUL 44
0-26-5 (OL A)
REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

THE COMMUNITY ACTION
CENTRE
OF WESTER SERVICE AREA

504

USAFETAC 0 26 5 (OL A) FORM REV 64 REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

YEARS

July
Monday

PAGE 1 15-17
HOURS 15-17

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

بسم الله الرحمن الرحيم

DATE: 01-27-77
HOURS: 5.1

[illegible]

PSYCHROMETRIC SUMMARY

15-31

YEARS

AUG
MONTH

PAGE 1 100-2257
HOURS 10.5.11

PSYCHROMETRIC SUMMARY

YEARS

MONTE

HOURS 5 7

[illegible]

PSYCHROMETRIC SUMMARY

VFARS

MON*

HOURS: 8:30 - 5:00

UNITED STATES AIR FORCE
 100-100000-100000
 100-100000-100000

PSYCHROMETRIC SUMMARY

STATION NAME
 STATION NAME

YEARS

MONTH

10-14
 HOURS 5.7

| Temp
(F) | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | TOTAL
D.B. W.B. Dry Bulb | TOTAL
Wet Bulb Dew Point |
|-------------|---|---|---|---|---|---|---|---|---|---|-----------------------------|-----------------------------|
| 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | |

USAFETAC FORM 0-26.5 (OL A) REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

| Element (X) | $\Sigma x'$ | Σx | $\bar{x}$ | s^2 | No. Obs. | Mean No. of Hours with Temperature | Total |
|-------------|-------------|------------|-----------|-------|----------|------------------------------------|-------|
| Rel Hum | 30100 | 40000 | 50.0 | 10.0 | 100 | 10.0 | 100 |
| Dry Bulb | 45000 | 50000 | 50.0 | 10.0 | 100 | 10.0 | 100 |
| Wet Bulb | 14000 | 10000 | 10.0 | 10.0 | 100 | 10.0 | 100 |
| Dew Point | 27400 | 40000 | 50.0 | 10.0 | 100 | 10.0 | 100 |

PSYCHROMETRIC SUMMARY

| STATION | STATION NAME |
|---------|--------------|
|---------|--------------|

VFARS

25.

100

[illegible]

6.5
MONTH

95-179
HOURS 5.1

PSYCHROMETRIC SUMMARY

YEARS

MON 4

HOURS 11.5.1

[illegible]

USAFETAC
FORM
JUL 64
0-26.5 (OL A)
REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

STATION NAME

YEARS

44

DATE: 11-27-77
MOORE, S. J.

PSYCHROMETRIC SUMMARY

MONTH

USAFETAC FORM 0-26.5 (OL A) REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

77-67

YEARS

△

MONTH

51-50000

111

HOURS 1, 5, 7.

PSYCHROMETRIC SUMMARY

MONTH

PAGE 3 3-3-75
HOURS (L. S. T.)

PSYCHROMETRIC SUMMARY

YEARS

PAGE 1

PSYCHROMETRIC SUMMARY

YEARS

DATE: 12-14-74
HOURS: 5.1

[illegible]

USAFETAC
FORM
JAN 64
0-26-5 (OLA)
REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

YEARS

DATE: _____ HOURS: _____

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

| Temp
F | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | TOTAL | TOTAL | | |
|-----------|-------------------------------------|---|---|---|---|---|---|---|---|---|-------|------------|----------|----------|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | D.B., W.B. | Dry Bulb | Wet Bulb |
| Total | | | | | | | | | | | | | | |

Element X Z_x Y Z_y No. Obs.
 Rel. Hum. 5478 5478 5478 5478 5478
 Dry Bulb 5478 5478 5478 5478 5478
 Wet Bulb 5478 5478 5478 5478 5478
 Dew Point 5478 5478 5478 5478 5478

USAFETAC FORM 0265 (OLA) RE-USED PREVIOUS EDITIONS 12 MAR 74 14 0000 002 0000 1278

HOURS 4 *

[illegible]

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED
DATE 01-25-2001 BY 60322 UCBAW

YEARS

USAFETAC
FORM
JUL 64
0 26 5 (OLA)
REVISED MEANS FOR LOSS OF THIS PAGE ARE COMPLETE

PSYCHROMETRIC SUMMARY

YEARS

MONTH

100-100000-14
MOVERS

USAFETAC
FORM
JAN 66
0-26.5 (OLA)
REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

STATION NAME

YEARS

MONTY

PAGE : 16 3-7
HOURS : 5.00

PSYCHROMETRIC SUMMARY

| | |
|---------|--------------|
| STATION | STATION NAME |
| AV | AAFT LENTS |

YEARS

MONTH

PAGE 1 01 0-27
HOURS 1.5.1

PSYCHROMETRIC SUMMARY

7-51

YEARS

444

3. 2. 1.

HOURS 2.15

[illegible]

| Element (X) | $\Sigma x'$ | Σx | $\bar{x}$ | σ_x | No. Obs. | Mean No. of Hours with Temperature | | | | | | Total |
|-------------|-------------|------------|-----------|------------|----------|------------------------------------|--------|--------|--------|--------|--------|-------|
| Rel. Hum. | 214123 | 579544 | 79.112 | 432 | 5676 | ≤ 0 F | ≤ 32 F | ≥ 67 F | ≥ 73 F | ≥ 80 F | ≥ 93 F | |
| Dry Bulb | 175177.5 | 336654 | 57.5 | 7.620 | 6635 | | ? | 1.6 | 4.9 | | | 74 |
| Wet Bulb | 1516.147 | 316141 | 47.2 | 5.913 | 6695 | | 5.0 | | | | | 744 |
| Dew Point | 13135934 | 2742235 | 43.9 | 5.55 | 6695 | | 23.7 | | | | | 744 |

USAFETAC FORM 0.26-5 (OL A) REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JAN 64

PSYCHROMETRIC SUMMARY

YEARS

NOV
MONTH

0057 1 0302-75
HOURS 11.5.7

[illegible]

USAFETAC
FORM 66
JUL 66
0.26 5 (OL A)
REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

YEARS

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

FAULT - 1000 - 1000
HOURS - 1000

[illegible]USAFETAC
FOIEM
MAY 64
0265 (OL A)
RECEIVED-AMERICAN OVERSIGHT BOARD
JUN 1964

PSYCHROMETRIC SUMMARY

YEARS

4

300

[illegible]

USAFETAC
FORM
JUL 84
0265 (OL A)
DE-SEC MEMORANDUM FOR: JCS (J-5) AND AFB GCS/ST-112

PSYCHROMETRIC SUMMARY

YEARS

[illegible]

JSAFETAC

AD-A128 112

GRAY AAF/FORT LEWIS WASHINGTON REVISED UNIFORM SUMMARY
OF SURFACE WEATHER..(U) AIR FORCE ENVIRONMENTAL
TECHNICAL APPLICATIONS CENTER SCOTT A.. 14 DEC 82
UNCLASSIFIED USAFETAC/DS-82/082 SBI-AD-E850 362


F/G 4/2

NL

55

| | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

END
FILED
DEC 82
GPO



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

PSYCHROMETRIC SUMMARY

740170 GRAY AAF/FT LEWIS WA
STATION STATION NAME

73-81

YEARS

NOV
MONTH

PAGE 1 15°C-17°C
HOURS (L, S, T.)

| Temp.
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | TOTAL
D.B./W.B. | TOTAL | | | |
|--------------|-------------------------------------|------|-------|------|------|------|--------|-------|-------|-------|-------|-------|--------|-------|--------|-------|--------|----------|----------|-----------|--------|--|-------|--|---|--|---|--|---|--|---|--|-----|--------------------|-------|-----|---|--|
| | 0 | 1-2 | 3-4 | 5-6 | 7-8 | 9-10 | 11-12 | 13-14 | 15-16 | 17-18 | 19-20 | 21-22 | 23-24 | 25-26 | 27-28 | 29-30 | >31 | Dry Bulb | Wet Bulb | Dew Point | | | | | | | | | | | | | | | | | | |
| 7 / 72 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | |
| 7 / 59 | | | | .1 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | | | | |
| 6 / 67 | | | | | | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | |
| 6 / 65 | | | | .4 | .1 | .5 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | 9 | | 1 | | | |
| 6 / 63 | | | | .4 | | | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 4 | 3 | 1 | | |
| 7 / 61 | | | | .1 | .4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 4 | 2 | 1 | | |
| 7 / 59 | | .4 | .5 | .1 | .1 | .1 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | 11 | 11 | 6 | 3 | | |
| 7 / 57 | | .5 | .6 | .5 | 1.1 | .4 | | | | | | | | | | | | | | | | | | | | | | | | | | | 25 | 25 | 9 | 5 | | |
| 5 / 55 | .2 | .7 | 1.7 | 1.4 | .6 | .2 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | 41 | 41 | 18 | 8 | | |
| 5 / 53 | | 1.2 | 3.3 | 1.5 | .6 | .2 | | | | | | | | | | | | | | | | | | | | | | | | | | | 56 | 56 | 16 | 8 | | |
| 5 / 51 | .1 | 2.8 | 5.3 | 2.1 | .6 | .1 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | 91 | 91 | 27 | 17 | | |
| 5 / 49 | .1 | 3.9 | 4.4 | 1.9 | .5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 88 | 88 | 26 | 27 | | |
| 5 / 47 | .1 | 4.9 | 3.1 | 2.2 | .2 | .5 | | | | | | | | | | | | | | | | | | | | | | | | | | | 97 | 97 | 102 | 52 | | |
| 4 / 45 | .2 | 5.7 | 4.9 | 1.4 | .5 | .4 | | | | | | | | | | | | | | | | | | | | | | | | | | | 106 | 106 | 98 | 62 | | |
| 4 / 43 | | 4.9 | 4.2 | 1.2 | .2 | .2 | | | | | | | | | | | | | | | | | | | | | | | | | | | 88 | 88 | 103 | 75 | | |
| 2 / 41 | .1 | 4.8 | 3.2 | 1.9 | .6 | .2 | | | | | | | | | | | | | | | | | | | | | | | | | | | 88 | 88 | 98 | 95 | | |
| 4 / 39 | .5 | 2.5 | .9 | | .4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 34 | 34 | 84 | 102 | | |
| 3 / 37 | | 2.1 | | .4 | .4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 25 | 25 | 59 | 99 | | |
| 7 / 35 | | 1.4 | | .5 | .2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 23 | 23 | 36 | 48 | | |
| 3 / 33 | | .7 | .1 | .2 | .2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 11 | 11 | 20 | 53 | | |
| 7 / 31 | | 1.7 | .1 | .2 | .1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 12 | 12 | 18 | 33 | | |
| 7 / 29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 14 | 24 | | |
| 7 / 27 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 9 | 17 | | |
| 7 / 25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 8 | | |
| 7 / 23 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 17 | | |
| 7 / 21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 7 | | |
| 7 / 19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 6 | | |
| 7 / 17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | | |
| 1 / 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | | |
| 1 / 13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 6 | | |
| 1 / 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| 1 / 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | | |
| TOTAL | 1.5 | 37.4 | 34.6 | 16.0 | 7.4 | 2.6 | .5 | | | | | | | | | | | | | | | | | | | | | | | | | | 810 | 810 | 810 | 810 | | |
| Element (X) | Σ x ² | | Σ x | | Σ | | Σ | | Σ | | Σ | | Σ | | Σ | | Σ | | Σ | | Σ | | Σ | | Σ | | Σ | | Σ | | Σ | | Σ | | Σ | | Σ | |
| Rel. Hum. | 4740350 | | 60980 | | 75.3 | | 13.596 | | 810 | | Σ 0 F | | Σ 32 F | | Σ 67 F | | Σ 73 F | | Σ 80 F | | Σ 93 F | | Total | | | | | | | | | | | | | | | |
| Dry Bulb | 1836454 | | 38194 | | 47.2 | | 6.623 | | 810 | | | | 1.3 | | .4 | | | | | | | | 90 | | | | | | | | | | | | | | | |
| Wet Bulb | 1573551 | | 35329 | | 43.6 | | 6.352 | | 810 | | | | 4.7 | | | | | | | | | | 90 | | | | | | | | | | | | | | | |
| Dew Point | 1306408 | | 31846 | | 39.3 | | 8.198 | | 810 | | | | 14.2 | | | | | | | | | | 90 | | | | | | | | | | | | | | | |

USAFETAC FORM 0-26-5 (OL A) REVISOR PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

| | |
|---------|----------------------|
| 74077 | GRAY AAF/FT LEWIS WA |
| STATION | STATION NAME |

NOV
MONTH

PAGE 1 1870-2000
HOURS (L. S. T.)

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

NCV
MONTH

PAGE 1 2170-2300
HOURS (L. S. T.)

| Temp.
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | TOTAL
D.B./W.B. | TOTAL | | |
|--------------|-------------------------------------|------|------|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|----------|----------|-----------|-----|-----|--|--|--|--|--|--|--|--|--|--------------------|-------|--|--|
| | 0 | 1-2 | 3-4 | 5-6 | 7-8 | 9-10 | 11-12 | 13-14 | 15-16 | 17-18 | 19-20 | 21-22 | 23-24 | 25-26 | 27-28 | 29-30 | 31 | Dry Bulb | Wet Bulb | Dew Point | | | | | | | | | | | | | | | |
| 4 / 63 | | | .2 | | | | | | | | | | | | | | | | 2 | 2 | | | | | | | | | | | | | | | |
| 4 / 61 | | | .2 | | | | | | | | | | | | | | | | 2 | 2 | | | | | | | | | | | | | | | |
| 4 / 59 | | | .4 | | | | | | | | | | | | | | | | 8 | 8 | | 5 | | | | | | | | | | | | | |
| 5 / 57 | | | .1 | .1 | .2 | | | | | | | | | | | | | | 4 | 4 | | 2 | | | | | | | | | | | | | |
| 5 / 55 | | | .1 | .6 | .2 | .1 | | | | | | | | | | | | | 9 | 9 | | 1 | | | | | | | | | | | | | |
| 4 / 53 | | | 2.5 | 1.0 | .2 | | | | | | | | | | | | | | 30 | 32 | | 1 | | | | | | | | | | | | | |
| 4 / 51 | .1 | | .9 | 3.3 | .1 | | | | | | | | | | | | | | 36 | 36 | | 12 | | | | | | | | | | | | | |
| 5 / 49 | | | 4.3 | 3.2 | .1 | | | | | | | | | | | | | | 62 | 62 | | 23 | | | | | | | | | | | | | |
| 4 / 47 | .5 | | 7.8 | 2.1 | | | | | | | | | | | | | | | 84 | 84 | | 35 | | | | | | | | | | | | | |
| 4 / 45 | | | 7.5 | 1.6 | | | | | | | | | | | | | | | 74 | 74 | | 29 | | | | | | | | | | | | | |
| 4 / 43 | .1 | | 6.7 | 2.3 | .1 | | | | | | | | | | | | | | 75 | 75 | | 27 | | | | | | | | | | | | | |
| 2 / 41 | .4 | | 8.8 | 1.5 | | | | | | | | | | | | | | | 86 | 86 | | 31 | | | | | | | | | | | | | |
| 4 / 39 | .9 | | 6.4 | 1.7 | | | | | | | | | | | | | | | 67 | 67 | | 27 | | | | | | | | | | | | | |
| 7 / 37 | .9 | | 8.5 | .2 | .1 | .2 | | | | | | | | | | | | | 81 | 81 | | 36 | | | | | | | | | | | | | |
| 7 / 35 | .1 | | 5.4 | .1 | .4 | .2 | | | | | | | | | | | | | 51 | 51 | | 8 | | | | | | | | | | | | | |
| 3 / 33 | .5 | | 4.9 | .2 | .1 | .1 | | | | | | | | | | | | | 48 | 48 | | 65 | | | | | | | | | | | | | |
| 7 / 31 | .6 | | 3.1 | .7 | .1 | | | | | | | | | | | | | | 35 | 36 | | 74 | | | | | | | | | | | | | |
| 7 / 29 | | | 1.4 | .4 | .2 | | | | | | | | | | | | | | 16 | 16 | | 28 | | | | | | | | | | | | | |
| 7 / 27 | | | 3.1 | .2 | .1 | | | | | | | | | | | | | | 24 | 24 | | 12 | | | | | | | | | | | | | |
| 7 / 25 | | | 1.7 | .1 | | | | | | | | | | | | | | | 9 | 9 | | 21 | | | | | | | | | | | | | |
| 7 / 23 | | | .1 | | | | | | | | | | | | | | | | 1 | 1 | | 11 | | | | | | | | | | | | | |
| 2 / 21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 / 19 | | | .1 | | | | | | | | | | | | | | | | 1 | 1 | | 22 | | | | | | | | | | | | | |
| 15 / 17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 / 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | 4.1 | 73.5 | 19.9 | 7.8 | .7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | 817 | | 612 | 810 | | | | | | | | | | | | | |

| Element (X) | $\Sigma R'$ | ΣR | $\bar{R}$ | σ_R | No. Obs. | Mean No. of Hours with Temperature | | | | | | Total |
|-------------|-------------|------------|-----------|------------|----------|------------------------------------|------|------|------|------|------|-------|
| Rel. Hum. | 5819082 | 48262 | 84.3 | 9.057 | 817 | 10 F | 12 F | 16 F | 23 F | 28 F | 33 F | |
| Dry Bulb | 14 | | | | | | | | | | | |

PSYCHROMETRIC SUMMARY

YEARS

PAGE 1

HOURS (L, S, T.)

| Temp.
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | | | | | | | | | | | | | | | | | | TOTAL
D.B./W.B. | TOTAL | | |
|--------------|-------------------------------------|-----|-----|-----|-----|------|-------|-------|-------|-------|-------|-------|----------|-------|-------|------------------------------------|--------|----------|----------|-----------|--------|-------|--|--|--|--|--|--------------------|-------|--|--|
| | 0 | 1-2 | 3-4 | 5-6 | 7-8 | 9-10 | 11-12 | 13-14 | 15-16 | 17-18 | 19-20 | 21-22 | 23-24 | 25-26 | 27-28 | 29-30 | ≥ 31 | Dry Bulb | Wet Bulb | Dew Point | | | | | | | | | | | |
| 71 | | | | | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | |
| 69 | | | | | | | | | | | | | | | | | | 5 | 5 | | | | | | | | | | | | |
| 67 | | | | | | | | | | | | | | | | | | 5 | 5 | | | | | | | | | | | | |
| 65 | | | | | | | | | | | | | | | | | | 13 | 13 | 2 | | | | | | | | | | | |
| 63 | | | | | | | | | | | | | | | | | | 20 | 20 | 7 | 3 | | | | | | | | | | |
| 61 | | | | | | | | | | | | | | | | | | 18 | 18 | 12 | 3 | | | | | | | | | | |
| 59 | | | | | | | | | | | | | | | | | | 65 | 65 | 19 | 12 | | | | | | | | | | |
| 57 | | | | | | | | | | | | | | | | | | 127 | 127 | 39 | 24 | | | | | | | | | | |
| 55 | | | | | | | | | | | | | | | | | | 190 | 190 | 72 | 37 | | | | | | | | | | |
| 53 | | | | | | | | | | | | | | | | | | 265 | 265 | 129 | 46 | | | | | | | | | | |
| 51 | | | | | | | | | | | | | | | | | | 403 | 403 | 215 | 144 | | | | | | | | | | |
| 49 | | | | | | | | | | | | | | | | | | 511 | 511 | 385 | 206 | | | | | | | | | | |
| 47 | | | | | | | | | | | | | | | | | | 662 | 663 | 542 | 309 | | | | | | | | | | |
| 45 | | | | | | | | | | | | | | | | | | 672 | 672 | 721 | 520 | | | | | | | | | | |
| 43 | | | | | | | | | | | | | | | | | | 649 | 649 | 625 | 567 | | | | | | | | | | |
| 41 | | | | | | | | | | | | | | | | | | 653 | 654 | 743 | 656 | | | | | | | | | | |
| 39 | | | | | | | | | | | | | | | | | | 534 | 534 | 778 | 694 | | | | | | | | | | |
| 37 | | | | | | | | | | | | | | | | | | 418 | 418 | 543 | 699 | | | | | | | | | | |
| 35 | | | | | | | | | | | | | | | | | | 329 | 329 | 450 | 612 | | | | | | | | | | |
| 33 | | | | | | | | | | | | | | | | | | 301 | 301 | 342 | 466 | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | | | | | 271 | 271 | 276 | 440 | | | | | | | | | | |
| 29 | | | | | | | | | | | | | | | | | | 131 | 131 | 227 | 269 | | | | | | | | | | |
| 27 | | | | | | | | | | | | | | | | | | 89 | 89 | 148 | 187 | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | | | | | 69 | 69 | 116 | 128 | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | | | | | 36 | 36 | 66 | 77 | | | | | | | | | | |
| 21 | | | | | | | | | | | | | | | | | | 32 | 32 | 35 | 88 | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | | | | 8 | 8 | 19 | 106 | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | | | | | | | 7 | 51 | | | | | | | | | | |
| 15 | | | | | | | | | | | | | | | | | | | | | 49 | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | | | | | | | | 38 | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | | | 24 | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | | 10 | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | | 5 | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | | 7 | | | | | | | | | | |
| Element (X) | Σ X' | | | Σ X | | | X | | | °R | | | No. Obs. | | | Mean No. of Hours with Temperature | | | | | | | | | | | | | | | |
| Rel. Hum. | | | | | | | | | | | | | | | | ≤ 0 F | ≤ 32 F | ≥ 67 F | ≥ 73 F | ≥ 80 F | ≥ 93 F | Total | | | | | | | | | |
| Dry Bulb | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Wet Bulb | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dew Point | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

PSYCHROMETRIC SUMMARY

DEC

STATION

STATION NAME

YEARS

MONTH

PAGE 1

7636-3700

HOURS (1-9-7-3)

[illegible]

PSYCHROMETRIC SUMMARY

DEC
MONTH

PAGE 1 0300-0500
HOURS (L. S. T.)

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

650
MONTH

PAGE 1 1670-0800
HOURS 11.5.11

| Temp.
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | | | | | | | | | | | | | | | | | TOTAL
D.B./W.B. | TOTAL | | |
|--------------|-------------------------------------|-------|-----|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|----------|----------|-----------|----|--|--|--|--|--|--------------------|-------|--|--|
| | 0 | 1-2 | 3-4 | 5-6 | 7-8 | 9-10 | 11-12 | 13-14 | 15-16 | 17-18 | 19-20 | 21-22 | 23-24 | 25-26 | 27-28 | 29-30 | ≥ 31 | Dry Bulb | Wet Bulb | Dew Point | | | | | | | | | | |
| 5 / 55 | | | .5 | .4 | | | | | | | | | | | | | | 7 | 7 | | | | | | | | | | | |
| 4 / 53 | | .9 | .4 | .5 | | | | | | | | | | | | | | 14 | 14 | | | | | | | | | | | |
| 3 / 51 | | 4.1 | .9 | | .1 | | | | | | | | | | | | | 41 | 41 | 19 | 2 | | | | | | | | | |
| 2 / 49 | | 3.7 | 1.6 | .5 | | | | | | | | | | | | | | 47 | 47 | 79 | 28 | | | | | | | | | |
| 1 / 47 | | 4.3 | 1.8 | .4 | | | | | | | | | | | | | | 50 | 50 | 41 | 34 | | | | | | | | | |
| 0 / 45 | | 5.0 | .7 | | | | | | | | | | | | | | | 54 | 54 | 57 | 34 | | | | | | | | | |
| 47 / 43 | | 5.7 | 2.1 | | .1 | | | | | | | | | | | | | 64 | 64 | 61 | 48 | | | | | | | | | |
| 27 / 41 | .6 | 5.3 | 1.1 | .4 | | | | | | | | | | | | | | 60 | 60 | 46 | 57 | | | | | | | | | |
| 1 / 39 | 1.2 | 8.5 | 3.1 | | .1 | | | | | | | | | | | | | 105 | 105 | 67 | 75 | | | | | | | | | |
| 0 / 37 | .4 | 7.9 | 1.0 | | | | | | | | | | | | | | | 75 | 75 | 56 | 67 | | | | | | | | | |
| 0 / 35 | .5 | 5.1 | .7 | .1 | | | | | | | | | | | | | | 52 | 52 | 40 | 53 | | | | | | | | | |
| 3 / 33 | .4 | 7.2 | .4 | | | | | | | | | | | | | | | 64 | 64 | 63 | 87 | | | | | | | | | |
| 0 / 31 | 1.2 | 9.8 | | | | | | | | | | | | | | | | 89 | 89 | 76 | 79 | | | | | | | | | |
| 0 / 29 | 2.3 | 2.8 | | | | | | | | | | | | | | | | 42 | 42 | 36 | 94 | | | | | | | | | |
| 0 / 27 | .4 | 1.0 | | | | | | | | | | | | | | | | 11 | 11 | 17 | 64 | | | | | | | | | |
| 0 / 25 | .6 | 1.2 | | | | | | | | | | | | | | | | 15 | 15 | 14 | 23 | | | | | | | | | |
| 0 / 23 | .2 | .2 | | | | | | | | | | | | | | | | 4 | 4 | 10 | 9 | | | | | | | | | |
| 2 / 21 | | .2 | | | | | | | | | | | | | | | | 2 | 2 | 0 | 13 | | | | | | | | | |
| 0 / 19 | | .5 | | | | | | | | | | | | | | | | 4 | 4 | 0 | 12 | | | | | | | | | |
| 0 / 17 | | | | | | | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | |
| 0 / 15 | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | |
| 0 / 13 | | .5 | | | | | | | | | | | | | | | | 4 | 4 | | 1 | | | | | | | | | |
| 1 / 11 | .3 | .2 | | | | | | | | | | | | | | | | 4 | 4 | 6 | | | | | | | | | | |
| 0 / 9 | | .1 | | | | | | | | | | | | | | | | 1 | 1 | 3 | | | | | | | | | | |
| 0 / 7 | | | | | | | | | | | | | | | | | | | | | 5 | | | | | | | | | |
| 0 / 5 | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | |
| 0 / 3 | | | | | | | | | | | | | | | | | | | | | 2 | | | | | | | | | |
| 0 / 1 | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | |
| TOTAL | 5.375 | 314.7 | 2.2 | .4 | | | | | | | | | | | | | | 809 | 817 | 809 | | | | | | | | | | |

| Element (X) | Σx' | Σx | X | σ _x | No. Obs. | Mean No. of Hours with Temperature | | | | | | Total |
|-------------|---------|-------|------|----------------|----------|------------------------------------|--------|--------|--------|--------|--------|-------|
| Rel. Hum. | 5898225 | 68827 | 85.1 | 7.256 | 809 | ≤ 0 F | ≤ 32 F | ≥ 67 F | ≥ 73 F | ≥ 80 F | ≥ 93 F | |
| Dry Bulb | 1291424 | 31710 | 39.1 | 7.865 | 810 | | 20.3 | | | | | 93 |
| Wet Bulb | 1179688 | 33306 | 37.5 | 7.412 | 809 | | 25.3 | | | | | 93 |
| Dew Point | 140415 | 29311 | 35.0 | 7.840 | 809 | .1 | 36.1 | | | | | 93 |

PSYCHROMETRIC SUMMARY

YEARS

DEC
MONIN

PAGE 1 7970-1100
HOURS (L. S. T.)

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

050
MONTH

PAGE : 1200-1400
HOURS (L. S. T.)

[illegible]

USAFETAC
FORM
MAY 64
0-26-5 (OL A)
REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AF WEATHER SERVICE/MAC

PSYCHROMETRIC SUMMARY

740770 DAY AAF/FT LEWIS WA
STATION STATION NAME

73-31

YEARS

DEC
MONTH

PAGE 1 1500-1700
HOURS (L. S. T.)

| Temp.
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | | | | | | | | | | | | | | | | | | TOTAL | | TOTAL | |
|--------------|-------------------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------|------------------------------------|----------|----------|-----------|--------|--------|--|-------|-----|--|-----|-------|--|-------|--|
| | 0 | 1-2 | 3-4 | 5-6 | 7-8 | 9-10 | 11-12 | 13-14 | 15-16 | 17-18 | 19-20 | 21-22 | 23-24 | 25-26 | 27+ | 21-31 | D.B./W.B. | Dry Bulb | Wet Bulb | Dew Point | | | | | | | | | | | |
| 1 / 57 | | | | .1 | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | |
| 1 / 56 | | | .1 | | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | |
| 1 / 55 | | | | .1 | | | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | | |
| 1 / 54 | | .1 | .1 | .2 | | | | | | | | | | | | | 4 | 4 | | | | | | | | | | | | | |
| 5 / 53 | | .6 | .7 | .6 | .2 | | | | | | | | | | | | 18 | 18 | | | | | | | | | | | | | |
| 4 / 52 | | 2.5 | .9 | .5 | .2 | | | | | | | | | | | | 73 | 33 | 10 | 4 | | | | | | | | | | | |
| 1 / 51 | | 1.9 | 1.7 | 1.2 | | | | | | | | | | | | | 39 | 39 | 26 | 14 | | | | | | | | | | | |
| 5 / 49 | | 4.7 | 4.4 | 1.7 | .2 | | | | | | | | | | | | 89 | 39 | 26 | 22 | | | | | | | | | | | |
| 1 / 47 | | 4.5 | 3.5 | 1.5 | .1 | .2 | | | | | | | | | | | 75 | 75 | 76 | 34 | | | | | | | | | | | |
| 4 / 46 | | 5.6 | 4.5 | .4 | | | | | | | | | | | | | 84 | 84 | 81 | 49 | | | | | | | | | | | |
| 4 / 43 | | 5.9 | 6.1 | 1.5 | | | | | | | | | | | | | 107 | 1.7 | 26 | 51 | | | | | | | | | | | |
| 12 / 41 | .2 | 3.7 | 6.5 | 1.5 | .4 | | | | | | | | | | | | 93 | 93 | 96 | 87 | | | | | | | | | | | |
| 4 / 39 | .4 | 6.2 | 4.2 | .6 | .2 | | | | | | | | | | | | 94 | 94 | 91 | 62 | | | | | | | | | | | |
| 1 / 37 | | 5.2 | 1.7 | .5 | | | | | | | | | | | | | 60 | 60 | 121 | 77 | | | | | | | | | | | |
| 1 / 35 | .4 | 4.9 | 1.1 | .4 | | | | | | | | | | | | | 54 | 54 | 63 | 128 | | | | | | | | | | | |
| 3 / 33 | .4 | 2.6 | .5 | .2 | | | | | | | | | | | | | 30 | 30 | 67 | 74 | | | | | | | | | | | |
| 1 / 31 | .2 | .6 | .1 | | | | | | | | | | | | | | 8 | 8 | 27 | 95 | | | | | | | | | | | |
| 1 / 29 | | | | .1 | | | | | | | | | | | | | 1 | 1 | 9 | 39 | | | | | | | | | | | |
| 1 / 27 | | | | .3 | | | | | | | | | | | | | 2 | 2 | 1 | 18 | | | | | | | | | | | |
| 1 / 25 | | | | .4 | .1 | | | | | | | | | | | | 4 | 4 | | 8 | | | | | | | | | | | |
| 1 / 23 | | | | .4 | | | | | | | | | | | | | 2 | 2 | 1 | 5 | | | | | | | | | | | |
| 2 / 21 | | .2 | .1 | | | | | | | | | | | | | | 3 | 3 | 5 | 9 | | | | | | | | | | | |
| 1 / 19 | | | | | | | | | | | | | | | | | | | 1 | 7 | | | | | | | | | | | |
| 1 / 17 | | | | | | | | | | | | | | | | | | | 1 | 2 | | | | | | | | | | | |
| 1 / 15 | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | |
| 1 / 13 | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | |
| 1 / 11 | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | |
| 1 / 9 | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | |
| 1 / 7 | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | |
| 1 / 5 | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | |
| 1 / 3 | | | | | | | | | | | | | | | | | | | | 2 | | | | | | | | | | | |
| TOTAL | 1.64 | 6.635 | 7.12 | 2.1 | .6 | .2 | | | | | | | | | | | | 803 | 803 | 803 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 803 | | 803 | | | | |
| Element (X) | Z _X | Z _X | Z _X | Z _X | Z _X | Z _X | Z _X | Z _X | Z _X | Z _X | Z _X | Z _X | Z _X | Z _X | Z _X | No. Obs. | Mean No. of Hours with Temperature | | | | | | | Total | | | | | | | |
| Rel. Hum. | 5.63611 | 63161 | 78.7 | 11.255 | | | | | | | | | | | | 803 | ≤ 0 F | ≤ 32 F | ≤ 67 F | ≤ 73 F | ≤ 80 F | ≤ 93 F | | | | | | | | | |
| Dry Bulb | 1552323 | 34961 | 43.5 | 6.186 | | | | | | | | | | | | 803 | | 2.3 | | | | | | 93 | | | | | | | |
| Wet Bulb | 1363373 | 32729 | 40.8 | 6.054 | | | | | | | | | | | | 803 | | | | | | | | 93 | | | | | | | |
| Dew Point | 1153254 | 29853 | 37.1 | 7.666 | | | | | | | | | | | | 803 | .3 | 21.7 | | | | | | 93 | | | | | | | |

USAFETAC FORM 0-26-5 (OL A) REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

USAFETAC

PSYCHROMETRIC SUMMARY

YEARS

200
MONITOR

2638 1 1515-17.0
HOURS - S.T.

| Temp.
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | TOTAL | | TOTAL | | | |
|--------------|-------------------------------------|---|---|---|---|---|---|---|---|---|-------|-----------|----------|----------|-----------|--|
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | D.B. W.B. | Dry Bulb | Wet Bulb | Dew Point | |
| 7 | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | | | |
| 32 | | | | | | | | | | | | | | | | |
| 33 | | | | | | | | | | | | | | | | |
| 34 | | | | | | | | | | | | | | | | |
| 35 | | | | | | | | | | | | | | | | |
| 36 | | | | | | | | | | | | | | | | |
| 37 | | | | | | | | | | | | | | | | |
| 38 | | | | | | | | | | | | | | | | |
| 39 | | | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | | | | | |
| 41 | | | | | | | | | | | | | | | | |
| 42 | | | | | | | | | | | | | | | | |
| 43 | | | | | | | | | | | | | | | | |
| 44 | | | | | | | | | | | | | | | | |
| 45 | | | | | | | | | | | | | | | | |
| 46 | | | | | | | | | | | | | | | | |
| 47 | | | | | | | | | | | | | | | | |
| 48 | | | | | | | | | | | | | | | | |
| 49 | | | | | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | | | | | |
| 51 | | | | | | | | | | | | | | | | |
| 52 | | | | | | | | | | | | | | | | |
| 53 | | | | | | | | | | | | | | | | |
| 54 | | | | | | | | | | | | | | | | |
| 55 | | | | | | | | | | | | | | | | |
| 56 | | | | | | | | | | | | | | | | |
| 57 | | | | | | | | | | | | | | | | |
| 58 | | | | | | | | | | | | | | | | |
| 59 | | | | | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | | | | | |
| 61 | | | | | | | | | | | | | | | | |
| 62 | | | | | | | | | | | | | | | | |
| 63 | | | | | | | | | | | | | | | | |
| 64 | | | | | | | | | | | | | | | | |
| 65 | | | | | | | | | | | | | | | | |
| 66 | | | | | | | | | | | | | | | | |
| 67 | | | | | | | | | | | | | | | | |
| 68 | | | | | | | | | | | | | | | | |
| 69 | | | | | | | | | | | | | | | | |
| 70 | | | | | | | | | | | | | | | | |
| 71 | | | | | | | | | | | | | | | | |
| 72 | | | | | | | | | | | | | | | | |
| 73 | | | | | | | | | | | | | | | | |
| 74 | | | | | | | | | | | | | | | | |
| 75 | | | | | | | | | | | | | | | | |

PSYCHROMETRIC SUMMARY

YEARS

OF
MONTH

PAGE 1 2100-2700
HOURS (L. S. T.)

[illegible]

USAFETAC FORM 0-26-5 (OL A) REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JUL 64

PSYCHROMETRIC SUMMARY

YEARS

DEC
MONTH

PAGE 5

A 1 1

HOURS 10, 5, 7, 1

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

DE C
MONTH

PAGE 2

211

HOURS (L, S, T,)

[illegible]

USAFETAC FORM 0-26-5 (OL A) REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PSYCHROMETRIC SUMMARY

ALL
WORTH

HOURS A. S. T.

[illegible]

PSYCHROMETRIC SUMMARY

YEARS

ALL
MONTH

PAGE 2

ALL
HOURS (L. S. T.)

| Temp.
(F) | WET BULB TEMPERATURE DEPRESSION (F) | | | | | | | | | | | | | | | | | | | | | TOTAL
D.B./W.B. | TOTAL | | |
|--------------|-------------------------------------|------|------|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|----------|----------|-----------|-------|--------------------|-------|--|--|
| | 0 | 1-2 | 3-4 | 5-6 | 7-8 | 9-10 | 11-12 | 13-14 | 15-16 | 17-18 | 19-20 | 21-22 | 23-24 | 25-26 | 27-28 | 29-30 | ≥ 31 | Dry Bulb | Wet Bulb | Dew Point | | | | | |
| / 3 | | .3 | 1.7 | .2 | .1 | .1 | .0 | | | | | | | | | | | 1828 | 1429 | 7.33 | 4395 | | | | |
| / 2 | | .3 | .7 | .2 | .0 | .0 | | | | | | | | | | | | 989 | 389 | 1656 | 2764 | | | | |
| / 21 | | .2 | .4 | .1 | .0 | .0 | | | | | | | | | | | | 479 | 479 | 8.13 | 1412 | | | | |
| / 25 | | .1 | .3 | .1 | .0 | .1 | | | | | | | | | | | | 354 | 355 | 543 | 974 | | | | |
| / 27 | | .1 | .1 | .0 | .0 | | | | | | | | | | | | | 158 | 158 | 356 | 469 | | | | |
| / 21 | | .1 | .1 | .0 | .0 | | | | | | | | | | | | | 150 | 150 | 221 | 461 | | | | |
| / 15 | | .1 | .1 | .0 | .0 | | | | | | | | | | | | | 113 | 113 | 173 | 472 | | | | |
| / 17 | | | .1 | .0 | | | | | | | | | | | | | | 58 | 59 | 84 | 269 | | | | |
| / 15 | | | .0 | .0 | | | | | | | | | | | | | | 42 | 43 | 57 | 268 | | | | |
| / 13 | | | .0 | .0 | | | | | | | | | | | | | | 47 | 47 | 43 | 188 | | | | |
| 1 / 11 | | | .0 | .0 | | | | | | | | | | | | | | 73 | 33 | 61 | 155 | | | | |
| / | | | .0 | | | | | | | | | | | | | | | 13 | 13 | 26 | 75 | | | | |
| / | | | .0 | | | | | | | | | | | | | | | 7 | 7 | 11 | 89 | | | | |
| / | | | | | | | | | | | | | | | | | | | | 3 | 72 | | | | |
| / | | | | | | | | | | | | | | | | | | | | | 75 | | | | |
| / | | | | | | | | | | | | | | | | | | | | | 61 | | | | |
| / | | | | | | | | | | | | | | | | | | | | | 41 | | | | |
| - / -7 | | | | | | | | | | | | | | | | | | | | | 37 | | | | |
| - / -5 | | | | | | | | | | | | | | | | | | | | | 16 | | | | |
| - / -7 | | | | | | | | | | | | | | | | | | | | | 14 | | | | |
| - / -9 | | | | | | | | | | | | | | | | | | | | | 3 | | | | |
| - / -11 | | | | | | | | | | | | | | | | | | | | | 1 | | | | |
| -1 / -13 | | | | | | | | | | | | | | | | | | | | | 1 | | | | |
| TOTAL | 7.13F | 7.25 | 6.12 | 6.6 | 7.9 | 4.9 | 3.1 | 1.7 | 1.1 | .6 | .3 | .2 | .1 | .1 | .7 | .7 | .7 | 78515 | 78525 | | 78515 | | | | |
| | | | | | | | | | | | | | | | | | | 78515 | | 78515 | | | | | |

| Element (X) | Σx ² | Σx | X | σ _x | No. Obs. | Mean No. of Hours with Temperature | | | | | | Total |
|-------------|-----------------|---------|--------|----------------|----------|------------------------------------|--------|--------|--------|--------|--------|-------|
| Rel. Hum. | 455270.313 | 585.163 | 74.515 | 7.12 | 78515 | ≤ 0 F | ≤ 32 F | ≥ 67 F | ≥ 73 F | ≥ 80 F | ≥ 93 F | |
| Dry Bulb | 2075831.5 | 3932685 | 50.111 | 6.33 | 78525 | | 481.0 | 711.0 | 326.4 | 106.0 | 5.2 | 8760 |
| Wet Bulb | 171887251 | 361127 | 45.9 | 9.239 | 78515 | | 678.6 | 43.1 | .4 | | | 8760 |
| Dew Point | 142131686 | 3260524 | 41.5 | 9.259 | 78515 | 12.8 | 1392.6 | | | | | 8760 |

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

MEANS AND STANDARD DEVIATIONS

DRY-BULB TEMPERATURES DEG F FROM HOURLY OBSERVATIONS

792070 GRAY AAF/FT LEWIS WA

73-81

| STATION | STATION NAME | YEARS | | | | | | | | | | | | | |
|-----------|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| | | | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
| 1-00 | MEAN | | 35.7 | 38.6 | 40.1 | 42.8 | 47.1 | 51.8 | 56.0 | 56.8 | 53.4 | 46.2 | 41.1 | 37.5 | 45.9 |
| | S D | | 6.321 | 6.533 | 5.473 | 5.314 | 4.720 | 4.582 | 4.127 | 4.092 | 4.639 | 5.921 | 7.744 | 7.568 | 9.119 |
| | TOTAL OBS | | 823 | 762 | 837 | 810 | 837 | 810 | 837 | 837 | 810 | 837 | 810 | 812 | 9822 |
| 1-05 | MEAN | | 35.1 | 38.0 | 39.0 | 41.0 | 45.3 | 49.9 | 53.4 | 54.7 | 51.7 | 45.2 | 40.5 | 39.2 | 44.5 |
| | S D | | 8.834 | 6.677 | 5.809 | 5.516 | 4.750 | 4.718 | 3.980 | 4.077 | 4.984 | 6.184 | 8.017 | 7.880 | 8.828 |
| | TOTAL OBS | | 822 | 762 | 837 | 810 | 837 | 810 | 837 | 837 | 810 | 837 | 810 | 809 | 9818 |
| 1-10 | MEAN | | 34.3 | 37.7 | 38.9 | 42.8 | 48.7 | 53.7 | 56.9 | 56.5 | 53.0 | 45.6 | 40.3 | 39.1 | 45.7 |
| | S D | | 9.121 | 6.719 | 5.874 | 5.345 | 4.631 | 4.621 | 4.455 | 4.525 | 5.003 | 6.068 | 8.087 | 7.865 | 9.749 |
| | TOTAL OBS | | 822 | 762 | 837 | 810 | 837 | 809 | 837 | 837 | 810 | 837 | 810 | 810 | 9818 |
| 1-11 | MEAN | | 37.7 | 41.6 | 44.4 | 49.8 | 55.0 | 59.6 | 63.9 | 63.4 | 61.3 | 52.3 | 43.9 | 47.9 | 41.2 |
| | S D | | 7.977 | 6.235 | 5.071 | 5.593 | 5.686 | 6.045 | 6.133 | 6.259 | 5.503 | 5.668 | 7.478 | 7.346 | 11.046 |
| | TOTAL OBS | | 822 | 762 | 837 | 810 | 837 | 810 | 837 | 837 | 810 | 837 | 810 | 810 | 9819 |
| 1-14 | MEAN | | 41.2 | 46.0 | 49.3 | 54.2 | 58.9 | 64.2 | 69.3 | 69.2 | 66.5 | 57.7 | 47.7 | 44.1 | 55.8 |
| | S D | | 6.444 | 5.722 | 5.515 | 6.895 | 7.239 | 7.261 | 7.438 | 7.794 | 6.935 | 6.263 | 6.667 | 6.342 | 11.776 |
| | TOTAL OBS | | 822 | 762 | 837 | 810 | 837 | 810 | 837 | 837 | 810 | 837 | 810 | 808 | 9817 |
| 1-17 | MEAN | | 41.6 | 46.3 | 50.0 | 55.3 | 60.0 | 65.0 | 71.7 | 71.4 | 67.7 | 57.0 | 47.2 | 43.5 | 56.7 |
| | S D | | 6.126 | 5.729 | 5.885 | 7.515 | 7.976 | 8.246 | 7.937 | 8.671 | 7.785 | 6.369 | 6.623 | 6.186 | 12.647 |
| | TOTAL OBS | | 822 | 762 | 837 | 810 | 837 | 810 | 837 | 837 | 810 | 837 | 810 | 803 | 9812 |
| 1-20 | MEAN | | 38.3 | 42.2 | 45.9 | 51.4 | 56.5 | 62.5 | 68.4 | 67.5 | 62.0 | 51.7 | 43.5 | 40.8 | 52.7 |
| | S D | | 6.738 | 5.671 | 5.287 | 6.844 | 7.175 | 7.296 | 7.541 | 7.856 | 6.321 | 5.295 | 7.014 | 6.939 | 12.232 |
| | TOTAL OBS | | 822 | 762 | 836 | 810 | 837 | 810 | 837 | 837 | 810 | 837 | 810 | 801 | 9809 |
| 1-23 | MEAN | | 36.7 | 40.0 | 42.1 | 46.1 | 50.6 | 56.0 | 60.7 | 60.6 | 56.2 | 48.1 | 41.9 | 39.7 | 48.3 |
| | S D | | 7.443 | 6.270 | 4.946 | 5.671 | 5.305 | 5.110 | 5.069 | 5.169 | 4.605 | 5.419 | 7.393 | 7.514 | 10.060 |
| | TOTAL OBS | | 822 | 762 | 837 | 810 | 837 | 810 | 837 | 837 | 810 | 837 | 810 | 801 | 9810 |
| ALL HOURS | MEAN | | 37.5 | 41.3 | 43.8 | 47.9 | 52.8 | 57.9 | 62.5 | 62.5 | 58.9 | 50.6 | 43.3 | 40.8 | 50.1 |
| | S D | | 8.077 | 6.975 | 6.886 | 8.011 | 7.991 | 8.253 | 8.805 | 8.655 | 8.266 | 7.629 | 7.868 | 7.452 | 11.633 |
| | TOTAL OBS | | 6577 | 6096 | 6695 | 6480 | 6696 | 6479 | 6696 | 6696 | 6480 | 6696 | 6480 | 6454 | 78525 |

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

MEANS AND STANDARD DEVIATIONS

WET-BULB TEMPERATURES DEG F FROM HOURLY OBSERVATIONS

740070 GRAY AAF/FT LEWIS WA

73-81

STATION

STATION NAME

YEARS

| HRS LST | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|-----------|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------|
| 0-12 | MEAN 34.3
S D 8.309
TOTAL OBS 823 | 36.2
6.228
762 | 37.8
5.275
837 | 42.3
4.717
810 | 44.2
4.297
837 | 48.6
3.947
810 | 52.4
3.652
837 | 53.6
3.494
836 | 50.9
4.344
810 | 44.2
5.462
837 | 39.3
7.498
810 | 37.9
7.251
812 | 43.4
8.482
9821 |
| 3-05 | MEAN 33.6
S D 8.723
TOTAL OBS 822 | 36.4
6.345
762 | 36.9
5.546
837 | 38.9
5.063
810 | 42.9
4.469
837 | 47.3
4.271
810 | 50.7
3.710
837 | 52.2
3.791
837 | 49.5
4.749
809 | 43.4
5.851
837 | 38.7
7.618
809 | 37.3
7.495
879 | 42.4
8.381
9816 |
| 6-08 | MEAN 33.2
S D 8.976
TOTAL OBS 822 | 36.2
6.372
762 | 36.9
5.571
837 | 40.2
4.763
810 | 45.4
4.086
837 | 49.8
3.756
809 | 53.0
3.483
836 | 53.5
3.717
837 | 50.6
4.604
809 | 43.8
5.715
837 | 38.5
7.696
808 | 37.5
7.412
809 | 43.3
8.935
9813 |
| 9-11 | MEAN 35.1
S D 7.908
TOTAL OBS 821 | 39.1
5.796
762 | 41.0
4.580
837 | 44.5
4.145
810 | 48.9
4.191
837 | 53.0
4.114
810 | 56.7
3.858
837 | 57.3
3.696
837 | 53.8
3.476
810 | 48.8
4.419
837 | 41.4
7.120
810 | 38.8
6.895
809 | 46.8
9.062
9817 |
| 12-14 | MEAN 38.1
S D 6.884
TOTAL OBS 822 | 41.9
5.230
762 | 43.3
4.479
837 | 46.8
4.645
810 | 50.7
4.616
837 | 55.2
4.428
810 | 59.2
4.201
837 | 59.9
4.075
837 | 58.0
3.707
810 | 51.7
4.185
837 | 43.9
6.325
810 | 41.1
6.082
878 | 49.2
8.870
9817 |
| 15-17 | MEAN 38.3
S D 6.691
TOTAL OBS 822 | 42.0
5.195
762 | 43.5
4.566
837 | 47.1
4.631
810 | 51.0
4.564
837 | 55.8
4.664
810 | 60.1
4.171
837 | 60.5
4.145
837 | 58.3
3.959
810 | 51.6
4.427
837 | 43.6
6.352
810 | 40.8
6.054
803 | 49.5
9.100
9812 |
| 18-20 | MEAN 36.2
S D 7.113
TOTAL OBS 822 | 39.5
5.448
762 | 41.4
4.700
836 | 45.1
4.624
810 | 49.3
4.480
837 | 54.2
4.350
810 | 58.5
4.115
837 | 59.0
3.999
837 | 55.9
3.896
810 | 48.4
4.579
837 | 41.3
6.847
810 | 38.8
6.669
801 | 47.4
9.318
9809 |
| 21-23 | MEAN 34.9
S D 7.542
TOTAL OBS 822 | 37.9
5.958
762 | 39.3
4.863
837 | 42.3
4.539
810 | 46.4
4.237
837 | 51.0
3.836
810 | 55.2
3.695
837 | 55.9
3.611
837 | 52.8
4.002
810 | 45.8
5.002
837 | 40.0
7.186
810 | 37.9
7.230
801 | 45.0
8.807
9810 |
| ALL HOURS | MEAN 35.4
S D 8.018
TOTAL OBS 6576 | 38.7
6.227
6096 | 40.0
5.570
6695 | 43.2
5.502
6480 | 47.4
5.208
6696 | 51.8
5.118
6479 | 55.7
5.041
6695 | 56.5
4.841
6695 | 53.9
5.224
6478 | 47.2
5.913
6696 | 40.8
7.359
6477 | 38.8
7.033
6452 | 45.9
9.239
78515 |

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AF WEATHER SERVICE/MAC

MEANS AND STANDARD DEVIATIONS

DEW-POINT TEMPERATURES DEG F FROM HOURLY OBSERVATIONS

740070 GRAY AAF/FT LEWIS WA

73-81

STATION

STATION NAME

YEARS

| HRS LST | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|-----------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| 0-02 | MEAN 30.3 | 34.2 | 34.8 | 37.0 | 41.0 | 45.4 | 49.3 | 51.0 | 48.7 | 42.1 | 36.8 | 35.4 | 40.6 |
| | S D 1.441 | 7.212 | 6.030 | 5.028 | 4.677 | 4.380 | 4.121 | 3.816 | 4.811 | 5.627 | 8.455 | 7.857 | 9.054 |
| | TOTAL OBS 823 | 762 | 837 | 810 | 837 | 810 | 837 | 836 | 810 | 837 | 810 | 812 | 9821 |
| 3-05 | MEAN 30.5 | 33.8 | 33.8 | 36.1 | 40.2 | 44.6 | 48.3 | 50.0 | 47.6 | 41.4 | 36.2 | 35.1 | 39.9 |
| | S D 10.624 | 7.196 | 6.221 | 5.354 | 4.880 | 4.660 | 4.128 | 4.095 | 5.124 | 6.062 | 8.419 | 7.971 | 9.030 |
| | TOTAL OBS 822 | 762 | 837 | 810 | 837 | 810 | 837 | 837 | 809 | 837 | 809 | 879 | 9816 |
| 6-08 | MEAN 30.2 | 33.7 | 33.9 | 37.0 | 41.8 | 46.3 | 49.8 | 51.1 | 48.5 | 41.8 | 36.0 | 35.0 | 40.5 |
| | S D 10.815 | 7.062 | 6.134 | 5.007 | 4.498 | 4.219 | 3.688 | 3.824 | 4.866 | 5.942 | 8.428 | 7.847 | 9.324 |
| | TOTAL OBS 822 | 762 | 837 | 810 | 837 | 809 | 836 | 837 | 809 | 837 | 808 | 879 | 9813 |
| 9-11 | MEAN 31.7 | 35.7 | 36.2 | 38.5 | 42.7 | 47.2 | 51.0 | 52.7 | 51.1 | 45.5 | 38.2 | 36.1 | 42.3 |
| | S D 10.203 | 6.940 | 5.920 | 4.809 | 4.756 | 4.659 | 3.990 | 3.531 | 3.815 | 4.345 | 8.205 | 7.573 | 9.120 |
| | TOTAL OBS 821 | 762 | 837 | 810 | 837 | 810 | 837 | 837 | 810 | 837 | 810 | 809 | 9817 |
| 12-14 | MEAN 33.1 | 36.6 | 36.0 | 38.7 | 42.7 | 47.5 | 51.6 | 53.1 | 51.4 | 46.2 | 39.3 | 37.3 | 42.8 |
| | S D 1.668 | 7.196 | 6.474 | 5.492 | 5.053 | 5.210 | 4.305 | 3.909 | 4.265 | 4.460 | 8.232 | 7.618 | 9.200 |
| | TOTAL OBS 822 | 762 | 837 | 810 | 837 | 810 | 837 | 837 | 810 | 837 | 810 | 808 | 9817 |
| 15-17 | MEAN 33.2 | 36.4 | 35.4 | 37.9 | 42.2 | 47.4 | 51.4 | 52.7 | 51.3 | 45.9 | 39.3 | 37.1 | 42.6 |
| | S D 10.757 | 7.537 | 7.101 | 5.900 | 5.359 | 5.584 | 4.744 | 4.372 | 4.839 | 5.015 | 8.196 | 7.666 | 9.394 |
| | TOTAL OBS 822 | 762 | 837 | 810 | 837 | 810 | 837 | 837 | 810 | 837 | 810 | 803 | 9812 |
| 18-20 | MEAN 32.3 | 35.8 | 35.6 | 37.9 | 42.1 | 46.9 | 50.8 | 52.6 | 50.9 | 45.2 | 38.5 | 36.0 | 42.1 |
| | S D 10.313 | 7.243 | 6.632 | 5.703 | 5.278 | 5.053 | 4.697 | 4.300 | 4.740 | 4.884 | 7.928 | 7.676 | 9.298 |
| | TOTAL OBS 822 | 762 | 836 | 810 | 837 | 810 | 837 | 837 | 810 | 837 | 810 | 801 | 9809 |
| 1-23 | MEAN 31.5 | 35.0 | 35.4 | 37.9 | 41.9 | 46.3 | 50.6 | 52.2 | 49.9 | 43.5 | 37.4 | 35.3 | 41.5 |
| | S D 10.122 | 7.109 | 6.048 | 5.024 | 4.727 | 4.448 | 4.192 | 3.825 | 4.579 | 5.286 | 8.224 | 8.052 | 9.189 |
| | TOTAL OBS 822 | 762 | 837 | 810 | 837 | 810 | 837 | 837 | 810 | 837 | 810 | 801 | 9810 |
| ALL HOURS | MEAN 31.7 | 35.2 | 35.1 | 37.6 | 41.8 | 46.4 | 50.4 | 51.8 | 49.8 | 43.6 | 37.7 | 35.6 | 41.5 |
| | S D 10.543 | 7.267 | 6.384 | 5.362 | 4.976 | 4.885 | 4.375 | 4.094 | 4.834 | 5.555 | 8.348 | 7.815 | 9.259 |
| | TOTAL OBS 6576 | 6296 | 6695 | 6480 | 6696 | 6479 | 6695 | 6695 | 6478 | 6696 | 6477 | 6452 | 78515 |

AL CLIMATOLOGY BRANCH
 TAC
 DATA-REP. SERVICE/MAC

RELATIVE HUMIDITY

STATION

STATION NAME

PERIOD

MONTH

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

| MONTH | HOURS
(LST) | PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN | | | | | | | | | MEAN
RELATIVE
HUMIDITY | TOTAL
NO. OF
OBS |
|-------|----------------|--|-------|------|------|------|------|------|------|------|------------------------------|------------------------|
| | | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | | |
| 1-5 | 1-5 | 100.0 | 100.0 | 99.7 | 98.7 | 96.7 | 93.7 | 87.7 | 71.0 | 41.7 | 31.7 | 123 |
| | 6-10 | 100.0 | 100.0 | 99.4 | 98.4 | 97.4 | 94.4 | 87.4 | 70.7 | 39.7 | 29.7 | 123 |
| | 11-15 | 100.0 | 99.9 | 99.7 | 98.8 | 97.6 | 94.1 | 87.4 | 72.4 | 37.7 | 27.7 | 123 |
| | 16-20 | 100.0 | 99.8 | 99.7 | 97.8 | 96.6 | 93.4 | 84.7 | 66.1 | 27.7 | 17.7 | 123 |
| | 21-25 | 100.0 | 99.8 | 97.7 | 93.7 | 89.8 | 80.7 | 69.7 | 48.7 | 21.7 | 10.7 | 123 |
| | 26-30 | 100.0 | 99.8 | 96.7 | 92.7 | 88.7 | 80.0 | 66.7 | 48.7 | 21.7 | 10.7 | 123 |
| | 31-35 | 100.0 | 100.0 | 97.7 | 93.9 | 94.3 | 83.4 | 61.7 | 46.7 | 22.1 | 10.7 | 123 |
| | 36-40 | 100.0 | 100.0 | 99.7 | 97.7 | 94.9 | 92.5 | 86.9 | 71.7 | 24.5 | 10.7 | 123 |
| | 41-45 | | | | | | | | | | | |
| | 46-50 | | | | | | | | | | | |
| | 51-55 | | | | | | | | | | | |
| | 56-60 | | | | | | | | | | | |
| | 61-65 | | | | | | | | | | | |
| | 66-70 | | | | | | | | | | | |
| | 71-75 | | | | | | | | | | | |
| | 76-80 | | | | | | | | | | | |
| | 81-85 | | | | | | | | | | | |
| | 86-90 | | | | | | | | | | | |
| | 91-95 | | | | | | | | | | | |
| | 96-100 | | | | | | | | | | | |
| | TOTALS | 100.0 | 99.9 | 99.5 | 98.6 | 94.4 | 90.7 | 81.7 | 63.7 | 30.7 | . | 173 |

USAFETAC

FORM
JUL 64

0-87-5 (OL A)

U.S. AIR FORCE CLIMATOLOGY BRANCH
 AFM TAC
 WEATHER SERVICE/MAC

RELATIVE HUMIDITY

STATION DAY MARKET LGTWS WA STATION NAME 77-81 PERIOD 1950 MONTH 1950

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

| MONTH | HOURS
(LST) | PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN | | | | | | | | | MEAN
RELATIVE
HUMIDITY | TOTAL
NO OF
OBS |
|--------|----------------|--|-------|-------|-------|-------|-------|-------|-------|-------|------------------------------|-----------------------|
| | | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | | |
| 1 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 2 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 3 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 4 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 5 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 6 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 7 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 8 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 9 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 10 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 11 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 12 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 13 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 14 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 15 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 16 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 17 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 18 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 19 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 20 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 21 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 22 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 23 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| 24 | 1-24 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |
| TOTALS | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 24 |

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 08-29-2007 BY 60322 UCBAW

1

MONTH

[illegible]

[illegible]

STATION

STATION NAME

PERIOD

MONTH

[illegible]

1. THE FOLLOWING DATA ARE FROM THE
 2. MONTHLY SUMMARY REPORT
 3. FOR THE MONTH OF JANUARY

RELATIVE HUMIDITY

STATION AN APPOINTMENT OFFICE STATION NAME AN APPOINTMENT OFFICE PERIOD 1960 MONTH JAN

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

| MONTH | HOURS
(LST) | PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN | | | | | | | | | MEAN
RELATIVE
HUMIDITY | TOTAL
NO. OF
OBS |
|-------|----------------|--|-------|-------|-------|-------|-------|-------|-------|-------|------------------------------|------------------------|
| | | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | | |
| JAN | 1-5 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 5 |
| | 6-10 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 5 |
| | 11-15 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 5 |
| | 16-20 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 5 |
| | 21-25 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 5 |
| | 26-30 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 5 |
| | 31 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 1 |
| | TOTALS | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 31 |

1. *Pharmaceutical industry*—United States—History. I. Title. II. Series.

1. ADULTS - 5.74. 23

| STATION | STATION NAME | PERIOD | MONTH |
|---------|--------------|--------|-------|
| | | | |

[illegible]

STATION

STATION NAME

PERIOD

MONTH

[illegible]

SECRET

MONTH

[illegible]

RELATIVE HUMIDITY

STATION

STATION NAME

PERIOD

MONTH

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

| MONTH | HOURS
(L.S.T.) | PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN | | | | | | | | | MEAN
RELATIVE
HUMIDITY | TOTAL
NO. OF
OBS |
|-------|-------------------|--|-------|-------|-------|-------|-------|-------|-------|-------|------------------------------|------------------------|
| | | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | | |
| | -12 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 1 |
| | -11 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 99.4 | 97.7 | 95.0 | 91.0 | 86.0 | 1 |
| | -10 | 100.0 | 100.0 | 100.0 | 100.0 | 99.7 | 99.0 | 96.7 | 93.0 | 88.0 | 82.0 | 1 |
| | -9 | 100.0 | 100.0 | 99.9 | 99.6 | 99.5 | 98.9 | 95.0 | 90.0 | 84.0 | 77.0 | 1 |
| | -8 | 100.0 | 100.0 | 99.6 | 98.9 | 98.0 | 96.1 | 92.4 | 87.0 | 80.0 | 72.0 | 1 |
| | -7 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | -6 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | -5 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | -4 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | -3 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | -2 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | -1 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 0 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 1 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 2 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 3 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 4 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 5 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 6 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 7 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 8 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 9 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 10 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 11 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 12 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 13 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 14 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 15 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 16 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 17 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 18 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 19 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 20 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 21 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 22 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 23 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | 24 | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 1 |
| | TOTALS | 100.0 | 100.0 | 99.0 | 98.0 | 97.0 | 94.1 | 89.0 | 82.0 | 74.0 | 65.0 | 144 |

USAPETAC

FORM
JUL 64

0-87-5 (OL A)

1. CLIM. TEL. NO. 1-243-1111
 2. AIR SERVICE 7/1/67

RELATIVE HUMIDITY

STATION AN BARRET LEWIS 74 STATION NAME 74-81 PERIOD 7-1-67 MONTH 7

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

| MONTH | HOURS
(L.S.T.) | PERCENTAGE FREQUENCY OF RELATIVE HUMIDITY GREATER THAN | | | | | | | | | MEAN
RELATIVE
HUMIDITY | TOTAL
NO. OF
OBS |
|--------|-------------------|--|-------|------|------|------|------|------|------|------|------------------------------|------------------------|
| | | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | | |
| | LL | 7.7 | 9.9 | 94.3 | 9.6 | 94.4 | 7.7 | 41.7 | 42.1 | 27.3 | . | 74 |
| | | 7.7 | 100. | 94.4 | 9.7 | 94.5 | 7.7 | 73.4 | 42.1 | 27.3 | 73. | 74 |
| | | 7.7 | 100. | 94.7 | 70.7 | 97.1 | 42.1 | 64.7 | 73.4 | 7.7 | 73. | 1677 |
| | | 7.7 | 100. | 94.5 | 42.7 | 64.7 | 73.4 | 66.1 | 73.4 | 7.4 | 67.1 | 74 |
| | | 7.7 | 100.9 | 94.9 | 41.3 | 64.7 | 7.7 | 67.7 | 7.7 | 7.1 | 67.1 | 1677 |
| | | 7.7 | 99.9 | 94.7 | 91.6 | 87. | 67.4 | 43.4 | 7.7 | 7.1 | 67. | 74 |
| | | 7.7 | 9.9 | 91.6 | 71.6 | 61.7 | 65.1 | 45.5 | 41.4 | 4.3 | 66.1 | 1677 |
| | | 7.7 | 9.5 | 94.5 | 46.7 | 77.5 | 56.7 | 71.1 | 7.3 | 7.7 | 67.1 | 1677 |
| | | 7.7 | 9.7 | 94.7 | 51. | 69.6 | 7.7 | 64.7 | 67. | 7.4 | 66.1 | 1678 |
| | | 7.7 | 100.0 | 94.7 | 44.3 | 46.4 | 9.6 | 73.4 | 66. | 13.4 | 73. | 1677 |
| | | 7.7 | 100.0 | 94.9 | 49.1 | 47.1 | 43.3 | 45.3 | 44. | 14.7 | 47.1 | 1677 |
| | | 7.7 | 100. | 94.9 | 7.7 | 99.1 | 97.3 | 97.1 | 44.5 | 14.5 | 7.1 | 1677 |
| TOTALS | | 7.7 | 99.9 | 94.7 | 44.7 | 47.7 | 43.7 | 67.1 | 43.5 | 11.7 | 74.3 | 74 |

U S AIR FORCE
ENVIRONMENTAL TECHNICAL
APPLICATIONS CENTER

PART F


PRESSURE SUMMARY

Presented in this part are two tables giving the means, standard deviations, and total number of observations of station pressure and sea-level pressure by month and annual for the local hourly observations corresponding to the eight 3-hourly synoptic times GCT. The same computations are also provided at the bottom of the page for all hours combined. All years of data available are combined in both of these tables, although the overall period is limited by service as indicated below.

NOTES: Station pressure not reported for all services until late in 1945.
Station pressure reported only at 6-hourly times for Air Force stations from Jan 64 - Jul 65.
METAR stations do not report Sea-level pressure for the period Jan 68 - Dec 70.

1. Station pressure is presented in the table in inches of mercury.
2. Sea-level pressure is presented in millibars.

Provided below is a scale to convert station pressure values in inches of mercury or millibars to pressure-altitude in 1000's of feet. This scale is an enlarged model of the pressure-altitude scale in the Smithsonian Meteorological Tables.



GENERAL CLIMATOLOGY BRANCH
USAFETAC
AIR WEATHER SERVICE/MAC

MEANS AND STANDARD DEVIATIONS

STATION PRESSURE IN INCHES HG FROM HOURLY OBSERVATIONS

73070 GRAY AAF/FT LEWIS WA
STATION

73-81

YEARS

| HRS | EST | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|-----------|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 | MEAN | 29.729 | 29.673 | 29.663 | 29.729 | 29.719 | 29.734 | 29.724 | 29.687 | 29.695 | 29.736 | 29.718 | 29.722 | 29.711 |
| | S D | .287 | .270 | .221 | .190 | .156 | .118 | .102 | .108 | .149 | .209 | .249 | .270 | .274 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 279 | 270 | 269 | 3272 |
| 2 | MEAN | 29.731 | 29.666 | 29.655 | 29.726 | 29.717 | 29.733 | 29.729 | 29.688 | 29.695 | 29.732 | 29.717 | 29.722 | 29.709 |
| | S D | .279 | .276 | .226 | .193 | .161 | .123 | .103 | .109 | .152 | .210 | .252 | .267 | .206 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 279 | 270 | 270 | 3273 |
| 3 | MEAN | 29.726 | 29.668 | 29.664 | 29.738 | 29.731 | 29.748 | 29.747 | 29.707 | 29.711 | 29.740 | 29.719 | 29.718 | 29.718 |
| | S D | .281 | .276 | .231 | .194 | .162 | .127 | .105 | .111 | .154 | .215 | .252 | .269 | .208 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 279 | 270 | 270 | 3273 |
| 4 | MEAN | 29.748 | 29.686 | 29.680 | 29.745 | 29.731 | 29.748 | 29.748 | 29.710 | 29.721 | 29.752 | 29.736 | 29.742 | 29.729 |
| | S D | .279 | .276 | .231 | .193 | .159 | .125 | .103 | .110 | .156 | .217 | .251 | .274 | .208 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 279 | 270 | 270 | 3273 |
| 5 | MEAN | 29.725 | 29.670 | 29.664 | 29.727 | 29.718 | 29.734 | 29.735 | 29.694 | 29.703 | 29.731 | 29.718 | 29.726 | 29.712 |
| | S D | .273 | .273 | .225 | .190 | .154 | .123 | .104 | .109 | .151 | .213 | .248 | .269 | .204 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 279 | 270 | 269 | 3272 |
| 6 | MEAN | 29.715 | 29.653 | 29.646 | 29.708 | 29.701 | 29.718 | 29.711 | 29.669 | 29.682 | 29.715 | 29.708 | 29.722 | 29.696 |
| | S D | .269 | .269 | .219 | .183 | .148 | .121 | .104 | .109 | .148 | .204 | .241 | .266 | .200 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 279 | 270 | 268 | 3271 |
| 7 | MEAN | 29.717 | 29.657 | 29.649 | 29.707 | 29.697 | 29.712 | 29.701 | 29.659 | 29.680 | 29.720 | 29.707 | 29.725 | 29.694 |
| | S D | .269 | .267 | .217 | .181 | .146 | .117 | .103 | .108 | .145 | .204 | .245 | .267 | .199 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 279 | 270 | 267 | 3270 |
| 8 | MEAN | 29.724 | 29.666 | 29.667 | 29.728 | 29.718 | 29.731 | 29.722 | 29.679 | 29.696 | 29.731 | 29.713 | 29.729 | 29.709 |
| | S D | .274 | .268 | .218 | .182 | .153 | .117 | .103 | .109 | .146 | .205 | .249 | .272 | .202 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 279 | 270 | 267 | 3270 |
| ALL HOURS | MEAN | 29.727 | 29.667 | 29.661 | 29.726 | 29.717 | 29.732 | 29.727 | 29.686 | 29.698 | 29.732 | 29.717 | 29.726 | 29.710 |
| | S D | .275 | .271 | .223 | .188 | .155 | .122 | .104 | .110 | .150 | .210 | .248 | .269 | .204 |
| | TOTAL OBS | 2192 | 2032 | 2232 | 2160 | 2232 | 2160 | 2232 | 2232 | 2160 | 2232 | 2160 | 2150 | 26174 |

GLOBAL CLIMATOLOGY BRANCH
USAFETAC
AF WEATHER SERVICE/MAC

MEANS AND STANDARD DEVIATIONS

SEA LEVEL PRESSURE IN MBS FROM HOURLY OBSERVATIONS

STATION 070 GRAY AAF/FT LEWIS WA

73-81

STATION

STATION NAME

YEARS

| HRS | ST | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | ANNUAL |
|-----------|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 | MEAN | 1018.5 | 1016.5 | 1016.1 | 1018.4 | 1017.9 | 1018.4 | 1018.0 | 1016.7 | 1017.1 | 1018.5 | 1018.3 | 1018.2 | 1017.7 |
| | S.D. | 9.542 | 9.262 | 7.457 | 6.529 | 5.309 | 3.996 | 3.475 | 3.731 | 5.117 | 7.113 | 8.452 | 9.223 | 6.953 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 279 | 270 | 269 | 3272 |
| 1 | MEAN | 1018.5 | 1016.2 | 1015.9 | 1018.2 | 1017.9 | 1018.4 | 1018.2 | 1016.8 | 1017.0 | 1018.4 | 1017.9 | 1018.2 | 1017.6 |
| | S.D. | 9.537 | 9.448 | 7.659 | 6.627 | 5.486 | 4.156 | 3.481 | 3.736 | 5.223 | 7.121 | 8.540 | 9.139 | 7.032 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 279 | 270 | 270 | 3273 |
| 1 | MEAN | 1018.3 | 1016.4 | 1016.2 | 1018.7 | 1018.4 | 1018.9 | 1018.8 | 1017.4 | 1017.6 | 1018.6 | 1018.0 | 1018.1 | 1018.0 |
| | S.D. | 9.600 | 9.491 | 7.841 | 6.636 | 5.515 | 4.268 | 3.513 | 3.830 | 5.291 | 7.290 | 8.574 | 9.239 | 7.106 |
| | TOTAL OBS | 274 | 253 | 279 | 270 | 279 | 269 | 279 | 279 | 270 | 279 | 270 | 270 | 3271 |
| 1 | MEAN | 1019.1 | 1016.9 | 1016.7 | 1018.9 | 1018.4 | 1018.9 | 1018.8 | 1017.5 | 1017.9 | 1019.1 | 1018.6 | 1018.8 | 1018.3 |
| | S.D. | 9.569 | 9.469 | 7.855 | 6.612 | 5.415 | 4.217 | 3.443 | 3.788 | 5.360 | 7.392 | 8.520 | 9.421 | 7.106 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 279 | 270 | 270 | 3273 |
| 1 | MEAN | 1018.3 | 1016.4 | 1016.2 | 1018.3 | 1017.9 | 1018.4 | 1018.4 | 1017.0 | 1017.3 | 1018.4 | 1018.0 | 1018.3 | 1017.7 |
| | S.D. | 9.348 | 9.363 | 7.658 | 6.496 | 5.261 | 4.160 | 3.506 | 3.763 | 5.196 | 7.225 | 8.396 | 9.236 | 6.972 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 278 | 279 | 270 | 279 | 270 | 269 | 3271 |
| 1 | MEAN | 1018.0 | 1015.8 | 1015.6 | 1017.7 | 1017.3 | 1017.8 | 1017.6 | 1016.1 | 1016.6 | 1017.8 | 1017.6 | 1018.1 | 1017.2 |
| | S.D. | 9.159 | 9.212 | 7.438 | 6.296 | 5.075 | 4.114 | 3.508 | 3.772 | 5.065 | 6.948 | 8.159 | 9.129 | 6.827 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 279 | 270 | 266 | 3271 |
| 1 | MEAN | 1018.0 | 1016.0 | 1015.7 | 1017.6 | 1017.2 | 1017.6 | 1017.2 | 1015.8 | 1016.5 | 1018.0 | 1017.6 | 1018.3 | 1017.1 |
| | S.D. | 9.201 | 9.140 | 7.334 | 6.207 | 4.967 | 3.961 | 3.489 | 3.731 | 4.996 | 6.977 | 8.305 | 9.155 | 6.806 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 278 | 270 | 267 | 3269 |
| 2 | MEAN | 1018.3 | 1016.3 | 1016.3 | 1018.3 | 1017.9 | 1018.3 | 1017.9 | 1016.5 | 1017.1 | 1018.3 | 1017.8 | 1018.4 | 1017.6 |
| | S.D. | 9.348 | 9.160 | 7.411 | 6.243 | 5.202 | 3.956 | 3.486 | 3.778 | 5.012 | 7.004 | 8.451 | 9.289 | 6.878 |
| | TOTAL OBS | 274 | 254 | 279 | 270 | 279 | 270 | 279 | 279 | 270 | 276 | 270 | 267 | 3269 |
| ALL HOURS | MEAN | 1018.4 | 1016.3 | 1016.1 | 1018.3 | 1017.9 | 1018.3 | 1018.1 | 1016.7 | 1017.1 | 1018.4 | 1017.9 | 1018.3 | 1017.7 |
| | S.D. | 9.405 | 9.308 | 7.580 | 6.461 | 5.288 | 4.118 | 3.521 | 3.801 | 5.168 | 7.134 | 8.417 | 9.217 | 6.969 |
| | TOTAL OBS | 2192 | 2031 | 2232 | 2160 | 2232 | 2159 | 2231 | 2232 | 2160 | 2230 | 2160 | 2150 | 26169 |

END

DATE
FILMED

6 - 83

DTI