



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

ر ج

A134238 ł, i f



PNL-2976 UC-35

ENVIRONMENTAL SURVEY OF THE B-3 AND FORD'S FARM RANGES

G. A. Stoetzel D. A. Waite(a)

R. L. Gilchrist, Project Manager

Report Completed May 1979 Published August 1983

Prepared for the U.S. Department of the Army under a Related Services Agreement with the U.S. Department of Energy under Contract DE-AC06-76RL0 1830

Pacific Northwest Laboratory Richland, Washington 99352

(a) Office of Nuclear Waste Isolation Columbus, Ohio



PREFACE

This study was conducted on the recommendation of the Joint Technical Coordinating Group for Munitions Effectiveness (JTCG/ME), Working Group on Depleted Uranium, and was supported by the Office of Assistant Project Manager for Tank Main Armament Development, XM1 Tank System, under Army Project Number IL663608D060. The technical monitors were the Working Group Chairman, Ernest W. Bloore, and Edward F. Wilsey, both of the U.S. Army Armament Research and Development Command, Dover, New Jersey.

The authors wish to acknowledge the support of personnel of the Material Testing Directorate of the Testing and Evaluation Command, especially Mr. K. Ruff, in conducting the part of the study at Aberdeen Proving Ground, MD. A debt of gratitude is also owed to J. M. Aldrich and C. D. Hooker of Pacific Northwest Laboratory, who assisted in data collection during the two site visits to the Proving Ground, and to J. L. Baer, who edited the report.

Accession Fer G1 4.7 7 itter on



SUMMARY

As part of its armaments testing program, the Army has been firing depleted-uranium (DU) projectiles into targets on the Aberdeen Proving Ground, Maryland. The purpose of the study reported on here was to conduct an environmental survey of two areas known as the B-3 range and the Ford's Farm range to determine the location of DU in their environments. The survey, conducted by the Pacific Northwest Laboratory, included ground survey measurements and some environmental sampling. Several special studies were also conducted, including analyses of the isotopic composition of uranium in a limited number of samples and a dissolution rate study to estimate the solubility of DU dust in sea and river water.

Analysis of the ground survey measurements showed count rates of radioactivity at about twice background levels within about a 100-m radius of the Ford's Farm target and DU fragments in scattered locations as far as 190 m from the target. The count rates from the ground survey of the B-3 range and areas surrounding the Ford's Farm range were at about background levels.

The average uranium concentrations in soil samples were 1.3 μ g/g of soil from the B-3 range and 3.6 μ g/g of soil from Ford's Farm. From analyses of these results, it was concluded that:

- samples collected from each area represent statistically different average uranium concentrations
- the degree of sampling variability is about the same for each area
- the uranium content of the B-3 range's soil is similar to that of a reference area (an area on the Proving Ground chosen to represent an unaffected area) and the uranium content of the Ford's Farm soil is higher than that of the reference area
- uranium concentrations in soil samples collected from areas around Ford's Farm are lower than those in reference area samples.

A limited number of soil profile analyses indicated that uranium concentrations generally decrease with depth.

The uranium concentrations found in stream sediment, water, and vegetation samples collected from the B-3 range and the Ford's Farm range were variable, with the highest concentrations found in samples collected near the Ford's Farm target. Uranium concentrations in the reference area samples were similar to the lower values for sediment, water, and vegetation samples collected from the B-3 range and the Ford's Farm range.

It was concluded from the results of the special studies that:

- the isotopic compositions of environmental samples from the reference area, Ford's Farm, and some surrounding areas approximate the calculated isotopic composition of DU
- DU dust is relatively insoluble in sea water and river water.

An evaluation of the results of this environmental survey indicates that several additional studies are needed to detail the extent of DU movement from the target areas. Suggested studies include:

- determination of the background level of uranium for the region
- further characterization of the soil in the area around the Ford's Farm target
- air sampling at several locations at and near Ford's Farm
- characterization of stream sediments and shellfish at the estuaries of appropriate creeks draining the Proving Ground.

A routine environmental-surveillance program should include the following types of sampling: stream sediment, shellfish, stream water, leaf litter, and deer.

vi

CONTENTS

PREFACE	iii
SUMMARY	v
INTRODUCTION	1
PURPOSE OF THE STUDY	1
SCOPE OF THE STUDY	2
SITE DESCRIPTION	4
B-3 RANGE	4
FORD'S FARM RANGE	7
SAMPLING AND ANALYTICAL METHODS	11
GRID SYSTEM	11
GROUND SURVEY	12
ENVIRONMENTAL SAMPLING	12
Soil Samples	12
Stream Sediment Samples	13
Soil and Stream Sediment Profiles	13
Water Samples	13
Vegetation Samples	14
Commercial Samples	14
ANALYTICAL METHODS	14
Fluorometric Analysis	14
Isotopic Analysis	15
STUDY RESULTS AND DISCUSSION	16
GROUND SURVEY	16

	ENVIRONMENTAL SAMPLING	19
	Soil Samples and Profiles	19
	Stream Sediment Samples and Profiles	21
	Water Samples	25
	Vegetation Samples	27
	SPECIAL-STUDIES RESULTS	29
	Isotopic-Composition Analysis	29
	Dissolution Rate Study	31
	Analysis of Dissolved and Suspended Uranium	31
	Commercial-Sample Analysis	31
	RESULTS SUMMARY AND DISCUSSION	32
SUGG	SESTED STUDIES AND ENVIRONMENTAL-SURVEILLANCE PROGRAM	35
	SUGGESTED STUDIES	35
	SURVEILLANCE PROGRAM	36
APPE	ENDIXES	
Α.	AERIAL-SURVEY DATA	A.1
R.	ANALYTICAL RESULTS OF ENVIRONMENTAL SAMPLING	8.1
C.	SPECIAL-STUDIES DATA	C.1

FIGURES

1	Aberdeen Proving Ground, Maryland	5
2	B-3 Range with Numbered Sampling Sites	6
3	Ford's Farm Range and Surrounding Areas with Numbered Sampling Sites	8
4	Average Count Rates Around Main-Grid Points, Ford's Farm	17
5	Maximum Count Rates on Main Grid, Ford's Farm	18
6	Log-Normal Probability Plots of Soil Sample Data, B-3 Range and Ford's Farm Main Grids	20
7	Uranium Concentrations in Soil Samples, Ford's Farm Main Grid	22
8	Uranium Concentrations in Stream Sediment Samples, Ford's Farm Main Grid	24
9	Uranium Concentrations in Vegetation Samples, Ford's Farm Main Grid	28
A.1	Aerial-Survey Plot of the Ford's Farm Range by EG&G	A.2
C.1	Dissolution of Uranium Dust in River Water at 10°C	C.5
C.2	Dissolution of Uranium Dust in Sea Water at 10°C	C.6

ix

TABLES

1	Uranium Concentrations in Soil Profiles from the Ford's Farm Range	23
2	Uranium Concentrations in Stream Sediment Profiles from the B-3 Range and the Ford's Farm Range	26
3	Isotopic-Analysis Results	30
4	Isotopic Weight Percents of Natural and Depleted Uranium	31
8.1	Uranium Concentrations in All Soil Samples Collected	8.2
B.2	Uranium Concentrations in All Stream Sediment Samples Collected	B.6
B.3	Uranium Concentrations in All Water Samples Collected	8.8
8.4	Uranium Concentrations in All Vegetation Samples Collected	B.10
C.1	Sample Data from the Dissolution Rate Study	C.2
C.2	Dissolved and Suspended Uranium Concentrations in Water Samples from the Ford's Farm Range	C.4

X

ENVIRONMENTAL SURVEY OF THE B-3 AND FORD'S FARM RANGES

INTRODUCTION

Over the past 5 years, the Army's weapons testing program has included the firing of depleted-uranium (DU) projectiles into targets at two locations on the Aberdeen Proving Ground, Maryland. At the first location, the Ford's Farm range, approximately 1600 kg of DU in the form of projectiles have been fired into various types of armor (metal) targets. When the projectiles hit the targets, a particulate DU cloud is released along with fragments of the projectile. At the second location, the B-3 range, approximately 1100 kg of DU have been fired into soft targets. The projectiles pass through these targets intact and usually burrow into the ground beyond the targets; however, fragmentation into visible pieces is possible if projectiles hit trees or rocks either above or below ground.

The Army is concerned about the fate of the DU in the environment of both areas, and is particularly interested in whether any DU has moved into the Chesapeake Bay near the Aberdeen Proving Ground.

PURPOSE OF THE STUDY

the purpose of the study reported on here was to determine the location of DH around the two target areas. Pacific Northwest Laboratory^(a) (PNL) personnel made two trips to the Aberdeen Proving Ground to conduct an environmental survey. The first trip, during the week of March 26, 1978, will be referred to as the early-spring trip; the second, during the week of September 11, 1978, will be referred to as the late-summer trip.

The study is considered a limited environmental survey because the areas surveyed were predetermined, based on information supplied by Aberdeen personnel. This information included 1) an estimate of where most projectiles were

⁽a) Operated for the Department of Energy by Battelle Memorial Institute.

landing at the B-3 range and 2) an aerial-survey plot of the Ford's Farm range and the surrounding areas indicating the approximate locations of elevated radiation levels.

SCOPE OF THE STUDY

The study was limited to a ground survey and the collection of environmental samples from the vicinity of the Ford's Farm and B-3 firing ranges. The ground survey was made using portable radiation detection instruments capable of detecting low-level beta-gamma radiation from DU. Environmental sampling involved the collection of soil, stream sediment, water, and vegetation samples, and analyses of these samples for total uranium.

No effort was made during this study to estimate the natural background levels of uranium in an unaffected area outside the Aberdeen Proving Ground. However, a few samples were collected from a reference location on the Proving Ground that was thought to be unaffected, for comparison with the samples from the range areas. In addition, the uranium concentrations in the samples collected on the Proving Ground were compared with typical environmental levels of uranium as reported in the literature.

Samples of commercial seafood (crab meat) from the Chesapeake Bay were purchased and analyzed for their uranium content as some indication of uranium levels in the bay. These levels can be used as a reference point against which to compare concentrations in similar seafood samples if a continuing environmental surveillance program is begun.

Several special studies were conducted as part of the survey. The isotopic composition of uranium was determined for a limited number of soil and vegetation samples from the B-3 range and Ford's Farm. The activity levels in these samples were compared with activity levels calculated for natural and depleted uranium as a means of estimating the extent of DU spread from the test firings. A dissolution rate study was also done to estimate the relative solubility of DU dust in sea water and river water.

Details on the sites surveyed, the methods used, and the results of the study follow. The final section of this report includes a discussion of possible studies to further determine the fate of DU in the Aberdeen Proving Ground environment. A routine environmental-survey program is also outlined.

المراغد مسرية والكنوا

SITE DESCRIPTION^(a)

The Aberdeen Proving Ground is located approximately 48 km northeast of Baltimore, Maryland, with the Chesapeake Bay as an eastern border (see Figure 1). The installation consists of approximately 32,100 ha, of which 15,800 ha are covered by water and 16,300 ha are land. The Bush River separates the installation into two main areas: the Aberdeen Area to the east and the Edgewood Area to the west.

Most of the installation's terrain is gently rolling, with much of it left as unimproved land and forrested areas. Elevations range from sea level to approximately 30 m above sea level.

The Aberdeen Proving Ground is located in the middle latitudes where the general atmospheric flow is from west to east. The predominant wind direction over a year is from the northwest, with an average wind speed of approximately 16 km/hr. The area has a humid, continental type of climate. Temperatures are generally mild, with a mean low of -4° C in January and a mean high of 30°C in July. Precipitation throughout the year is fairly uniform, with an annual mean of around 104 cm. Snowfall is confined to the winter months and averages approximately 56 cm/yr. The relative humidity reaches its highest monthly average, 70%, in September and its lowest, 57%, in March.

The environmental survey was conducted at the B-3 range and the Ford's Farm range. Roth areas are east of the Bush River in the Aberdeen Area of the Proving Ground, with the B-3 range about 6 km northeast of Ford's Farm. The approximate location of each area is shown in Figure 1.

B-3 RANGE

The B-3 range encompasses a large land area extending approximately 8000 m downrange from the firing position. On the range, projectiles are fired for accuracy at soft targets positioned 1000, 2000, 3000, and 4000 m downrange.

⁽a) General information about the Aberdeen Proving Ground and its climate was provided by the U.S. Army Environmental Hygiene Agency, Aberdeen Proving Ground, Maryland.



FIGURE 1. Aberdeen Proving Ground, Maryland

Depleted-uranium projectiles are fired at targets 4000 m downrange on the 4000-meter pad (see Figure 2). These projectiles pass through the targets intact and usually burrow into the ground at locations beyond the target; however, fragmentation into visible pieces is possible if projectiles hit trees or rocks either above or below ground. The intact projectiles or fragments come to rest on the surface or buried underground.

The locations surveyed on the B-3 range were the main $grid^{(a)}$ (Area 1), the beaver dam (Area 2), and the reference area (Area 3), shown in Figure 2.

(a) Both at the B-3 range and at Ford's Farm, an area around the target was gridded off for survey and sampling purposes, as described on page 11.



FIGURE 2. B-3 Range with Numbered Sampling Sites

The main grid was surveyed because Aberdeen personnel estimated that most of the DU projectiles land in this region. This area is drained by several tributaries of Mosquito Creek that join the creek just to the east of the area and flow to the Chesapeake Bay. The beaver dam area, located on Mosquito Creek about 305 m east of the main grid, was surveyed because the dam would be a prime location for deposition of any suspended DU transported downstream in Mosquito Creek waters. The third area surveyed, the reference area, is approximately 1 km east of the main grid where a footbridge crosses Mosquito Creek. This area was chosen to represent an unaffected area and provide reference samples for comparison with the samples from Areas 1 and 2 and the Ford's Farm range.

FORD'S FARM RANGE

At Ford's Farm, DU projectiles are fired 200 m into metal target plates. The relative positions of the gun and target at Ford's Farm are shown in Figure 3. When the DU projectiles hit the plates, the projectiles fragment and a DU particulate cloud is released. The cloud drifts from the target and settles on the ground and on nearby vegetation, with the location of the deposition depending on wind and weather conditions. Standard operating procedures require that firing take place only when meteorological conditions will prevent the particulate cloud from drifting back to the gun position where personnel are stationed.

Several tributaries of Bridge Creek drain the target area, as shown in Figure 3. The two tributaries immediately south of the target were extremely swampy during the early-spring trip; however, they were dry, with isolated pockets of standing water during the late-summer trip. Bridge Creek's tributaries meet approximately at the A-A5 Road. The road serves as a dam to the creek, allowing creek water to spill over the road surface. Bridge Creek then flows southwest into Romney Creek, which in turn flows east into the Chesapeake Ray.





Seven areas were surveyed in the vicinity of the Ford's Farm range, as shown in Figure 3 and described below:

- Area 1 (the main grid) includes the target area. This area was surveyed during the early-spring trip in an attempt to locate several isopleths shown on the aerial survey plot.^(a) It was also surveyed during the late-summer trip because the early-spring survey showed that the highest uranium levels were located in this area.
- Area 2 (the 1000-meter pad) is about 700 m southwest of the target. This area was surveyed during the early-spring trip in an attempt to locate an isopleth from the aerial-survey plot.
- Area 3 (the plate storage area) is located about 500 m west of the target. This area was surveyed during the early-spring trip because of the potential for contaminated plates and to search for the location of an isopleth from the aerial-survey plot.
- Area 4 (the Bridge Creek A-A5 Road crossing) is approximately 600 m downstream from the target. This area was surveyed during the latesummer trip. It was thought to be a prime location for the deposition of any suspended DU in the creek's water because the road dams the creek at this point, allowing any suspended particles to settle out. Throughout this report, this area will be referred to as the Bridge Creek area.
- Area 5 (the grenade range) is located about 500 m north of the target. This area surveyed during both the early-spring and latesummer trips as an indicator of the environment upwind from the target.
- Area 6 (the Romney Creek Poverty Island Road crossing) is approximately 1.6 km west of the target. This area was surveyed during the late-summer trip because it is near the Poverty Island area, the

⁽a) See Appendix A for more information on the aerial survey and the location of the isopleths.

inhabited area closest to the target. Throughout this report, this area will be referred to as the Romney Creek area.

 Area 7 (the small-arms area) is about 700 m east of the target. This area was surveyed during the early-spring trip in an attempt to locate an isopleth from the aerial-survey plot.

SAMPLING AND ANALYTICAL METHODS

This section describes the grid systems used in the study, the radiation detection instruments used for the ground survey, the methods of collecting environmental samples, and the techniques used to analyze the samples.

GRID SYSTEM

Two areas were staked off for the study: the area around the 4000-meter pad on the B-3 range and the area around the Ford's Farm target. The grid systems were used to locate specific areas for ground survey readings and for some environmental sampling. Professional surveyors provided by the Army staked the area during the early-spring trip. The stakes were left in place and used again during the late-summer trip.

The grid area for the B-3 range is referred to as Area 1 or the main grid in Figure 2. The centerline of the grid (Line N) extends 460 m north and 460 m south of the 4000-meter pad and is on the line of fire for all projectiles fired at targets on the pad. Parallel lines were staked off 38 m to each side of the centerline, making the dimensions of the grid 920 x 76 m. Surveyors placed wooden stakes every 38 m on the grid, for a total of 75 stakes or grid points in the B-3 range main grid.

The grid area for Ford's Farm is also referred to as Area 1 or the main grid for that area, as shown in Figure 3. This grid was positioned to encompass the large isopleth area around the target in the aerial-survey plot (see Appendix A). The centerline of the grid is parallel to the line of fire and is 460 m long. The grid was staked off 152 m to each side of the centerline, making the grid dimensions $460 \times 305 \text{ m}$. Wooden stakes were placed every 38 m on the grid, for a total of 117 stakes or grid points in the Ford's Farm main grid.

All grid points were labelled using a letter-number system. Lines running north-south were assigned letters and those running east-west were given numbers.

GROUND SURVEY

Ground surveys were conducted using portable survey meters with NE $102^{(a)}$ plastic scintillation detectors capable of measuring the low-level beta-gamma radiation of DU. Laboratory calibration of the three detectors used on the trips showed all to read approximately 25,000 counts/min at 5 cm above a 1-g DU source. This calibration was checked periodically in the field using the same 1-g DU source.

Ground survey readings were taken at all grid points on the B-3 range and Ford's Farm main grids during both survey trips. At each grid point, an area of approximately $1 m^2$ was surveyed and an average count rate was recorded. The maximum count rate for each $1-m^2$ area was also recorded to provide information on the location of any DU fragments in the main grids.

ENVIRONMENTAL SAMPLING

In the following sections, the methods used in collecting the environmental samples for this study are presented. Samples collected in the main-grid areas of the B-3 range and Ford's Farm were taken at or near the grid points. Soil Samples

Soil samples were collected using a specially designed sampler with a 0.9-m stainless-steel coring tube 5.1 cm in diameter and 0.17 cm in wall thickness. The coring tube was pushed into the ground to a depth of 7.6 cm. To minimize cross-contamination, a plastic bag was placed over the end of the tube inserted into the ground. The top of the plastic bag was wrapped around the outside of the tube. When the tube was pushed into the ground, the soil sample, encased in the plastic bag, was forced into the tube. After the tube was removed, the sample was pulled out, enclosed in the plastic bag, and placed in a wide-mouth jar.

⁽a) Thorn EMI Gencom Inc. (Nuclear Enterprises), 80 Express St., Plainview, NY 11803.

Stream Sediment Samples

Stream sediment sampling was performed in a manner similar to soil sampling. Samples were collected near the shoreline unless the stream was narrow enough to permit sampling at its midpoint.

Soil and Stream Sediment Profiles

Soil and stream sediment profiles were taken to check for evidence of vertical movement of uranium in the soil and to determine whether uranium was being buried in stream sediments. Profiles were taken to depths of 7.6, 15.2, and 30.5 cm.

The 7.6-cm profiles were collected in the same manner as the soil and stream sediment samples; however, unlike the samples, the profiles were later divided into increments of 0 to 2.5 cm, 2.5 to 5.1 cm, and 5.1 to 7.6 cm for analysis.

The 15.2-cm and 30.5-cm profiles were taken with the same coring tube used to collect the soil and stream sediment samples. The coring tube was pushed into the ground to the appropriate depth, then pulled out with the profile inside. The profile was removed from the coring tube and cut into increments of 0 to 7.6 cm and 7.6 to 15.2 cm for the 15.2-cm profiles and 0 to 7.6 cm, 7.6 to 15.2 cm, 15.2 to 22.9 cm, and 22.9 to 30.5 cm for the 30.5-cm profiles. Each increment was packaged individually before transport to an analytical laboratory.

Water Samples

All water samples were taken by the grab-sampling method. During the early-spring trip, water samples were collected in 350-ml wide-mouth jars. During the late-summer trip, the sample size was increased to 1 L so that there would be sufficient volume to perform the DU solubility test. These samples were collected in 1-L polyethylene bottles.

Samples were collected in the middle of a stream unless the stream's width prevented midstream collection. In this case, samples were taken near the shoreline.

Vegetation Samples

The vegetation sampled consisted of native grasses and leaf litter. Each sample was collected from an area of about 1 m^2 and had a wet weight of about 400 g. Native grasses were clipped at ground level, with all species collected in the $1-\text{m}^2$ area included in the sample. All samples were placed in polyethylene bags.

Commercial Samples

Crab meat was purchased from a commercial vendor in Havre de Grace, Maryland, about 8 km northeast of Aberdeen. The crab had been caught locally in the upper Chesapeake Bay.

ANALYTICAL METHODS

Sample analysis was performed by the United States Testing Company, Inc. (UST), Richland, Washington. All environmental samples collected during the two survey trips were analyzed for total uranium using a fluorometric technique. In addition, several soil and vegetation samples were analyzed for isotopic composition (234 U, 235 U, and 238 U).

Fluorometric Analysis

Soil, stream sediment, and vegetation samples were prepared for analysis by grinding until the material passed through a 2-mm screen. They were then oven-dried at approximately 115°C for 12 hours, and an aliquot of ground sample (approximately 2 g dry weight) was leached in nitric acid. The crab meat samples were ground but not oven-dried, and a 5-g (wet weight) aliquot was leached in nitric acid. Water samples were prepared by evaporating 200 ml to near dryness and then diluting to 10 ml with 2 N nitric acid.

All samples were then analyzed for total uranium using a fluorometric technique. The results for soil, stream sediment, vegetation, and crab meat samples were expressed in micrograms (μ g) of uranium per gram of sample. Water sample results were expressed in μ g of uranium per liter of water. All sample concentrations reported have an estimated analytical error of ±35% unless noted otherwise.

Isotopic Analysis

The isotopic uranium analysis procedure used by UST involved repeatedly dissolving and wet-ashing approximately 5 g of dry soil or vegetation sample with concentrated nitric acid and hydrogen peroxide. The samples were then heated in a muffle furnace at 260° C for 1 to 1-1/2 hours. Uranium was then extracted into methyl-isobutyl ketone (hexone) in three stages. Next, the hexone extractant was evaporated over water and taken to dryness under a heat lamp. Finally, the dried sample was dissolved in a sulfate buffer and electrodeposited on a stainless steel disc, and isotopes of uranium (234 U, 235 U, and 238 U) were determined by pulse height analysis of an alpha diode detector spectrum. All results were expressed in μ g of uranium per gram of sample. Multiple analyses of spiked soil and vegetation samples were run in parallel with the test samples, with the average yield of the spike used to correct for losses of uranium from the test samples during analysis.

STUDY RESULTS AND DISCUSSION

The results of the ground survey and environmental-sample analyses are presented in this section along with the results of the special studies performed. A discussion of the results follows.

GROUND SURVEY

The results of the ground survey at the B-3 range main grid were primarily background count rates of 50 to 100 counts/min for both survey trips. During the early-spring trip, one DU fragment was found about 200 m south of the 4000-meter pad near grid point N-17. The count rate above the fragment was over 100,000 counts/min. On removal of the fragment, the count rate dropped to 50 counts/min or background level.

At the Ford's Farm main grid, the background count rates were also 50 to 100 counts/min during both the early-spring and the late-summer surveys. The average readings for a $1-m^2$ area around each grid point and the maximum readings on the grid are shown in Figures 4 and 5, respectively. On both trips, most elevated readings (>150 counts/min) for average count rate were within a 100-m radius of the target (see Figure 4). The maximum count rate readings were found as far as 190 m from the target (see Figure 5) and were attributed to the presence of DU fragments.

Review of the data from the Ford's Farm main grid indicated that the average count rates were generally higher and the distribution of DU fragments was wider during the early-spring survey than during the late-summer survey. These differences are probably due to changing survey conditions and not to the gross movement of DU in the soil. During the early-spring trip, vegetation was matted down from winter snows, which permitted the detector to be held relatively close to the ground. By the time the late-summer survey was taken, the vegetation had grown abundantly and the detector had to be held farther from the ground. Because the radiation intensity registered by a detector varies inversely as the square of the distance from the radiation source, the lower late-summer readings may have resulted in part from the greater ground-todetector distance. Another factor that may have contributed to the lower readings is that the detector used senses low-energy gammas from the surfaces



() EARLY-SPRING TRIP

* LATE-SUMMER TRIP

FIGURE 4. Average Count Rates Around Main-Grid Points, Ford's Farm (counts/min)



() EARLY-SPRING TRIP

LATE-SUMMER TRIP *



Maximum Count Rates on Main Grid, Ford's Farm (1000 counts/min)

of DU fragments; therefore, any increase in vegetation would have shielded the radiation, yielding lower readings.

Ground survey readings from the small-arms area, plate storage area, and 1000-meter pad in the Ford's Farm range yielded only background count rates of 50 to 100 counts/min. These areas were surveyed only during the early-spring trip.

ENVIRONMENTAL SAMPLING

A complete listing of the analytical results from environmental sampling can be found in Appendix B, Tables B.1 through B.4, along with sample locations. Specific portions of the data are discussed in the following sections. The uranium concentrations found in some samples appeared high relative to other uranium concentrations in the same area. In these cases, the analyses were rerun to determine whether the initial results were valid.

Soil Samples and Profiles (Appendix B, Table B.1)

The uranium concentrations found in soil samples, as reported in this section, may be compared with a typical worldwide concentration that ranges from 1 to 4 μ g/g and averages 2 μ g/g (National Council on Radiation Protection and Measurements 1976).

B-3 Range

Nineteen soil samples from the B-3 range were collected and analyzed. Seventeen were from the main grid (Area 1) and two from the reference area (Area 3). Figure 6 is a log-normal probability $plot^{(a)}$ of the soil data.

Characteristics of special importance in the use of log-normal plots are linearity (denoting data from a common population), standard geometric deviation (σ_q , an indicator of variability or range), and geometric mean (χ_q , the best estimate of the underlying population mean). The solid-line curves are computer-generated least-squares regression lines (Miller, Fix and Bramson 1977).

⁽a) Log-normal probability plots are useful for cataloguing large amounts of data and providing a first approximation of the similarity of the data. Experience has shown that large numbers of nuclide/media combinations yield a straight line when plotted on log-probability paper. Because the data are represented graphically, the mean, standard deviation, and expected upper limits can readily be seen along with any abnormalities in the data.



FIGURE 6. Log-Normal Probability Plots of Soil Sample Data, B-3 Range and Ford's Farm Main Grids

The plot of most of the data points for the soil from the B-3 range approximates a straight line, indicating that these data represent samples from the same population. One outlying point represents sample N-17, collected about 200 m south of the 4000-meter pad in the area from which a DU fragment was removed. The uranium concentration in the sample was 14 μ g/g.

The geometric mean, χ_g , taken from the B-3 range plot is 1.3 μ g/g. This number represents the population mean; therefore, the average uranium concentration in the soil of the sampled area is about 1.3 μ g/g.

The standard geometric deviation, σ_g , is 2.6. This value indicates the range or closeness of individual data points, and would equal 1 if all data points had the same value.

Plotted points representing the uranium concentrations in the two samples from the reference area (1.4 and 2.5 μ g/g) fall on or close to the regression line, indicating that all of the data points probably represent the same population.

Ford's Farm Range

Sixty soil samples and seven soil profiles from the Ford's Farm range were collected and analyzed. The location of 50 soil samples taken from the main grid and the uranium concentration at each location are shown in Figure 7.

A log-normal probability plot of the 50 samples from the main grid is shown in Figure 6. The reasonably good fit of individual data points to the regression line again indicates a discrete population ($\chi_g = 3.6 \ \mu g/g$ and $\sigma_g = 2.8$). The underlying population mean is 3.6 $\ \mu g/g$.

Uranium concentrations in soil samples collected at several other locations in the Ford's Farm range (the 1000-meter pad, grenade range, and Romney Creek area) were lower than the concentrations in the reference area samples. Six samples from the grenade range were collected in an area of approximately 1 m^2 . Analysis of these samples showed a mean uranium concentration and standard deviation of 0.29 ± 0.12 µg/g.

Soil Profiles

Soil profile data for the Ford's Farm range are listed in Table 1. (No profiles were taken on the B-3 range.) Analysis of the 30.5-cm and 7.6-cm profile data indicates that uranium concentrations in soil generally decrease with depth.

Stream Sediment Samples and Profiles (Appendix B, Table B.2)

Uranium concentrations in stream sediments from the B-3 range (main grid and heaver dam) varied from 0.22 to 50 μ g/g and were generally lower than the concentrations in the reference samples (2.0 μ g/g), as shown in Table B.2. Two exceptions were samples with concentrations of 50 μ g/g (collected about 190 m south of the 4000-meter pad) and 8.2 μ g/g (collected about 270 m south of the 4000-meter pad). Rerun analyses of different aliquots of these samples resulted in levels of 14 μ g/g and 2.8 μ g/g, respectively.







The approximate locations of the 15 stream sediment samples collected in the Ford's Farm main grid and the uranium concentration at each location are shown in Figure 8. The concentrations, also listed in Table B.2, varied from 0.76 to 67 μ g/g.

Uranium Concentrations in Soil Profiles from the Ford's Farm Range TABLE 1.

l ocation	Position Relative to Target ^a		Jranium Conce	intration, ug/g	(q)
an K_cm Profile		0-7.6 cm 7	.6-15.2 cm	15.2-22.9 cm	22.9-30.5 cm
Main Orid	38 m S	81	0.10	0.98	0.37
Main Orid	130 m S	1.0	0.47	0.51	0.73
1000-meter nad		0.34	0.34	0.30	0.31
Grenade range		0.39	0.61	0.37	0.43
7.6-cm Profile		0-2-1	5 cm 2.5-5	.1 cm 5.1-7.	S CM
Main grid	50 m SE	200	12	8.9	
Main grid	50 m S	330	17	7.3	
Main grid	250 m S	4	.1	.6 1.1	

(a) (b)

For profiles from the main grid. Uranium concentrations are in µg of uranium per g of sample with an estimated analytical error of ±35%.



FIGURE 8. Uranium Concentrations in Stream Sediment Samples, Ford's Farm Main Grid (μ g/g). (The sample containing 0.76 μ g/g was located 270 m west of the grid on line 26.)
The stream sediment data from the B-3 range and Ford's Farm main grids were assessed using a log-normal probability plot. The samples apparently do not represent a discrete population, as indicated by the wide range of values. It can be concluded from a comparison of the values in Table B.2 that the uranium concentrations in the Ford's Farm main grid are generally higher than those in the B-3 range main grid.

Several stream sediment samples were collected at the 1000-meter pad, plate storage area, Bridge Creek area, and grenade range in the area of the Ford's Farm range. The uranium concentrations found in these areas were generally lower than the 2.0- μ g/g concentration of the reference area samples, except for one 64- μ g/g sample from the Bridge Creek area. When this sample was analyzed again, the result was a concentration of 4.9 μ g/g.

Stream sediment profile data are presented in Table 2. Similar uranium concentrations were found in all increments analyzed.

Water Samples (Appendix B, Table B.3)

The uranium concentrations in water samples from the B-3 range are listed in Table B.3. The concentrations varied from less than 0.03 μ g/L to 43 μ g/L, with the highest concentrations found in samples from the main-grid area. The concentration range in samples collected during the early-spring trip (0.10 to 43 μ g/L) was greater than the concentration range for the late-summer trip (<0.03 to 0.80 μ g/L).

The uranium concentrations in water samples from the Ford's Farm range varied from 0.13 to 59 μ g/L (see Table B.3), with the highest concentrations found in samples from the main grid near the target. As at the B-3 range, the range of concentrations in samples from the early-spring trip (3.8 to 59 μ g/L) was greater than the range in samples from the late-summer trip (0.13 to 16 μ g/L).

The water sample data for the B-3 range and Ford's Farm were assessed using a log-normal probability plot. The results were inconclusive because the water samples, like the stream sediment samples, apparently do not represent a discrete population. The uranium concentrations of the reference area samples are at the lower end of both the B-3 and Ford's Farm concentration ranges.

n Stream Sediment Profiles he Ford's Farm Range	
Uranium Concentrations il from the B-3 Range and tl	
TABLE 2.	

1.1

		7.6-15.2 cm 2.5	3.1	0.93	an estimated _2 5 cm
, µ9/9 ^(a)	5.1-7.6 cm 0.88	0-7.6 cm 2.0	2.0		sample with
oncentration	2.5-5.1 cm 1.5	5.1-7.6 cm		1.3	ium per g of
Uranium C	0-2.5 cm 2.3	2.5-5.1 cm		1.9	in µg of uran
		0-2.5 cm		ange ^(b) 1.5	entrations are ¹ error of ±35%.
u ocation	7.6-cm Profile Beaver dam, B-3 range	<u>15.2-cm Profile</u> Reference area, B-3 range	Reference area. B-3 range	Bridge Creek, Ford's Farm r	(a) Uranium conc

Uranium concentrations of 135%. analytical error of ±35%. Special analysis dividing 0-7.6 cm increment into increments of 0-2.5 cm, 2.5-5.1 cm, and 5.1-7.6 cm. (q)

Water samples from Ford's Farm have generally higher uranium concentrations than water samples from the B-3 range, as shown by a comparison of the data for the two locations (see Table B.3).

Vegetation Samples (Appendix B, Table B.4)

Uranium concentrations in vegetation samples from the B-3 range and Ford's Farm are listed in Table B.4. An assessment of the data using a log-normal probability plot did not provide conclusive results because the samples contain a wide range of uranium concentrations and apparently do not represent a discrete population. For comparative purposes, typical worldwide concentrations of natural uranium in plants range from 10^{-4} to 10^{-1} µg/g (National Council on Radiation Protection and Measurements 1976).

Limited vegetation sampling was done on the B-3 range. The concentration of uranium in grass samples ranged from 0.25 to 8.5 μ g/g, with the concentrations for the three reference area samples falling at the lower end of the range.

Six aliquots of one reference sample were analyzed, and the uranium concentrations were found to range from 0.55 to 2.2 μ g/g. The mean and standard deviation were 1.6 ± 0.71 μ g/g. This standard deviation indicates the degree of variability in concentration expected from analytical errors.

The location of the 28 vegetation samples collected in the Ford's Farm main grid and the uranium concentration at each location are shown in Figure 9. The range of concentrations for grass samples was 1.5 to 1200 μ g/g, with the highest concentrations within a 76-m radius of the target. Six aliquots of one sample were analyzed. The uranium concentrations found ranged from 390 to 1200 μ g/g (see Table B.4), with a mean and standard deviation of 720 ± 270 μ g/g.

Several of the reference area samples had uranium concentrations lower than the lower-range limit for the Ford's Farm main grid, indicating that grass in the two areas contains different uranium concentrations. Uranium concentrations in grass samples from the Ford's Farm main grid are generally higher than those from the B-3 range.



***** URANIUM CONCENTRATION IN LEAF LITTER



Uranium concentrations in leaf litter samples from the Ford's Farm main grid were variable, ranging from 7.5 to 240 μ g/g. No leaf litter samples were collected from the reference area for comparison.

Other samples collected from the Ford's Farm range (at the 1000-meter pad, Bridge Creek area, grenade range, and Romney Creek area) contained uranium concentrations ranging from 0.63 to 8.0 μ g/g in grass and from 0.93 to 13 ν 1/g in leaf litter.

SPECIAL-STUDIES RESULTS

Isotopic-Composition Analysis

Three soil samples and nine vegetation samples from the B-3 range and Ford's Farm were analyzed for uranium isotopic composition. Laboratoryreported analytical results of the 234 U, 235 U, and 238 U concentrations in the soil and vegetation samples are listed in Table B.1 and Table B.4, respectively. These results, given in µg/g, were converted to µCi of uranium per g of sample and are listed in Table 3 along with sample locations.

The activity ratio of 234 U to 238 U was calculated to be approximately 1.1 for natural uranium and approximately 0.1 for depleted uranium. These ratios were computed using the isotopic weight percents listed in Table 4 and the specific activities of 234 U and 238 U. Below are the calculations, assuming 1 g of natural or depleted uranium:

Natural uranium ratio =
$$\frac{q^{234}}{q^{238}}$$
 (specific activity $\frac{234}{U}$) = $\frac{5.7 \times 10^{-5} \text{ s} (6.19 \times 10^{-3} \text{ Ci/q})}{0.992739 \text{ g} (3.33 \times 10^{-7} \text{ Ci/q})}$ = 1.1

Depleted unanium ratio =
$$\frac{a^{234} U (\text{specific activity}^{234} U)}{a^{238} U (\text{specific activity}^{238} U)} = \frac{5.0 \times 10^{-6} g (6.19 \times 10^{-3} \text{ Ci/g})}{0.9975 g (3.33 \times 10^{-7} \text{ Ci/g})} = 0.1$$

In a study of 234 U/ 238 U activity ratios for soil and vegetation samples from areas where only natural uranium would be expected to occur, Veselsky (1977) found ratios ranging from 0.878 to 1.062 for soil and from 0.863 to 1.251 for vegetation.

When the activity ratios in Table 3 were compared with the calculated activity ratios for natural and depleted uranium, it was determined that the ratios for all samples from the Ford's Farm main grid, grenade range, and Bridge Creek area and from the reference area indicate the presence of DU. A grass sample from the B-3 range main grid had a ratio more indicative of natural uranium.

	TABLE 3.	Isotopic-Analysis Re	sults	
		Concentration ()	uCi/g ± error)	Activity Ratio ^(a)
Sample Number/Location	Sample Type	238 _J	234 _U	²³⁴ 0/2380
8-3 Range				
N-21/Main grid	Grass	$3.7E-7 \pm 7.3E-8^{(b)}$	3.16-7 ± 6.86-8	0.84
GS-80/Reference area	Grass	6.5E-7 ± 1.0E-7	1.5E-7 ± 4.8E-8	0.22
GS-65/Reference area	Soil	1.1E-6 ± 1.9E-7	3.6£-7 ± 1.1E-7	0.34
Ford's Farm Range				
P-16/Main grid	Grass	1.4E-5 ± 4.7E-7	2.0E-6 ± 1.7E-7	0.14
K-16/hain grid	Leaf litter	9.UE-7 ± 1.2E-7	1.1E-7 ± 3.9E-8	0.12
T-lo/ilain grid	Leaf litter	2.3E-6 ± 1.9E-7	2.95 -7 ± 6.85-8	0.13
Q-16/Main gríd	Soil	1.1E-5 ± 6.0E-7	1.7E-6 ± 2.4E-7	0.16
GS-11/Bridge Creek area	irass	5.5E-7 ± 9.3E-8	1.6E-7 ± 4.9E-8	0.28
GS-30/Grenade range	Grass	2.9E-6 ± 2.2E-7	3.4E-7 ± 6.8E-8	0.12
JA-1 /Grenade range	Leaf litter	1.6L-6 ± 1.5E-7	2.2E-7 ± 5.6E-8	0.14
PI-1 /Rowney Creek area	Soil	9.3E-7 ± 1.7E-7	8.6E-7 ± 1.7E-7	0.93
PI-3 /Ronney Creek area	Leaf litter	5.9E-7 ± 9.3E-8	9.0E-8 ± 3.6E-8	0.15

(a) Activity ratio for natural uranium is approximately 1.1; that for depleted uranium is approximately 0.1. (b) $3.7E-7 \pm 7.3E-8 = 3.7 \times 10^{-7} \pm 7.3 \times 10^{-8}$.

30

1

.

Isotope	<u>Natural Uranium(a)</u>	Depleted Uranium ^(b)
238 ₀	99.2739	99.75
235 ₀	0.7204	0.25
234 ₀	0.0057	0.0005

TABLE 4. Isotopic Weight Percents of Natural and Depleted Uranium

(a) Reference: Bennellick 1966.

(b) Reference: U.S. Energy Research and Development Administration 1975.

Conflicting results were obtained for the Romney Creek area: the activity ratio for the area's soil sample was 0.94, indicating that natural uranium was present, while that for the leaf litter sample was 0.15, indicating the presence of DU.

Dissolution Rate Study

The objective of the dissolution rate study was to estimate the percent of DU dust that would dissolve in sea water and in river water over a 14-day period, given controlled water temperature and a known pH. From the study results, it was concluded that DU is ouite insoluble in both sea and river water; the approximate dissolution half-times were 4.8 and 6.8 years, respectively. A discussion of the experimental methods and limitations of the study can be found in Appendix C.

Analysis of Dissolved and Suspended Uranium

Two water samples were analyzed for dissolved uranium (particles smaller than 0.45 μ m) and suspended uranium (particles larger than 0.45 μ m). However, the results were inconclusive because of the limited number of samples analyzed. The results from the two samples analyzed can be found in Appendix C.

Commercial-Sample Analysis

The seafood (crab meat) purchased from a commercial vendor in Havre de Grace, Maryland (about 8 km north-ast of Aberdeen) had been caught locally in the Chesapeake Bay. Because crabs remain fairly stationary, they should be a good indicator of uranium levels in the bay's water-borne sediments. Five samples were analyzed and found to contain the following levels of uranium: 0.47 μ g/g, 0.45 μ g/g, 0.36 μ g/g, 0.20 μ g/g, and 0.21 μ g/g. The mean and standard deviation are 0.34 ± 0.13 μ g/g.

RESULTS SUMMARY AND DISCUSSION

Based on the ground survey results, the B-3 range main grid and the plate storage area, 1000-meter pad, and small-arms area near Ford's Farm were determined to have only background count rates of uranium (50 to 100 counts/min). The Ford's Farm main grid had some elevated average count rates (>150 counts/ min) within about a 100-m radius of the target. Fragments of DU were found in scattered locations as far as 190 m from the target. The generally higher average count rates and wider distribution of DU fragments found during the early-spring survey of the Ford's Farm main grid are probably due to changing survey conditions rather than to the movement of DU between the early-spring and late-summer surveys.

Based on a log-normal probability plot of data from soil samples taken at the B-3 range and Ford's Farm main grids, the average uranium concentrations for the B-3 range and Ford's Farm were determined to be 1.3 μ g/g and 3.6 μ g/g, respectively. It was concluded from the data that 1) samples collected from these two study areas represent different populations with different average uranium concentrations in the soil; 2) the degree of sampling variability is about the same for each area; and 3) the uranium content of the soil in the B-3 range main grid is similar to that in the reference area, whereas the soil content in the Ford's Farm main grid is higher than that in the reference area. The higher average uranium concentration in the soil of the Ford's Farm main grid may be due to scattered DU fragments from the test firings.

The uranium concentrations found in soil samples from the 1000-meter pad, grenade range, and Romney Creek area near Ford's Farm were lower than the concentrations in the reference area samples, suggesting minimal if any impact from test firings at Ford's Farm.

Based on the soil profile data, it was concluded that uranium concentrations generally decrease with depth. All increments below a depth of 7.6 cm contained lower uranium concentrations than did the reference area samples.

The highest concentrations in the top 7.6 cm of soil were found in the Ford's Farm main grid near the target and may have been due to buried of DU fragments. These limited results indicate no appreciable movement of DU into the soil; however, further study is in order.

The uranium concentrations in stream sediments from the B-3 range and Ford's Farm main grids varied from 0.22 to 50 μ g/g and from 0.76 to 67 μ g/g, respectively. The highest concentrations were found near the target in the Ford's Farm main grid and again are probably attributable to the presence of DU fragments.

Several stream sediment samples were collected downstream from the 4000-meter pad (B-3 range) and the Ford's Farm target. Uranium concentrations in samples from the beaver dam area (about 305 m downstream from the 4000-meter pad) were about the same as or lower than the 2.0- μ g/g concentrations found in the reference area, which indicates that DU has not moved downstream. One sample collected in the Bridge Creek area, about 600 m downstream from the Ford's Farm target, had a concentration of 64 μ g/g. Another aliquot from this sample was analyzed and was found to have a concentration of 4.9 μ g/g, which indicates that DU particles were heterogeneously dispersed in the sample. The possible movement of DU particles in the watercourse should be studied further.

The uranium concentrations found in water samples collected from the B-3 range and Ford's Farm area varied from less than 0.03 to 43 μ g/L and from 0.13 to 59 μ g/L, respectively. Reference area concentrations were generally lower than these values and ranged from 0.12 to 0.20 μ g/L. As was the case with the soil and stream sediment samples, the highest uranium concentrations in water samples were found in the Ford's Farm main grid near the target. At both the Ford's Farm range and the B-3 range, the highest concentrations were found during the early-spring trip and may be due to the high sediment load in the spring run-off.

These uranium concentrations in water samples are several orders of magnitude lower than the concentrations listed in the U.S. <u>Code of Federal</u> <u>Regulations</u>; 10 CFR 20 states that natural-uranium concentrations in liquid effluents released from a restricted area to an unrestricted area shall not

exceed 3 x 10^{-5} µCi/ml. If 3.6 x 10^{-7} Ci/g is used for the specific activity of DU, the federally set concentration limit would equal about 83,000 µg/L.

Grass samples collected from the B-3 range and Ford's Farm main grids contained uranium concentrations ranging from 0.25 to 8.5 μ g/g and from 1.5 to 390 μ g/g, respectively. Uranium concentrations in reference area samples ranged from 0.25 to 2.2 μ g/g. Again, the highest concentrations were found in the Ford's Farm main grid near the target and are probably due to DU fragments in the area.

Based on a limited number of isotopic analyses, most areas sampled were found to have activity ratios close to the calculated 0.1 value for DU. These areas were the Ford's Farm main grid, grenade range, and Bridge Creek area, and the reference area. Therefore, although the uranium concentrations at the Ford's Farm main grid and the reference area appear to be different, it can be concluded from the isotopic analyses that both areas are slightly contaminated with DU.

The activity ratios of two samples (a grass sample from the B-3 range main grid and a soil sample from the Romney Creek area) were similar to the activity ratio of natural uranium. However, a leaf litter sample from the Romney Creek area had an activity ratio similar to that of DU. The leaf litter may have blown in from the Ford's Farm range.

It was concluded from the dissolution rate study of DU dust in sea water and river water that DU is relatively insoluble in both, with a dissolution half-time of 4.8 years in sea water and 6.8 years in river water.

SUGGESTED STUDIES AND ENVIRONMENTAL-SURVEILLANCE PROGRAM

It was concluded, based on the results of the environmental survey of the B-3 range and the Ford's Farm range, that several additional studies are necessary to determine in detail the extent of DU movement from the two areas. In this section, possible studies are discussed briefly, along with suggestions for a routine environmental-surveillance program for the firing ranges.

SUGGESTED STUDIES

- Determination of Regional Uranium Background Level Sampling of background areas representative of the region is necessary for determining the uranium concentrations in environmental samples for comparison with the uranium concentrations in samples collected on the Proving Ground. The areas sampled should be located off the Proving Ground in several directions. The type of samples collected should include soil, stream sediments, water, and vegetation; samples of deer and shellfish would also be useful. All samples should be analyzed for total uranium. Isotopic analyses should be done on a portion of the samples as a means of determining the variation in isotopic composition among sampling areas and individual sample types.
- <u>Soil Characterization</u> This study would involve extensive soil sampling around the Ford's Farm target area (in the main grid) to aid in estimating the inventory of DU in the area and the degree of spread from the immediate target area.
- <u>Air Sampling</u> Continuous air sampling for a year or more at the Poverty Island area and the personnel area on Ford's Farm just north of the gun position is suggested. The sampler results from the personnel area would be used to determine the airborne uranium concentrations to which workers may be exposed from test firings. The sampler results from the Poverty Island area would be used to determine the uranium concentrations in the air at the continuously inhabited area nearest the Ford's Farm target.

- <u>Stream Sediment Characterization</u> Extensive stream sediment sampling at the mouths of Bridge, Romney, and Mosquito Creeks is suggested as a means of determining whether DU deposits exist at these locations and whether any deposits may be moving offsite. The samples should be analyzed for total uranium; if concentrations significantly higher than the background level are found, the isotopic composition should be analyzed.
- <u>Shellfish Characterization</u> Extensive shellfish sampling near the mouths of Romney and Mosquito Creeks is suggested. Because shellfish (clams and oysters) are filter-feeders and relatively stationary, they are expected to be good indicators of uranium levels in the Chesapeake Bay's suspended sediments. They also represent the major food pathway leading to man. Sampling locations should be determined from site-specific information because water currents, salinity, and temperature gradients can affect the distribution of shellfish and the movement of surface water from the Proving Ground into the bay.

SURVEILLANCE PROGRAM

The major objectives of a routine environmental-surveillance program for the Aberdeen Proving Ground would be to evaluate long-term trends of uranium concentrations in the environment, to detect rapid changes in those concentrations, and to define and monitor pathways leading to potentially significant human exposures. All samples should be chemically analyzed for total uranium, and samples with concentrations significantly higher than the background level should also be analyzed for isotopic composition.

Sampling of the following substances might be included in a surveillance program:

 <u>Stream Sediments</u> - Stream sediment samples should be collected at least annually at the mouths of Bridge, Romney, and Mosquito Creeks, with the results compared with background concentrations and the concentrations from the stream sediment characterization study described previously. <u>Shellfish</u> - Shellfish should be collected at least annually at appropriate locations near the Romney and Mosquito Creek estuaries. Analytical results can be compared with background concentrations as well as with concentrations found in the shellfish characterization study mentioned previously.

No. P. Contractor Manager Street, Stre

- <u>Stream Water</u> Two locations for sampling surface water should be established: one on Bridge Creek, which drains the Ford's Farm target area, and one on Mosquito Creek, which drains the B-3 range. The ideal method for collecting and analyzing water samples would be to use a continuous proportional sampler and to perform monthly sample analyses. An acceptable alternative would be to collect weekly grab samples that would be composited and analyzed monthly. If the amount of uranium leaving the area via the stream water was to be estimated, the rate of stream flow would have to be known or estimated. In addition, any existing wells in the B-3 range and the Ford's Farm range should be evaluated to assess whether the collection and analysis of ground water samples is warranted.
- Leaf Litter At several locations around the B-3 range and Ford's Farm, leaf litter collection stations should be established for annual sample collection and analysis. Analyses of these samples for uranium can be used to assess the general level of DU contamination and the areal distribution for the previous year of operation. For comparative purposes, annual results would again need to be compared with regional background levels.
- <u>Deer</u> Several deer should be collected annually, either hunted with special permission or taken as available from road or winter kill. The kidney and the liver tissues should be analyzed for total uranium content.

REFERENCES

-

مصفر بنصد

-1XP.-

Bennellick, E. S. 1966. <u>A Review of the Toxicology and Potential Hazards of</u> <u>Natural, Depleted and Enriched Uranium</u>. AHSB(RP) R58, United Kingdom Atomic Energy Authority, Authority Health and Safety Branch, Harwell, Didcot, Berkshire.

<u>Code of Federal Regulations</u>. Title 10, Part 20, "Standards for Radiation Protection."

Miller, M. L., J. J. Fix and P. E. Bramson. 1977. <u>Radiochemical Analyses of Soil and Vegetation Samples Taken from the Hanford Environs, 1971-1976.</u> BNWL-2249, Pacific Northwest Laboratory, Richland, Washington.

National Council on Radiation Protection and Measurements. 1976. Environmental Radiation Measurements. NCRP 50, Washington, D.C.

U.S. Energy Research and Development Administration. 1975. <u>Conference on</u> <u>Occupational Health with Uranium, April 28-30, 1975</u>. ERDA-93, Washington, D.C.

Veselsky, J. C. 1977. "The Isotopic Composition of Uranium in Soils and Plants from the Environment of Seibersdorf, Lower Austria." <u>Radiochem.</u> <u>Radioanal. Letters</u> 30(3):193-198. APPENDIX A

÷

AERIAL-SURVEY DATA

APPENDIX A

AERIAL-SURVEY DATA

The aerial survey of the Ford's Farm range was conducted by EG&G. The EG&G personnel involved in the survey were contacted by PNL personnel following the early-spring survey trip.^(a) They indicated that the survey had been provided to Aberdeen without charge and that the results of the survey were not considered conclusive because the newly acquired equipment that had been used had not been thoroughly checked and calibrated. Hence, no quantitative guidance on contamination concentration categories A, B, C, etc. (Figure A.1) was given. No soil sampling cross checks were done by EG&G.

Because EG&G did not ground-proof the aerial data, the ground survey data presented in this report should be used as a substitute.

⁽a) Personal communication between D. A. Waite and L. Franks, EG&G, Santa Barbara, CA.



FIGURE A.1. Aerial-Survey Plot of the Ford's Farm Range by EG&G

Share and a second

APPENDIX B

ANALYTICAL RESULTS OF ENVIRONMENTAL SAMPLING

APPENDIX B

10.000

ANALYTICAL RESULTS OF ENVIRONMENTAL SAMPLING

This appendix presents a complete listing of the environmental-sampling data from the study. Uranium concentrations in soil samples, with sample locations and the trip on which the samples were collected, are presented in Table B.1. Stream sediment, water, and vegetation results can be found in Tables B.2, B.3, and B.4, respectively.

In Tables B.1 through B.4, each sample designation consisting of a letter followed by a number (e.g., A-1) represents the grid point at which the sample was collected. Using the grid point, the approximate collection location can be found by referring to the appropriate map in the main body of the report. A sample designation that consists of two letters preceding a number (e.g., JA-1) is simply an identification number and does not indicate a location.

Location	Sample/Grid Number	Uranium Concentration, $\mu g/g^{(a)}$
B-3 Range, Main Grid (Area 1)		
Early-spring trip	N-4	0.46
	N-7	0.42
	N-9	0.47
	M-15	1.8
	M-16	0.57
	N-16	2.1
	0-16	0.39
	M-17	0.60
	N-17	14
	0-17	1.1
	C-13 ^(b)	1.1
	C-14(b)	0.49
Late-summer trip	N-13	1.1
	N-17	2.9
	N-19	3.7
	N-21, 1	1.9
	N-21, 2	1.5
B-3 Range, Reference Area (Area 3)		
Late-summer trip	GS-65	1.4
	GS-65 (Isotopic)	
	238 _U	3.2
	235 _U	<ol(c)< td=""></ol(c)<>
	234 _U	5.8 \times 10 ⁻⁵
	GS-68	2.5
Ford's Farm, Main Grid (Area 1)		
Early-spring trip	L-12	1.1
	N-12	1.3
	0-12	9.4
	P-12	26
	L-13	2.2
	M-13	2.1
	N-13	3.6
	P-13	2.3
	M-14	4.6

TABLE B.1. Uranium Concentrations in All Soil Samples Collected

.

. Willians

(a) Concentrations are in ug of uranium per g of sample, with an estimated analytical error of ±35%.
(b) Collected upstream from the main grid.
(c) Less than detection level, indicating an estimated analytical error greater than 100%.

Location	Sample/Grid Number	Uranium Concentration, $\mu g/g(a)$
	N-14	10
	0-14	5.8
	R-14	2.0
	T-14	0.92
	L-15	2.1
	Q-15	4.2
	S-15	26
	V-13 ^(b)	0.83
	V-13(b)	1.2
	M-16	3.1
	N-16	3.5
	0-16	6.6
	P-16	2.4
	S-16	0.45
	L-17	2.9
	M-17	3.9
	N-17	4.7
	0-17	6.5
	P-17	0.87
	R-17	1.1
	S-17	5.1
	T-17	2.0
	L-18	0.74
	M-18	2.5
	N-18	2.1
	R-18	1.4
	T-18	5.7
	M-19	5.1
	N-19	11
	0-19	7.3
	P-19	12
	Q-19	2.0
	P-20	0.48
	Q-20	1.9
	R-20	0.49
	1-20	0.90

TABLE B.1. (contd)

(a) Concentrations are in ug of uranium per g of sample, with an estimated analytical error of ±35:.
(b) Collected from fringe areas of the main grid.

B.3

Location	Sample/Grid Number	Uranium Concentration, $\mu g/g(a)$
	0-16 (Profile)	
	0 - 7.6 cm	81
	7.6 - 15.2 cm	0.10
	15.2 - 22.9 cm	0.98
	22.9 - 30.5 cm	0.37
	N-18 (Profile)	
	0 - 7.6 cm	1.0
	7.6 - 15.2 cm	0.47
	15.2 - 22.9 cm	0.51
	22.9 - 30.5 cm	0.73
Late-summer trip	Q-16	21
	Q-16 (Isotopic)	
	238 _U	31
	235 _U	0.11
	234 _U	2.8 \times 10 ⁻⁴
	N-17	5.1
	P-17	22
	R-17	13
	P-18	20
	Q-15 (Profile)	
	0 - 2.5 cm	200
	2.5 - 5.1 cm	12
	5.1 - 7.6 cm	8.9
	P-16 (Profile)	
	0 - 2.5 cm	330
	2.5 - 5.1 cm	17
	5.1 - 7.6 cm	7.3
	P-21 (Profile)	
	0 - 2.5 cm	4.1
	2.5 - 5.1 cm	1.6
	5.1 - 7.6 cm	1.1
Ford's Farm, 1000-Meter Pad		
(Area 2)	MD_1	0.41
Early-spring trip	MD_2 (Drafile)	
	0 - 7.6 cm	0.34
	7.6 - 15.2 cm	0.34
	15.2 - 22.9 cm	0.30
	22,9 - 30,5 cm	0.31

TABLE B.1. (contd)

(a) Concentrations are in ug of uranium per g of sample, with an estimated analytical error of ±35%.

Location	Sample/Grid Number	Uranium Concentration, µg/g ^(a)
Ford's Farm, Grenade Range (Area 5)		
Early-spring trip	GR-1	0.19
	GR-2	0.20
	GR-3 ^(b)	0.19
	GR-4	0.30
	GR-5	0.18
	GR-6	0.25
	GR-7	0.29
	GR-8	0.51
	GR-9 (Profile)	
	0 - 7.6 cm	0.39
	7.6 - 15.2 cm	0.61
	15.2 - 22.9 cm	0.37
	22.9 - 30.5 cm	0.43
Ford's Farm, Romney Creek		
Late-summer trip	PI-1	1.1
	PI-1 (Isotopic)	
	238 _U	2.8
	235 _U	<dl(c)< td=""></dl(c)<>
	234 _U	2.4×10^{-4}

TABLE B.1. (contd)

N. 150

(a) Concentrations are in µg of uranium per g of sample, with an estimated analytical error of ±35%.
(b) Samples GR-3 through GR-8 were all collected in an area of approximately 1 m².
(c) Less than detection level, indicating an estimated analytical error greater than 100%.

Location	Sample/Grid Number	Uranium Concentration, $\mu g/g^{(a)}$
B-3 Range, Main Grid (Area 1)		
Early-spring trip	N-2	0.68
	0-4	0.42
	M-7	0.69
	0-6	0.48
	M-17	50 (14) ^(b)
	M-18	1.9
	M-19	8.2 (2.8) ^(b)
	M-20	0.22
	M-21	2.5
	M-22	1.1
	N-23	0.38
	G-4 ^(c)	1.4
	H-5 ^(c)	0.42
	1-6 ^(c)	0.58
	J-7(C)	2.4
	K-7 ^(c)	0.30
	C-21 ^(C)	0.68
B-3 Range, Beaver Dam (Area 2)		
Late-summer trip	GS-5	0.87
	GS-6 (Profile)	
	0 - 2.5 cm	2.3
	2.5 - 5.1 cm	1.5
	5.1 - 7.6 cm	0.88
B-3 Range, Reference Area (Area 3)		
Late-summer trip	CH-5 (Profile)	
	0 - 7.6 cm	2.0
	7.6 - 15.2 cm	
	CH-7 (Profile)	
	0 - 7.6 cm	2.0
	7.6 - 15.2 cm	3.1

TABLE B.2. Uranium Concentrations in All Stream Sediment Samples Collected

(a) Concentrations are in µg of uranium per g of sample, with an estimated analytical error of ±35%.
(b) Rerun analysis.
(c) Collected upstream from main grid.

B.6

Location	Sample/Grid Number	Uranium Concentration, $\mu g/g^{(a)}$
Ford's Farm, Main Grid (Area 1)		
Early-spring trip	Q-16	67
	0-17	30
	0-18	9.2
	Q-18	5.0
	M-19	8.5
	L-20	1.7
	M-20	6.5
	0-20	1.7
	X-17 ^(b)	1.0
	W-19 ^(b)	1.1
	K-20 ^(b)	3.0
	T-25 ^(b)	2.1
	S-25(b)	1.3
	N-26 ^(b)	1.2
	E-26 ^(b)	0.76
Ford's Farm, 1000-Meter Pad (Area 2)		
Early-spring trip	MP-3	0.56
Ford's Farm, Plate Storage (Area 3)		
Early-spring trip	PS-1	0.64
	PS-2	2.1
Ford's Farm, Bridge Creek (Area 4)		
Late-summer trip	GS-17	64 (4.9) ^(c)
	GS-19	5.0
	GS-16 (Profile)	
	0 - 2.5 cm	1.5
	2.5 - 5.1 cm	1.9
	5.1 - 7.6 cm	1.3
	7.6 - 15.2 cm	0.93
Ford's Farm, Grenade Range [Area 5]		
Early-spring trip	GR-10	0.83
	GR-11	2.1

TABLE B.2. (contd)

(a) Concentrations are in ug of uranium per g of sample, with an estimated analytical error of ±35%.
(b) Collected from fringe areas of the main grid.
(c) Rerun analysis.

Location	Sample/Grid Number	Uranium Concentration, $\mu g/L(a)$
B-3 Range, Main Grid (Area 1)		
Early-spring trip	N-9	0.10
	0-15	1.7
	M-16	3.7
	M-18	9.6 (18) ^(b)
	M-20	1.7
	N-23	2.4
	H-5(C)	12
	L-7 ^(c)	0.81
	E-20 ^(c)	43 (44) ^(b)
	A-22 ^(c)	4.4
Late-summer trip	N-14	0.71
	N-17	0.80
	M-18	0.42
B-3 Range, Beaver Dam (Area 2)		
Late-summer trip	GS-1	<dl (="")<="" d="" td=""></dl>
	GS-2	0.03
	GS-4	0.06
	GS-7	0.19
B-3 Range, Reference Area (Area 3)		
Late-summer trip	GS-60	0.14
	GS-61	0.20
	CH-9	0.12
Ford's Farm, Main Grid (Area I)		
Early-spring trip	Q-16	35
	0-18	12
	M-20	59
	_{W-9} (e,f)	43 (33) ^(b)
	X-16 ^(e)	5.4
	K-20 ^(e)	40
	V-24 ^(e)	11
	N-26 ^(e)	16

TABLE B.3. Uranium Concentrations in All Water Samples Collected

(a) Concentrations are in μg of uranium per L of sample, with an estimated analytical error of $\pm 35\%.$

ţ.

(b) Rerun analysis.
(c) Collected upstream from the main grid.
(d) Less than detection level, indicating an estimated analytical error greater than 100%.

(e) Collected from fringe areas of the main grid.
 (f) Collected from an abandoned farm well in the area.

B.8

Location	Sample/Grid Number	Uranium Concentration, µg/L(a)
Late-summer trip	M-17	16
Ford's Farm, 1000-Meter Pad (Area 2)		
Early-spring trip	MP-4	4.9
Ford's Farm, Plate Storage (Area 3)		
Early-spring trip	PS-3	5.0
Ford's Farm, Bridge Creek (Area_4)		
Late-summer trip	GS-14	1.6
	GS-15	3.1
Ford's Farm, Grenade Range (Area 5)		
Early-spring trip	J-5	3.8
Late-summer trip	JA-5	0.13
Ford's Farm, Romney Creek (Area 6)		
Late-summer trip	PI-2	0.26

TABLE B.3. (contd)

(a) Concentrations are in ${}_{\mu}g$ of uranium per L of sample, with an estimated analytical error of $\pm 35\%.$

Location	Sample/Grid Number	Uranium Concentration, $\mu g/g(a,b)$
B-3 Range, Main Grid (Area 1)		
Early-spring trip	0-15	0.38
Late-summer trip	N-11	3.0
	N-13	8.5
	N-14	1.4
	M-16	0.68
	N-21	0.43
	N-21 (Isotopic) 238 ₁₁	1.1
	235,	
	234 ₁₁	$5_{-0} \times 10^{-5}$
	0-19 (Leaf litter)	0.29
B-3 Range, Beaver Dam (Area 2)		
Late-summer trip	GS-3 (Algae)	0.34
B-3 Range, Reference Area (Area 3)		
Late-summer trip	GS-63	0.30
	GS-64	0.27
	GS-65	0.25
	GS-80 ^(d)	0.55
		0.95
		2.1
		2.2
		2.2
		1.8
	GS-80 (Isotopic)	
	238 _U	2.0
	235 _U	<dl<sup>(c)</dl<sup>
	234 _U	2.4 × 10^{-5}
Ford's Farm, Main Grid (Area 1)		
Early-spring trip	V-13, 1 (Leaf litte	$(7.7)^{(e)}$
	V-13, 2 (Leaf litte	(e) 7.5 $(8.1)^{(e)}$
	V-13, 3	4.0 (4.9) ^(e)

TABLE B.4. Uranium Concentrations in All Vegetation Samples Collected

(a) Concentrations are in ug of uranium per g of sample, with an estimated analytical error of ±35%.
(b) Sample is grass unless otherwise noted.

(c) Less than detection level, indicating an estimated analytical error greater than 100%.

(d) Six aliquots of sample were analyzed.(e) Rerun analysis.

Location	Sample/Grid Number	Uranium Concentration, $\mu g/g(a,b)$
Late-summer trip	0-10	2.6
	0-11	16
	0-13	13
	0-15	27
	S-15	14
	M-16	13
	N-16	75
	0-16	78
	P-16 ^(c)	390
		1200
		720
		740
		590
		670
	P-16 (Isotopic)	
	238 _U	43
	235 _U	0.11
	234 _U	3.2×10^{-4}
	Q-16	16
	R~16	29
	S~16	2.9
	T-16	7.3
	N~17	25
	P-17	22
	R-17	26
	0-18	18
	P-18	10
	P-19	4.6
	P-21	1.5
	K-16 (Leaf litter)	82
	K-16 (Isotopic)	
	238 _U	2.7
	235 _U	< _{DL} (d)
	234 ₁₁	1.7×10^{-5}

TABLE B.4. (contd)

⁽a) Concentrations are in ug of uranium per g of sample, with an estimated analytical error of ±35%.
(b) Sample is grass unless otherwise noted.
(c) Six aliquots of sample were analyzed.
(d) Less than detection level, indicating an estimated analytical error greater than 100%.

Location	Sample/Grid Number	Uranium Concentration, $\mu g/g(a,b)$
	T-16 (Leaf litter)	170
	T-16 (Isotopic)	
	238 _U	6.9
	235 _U	1.8×10^{-2}
	234 _U	4.7 $\times 10^{-5}$
	L-16 (Leaf litter)	240
	R-17 (Leaf litter)	10
	Q-18 (Leaf litter)	150
Ford's Farm, 1000-Meter Pad (Area 2)		
Early-spring trip	MP-5	4.8 (8.3) ^(c)
	MP - 6	4.3 (4.3) ^(c)
Ford's Farm, Bridge Creek (Area 4)		
Late-summer trip	GS-11	8.0
	GS-11 (Isotopic)	
	238 _U	1.7
	235 _U	< _{DL} (d)
	234 _U	2.5×10^{-5}
	GS-10 (Leaf litter)	7.0
	GS-12 (Leaf litter)	13
Ford's Farm, Grenade Range (Area 5)		
Early-spring trip	GR-12 (Leaf litter)	5.8
	GR-13	2.5 (1.7) ^(c)
Late-summer trip	GS-30	5.7
	GS-30 (Isotopic)	
	238 _U	8.7
	235 _U	1.7×10^{-2}
	234 _U	5.5 x 10 ⁻⁵
	GS-31	7.1
	GS-32	0.63
	GS-33	2.4 (5.3) ^(c)
	GS-35	0.19

TABLE B.4. (contd)

and the second second

(a) Concentrations are in ug of uranium per g of sample, with an estimated analytical error of ±35%.
(b) Sample is grass unless otherwise noted.
(c) Rerun analysis.
(d) Less than detection level, indicating an estimated analytical error greater than 100%.

Location	Sample/Grid Number	Uranium Concentration, $\mu g/g(a,b)$
	JA-1 (Leaf litter)	2.9
	JA-1 (Isotopic)	
	238 _U	4.8
	235 _U	1.4×10^{-2}
	234 _U	3.5×10^{-5}
	JA-2 (Leaf litter)	2.6
	JA-3 (Leaf litter)	3.8
	JA-4 (Leaf litter)	11
Ford's Farm, Romney Creek (Area 6)		
Late-summer trip	PI-3 (Leaf litter)	0.93
	PI-3 (Isotopic)	
	238 _U	1.8
	235 _U	< <u>ol</u> (c)
	234 _U	1.5×10^{-5}

TABLE B.4. (contd)

A set of the set of t

(a) Concentrations are in µg of uranium per g of sample, with an estimated analytical error of ±35%.
(b) Sample is grass unless otherwise noted.
(c) Less than detection level, indicating an _stimated analytical error greater than 100%.

B.13

APPENDIX C

170

SPECIAL-STUDIES DATA

APPENDIX C

SPECIAL-STUDIES DATA

The data from two special studies are presented in this section: 1) a dissolution rate study and 2) a study of the concentrations of dissolved and suspended uranium concentrations in water samples.

DISSOLUTION RATE STUDY

The purpose of this study was to determine what percent of depleted uranium dust would go into solution when exposed over a 14-day period to sea water and river water with controlled water temperature and a known pH.

Method

A weighed amount of DU dust was placed in each of four vials, then 50 ml of sea water were added to one pair of vials and 50 ml of river water to the other pair. The sea water came from Sequim, Washington, on the Pacific Coast, and had been filtered through a 0.45-µm filter. The river water came from the Columbia River and had been filtered through a 100-µm filter. A water bath shaker was used for shaking the contents of the vials and controlling the water temperature at 10°C. One-ml samples of the uranium and water were drawn from each vial on days 1, 2, 4, 8, and 14. Each sample was filtered through a 0.1-µm filter, and fluorometric and colorimetric analyses were done. The error assigned to each sample was 30% for the fluorometric analysis and 10% for the colorimetric analysis. The pH of the solution in each vial was measured on the first and last day.

Results

The results of the dissolution of the DU dust in 10° C Pacific sea water and Columbia River water are listed in Table C.1 and graphed in Figures C.1 and C.2.

C.1

Sample Data from the Dissolution Rate Study TABLE C.1.

+ 2+ · • •

					-	č	00 j ter too oo	form Cluoro	ataic Anal	e e e	Dissolution Rate	Estimated First Niccolution
Sample	DU Dust, mg	Water, ml	Loncentration,	Day 1	Day 14	Day 1	Day 2	Day 4	Day 8	Day 14	Sample/Day)	Half-Time, yr
⊭1 Du + Sea Water	545.1	50	6.01	7.99	7.05	57 ± 17	17 ± 5	10 ± 3	33 ± 10	$3 \pm \frac{3}{1}$ (a) (52 ± 4(a) (860 C	a •
#2 DU + Sea Water	545.6	50	16.01	8.0	6.5	57 ± 17	2 ± 1 17 ± 5 25 ± 2 ^(a)	39 ± 12	28 ± 8	19 ± 6	070.0	0. 7
#3 DU + River Water	674.2	50	13.48	8,8	8.25	36 1 4	7 ± 2(a) 25 ± 2(a)	34 ± 10	51 ± 15	12 ± 4(a) 78 ± 6(a)	060 0	a
#4 DU + River Water	642.3	50	12.85	8.7	8.0	32 ± 3	40 ± 12	27 ± 2(a)	45 ± 13	52 ± 15	020-0	0
#5 Uranyl Nitrate + Sea Water (Standard)	3.8 U nitrate 1.801 U	100	0.018	1.1	7.5	25 ± 3	25 ± 8(a) 20 ± 1 ^(a)	19 £ 6	21 ± 6	14 ± 4		
#6 River Water	0	50	0	8.1	7.2	0.0004						
#] Sea Water	0	20	0			0,0003						
(-) 6400 00	locimotric sether	r than fluor	cmotric analycic									

ĕ (a) FI

C.2



FIGURE C.1. Dissolution of Uranium Dust in Sea Water at 10°C





Sea Water at 10° C. During the 14 days of the experiment, the pH of the sea water dropped more than 0.9 units. The percent of each sample that has gone into solution during this time is shown in Figure C.1. as a function of time. The percent was calculated assuming that the total mass of sample dust placed into the vial consists of DU metal only. Correcting for the presence of oxides and dust particles from other sources must wait until the test sample is analyzed for total uranium content.

The dissolution measurements made on day 1 for samples #1 and #2 and on day 14 for sample #2 were not included in the linear regression of the data. The sea water measurements were restricted to the pH range 7.5 to 7.0. The DU appears to be relatively insoluble in sea water, having a half-time for dissolution of 4.8 years.

<u>River Water at 10°C</u>. During the 14 days of the experiment, the pH of the river water dropped approximately 0.6 units in both of the sample vials. This appears not to have appreciably affected the dissolution of the uranium in the water; the dissolution rate steadily increases, as can be seen in Figure C.2. The DU appeared to be relatively insoluble, having a half-time of dissolution of 6.8 years. The actual dissolution may be faster because wall losses were not included in this calculation. Wall losses were estimated using a standard solution of uranyl nitrate (18 μ g/ml) in which the amount of dissolved uranium decreased to 60% of the original concentration by the fourteenth day (see Figure C.3).

Comments

In future work, the pH must be kept constant to eliminate any effects of pH on the rate of uranium dissolution. This should be done through the use of buffers and through repeated measurement of the pH of each solvent sample.



FIGURE C.3. Changes in Uranium Concentration in a Standard Uranyl Nitrate Solution Due to Wall Losses

C.4
The fraction of material dissolved should be normalized to the surface area of the sample, giving units of percent in solution per cm^2 of sample. This correction can be obtained by dividing the concentrations given in Table C.1 by the specific surface of the sample, Sp (cm^2/gm), and by multiplying each point in Figures C.1 and C.2 by Mo/Sp, where Mo is the initial sample weight.

ANALYSES OF DISSOLVED VERSUS SUSPENDED URANIUM

Table C.2 is a list of the data from the two water samples analyzed for dissolved uranium (<0.45- μ m particles) and suspended uranium (>0.45- μ m particles).

Table C.2 Dissolved and Suspended Uranium Concentrations

	in Water Samples from the Ford's Farm Range			
Sample	Uranium Dissolved in Water, y/L	Uranium in Suspended Sediments, yg/L	Total Uranium, µg/L	Uranium Solution (%)
M-17W (main grid)	19	3.8	23	83
GS-15⊍ (Rridge Creek area)	4.2	3.9	8.1	52

C.5

PNL-2976 UC-35

DISTRIBUTION

No. of Copies

OFFSITE

Office of Secretary of Defense Office of Director of Defense, Research and Engineering ATTN: Mr. J. Persh Washington, DC 20301

Office of Assistant Secretary of Defense for Atomic Energy ATTN: CMDR G. Cliff Pentagon, Room 3E1069 Washington, DC 20310

Office of the Undersecretary of the Army Deputy Undersecretary (Operations Research) ATTN: Mr. D. Hardison Department of the Army Washington, DC 20310

Undersecretary of Defense for Research and Engineering Deputy Undersecretary (Tactical Warfare Programs) Department of Defense Washington, DC 20310

Undersecretary of Defense for Research and Engineering Deputy Undersecretary (Tactical warfare Programs) ATTN: Mr. C. McKinley Department of Defense Washington, DC 20310

Undersecretary of Defense for Research and Engineering Deputy Undersecretary (Tactical Warfare Programs) ATTN: Mr. R. Moore Department of Defense Washington, DC 20310

No. of Copies

Undersecretary of Defense for Research and Engineering Deputy Undersecretary (Research and Advanced Technology) ATTN: Dr. Ruth Davis

Department of Defense Washington, DC 20310

Office of the Deputy Undersecretary of Defense, Research and Engineering ATTN: Mr. R. Thorkildsen Pentagon Washington, DC 20310

Headquarters Department of the Army ATTN: DASG-TSP-E, COL Wangemann Washington, DC 20310

Headquarters Department of the Army ATTN: DACS-DMT Washington, DC 20310

Headquarters Department of the Army ATTN: DAMA-ARX-A, Dr. M. Lasser Washington, DC 20310

Headquarters Department of the Army ATTN: DAMA-CSS, Dr. J. Bryant Washington, DC 20310

Headquarters Department of the Army ATTN: DAMA-CSM, LTC German Washington, DC 20310

Headquarters Department of the Army ATTN: DAMA-CSM-CA, Mr. Lippi Washington, DC 20310

> Headquarters Department of the Army ATTN: DAMA-WSW, LTC Hinson Washington, DC 20310

Headquarters Department of the Army ATTN: DAMO-TRS Washington, DC 20310

Headquarters Department of the Army ATTN: DAMO-TRI Washington, DC 20310

Headquarters Department of the Army ATTN: DALO-SMS, Ms. T. Ueckert Washington, DC 20310

Headquarters Department of the Army ATTN: SAIL-SN, Mr. Hildebrand Washington, DC 20310

Commander U.S. Army Combined Arms Combat Development Activity ATTN: APCA-BC Fort Leavenworth, KS 66027

2 Commander U.S. Army Environmental Hygiene Agency ATTN: HSE-0, COL. J. Thiessen Aberdeen Proving Ground, MD 21005

5 Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-SCM-P, Dr. E. Bloore Dover, NJ 07801

Director U.S. Army Human Engineering Laboratory ATTN: DRXHE-HE, Mr. Erickson Aberdeen Proving Ground, MD 21005

No. of Copies

Project Manager XM1 Tank System ATTN: DRCPM-GCM, MG Babers Warren, MI 48090 2 Project Manager XMI Tank System ATTN: DRCPM-GCM-SI, Mr. D. Bartle Warren, MI 48090 Project Manager M60 Tank Michigan Army Missile Plant ATTN: DRCPM-M60 Warren, MI 48090

Commander U.S. Army Tank Automotive Research and Development Command ATTN: DRDTA-RWL Warren, MI 48090

Commander U.S. Army Tank Automotive Research and Development Command ATTN: DRDTA-RKA, Mr. V. Pagano Warren, MI 48090

Project Manager Tank Main Armament System ATTN: DRCPM-TMA-102mm, Mr. Krosser Dover, NJ 07801

5 Project Manager Tank Main Armament System ATTN: DRCPM-TMA, Mr. Mahler (1) DRCPM-ARM-105, LTC Scarboro (2) DRCPM-APM-230, LTC Howard (2) Dover, NJ 07801

Project Manager Production Base Modernization and Exp ATTN: DRCPM-PBM, Mr. C. Kolis Dover, NJ 07801

> Commander U.S. Army Logistics Center ATTN: ATCL-M, Mr. Thompson Fort Lee, VA 23801

> Commander U.S. Army Missile Munitions ATTN: ATSK-CD Redstone Arsenal, AL 35809

Commander U.S. Army Logistics Evaluation Agency ATTN: DALO-LEI, Mr. Frye New Cumberland Army Depot New Cumberland, PA 17070

Commander U.S. Army Materiel Development and Readiness Command ATTN: DRCDR-DW, COL Collins 5001 Eisenhower Avenue Alexandria, VA 22333

Commander U.S. Army Materiel Development and Readiness Command ATTN: DRCQA, Mr. R. Fahy 5001 Eisenhower Avenue Alexandria, VA 22333

Commander U.S. Army Materiel Development and Readiness Command ATTN: DRCDMD, LTG Gonzals 5001 Eisenhower Avenue Alexandria, VA 22333

Commander U.S. Army Materiel Development and Readiness Command ATTN: DRCDMA-ST 5001 Eisenhower Avenue Alexandria, VA 22333 No. of Copies

> Commander U.S. Army Materiel Development and Readiness Command ATTN: DRCSMA-ST, COL Vincent 5001 Eisenhower Avenue Alexandria, VA 22333 Commander U.S. Army Materiel Development and Readiness Command ATTN: DRCSG, COL R. Cutting 5001 Eisenhower Avenue Alexandria, VA 22333 Commander U.S. Army Materiel Development and Readiness Command ATTN: DRCPA-E, Mr. Pace 5001 Eisenhower Avenue Alexandria, VA 22333 3 Commander

U.S. Army Materiel Development and Readiness Command ATTN: DRCSF-P, Mr. Taras 5001 Eisenhower Avenue Alexandria, VA 22333

Director DARCOM Field Safety Activity ATTN: DRXOS-ES, Mr. E. Olsen Charlestown, IN 47111

Director U.S. Army Materials and Mechanics Research Center ATTN: DRXMR-X, Dr. E. Wright Watertown, MA 02172

Director U.S. Army Materials and Mechanics Research Center ATTN: DRXMR-AR, Mr. S. Levin Natertown, MA 02172

Director U.S. Army Materiels Systems Analysis Agency ATTN: DRXSY Aberdeen Proving Ground, MD 21005

Director U.S. Army Materiels Systems Analysis Agency ATTN: DRXSY-GA, Mr. W. Brooks Aberdeen Proving Ground, MD 21005

Commander U.S. Army Armament Materiel Readiness Command ATTN: DRSAR-MAD-C, Mr. P. Shaw Dover NJ 07801

Commander U.S. Army Armament Materiel Readiness Command ATTN: DRSAR-ASR Rock Island, IL 61201

Commander U.S. Army Armament Materiel Readiness Command ATTN: DRSAR-LEA, Mr. E. Beckman Rock Island, IL 61201

3 Commander U.S. Army Armament Materiel Readiness Command ATTN: DRSAR-SS, Mr. B. Morris Rock Island, IL 61201

Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-CG Dover, NJ 07801

Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-TD Dover, NJ 07801

Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-SC Dover, NJ 07801

No. of Copies

Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-LC, Dr. J. Frasier Dover, NJ 07801 Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-SCM, J. Corrie Dover, NJ 07801 10 Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-LCU-CT, Mr. Davitt Dover, NJ 07801 2 Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-SF, Mr. Elliott Dover, NJ 07801 5 Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-TSS, STINFO Dover, NJ 07801 Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-BLT, Mr. R. Vitali Aberdeen Proving Ground, MD 21005 Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-BLT, Dr. W. Gillich Aberdeen Proving Ground, MD 21005 3 Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-BLV, Mr. E. Wilsey

Aberdeen Proving Ground, MD 21005

No. of Copies Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-BLP, Mr. R. Comer Aberdeen Proving Ground, MD 21005 Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-AD-SA, Mr. Markland Aberdeen Proving Ground, MD 21005 Commander U.S. Army Armament Research and Development Command ATTN: DRDAR-LCB, Mr. P. Rummel Watervliet, NY 12189 Director U.S. Army Ammunition Center ATTN: SARAC-D, Mr. K. Croscost Savanna, IL 61074 Commander U.S. Army Armor Center and School ATTN: Mr. M. Falkovitch Fort Knox, KY 40121 Commander U.S. Army Armor Center and School ATTN: ATZK-CG-AM-L, LTC Robinson Fort Knox, KY 40121 Commander U.S. Army Missile Command ATTN: DRCPM-LCE, Mr. Crosswhite Redstone Arsenal, AL 35809 Commander U.S. Army Mobility Equipment Research and Development Command ATTN: DRSME-RZT, Tech Doc Ctr B/315 Fort Belvoir, VA 22060 Commander U.S. Army Test and Evaluation Command

ATTN: DRSTE

Aberdeen Proving Ground, MD 21005

No. of Copies

2 Commander U.S. Army Test and Evaluation Command ATTN: DRSTE-AR, Mr. Saubier DRSTE-AR, Mr. D. Witt Aberdeen Proving Ground, MD 21005 2 Commander U.S. Army Test and Evaluation Command ATTN: DRSTE-CE Aberdeen Proving Ground, MD 21005 2 Commander U.S. Army Test and Evaluation Command ATTN: DRSTE-PP-E Aberdeen Proving Ground, MD 21005 2 Commander U.S. Army Test and Evaluation Command ATTN: DRSTE-ST, Mr. J. Starkey Aberdeen Proving Ground, MD 21005 Commander U.S. Army Training and Doctrine Command Fort Monroe, Hampton, VA 23651 Commander U.S. Army Training and Doctrine Command ATTN: ATEM-SE, Mr. Dery Fort Monroe, Hampton, VA 23651 Commander U.S. Army Training and Doctrine Command ATTN: ATTR-HR-S, Mr. Teichmann Fort Monroe, Hampton, VA 23651 3 Commander Aberdeen Proving Ground ATTN: STEAP-MTD, Mr. H. Graves Aberdeen Proving Ground, MD 21005

> Director U.S. Army TRADOC Systems Analysis Act ATTN: ATAA-SA White Sands Missile Range, NM 88002

5 Commander Defense Technical Information Center ATTN: DDC-DDA Cameron Station Alexandria, VA 22314

Commander U.S. Naval Sea Systems Command ATTN: PMS-404-31, Mr. E. Gerlach Washington, DC 20362

Commander U.S. Naval Surface Weapons Center ATTN: Code WR-32 White Oak, MD 20910

Commander U.S. Naval Surface Weapons Center ATTN: Code DG-52, W. Wishard White Oak, MD 20910

2 HQ, ADTC/DLV ATTN: Dr. J. Cornette Eglin AFB, FL 32542

> HQ, ADTC ATTN: CEEDO/CC Detachment 1 Tyndall AFB, FL 32403

Air Force Materiel Laboratory ATTN: YXD, CPT D. Schuur Wright-Patterson AFB, OH 45433

U.S. Nuclear Regulatory Commission Division of Fuel Cycle and Material Safety ATTN: Mr. E. Wright Washington, DC 20555

National Lead Company of Ohio ATTN: Mr. L. Levy Box 39158 Cincinnati, OH 45239

No. of Copies

Office of Nuclear Waste Isolation ATTN: Mr. D. A. Waite Columbus, OH 43201

Rockwell International Rocky Flats Plant ATTN: Dr. M. Werkema Bldg 123, P.O. Box 464 Golden, CO 80401

Union Carbide Corporation Nuclear Division ATTN: Mr. M. Sanders P.O. Box Y Oak Ridge, TN 37830

University of California Los Alamos Scientific Laboratory ATTN: Dr. D. Sandstrom, CMB-6 Los Alamos, NM 87544

27 DOE Technical Information Center

ONSITE

DOE Richland Operations Office H. E. Ransom 41 Pacific Northwest Laboratory J. L. Baer L. G. Faust R. L. Gilchrist (20) J. A. Glissmeyer D. E. Hadlock C. D. Hooker J. Mishima

L. H. Munson B. L. Murphy J. M. Selby G. A. Stoetzel (5) Publishing Coordination (2)

Technical Information (5)

