

2

FTD-ID(RS)T-1336-83

AD-A 136 023


# FOREIGN TECHNOLOGY DIVISION



BREAKDOWN OF POLYETHYLENE FILM IN A GAS DISCHARGE,  
DIRECTED PERPENDICULAR TO AND IN PARALLEL WITH THE  
SURFACE OF THE FILM

by

S.N. Koykov, V.A. Fomin




**S** DTIC  
ELECT  
DEC 19 1983  
E

DTIC FILE COPY

Approved for public release;  
distribution unlimited.

20030108222



83 12 19 144

## **REPRODUCTION QUALITY NOTICE**

This document is the best quality available. The copy furnished to DTIC contained pages that may have the following quality problems:

- Pages smaller or larger than normal.
- Pages with background color or light colored printing.
- Pages with small type or poor printing; and or
- Pages with continuous tone material or color photographs.

Due to various output media available these conditions may or may not cause poor legibility in the microfiche or hardcopy output you receive.

If this block is checked, the copy furnished to DTIC contained pages with color printing, that when reproduced in Black and White, may change detail of the original copy.

# EDITED TRANSLATION

FTD-ID(RS)T-1336-83

1 December 1983

MICROFICHE NR: FTD-83-C-001458

BREAKDOWN OF POLYETHYLENE FILM IN A GAS DISCHARGE,  
DIRECTED PERPENDICULAR TO AND IN PARALLEL WITH THE  
SURFACE OF THE FILM

By: S.N. Koykov, V.A. Fomin

English pages: 3

Source: Vysokomolekulyarnyye Soyedineniya,  
Seriya B, Kratkiye Soobshcheniya,  
Vol. 11, Nr. 3, March 1969,  
pp. 224-225

Country of origin: USSR

Translated by: Charles T. Ostergag, Jr.

Requester: FTD/TQTD

Approved for public release; distribution unlimited.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	<input type="checkbox"/>
By _____	
Distribution/ _____	
Availability Codes	
Dist	Special
A-1	



<p>THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN TECHNOLOGY DIVISION.</p>	<p>PREPARED BY:  TRANSLATION DIVISION FOREIGN TECHNOLOGY DIVISION WPAFB, OHIO</p>
---	---

U. S. BOARD ON GEOGRAPHIC NAMES transliteration system

Block	Italic	Transliteration	Block	Italic	Transliteration
А а	<i>А а</i>	A, a	Р р	<i>Р р</i>	R, r
Б б	<i>Б б</i>	B, b	С с	<i>С с</i>	S, s
В в	<i>В в</i>	V, v	Т т	<i>Т т</i>	T, t
Г г	<i>Г г</i>	G, g	У у	<i>У у</i>	U, u
Д д	<i>Д д</i>	D, d	Ф ф	<i>Ф ф</i>	F, f
Е е	<i>Е е</i>	Ye, ye; E, e*	Х х	<i>Х х</i>	Kh, kh
Ж ж	<i>Ж ж</i>	Zh, zh	Ц ц	<i>Ц ц</i>	Ts, ts
З з	<i>З з</i>	Z, z	Ч ч	<i>Ч ч</i>	Ch, ch
И и	<i>И и</i>	I, i	Ш ш	<i>Ш ш</i>	Sh, sh
Й й	<i>Й й</i>	Y, y	Щ щ	<i>Щ щ</i>	Shch, shch
К к	<i>К к</i>	K, k	Ъ ъ	<i>Ъ ъ</i>	"
Л л	<i>Л л</i>	L, l	Ы ы	<i>Ы ы</i>	Y, y
М м	<i>М м</i>	M, m	Ь ь	<i>Ь ь</i>	'
Н н	<i>Н н</i>	N, n	Э э	<i>Э э</i>	E, e
О о	<i>О о</i>	O, o	Ю ю	<i>Ю ю</i>	Yu, yu
П п	<i>П п</i>	P, p	Я я	<i>Я я</i>	Ya, ya

\*ye initially, after vowels, and after ь, ь; e elsewhere.  
When written as ѣ in Russian, transliterate as yě or ě.

RUSSIAN AND ENGLISH TRIGONOMETRIC FUNCTIONS

Russian	English	Russian	English	Russian	English
sin	sin	sh	sinh	arc sh	sinh <sup>-1</sup>
cos	cos	ch	cosh	arc ch	cosh <sup>-1</sup>
tg	tan	th	tanh	arc th	tanh <sup>-1</sup>
ctg	cot	cth	coth	arc cth	coth <sup>-1</sup>
sec	sec	sch	sech	arc sch	sech <sup>-1</sup>
cossec	csc	csch	csch	arc csch	csch <sup>-1</sup>

Russian English

rot curl  
lg log

GRAPHICS DISCLAIMER

All figures, graphics, tables, equations, etc. merged into this translation were extracted from the best quality copy available.

BREAKDOWN OF POLYETHYLENE FILM IN A GAS DISCHARGE,  
DIRECTED PERPENDICULAR TO AND IN PARALLEL WITH THE SURFACE OF THE FILM

S. N. Koykov, V. A. Fomin

Leningrad Polytechnical Institute im. M. I. Kalinina


Submitted 22 Mar 1968

It was shown in work [1] that a significant breakdown of polymer films under the action of a gas discharge, accompanied by a considerable lessening of thickness, weight and breakdown voltage, with the course of time takes place only under the direct action of the discharges with a sufficient quantity of oxygen present. Only two hypotheses on the causes of erosion of polymer films, i.e., their breakdown under the action of discharges, agree with these data [1]:

a) oxidation of the polymer films to low-molecular compounds as a result of reactions with atomic oxygen or other unstable and highly active products of the gas discharge [2];

b) oxidation of polymer films to low-molecular compounds as a result of the development of macroradicals in the polymer due to electron or ion bombardment with the subsequent chain reaction of these macroradicals with the oxygen [3].

For the purpose of clarifying which of these two hypotheses is more suitable for explaining the causes of erosion of polymer films, we carried out the following experiment (drawing). The gas discharge originated in the gap between glass plates, to the outer surface of which metallic electrodes were attached for supplying high voltage with a frequency of 50 Hz, maintaining the discharge.



Lessening of weight  $\Delta P$  of a polyethylene film in a calculation per unit of area of the surface of the film depending on the time  $t$  of influence of the discharges in the gas interlayer with a thickness of 3.5 mm between glass plates 2.65 mm thick with a voltage of 18 kV: 1 - surface of the film in parallel with; 2 - perpendicular to the discharges.

Key: (1) hours.

In the space enveloped by the discharge two samples of polyethylene film were placed: one sample was found on the glass plate in such a way that the gas discharge was directed perpendicular to the surface of the film, and the other sample in the form of a long narrow strip was stretched on a special frame and was situated in such a way that the discharges were directed in parallel with the surface of the film. Evidently bombardment of the surface of the polymer with electrons and ions can have significant value only in the first case, whereas the interaction with unstable products of the gas discharge should take place to the same measure in both cases.

#### Conclusions

It was revealed that the rate of erosion, determined based on the lessening of weight with the course of time of the tests, in the

first case turns out to be many times greater (30 times and more) than in the second. Consequently, significant erosion of a polyethylene film under the action of a gas discharge is possible only in the case when the discharge is directed perpendicular to the surface of the film (or in other words there is a component of the electric field which is normal to the film). This means that the most probable is hypothesis b), taking into account the role of electron or ion bombardment of the surface of the polymer.

#### REFERENCES

1. С. Н. Койков, В. А. Париков, А. Н. Цыкин, Сб. Пробой диэлектриков и полупроводников, изд-во «Энергия», 1964, стр. 31.
2. G. D. Cooper, M. Prober, *J. Polymer Sci.*, 44, 397, 1960.
3. H. Hougou, *Nature*, 188, 577, 1958.