

AD-A142 263

INTERIM SCIENTIFIC REPORT GRANT AFOSR-81-0171 15 MAY 1981 - 14 MAY 1982(U) SOUTH CAROLINA UNIV COLUMBIA DEPT OF MATHEMATICS AND STATISTICS F BLOOM MAY 84
AFOSR-TR-84-0474 AFOSR-81-0171


1/1

UNCLASSIFIED

F/G 20/3

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

DOCUMENTATION PAGE

1a. REPORT UNC		1b. RESTRICTIVE MARKINGS	
2a. SECURITY AD-A142 263		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited.	
2b. DECLASSIFICATION		4. MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR-TR- 84-0474	
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
6a. NAME OF PERFORMING ORGANIZATION University of South Carolina	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION Air Force Office of Scientific Research	
6c. ADDRESS (City, State and ZIP Code) Dept of Mathematics & Statistics Columbia SC 29208		7b. ADDRESS (City, State and ZIP Code) Directorate of Mathematical & Information Sciences, Bolling AFB DC 20332	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION AFOSR	8b. OFFICE SYMBOL (If applicable) NM	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER AFOSR-81-0171	
8c. ADDRESS (City, State and ZIP Code) Bolling AFB DC 20332		10. SOURCE OF FUNDING NOS.	
		PROGRAM ELEMENT NO. 61102F	TASK NO. A4
		PROJECT NO. 2304	WORK UNIT NO.
11. TITLE (Include Security Classification) INTERIM SCIENTIFIC REPORT, GRANT AFOSR-81-0171, 15 MAY 1981 - 14 MAY 1982.			
12. PERSONAL AUTHOR(S) Frederick Bloom			
13a. TYPE OF REPORT Interim	13b. TIME COVERED FROM 15/5/81 TO 14/5/82	14. DATE OF REPORT (Yr., Mo., Day) MAY 84	15. PAGE COUNT 4
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB GR	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) The investigator focused on and produced papers with the following titles: "On a damped nonlinear evolution equation," "Nonexistence of smooth electromagnetic fields in nonlinear dielectrics, I infinite cylindrical dielectrics," and "Nonexistence of smooth electromagnetic fields in nonlinear dielectrics, II shock development in a half space." Details on this research are contained in the report.			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED UNLIMITED ☒ SAME AS RPT ☐ DTIC USERS ☐		21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED	
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. Robert N. Buchal		22b. TELEPHONE NUMBER (Include Area Code) 4939	22c. OFFICE SYMBOL

DTIC FILE COPY

JUN 19 1984

AFOSR-TR- 84-0474

Northern Illinois University
DeKalb, Illinois 60115-2888

Department of Mathematical Sciences
815 753 0567

May 14, 1984

FROM: Professor Frederick Bloom

TO: AFOSR
Bolling, AFB
DC 20332

RE: Interim Scientific Report
AFOSR-81-0171
15 May 1981 - 14 May 1982

During the period 15 May 1981 - 14 May 1982 the principal investigator was on leave from the University of South Carolina. The Fall semester 1981 was spent at the University of Connecticut while the Spring and Summer of 1982 were spent at the University of Maryland. The focus of our work in the Fall of 1981 was the damped nonlinear evolution equation $w_{tt} = \sigma(w)_{xx} - \gamma w_t$,

an equation which arises in several areas of applied mathematics and, in particular, in studies of shearing flows in a nonlinear viscoelastic fluid. A summary of results obtained on existence and nonexistence of solutions for initial-boundary value problems associated with this equation may be found in the attached abstract #1. In the spring and summer of 1982 our work centered on a study of shock formulation for intense plane electromagnetic waves propagating into infinite cylindrical dielectrics and nonlinear dielectric half-spaces; summaries of this work may be found in the attached abstracts #2 and #3. While at the University of Maryland we also initiated joint work with Professor Stuart Antman on the equilibrium states of nonlinearly-elastic current bearing wires which are placed in an ambient magnetic field and are subjected to the type of self-interactive force that results from an application of the Biot-Savart law. Particular interest is centered on the branching that may occur, from one equilibrium configuration to another, when the parameter $\lambda = IB$ is varied through a countable set of discrete values, where I is the constant current in the wire and B is the strength of the ambient magnetic field. This work is ongoing and the existence of straight, plane circular, and wiggly states in the plane which oscillate about a torus, has already been established.

Frederick Bloom

Approved for public release;
distribution unlimited.

accepted
to present
JMAA

On the Damped Nonlinear Evolution Equation

$$w_{tt} = \sigma(w)_{xx} - \gamma w_t$$

by

Frederick Bloem
Department of Mathematics and Statistics
University of South Carolina
Columbia, SC 29208
and
School of Mathematics
University of Minnesota
Minneapolis, MN 55419

ABSTRACT

Initial boundary value problems for the damped nonlinear wave equation $w_{tt} = \sigma(w)_{xx} - \gamma w_t$ arise in several areas of applied mathematics and, in particular, in studies of shearing flow in a nonlinear viscoelastic fluid; the problems of global existence and nonexistence of smooth solutions have been extensively studied in the strictly hyperbolic case $\sigma'(\delta) \geq \epsilon > 0$, $\forall \delta \in \mathbb{R}^1$ as well as in the case where $\sigma'(0) > 0$ and the initial data are chosen so small that $\sigma'(w) > 0$ for as long as a smooth solution $w(x,t)$ exists. In this paper we study the global nonexistence problem for the cases $\sigma'(0) = 0$ and $\sigma'(0) > 0$ but $\sigma'(\delta) < 0$ for $|\delta|$ sufficiently large and derive growth estimates which are valid on the maximal interval of existence of a sufficiently smooth solution.

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFOSR)
NOTICE OF TRANSMITTAL TO DTIC
This technical report is available to the public
approved for public release
Distribution Statement
MATTHEW J. KENNEDY
Chief, Technical Information Division

Nonexistence of Smooth Electromagnetic Fields
in Nonlinear Dielectrics

I. Infinite Cylindrical Dielectrics

Frederick Bloom

Department of Mathematical Sciences
Northern Illinois University
DeKalb, Illinois 60115

ABSTRACT

Coupled nonlinear wave equations are derived for the evolution of the components of the electric induction field $\underline{D}$ in a class of rigid nonlinear dielectrics governed by the nonlinear constitutive relation $\underline{E} = \lambda(\underline{D})\underline{D}$, where $\underline{E}$ is the electric field and $\lambda > 0$ is a scalar-valued vector function. For the special case of an infinite one-dimensional dielectric rod, it is shown that, under relatively mild conditions on λ , solutions of the corresponding initial value problem for the electric induction field can not exist globally in time in the L_2 sense if it is assumed that the electric field in the rod is perpendicular to the axis of the rod and varies with the coordinate along that axis. The results hold when the electromagnetic field in the rod has compact support. Growth estimates for solutions, which are valid on the maximal time-interval of existence are also derived; these are valid in the simple but physically important case where $\lambda(\underline{D}) = \lambda_1 + \lambda_0 \|\underline{D}\|^2$. We also discuss relations with recent work on the phenomena of self-focusing and self-trapping for high intensity laser beams in a dielectric medium.

Nonexistence of Smooth Electromagnetic Fields
in Nonlinear Dielectrics
II. Shock Development in a Half-Space

Frederick Bloom
Department of Mathematical Sciences
Northern Illinois University
DeKalb, Illinois 60115

Abstract

Implications of the Rankine-Hugoniot and Lax k-shock conditions are explored for a systems of hyperbolic conservation laws associated with the propagation of an intense plane wave into an isotropic nonlinear dielectric half-space. Asymptotic estimates are obtained for both $t_{\max}$ and $s_{\max}$, respectively, the time elapsed and distance travelled by the wave into the half-space before shock development occurs.

END

FILMED

7-104

DTIC