AD-A142 635 THE DESIGN AND CONSTRUCTION OF A LARGE HIGHLY PARALLEL RESEARCH COMPUTER(U) MARYLAND UNIV COLLEGE PARK DEPT OF COMPUTER SCIENCE C RIEGER ET AL. 30 APR 83 1/1

UNCLASSIFIED AFOSR-TR-84-0505 AFOSR-80-0270 F/G 9/2 NL



AFOSR-TR- 84-0505

Final Report
Air Force Grant No. AFOSR-80-0270

Charles Rieger
Mark Weiser
Computer Science Department
University of Maryland

1. ABSTRACT

Design and construction of several prototype parallel processing computers has been completed. These computers, all versions of the ZMOB parallel processing system, led up to the 256 processor ZMOB still undergoing integration and testing. Operating system and support software were developed for the ZMOB architecture, including a Zmob simulator, a system for graphical display of communications activity, and several software debugging testbeds.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	1b. RESTRICTIVE MARKINGS
2a. SECURITY CLASSIFICATION AUTHORITY	3 DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited.
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE	
4. PERFORMING ORGANIZATION REPORT NUMBER(S)	5. MONITORING ORGANIZATION REPORT NUMBER(S) **AFOSR-TR- 84-0505**
6a. NAME OF PERFORMING ORGANIZATION University of Maryland 6b. OFFICE SYMBOL *(If applicable)*	7a. NAME OF MONITORING ORGANIZATION Air Force Office of Scientific Research
6c. ADDRESS *(City, State and ZIP Code)* Computer Science Department College Park MD 20742	7b. ADDRESS *(City, State and ZIP Code)* Directorate of Mathematical & Information Sciences, Bolling AFB DC 20332
8a. NAME OF FUNDING/SPONSORING ORGANIZATION AFOSR 8b. OFFICE SYMBOL *(If applicable)* NM	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER AFOSR-80-0270
8c. ADDRESS *(City, State and ZIP Code)* Bolling AFB DC 20332	10. SOURCE OF FUNDING NOS. PROGRAM ELEMENT NO.: 61102F PROJECT NO.: 2304 TASK NO.: A2 WORK UNIT NO.:

11. TITLE *(Include Security Classification)*
THE DESIGN AND CONSTRUCTION OF A LARGE HIGHLY PARALLEL RESEARCH COMPUTER

12. PERSONAL AUTHOR(S)
Charles Rieger and Mark Weiser

13a. TYPE OF REPORT	13b. TIME COVERED	14. DATE OF REPORT *(Yr., Mo., Day)*	15. PAGE COUNT
Final	FROM 1/9/80 TO 28/2/83	30 APR 83	6

16. SUPPLEMENTARY NOTATION

17. COSATI CODES			18. SUBJECT TERMS *(Continue on reverse if necessary and identify by block number)*
FIELD	GROUP	SUB GR	

19. ABSTRACT *(Continue on reverse if necessary and identify by block number)*

Design and construction of several prototype parallel processing computers has been completed. These computers, all versions of the ZMOB parallel processing system, led up to the 256 processor ZMOB still undergoing integration and testing. Operating system and support software were developed for the ZMOB architecture, including a ZMOB simulator, a system for graphical display of communications activity, and several software debugging testbeds.

20 DISTRIBUTION/AVAILABILITY OF ABSTRACT	21 ABSTRACT SECURITY CLASSIFICATION
UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT ☐ DTIC USERS ☐	UNCLASSIFIED

22a NAME OF RESPONSIBLE INDIVIDUAL	22b. TELEPHONE NUMBER *(Include Area Code)*	22c. OFFICE SYMBOL
Dr. Robert N. Buchal	(767-4939	

DD FORM 1473, 83 APR EDITION OBSOLETE

84 06 28 023

2. Hardware

The ZMOB computer has up to 256 Z80 computers connected on an intelligent high-speed ring bus called the "conveyer belt". It has been described extensively elsewhere [Rieger 81] [Rieger 79] [Rieger et al 80] [Rieger 81] [Rieger et al 81]. Each Z80 has 64k bytes of memory, a parallel port, a serial port, and a floating point chip in addition to its conveyer belt connection. Initial versions of ZMOB will be completely dependent on a host computer for downloading of programs and for mass storage. Later versions may be self-sufficient in the area of mass storage, communications, and software.

Individual Z80's with associated hardware are called "moblets". A moblet consists of a Z80 and a "mailstop" or "mailbox". Mailboxes are tied together on the "belt". The mailstops associated with host communications are "Vaxstops".

2.1. Status

The ZMOB basic design has been checked in two-moblet versions both wire-wrapped and on printed circuit boards. Multiple processors can run independently, as many as necessary (up to 16 have been tested). A serious glitch was corrected in the processor card in January 1983, and since then there have been no processor failures.

Hardware debugging focused on communications between the processors. The four components of the communication system--the master clock, the clock cables and backplane, the backplane interconnect cables, and the mailstop boards--have each undergone several revisions. The clock circuit required tuning to provide optimal timing between the clock and index pulses. Several versions of clock cable were tried, including coax, twisted pair, and shielded twisted pair. The clock cables are critical because they must run for several yards to distribute clock to all the processors. Deglitching capacitors on the backplane have eliminated some noise, and pull-up resistors on the mailstop boards have been adjusted for better noise tolerance. A logic analyzer was an invaluable tool for debugging multiple mailstop signals.

Communication is reliable in a single 8 processor backplane. This was achieved approximately April 1, 1983.

2.2. Software

There are three main projects with applications for ZMOB. These are the Computer Vision project with Professors Rosenfeld and Davis [Kushner et al 82], the Distributed Numerical Computation project with Professors Stewart and O'Leary, and the Distributed Problem Solving project with Professor Minker. Each plans to use ZMOB to explore parallel processing algorithms in their specific domains, and each faces the problem of operating system support for coordinating the processes and accessing the powerful ZMOB hardware.

These three projects need similar basic operating system utilities [Bane et al 81] [Trigg 81] [Rieger et al 81]. The projects' implementation strategies have been driven by the ZMOB conveyer belt hardware design but none of the projects envisions working at the machine code level at which the conveyer belt can be directly accessed. Each requires high-level language access to the full conveyer belt capability.

Common system utilities have been developed for use by all three projects. The following tools have been completed and are fully documented on-line in the Computer Science Department's Vax computer:

1. @c - Run Whitesmiths C compiler for z80/ZMOB
2. belt - primitive routines for ZMOB mail stops
3. io1 - IO library for ZMOB.
4. zfasl - Load a ZMOB program at 9600 baud
5. zgo - transfer a program to the ZMOB, and go
6. zload - load the ZMOB's memory

Other working software for which final documentation is still under preparation includes:

(1) Z80 Simulator. This emulates the basic Z80 processor without the ZMOB environment. It was the first emulator to be completed and provided initial experience with the Z80 environment. It is a sufficiently detailed emulation to permit running CP/M and prolog, a capability much used by the distributed problem-solving group.

(2) Communications Simulator. This emulates multiprocessing and use of the mailstop and conveyer belt environment but executes Vax C code rather than Z80 machine language. It performs multiprocessing using basic Unix capabilities. The interface to the conveyer belt uses the same high level language calls that will be available on the moblets. Checkout has been via an implementation of a solution

to the dining philosophers problem.

(3) Communications Activity Display. This system accepts a stream of input describing the belt activity and displays on a color graphics display the resultant belt status. The input stream is now generated by the communications simulator (see above) and will eventually be generated by the 'monitor mail stop' on the actual ZMOB (see below). Figure 1 shows the relationship of the simulator and the display during the dining philosophers problem. An example of the activity display during the dining philosophers emulation is shown in figure 2.

(4) System Debugging Harness. This permits debugging new low level system software for inclusion in ZMOB. It allows the tester to manually create conditions which in actual practice would be quite rare, thus testing the robustness of the system. It consists of three parts: (a) the system software under test, (b) the moblet simulation system, and (c) the user interface display connected to both (a) and (b). The system software under test believes that it is running within a moblet, as emulated by the moblet simulation system. In fact, however, all attempts at communication are simply displayed to the user via (c). The user can then specify any arbitrary response on the part of the hardware, including timing relationships. The right half of the user's display is reserved for interaction about attempts at moblet communication. The left half of the display can be used by the system under test to display internal status of interest to the user.

(5) Multiple-window Communications Interface. This is an adaptation of the maryland window shell [Weiser et al 83] to problems of communications with the ZMOB. The window shell allows arbitrarily sized and positioned rectangular windows on a single CRT screen, each functionally equivalent to an independent terminal. A typical application is to open several windows and run a communication process to a different moblet in each window.



Figure 1.


Zmob High-Level Simulator
conveyer belt
fork 1
fork 5
philo 1
philo 5
Zmob (simulated)
Vax
filter
Belt Display
Philo Display

Figure 2.


Hegel
Carnap
Sartre
pattern:
pattern:
pattern:
request
request
request
receiving:
pattern:
pattern:
Request
granted
FORKS
PLATO
ZENO

REFERENCES

[Bane et al 81]
Bane, John, Stanfill, Craig, and Weiser, Mark, Operating System Strategy for Zmob, IEEE Computer Society Workshop on Computer Architecture for Pattern Analysis and Image Database Management, November 1981.

[Kushner et al 82]
Kushner, Todd, Wu, Angela Y., and Rosenfeld, Azriel, Image Processing on ZMOB, IEEE Transactions on Computers C-31, 10, pp. 943-951, October 1982.

[Rieger et al 81]
Rieger, Chuck, Bane, Robert, Stanfill, Craig, Trigg, Randy, and Weiser, Mark, Three ZMOB Papers for the CAPAIDM Hot Springs Conference, Univ.of Md., CSD, TR1099 September 1981.

[Rieger 79]
Rieger, C., ZMOB: A Mob of 256 Cooperative Z80A-Based Microcomputers, Proceedings of the ARPA Vision Workshop, Los Angeles, CA, 1979.

[Rieger et al 80]
Rieger, C., Bane, J., and Trigg, R., ZMOB: A Highly Parallel Multiprocessor, University of Maryland, TR-911, May 1980.

[Rieger 81]
Rieger, C., ZMOB: Hardware From a Users Viewpoint, University of Maryland CS TR-1042, 1981.

[Rieger et al 81]
Rieger, C., Trigg, R., and Bane, R., ZMOB: A New Computing Engine for AI, Proc. of IJCAI-81, Vancouver (also University of Maryland CS TR-1028), Aug. 1981.

[Rieger 81]
Rieger, C., ZMOB: Doing it in Parallel!, Proc. IEEE Workshop on CAPAIDM, Hot Springs, Nov. 1981.

[Trigg 81]
Trigg, R., Software on ZMOB: An Object-Oriented Perspective, Proc. IEEE Workshop on CAPAIDM, Hot Springs, Nov. 1981.

[Weiser et al 83]
Weiser, Mark, Torek, Chris, Trigg, Randy, and Wood, Rich, The Maryland Window Systems, Goddard Space Flight Center Human Factors Report January 1983.

END

FILMED

8