

AD-A148 050

RESULTS OF A WIND-DEWPOINT CONDITIONAL CLIMATOLOGY  
TABLE EVALUATION(U) AIR WEATHER SERVICE SCOTT AFB IL  
M J KELLY AUG 79 AMS/TN-79/004 SBI-AD-E850 756


1/1

UNCLASSIFIED

F/G 4/2

NL






MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

H. 8850756

①

**AWS/TN-79/004**

**AD-A148 050**



**RESULTS OF A  
WIND - DEWPOINT  
CONDITIONAL CLIMATOLOGY  
TABLE EVALUATION**

**Michael J. Kelly, Capt, USAF**

**August 1979**

**DTIC  
ELECTE  
DEC 4 1984  
S B D**

**DTIC FILE COPY**

**Approved For Public Release; Distribution Unlimited**

**AIR WEATHER SERVICE (MAC)  
Scott AFB, Illinois 62225**

**84 11 26 304**

REVIEW AND APPROVAL STATEMENT

This publication is approved for public release. There is no objection to unlimited distribution of this publication to the public at large, or by DDC to the National Technical Information Service (NTIS).

This report has been reviewed and is approved for publication.

*William F. Johnson*

WILLIAM F. JOHNSON, Lt Col, USAF  
Chief, Atmospheric Modeling and  
Statistical Applications Div  
Reviewing Officer

FOR THE COMMANDER

*Gary D. Atkinson*

GARY D. ATKINSON, Colonel, USAF  
DCS/Aerospace Sciences  
Air Weather Service

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AWS/TN-79-004	2. GOVT ACCESSION NO. AD-A148050	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Results of a Wind-Dewpoint Conditional Climatology Table Evaluation		5. TYPE OF REPORT & PERIOD COVERED F
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Capt Michael J. Kelly		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Air Weather Service (MAC) Scott AFB, IL 62225		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS AWS/DNDA Scott AFB, IL 62225		12. REPORT DATE
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Conditional Climatology Wind-Dewpoint Conditional Climatology Tables Wind-Stratified Conditional Climatology Tables Wind-Dewpoint Conditional Climatology Evaluation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) An evaluation of two types of conditional climatology tables is described. Results show that the wind-stratified conditional climatology (WSCC) tables and the wind-dewpoint conditional climatology (WDCC) tables have nearly equivalent skill. The author concludes that there is not sufficient justification for replacing WSCC tables with WDCC tables.		

## RESULTS OF A WIND-DEWPOINT CONDITIONAL CLIMATOLOGY TABLE EVALUATION

Capt Michael J. Kelly

## 1. Introduction

St. Louis University, under contract to the Air Force Geophysics Laboratory, developed a conditional climatology model for the Air Weather Service (AWS). This conditional climatology model was used to generate Wind-Dewpoint Conditional Climatology (WDCC) tables. The WDCC model is described by Martin (1975). The most obvious differences between the WDCC tables and traditional Wind-Stratified Conditional Climatology (WSCC) tables are as follows:

- a. The use of dewpoint depression as a climatology stratifier.
- b. The WDCC tables are derived from a model, not just data. A probability is given for every situation, even those which most likely will never occur.
- c. The resultant median cloud height is given for every initial condition.

The WDCC tables were evaluated at Randolph AFB by Det 1, 24th WS forecasters. The two evaluation periods were December 1974 through January 1975 and January 1976 through February 1976. In these two evaluations, the WDCC tables were inferior to the WSCC tables. The HQ AWS staff recommended that a more extensive evaluation be conducted prior to producing WDCC tables for all AWS detachments. Compared with WSCC tables, the WDCC tables are more cumbersome to use and more expensive to produce. Therefore, the WDCC tables must demonstrate consistently superior skill to justify their production.

## 2. Evaluation Description

USAFETAC converted the St. Louis University WDCC computer program to run on the USAFETAC computer. WDCC tables were produced at USAFETAC, and sent to evaluation units. The eight weather detachments that participated in the evaluation are given in Appendix C.

The WDCC and WSCC forecasts were recorded on keypunch coding forms. A description of the data format as well as the ceiling and visibility categories is given in Appendix A.

The WSCC tables used at Kunsan AB combine categories B and C, and categories K and L. Both the WSCC and WDCC were verified using this five category system.

The completed keypunch coding forms were sent to HQ AWS/DN. HQ MAC/AD keypunched computer cards. The Defense Commercial Communications Office computer was used to verify the WSCC and WDCC forecasts.

Occasionally the WSCC tables cannot provide a forecast because the initial condition was never observed during the period of record of the tables. In such situations, an equal probability was assigned to each of the categories.

## 3. Results

The results are given in Appendix B. The Brier score (Brier and Allen, 1951), or P-score, ranges from 0 to 2 with lower values indicating greater skill, given the same climatology. Contingency tables were developed by selecting the forecast category with the highest probability. The percent correct, percent of three or more category busts, and prefigurance of the lowest three categories were all derived from these contingency tables. Prefigurance equals hits divided by total occurrences.

Before considering the results it should be noted that two errors were discovered in the USAFETAC WDCC program subsequent to WDCC table production. First, observations with winds from 360 degrees are not included in the Travis AFB WDCC tables. Second, with the exception of the Fort Rucker, Hurlburt AFB, and Wright-Patterson AFB WDCC tables, visibilities below one mile were sometimes assigned to the wrong visibility category. These errors are believed to have only a minor effect on the overall results.

There are only minor differences in skill between the WDCC and WSCC tables. The WDCC shows small improvements in the Brier score and percent of three or more category busts. The WSCC is slightly better in terms of percent correct and the prefigurance of the three poorest weather categories. None of these differences is highly significant.

Paired comparisons were made using the results given in Appendix B. For example, if the WDCC P-score for the 40 entries in Appendix B is subtracted from the WSCC P-score, the mean difference,  $\bar{X}$ , is .00325 and the standard deviation,  $S$ , is .0252. The claim is that the WDCC and WSCC P-scores may be viewed as a sample from a population with a mean difference of zero. In order to test this claim, the departure of the sample mean,  $\bar{X}$ , from a hypothetical mean,  $N$ , may be evaluated by computing the ratio

$$Z = \frac{\bar{X} - N}{S/\sqrt{n}}$$

where  $n$  is the number of data points in the sample. For the sample described above

$$Z = \frac{.00325 - 0}{.0252/\sqrt{40}} = 0.816.$$

At the .05 significance level,  $|Z|$  must be  $\geq 1.96$  to reject the claim that there is no difference in the tables. A value of 0.816 corresponds to a significance level of 0.42.

Any effects of the programming errors described above can be eliminated by considering only ceilings at all stations except Travis AFB. The t-distribution tables should be used since 18 values is considered a small sample (Panofsky and Brier, 1968). The P-score data results in a mean difference of -0.002 and a standard deviation of 0.022. The Fort Rucker, Hurlburt AFB, and Wright-Patterson AFB results are unaffected by the previously mentioned programming errors. Using the P-score data and considering only the ceilings,  $|t| = 0.374$ . At the .05 significance level,  $|t|$  must be  $\geq 2.110$  to reject the claim that there is no difference in the tables.

The evaluation results indicate that there is little difference in forecast skill between WDCC and WSCC tables. There is, therefore, no justification to recommend WDCC as a replacement for WSCC.

REFERENCES

Brier, G. E., and Allen, R. A., 1951: Verification of Weather Forecasts. Compendium of Meteorology, Am. Meteor. Soc., Boston, Massachusetts, 841-484.

Martin, D. E., 1975: Research to Develop Improved Models of Climatology That Will Assist the Meteorologist in the Timely Operation of the Air Force Weather Detachments. Tech Rpt 75-0047, Air Force Cambridge Research Laboratories, Hanscom AFB, Massachusetts, 96 pp.

Panofsky, H. A., and Brier, G. W., 1968: Some Applications of Statistics to Meteorology. The Pennsylvania State University, University Park, Pennsylvania, 224 pp.



Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	<input type="checkbox"/>
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

APPENDIX A  
EVALUATION DATA FORMAT

<u>Col</u>	<u>Description</u>
1-2	Month of year (01, 02, ..., 12)
3-4	Day of the month (01, 02, ..., 31)
5-6	Hour of the day (2) (00, 01, ..., 23)
8	Initial Ceiling Category ( $0 \leq A < 200$ ; $200 \leq B < 500$ , $500 \leq C < 1000$ , $1000 \leq D < 3000$ , $3000 \leq E < 10000$ , $F \geq 10000$ )
10-15	3 hour ceiling forecast from the WSCC tables. Use Col 10 for the probability of Cat A, Col 11 for Cat B, etc. The numbers in the WSCC tables must be rounded up or down. For example, 70-74 = 7, 75-79 = 8.
17-22	6 hour ceiling forecast from WSCC
24-29	3 hour ceiling forecast from WDCC
31-36	6 hour ceiling forecast from WDCC
38	3 hour ceiling forecast issued by the detachment. Use the six categories described above rather than the existing AWS verification categories.
39	6 hour ceiling forecast issued by the detachment.
41	Ceiling category observed at initial forecast hour +3.
42	Ceiling category observed at initial forecast hour +6.
44	Initial visibility category ( $0 \leq J < \frac{1}{2}$ , $\frac{1}{2} \leq K < 1$ , $1 \leq L < 2$ , $2 \leq M < 3$ , $3 \leq N < 6$ , $O \geq 6$ )
46-51	3 hour visibility forecast from WSCC
53-58	6 hour visibility forecast from WSCC
60-65	3 hour visibility forecast from WDCC
67-72	6 hour visibility forecast from WDCC
74	3 hour visibility forecast issued by the detachment
75	6 hour visibility forecast issued by the detachment
77	Visibility category observed at initial forecast hour +3
78	Visibility category observed at initial forecast hour +6



APPENDIX B - EVALUATION RESULTS

SAMPLE CLIMO	P-SCORE				% CORRECT				% OF ≥ 3 CATEGORY BUSTS				PERFORMANCE OF LOWEST 3 CATEGORIES					
	WSSC		WDCC		WSSC		WDCC		WSSC*		WSSC		WDCC		WSSC		WDCC	
	WSSC	WDCC	WSSC*	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC*	WDCC
Fort Rucker, AL																		
3/78-5/78																		
364 Forecasts																		
3 Hr Cig	.38	.24	.25	-.01	84.9	83.2	-1.7	1.65	1.37	33.3	42.9	+28	33.3	42.9	+9.6			
6 Hr Cig	.39	.29	.27	+0.02	79.7	79.9	+2	1.37	1.10	19.0	42.9	+27	19.0	42.9	+23.9			
3 Hr Vis	.18	.18	.16	+0.02	89.3	89.0	-.3	2.75	1.92	9.1	27.3	+83	9.1	27.3	+18.2			
6 Hr Vis	.14	.15	.13	+0.02	92.0	93.1	+1.1	2.47	2.20	0.0	20.0	+27	0.0	20.0	+20.0			
Fort Rucker, AL																		
12/77-02/78																		
361 Forecasts																		
3 Hr Cig	.56	.41	.39	+0.02	70.9	72.6	+1.7	2.22	1.66	31.0	45.2	+56	31.0	45.2	+14.2			
6 Hr Cig	.57	.44	.42	+0.02	67.0	67.0	+0	4.71	2.70	14.9	17.0	+2.01	14.9	17.0	+2.1			
3 Hr Vis	.25	.21	.19	+0.02	87.3	85.9	-1.4	4.76	3.60	42.9	28.5	+56	42.9	28.5	-14.4			
6 Hr Vis	.28	.27	.25	+0.02	83.4	84.2	+8	4.43	4.76	5.3	15.8	-27	5.3	15.8	+10.5			
Hurlburt AFB, FL																		
12/77-05/78																		
473 Forecasts																		
3 Hr Cig	.55	.40	.41	-.01	68.1	69.1	+1.0	4.44	3.17	27.9	32.8	+1.27	27.9	32.8	+4.9			
6 Hr Cig	.55	.46	.43	+0.03	66.8	68.1	+1.3	6.77	5.71	14.5	25.8	+1.06	14.5	25.8	+11.3			
3 Hr Vis	.50	.45	.42	+0.03	69.3	68.9	-.4	5.92	4.44	8.8	11.8	+1.48	8.8	11.8	+3.0			
6 Hr Vis	.44	.41	.39	+0.02	74.4	75.7	+1.3	6.55	4.02	6.3	6.3	+2.53	6.3	6.3	+0			
Kunsan AB, Korea																		
03/77-05/77																		
367 Forecasts																		
3 Hr Cig	.52	.36	.38	-.02	75.7	75.2	-.5	7.08	5.99	37.0	45.7	+1.09	37.0	45.7	+8.75			
6 Hr Cig	.53	.46	.45	+0.01	69.2	67.0	-2.2	8.99	9.26	29.4	31.4	-.27	29.4	31.4	+2.0			
3 Hr Vis	.34	.30	.27	+0.03	79.8	81.7	+1.9	5.72	5.18	16.7	33.3	+54	16.7	33.3	+16.6			
6 Hr Vis	.34	.35	.33	+0.02	76.8	77.7	+9	9.26	8.45	0.0	0.0	+81	0.0	0.0	+0			
Kunsan AB, Korea																		
06/77-08/77																		
368 Forecasts																		
3 Hr Cig	.56	.44	.49	-.05	71.5	67.9	-3.6	8.70	9.78	45.3	48.4	-1.08	45.3	48.4	+3.1			
6 Hr Cig	.56	.52	.56	-.04	60.9	60.1	-.8	14.4	16.0	14.1	25.0	-1.60	14.1	25.0	+10.9			
3 Hr Vis	.37	.33	.31	+0.02	78.3	79.6	+1.3	7.88	4.89	8.0	16.0	+2.99	8.0	16.0	+8.0			
6 Hr Vis	.36	.35	.32	+0.03	78.0	78.3	+3	7.34	5.98	4.30	8.70	+1.36	4.30	8.70	+4.4			

\*Positive values indicate WDCC was better than WSSC

P-SCORE                      % CORRECT                      % OF > 3 CATEGORY BUSTS                      PREFIGURANCE OF LOWEST  
3 CATEGORIES

SAMPLE CLIMO	P-SCORE		% CORRECT		% OF > 3 CATEGORY BUSTS		PREFIGURANCE OF LOWEST 3 CATEGORIES	
	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC

WSSC* minus WDCC		WDCC* minus WSSC		WSSC* minus WDCC		WDCC* minus WSSC	
------------------------	--	------------------------	--	------------------------	--	------------------------	--

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

WSSC	WDCC	WSSC	WDCC	WSSC	WDCC	WSSC	WDCC
------	------	------	------	------	------	------	------

Langley AFB, VA

12/77-02/78

359 Forecasts

3 Hr Cig

6 Hr Cig

3 Hr Vis

6 Hr Vis

Mildenhall AB, UK

9/77-02/78

723 Forecasts

3 Hr Cig

6 Hr Cig

3 Hr Vis

6 Hr Vis

Ramstein AB, GE

11/77-02/78

479 Forecasts

3 Hr Cig

6 Hr Cig

3 Hr Vis

6 Hr Vis

Travis AFB, CA

12/76-02/77

360 Forecasts

3 Hr Cig

6 Hr Cig

3 Hr Vis

6 Hr Vis

Wright-Patterson AFB, OH

12/77-02/78

359 Forecasts

3 Hr Cig

6 Hr Cig

3 Hr Vis

6 Hr Vis

August 1979

APPENDIX C

DETACHMENTS TAKING PART IN THE TEST

Det 9, 5WS, 5WW, Ft Rucker AIN, AL

Det 75, 3WS, 5WW, Hurlburt AFB (Eglin 9), FL

Det 10, 30WS, 1WW, Kunsan AB, KS

Det 7, 3WS, 5WW, Langley AFB, VA

Det 15, 31WS, 2WW, Mildenhall RAF, UK

Det 2, 31WS, 2WW, Ramstein AFS, GE

Det 2, 7WW, Travis AFB, CA

Det 15, 15WS, 7WW, Wright-Patterson AFB, OH

**FILM**