

MICROCOPY RESOLUTION TEST CHART NATIONAL PRINTED TO TAKE MEETING A NEW TOP A A

INFORMATION SPECTRUM, INC.

2

1745 S. JEFFERSON DAVIS HIGHWAY, ARLINGTON, VIRGINIA 22202

(703) 892-9000

FINAL
F-16X MSIP Case Example:
Operating & Support Cost Estimation
Using VAMOSC

Contract: F33600-82-C-0543/P00005

CDRL Item No: A018

ISI Report No: V-4859-02

Report Issue Date: 17 August 1984



Prepared for:

AFLC/MM (VAMOSC) Wright-Patterson AFB Dayton, Ohio 45433

DISTRIBUTION STATEMENT A

Approved for public releases
Distribution Unlimited

CORPORATE OFFICE: 1040 KINGS HIGHWAY NORTH CHERRY HILL, N.J. 08034 (609) 667-6161

3993 HUNTINGDON PIKE HUNTINGDON VALLEY, PA. 19006 (215) 947-6060

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

This case example of a hypothetical F-16X MSIP (Multi-National Staged Improvement Program) Operating and Support (O&S) cost estimate, sponsored by AFLC/MM (VAMOSC), has been prepared to demonstrate and test the capability of the Air Force Visibility and Management of Operating and Support Costs (VAMOSC) system to provide unique and detailed experience data suitable for credible and explicit O&S cost estimation for advanced Air Force aircraft systems and subsystems.

The specific objective of this effort is:

- o To produce a case example of VAMOSC applicability to O&S cost estimation which conforms to the following conditions:
 - Is compatible with OSD/CAIG and USAF costing guidance.
 - Is linkable to reported experience data for existing aircraft.
 - Provides a VAMOSC-Supported Methodology which can be utilized to predict the impact of configuration changes on system O&S costs.
 - Depicts a methodology which is applicable to O&S costing for any aircraft system in advanced conceptual development.
 - Provides estimates which are verifiable by tests.
 - Identifies areas of VAMOSC requiring enhancement or modification to improve system integrity and applicability.

The Air Force VAMOSC system was developed to enhance O&S cost estimation and assessments in all areas of systems acquisition and logistics management. The detailed O&S cost experience data now becoming available in the Component Support Cost System (CSCS) and Weapon System Support Costs (WSSC) will support innovative and explicit O&S cost estimation at all stages of the


life cycle. The case example estimate of the F-16X MSIP documented in this report has been prepared to illustrate that VAMOSC reports can provide highly credible, explicit experience data for existing Air Force Aircraft; and furthermore, that this data can be the basis of engineering analyses, including "bottoms-up" cost estimating and can offer explicit traceability from the existing aircraft data to the aircraft variant.

The estimate of the F-16X MSIP aircraft developed by this research effort is not intended to reflect an actual projection of that conceptual aircraft system's O&S cost. Such a projection would require direct engineering support and analysis, including an engineering-oriented interpretation of each candidate design change from the benchmark system (F-16A), and specific review of data provided in VAMOSC reports and their feeder systems. Therefore, the cost factors and estimates should be taken as indicators of how estimates can be prepared and reported, and should not be presumed to be valid estimates for any F-16 MSIP variant aircraft.

Our utilization of VAMOSC formats in preparation of this report verified its potential benefits as the basis of producing high quality O&S cost estimates. While there were many data fields not yet loaded, our research identified that the Office of VAMOSC is fully committed to resolving the problems uncovered by this study. In fact, the solutions to many of the perceived problems have been identified and at this point are waiting for software to be programmed and for the software configuration of VAMOSC to be updated.

However, in the near term, the user should consult with the Office of VAMOSC when requesting data to ascertain whether a specific problem exists, and if so, to establish whether the potential fix has been identified.

This case example will assist the cost analyst in the preparation of cost estimating reports submitted to the AFSARC and the Office of the Secretary of Defense/Cost Analysis Improvement The estimate has been developed and docu-Group (OSD/CAIG). mented to be totally consistent with the format in the guidance issued by the CAIG for systems proceeding into the Milestone I phase of systems acquisition. Section 1 outlines the characteristics of the aircraft variant, and presents the summary cost estimates and comparative cost data. Section 2 discusses analysis assumptions and ground rules. Section 3 outlines the analysis methodology, along with data sources and scalar derivation. Section 4 presents cost sensitivity needs and Appendix A addresses the projection of squadron manning changes. lists all prospective modifications, and Appendices C and D display all cost element calculations.



EXECUTIVE SUMMARY

Operating and Support (O&S) costs for the F-16X MSIP and the current F-16A are shown below.

F-16A to F-16X MSIP O&S COST COMPARISON - AFSARC I FY84\$ - Millions, 24 PAA/Sqdn, 561 Total PAA

	<u>F-16A</u>	F-16X MSIP
\$/Acft/yr \$/Sqdn/yr	1.45	1.56
\$/Sqdn/yr	34.88	37.52
15 yr Force O&S	9,245.25	9,941.42

The force O&S costs are based on a five year delivery schedule plus ten years of full force operations . . .

The cost growth reflected in the F-16X MSIP is due primarily to the incorporation of several new subsystems . . . In particular, the addition of Low Altitude Targeting Infra-Red for Night (LANTIRN) is estimated to increase O&S costs by \$653,200 per squadron per year, or by 1.9%. Other significant modifications include the Precision Location Strike System (PLSS), the AN/APG-68 Fire Control Radar, and the GPU-5A 30MM Gun Pod. These three increase O&S costs by .70%, .73%, and .87%, respectively. F-16X MSIP costs are projected to be greater than the F-16A baseline costs due to the addition of 11 maintenance technicians per squadron and additional repair material costs which are required to support the new subsystems . . .

Although the capability of the aircraft will increase dramatically, O&S costs will only increase by 8%. This is due to the increased reliability and maintainability associated with VHSIC incorporation, increased utilization of built-in test (BIT), fiber optics, and . . .

Note: The cost information presented above is hypothetical, and should not be construed as representing actual F-16 costs.

GUIDANCE:

THE EXECUTIVE SUMMARY IS A SIMPLE ONE PAGE NARRATIVE PROVIDING THE BOTTOM LINE COSTS, FORCE SIZE, MAJOR COSTS DRIVERS, AND ASSUMPTIONS. INCLUDE A BRIEF EXPLANATION OF DIFFERENCES PREDICTED BETWEEN BASE-LINE SYSTEM AND THE NEW SYSTEM.

CONTENTS

<u>Paragraph</u>	<u>Title</u> Pa	ge
	EXECUTIVE SUMMARY	i
1.	INTRODUCTION	1
2.	ASSUMPTIONS AND GROUND RULES 1	0.
2.1	GENERAL 1	.0
2.2	BASELINE SYSTEM 1	0
2.3	SYSTEM AND PROGRAM CHARACTERISTICS 1	1
2.4	ASSUMPTIONS, MODEL INPUTS, AND RATES 1	. 3
3.0	METHODOLOGY 1	6
3.1	GENERAL 1	6
3.2	DATA SOURCES 1	7
3.3	LIKE AND SIMILAR (L/S) HARDWARE LIST 1	9
3.4	DERIVATION OF SCALARS 2	.1
3.5	POL CONSUMPTION 2	7
4.0	SENSITIVITY/RISK ANALYSIS 2	8
4.1	GENERAL 2	8
4.2	RELIABILITY SENSITIVITY 2	8
4.3	POL SENSITIVITY 3	1
5.0	SUMMARY AND RECOMMENDATIONS 3	2
APPENDIX A	- UNIT MAINTENANCE PERSONNEL A-	1
APPENDIX B	- CONFIGURATION CHANGE SUMMARY B-	1
APPENDIX C	- F-16X MSIP MATHEMATICAL COMPUTATIONS C-	1
APPENDIX D	- SIGNIFICANT MODIFICATION O&S COST IMPACT	1

CONTENTS (continued)

<u>Table</u>	<u>Title</u>	Page
1	Annual Operating and Support Cost Comparison	
	F-16A vs. F-16X MSIP	5
1.A	Significant Modification Impact Summary	6
2	VAMOSC WSSC Detailed FY83 Annual Operating and	
	Support Cost Report F-16A Squadron	7
3	Detailed Annual Operating and Support Cost Estimate-	
	F-16X MSIP Squadron	8
4	15 Year Force O&S Cost Estimate F-16X MSIP	9
5	Operational/Technical Characteristics	11
6	Significant Modification List	12
7	Design Sensitive Values	13
8	System Operational Standards	14
9	Standard Values and Rates	15
10	Data Sources and Methodology	17
11	Like and Similar (L/S) Hardware List	20
12	Modification-Specific Reliability Scalar Derivation	22
13	Modification-Specific Material Cost Scalar	
	Derivation	25
14	Modification Reliability Sensitivity	29
A.1	Direct Maintenance Manhours by Modification	A-2
A.2	Unit Maintenance Personnel	A-2
B.1	Configuration Change List	B-1
c.1	Below Depot Avionics Maintenance Materiel Cost	
	Computation	C-2
C.2	Below Depot Aircraft Generation Squadron Materiel	
	Cost Computation	C-4
C.3	• • •	
	Computation	C-5
C.4	Replacement Spares Cost Computation	C-9
C.5	Depot Avionics Maintenance Materiel Cost	i
	Computation	
C.6	Non-Avionics Maintenance Materiel Cost Computation	C-11
NOTE:	Lighting bolts applied to tables in this report de that the data represented is hypothetical.	enote

CONTENTS (continued)

Figure	<u>Title</u>	Page
1	F-16 Aircraft	3
2	Analysis Approach Flow Chart	16
3	Reliability Sensitivity Graph	30
4	POL Sensitivity Graph	31

· I. INTRODUCTION

This Operating and Support (O&S) cost analysis report is submitted in support of the Air Force Acquisition Review Council (AFSARC) Milestone I review of the F-16X Multi-National Staged Improvement Program (MSIP) . . . All values included in this report are in FY84 dollars unless indicated otherwise . . .

GUIDANCE: IDENTIFY THE MILESTONE, JUSTIFICATION OF MAJOR SYSTEM NEW START (JMSNS), AND SYSTEM CONCEPT PAPER (SCP) WITH DATE AND THE BASE YEAR FOR COSTS IN THE INTRODUCTION.

The F-16X MSIP program is intended to enhance the performance capabilities of the F-16 series of aircraft through the addition of new systems and the alteration of existing systems. Although the current F-16A is a highly capable aircraft, JMSNS threat analyses have identified specific capabilities which must be incorporated if the F-16 is to continue to perform its multirole mission while surviving in the air defense environment of the 1990's . . .

GUIDANCE: INCLUDE A SHORT STATEMENT SUMMARIZING THE JMSNS/SCP AND ANY SIGNIFICANT DEVIATIONS THAT THE COST ANALYSIS MAKES FROM THE DOCUMENTS.

The MSIP can generally be categorized as approaching full-scale development. The diverse levels of technological maturity of the prospective modifications make classification of a stage of development possible only at the individual modification level. Some are currently being incorporated, while others are scheduled for Initial Operational Capability (IOC) in the 1990s

There are 107 modifications detailed in a recent F-16 Master Modification Plan. The major configuration changes contemplated involve incorporation of the following:

- Expanded Capacity Fire Control Computer
- Advanced Central Interface Unit (ACIU)
- Upfront Communications, Navigation & Identification (UFCNI)
- Data Transfer Unit (DTU)
- AN/APG-68
- Low Altitude Navigation and Targeting Infra-Red for Night (LANTIRN) Pod
- Advanced Medium Range Air-to-Air Missile (AMRAAM)
- Airborne Self-Protection Jammer (ASPJ) Integration
- ALR-74 Radar Homing and Warning (RHAW) Set
- NAVSTAR/Global Positioning System (GPS)
- Joint Tactical Information Distribution System (JTIDS)
- Precision Location Strike System (PLSS)
- GPU-5A 30MM Gun Pod
- EJS (Anti-Jam Communications)
- Direct Power Source for Flight Control System (FCS)

GUIDANCE: ALSO, OUTLINE THE MODIFICATION PROGRAM, ITS STAGE OF DEVELOPMENT, MAJOR SYSTEM PARAMETERS, AND MAJOR POTENTIAL RISKS THAT IMPACT OPERATING AND SUPPORT (O&S) COSTS.

A diagram of the F-16 series is presented in Figure 1.

The flying hour program is 305 Flight Hours per Primary Aircraft Authorized per Year (FH/PAA/YR) for operational aircraft.

3. METHODOLOGY

3.1 General

This analysis utilizes the Visibility and Maintenance of Operating and Support Costs (VAMOSC) Component Support Cost System (CSCS) to quantify the O&S cost impact of the significant F-16X modifications, through the development of like/similar (L/S) relationships which were scaled to account for physical, reliability, technological, and operational differences

GUIDANCE: HIGHLY DETAILED ESTIMATES OF OPERATING AND SUPPORT
COST IMPACTS OF CONFIGURATION MODIFICATIONS CAN BE
PREPARED USING THE HISTORICAL DATA AVAILABLE IN
VAMOSC, COMBINED WITH ENGINEERING ESTIMATES. ANALYSIS STEPS ARE SHOWN IN FIGURE 2 BELOW.




FIGURE 2. ANALYSIS APPROACH FLOWCHART

GUIDANCE: HIGHLIGHT IN A TABLE THOSE VALUES WHICH DESCRIBE THE OPERATIONAL SCENARIO OF THE SYSTEM. A BRIEF EXPLANATION AND DERIVATION OF THE VALUE SHOULD BE PRESENTED FOLLOWING THE TABLE.

2.4.3 Standard Values and Rates

Table 9 lists the standard values and rates used and the source.

	TABLE 9. STANDARD	VALUES AND RATES	
	Elements	Value	Source
1.	POL Cost per Gallon	\$1.00/Gal.	AFR173-13 Table 2-6
2.	Officer Composite Rate (\$/officer/Yr.)	\$35,573	AFR173-13 Table 3-4 or VAMOSC WSSC
3.	<pre>Enlisted Composite Rate (\$/Enlisted/Yr.)</pre>	\$17,711	AFR173-13 Table 3-4 or VAMOSC WSSC
4.	<pre>Civilian Comp. Rate (\$/Civilian/Yr.)</pre>	\$26,491	AFR173-13 Table 3-10 or VAMOSC WSSC
5.	Aircraft Svc. Life	15 years or 6000 Flt Hours	AFR173-13 Paragraph 1-8
6.	Base Year Dollars	FY 84	-
7.	Escalation Factors	Variable by cost element	AFR173-13 Table 5-1

GUIDANCE: HIGHLIGHT IN A TABLE THOSE STANDARD VALUES WHICH ARE ESTABLISHED AND GENERALLY ACCEPTED. THESE VALUES ARE NOT SUBJECT TO INFLUENCE BY THE SYSTEM UNDER CONSIDERATION OR THE USING COMMAND.

· 2.4.2 System Operational Standards

Table 8 identifies the values used in this analysis which reflect current Air Force policy . . .

	TABLE 8. SYSTEM	OPERATIONAL	STANDARDS
	Elements	<u>Value</u>	Source
1.	Average Utilization Rate	25.4 FH/MO	VAMOSC WSSC (RPT# AR8103)
2.	Aircraft Per Sqdn	24	AFR173-13 Table 4-6
3.	Attrition Rate	6.294/100K FH	AFR173-13 Table 6-2
4.	Crew Ratio	1.31	AFR173-13 Table 4-6

2.4.2.1 Utilization Rate

The F-16X MSIP will require the same number of flying hours as the F-16A to support proficiency. Consequently, the F-16A utilization rate of 25.4 hours/month will serve . . .

2.4.2.2 Aircraft Per Squadron

Although early F=16A squadrons are equipped with 18 PAA, future squadrons will be provided with 24 PAA...

2.4.2.3 Attrition Rate . . .

2.4.2.4 Crew Ratio . . .

The F-16X MSIP aircraft will be an all-weather, day/night system. In order to support this multi-role weapon system, it will require a crew ratio of . . .

2.4 Assumptions, Model Inputs, and Rates

2.4.1 Design Sensitive Values

Table 7 lists the elements that are design related . . .

TABLE 7. DESIGN SENSITIVE VALUES - F-16X MSIP

Par	ameter	<u>Value</u>	Source		
1.	Flyaway Cost	\$10.8M	Contract/SPO Estimate		
2.	Empty Weight	XXX lbs.	SPO Estimate		
3.	Fuel Consumption	XXXGPH	Contract/SPO Engineering Estimate		
4.	MFHBF	3.36	VAMOSC CSCS (See Table 14)		
5.	Avionics Weight	3,400 lbs.	Contractor/SPO Estimate		

2.4.1.1 Flyaway Cost

Unit flyaway cost is projected to be \$10.8 million, based on contract data obtained from the F-16 System Program Office . . .

- 2.4.1.2 Empty Weight . . .
- 2.4.1.5 . . .

GUIDANCE: TABLE 7 SHOULD CONTAIN SYSTEM PARAMETERS WHICH ARE INHERENT TO THE SYSTEM DESIGN AND ARE DEPENDENT ON HARDWARE CONFIGURATION. FOLLOWING THIS TABLE PROVIDE A BRIEF EXPLANATION OF THE DERIVATION OF THE VALUE SELECTED FOR THE PARAMETER.

TABLE 6. F-16X MSIP SIGNIFICANT MODIFICATION LIST

GUIDANCE: LIST ONLY SIGNIFICANT COST DRIVER MODIFICATIONS WHICH WILL BE SUBJECT TO FULL ANALYSIS. JUSTIFY SELECTION AS SIGNIFICANT MODIFICATION. LIST REMAINING MODIFICATIONS IN AN APPENDIX.

WUC	HOD #	DESCRIPTION	SELECTION RATIONALE
42020	0822	Provide Direct Power for Flight Control System	Major New Component addition of new generator expected to increase ROL, Component Repair & Replacement Spares Cost due to higher parasitic power requirements and additional failures.
63900	CCS-9149	Joint Tactical Infor- mation Distribution System (JTIDS)	Major New Avionics System. Additional materiel and labor cost.
63000	PENDING	EJS (Anti-Jam UHP) Communications	Major New Avionics System. Additional material and labor cost.
65X00	007-9101F	Upfront Communica- tions, Navigation and Identification	Major New Avionics System. Additional material and labor cost.
71.000	0CP-9145	Global Positioning System	Major New Avionics System. Additional material and large cost.
71X00	CCP-9101F	Opfront Communica- tions Navigation and Identification (NAV Component)	Major New Agionsts System. Additional material and labor cost.
74800	CC2-9101F	AN/APG-68 Fire Control Radar	Nevic Punctions. AMPRG-68 incorporates additional functions including advanced look-down shoot- down remabilities Replaces AN/ARTH-66
74000	CCP-9102	Expanded Capacity Pros Control Computer	Additional memory and processing comparity will increase system expanility. Additional material and labor costs. Replaces current PCC.
	CON-BIGUE	Data Transfer Unit	Additional processing capacity. Higher material and labor costs.
74/94	CCP9101F	Low-Altitude Target- Infra-Red for Night (LANTIRN) Pod	Major New Avionics System. Additional material and labor costs. Pod configure will increase profile drag, thereby increasing POL costs.
74400	CC2-5763	Precision Location Strike System (PLSS)	Major New Avionics System. Higher materiel and labor cost. Small radome may increase profile drag, thereby increasing POL costs.
74X00	CCP-9101F	Advanced Central Interface Unit (ACIU)	Additional processing capacity and new functions. Higher materiel costs and labor anticipated, possibility of lower reliability.
75C00	OCP-9140	Advanced Medium Range, Air-to-Air Missile (AMRAAM) Provisions	Additional processing capacity is being incorporated at SMS interface to support AMRAAM. Higher materiel and labor costs.
75X00	PEND ING	GPU-5A 30MM Gun Pod	Major new system. Higher materiel and labor costs. Pod configuration will increase POL costs.
75000	cc>~9142	Airporne Self- Protection Jammer (ASPJ)	Bigher jamming power output along with new complex ECM & ECCM components will increase material and labor cost. Internal configuration will decrease FOL cost over ALO-131 Jamming Pod.
7 6E 00	OCP-9111	ALR-74 Warning Receiver	Greater complexity of subsystem over ALR-69 will increase failure modes. Higher materiel and labor costs.

2.3 System and Program Characteristics

Table 5 presents aircraft and program characteristics of the baseline and F-16X MSIP aircraft. Table 6 lists those configuration modifications for the F-16X considered significant, as determined from a review of all currently proposed modifications (See Appendix B for a complete listing of scheduled modifications) . . .

GUIDANCE: INCLUDE DETAILS OF THE BASELINE SYSTEM AND THE SYSTEM AFTER MODIFICATION IN TABLE FORM.

TABLE 5. OPERATIONAL/TECHNICAL CHARACTERISTICS

CHARACTERISTICS	F-16A	F-16X MSIP
Length	49.5 ft.	49.5 ft.
Wing Span	32.2 ft.	32.2 ft.
Max Speed (40,000 ft MSL)	MACH 2.0+	MACH 2.0+
Combat Radius (HI-LO-HI		
Attack Mission)	600 NM+	550 NM+
Thrust to Weight Ratio		
(22,500 wt.)	1.11 to 1	1.05 to 1
Ferry Range	2100 NM+	1900 NM+
Gross Weight	35400 LBS.	35400 LBS.
Empty Weight	15586 LBS.	18753 LBS.
Engine	F-100 PW200	*F100 PW

^{*}At the time of this analysis, source selection is being made for the F-16X engine. The Pratt-Whitney F-100 PW 220 and the General Electric Fl10 are being evaluated. For purposes of this report, the F-100 PW 220 is assumed to be the selected engine.

LIST GENERAL CHARACTERISTICS, AS WELL AS SENSITIVE GUIDANCE: AND PERFORMANCE CHARACTERISTICS WHICH ARE DESIGN AFFECTED BY THE MODIFICATION PROGRAM. OFTEN, MODIFI-CATION PROGRAMS WILL HAVE SEVERAL STAGES, WITH A PHASED INCORPORATION OF MODS OVER A LONG DEFINE CONSEQUENTLY, SPECIFICALLY THE ADDITIONAL SYSTEMS INCORPORATED IN THE NEW AIRCRAFT. TION, INCLUDE NON-AIRCRAFT SYSTEMS SUCH AS SIMULA-TORS, AUTOMATIC TEST EQUIPMENT (ATE) AND SPECIALIZED SUPPORT EQUIPMENT IF THEY SIGNIFICANTLY SQUADRON O&S COSTS.

2. ASSUMPTIONS AND GROUND RULES

2.1 General

The avionics maintenance concept of the new F-16X MSIP subsystems will be consistent with current F-16A avionics subsystems. The intermediate level maintenance will consist with LRU and SRU and circuit board removal and replacement. This, along with the adoption of Combat-Oriented Maintenance Organization (COMO) and Combat-Oriented Supply Organization (COSO) will result in a concentration of below-depot avionics maintenance at the intermediate level. Circuit board repair will be conducted at depot circuit board repair facilities, thereby increasing depot avionics material and contract cost.

GUIDANCE: INCLUDE A GENERAL DESCRIPTION OF SYSTEM HARDWARE AND POLICY CHANGES, AND DISCUSS THEIR ANTICIPATED IMPACTS ON O&S COSTS, INDICATING THE DEGREE OF CONFIDENCE THAT THE CHANGES ARE PRACTICAL AND COST IMPACTS ARE ACCURATE.

2.2 Baseline System

The F-16A was selected as the baseline system, since the F-16X MSIP is essentially an enhanced capability F-16A . . .

GUIDANCE: IDENTIFY THE BASELINE SYSTEM AND EXPLAIN THE RATION-ALE USED IN ITS SELECTION.

TABLE 4. F-16X MSIP FORCE OPERATING AND SUPPORT COST ESTIMATE-FISCAL YEAR BREAKOUT (MILLIONS, FY84\$)
(561 PAA, 305 FH/YR, 15 YRS.)

_		λ	8	<u> </u>	D	<u>E</u> _		G	<u>8</u>
<u>1.</u>	Fiscal Year	84	85	86	87	88	89	90-98	TOTAL
2.	f of Squadrons	0	3.5	88	13	19	23	23	23
<u>3.</u>	Deliveries	3	78	108	116	148	108	0	561
4.	Mature Aircraft	1.5	42	135	247	379	507	561	561
5.	Unit Operations	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXXX
6.	Below Depot Maint.	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXXX
7.	Installation Suppt.	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXXX
8.	Sustaining Investment	XXX	XXX	XXX	XXX	XXX	XXX	XXX	XXXX
9.	Depot Maintenance	XXX	XXX	XXX	xxx	xxx /	XXX	XXX _	XXXX
10.	General Depot Suppt.	XXX	XXX	XXX	XXX	XXXIII	XXX	xxxx	XXXX
11.	Depot Installation Sup.	XXX	XXX	XXX	XXX	/##	XXX	/xxx	XXXXX
12.	Medical Care	XXX	XXX	XXXX	xxx /	// 155 4	XXX	XXX	XXXX
13.	PCS	xxx	XXX	xxx	7358	AXX X	A CONTRACTOR OF THE PARTY OF TH	жж	XXXXX
14.	TOTAL	XXXX	XXXX	XXX	, xxx	10 m	EXXX	XXXX	9941.41

BUDGETARM IN NATURE. PROPER PREPARATION OF A FORCE O&S COST ESTIMATE REQUIRES INTEGRATION OF A PHASED DELIVERY AND INSTALLATION
SCHEDULE, FOR EACH SIGNIFICANT MODIFICATION, IN ADDITION TO A
DETERMINATION OF WHAT PERCENT OF THE TOTAL MDS FORCE WILL BE SO
EQUIPPED. A FORCE O&S COST ESTIMATE SHOULD BE CALCULATED ON THE
BASIS OF THE NUMBER OF OPERATIONAL SQUADRONS. THE PREPARATION OF
THE ABOVE IS BEST PERFORMED WITH THE ASSISTANCE OF A COMPUTER
SPREADSHEET PROGRAM OR AN INTEGRATED O&S COST MODEL.

IF THE OBJECTIVE OF THE STUDY IS DETERMINED TO BE DESIGN TRADEOFF OR CONFIGURATION ORIENTED, OMIT THE FORCE O&S COST ESTIMATE.

TABLE 3. DETAILED ANNUAL AIRCRAFT OPERATING AND SUPPORT COST ESTIMATE-F-16X MSIP SQUADRON (MILLIONS, FY84\$)
(1 SQUADRON, 24 PAA, 305 FH/PAA)

HDS FLY	F-16K MSIP ING HOURS 7320							Average N	umber of	Ai reraft	24
	CUPTION	- diameter		DOLLAR COS	T IN MIL	LIONS			,	WORK LOAD	מ
		<u> </u>	_1_	<u> </u>	D	<u>E</u>	*	<u></u>			_
		TOTAL	MATERIEL	CONTRACT	OTHER	OFFICER	& ALLOW ALRHEN	CIVILLING WALL	OFF	Stributi am	CZV
1.	TOTAL EXPENDITURES	37.525	12.307	4.296	3.074	2. 628	12.575	2.645	57	644	23
2.	UNIT OPERATIONS	11.503	7.446		.974	1.766	1.213	.104	47	76	9
3.	AIRCREM	. 794				.794	.000				
4.	COMMAND STAFF	3.176	.285		.973	.969	.847	.102	47	50	9
5.	OTHER UNIT PERSONNEL	.016	.001		.001	.001	.011	.002	0	1	0
6.	SECURITY	. 357					.002	.355			
7.	POL	6.390	6. 390								
8.	MINITIONS TRAINING	.770	.770								
9.	BELOW DEPOT MAINTENANCE		2.591	.086	. 494	.328	8,986	.300	10	568	14
10.		1.202	.085	.005	.077	.114	.826	.095	3	45	4
11.	AVIONICS HAINTENANCE	.425	.054	.002	.001	.003	249	.016	0	19	1
12.	PIELD HAINTENANCE	.047	.011	.001	.001	.000	015	.019	Ø	1	0
13.	minitions/misl maint	.031	.000	.000	.000	.000	# 031	.000	/ 0	2	0
14.		.001	.000	.000	.000	.000	2001	.000	0	0	0
15.			.922	.028	.092	.106	3.850	.005	# ·	249	0
16.		2.896	.920	.029	.151	.043	1.676	.078	1	107	4
17.	equipment haint sq	3.180	.599	.021	.172		//2.238	199 6	2	144	5
18.	INSTALLATION SUPFORT	5.488	.752	1.047	.640	###271/M	% 1.943	<i>#</i> .835			
19.		2,228	.358	.624	.439	.0402	.417.6	.349			
20.		.456	.044	.029	.052	.022	.273	.039			
21.	BASE OPERATIONS	2.804	.350	. 394	149	.20		.447			
						· • • • • • • • • • • • • • • • • • • •	MM				
22.	SUSTAINING INVESTMENT	1.113	1.113			4					
23.		1.113	1.113	Á	8 88		//				
24.		.000	.000	#	W		y				
25.	· · · · · · · · · · · · · · · · · · ·		.000		F						
		2 002	مقد	###		- 🌃					
	DEFOT MAINTENANCE	3.983	.726	### 968	.338	F	.012	.339			
27.		1.995	01	2.956	.021		.007	.010			
28.		1.168	242	.692	.165		.005	.164			
29.		.539	0.60	.244	.103		.000	.111			
30.	OTHER MAINTENANCE	.281	.192	.076	.049		.000	.054			
n.	GENERAL DEFOT SUPPORT	1.1	2052	-102	.028	.034	.018	.908			
32.	DEPOT INSTALLATION SUP	299 1	.027	.093	.030	.021	.061	.159			
33.	REAL PROPERTY MAINT	.183 .033 .175	.014	.079	.013	.001	.019	.057			
34.	COMMUNICATIONS	.033	9 .001	.000	.010	.003	.009	.010			
35.	BASE OPERATIONS	.175	.012	-014	.007	.017	.033	.092			
36.	MEDICAL CARE	.570			.570						
37.	PCS	.550				.208	.342				

Note: See Appendix C for detailed computations of impacted Table 3 cost elements.

TABLE 2. VAMOSC WSSC DETAILED FY83 ANNUAL OPERATING AND SUPPORT COST REPORT-F-16A SQUADRON (MILLIONS, FY84\$) (1 SQUADRON, 24PAA, 305FH/PAA/YR)

PLA	F-16A TING HOURS 7320							Average Num	ber of i	Urcraf t	: 24
DES	CRIPTION			DOLLAR CO	ET IN HI	LIONS-					
		A	. 8	_c_	D	E	7	G	•	CORK LOA	D
							(& XIIIOM		019	TRIBUTI	ON
		TOTAL	MATERIEL	CONTRACT	OTHER	OFFICER	ALRMEN	CIVILIAN	OFF	APEN	CIV
1.	TOTAL EXPENDITURES	34.881	10.606	3.961	2.961	2.614	12.301	2.437	57	623	23
2.	UNIT OPERATIONS	10.631	6.574		.974	1.766	1.213	-104	47	76	9
3.	AIRCREN	.794				.794	.000		21	a	
4.	COMMAND STAFF	3.176	.285		.973	.969	.847	.102	26	50	9
5.	OTHER UNIT PERSONNEL	.016	.001		.001	.001	.011	.002	ō	ī	á
6.	SECURITY	.357				.002	.355	.000	•	•	•
7.	POL	5.518	5. 518								
8.	MINITIONS TRAINING	.770	.770								
9.	BELOW DEFOT HAINTENANCE	12.039	2.073	.084	.489	.328	8.765	.300	10	557	14
10.	CHIEF OF MAINTENANCE	1.202	.085	.005	.077	.114	.826	.095	3	45	14
11.	AVIONICS MAINTENANCE	. 303	.030	.002	.001	.003	251	.016	á.	16	ī
12.	PIELD HAINTENANCE	.046	.011	.001	.001	.000	AD15	.019	٠.۵	ĩ	ā
13.	MUNITIONS/MISL MAINT	.031	.000	.000	.000	.000	2031	.000	10	2	ŏ
14.	ORGANIZATIONAL MAINT	.001	.000	.000	.000	.000	001	.000	æ å	ā	ŏ
15.	AURCRAFT GENERATION S		.739	.027	.090	.10	22757	.005	4	243	ă
16.	component repair so	2.551	.610	.028	.148	.045	3.645	.079	í	105	4
17.	EQUIPMENT NAINT SO	3.181	.599	.021	.172		2.238		2	144	5
18.	INSTALLATION SUPPORT	5.279	.737	.926	.627	MI266	W	.30737			
19.	REAL PROPERTY MAINT	2.184	.351	.612	.430 s	.040	//1.905 .409//	.818			
20.	COMMICATIONS	.447	.043	.028	.051	.021	.266	.342 .038			
21.	BASE OPERATIONS	2.648	.343	.286	146	.209	La Company	.438			
								.130			
22.	SUSTAINING INVESTMENT	.891	.891		a	###					
23.		.891	.891	A.		2	#				
24.				#	<i>#</i>	•	7				
25.	REPLACEMENT SUPP BOUT	[P	j		•						
26.	DEFOT HAINTENANCE	3.571	.24	<i>#</i> 22785	.260 .	- 3	.012	254			
27.	FOM/MODIFICATIONS	1.995		4.956	.021		.007	.254 .010			
28.	ENGINE MAINTENANCE	1.168	/2 /2/	.692	.165		.005	.164			
29.	AVIONICS HAINTENANCE	.146	## MO2	.066	.028		.000	.030			
30.	OTHER HAINTENANCE	.262	//595	.071	.046		.000	.050			
n.	GENERAL DEFOT SUPPORT	1.019	54 7	.082	.025	.031	.016	.818			
32.	DEPOT INSTALLATION SUP	200	.025	.084	-027	.019	AFF				
33.	REAL PROPERTY MAINT	165 030	.013	.071	.012		.055	-143			
34.	COMMUNICATIONS	.030	.001	.000	.009	.031 .003	.017	-051			
35.	BASE OPERATIONS	.158	.011	.013	.006	.015	.008 .030	.00 9 .083			
36.	HEDICAL CARE	.559			.559						
37.	PCS	.539				.204	.335				

Note: All values presented in Table 2 were obtained directly from the VAMOSC WSSC F-16A O&S Cost Report (AR8103), dated 11 APR 1984, after being normalized to a squadron Level.

TABLE 1.A SIGNIFICANT MODIFICATION IMPACT SUMMARY-F-16X MSIP (1 SQUADRON, 24PAA, 305FH/PAA/YR) (FY84\$)

					BELOW BELOW	<u> </u>	<u>D</u>			G	£	<u> </u>	1
					DEPOT	DISTALL	REPLACE.		CENERAL	DEPOT	MEDICAL		
	WUC	HOD (DESCRIPTION	POL	HAINT	SUPPI.	SPARES	MAINT.	SUPPI.	SUPPT	CARE	PCS	TOTAL
1.	42020	0822	Power, PCS	\$ 8,700	\$26,800	\$11,700	\$ 5,100	\$22,900	\$ 6,900	\$2,000	\$ 600	\$ 600	\$85,300
2.	63800	CCP 9149	JTIDS	26,100	40, 200	14,600	10,300	29,300	10,700	2,600	800	800	135,400
3.	63X00	PENDING	Lis	8,700	20,900	6,900	5,300	16,900	4,100	1,200	400	400	64,800
4.	65X00	CC291011	OPOU IFF	8,700	33,000	5,900	10,100	11,700	3,400	1,000	300	300	74,400
5.	71000	OCT 9145	GPS	17,400	36,400	18,600	6,400	34,800	10,900	3,300	1,000	1,000	129,800
6.	71,X00	CZP9101F	OPCNI NAV	4,400	19,600	7,700	3,700	14,000	4,300	1,400	400	400	55,900
7.	74800	CCP9101F	an/apg-68	33,900	112,400	16,300	39,200	42,500	11,600	2,900	800	800	260,400
8.	74000	00397075	ENCAP PCC	8,700	66,900	4,800	25,600	18,400	2,800	900	300	300	128,700
9.	74800	CC291078	अर व	4,400	15,100	6,900	2,800	14,300	4,100	1,200	400	400	49,600
10.	741100	00791017	LANTIRN	270,300	164,400	44,700	46,800	89,900	24,400	7,900	2,400	2,400	653,200
11.	74X00	CCP9101F	PLSS	122,100	49,800	22,400	22,500	11,200	13,100	4,000	1,200	1,200	247,500
12.	74X00	0039101	ACTU	33,900	28,800	12,800	5,800	24,900	26000	2,300	700	· 700	116,900
13.	75C00	CCP9140	MEAN	61,000	38,300	18,600	7,600	35,000	100	3,300	1,990	1,000	175,900
14.	75x00	PENDING	CPU-5A	220,000	38, 900	6,900	13,000	18,900	7,800	1,200	A 400	400	303,500
15.	76C00	CCP-9140	asi vi	26,200	38,700	4,000	14,300	10,89	2,200	700	// 200	200	97,300
16.	7 6E 00	007-9111	ALR-74	17,400	15,900	6,900	3,100	16/400	3,800	1,200	400	400	65,500
			TOTAL	\$871,900	\$746,100	\$209,700	\$221,600	\$4 53 ,500	23, 200	100	\$11,300	\$11,300	\$2,644,100

GUIDANCE: THE MODIFICATION LAPACT SUMMARY PRESENTS DECISIONMAKERS WITH AN ESTIMATE OF THE O&S COST IMPACT OF
EACH MODIFICATION. THIS HIGHLY SIGNIFICANT TOOL IS
POSSIBLE BECAUSE OF THE DETAILED COST DATA BECOMING
AVAILABLE IN VAMOSC CSCS. THE SUMMATION OF COST
ELEMENT IMPACT SHOULD APPROXIMATE THE CHANGE IN COSTS
DISPLAYED IN TABLE 1, CHANGE COLUMN. ROUNDING ERRORS
WHICH OCCUR DURING THE ALLOCATION CALCULATIONS MAY
PRODUCE A SMALL VARIANCE.

Note: Sec Appendix D for calculations of modification O&S cost impacts as displayed in Table 1-A.

TABLE 1. F-16A & F-16X MSIP O&S COST COMPARISON - AFSARC I

USAF DETAIL FORMAT
(MILLIONS, FYB4\$)
(1 SQUADRON, 24PAA, 305 FH/PAA/YR)

(SEE TABLES 2 AND 3 FOR A DETAILED BREAKOUT OF EACH COST ELDENT PRESENTED IN THIS TABLE. THIS ESTIMATE IS HYPOTHETICAL, AND SHOULD NOT BE CONSTRUED AS REPRESENTING ACTUAL $F{-}16$ COSTS).

		F-16A	P-16X MSIP	CHANCE	NOTE
1.	TOTAL EXPENDITURES	\$34.881	\$37.525	+2.644	
2.		10.631	11.503	+.872	
3.	AIRCREW	.794	.794	_	
4.	COMMAND STAFF	3.176	3.176	_	
5.	OTHER UNIT PERSONNEL	.016	.016	_	
6.	SECURITY	.357	.337	-	
7.	POL	5.518	6.390	+.872*	1
8.	MUNITIONS TRAINING	.770			
9.	BELOW DEPOT MAINTENANCE	12.039		+.746*	
10.		1.202	1.202	_	
	AVIONICS MAINT	.303	.425	+.122	2
	PIELD MAINT	.046	.047	.001	
13.		.031	.031	_	
14.	ORGANIZATIONAL MAINT	.001	.001	_	
15.	AIRCRAFT GENERATION SQ COMPONENT REPAIR SQ	4.724	5.003	+.279	3
16.	COMPONENT REPAIR SQ	2.551	2.896	+.345	4
17.	equipment haint sq	3.181	3.181	_	
	INSTALLATION SUPPORT	5.279	5.488	+.209*	
	real property Haint	2.184	2.228	+.044	
	COMMUNICATIONS	.447	<u> ,45</u> 6	+.009	~
21.	BASE OPERATIONS	2.648	2/204	+.156	
22.	SUSTAINING INVESTMENT	.891	///113	+.222	AFF
23.	REPLACEMENT SPARES	.891	# 113	+.222* &	7 5
24.	MOD KITS/MATERIEL	.000	<i>####</i> ##.000	<i>→ A</i>	
	REPLACEMENT SUPP EQUIP	.000	//	THE STATE OF	
26.	DEPOT MAINTENANCE	1.277	3.983	M.412*	
	MODIFICATIONS	4,39 5	////1.995	<i>W</i> —	
28.	ENGINE MAINT AVIONICS MAINT	# 168	1.15	″ -	
29.	AVIONICS MAINT	<i>∭</i> .146	## AND	+.393	6
30.	OTHER MAINTENANCE	.262	2281	+.019	
31.	CENERAL DEPOT SUPPORT	1.019	X.142	+.123*	
32.	DEPOT INSTALLATION SUPPORT	° .353&	.391	+.038*	
33.	REAL PROPERTY MAINTENANCE	.165	.183	+.018	
34.	COMMUNICATIONS	.03	.033	+.003	
	BASE OPERATIONS	.158	.175	+.017	
36.	HEDICAT CAME	.55 9	.570	+.011*	
37.	rcs /	.539	.550	+.011*	

*See Table 1 N

Notes An Table 1:

- 1. FOL cost increase is due to projected fuel consumption rate increase of 120 gallons per flight hour, resulting from a weight increase, profile drag increase and greater power consumption. (See Table 2, 3 & Section 5).
- Below Depot Avionics Maintenance cost increase is due to the addition of three avionics technicians per squadron and higher material costs resulting from the higher unit cost of the new avionics systems. (See Table 2, 3 and Appendix C, Table C-1).
- Below Depot Aircraft Generation Squadron cost increase is due to the addition of six maintenance technicians and increased material costs. (See Table 2, 3 and Appendix C, Table C-2).
- Increase in Component Repair Squadron costs is due to the addition of two maintenance technicians and higher materiel costs of the major new avionics systems. (See Table 2, 3 and Appendix C, Table C-3).
- Increase is due to additional aggregate spares requirements for proposed new systems. (See Section 3.4.2, Table 13 and Appendix C, Table C-4).
- 6. Increase in Depot Avionics Maintenance Costs is due to a substantial increase in new avionics systems. A large proportion of repair actions for the new systems will occur at the depot level, with a lesser proportion occurring at field and organizational levels. (See Section 2.1 and Appendix C, Table C-5).


Table 1 compares O&S costs for the baseline aircraft (F-16A) and the estimates developed for the F-16X MSIP aircraft. The substantial F-16 force size and a six year operating history provides the necessary historical data base for credible cost estimation. Reasons for significant variances between the O&S costs of the two aircraft are also outlined in Table 1. The estimated impact of each modification is explicitly identified in Table 1-A.


Table 2 presents the detailed historical O&S cost data for an F-16A squadron as derived from VAMOSC .

Table 3 presents a detailed O&S cost estimate for a hypothetical F-16X MSIP squadron.

GUIDANCE: THE TABLES LISTING THE O&S ANNUAL COSTS FOR A TYPICAL UNIT SHOULD UTILIZE A STANDARD USAF COST ELEMENT
STRUCTURE, SUCH AS THE USAF DETAIL FORMAT EMPLOYED
BY VAMOSC WSSC. THE COSTS SHOULD BE COMPARED TO
THOSE OF THE AIRCRAFT PRIOR TO MODIFICATION, AND THE
COST DIFFERENTIAL EXPLICITLY IDENTIFIED BY INDIVIDUAL MODIFICATION IMPACT. THE O&S COSTS SHOULD BE
PRESENTED BY FISCAL YEAR AND SHOULD BE IDENTICAL TO
THE FIGURES PRESENTED IN THE INTEGRATED PROGRAM
SUMMARY (IPS).

These costs are based on a squadron of mature aircraft. To account for non-operating time due to aircraft delivery schedules, all aircraft delivered within a given year are assumed to accrue costs for only half of the year of delivery.








FIGURE 1. F-16 AIRCRAFT

GUIDANCE: VAMOSC DATA FACILITATES UTILIZATION OF THIS METHODOLOGY BY PROVIDING BASELINE MDS FORCE O&S COSTS, AND BY
PROVIDING DETAILED O&S COST DATA FOR INDIVIDUAL
SUBSYSTEMS AND COMPONENTS TO THE FIVE-DIGIT WUC (WORK
UNIT CODE) LEVEL.

3.2 Data Sources

The sources used in defining the baseline costs and the method used in estimating the F-16X MSIP aircraft cost are listed in Table 10 for each of the cost elements.

GUIDANCE: INCLUDE A MATRIX OF SOURCES AND METHODS IN THE REPORT.

TABLE 10. DATA SOURCES AND METHODOLOGY

Cost Element	F-16A BASELINE Source	<u>Method</u>	P-16X MSIP Source	Method/Comment
UNIT OPERATIONS AIRCIEW	VAMOSC WSSC FY83, 11 APR 84 (RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	Not significantly affected by Modification Program; no change
Command Staff	VAMOSC WSSC, FY83 11 APR 84 (RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	Not significantly affected by Modification Program; no change
Other Unit Personnel	VAMOSC WSSC, FY83 11 APR 84 (RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	Not significantly affected by Modification Program; no change
Security	VAMOSC WSSC, FY83 11 APR 84 (RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	Not significantly affected by Modification Program; no change
POL	VAMOSC WSSC, PY83 13 APR 84 (RPT) AR8103)	Normalized to a Sq/Yr.	Contractor Engineering estimate	Scaled by weight, profile drag, and power requirements (See Section 3.5)
Munitions Training	VAMOSC WSSC, PY83 11 APR 84 (RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	Although the introduction of AMRAAM will increase the unit cost of training munitions, the firing rate is assumed to decrease; hence, no change in cost is contemplated
RELOW DEPOT MAINTENANCE				
Chief of Maint	VAMOSC WSSC PY83 11 APR 84 (RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	Not significantly affected by Modification Program; no change
Avionics Maint	VAMOSC MSSC PY83 11 APR 84 (RPT# AR8103)	Normalized to a Sq/Yr.	Baseline and VAMOSC CSCS PY-83-4	Built-up from like/similar analysis & scaled by materiel reliability, and manpower (See Appendix C & Table C-1)
Field Maint	VAMOSC WSSC PY83 11 APR 84 (RPTM AR8103)	Normalized to a Sq/Yr.	Baseline	Not significantly affected by Modification Program; no change

TABLE 10. DATA SOURCES AND METHODOLOGY (continued)

	P-16A BASELINE		P-16X MSYP	
Cost Element	Source	Hethod	Source	Method/Comment
Munitions/Missile maintenance	VAMOSC WSSC FY83 11 APR 84 (RPT# AR8103)	Normalized to a Sq/Yr.	Baseline	Not significantly affected by Modification Program: no change
Organizational Maint	VAMOSC WSSC FY83 11 APR 84 (RPT# AR8103)	Normalized to a sq/Yr.	Baseline	Not significantly affected by Modification Programs no change
Aircraft Generation Sq	VANOSC WSSC FY83 11 APR 84 (RPT# AR8103)	Normalized to a Sq/Yr.	Baseline and VAMOSC CSCS FY-83-3	Built-up from like/similar analysis & scaled by materiel & reliability (See Appendix C & Table C-2).
Component Repair Sq	VAMOSC WSSC FY83 11 APR 84 (RPT# AR8103)	Normalized to a Sq/Yr.	Baseline and VAMOSC CSCS FY-83-3	Built-up from like/similar analysis & scaled by materiel & reliability (See Appendix C & Table C-3).
Equipment Maint Sq	VAMOSC WSSC PY83 11 APR 84 (RPT# AR8103)	Normalized to a Sq/Yr.	Baseline	Not significantly affected by Modification Program; no change
INSTALLATION SUPPORT Real property Maint	VAMOSC WSSC FY83 11 AFR 84(RPT# AR8103)	Normalized to a Sq/Yr.	Baseline	Scaled by Squadron manning
Communications	VAMOSC WSSC FY83 11 AFR 84(RPT# AR8103)	Normalized to a Sq/Yr.	Baseline	Scaled by Squadron menning
Base Operations	VAMOSC WSSC PY83 11 APR 84(RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	Scaled by Squadron manning
SUSTAINING INVESTMENT Replacement Spares	VAMOSC WSSC FY83 11 APR 84(RPT# AR8103)	Normalized to a Sq/Yr.	Baseline and VAMOSC CSCS FY-83-3	Built-up from like/similar analysis & scaled by reliability and material (See Appendix C & Table C-3).
Mod Kits/Materiel	VAMOSC WSSC FY83 11 APR 84(RPT# AR8103)	Normalized to a Sq/Yr.	Baseline	No change: P-16X MSIP is costed as mature aircraft. Additional modifications are assumed to continue at current rate.
Replacement Supp Prup	VAMOSC WSSC FY83 11 APR 84(RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	Not significantly affected by Modification Program; no change
Equipment Mointenance Squadron	VAMOSC WSSC FY83 11 APR 84(RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	Not significantly affected by Modification Program; no change
DEFOT MAINTENANCE Modifications	VAMOSC WSSC FY83 '1 APR 84(RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	No change anticipated due to lack of Depot Level configuration modifications (See Table 6)
Engine Maintenance	VAMOSC WSSC FY83 11 APR 84(RPT# AR8103)	Normalized to a Sq/Yr.	Baseline	No change anticipated due to lack of significant engine con- figuration modification (See Table 6)
Avionics Maintenance	VAMOSC WSSC FY83 11 APR 84(RPT# AR8103)	Normalized to a Sq/Yr.	Baseline and VAMOSC CSCS FY-83-3	Built-up from like/similar analysis & scaled by materiel & reliability (See Appendix C & Table C-4)
Other Maintenance	VAMOSC WSSC FY83 11 APR 84(RPT) AR8103)	Normalized to a Sq/Yr.	Baseline and VAMOSC CSCS FY-83-4	Built-up from like/similar analysis & scaled by material & reliability (See Appendix C & Table C-5)
GENERAL DEPOT SUPPORT	VAMOSC WSSC FY83 11 APR 84(RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	Scaled by Depot Maint. costs
DEPOT INSTALLATION SUPPORT Real Property Maintenance	T VAMOSC WSSC FY83 11 AFR 84(RPT# AR8103)	Normalized to a Sq/Yr.	Baseline	Scaled by Depot Maint, Costs
Communications	VAMOSC WSSC FY83 11 APR 84(RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	Scaled by Depot Maint, Costs
Base Operations	VAMOSC WSSC FY83 11 APR 84(RPT% AR8103)	Normalized to a Sq/Yr.	Baseline	Scaled by Depot Maint. Costs
MEDICAL CARE	VAMOSC WSSC PY83 11 APR 84(RPT% AR8103)	Normalized to a Sq/yr.	Baseline	Scaled by Squadron Manning
PCS	VAMOSC WSSC FY83 11 APR 84(RPT# AR8103)	Normalized to a Sq/yr.	Baseline	Scaled by Squadron Manning

3.3 Like and Similar (L/S) Hardware List

The F-16X MSIP maintenance material and labor costs are estimated using a bottoms-up cost factor estimation technique. A set of functional analogies for the MSIP configuration changes was developed, thereby relating the new equipment to existing aircraft subsystems with VAMOSC historical reliability and cost data. These analogies extend to the five-digit WUC, where an individual modification's effect could be isolated to that level

These functional analogies are considered valid for the costing only and are not intended to replicate the performance characteristics of F-16X MSIP equipment . . .

A listing of L/S equipment is contained in Table 11.

GUIDANCE: WHEN SELECTING L/S HARDWARE, EVALUATE PHYSICAL SIZE), TECHNOLOGY CONTENT, CHARACTERISTICS (WT., OPERATIONAL ENVIRONMENT, SYSTEM COMPLEXITY, AND FUNCTIONAL CHARACTERISTICS TO OPTIMALLY MATCH COMPONENTS. CONSULT SPO - OR CONTRACTOR ENGINEERING PERSONNEL FOR ASSISTANCE IN EVALUATING POTENTIAL L/S COMPONENTS. UTILIZE VAMOSC CSCS TO COLLECT HISTORICAL RELIABILITY, MAINTAINABILITY AND O&S COST DATA FOR EACH SPECIFIED L/S COMPONENT. ALSO, COMPILE DATA FOR ANY SYSTEM TO BE REPLACED, AND DEVELOP THE CHANGE RESULTING FROM THIS REPLACEMENT. THE CUMULATIVE CHANGE IN O&S COSTS CAN THEN BE APPLIED BASELINE WEAPON SYSTEM SUPPORT COSTS (WSSC) MDS COST DATA, THEREBY PORTRAYING THE NEW SYSTEM'S COSTS.

TABLE 11 L/S HARDWARE LIST

	water a start	9_16V_MCTD		*** 115	SIMILAR	
MOD (MODIFICATION DESCRIPTION	P-16X MSTP WUC		UC NO	HOMENCLATURE	SELECTION RATIONALE
0822	Direct Power Source for Plight Control System (PCS)	42080	P-15A	42 7 2A	Motor-Generator, Bmergency Power	The L/S Hotor-Generator has similar physical, functional & operational characteristics. However, the Samarium-Cobelt magnets are more technologically
CCP-9149	Joint Tactical Information Distribution System (JTIPS)	63800		76GP0 74PQ0 76DP0	Trans/Rovr- Processor Power Supply	• • •
PENDING	EJS (Anti-Jam UHF Communica- tions)	63X00	P-16A	63800	Secure Voice Set	• • •
003~-310∏ ₈	Upfront Com- munications, Nevigation & Identification (IPP Component)	65 x 00	P-16A	65X00	IFF System	• • •
OCP-9145	Global Posi- tioning System	71000		63atn 74p00 76dp0	Rovr. Subassy Signal Proc. Power Supply	
CCP-9101F	Upfront Com- munications & Identifica- tion (NAV - Component)	71X0 0	P-16A	71800	TACAN NAV Sec	
CCP-9101F	AN/APG~68 Pire Control Radar	74200	P=15A	7 42 00	AN/APG-63-Page Concrol Shifter	
CCP-9101F	Expanded Capacity Fire Control Comp.	74000	P-16A	74000	Pire Control Computer	9
CCP-9101P	Data Transfer Unit	7 4HO O	P=15A	76CP96 76QD00	Data Processor Power Supply	• • •
CCP-9101F	Low Altitude Targeting Infrared for Night (LANTIRN) Pod	74N00	* ***	2645 0	AN/APQ-36 F "Pave Tack" Pod	•••
CC2-5763	Precision Location Strike System (PLSS)	A Series	P-4G	73G00 76AA0 76AG0 76B00	Converter, Signal Data Radome Power Supply Processor, Boming Antenna	
CC2-9101P	Advanced Central Inter- face Unit (ACIU)	75X00	P-16	75000	Interface Unit	• • •
CCP-9140	AMRAAM Pro- Visions and LAU-129 Launcher	75C00	P-16A	75CA0 75CJ0	Launcher, Wing Interface Unit	•••
PENDING	CPU-5A 30104 Gun Pod	75 x 00	A-10A	7 58 00	GAD-8 30MM Gun Pod	• • •
CCP-9142	Airborne Self Protection Jammer	7 6 CD0	F-4E	76G00	AN/ALQ-133 BCM Pod	Although the operational and physical characteristics are different since the AN/ALQ-131 is Pod-Mounted and the ASPJ is contained internally, the functions are similar. Technologically, both are scheduled to incorporate VHSIC
OCP-9111	ALR-74 Warn- ing Receiver	76E00	P-16A	76 E 00	ALR-69 Warming Receiver	

3.4 Derivation of Scalars

In order to use baseline data to project the O&S costs of the F-16X MSIP, it was necessary to identify differences between the systems and quantify these differences through the development of scalars. The derivation of the aforementioned scalars is explained in the following paragraphs . . .

GUIDANCE: ESTABLISH PROPORTIONAL RELATIONSHIPS BETWEEN THE L/S
SYSTEMS AND THE NEW SYSTEMS, BASED ON THE ESTIMATED
EFFECT OF DIFFERING PHYSICAL, RELIABILITY AND
MAINTAINABILITY (R&M), TECHNOLOGICAL AND OPERATIONAL
CHARACTERISTICS. THE ASSISTANCE OF SPO CONTRACTOR
ENGINEERING DATA AND/OR PERSONNEL IS USUALLY REQUIRED
TO ACCURATELY DEVELOP THE MODIFICATION SCALARS.

THE SCALARS SHOULD THEN BE APPLIED TO THE BASELINE NORMALIZED CSCS COST DATA TO DETERMINE THE ESTIMATED O&S COST OF THE NEW SYSTEMS.

3.4.1 Reliability and Maintainability

For purposes of this costing analysis, reliability data is provided to the three to five digit WUC level for selected O&S cost-significant modifications in Table 12.

In cases where a modification involves replacement of an existing subsystem, the data of the predecessor subsystem is subtracted to produce net reliability data for the modification . . . This historical data is then compared to reliability estimates for the new subsystems, and scalars are derived . . .

TABLE 12. MODIFICATION-SPECIFIC RELIABILITY SCALAR DERIVATION

	WUC	HOD #	MOD DESCRIPTION	<u>a</u> Like/Sükülar MPHBP	P-16X MSIP MPHBP	C RELIABILITY SCALAR
1.	42060	0822	Provide Direct Power for Plight Control System	1984	2742	.72
2.	63800	OCE→9149	Joint Tactical Information Distribution System (JTIDS)	112	137	.82
3.	63X00	PENDING	EJS (Anti-Jam URP Communications)	3148	4722	.67
4.	65XD0	CC2-9101F	Upfront Commun- ications, Naviga- tion & Identifi- cation (IFF Compo- nent)	21.32	3405	.63
5.	71000	007-9 145	Global Position- ing System	132	163	.81
6.	71X00	007-9101F	Upfront Communi~ cations Naviga— tion & Identifi— cation (NAV Component)	2107	3040	je,
7.	74400	CP-9101F	AN/APG-68 Fire Control Radar	252		.76
8.	74C00	∞ - 9101 r	Expanded Capacity Fire Control Computer	183	254	.72
9.	74800	002-9101P	Deta Transfet Unity	404	581	.70
10.	74N00	CCP-9101F	Service In- Description In- Frace for Night (LANTERN)	224	268	.84
11.	74400	COP +5763	Precision Location Strike System (PLSS)	485	675	.72
12.	. 76 000	CCP-9101F	Advanced Central Interface Unit (ACIU)	397	463	.86
13.	. 75000	∞2-9140	Advanced Medium Range Air-to-Air Missile (AMRAAM) Provisions	830	896	.93
14	. 75X00	PENDING	GPU-5A 30HM Gun Pod	2540	2650	.96
15	. 76000	CCP-9142	Airborne Self- Protection Jammer (ASPJ)	659	745	.88
16	. 7 6 E00	0CP-9111	ALR-74 Warning Receiver	420	570	.74

GUIDANCE: WHEN AVAILABLE, USE TEST DATA AVAILABLE FROM THE SPO
OR CONTRACTOR IN ESTABLISHING R&M FACTORS. IF TEST
DATA IS USED IN CONJUNCTION WITH L/S HISTORICAL DATA,
APPLY A DERATING FACTOR TO TEST DATA TO ACCOUNT FOR
IDEAL LAB CONDITIONS.

UTILIZE VAMOSC CSCS TO COLLECT HISTORICAL RELIABILITY DATA FOR L/S COMPONENTS. CSCS PROVIDES A VARIETY OF RELIABILITY AND MAINTAINABILITY DATA, INCLUDING MEAN TIME BETWEEN MAINTENANCE (MTBM), NUMBER AND TYPE OF MAINTENANCE EVENTS, NUMBER AND TYPE OF MAINTENANCE MANHOURS (ON AND OFF EQUIPMENT), MEAN TIME TO REPAIR (MTTR), REPAIRABLE THIS STATION (RTS), NOT REPAIRABLE THIS STATION (NTS), CONDEMNATIONS, ETC. THIS DATA IS AVAILABLE TO THE FIVE DIGIT WUC LEVEL IN CSCS REPORTS AR-8105, AR-8107, AND AR-8114.

3.4.1.1 Modification #0822 - Provide Direct Power to FCS

Mean Flight Hours Between Failures (MFHBF) is anticipated to increase from 1984 to 2742 due to the greater reliability of the samarium-cobalt solid magnet generator motor being incorporated . . .

The L/S component selected, an F-15A generator motor, is similar in physical and operational characteristics; however, the new technology incorporated and the resultant engineering estimate led to the derivation of a scalar of 1.38 . . .

- 3.4.1.2 <u>Modification #CCP-9149 Joint Tactical Information</u>
 Distribution System...
- 3.4.1.3 . . .

3.4.1.16 Modification # CCP-9111 - ALR-74 Warning Receiver

An increase in reliability is anticipated due to the planned incorporation of Very High Speed Integrated Circuits (VHSIC). However, complexity of the ALR-74 is anticipated to increase over the ALR-69, thereby negating some of the increased reliability influence . . .

3.4.2 Materiel

A material cost scalar is derived for each scheduled F-16X MSIP O&S cost-significant modification. These modification-specific scalars are the basis of the material cost estimates .

Materiel cost data and derivation of the scalars is presented in Table 13 . . .

GUIDANCE: UTILIZE VAMOSC CSCS TO COLLECT MODIFICATION-SPECIFIC MATERIAL COST DATA. CSCS PRODUCES DETAILED MATERIEL COST DATA TO THE FIVE DIGIT WUC LEVEL. BELOW-DEPOT MAINTENANCE DATA IS DISPLAYED IN: 1. TOTAL BASE WUC COST REPORT (AR8107); 2. BASE WUC COST REPORT (AR8105); 3. ASSEMBLY-SUBASSEMBLY WUC COST REPORT (AR8115); 4. TOTAL BASE AND DEPOT WUC COST REPORT (AR8108)

DEPOT MAINTENANCE MATERIEL COST DATA IS AVAILABLE FROM THE FOLLOWING: 1. DEPOT ON-EQUIPMENT WUC COST REPORT (AR8111) and; 2. TOTAL BASE AND DEPOT WUC COST REPORT (AR8108).

UNIT PRICE DATA IS DISPLAYED TO THE FIVE-DIGIT WUC LEVEL THROUGH THE FOLLOWING REPORTS: 1. MDS-NSN-WUC CROSS REFERENCE REPORT (AR8109); 2. MDS-WUC-NSN CROSS REFERENCE REPORT (AR8110).

TABLE 13. MODIFICATION-SPECIFIC MATERIEL COST SCALAR DERIVATION

WCC	HOD #	MOD DESCRIPTION	A LIKE/ SIMILAR UNIT PRICE	B F-16X MSIP UNIT PRICE	C MOD-SPECIFIC MATERIEL COST SCALAR
1. 42050	0822	Provide Direct Power for Flight Control System	\$11,852	\$20,300	1.71
2. 63800	CCP-9149	Joint Tactical Infor- mation Distribution System (JTIDS)	\$285,539	\$640,000	2.24
3. 63X00	PENDING	EJS (Anti-Jam UHP) Communications	\$55,100	\$135,000	2.45
4. 65X00	CCP-9101F	Upfront Communica- tions, Navigation and Identification	\$56,425	\$84,500	1.50
5. 71000	7CP-9145	Global Positioning System	\$201,819	\$311,000	1.54
6. 71X00	CCP-9101P	Upfront Communica- tions Navigation and Identification (NAV Component)	\$13,0\$\$	\$31,600	r _e k
7. 74A00	CCP-9101P	AN/APG-68 fire Control Radar	\$1,280, 000	\$1,650,00	0 1.38
8. 74C00	CCP-9101P	Expanded Capacies Fire Control Computer	\$113,\$30.4	£2 16,000	1.90
9. 74400	CCP-9101F	Data Transfer Unit	\$200,654	\$212,400	1.06
10. 74NOO	CCP-9101F	Low-Afficiate Target- ing intra-Red for - Night (LANTIRN) Pod	051,000	\$2,340,000	2.23
11. 74400	CCP-5783	Percision Location Strike System (PLSS)	\$140,194	\$320,000	2.28
12. 74X00	/ 12-111 2	Advanced Central Interface Unit (ACIU)	\$375,443	\$410,000	1.09
13. \$5000	OCP-9140	Advanced Medium Range, Air-to-Air Missile (AMRAAM) Provisions	\$464,563	\$485,000	1.04
14. 75X00	PENDING	GPU-5A 30MM Qun Pod	\$240,000	\$220,000	.92
15, 75000	CCP-9142	Airborne Self- Protection Jammer (ASPJ)	\$180,000	\$350,000	1.94
16. 76E00	OCP-9111	ALR-74 Warning Receiver	\$151,832	\$170,000	1.12

Unit price data was utilized as the basis for materiel scalar derivation, since the F-16X MSIP modifications will affect component-related replacement and repairs . . .

3.4.2.1 Modification #0822-Provide Direct Power for FCS

The unit price of the samarium-cobalt generator motor is substantially higher than the conventional wire-wrapped magnet motor selected as the L/S component. Contract data indicates the unit price will be \$20,300 for the new motor, producing a scalar of 1.71...

3.4.2.2 Modification #CCP9149-Joint Tactical Information Distribution System

3.4.2.3 . . .

GUIDANCE: SELECT MATERIEL DATA THAT IS MOST APPROPRIATE FOR THE ANALYSIS AT HAND. AIRCRAFT SYSTEM MODIFICATION SCALARS NORMALLY CAN BE DEVELOPED BY USING UNIT PRICE DATA. A CHANGE IN MAINTENANCE CONCEPT OR OPERATIONAL PROFILE MIGHT MAKE DIRECT MATERIEL COST DATA MORE APPROPRIATE FOR SCALAR DEVELOPMENT.

MATERIEL COST FOR THE NEW SYSTEM SHOULD BE OBTAINED FROM CONTRACT DATA OR SPO/CONTRACTOR ESTIMATES. THE DIFFERENCE BETWEEN THE LIKE/SIMILAR VAMOSC CSCS HISTORICAL DATA AND THE NEW SYSTEM ESTIMATES WILL ACCOUNT FOR DIFFERING PHYSICAL, TECHNOLOGICAL AND OPERATIONAL CHARACTERISTICS. EACH MODIFICATION SCALAR SHOULD BE BRIEFLY JUSTIFIED.

3.5 Petroleum, Oils and Lubricants (POL) Consumption

Additional weight, drag and parasitic power requirements imposed by the scheduled F-16X MSIP configuration changes will increase F-16X MSIP fuel consumption relative to that of the F-16A baseline aircraft. The average F-16A POL consumption rate is 753 gallons per hour as obtained from AFR173-13, dated 1 February 1984. The contractor, after conducting a full aerodynamics analysis, forecasts F-16X MSIP fuel consumption to be 16% higher than the F-16A, or XXX gallons per hour...

3.5.1 Modification #0822 - Provide Direct Power Source for FCS

Contractor engineering estimates indicate the net weight impact of Mod. # 0822 is 52 lbs. Since the configuration is internal, no increase in drag is anticipated. However, the generator-motor to be added will require .5KW of ram air cooling. In addition, the parasitic power drain imposed by the generator-motor will increase specific fuel consumption (SFC) at cruise by . . . This modification will account for one percent of the change in POL consumption, or \$8,720 per year per squadron, according to SPO estimates . . .

3.5.2 Modification # CCP-9149 - Joint Tactical Information Distribution System . . .

GUIDANCE: WHEN AN ENGINEERING ESTIMATE MUST BE UTILIZED TO COMPUTE THE O&S COST IMPACT OF ANTICIPATED CONFIGURATION CHANGES, PROVIDE AN EXPLANATION OF THE ESTIMATE AS CONVEYED BY THE SPO/CONTRACTOR SOURCE.

THE POL COST IMPACT OF EACH MODIFICATION CAN BE ESTI-MATED IN CONSULTATION WITH SPO/CONTRACTING ENGINEERING PERSONNEL. BY ISOLATING THE NET WEIGHT, PROFILE DRAG, & POWER CONSUMPTION IMPACT OF EACH MOD, A PERCENTAGE ESTIMATE OF THE TOTAL INCREASE IN POL CONSUMPTION CAN BE ALLOCATED.

4. SENSITIVITY/RISK ANALYSIS

In order to increase confidence in the O&S cost estimate for the F-16X MSIP aircraft, the sensitivity of O&S cost to factors such as reliability has been evaluated by obtaining three reliability estimates to illustrate the potential range of values . . .

GUIDANCE: INCLUDE AN INDICATION OF THE CONFIDENCE IN THE FIGURES PRESENTED.

4.1 General

Reliability and POL consumption appear to present the greatest risk potential for cost variability . . .

GUIDANCE: DEVELOP A FURTHER, DETAILED ANALYSIS OF THE COST IMPACT OF EACH COST ELEMENT OFFERING A POTENTIAL FOR HIGH COSTS, ESPECIALLY THOSE OF WHICH THE VALUE ESTIMATED FOR THE O&S COST ANALYSIS COULD VARY WIDELY. IDENTIFY THE RANGE OF VALUES SELECTED FOR SENSITIVITY ANALYSIS AND THE RATIONALE FOR SELECTION. PRESENT THE RESULTS USING IDENTICAL GRAPHICAL VALUES WHENEVER POSSIBLE TO FACILITATE A COMPARISON.

4.2 Reliability Sensitivity

The range of reliability values was based on a review of the design maturity of the modification and the confidence in the scalars applied to each modification. Table 14 identifies the range of reliability values for each modification.

TABLE 14. MODIFICATION RELIABILITY SENSITIVITY

			MEAN PLYING HOURS	BETWEEN	PAILURES (MPHBP)
WUC	HOD #	MOD DESCRIPTION		XPECTED BOURS	HIGH HOURS
42020	0822	Provide Direct Power for Flight Control System	2600	2742	2850
63800	OCP-9149	Joint Tactical Infor- mation Distribution System (JTIDS)	115	137	145
63000	PRODING	EJS (Anti-Jam UHF Communications)	3100	4722	6050
65X00	CCP-9101F	Opfront Communication & Identification (IFF Component)	2500	3405	4200
71000	CCP-9145	Global Positioning System	145	163	170
71x00	CCP→9101F	Opfront Communica- tion & Identifica- tion (NAV Component)	2600	3040	3450
74400	CCP-9101F	AN/APG-68 Fire Control Radar	325	345	375
74000	CCP9101P	Expanded Capacity Fire Control Computer	225	?5 4	280
74800	CCP-9101F	Data Transfer Unit	675	581	AL SASON
74N00	CCP-9101F	Low Altitude Tar- geting Infra-Red for Night (LANTIME) Pod	185	224	260
74W00	CCP-5763	Precision Spation Strike System (PLSS)	480	675	870
75x00	CCP-\$18801P	Advanced Central Interface Unit (ACTU)	415	463	505
75 C86	CC3-4180.	Advanced Medium Range Air-to-Air Missile (AMRAAM) Provisions	725	830	890
75X,98	PENDING	GPU-5A 30MM Gun Pod	2350	2650	2825
76000	CCP-9142	Airborne Self- Protection Jammer (ASPJ)	610	745	915
76200	0CP-9111	ALR-74 Warning Receiver	510	570	635
*AGGREG	ATE MODIFICA	TION DEPACT (MPHBF)	23.75	28.06	30.47
P-16A B	Aseline syst	em (mphbr)	3.82	3.82	3.82
P-16X M	SIP SYSTEM (MPHBP)	3.29	3.36	3.39
			COST DELTA**		
		LOW HOURS	EXPECTED HOURS	<u>!</u>	HIGH HOURS
DEPOT W	epot Mainten Vintenance Ment Spares	+\$269,882/Sq. +\$ 84,062/Sq. +\$ 27,002/Sq.	- -	-\$	17,347/Sq. 36,549/Sq. 10,340/Sq.
		TOTAL +\$380,946/Sq.	-	-\$1	64,236/Sq.

٠	Aggregate Modification	Impact = Sum of	Reciprocals of Mod MPHBFs
	Cost Delta = Change in		




FIGURE 3. RELIABILITY SENSITIVITY GRAPH

TABLE C.1
BELOW DEPOT AVIONICS MAINT, MATERIEL COST COMPUTATION

MUC	KD j	DESCRUPTION	VAMOSC CSCS LIKE/SIMILAR BELOW DEROT MATERIEL COST X	RELIABILITY SCALAR	MATERIAL*** SCALAR X	MATERIEL OCCUSSIMED AT AVIONICS MAINTENANCE	CHANGE IN AVIONICS MAINTENANCE MATERIEL COST
6 3000	CID-9149	Jides	\$13,063	.87	2, 24	54	1, 200
63300	PENGILNG	ejs	\$ 7,464	.67	2, 45	56	6) , 3
65X00	CCP-9101P	OPCNI IPP	\$24,880	. 63	1.50	546	1,176
71000	OC\$2-9145	caps .	\$11,922	.81	1,54	5%	744
71,000	OC>-9101₽	UPONI NAV	\$ 5,961	.69	2:43	54	500
74400	CC2-9101P	AN/APG-68	\$87,083	, 76	1.38	54	4,567
74000	CC25-9101F	EXCAP FOO	\$43,542	.72	1.90	58.	2,978
74H00	CC7~9101P	DTO	\$ 8,708	. 70	1.06	54	323
74400	CT7-9101F	LANTERN	\$58,055	.84	2.23	54	5, 437
7 6KD	CC2~5763	PLSS	\$31,930	. 72	2, 28	54	2,621
74X00	002-9101F	ACIU	\$14,514	.86	1.09	58	680
75C00	OC#-9140	AMERAM	\$18,246	.93	1.04	54	J. 882
76000	CC24-9142	ASS/C)	\$19,490	.88	1.94	5%	1,664
762:00	0023177	ALR74	\$ 8,771	.74	1 - 1.3	54	363
F-16A		COST (Table 2,	•	in 8) : Squadron Perest	SAR (Tabble 3,	Labor 11. Column B	\$23,748 \$30,000 \$53,748
r-144 (mr. withing	THE PERSON NAMED IN	Care Cor FER			Tay Condition	or \$.054M

^{**} From Table 12

*GUIDANCE: THE PERCENTAGE OF AVIONICS MATERIEL CONSUMED AT THE AVIONICS MAINTENANCE FUNCTION IS DETERMINED BY THE MAINTENANCE CONCEPT. SPECIFIC BELOW DEPOT MATERIEL CONSUMPTION BY FUNCTION (AVIONICS MAINTENANCE, COMPONENT REPAIR SQ., AIRCRAFT GENERATION SQ.) IS NOT AVAILABLE IN CSCS. CONSEQUENTLY, THE MATERIEL COST PER WUC AND MODIFICATION MUST BE EITHER ALLOCATED ACCORDING TO THE PROPORTIONS OF THE BASELINE AIRCRAFT OR, MORE PRECISELY, ACCORDING TO THE PROPORTIONS ANTICIPATED BY THE MAINTENANCE CONCEPT FOR EACH MODIFICATION.

^{***} from Table 13

APPENDIX C. F-16X MSIP MATHEMATICAL COMPUTATIONS

GUIDANCE: PROVIDE THE MATHEMATICAL COMPUTATIONS USED TO CALCU-LATE THE COST ELEMENTS. DO NOT DUPLICATE COMPUTATIONS PERFORMED IN VAMOSC WSSC OR FOR ELEMENTS UNAFFECTED BY THE MODIFICATION PROGRAM. ALL BASELINE MDS HISTOR-ICAL OPERATING AND SUPPORT COSTS ARE AUTOMATICALLY CALCULATED BY VAMOSC WSSC, AND ARE DISPLAYED IN THE MDS OPERATING AND SUPPORT COST REPORT (AR-8103). THIS REPORT CAN BE NORMALIZED FOR A SQUADRON OR AIRCRAFT LEVEL FOR PURPOSE OF COMPARISON.

> EACH CALCULATION SHOULD BE CLEARLY TRACEABLE TO THE THEREFORE, NUMBER ALL SUMMARY TABLES IN SECTION 1. ROWS AND COLUMNS IN THE SUMMARY TABLES, AND PROVIDE A LOCATOR CODE IN PARENTHESIS AREER EACH ARPENDIX CALCU-LATION. ALL CALCULATIONS SHOULD BE DISPLAYED IN ORDER OF COST ELEMENTS, WITH MACH SUBELEMENT COMPUTATION PRESENTED WITHIN THE PRIMARY BLEMENT SECTION.

NOTE: All baseline F-16A VAMOSC WSSC wost figures utilized in the following calculations were obtained directly from Table 2.

UNIT OPERATIONS

POL (Table 3, Line 7)

POL Cost Comsumption Rate x FH/PAA x PAA/Squadron x Cost per Gallon

8/73 gallons/hr x 305 hrs. x 24 acft. x \$1.00

\$6.390M/Squadron/Year

BELOW DEPOT MAINTENANCE

Avionics Maintenance (Table 3, Line 11)

F-16A WSSC Materiel Cost + Summation of MSIP Materiel Cost

Materiel Cost Impacts (See Table C.1)

\$.054M/Squadron/Year

Table B.1. Configuration Change List(Con't)

WUC	MOD. (λ	8	С	D	g	P	G	8	<u>t</u>
75 (continued)			WEAPONS DELIVERY									
	75C00	CCP-9140	Incorporate AMRAAM Capability in F-16A/B	V	+	Yes	+425	+3.45	+4100	+5800	+200	?es
	75DBO	0361	Add Threshold Detect/Bypass Selection for Boresight Spot Made of AIM-9L	III	0	No	NC	0	0	0	0	No
	74900	0603R1	Modify Stores Control Panel to Eliminate Flickering of Display Lampe	III	0	No	NC	0	0	0	0	No
76			PENETRATION AIDS AND BON			****	× 					
76000	œ-91 <i>4</i>	12	Testing of the Airborne Self-protection Jammer (ASPJ)	V	+	Yes	+405	+7.2	+100	0	+1.3 KW E0 +6.12 KW RA	≃s
76E00	0947		Install Improved ALR-69 Amplifier Detector and Prequency Selective Re- ceiver in F-16	V	+	No	NC	0	0	0	0	No
76E00	CCP-911	11	Install ALR-74 Warning Receiver in F-16 Aircraft	V	•	Yes	+89	. 4.KVA	+100	0	750	Yes

Table B.1. Configuration Change List(Con't)

WOC	HOD. #		Α_	В	<u> </u>	D	<u> </u>	?	G	Н	<u> </u>
74		PIRE CONTROL SYSTEM									
(continued) 74000	0913	Incorporate Block ISS Fire Control Computer and Stores Management Operational Flight Programs	III	0	No	NC:	0	0	0	0	No
74000	c c≥-9 120	Multiple Store Ejection Rack (MSER) Integration	٧	+	No	130	TED	1380	1390	1330	No
74000	OCP-9122	Incorporation of Standard USAF Inertial Navigation Unit (INU)	III	•	No	NC	1750	15BD	1390	1330	Yes
74EAO	0836	Cockpit TV Sensor Split Screen Capability F-16A/B	V	+	No	1380	TBO	1780	1380	TED	No
74EAC	0456CL	Revise Radar/E-0 Indicator Unit to Accommodate Revised Video Amplifier	III	0	No	NC	0	0	0	0	No
74EBO	0365	Revise Radar/E-0 Electronics Unit	III	•	No	NC	0	0	0	0	No
74EBA	0457	Revise Radar/E-0 Electronics Unit to Correct Bandwidth Characteristics of Video Processor and Borizontal Jitter	III	0	No	NC	0	0	0	0	No
74G00	œ29169	Incorporate WAC Head-up- Display (HUD) in P-16 Air Vehicles. LANTIRN HUD Alternative Wide Angle Optics	III	+	No	NC	0	0	0	0	No
74800	CCP-9101F	Data Transfer Omit Installa- tion	III	+	Yes	+53	TEND	130	1380	TBD	Yes
74N00	CCP-9163 CCP-9151 CCP-9153	LANTIRN Installation	٧	+	Yes	+1010	+10.8	+1000	+600	0	Yes
7 4NN O	CC2~9137	AGH-65D Development, Inte- gration and Testing	A	+	No	130	TBD	TBD	TBO	0	No
74200	002-5763/ 9156	Precision Location Strike System (PLSS) Integration	V	+	Yes	+129	+500	+1000	+750	500	Yes
75	Marketon County 6 Ed. Service County of the	WEAPONS DELIVERY						,	·		
74000	0556	Modify Stores Management System CTU to Correct Block 10 Software Deficiencies	III	0	0	NC	0	0	0	0	No
75000	None	Incorporation of GPU-5A 30MM Gun Pod	٧	+	Yes	+2800	TED	0	0	0	No
75000	0569R1	Incorporate Capability for Air Combat Maneuvering Instrumentation (ACMI) Pod	V	+	No	NC	0	0	0	0	No
74000	0350R1R2	Block 15 Sequential Provi- sioning AMRAAM, MSER Provisions	III	*	No	TBD	TBD	TED	TBD	TBD	No
7 500 0	0935	Early Production Incorpora- tion of AMRAAM F-16	V	+	Yes	TBD	TBD	TBD	TBD	O ET	No

Table B.1. Configuration Change List(Con't)

WUC	HOD. \$		٨	В	С	D	2	P	G	R	1
63		UNIF COMMUNICATIONS									
63000	None	EJS (ANTI-JAM UHF Com- munications) Incorporation	Δ	+	Yes	+25	1380	190	130	TBD	Yes
63800	1018	Install "Have Quick" Group 'B' Provision AN/ARC-164C in F-16	٧	+	No	+25	17820	178D	7590	1390	Yes
63B00	CCP-9149	Joint Tactical Information Distribution System (JTIDS) Integration	V	4	Yes	+112	+1.5	+1400	+780	+1.5 K₩	Yes
63B00	0327C2	Secure Voice with ARC-186	III	+	No	+2	0	0	0	0	No
63880	0896	Incorporate Modification to Reduce Multi-path Signal Scattering Effects from Opper UHF/IFF Antenna	III	•	No	+12.1	. 0	0	0	0	No
63000	0795R1C1	"Have Quick" Group 'A' Provisions for F-16	V	*	No	NC	0	+780	0	0	Yes
65		LPP SYSTEM		-							
65000	œ₽-9101F	Upfront Communication, Navigation, Identification (UPCNI) Incorporation IPP Punction	III	+	Yes	+74	1380	TBD	TSD	TSD	Yes
71		RADIO NAVIGATION									
71000	CCP-9245	Global Positioning System (GPS) Integration	٧	+	Yes	+60.1	•	+500	0	100	Yes
7100u	≪P-9101F	Optront Communication, Navigation, Identification (UPCNI) Incorporation Nav. Punction	III	+	Yes	+40	TBD	TSD	.IHD	חאנו	res
74		PIRE CONTROL SYSTEM	,								
74000	None	WAAM (Wide Area Anti-Armor Munition) Integration	٧	+	No	TBD	TVD	+1600	+1400	TED	Yes
74800	CCP-9101	Incorporate AN/APG-68 Pire Control Radar	III	+	Yes	+234	TED	1780	130	TED	Yes
7 4A 00	CCP-9101F	Advanced Central Interface Unit (ACIU) Integration	III	+	Yes	+345	TBD	1380	TBD	1380	Yes
74880	1005	Retrofit of AMRAAM Level III Capability in F-16 A/B	V	+	No	TED	TBD	TBD	TBD	TBD	No
74AMO	0497	Provide Improved Radome Lightning Protection	III	•	No	NC	0	0	0	0	No
748MB	0496	Block 15B Software Update	III	0	No	NC	0	-2500	-800	0	No
74000	CCP-9101F	Expanded Capacity Fire Control Computer In- stallation	III	•	Yes	+28	TBD	1380	13BD	TBD	No
74000	0406R1	Block 15B Software Update	III	0	No	NC	0	+1825	+1000	0	No
74000	064 ZR1C1	Incorporate Fire Control Computer Operational Flight Program Changes/Software	III	•	No	NC	0	0	0	0	No

Table B.l. Configuration Change List(Con't)

WUC	HOD. 1		λ	8	С	D	g	7	G	R	1
42 (continued)		ELECTRICAL FOWER SUPPLY									
42ABO	0756RL	Modify AC Generator to Incorporate Oil Line Reducer	111	-	No	0	0	0	0	0	No
42080	0822	Provide Direct Power Source to Flight Control System (PCS)	III	•	Y	+52	1380	TSD	0	130	No
42HBO	0678	Provide Main Battery Power to the FLCS Converter	m	ū	No	0	0	0	0	0	No
42JAO	0815	Delete Synchronization of 800 Bz Inverters	111	••	No	0	0	0	0	0	No
42.ДВВ	0782	Modify Flight Control System Battery Beater Circuits to Eliminate Inadvertent Inverter Battery Discharge	m	-	No	0	0	0	0	-	No
44		ELECTRICAL LIGHTING SYSTEM	······································	· · · · · · · ·		 -					
44000	0287RICI	Improve Aerial Refueling Lighting for Night Operations	III	+	No	+1.8	.01	0	0	0	No
46		FUEL SYSTEM							· · · · · · · · ·	·····	
46000	0474	installation of Automatic Porward Transfer Trim Circuits in Aircraft Ruel System	III	-	No	0	0	0	0	0	No
46000	0905	Install Orifice Plate to Left of External Tank Transfer Valve	III	0	No	TEND	0	0	0	0	No
46CNO	0709	Revise External Tank Vent and Pressurization Valve to Improve Reliability	III	6	No	0	0	0	0	0	No
46PAP	0212	Provide Capability of Selective Fill of External Fuel Tanks	III	0	No	+2	0	0	0	0	No
51		PLIGHT DISTRUMENTS									—
5LABO	0993	Production Incorporation of Combined Altitude Radar Altimater F-16 (CARA)	٧	+	No	+12	TBD	0	0	0	Yes
51 AB O	OCP-9124	Integration and Test of CARA	V	+	No	0	TED	0	0	0	Yes
55		MALPUNCTION ANALYSIS AND RECORDING EQUIPMENT				- i - i i i i					
55AA0	0932	Provide Provisions for Crash Survivable Plight Data Re- corder (CSPDR)	v	+	No	+	TBD	0	O	0	No
62		VEP COMMUNICATIONS		•				·			
62000	0602C1	Replace Standard Headset Wiring with Magnetically Shielded Wiring	111	0	No	0	0	Ó	0	0	No

Table B.l. Configuration Change List(Con't)

9

MDC	HCD. #		A_	В	<u> </u>	D	E	P	G	H	I
23 (continu	ed)	TURBOPAN POWERPLANT									
23800	0490	Provide Electronic Engine Control Caution Light When Backup Fuel Control is Selected from Aft Cockpit	III	0	No	HC	0	0	0	0	No
231AB	0539	Engine Emergency Warming System	III	-	No	+1.4	0	0	0	0	No
231BA	0479	Revise Wiring from Throttle Position Relay to ESS	III	0	No	NC	0	0	0	0	No
231CA	0433	Removal of Nacelle Vent Ejector Switch	ш	0	No	NC	0	0	0	0	No
23LJA	0907	Modify Engine Warning Control Unit to Provide Time Delays in Warning and Caution Messages	III	U	No	NG	U	U -	Ü	U -	NO
24		AUXILLARY POWERPLANT							<u> </u>		
24449	0699Cl	Redesign Emergency Power Unit Bleed Air Regulator Valve	III	•	No	0	0	0	0	0	No
24AEO	0613cTc5	Modification of Emergency Power Unit, Redesign EPU Fuel Control Valve Armsture	III	-	No	0	0	0	0	0	No
24030	0465	Redesign Emergency Power Unit to Replace Speed Sensors	III	-	No	0	0	0	0	0	No
24080	0800	Delete the Connection of the Electrical Caution Light to the EPU Over- speed Detector	III	0	No	0	0	0	0	G	No
24CBO	0823	Revise EPU Controller to Eliminate Moisture Entrap- ment	III	-	No	0	0	0	0	0	No
24030	0630CL	Revise Emergency Power Onit (EPU) Controller Logic to Improve Re- dundancy of Secondary Speed Control	III	-	No	0	0	0	0	0	No
24000	0408	Provide Redesigned Engine Start System (ESS)Control- ler Barness, and Component Tester	III	-	No	0	U	0	0	0	No
41		ENVIRONMENTAL CONTROL									
41ABA	CCP-9101F	SYSTEM Incorporation of Expanded Capacity BCS	111	0	No	+49	0	0	0	0	No No
42		ELECTRICAL POWER SUPPLY									
42000	0558	Modification of Airctaft Battery Failure Monitoring Circuit F-16A/B	III		No	0	0	0	0	0	No
42AA0	0722	Modify the Constant Speed Drive (CSD) Oil Servicing Fill Port	III	-	No	0	0	0	0	0	No
42AA0	0778	Constant Speed Drive (CSD) Hydraulic Accumulator	III	-	No	+10	0	0	0	0	No
42AA0	09 77	Constant Speed Drive Accumulator Vibration Isolator Hounts	III	-	No	+1	0	0	0	0	No
42AA0	0819	Replace Constant Speed Drive (CSD) Oil Cooling Lines with Flexible Bose Assemblies F-16A/B	III	-	No	0	0	0	0	0	No

Table B.1. Configuration Change List

WUC	MOD. J		Α	В.	<u>c</u>	D	E	P	G	В	Ţ
11000	0544C).	AIRFRAME Strengthen Web of Fuse- lage Station 341.8 Bulkhead to Prevent Cracking	111	•	No	No	+.4	0	0	0	No
11000	0762	Modification of Upper/ Lower Bulhead Splice	III	•	No	No	1330	0	O	0	No
11000	0832	Install Stabilizing Supports to Puselage Side Frames and Revise Harness Supports	III	•	No	No	7580	0	0	0	No
11GDP	0288R1C1	Strengthen Skin eround Arresting Book	III	-	No	+2	0	0	Đ	0	No
		CREW STATION SYSTEM			**************						
12 12A00	0437	Interchange Master Puel and BUC Switches in Aft Crew Station Only	III	0	No	NC	0	0	0	0	No
12000	0426	Change Canopy Open/ Close Logic Circuitry	III	•	No	NC	0	0	0	0	No
13		LANDING GEAR SYSTEM									, -
13240	0596	Modification of Brake Circuitry to Incorporate Lower Audio Volume Lavel For Landing Gear Warning	III	0	No	NC	0	0	0	0	No
13BDC	0807	Eliminate Moisture Trapping in Main Gear Down-lock Switches	III	•	No	NC	0	0	0	0	No
13080	0686	Improve Moisture Proofing of the Nose Wheel Steering Peedback Potentiometer	III	-	No	NC	0	0	0	0	No
13500	0546	Modification of Brake System Circuit F-16A/B	III	•	No	+.4	0	0	0	0	No
13EAG	0554	Incorporate Improved Brake Control Box F-16A/B	III	•	No	+1.0	0	0	0	0	No
13GAC	0667	Replace Arresting Book Switch with New Switch Capable of Being Locked in both 'UP' and "DOWN' Positions.	III	0	No	NC	0	0	0	0	No
14		PLIGHT CONTROL SYSTEM	**************************************			 ,					,
14000	0221RICI	Incorporate Departure Warn- ing System in P-16A/B	III	4	No	+1	0	0	0	0	No
14ADH	0802	Replace Diode Assemblies in Critical Electric Power/ Flight Control System Circuits	111	•	No	NC	0	0	0	0	No
14410	0623C1	Correction of Electronic Component Assembly (ECA) Memory to Correct Latch-up	III	+	No	NC	0	0	0	0	No
14CCA	0622	Improve Bearing Retention in Leading Edge Flap and Trailing Edge Flaper on Hinge Pittings	111	•	No	NC	0	O	0	0	No
14F00	0691	Improve Angle of Attack, Pilot Static and Air Data Probe Heater Citcuits	111	•	No	NC	0	0	0	0	No
23		TURBOFAN POWERPLANT									
23000	0828	Install Clamp to Prevent Engine Harnes Chaffing	111	-	No.	NC	0	٥	0	0	No
23GAO	0401	Rework Engine Breather Ejector Tube	III	-	No	NC	0	0	0	0	No

APPENDIX B. CONFIGURATION CHANGE SUMMARY

HEADING INDEX

- A Modification class (III, V)
- B Estimated O&S cost impact (+, 0, -)
- C Major cost driver? (yes, no)
- D Estimated net weight impact (lbs)
- E Estimated net electrical power requirements (KVA)
- F Estimated net FCC memory impact (words)
- G Estimated net SMS memory impact (words)
- H Estimated electronic cooling impact (KW)
- I Is new technology incorporated? (yes, no)

GUIDANCE: WHEN CONDUCTING A PRELIMINARY EVALUATION OF PROSPEC-TIVE SYSTEM CONFIGURATION CHANGES, DESIGN A MATRIX WHICH LISTS THE MODIFICATIONS' IMPACTS ON O&S COST PARAMETERS.

IDENTIFY THE PROPORTION OF COST DRIVERS ACCORDING TO THE PRECISION REQUIRED BY THE USER, THEN COLLECT MODIFICATION COST & ENGINEERING DATA FROM THE SPO AND CONTRACTOR.

GUIDANCE: DIRECT MAINTENANCE MAN-HOUR DATA IS AVAILABLE IN CSCS
TO THE FIVE DIGIT WUC. DIRECT MAINTENANCE MAN-HOUR
DATA CAN BE COLLECTED FOR EACH MODIFICATION ANALOGY,
THEREBY PRODUCING AN AGGREGATE DIRECT MAINTENANCE
MAN-HOUR CHANGE, WHICH CAN BE UTILIZED BY MANPOWER
ENGINEERING PERSONNEL TO ESTIMATE MANPOWER REQUIREMENTS. IN ADDITION, THE PROPORTION OF THE TOTAL
CHANGE IN MAINTENANCE MAN-HOURS CAN BE USED TO ALLOCATE LABOR COST TO EACH MODIFICATION. THIS ASSISTS
IN ISOLATING THE AGGREGATE O&S COST IMPACT OF EACH
MODIFICATION, WHICH IS THE ULTIMATE GOAL OF A MODIFICATION PROGRAM COST ANALYSIS.

A.2 Chief of Maintenance

Because the forecast total increase in manning is relatively insignificant in aggregate terms (2%), no change in the Chief of Maintenance function is anticipated . . .

A.3 Avionics Maintenance

The introduction of a large number of new avionics systems will increase Avionics Maintenance manning by 3 personnel per squadron. According to the TAC LCOM Model, avionics modifications account for 81% of the total change in Direct Maintenance Man-Hours/Flight Hour (DMMH/FH) . . .

A.4 Field Maintenance...

GUIDANCE: INCLUDE A DETAILED NARRATION OF FACTORS THAT IMPINGE
ON MAINTENANCE MANNING, SUCH AS CAPACITY OF FACILITIES, CONFIGURATION CHANGES, THROWAWAY VS. REPAIR
IMPACT, AND MAINTENANCE CONCEPT.

TABLE A.1 DIRECT MAINTENANCE MAN-HOURS BY MODIFICATION (DMMH/FH)

4.8KE.E	WUC	MOD. ‡	DESCRIPTION	A L/S DMMH/FH	B F-16XMSIP DMMH/FH	C % of TOTAL CHANGE
1.	420E0	0822	POWER, FCS	.10	.12	5.6%
2.	63800	CCP-9149	JTIDS	.19	.15	7.0%
3.	63XXX	PENDING	ejs	06ء	07ء	3.3%
4.	65X00	CCP-9101F	UFCNI IFF	.05	.06	2.8%
5.	71D00	CCP-9145	GPS	.17	.19	8.9%
6.	71X00	CCP-9101F	UFCNI NAV	.07	.08	3.7%
7.	74A00	CCP-9101F	AN/APG-68	.14	.16	7.8%
8.	74000	CCP-9101F	EXCAP FCC	.04	.05	2.3%
9.	74H00	CCP-9101F	DTU	.06	.07	3.3%
10.	74NOO	CCP-9101F	LANTIRN	.41	.46	21.4%
11.	74W00	CCP-5763	PLSS	. 21	.23	10.7%
12.	74X00	CCP-9101F	ACIU	.11	.13	6.1%
13.	75000	CCP-9140	AMRAAM	.16	.19	8.9%
14.	75X00	PENDING	GPU~5A	.07	.07	3.3%
15.	76C00	CCP-9140	ASPJ	.03	.04	1.9%
16.	76E00	CCP-9111	ALR-74	.05	.07	3.3%
17.	AGGREG	ATE MODIFICATIO	N IMPACT	#// #//	2.14	100%
18.	F-16A	SYSTEM DMMH/FH			10.09	
19.	F-16X	MSIP SYSTEM DMM	H/FH		12.23	

Unscheduled corrective maintenance only Fxcludes 2010 & General ground handling man-hours.

A. 2 A.2 UNIX MAINTENANCE PERSONNEL

	1	F-16A			F-	16X MS	ΙP
	off	ENL	CIV	Change	OFF	ENL	CIV
Below Depot Maint.	10	557	14	+11	10	568	14
Chief Maint.	3	45	3		3	45	3
Avionics Maint.	0	16	2	+ 3	0	19	2
Field Maintenance	0	1	0		0	1	0
Munitions/Missile	0	2	0		0	2	0
Organizational Maint	0	0	0		0	0	0
Aircraft Gen.Sqdn.	4	243	0	+ 6	4	249	0
Component Repair Sq.	1	105	4	+ 2	1	107	4
Equip. Maint. Sq.	2	144	5		2	144	5

APPENDIX A. UNIT MAINTENANCE PERSONNEL

A.1 General

Total manning for an F-16A squadron is shown, along with anticipated changes as determined by a detailed logistics support analysis . . .

Although the Mean Time to Repair (MTTR) for many of the new subsystems planned for F-16X incorporation will decrease due to increased circuit board commonality, Built-In-Test (BIT) and component redundancy system reliability (MFHBF) will still decrease in aggregate terms due to the addition of those new systems, resulting in increased manning requirements . . .

GUIDANCE: EXPLAIN THE RATIONALE BEHIND MANNING CHANGES TO THE BASELINE SYSTEM. WHEN THE ALTERNATIVE SYSTEM INCORPORATES NEW CONCEPTS OR A RADICAL DEPARTURE FROM EXISTING SYSTEMS/METHODS, EXPLAIN IN DETAIL THE CHANGE AND ITS EXPECTED IMPACT ON MANNING. THIS EXAMPLE FOCUSES ON THE MAINTENANCE ORGANIZATION. THIS DOES NOT IMPLY THAT THE MANPOWER ISSUE WILL ALWAYS BE MAINTENANCE.

DERIVE MDS SQUADRON MANNING FROM THE APPROPRIATE VAMOSC WSSC MDS OPERATING AND SUPPORT COST REPORT (AR8103). MANNING IS DISPLAYED BY COST ELEMENT. IF FURTHER DETAIL IS REQUIRED, OBTAIN AN ITEMIZED BREAKOUT OF SQUADRON MANNING FROM THE TAC LCOM MODEL.

5. SUMMARY

Still to be resolved are the methods of determining second destination transportation, Advanced Flying Training and Other Advanced Training costs. The additional complexity of the F-16X MSIP configuration changes will undoubtedly require additional flight crew and maintenance personnel training. It is anticipated that estimating methods will be developed and values for these cost categories validated in the near future.

GUIDANCE: NOTE ISSUES LEFT UNRESOLVED OR THOSE WHICH WILL RECEIVE CLOSE SCRUTINY IN THE FUTURE.

4.3 POL Sensitivity

There are two areas of risk associated with POL Costs; the uncertainty of JP-4 fuel costs and the fuel consumption of a new system. To place the F-16X MSIP system in the proper perspective, other comparable weapon systems are shown in Figure 4 (Figures are derived from VAMOSC WSSC Operating and Support Cost Reports by MDS for FY83).




FIGURE 4. POL SENSITIVITY GRAPH

Avionics Maintenance (con't) (Table 3, Line 11)

Contract Cost = F-16A WSSC Cost x F-16X MSIP Avionics Manning

F-16A Avionics Manning

.002M x <u>19</u>

= \$.002M/Squadron/year

GUIDANCE: CONTRACT, OTHER, AND P&A COST SHOULD BE SCALED BY THE CHANGE IN MANNING, SINCE THESE COSTS CONSIST PRIMARILY OF LABOR. THE CHANGE IN MANNING IS OBTAINED FROM THE SPO.

Other Cost = F-16A WSSC Cost x F-16X MSEP Avionics Manning F-16A Avionics Manning

\$.001M $x \frac{19}{16}$

= \$.001M/Squadron/Year

Enlisted P&A Cost = # of Enl. Pers. x Agionics Enlisted Rate

= 19 x \$18,355

= \$348,745 or \$.349M/Squadron/Year

GUIDANCE: DERIVE THE A FRAGE PAR RATE FROM VAMOSC WSSC, BY
DIVIDING THE TOTAL PAR COST PER COST ELEMENT BY THE
NUMBER OF PERSONNEL. THE REQUIRED DATA IS AVAILABLE
IN THE WSSC MDS OPERATING AND SUPPORT COST REPORT
(AR8103).

Total Below Depot

Avionics Maint. Cost = Materiel + Contract + Other + (Off., Enl. & Civ. P&A Cost)

= \$.054 + \$.002M + .001M + (.003 + .349 + .016)

= \$.425M/Squadron/Year

AIRCRAFT GENERATION SQUADRON (Table 3, Line 15)

- Materiel Cost = F-16A WSSC Cost + Summation of MSIP
 Materiel Cost Impacts. (See Table C-2)
 - = .922M/Squadron/Year

TABLE C.2
BELOW DEPOT AIRCRAFT GEN. SQ. MATERIEL COST COMPUTATION

HUC	MOD. 4	DESCRIPTION		LIABILITY** SCALAR X	MATERIAL*** SOLLAR X	& MATERIEL CONSUMED AT AIR- CRAFT GEN. SQ. MAINTENANCE* -	CHANGE IN AIRCRAPT CEN. SQ. MAINT. HATERIEL COST
42050	0822	Power, PCS	9,580	.72	1.71	40%	4,718
63800	OC2-9149	JTDS	13,060	.82	2.24	نبر 354	8,396
63X00	PENDING	ejs	7,460	.67	2.45	35 4 , , , , , ,	4, 286
65X00	OCF-9101F	UPCNI IPF	24,880	. 63	1.56	354	8,229
71000	0CP-9145	GPS	11,920	.81	¥4.54	354///	5, 204
71X00	002-9101F	UPCNI NAV	5,961	.69	/24 3 //		3,498
74800	CCP-9101F	an/apg-68	87,080	.76	/1.38///	354	31,965
74C00	CCP-9101F	excap pcc	43,540	.72	1.90	35%	20,847
74H00	CCP-9101F	DIO	8,710	.70	1.06	354	2,262
74N00	CCP~9101P	Lantirn	58,050	.84	2.23	354	38,059
74100	CC2~5763	Plss	31,930		2.53	354	18,346
74X00	9101F	ACTU	14,514	2 86	1	354	4,762
75000	CCP-9140	AMRAAH	18,280	. 93	£ .04	354	6,188
75X00	PENDING	GPU-SA	34,259	,96	.92	404	12,086
76000	CCP-9140	asp j	J.\$5,490	.88	1.94	354	11,646
7 62 00	CC2-9111	ALR-74	8,330	.74	1.12	35€	2,544
ACCRECA	TE MODIFICATI	ON DEPACT	7 ///				\$183,036
P-16A W	SSC BASELINE	Onst (Table 2,	Ligan 15, Column B)			\$739,000
P-16X M	SIP TOTAL AIR	CRAPT CHARATIO	SQUADRON MATERI	el cost per yi	EAR (Dable 3,	Line 15, Column B)	\$922,036
		and the second s	,			OE	\$.9224

^{*} See Quidance, Page 9-2

Contract Cost = F-16A WSSC Cost x F-16X MSIP Aircraft Gen. Sq. Manning F-16A Aircraft Gen. Sq. Manning

^{**} From Table 12

^{***} From Table 13

⁼ \$.027M x 1.025

^{\$.028}M/Squadron/Year

AIRCRAFT GENERATION SQUADRON (Con't) (Table 3, Line 15)

Other Costs = F-16A WSSC Cost $\times F-16X$ MSIP Aircraft Gen. Sq. Manning F-16A Aircraft Gen. Sq. Manning

= \$.090M x 249

\$.092M/Squadron/Year

Enlisted P&A Cost = # of Enl. Pers. x Aircraft Gen. Sq. Enlisted Rate

= 249 x \$15,461

= \$3,849,789 or \$3.850M/Squadron/Year

Total Below Depot Aircraft Gen.

Sq. Cost

= Materiel + Contract + Other + (Off., Enl. and Civ. P&A Cost)

= \$.922M + .028M + .092M + (.106) 3.850M + .005M)

= \$5.003M/Squadron/Year

COMPONENT REPAIR SQUADRON (Table 3, Line 16)

Materiel Cost

= F-16A WSSC Cost + Summation of MSTP Cost Impacts. (See Table C-3)

= .920M/Squadron/Year

TABLE C.3

COMPONENT REPAIR SQ. MATERIEL COST COMPUTATION

HUC	HOD. 4	DESCRIPTION	BELTON BEFOT SATERIEL COST	×	RELIABILITY** SCALAR X	MATERIAL*** SCALAR X	NATERIEL CONSUMED AT COMP. REPAIR SQ. MAINTENANCE*		CHANGE IN COMP. REPAIR SQ. MAINT. MATERIEL COST
442080	0822	POMER, PCS	9,580		.72	1.71	60 %		7,077
6.3B00	CCP-9149	ÁTIOS	13,060		.82	2.24	60%		14,393
63X00	PENDING	Lis	7,460		.67	2, 45	604		7,347
65X00	CCP-9101F	UPCNI LPP	24,880		.63	1.50	60 %		14,107
/1000	CCP-9145	CIPS .	11,920		.81	1.54	60%		8,921
71X00	CCP-9101F	UPONI NAV	5,961		. 69	2.43	60%		5,997
74400	CCP-9101F	AN/APG-68	87,080		.76	1.38	60 %		54,798
74C00	CCP-9101F	excap poo	43,540		.72	1.90	60 %		35,738
74400	CCP-9101F	DTU	8,710		.70	1.06	60%		3,878
741100	CCP-9101P	LANTIRN	58,050		.84	2.23	60%		65,244
74400	CCP-5763	PLSS	31,930		.12	2.28	60%		31,450
4X00	CCP-9101P	ACTU	14,514		.86	1.09	60%		8,163
75000	CCP-9140	AMRAAM	18,280		.93	1.04	60%		10,608
75X00	PENDING	GPU-5A	34,210		.96	.92	604		18,129
76000	CCP-9140	ASP J	19,490		.88	1.94	60∿		19,964
76E00	CCP-9111	ALR-74	6,770		. 74	1.12	60 %		4,361
ACCRECA	TE HODIFICAT	ION IMPACT							\$310,175
F-16A W	BSC BASELINE	COST (Table 2	, Line 16, Col	lum	n B)				\$610,000
F-16X M	F-16x MSIP TOTAL COMPONENT REPAIR SQUADRON MATERIEL COST PER YEAR (Table 3, Line 15, Column 8) \$920,175								

^{*} See Guidance, Page C-2
** From Table 12

or \$.920M/Squadron

^{***} From Table 13

INSTALLATION SUPPORT (Table 3, Line 18)

REAL PROPERTY MAINTENANCE (con't) (Table 3, Line 19)

- = F-16A WSSC Cost x Squadron Manning Scalar Enlisted
 - P&A Cost = \$.409MX
 - = \$.417M/Squadron/Year

Civilian

- P&A Cost
- = F-16A WSSC Cost Squadron Manning Scalar
- = \$.342M
- 1.02
- = \$.349M/Squadron/Year

Total Real Property

- Maint. Cost
- * Material Cost + Contract Cost + Other Cost + (Off., Enl. and
 - Civ. P&A Cost)
- = \$.368M + .624M = .439M + (.041M + .417M + .349M)
- \$2.228/Squadron/Year

COMMUNICATIONS (Table 3, Line 20)

- Materiel Cost * F-16A WSSC Cost x Squadron Manning Scalar
 - = \$.043M
- * \$.044M/Squadron/Year
- Contract Cost = F-16A WSSC Cost x Squadron Manning Scalar
 - = \$.028M
- 1.02
- = \$.029M/Squadron/Year
- Other Cost
- = F-16A WSSC Cost x Squadron Manning Scalar
- = \$.051MM
- = \$.052M/Squadron/Year
- Officer P&A
- ≠ F-16A WSSC Cost x Squadron Manning Scalar
- Cost
- = \$.021M
- = \$.021M/Squadron/Year
- Enlisted P&A Cost = F-16A WSSC Cost x Squadron Manning Scalar
 - = \$.266M
- 1.02
- = \$.271M/Squadron/Year
- Civilian P&A
- = F-16A WSSC Cost x Squadron Manning Scalar
- Cost
- = \$.038M
- 1.02
- = \$.039M/Squadron/Year

Total Communications

- = Material Cost + Contract Cost + Other Cost + (P&A
- = \$.044M + \$.029M + \$.052M + (.021M + .271M + .039M)
- = \$.456M/Squadron/Year

INSTALLATION SUPPORT (Table 3, Line 18)

BASE OPERATIONS (Table 3, Line 21)

- F-16A WSSC Cost x Squadron Manning Scalar Materiel Cost
 - \$.343M x 1.02
 - \$.350M/Squadron/Year
- F-16A WSSC Cost x Squadron Manning Scalar Contract Cost
 - \$.286M x 1.02
 - \$.394M/Squadron/Year
- Other Cost F-16A WSSC Cost x Squadron Manning Scalar
 - \$.146M x 1.02
 - \$.149M/Squadron/Year
- Officer P&A Cost F-16A WSSC Cost x Equadron Manning Scalar
 - \$.205M x 1.02
 - \$.209M/Squadron/Year
- F-16A WSSC Cost x Squadron Manning Scalar Enlisted P&A Cost
 - \$1.230M x 1.02
 - \$1.255M/Squadron/Year
- Civilian P&A Cost F-16A WSSC Cost x Squadron Manning Scalar
 - \$.438M x 4.02
 - \$.447M/Squadron/Yea

Total

- Material Cost + Contract Cost + Other Cost + Base Operations Cost (P&A Cost)

 - \$.350M + \$.394M + \$.149M + (\$.209M + \$1.255M +
 - \$.447M)
 - \$2.804M/Squadron/Year

REPLACEMENT SPARES (Table 3, Line 23)

Replacement Spares Cost

- F-16A WSSC Cost + Summation of MSIP Replacement
- Spares Cost Impacts. (See Table C-4)
- \$1.113M/Squadron/Year

COMPONENT REPAIR SQUADRON (con't) (Table 3, Line 16) F-16A WSSC Cost x F-16C MSIP Comp. Rpr. Sq. Manning Contract Cost F-16A Comp. Rpr. Sq. Manning \$.028M X 107 105 \$1.019 \$.028M X \$.029M/Squadron/Year Other Cost F-16A WSSC Cost x F-16C MSIP Comp. Rpr. Sq. Manning F-16A Comp. Rpr Sq. Manning \$.148M X 105 \$.148M 1.019 X \$.151M/Squadron/Year Enlisted P&A Cost # of Enl. Pers. x Comp Rpr Sq. Enlisted Rate 107 \$15,667 X \$1,676,369 or \$1.676M/Squadron/Year Total Below Depot Comp. Materiel + Contract * Other + Off., Enl. and Civ. Rpr. Sq. Cost P&A Cost) \$.920M + .029M * .151M * (4845M + 1.676M + .075M)\$2.896M/Squadron/Year INSTALLATION SUPPORT (Table 3 Line 18) REAL PROPERTY MAINTENANCE (Table 3, Line 19) Materiel Cost # F-16A WSSC Cost x Squadron Manning Scalar x F-16X MSIP Manning/F-16A MSIP Manning **= \$.351** (724/713)**= \$.**351 X **= \$.351** 1.02 = \$.358M/Squadron/Year Contract Cost = F-16A WSSC Cost x Squadron Manning Scalar = \$.612M 1.02 X = \$.624M/Squadron/Year Other Cost = F-16A WSSC Cost x Squadron Manning Scalar **= \$.430** 1.02 = \$.439M/Squadron/Year

= \$.041M/Squadron/Year

= \$.040M

Officer P&A

Cost

1.02

= F-16A WSSC Cost x Squadron Manning Scalar

X

TABLE C.4
REPLACEMENT SPARES COST COMPUTATION

			Vamosc cscs Like/similae Replacement Spares	RELIABILITY**	hateriel.*** •	Change. In Replacement Spares		
MUC	MOD. #	DESCRIPTION	COST	X SCALAR X	SCALAR	<u> cost</u>		
42080	0822	Power, PCS	4,120	.72	1.71	\$ 5,073		
6 3 800	007-9 149	JTIDS	5,610	.82	2.24	\$ 10,304		
63x00	PENDING	ಟ್	3,210	.67	2.45	\$ 5,269		
65X00	CCP-9101F	UPCNI IPP	10,690	.63	1.50	\$ 10,102		
71000	CCP-9145	GPS	5,120	.81	1.54	\$ 6,387		
71 x00	CCP-9101P	UPONI HAV	2, 230	.69	2.43	\$ 3,739		
74400	CC:2-91012	AN/APG-68	37,410	.76	1. 36	\$ 39,236		
74000	007-9101P	excap poc	18,710	.72	1.90	\$ 25,595		
74800	CCP-9101F	טזע	3,740	.70	1.06	\$ 2,775		
74N00	0C2►9101₽	LANTIRN	24,940	.84	يٰ2.23	\$ 46,718		
74H00	CC2~5763	PLSS	13,720	.72	/// 2.28	\$ /22,523		
74X00	CCP-9101F	ACIU	6,240	.86	1.09	5,849 ک		
75C00	CCP-9140	APRAM	7,840	.93	1.04	\$ 7,583		
75X00	PENDING	GPU-5A	14,700	.96	.92	\$ 12,983		
76000	OCP-9140	ASRJ	8,370	.88	1.94	\$ 14,289		
76200	CC2-9111	ALR-74	3,770	.7%	1.12	<u>3,125</u>		
AGGREGATE HODIFICATION IMPACT \$ 221,550								
P-16A W	SSC BASELINE	COST (Table 2, Lin	e 23, Column B	<i>v////</i>		\$ 891,000		
P-16X H	SIP REPLACEMEN	YT SPARES COST PER	YEAR (Table A	. Line 23, Colemn &	7	\$1,112,550		
				7	or	\$1.1134/Squadron		

^{**} From Table 12

^{***} From Table 13

DEPOT MAINTENANCE (Table 3, Line 26)

AVIONICS MAINTENANCE (Table 3, Line 29)

Materiel Cost

- = F-16A WSSC Cost + Summation of MSIP Avionics Materiel Cost Impacts. (See Table C-5)
- = \$.081M/Squadron/Year

TABLE C.5
DEPOT AVIONICS MAINTENANCE MATERIAL COST COMPUTATION

HUC	нор. ф	DESCRIPTION	VAMOSC CSC LIXE/SIMILA DEFOT AVION HAINT. HATE COST	R ICS	Materiel.***	CHANGE IN DEPOT AVIONICS MAINT. MATERIEL COST		
63800	002-9149	JTMS	1,640	.82	2.24	3,012		
63X00	PENDING	ejs	930	.67	2.45	1,527		
65X00	CC2-9101F	UPONI LIFF	3,110	.63	1.50	2,939		
71000	CCP-9145	œs	1,490	.81	1.54	1,859		
71X00	CC2P91012P	upcni nav	650	.69	2 2.43	1,090		
74000	CCP-9101.F	an/apg-68	10,900	.76	1.38	432م بالكثير		
74000	OCP-9101F	excap foc	5,450	.72	////1.90	7,456		
74H00	CCP-9101P	DTU	1,090	.70	1.06	809		
74N00	CCP-9101P	LANTIRN	7,270	.84	2.23	13,618		
74H0D	OC2-5763	PLSS	4,000	.72	2.28	6,566		
74 X 00	CCP-9101F	ACIU	1,820	.86	1.09	1,706		
75C00	CCP-9140	MRAM	2,280	<i>##</i>)/##/	2,205		
76000	CCP-9142	aspu	2,440	, 38	\$494	4,166		
76200	CCP-9111	ALR:-74	1,100	/.74	/1.12	912		
AGGREGATE MODIFICATION IMPACT								
P-16A F	essc baseline	COST (Table 2, Lin	• 74, colomo 8	S - 🖋 -		\$22,000		
F-16X HSIP DEPOT AVIONICS MAINTENANCE MATERIAL COST PER SQUADRON \$81,297/Squadron								
●● Prom Table 12 or \$.081M/Squadron								
44 Per-	Table 13		000009					

*** From Table 13

Contract Cost

- F-16A ASSC Cost x F-16X MSIP Depot Avionics Maint.Mat F-16A Depot Avionics Maint.,Mat.
- *** \$**.066M

x \$81,297 \$22,000

* \$.244M/Squadron/Year

Other Cost

- = F-16A WSSC Cost x F-16X MSIP Depot Avionics Maint.Mat F-16A Depot Avionics Maint.Materiel
- = \$.103M/Squadron/Year

DEPOT MAINTENANCE (Table 3, Line 26)

AVIONICS MAINTENANCE (Con't) (Table 3, Line 29)

Civilian P&A =F-16A WSSC Cost x F-16X MSIP Depot Avionics Maint.Mat F-16A Depot Avionics Maint.Materiel

= \$.030M x <u>\$81,297</u> \$22,000

= \$.111M/Squadron/Year

Total Depot Avionics

Maint. Cost = Materiel + Contract + Other + (P&A Cost)

= \$.081M + \$.244M + \$.103M + (\$.111M

= \$.539M/Squadron/Year

OTHER MAINTENANCE (Table 3, Line 30)

Materiel Cost = F-16A WSSC Cost + Summation of Depot MSIP Non-Engine/

Avionics Materiel Cost Impacts.

= \$.102M/Squadron/Year

TABLE C.6 NON-AVIONICS MAINTENANCE MATERIEL COST COMPUTATION

			Vamosc cscs Depot				CHANGE IN OTHER DEPOT
			MATERIE	RELIABILITY		MAT. =	MAINT. MAT.
WUC	MOD. #	DESCRIPTION	/ costrain X	SCALAR	X	SCALAR	COST
42DE0	0822	Power, FCS	1,200	.72		1.71	1,477
75X00	PENDING	GPU-5A	5, 220	.96		.92	5,494
AGGREG	ATE MODIFI	CATION IMPACE	/				6,971
F-16A	WSSC BASEL	INE COST (DAL)	le 2, Line 30,	Column B)			95,000
F-16X	MSIP DEPOT	OTHER MAINTE	NANCE MATERIEL	©ST		or	= \$101,971 \$.102M/Sq.

Contract Cost

- = F-16A WSSC Cost x F-16X MSIP Depot Other Maint.Mat. F-16A Depot Other Maint. Materiel
- = \$.071M x \$101,971 \$ 95,000
- = \$.076M/Squadron/Year

DEFOT MAINTENANCE (Table 3, Line 26)

OTHER MAINTENANCE (con't) (Table 3, Line 30)

F-16A WSSC Cost x F-16X MSIP Depot Other Maint.Mat. Other Cost F-16A Depot Other Maint. Materiel

> x \$101,971 \$.046M \$ 95,000

\$.049M/Squadron/Year

Civ.P&A Cost ■ F-16A WSSC Cost x F-16X MSIP Depot Other Maint.Mat F-16A Depot Other Maintenance Mat

> x \$101,971 \$.050M \$ 95,000

\$.054M/Squadron/Year

Total Depot Other

= Materiel + Contract + Other + (P&A Abst) Maint. Cost

\$.102M + \$.076M + \$.049M + \$.054M

= \$.28M/Squadron/Year

GENERAL DEPOT SUPPORT (Table 3, line 31)

= F-16A WSSC Cost x F-16X MSIP Depot Maint. Cost Materiel Cost

F-16A Depot Maintenance Cost

x \$3.982 A \$.047M **\$**3.570

\$.047M x 4.11

\$.052M/Squadron/Year

F-16A WSBC Cost x Depot Maint. Cost Scalar Contract Cost

\$.092 1.11 \$.102M/Squadron/Year

Other Cost F-16A WSSC Cost x Depot Maint. Cost Scalar

\$.025M x 1.11 \$.028M/Squadron/Year

Officer P&A = F-16A WSSC Cost x Depot Maint. Cost Scalar

Ost = \$.031M X 1.11

= \$.034M/Squadron/Year

GENERAL DEPOT SUPPORT (Table 3, Line 31)

Enlisted P&A Cost = F-16A WSSC Cost x Depot Maint. Cost Scalar

= \$.016M x 1.11 = \$.018M/Squadron/Year

Civilian P&A Cost = F-16A WSSC Cost x Depot Maint. Cost Scalar

= \$.818 x 1.11

= \$.908M/Squadron/Year

Total General Depot

Support Cost = Materiel Cost + Contract Cost + Other Cost + (P&A Cost)

= \$.052M + \$.102M + \$.028M + (\$.034M + \$.018M + \$.908M)

= \$1.142M/Squadron/Year

DEPOT INSTALLATION SUPPORT (Table 3, Line 32)

REAL PROPERTY MAINTENANCE (Table 3, Line 33)

Materiel Cost = F-16A WSSC Cost x Depot Maint. Cost Scalar

= \$013 x 1.11

= \$.014M/Squadron/Year

Contract Cost = F-16A WSSC Cost x Depot Maint. Cost Scalar

= \$.071M x 1.11

= \$.079M/Squadron/Year

Other Cost

= \$.012 x **1.11**

= \$.013/Squadron/Year

Officer P&A Cost = #16A WSSC Cost x Depot Maint. Cost Scalar = \$ 001M x 1.11

= \$.001M/Squadron/Year

Enlisted P&A Cost = F-16A WSSC Cost x Depot Maint. Cost Scalar

= \$.017M x 1.11

= \$.019M/Squadron/Year

Civilian P&A Cost = F-16A WSSC Cost x Depot Maint. Cost Scalar = \$.051M x 1.11

= \$.057M/Squadron/Year

DEPOT INSTALLATION SUPPORT (Table 3, Line 32)

REAL PROPERTY MAINTENANCE (con't) (Table 3, Line 33)

```
Total Real Property
```

- Maintenance Cost = Materiel Cost + Contract Cost + Other Cost + (P&A Cost)
 - = \$.014M + \$.079M + \$.013M + (\$.001M + \$.019M + \$.057M)
 - * \$.183M/Squadron/Year

COMMUNICATIONS (Table 3, Line 34)

- Materiel Cost ■ F-16A WSSC Cost x Depot Maint. Cost Scalar
 - = \$.001M x 1.11
 - \$.001M/Squadron/Year
- ▼ F-16A WSSC Cost x Depot Maint. Cost Scalar Contract Cost
 - **≖ \$**.000M × 1.11
 - ⇒ \$.000M/Squadron/Year
- ≠ F-16A WSSC Cost x Depot Maint. Cost Scalar Other Cost
 - = \$.009M x 1.11
 - \$.010M/Squadron/Year
- Officer P&A Cost = F-16A WSSC Cost x Depot Maint Oost Scalar
 - = \$.003M x 1.11
 - = \$.003M/Squadron/Year
- Enlisted P&A Cost = F-16A WSSC Cost = \$.008M x 1.11 x Depot Maint. Cost Scalar

 - = \$.009M/Squadron/Year
- Civilian P&A Cost = F-16A NSSC Cost x Depot Maint, Cost Scalar
 - = \$.009M / x 1.11
 - = \$.\$10M/Squadron/Year

Total Communications

- Cost
- # Materiel Cost + Contract Cost + Other Cost + (P&A Cost)
 # \$.001M + \$.000M + \$.010M + (\$.003M + \$.009M + \$010M)
- = \$.033M/Squadron/Year

DEPOT INSTALLATION SUPPORT (Table 3, Line 32)

BASE OPERATIONS (Table 3, Line 35)

Materiel Cost = F-16A WSSC Cost x Depot Maint. Cost Scalar

= \$.011M x 1.11 = \$.012M/Squadron/Year

Contract Cost = F-16A WSSC Cost x Depot Maint. Cost Scalar

= \$.013M x 1.11 = \$.014M/Squadron/Year

Other Cost = F-16A WSSC Cost x Depot Maint. Cost Scalar

= \$.006M x 1.11 = \$.007M/Squadron/Year

Officer P&A Cost * F-16A WSSC Cost * Depot Maint, Cost Scalar

= \$.015M x 1.11 = \$.017M/Squadron/Year

Enlisted P&A Cost = F-16A WSSC Cost x Depot Maint. Cost Scalar

= \$.030M x 1.11 = \$.033M/Squadron/Year

Civilian P&A Cost = F-16A WSSC Cost / Depot Maint. Cost Scalar

= \$.083M x 1.11

= \$.092M/Squadron/Year

Total Base Operations

st = Materiel Cost + Contract Cost + Other Cost + (P&A Cost)

= \$.012M + \$.014M + \$.007M + (\$.017M + \$.033M + \$.092M)

= \$.175M/Squadron/Year

MEDICAL CARE (Table 3, Line 36)

Medical Care = F-16A WSSC Cost x Squadron Manning Scalar

= \$.559M x 1.02

= \$.570M/Squadron/Year

PCS (Table 3, Line 37)

Officer PCS Cost = F-16A WSSC Cost x Squadron Manning Scalar

= \$.204 x 1.02

= \$.208M/Squadron/Year

Enlisted PCS Cost = F-16A WSSC Cost x Squadron Manning Scalar


= \$.335 x 1.02

\$.342M/Squadron/Year

Total PCS Cost = Officer PCS + Enlisted PCS

= \$.208M + \$.342M

= \$.550M/Squadron/Year



APPENDIX D. SIGNIFICANT MODIFICATION IMPACT COMPUTATIONS

GUIDANCE: PRESENT THE MATHEMATICAL EQUATIONS USED TO CALCULATE THE O&S COST IMPACT OF EACH MODIFICATION. IT IS NOT NECESSARY TO PRESENT EVERY CALCULATION FOR EACH MODIFICATION, SINCE IN MANY CASES THIS WOULD REPEAT DATA ALREADY PRESENTED IN APPENDIX C.

EACH CALCULATION SHOULD BE EASILY REPRODUCIBLE. HENCE, PROVIDE A LOCATOR REFERENCE IN PARENTHESIS AFTER EACH EQUATION.

POL.		* Change Attributable to Modification (Engineering Estimate, Section 3.5) x Total Change in POL costs (Table 3, line 7 - Table 2, Line 7)
Below Depot Maintenance		Materiel Cost # Contract Cost # Other Cost + P&A cost
Materiel Cost	=	Summation of Below Depot Individual Modification Material Sost from Appendix C, Including Avionics Maintenance, (Table C-1) Aircraft Generation Squadron (Table C-2) + Component Repair Squadron (Table C-3) functions.
Contract Cost		Modification DMMH/FH (Appendix A, Table A-1) Total Change DMMH/FH (Appendix A, Table A-1) Total Change in Contract Cost (Table 3, Line 9, Column C)
Other Cost	= x	Modification DMMH/FH (Appendix A, Table A-1) Total Change DMMH/FH (Appendix A, Table A-1) Total Change in Other Cost (Table 3, Line 9, Column D Table 2, Line 9 Column D)

Installation Support

P&A Cost

= Modification DMMH/FH (Appendix A, Table A-1)
Total Change DMMH/FM (Appendix A, Table A-1)

= Modification DMMH/FH (Appendix A, Table A-1)

Total Change DMMH/FH (Appendix A, Table A-1)
x Total Change in P&A Cost (Table 3, Line 9,
Column E, F&G Table 2, Line 9, Column E, F&G)

x Total Change in Installation Support (Table 3, Line 18-Table 2, Line 18)

Replacement Spares	2	Cost by Modification from Appendix C, Table $C-4$.					
Depot Maintenance	*	Materiel Cost + Contract Cost + Other Cost + P&A cost					
Materiel Ost	3 8	Depot Individual Modification Materiel cost as Derived in Table C-5 and C-6.					
Contract Cost	x	Modification DMMH/FH (Appendix A, Table A-1) Total Change DMMH/FH (Appendix A, Table A-1) Total Change in Contract Cost (Table 3, Line 26, Column C - Table 2, Line 26, Column C)					
Other Cost	æ X	Modification DMMH/FH (Appendix A, Table A-1) Total Change DMMH/FH (Appendix A, Table A-1) Total Change in Other Cost (Table 3, Line 26, Column D - Table 2, Line 26 Column D)					
P&A Cost	æ X	Modification DMMH/PH (Appendix A, Table A-1) Total Change DMMH/PH (Appendix A, Table A- Total Change in PSA cost (Pable 31 Line 2, Column E, FSG-Table 2, Line 26, Column 1, FSG)					
General Depot Support	×	Modification DMMH/FH (Appendix A, Table A-1) Total Change DMMH/FH (Appendix A, Table A-1) Total Change in General Depot Support (Table 3, Line 31 - Table 2, Line 31)					
Depot Installation Support	æ X	Modification DMMH/FH (Appendix A, Table A-1) Total Change DMMH/FH (Appendix A, Table A-1) Total Change in Depot Installation Support (Table 3, Line 32 - Table 2, Line 32)					
Medical Care	= x	Modification DMMH/FH (Appendix A, Table A-1) Total Change DMMH/FH (Appendix A, Table A-1) Total Change in Medical Care (Table 3, Line 36 - Table 2, Line 36)					
PCS	= X	Modification DMMH/FH (Appendix A, Table A-1) Total Change DMMH/FH (Appendix A, Table A-1) Total Change in PCS (Table 3, Line 37 - Table 2, Line 37)					

Γ	REPORT DOCUMENTATION	READ INSTRUCTIONS BEFORE COMPLETING FORM						
1	REPORT NUMBER	Z. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER					
		15 - 8 M	<u> </u>					
4.	TITLE (and Subtitle)		S. TYPE OF REPORT & PERIOD COVERED					
	F-16X MSIP Case Example: Operating Cost Estimation Using VAMOSC	Technical Report						
[;	6. PERFORMING ORG. REPORT NUMBER					
Ļ	AUTHOR(e)		V-4859-02					
<u> </u>	AG / HGR(3)	t. Contract or other homotopy						
	Mr. William C. Redeen		F-33600-82-C-0543 MOD 100005					
9.	PERFORMING ORGANIZATION NAME AND ADDRESS Information Spectrum, Inc. 1225 S. Jefferson Davis Highway Arlington, VA 22202	19. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS						
11.	CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE					
l	AFLC/ MML (VAMOSC)		17 Aug 1984					
	Wright-Patterson, AFB		13. NUMBER OF PAGES					
14.	Dayton, Ohio 45433 MONITORING AGENCY NAME & ADDRESS(II ditterent	from Controlling Office)	60 18. SECURITY CLASS. (of this report)					
			UNCLASSIFIED					
			15e. DECLASSIFICATION/DOWNGRADING SCHEDULE					
16.	DISTRIBUTION STATEMENT (of this Report)							
	Distribution of this report	is unlimited.	Approved for public released Distribution Unlimited					
	17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)							
	SUPPLEMENTARY NOTES							
19	KEY WORDS (Continue on reverse side if necessary and	I identify by block number)						
	VAMOSC							
,	O&S COSTS							
	COST ESTIMATES							
20.	ABSTRACT (Continue on reverse side if necessary and		Taraft Operation and Comment					
	This case example of a hypothetical F-16X aircraft Operating and Support (O&S) cost estimate, sponsored by AFLC/MM (VAMOSC), has been prepared to demonstrate and test the capability of the Air Force Visibility and Management of Operating and Support Costs (VAMOSC II) system to provide unique and							
	detailed experience data suitable for credible and explicit O&S cost estimation for advanced Air Force aircraft systems and subsystems.							

The specific objective of this effort was:

- o To produce a case example of VAMOSC II applicability to O&S cost estimation which conforms to the following conditions:
 - Is compatible with OSD/CAIG and USAF costing guidance.
 - Is linkable to reported experience data for existing aircraft.
 - Provided a VAMOSC-Supported Methodology which can be utilized to predict the impact of configuration changes on system O&S costs.
 - Depicts a methodology which is applicable to O&S costing for any aircraft system in advanced conceptual development.
 - Provides estimates which are verifiable by tests.
 - Identifies areas of VAMOSC requiring enhancement or modification to improve system integrity and applicability.

The estimate of the hypothetical F-16X MSIP aircraft developed by this research effort is not intended to reflect an actual projection of that aircraft system's O&S cost. Such a projection would require direct engineering support and analysis, including an engineering-oriented interpretation of each candidate design change from the benchmark system (F-16A), and specific review of data provided in VAMOSC II reports and their feeder systems. Therefore, the cost factors and estimates should be taken as indicators of how estimates can be prepared and reported, and should not be presumed to be valid estimates for any F-16 MSIP variant aircraft.

This case example will assist the cost analyst in the preparation of cost estimating reports submitted to the AFSARC and the Office of the Secretary of Defense/Cost Analysis Improvement Group (OSD/CAIG). The estimate has been developed and documented to be totally consistent with the format in the guidance issued by the CAIG for system proceeding into the Milestone I phase of systems acquisition.

END

FILMED

8-85

DTIC