

ESD-TR-34-358

599

r

ŝ

į.

**AD-A158** 

MTR-9480

### A DESIGN EVALUATION CHECKLIST FOR USER-SYSTEM INTERFACE SOFTWARE

N

By

S. L. SMITH J. N. MOSIER

**OCTOBER 1984** 

Prepared for

### DEPUTY FOR ACQUISITION LOGISTICS AND TECHNICAL OPERATIONS ELECTRONIC SYSTEMS DIVISION AIR FORCE SYSTEMS COMMAND UNITED STATES AIR FORCE

Hanscom Air Force Base, Massachusetts

THE FILE COPY

Approved for public release, distribution untimited.





Project No. 572A Prepared by THE MITKE CORPORATION Bedford, Massachusetts Contract No. F19628-84-C-0001

85 9 08 009

When U.S. Government drawings, specifications or other data are used for any purpose other than a definitely related government procurement operation, the government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Do not return this copy. Retain or destroy.

**REVIEW AND APPROVAL** 

This tech. .al report has been reviewed and is approved for publication.

n. Ann. Kuo

N. ANN KUO, 21.1, USAF Project Manager, Requirements Analysis

Utiliam Teterstes

WILLIAM J. LETENDRE Program Manager, Computer Resource Management Technology

FOR THE COMMANDER

ROBERT J. KENT Director, Computer Systems Engineering Deputy for Acquisition Logistics and Technical Operations

#### Unclassified

#### SECURITY CLASSIFICATION OF THIS PAGE

# AD-A158599

CREACE STATES CLEAR STATES

1177

REPORT DOCUMENTATION PAGE						
1. REPORT SECURITY CLASSIFICATION 15. RESTRICTIVE Unclassified None			15. RESTRICTIVE M	ARKINGS		
2. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/A	VAILABILITY OF	REPORT		
2. DECLASSIFICATION/DOWNGRADIN	IG SCHED	ULE	Approved for	r public re	lease;	
			distribution	n unlimited	l	
A PERFORMING ORGANIZATION REPO MTR-9480 ESD-TR-84-358	ORT NUM	3ÉR(S)	5. MONITORING ORI	GANIZATION RE	PORT NUMBER(S)	)
64. NAME OF PERFORMING ORGANIZA	TION	5b. OFFICE SYMBCL	74 NAME OF MONIT	CRING ORGANI	ZATION	
The MITRE Corporation						
6c. ADDRESS (City, State and ZIP Code)	-		76. ADDRESS (City, S	State and ZIP Cod	e)	
Burlington Road						
Bedford, MA 01731						
CRGANIZATION DEPUTY for		86. OFFICE SYMBUL (If applicable)	9. PROCUREMENT II	NSTRUMENT IDE	ENTIFICATION NU	MBER
Acquisition Logistics and	l(over)	ALSE	¥19628-84-C-	-0001		
Sc. ADDRESS (City, State and ZIP Code)			10. SOURCE OF FUN	DING NOS.		
Electronic Systems Divi Hanscom AFB, MA 01731-5	lsion 5000	·	PROGRAM PROJECT YASK WORK UNIT ELEMENT NO. NO. NO. NO. 572A			WORK UNIT NO.
11. TITLE (Include Security Classification)	e Security Classification)					
12. PERSONAL AUTHORIS	KIISI.	tor (over)				
Sidney L. Smith, Jane N	I. Mosi	er				
134 TYPE OF REPORT 134 Final FF	b. TIME CO ROM	OVERED	14. DATE OF REPOR	RT (Yr., Mo., Dey) 	15. PAGE C	DUNT
18. SUPPLEMENTARY NOTATION			<u>1964 061006</u>	<u> </u>		
	(					
17. COSATI CODES		18. SUBJECT TERMS (C	ontinue on reverse if ne	cessary and identi	fy by block non:ber	
FIELD GROLP SUB. GI	<u> </u>	Computer-Based	Systems Info	ormation Sy	stemsj	· · ·
Lesign Guidelines, Voer System Interface (over)						
19. ABSTRACT (Continue on reverse if necessary and identify by block number)						
This report proposes a	check1	ist for evaluat	ing the design	of user-s	ystem interi	face (USI)
software design, and ca	st is In he u	sed effectively	ly published #	SD/MITRE g	uidelines fo	or USI
guidelines material. T	he che	cklist items co	ver six genera	al function	al areas of	USI 1
design: dats entry, da data protection.	ta dis	play, sequance (	control, user	guidance,	data transmi	ission, and
For application to any weighted in order to ta	partic ilor t	ular system, the	e importance o specific desi	of each che	cklist item ments for US	must be
software. This tailoring procass should involve the joint efforts of system development						
managers, the software	design	ers, and the in	tended system	users.		
(over) ~						
20. DISTRIBUTION/AVAILABILITY OF	ABSTRAC	7	21. ASSTRACT SECU	RITY CLASSIFIC	CATION	
UNCLASSIFIED/UNLIMITED D SAME	AS RPT.		Unclassifi	ed		
22. NAME OF RESPONSIBLE INDIVIDU	JAL		225. TELEPHONE NU	UMBER AR)	22c. OFFICE SYM	BOL
Claudette G. Hanley			(617) 271-79	96		
DD FORM 1473, 83 APR		EDITION OF 1 JAN 73 1	S OFFOLETE.	ile c l	eneified	

こってつ

		_			_
EDITION	OF	1 JAN	73 <del>i</del> 5	OFFOLE	TE.

The lagetfied SPECIAL OF THIS PAGE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

- 8a. Technical Operations
- 11. User-System Interface Software

- 18. Human Factors
- 19. Abstract Continued

Once design requirements have been established in this way, then any proposed or implemented USI design can be evaluated in terms of its judged compliance with the specified checklist items. Overall estimates of design quality can be derived, along with more detailed analysis of design strengths and weaknesses, in order to recommend needed design improvements.

This design evaluation checklist should prove a useful tool in Air Force system acquisition. As the USI design guidelines are revised and expanded, the checklist can be updated correspondingly. In the future, the checklist might be implemented as an on-line computer tool, with automated aids to facilitate its use. This report describes some of the potential computer aids that could be provided.  $|cu_1u_0v_c| \leq \varepsilon$ 

FLD18

#### ACKNOWLEDGMENTS

This report was prepared by The MITRE Corporation, under MITRE Project 5720, Contract No. F19628-84-C-0001. The work reported here was sponsored by the Computer Engineering Applications Division, Deputy for Acquisition Logistics and Technical Operations of the Electronic Systems Division (ESD) of the United States Air Force Systems Command, Hanscom Air Force Base, MA 01731.

Funding for the prior development of USI design guidelines, under MITRE Project 5220, was provided by the Air Force Computer Resource Management Technology Program, Program Element 64740F. That Program supports development and transition into active use of tools and techniques needed to cope with the explosive growth in Air Force systems that use computer resources. The objectives of that Program are:

to provide for the transition to Air Force systems of computer system developments in laboratories, industry, and academia;

to develop and apply software acquisition management techniques to reduce life cycle costs;

to provide improved software design tools;

to address problems associated with computer security;

to develop advanced software engineering tools, techniques, and systems;

to support the implementation of high-order programming languages, e.g., Ada;

to improve human engineering of computer systems; and

to develop and apply computer simulation techniques in support of system acquisition.

Acces	sion For	1	
NTIS	GRA&I	K	
DTIC	TAB	Ō	
Unann	ounced		
Justi	fication_		ł
By Distr Avai	ibution/ lability	Codes	
	Avail end	1/or	
Dist	Special	1	COPY INSPECTO
A'I			3

iii

### TABLE OF CONTENTS

SECTION 1.	INTRODUCTION	1
	USI SOFTWARE	1
	USI DESIGN GUIDELINES	2
	USI DESIGN EVALUATION	4
SECTION 2.	CHECKLIST FOR DESIGN EVALUATION	8
	FUNCTIONAL COVERAGE	9
	WEIGHTING IMPORTANCE	10
	RATING COMPLIANCE	11
	ANNOTATION	12
	PRACTICAL APPLICATION	13
SECTION 3.	POTENTIAL COMPUTER AIDS	14
	CHECKLIST ENTRY AND REVIEW	14
	REVIEWING GUIDELINES MATERIAL	15
	TAILORING GUIDELINES	15
	DESIGN ANALYSIS	16
	FUTURE WORK	16
REFERENCES		17
APPENDIX A.	USI DESIGN EVALUATION CHECKLIST	19
APPENDIX B.	SAMFLE CHECKLIST ENTRIES	49
APPENDIX C.	SAMPLE DESIGN ANALYSIS	55

v

#### SECTION 1

#### INTRODUCTION

This report considers ways to evaluate the design of software supporting the user-system interface (USI) to computer-based information systems.

Section 1 discusses USI software generally, and the current MITRE development of guidelines for USI software design, sponsored by the Air Force Electronic Systems Division (ESD). Alternative approaches to USI software evaluation are considered, including the possibility of evaluating software by comparison with design guidelines.

Section 2 proposes a design evaluation checklist derived from published guidelines. The checklist 's formatted to permit differential weighting and rating of various itemized design features. The checklist itself is presented in Appendix A, and a sample application of the checklist is illustrated in Appendix B.

Section 3 describes potential use of the design evaluation checklist if it were implemented as an on-line computer tool, with aids to facilitate review and tailoring of guidelines material, and to support the entry, analysis, and reporting of USI software design evaluation. A sample design analysis that might be generated by such a computer tool is illustrated in Appendix C.

#### USI SOFTWARE

What is the user-system interface? Here the phrase "usersystem interface" is defined broadly to include all aspects of design that affect a system user's participation in data handling transactions. The word "user" is intended to include managers and maintainers of a system as well as its operators.

Directly observable aspects of the user interface include the physical work environment and the hardware facilities at a user's work station. Such physical features, sometimes called the manmachine interface, have been the subject of conventional human engineering study. There the concern is for illumination, seating, workplace arrangement, keyboard layout, display contrast, symbol size, etc. Good design of the physical workplace is important, of course, but by itself is not sufficient to ensure effective job performance. Also important are less tangible aspects of information system design -- the ways in which data are stored and manipulated, including paper files and forms, if any, and the procedures and processing logic that govern data handling transactions.

Forms, procedures, and logic involve software design, the design of computer programs to permit hardware and paper to be used in conjunction with automated data processing. Effective design of USI <u>software</u> is critical to system performance.

In a recent survey, people involved in design of information systems were asked to estimate the percent of operational software devoted to implementing the user interface. Overall, the average estimate was that USI design comprises 30-35 percent of operational software. Estimates for individual systems ranged from 3 to 100 percent (Smith and Mosier, 1984a).

Because USI software is important, and also expensive, we must find ways to improve its design. For system designers, guidelines have been proposed to help define requirements for the design of user interface software. For system users, and for their agents such as ESD who sponsor system development, we need corresponding tools for evaluating USI software design.

#### USI DESIGN GUIDELINES

Over the past several years, there has been a continuing effort at ESD/MITRE, under Project 522A, to compile guidelines for the design of user interface software. In that effort, we have tried to distill the current wisdom of USI design experts in order to provide comprehensive advice to designers.

Each year our published compilation of guidelines has grown larger. The most recent report on this subject proposes some 679 guidelines in 450 pages, covering the general functional areas of data entry, data display, sequence control, user guidance, data transmission, and data protection (Smith and Mosier, 1984b).

Those guidelines will undergo further review and revision. An improved version of the USI design guidelines will be published in 1985. Meanwhile, the current report can provide a good starting point for deriving specific rules to govern user interface design in any particular system development program. To help assure broad applicability USI design guidelines are expressed in general terms, which may then be amplified by specific commentary and examples. A sample of general guidelines pertaining to data entry functions is presented in Appendix A.

Topical organization of the guidelines corresponds to defined functional USI capabilities. Thus it may be possible in some degree to tailor guidelines to USI requirements. If a function is not required for a particular system, then design guidelines related to that function will not be applicable.

In many instances, software designers must interpret the guidelines based on task analysis, anticipated data processing capabilities and user skills, in order to meet the needs of a particular system. In effect, designers must translate or convert guidelines into specific design rules.

The establishment of rules for user interface design will be of significant value in system development, and should be specifically included in a design contractor's statement of work. The contractor should be required to establish design rules in advance of USI software implementation. Contractor documentation of USI design rules, and any subsequent revisions, should be maintained thereafter on a current basis to aid design coordination throughout system dev^lopment (Smith, 1984).

It must be recognized that establishment of agreed rules will not in itself assure effective user interface design. No matter how clearly they are stated, those rules will still be subject to varying interpretation by software designers. Moreover, it is inevitable that some design trade-offs will be required in the practical application of different rules.

But the process of establishing and documenting the rules should ensure that serious consideration is given to this aspect of software design. And the existence of agreed rules should help focus attention and clarify discussion of user interface design issues among the sponsors, designers and ultimate users of a system.

#### USI DESIGN EVALUATION

Design guiderines provide a tool that can be applied by system contractors, i.e., by people responsible for conceiving and implementing USI design. Some corresponding tool should be devised for people who are responsible for <u>evaluating</u> USI design. Those people may be the system users, or they may represent contracting agencies such as ESD who act on behalf of the eventual system users. Effective design evaluation requires emphasis throughout the course of system development. Evaluation must begin with timely review of design proposals in advance of implementation, continue with review and assessment of design prototypes, through operational testing of the fully designed system.

#### Alternative Approaches

There are several possible approaches to design evaluation, including analytic modeling, performance testing, comparison with design guidelines, review of specifications and design proposals, user surveys, etc. All of these approaches can play a useful role. The first three deserve further comment.

#### Analysis and Modeling

Where we seek insight into the processes that underlie information handling tasks, detailed analysis of the user actions that are required to perform various tasks permits the creation of models to predict the effects of system design on operational performance. Task modeling can help assess design differences among different systems, or to predict the effects of design changes to a particular system. Accuracy of prediction will depend upon the validity of the models, which is subject to experimental testing in the laboratory and operational testing in actual system use. The results of such analysis and modeling must be translated into specific design recommendations, which will require considerable judgment.

#### Performance Testing

In applications where operational performance is critical, the most direct means of evaluation is to test the performance of system users on various characteristic ("benchmark") information handling tasks. A range of users and tasks must be tested to represent fairly the actual system. Performance testing must wait for completion of system design (or at least a working prototype), or else must be based on detailed modeling if done in advance of system design. Such testing requires a considerable investment of time and effort. The results of controlled testing should provide a gcod prediction of actual system performance, but will require careful analysis and judgment in order to specify needed design improvements.

#### Comparison with Design Guidelines

Where specific design recommendations are needed, the quickest way to evaluate the user interface may be to examine design features provided in a system (or proposed features for a system still under development) and compare those features with established design guidelines. Establishment of agreed guidelines will require the collective judgment of the sponsors (procuring agency, marketing department, etc.), designers, and prospective users of the system. Further judgment will be needed to assess design compliance with agreed guidelines. The validity of this approach to design evaluation will depend upon the good judgment of the people involved in compiling and applying the guidelines. Validity might be measured by performance testing, although that process will prove impractical as the number of design features considered (and their possible interactions) grows very large.

#### Comparative Advantages

These three approaches to design evaluation are complementary. A program of analysis and modeling will require performance testing for its validation. Performance testing must in turn be analyzed to interpret its results. And both approaches will benefit from reference to design guidelines in order to generate specific design recommendations. For effective system development and evaluation, all three approaches may be needed. The comparative strengths and weaknesses of different approaches are summarized here:

#### Approaches to Evaluation

Goals of Evaluation	Analysis, Modeling	Performance Testing	Design Guidelines
Insight into task processes	Good	Fair	Poor
Performance prediction	Fair	Good	Poor
Specific design recommendations	Fair	Fair	Good
Ease and speed of evaluation	, Fair	Poor	Good
Evaluation early in system development	Fair	Poor	Good
User involvement in design decisions	Poor	Fair	Good

#### Problems of Software Evaluation

System evaluation must cover both hardware and software design. As a practical matter, the evaluation of proposed hardware may be relatively straightforward. User interface hardware can be checked for compliance with the provisions of current DoD human engineering standards for equipment design, MIL-STD-1472, as well as with system specifications. Some aspects of hardware design can be assessed simply by observation. Are the corners of equipment enclosures rounded rather than sharp? Just look at the blueprints, or catalogs, or actual equipment, and see.

By contrast, evaluating user interface software will be more difficult, particularly in advance of design implementation. For many ESD system acquisitions, it is not possible to buy off-theshelf software, out of a catalog. Instead, user interface software must often be designed anew for each system application. And the "blueprints" for a proposed new software design may be hard to read and evaluate.

Evaluation of USI software may pose difficult problems even after its implementation. It may be necessary to operate the system under controlled conditions to confirm that design objectives have been achieved.

Are data displays formatted consistently from one transaction to another? We may need to generate different displays and compare them. To facilitate that comparison, we may need to request hard-copy printouts of various displays.

Are error messages worded clearly and consistently? That may be harder to assess. We cannot expect an evaluator to make every conceivable type of error while operating a system, trying to generate a full range of error messages. Instead, we may need to examine a detailed software design specification in which all error messages have been spelled out.

What other features should we examine in evaluating USI software design? The range will extend far beyond considerations of display formatting and the wording of error messages. We need some comprehensive listing of all significant features that should be considered.

Specificity is important here. For design evaluation to be useful, it must produce detailed recommendations, outlining for system designers exactly which features need improvement. It is not enough to shake our heads and say that a user interface looks clumsy or confusing, that a system is difficult to learn or difficult to use. We must try to provide a more specific diagnosis of design deficiencies.

#### Tools for Software Evaluation

の行うなどの

What tools can we devise for evaluating USI software design? It would seem sensible to start with the published design guidelines. But there the sheer bulk of the published guidelines material poses a serious problem.

We cannot expect an evaluator to read through a book containing hundreds of guidelines, checking each one for design compliance and annotating design discrepancies in the margins. An evaluator will need to read the guidelines once, during initial assimilation of the material, hat surely would not wish to do so repetitively when assessing the user interface for different systems, or for one system at different stages.

If a design evaluation were actually made by checking and annotating a large book of guidelines, there would still remain the difficult task of pulling together those notes to create a coherent overall assessment of the strengths and weaknesses of an evaluated user interface design.

Certainly the published guidelines can serve as a starting point for USI design evaluation. But it is apparent that some more compact format will be needed for recording and reporting the results of design evaluation. In the next section, a checklist format is proposed for that purpose.

#### SECTION 2

P. 12.2.2.5.6

#### CHECKLIST FOR DESIGN EVALUATION

In order to create a compact design evaluation record, we must convert the fully-worded guidelines into a more condensed listing. In such a list, each itemized design feature could be checked for compliance and discrepancies noted. The resulting checklist format should prove relatively easy to use -- for the initial recording of evaluative judgments, and for the subsequent analysis and reporting of design evaluation. That checklist is presented in Appendix A.

The use of checklists for design evaluation is, of course, not a new idea. A recent AMRL report recommends checklists among other means of assessing compliance with human engineering standards (Geer, 1981, pp. 156-159). Most current checklists are intended to evaluate hardware rather than software, but checklists have also been proposed for software evaluation (Cordes, 1980). The general approach, in terms of checklist formatting and use, should prove much the same for evaluating USI software design.

The checklist presented here is based on our most recent compilation of design guidelines for USI software (Smith and Mosier, 1984b). Each of the 679 guidelines is represented in the checklist by its title. For a person familiar with the guidelines, those titles will serve as reminders of the guidelines material. Firsttime checklist users, however, will need to refer frequently to the source guidelines in order to determine exactly what design requirements are specified there.

The checklist proposed here is simple in concept. Each design guideline is represented as an item entry in the list. After each item is a space to indicate an (optional) weighting of importance. Next there is space to record an estimate of compliance. Finally there is space in which to note whether comments have been added to cite specific design deficiencies or to provide other kinds of information.

A sample showing how the checklist might be used, with imaginary entries for purposes of illustration, is shown in Appendix B. That sample shows just a portion of a complete USI design evaluation checklist, the portion that corresponds with guidelines for data entry functions.

Several aspects of checklist use -- functional coverage, weighting importance, rating compliance, and annotation -- all deserve further discussion.

#### FUNCTIONAL COVERAGE

A user of the checklist will note significant differences in coverage for different USI functions. Some functions are thoroughly covered, but some are not. Under data entry, for example, there are 24 items dealing with position designation, but only two for direction designation. Graphic functions are scarcely covered at all in the present checklist.

This differential coverage results, of course, from differences in coverage within the source guidelines material from which the checklist was derived. In the compilation of design guidelines there are some areas in which our knowledge is greater than in others, and thus more information can be offered to interface designers. This condition of differential knowledge will persist for some years to come, and so the problem of differential coverage in the design evaluation checklist will persist also.

One consequence is that design evaluation may be biased toward those functions that are covered well in the checklist, and important functions with little coverage may be neglected. Now great is this problem? Until we have gained experience in using the design evaluation checklist, we cannot answer that question.

How can a person responsible for design evaluation cope with this problem? Several corrective measures are available. The evaluator might propose additional items for checklist functions where coverage seems inadequate, thus strengthening weak portions of the evaluation tool. For example, if a particular system has an extensive need for graphic interaction, then it may be possible to establish agreed design rules for graphic functions and represent those rules by items added to the present checklist.

As an alternative or supplementary approach, an evaluator might assign exceptionally high weights to a few listed items, where only those few deal with an important user interface function. The process of differential weighting of items is discussed later in this section.

Another problem of checklist coverage is specificity. If decign guidelines are to be applicable to a variety of system applications, they must be stated generally. This will also be true of a checklist derived from those guidelines.

For any particular system application, it will often be necessary to tailor the general guidelines to become system-specific design rules. It is only such specific rules that will provide effective guidance to designers. Where guidelines are revised to achieve specificity, then it may be necessary to revise corresponding checklist items as well. Perhaps the titles of checklist items need not be changed, but those titles should be interpreted as referring to whatever systemspecific design rules have been adopted, rather than to the general guidelines that underlie those rules.

#### WEIGHTING IMPORTANCE

In the design evaluation checklist there will be hundreds of items to be considered. For any particular system design, some of those items may not be relevant. For example, if a decision is made not to provide multicolor displays, then any guidelines pertaining to color coding will not be applicable to that system.

There are two ways to deal with this situation. One way would be to tailor the design evaluation checklist so that it includes only those items relevant to a particular system. That tailoring could be difficult for a paper checklist, where many pages might have to be retyped. Moreover, it might prove disconcerting for an experienced evaluator to find the contents of the checklist changing for each different system evaluation.

A simpler solution is to preserve the checklist in standard format, consistent in contents and ordering, from one system to another. An experienced evaluator will find each item where it is expected, always in the same place. Items not applicable to a particular system might be marked "N/A" in the course of design evaluation, and could be ignored as long as that designation is retained.

Just which items are not applicable can presumably be decided by users (and/or sponsors) in negotiation with the system design contractor, or perhaps with a USI software subcontractor, in order to help define requirements before USI software is designed. And that decision might be reviewed periodically during successive stages of system design, along with more general review of required USI functional capabilities.

Eliminating from consideration any checklist items that have been judged not applicable to a particular system design, one may question whether the remaining items are all equally important. An evaluator might well conclude that some of those items are more important than others, and wish to assign differential weightings to discriminate among the various items. Such weightings could be simple categorical judgments among just a few designations -- perhaps "Required" or "Desirable" in addition to "Not Applicable". Or weighting judgments could be represented along a numeric scale -- perhaps zero to ten, where zero denotes items judged to be not applicable, and ten denotes items judged to be of critical importance. (Such numeric weightings are illustrated by the sample in Appendix B.) Numeric weightings would offer advantages for subsequent computational analysis of user interface design evaluation, as discussed in Section 3.

In practice, the assignment of differential weightings to checklist items must necessarily be judgmental. For any particular item, different weightings might be assigned by system v\_ers, by software designers, or by their human engineering consultants.

The checklist can help focus attention on design decisions, but cannot tell people how to make those decisions. Design biases may be introduced in the weighting process. Users might weight heavily those design features that have been missing in the past, hoping thereby to encourage their inclusion in a new system. Designers might weight heavily those features that they believe will be easy to provide.

Whose judgment should prevail? The best solution is to ensure that weightings will not be established by only one person. All groups concerned with system development should have an opportunity to participate in the weighting process.

#### RATING COMPLIANCE

In using the checklist, an evaluator must judge for each item the degree of compliance in a proposed or implemented user interface design. Different rating schemes might be adopted to record the evaluator's judgment.

One might adopt a simple YES/NO rating to indicate judged design compliance for each checklist item. At least that seems simple. But the avaluator will still have to exercise judgment as to whether the observed degree of design compliance is substantial enough to justify a YES rating for any particular item. The rating itself would not reflect that judgment process. We would not know from the rating whether the evaluator's YES was a confident assessment of full compliance or was assigned in grudging acknowledgment of marginal compliance.

Considering the general process and purpose of USI design evaluation, it will probably prove more useful if the evaluator's judgment is reflected more directly in the ratings assigned. The sample checklist application in Appendix B employs numeric ratings that range from zero (no compliance) to ten (full compliance). With such numeric ratings, varying degrees of marginal compliance can be acknowledged in the design evaluation record, as a means of pointing the way toward needed design improvements.

Although numeric ratings may permit an evaluator to convey design strengths and weaknesses more effectively, we must recognize that numeric evaluation can be misleading. Qualitative ratings such as YES/NO, or GOOD/FAIR/POOR, are clearly judgmental. Numeric ratings, however, may imply a degree of objectivity that is not justified by the real nature of the design evaluation process. Thus evaluators must be conservative when reporting and interpreting the results of numeric rating.

As a practical matter, rating compliance with agreed design guidelines will involve a great many other problems, of the kind discussed in the previous section of this report. Particularly in early stages of system development, when ratings can be made only in terms of specifications and other documentation of proposed designs, it may not be possible to determine the degree of compliance with various specific design requirements. For some items in the checklist, compliance ratings may have to be marked as unknown.

Even for a fully documented and completed system, it is obvious that evaluation of compliance with design objectives must be in large degree judgmental. And again we must consider the question of whose judgment should be sought.

Designers may wish to apply the checklist to their own work, perhaps as a periodic measure to determine interim success in meeting objectives. Any formal evaluation, however, should involve system users and their representatives. They may choose to form their judgments in consultation with designers, but they should record and report their design evaluation independently, in their own behalf.

#### ANNOTATION

Weightings and ratings will permit a quantitative assessment of USI design, but in many cases will not convey the exact nature of deficiencies observed during design evaluation. It will help in prescribing improvements to USI design, if the evaluator can note specific examples of design deficiencies for low-rated items in the checklist. Such annotation would take the form of appended comments. There is not sufficient space in the checklist itself to provide a full description of observed deficiencies. It is proposed instead that the checklist simply include for any item an indication that a comment has been appended. That indication might be a check or other special mark following the assigned rating. Appended comments would be labeled with the number codes of corresponding checklist items.

Evaluator comments will not always describe design deficiencies, although that would be their primary function. Some comments might raise questions about design features considered doubtful by the evaluator. Other comments might commend observed examples of good design practice.

Some comments might pertain to the weightings assigned to different checklist items, dealing with design requirements rather than design achievement. For example, there might be comments explaining why particular items have been assigned zero weight. Although such comments would not affect design evaluation, they could be useful if design requirements must later be reconsidered.

Finally, some comments might pertain to functional coverage, perhaps indicating a special interpretation for an item in the checklist, or the conversion of a generally stated item into a more specific design rule.

#### PRACTICAL APPLICATION

Effective application of the design evaluation checklist will require that user interface design be specified, implemented, and/or documented in sufficient detail to permit review in terms of features specified in the checklist. Otherwise, many of the checklist items can be rated only with question marks. In such a situation, application of the checklist can merely indicate inadequacy of design documentation rather than inadequacy of the design itself.

In its initial applications, we may expect that the design evaluation checklist will be used solely for guidance rather than for contractual enforcement. Certainly if a contractor has not been required to establish and follow USI design guidelines in the first place, then it would not be reasonable to impose retroactively some set of design evaluation criteria derived from guidelines. If the design evaluation checklist proves useful in its initial applications, however, we may see its future adoption as a more formal contractual instrument.

#### SECTION 3

#### POTENTIAL COMPUTER AIDS

The design evaluation checklist proposed here should prove a useful tool. Looking ahead, however, we can envision ways in which this tool could be made even more effective. A promising means for facilitating its use would be to implement the checklist as an on-line computer tool. Computer aids could be provided for making entries to the checklist, for reviewing and tailoring associated guidelines material, and for the analysis and reporting of design evaluation. These topics are discussed here.

#### CHECKLIST ENTRY AND REVIEW

At the simplest level, a checklist maintained on-line in a computer could help the entry and editing of evaluator judgments -the weightings of relative item importance, the ratings of judged design compliance, and any associated annotation including evaluator comments.

Checklist entries will reflect evaluator judgment, and judgments may change from time to time. Changes to paper forms may be messy to make, and/or involve tedious transcription of records.

Moreover, the process of design evaluation will often be continuous, repeated at different stages of system development. Successive evaluations will generally indicate design improvements. Ratings for many items will stay the same, but ratings for some items may be revised upward, and further comments added to the evaluation record. Such successive changes would be easier to make in a computer-stored checklist than in a paper record.

Review of checklist entries would also be easier by accessing computer-stored records. With computer aids, an evaluator could request direct display of any portion of the checklist, in any of its successively applied versions, without having to leaf through a growing sheaf of paper records. Computer aids would be especially helpful for displaying checklist annotation, permitting an evaluator to review directly the comments associated with any selected item, rather than having to search separate sheets of paper.

Which kind of checklist will prove preferable -- the paper version or the on-line computer aid -- will depend upon conditions of use. For field use, where an evaluator must observe a system under test, the paper checklist would seem more convenient. For desk use, when an evaluator is reviewing design specifications, display printouts, etc., an automated checklist could offer worthwhile advantages. That automated checklist could be used to help transcribe ratings from paper checklist records taken in the field.

#### REVIEWING GUIDELI S MATERIAL

One significant feature of the checklist format is that each item expresses a design guideline in condensed wording, with no full statement of the guideline nor any explanatory examples and comment. An evaluator who is not familiar with the guidelines material will have to refer back and forth between checklist titles and their corresponding source guidelines. In effect, an evaluator using a paper checklist must keep at hand not only the checklist itself but also a book of design guidelines.

A better alternative would be to reconfigure the paper checklist to become an on-line checklist supported by automated computer aids, including computer storage and display of associated guidelines material. Using such an automated checklist, an evaluator might query any particular item to request immediate computer display of explanatory material equivalent to that available in the published guidelines.

#### TAILORING GUIDELINES

An automated checklist could be of even greater value for design evaluation in applications where guidelines have been tailored to become system-specific rules. In such a case, published guidelines would not provide a complete account of the desired design features. An evaluator would have to refer also to whatever additional material may have been approved for design guidance.

Computer aids could help ensure reliable reference to agreed system-specific design rules, in effect displaying tailored rather than standard guidelines material. With such an automated checklist, access to explanatory material would certainly be easier. The evaluator would not need a book of design guidelines, plus whatever further notes pertain to system-specific tailoring. Instead, the evaluator would need a suitable computer terminal.

Once guidelines had been tailored with computer aids, computer facilities could also be used to print out a tailored version of the design evaluation checklist. That revised checklist could then be used in field testing with the same convenience as the "standard" checklist presented here.

#### DESIGN ANALYSIS

Where an automated checklist could really help an evaluator is in analyzing and summarizing the ratings that have been made, particularly if differential weightings have been assigned to the various items. Computer aids for analysis could automatically multiply ratings of design compliance by appropriate weightings, sum the results to derive an overall assessment of USI design quality, and display the results in different ways to provide more detailed diagnostic information.

Computer analysis could provide a diagnostic profile assessing design quality for the different functional areas supported by user interface software, for identified functions within those areas, and even for specific highly-weighted items pertaining to particular functions. A sample of what might be obtained from a computergenerated design analysis is illustrated in Appendix C. Such diagnostic evaluation can be tedious to compute manually, but would be quite easy to generate with appropriate computer aids.

#### FUTURE WORK

For use at ESD/MITRE, a logical next step will be to reconfigure the checklist as an automated tool, so that it can be supported with on-line computer aids of the kind suggested here -aids for explaining checklist items, for assigning weightings and ratings, and for the diagnostic analysis and reporting of design evaluation results. An on-line interface to such an automated checklist will be designed in FY85 under MITRE Project 5720. Future implementation and testing of an automated design evaluation checklist will require further work.

Once implemented, an automated checklist would offer potential benefits Leyond its immediate use for USI design evaluation. An automated checklist would provide an example of how computer tools might be applied more generally to improve corporate effectiveness in system engineering for acquisition programs. We can anticipate that such computer aids for focusing expert knowledge in support of our technical work will contribute strongly to Air Force system acquisition in the decades ahead.

#### REFERENCES

- Cordes, R. E. (1980). Software-user interface evaluation: Methodology and tools. In <u>Proceedings of the Human Factors</u> <u>Society 24th Annual Meeting</u> (pp. 395-399). Santa Monica, CA: Human Factors Society.
- Geer, C. W. (1981, September). <u>Human Engineering Procedures Guide</u> (Technical Report AFAMRL-TR-81-35). Wright-Patterson Air Force Base, OH: Air Force Aerospace Medical Research Laboratory.
- MIL-STD-1472C, Revised. (1983, September). <u>Military Standard:</u> <u>Human Engineering Design Criteria for Military Systems, Equipment</u> and Facilities. Washington, DC: Department of Defense.
- Smith, S. L. (1984, April). <u>User-System Interface Design in System</u> <u>Acquisition</u> (Technical Report ESD-TR-84-158). Hanscom Air Force Base, MA: USAF Electronic Systems Division. [NTIS No. AD A140 956]
- Smith, S. L., and Mosier, J. N. (1984a). The user interface to computer-based information systems: A survey of current software design practice. In <u>Proceedings of INTERACT'84 IFIP Conference on</u> <u>Human-Computer Interaction</u> (pp. 2.35-2.39). Amsterdam: Elsevier.

Smith, S. L., and Mosier, J. N. (19845, September). <u>Design</u> <u>Guidelines for User-System Interface Software</u> (Technical Report ESD-TR: 84, 190). Hanscom Air Force Base, MA: USAF Electronic Systems Division.

#### APPENDIX A

#### USI DESIGN EVALUATION CHECKLIST

This appendix presents the checklist for evaluating USI software design. As discussed in the text of this report, checklist coverage is governed by the source guidelines. For functions such as graphics where there are currently few guidelines, or none at all, checklist coverage is correspondingly weak.

The checklist will improve over the next several years as the guidelines themselves improve. Meanwhile, means might be found to compensate for current weaknesses in the checklist, perhaps by expanding coverage in weak areas to add specific design rules for particular system applications.

In this checklist, the item descriptor in each line simply replicates the title of the source guideline. Ideally, all of those titles should be informative, adequate in themselves to convey the intent of the source guidelines. But that ideal is difficult to achieve. Users of this checklist must refer to source guidelines in ESD-TR-84-190 (Smith and Mosier, 1934b) to ensure that design requirements are clearly understood for each item.

Within the checklist, items are numbered sequentially for each USI function in order to permit convenient referencing. Within each function, there is coverage of various subordinate topics indicated by the item titles. Each item that introduces a new topic is marked with a black dot ( $\bullet$ ) before its title. When succeeding items deal with the same topic, each is marked with a white dot ( $\bullet$ ) to imply that it should be interpreted in conjunction with other related items.

In practical field use, the design evaluation checklist would differ seaschat in formal from that shown here. There should probably be a cover sheet with instructions explaining use of the checklist. There might also be spare sheets, or perhaps blank items inserted in the checklist, to permit recording desired USI software features that are not represented in the checklist, and spare sheets for appended comments. Those are omitted here in the interests of compactness.

Readers who wish to use the design evaluation checklist are invited to contact the authors of this report in order to exchange information concerning the details of its practical application. By sharing our experience with this new tool, we shall all learn more quickly how it may best be used.

### DESIGN EVALUATION FOR USI SOFTWARE

System:	
Date:	
Evaluator:	

		Con	ment	;
	<b>.</b>	Rating	5	
	Guideline	Weight		1
	Number			
	▼	V	A	V
DATA ENTRY				
	General 1.0			
• Entry via primary display	-1			•
* Feedback during data entry	-2			•
o Fast response	-3			
• Single method for entering data	-4			
• Defined display areas for data e	entry -5	_		•
• Consistent withod for data chang	3e -6			•
<ul> <li>User-paced data entry</li> </ul>	-7		_	•
<ul> <li>Explicit ENTER action</li> </ul>	-8			
o ENTER key labeling	-9			
• Explici. CANCEL action	-10		_	
• Feedback for completion of data	entry -11			•
o Feedback for repetitive data ent	ries -12			÷
o Feedback when changing data	-13			•
<ul> <li>Keeping data items short</li> </ul>	-14			
o Partitioning long data items	-15			*
<ul> <li>Optional abbreviation</li> </ul>	-16			÷
o Distinctive abbreviation	-17			
o Consistent abbreviation rule	-18	_		
o Minimal exceptions to abbreviati	ion rule -19	_		
o Minimal deviation from abbreviat	ion rule -20			
			—	
o Fixed abbreviation length	-21			
o Clarifying unrecognized abbrevia	itions 22		—	
• Prompting data entry	-23			
• Character entry via single keyst	roke -24			~
o Minimal shift keving	-25		—	
	25			•
• Upper/lower case equivalent	-26			
• Decimal point optional	-27			•
• Leading zeros optional	-28	_		•
• Single/multiple blanks equivaler	1t -29			•
				•

6 June 1 1 1 1 2 1 1 1 1 1 1

-----

and the second s

-1 -2 -3 -4 -5 -6 -7 -8 -9 -10 -11 -12	
-2 -3 -4 -5 -6 -7 -8 -9 -10 -11 -12	
-3 -4 -5 -6 -7 -8 -9 -10 -11 -12	
-4 -5 -6 -7 -8 -9 -10 -11 -12	
-5 -6 -7 -8 -9 -10 -11 -12	
-6 -7 -8 -9 -10 -11 -12	  
-6 -7 -8 -9 -10 -11 -12	
-7 -8 -9 -10 -11 -12	 
-8 -9 -10 -11 -12	
-9 -10 -11 -12	
-10 -11 -12	
-11 -12	
-12	
-13	
-14	
-15	
-10	
-17	
-18	
-19	<u> </u>
-20	
-21	
-22	
-23	
-24	
	-17 -18 -19 -20 -21 -22 -23 -24

\*\*\*\* . \* **\***\*\*

550

. . . . . . .

DATA ENTRY	Direction Designation	on 1.2	
• Analog entry o	of estimated direction	-1	·
• Keyed entry of	f quantified direction	-2	

Con	nment	-
Rating	31	1
Weight-		
	1	
Ϋ́	V	7

DATA ENTRY	Text 1.3	
• Adequate display capacity	-1	·
• Full editing capabilities during t	ext entry -2	<u> </u>
<ul> <li>Free cursor movement</li> </ul>	-3	·
o Control entries distinct from text	: -2 <sub>1</sub>	<u> </u>
<ul> <li>Natural units of text</li> </ul>	-5	<u> </u>
o Control entry based on units of te	ext -6	
o Highlighting specified text	-7	·
o Cursor movement by units of text	-8	— — .
• String search	9	
o Upper/lower case equivalent in sea	arch -10	·
Constitutes and in second	-11	
o Specifying case in search	-11	<u> </u>
o Global search and replace	-12	<u> </u>
o Case in global search and replace	-13	<u> </u>
<ul> <li>Automatic pagination aids</li> </ul>	-14	<u> </u>
o User control of pagination	-15	<u> </u>
o Controlling integrity of text unit	.s -16	
<ul> <li>Automatic line break</li> </ul>	-17	· •
o Consistent word spacing	-18	
o Hyphenation by users	-19	
• Format control by user	-20	·
Establishing productional formats	-21	
· Establishing predelined formats	-21	— — ·
o Storing user-defined formats	- 22	<u> </u>
• Moving text	-25	·
• Storing frequently used text	-24	·
<ul> <li>Necessary data displayed</li> </ul>	-25	· ·
o Text distinct from annotation	-26	<u> </u>
<ul> <li>Printing for proofreading</li> </ul>	-27	····· ···· ·
<ul> <li>Text displayed as printed</li> </ul>	-28	<u> </u>
<ul> <li>Flexible printing options</li> </ul>	-29	· · ·
<ul> <li>Information on printing status</li> </ul>	-30	·
• Auditory signals for alerting use	rs -31	
• Protecting text during use over	uns -32	<u> </u>
• Confirming actions in DELETE mode		·
Dominium accions in Dimini mode     Deversible actions	- 30	<u> </u>
<ul> <li>Reversible actions</li> <li>Here confirmation of addition that</li> </ul>	- 34	····· ~
<ul> <li>User confirmation of editing chan</li> </ul>	Keg - JJ	•

Ľ

Q,

Ŋ.

ŝ

131

X

ר גי

N.

Ŋ

Š,

Co	mment	
Ratin	8-1	- 1
Weight-	ł	
		- 1
▼	V	7

DATA ENTRY	Data Forms 1.4	
• Single entry of related data	-1	
<ul> <li>Flexible interrupt</li> </ul>	-2	
<ul> <li>Minimal use of delimiters</li> </ul>	-3	
o Standard delimiter character	-4	
• Data field labels	-5	
o Consistent labeling	-6	
o Protected labels	-7	
o Labels close to data fields	-8	
<ul> <li>Marking field boundaries</li> </ul>	-9	
o Prompting field length	-10	
<ul> <li>Marking required/optional da</li> <li>Automatic justification of v</li> </ul>	ta fields -11 ariable-length	<u> </u>
entries	-12	
• Explicit tabbing to data fie	lds -13	
• Distinctive label format	-14	
<pre>o Consistent label format</pre>	-15	
o Label punctuation as entry c	ue -16	
<ul> <li>Informative labels</li> </ul>	-17	
• Data format cueing in labels	-18	
o Labeling units of measuremen	t -19	
o Familiar units of measuremen	t -20	
o Alternative units of measure	ment -21	
• Form compatible for data ent	ry and display -22	
o Form compatible with source	documents -23	
• Minimal Cursor positioning	-24	
o Data items in logical order	-25	
• Automatic cursor placement	-26	

# DATA ENTRY Tables 1.5

Tables for related data sets Distinctive labels Informative labels Tabbing within rows Tabbing within columns	-1 -2 -3 -4 -5	
Automatic justification of entries	-6	
Justification of numeric entries	-7	
Aiding entry of duplicative data	-8	
Row scanning cues	-9	
	Tables for related data sets Distinctive labels Informative labels Tabbing within rows Tabbing within columns Automatic justification of entries Justification of numeric entries Aiding entry of duplicative data Row scanning cues	Tables for related data sets-1Distinctive labels-2Informative labels-3Tabbing within rows-4Tabbing within columns-5Automatic justification of entries-6Justification of numeric entries-7Aiding entry of duplicative data-8Row scanning cues-9

	Co	nment	1
Rat	in	g1	
Weight-	٦	1	- 1
	1	1	1
	V	V	7

### DATA ENTRY Graphics 1.6

(No entries)

DATA	ENTRY Data Velication 1.	7	
• Aut	omatic data vulidation	-1	
• Acc	epting correct entries	-3	
• Non	-disruptive error message3	-3	
• Def	erral of required data entry	-4	
o Rem	inder of deferred entry	-5	
• Tim	ely validation of sequential transactions	-6	
• Opt	ional item-by-item validation	-7	

DATA ENTRY	Other Data Processing	1.8		
• Default values		-1	 	
o User definition	of default values	-2	 	•
o Display of defa	ult values	-3	 	
o Easy confirmation	on to enter default values	-4	 	
o Temporary repla	cement of default values	-5	 	•
• Automatic gener	ation of routine data	-6		
• Automatic compu	tation of derived data	-7	 	
• User review of	prior entries	<b>~</b> 8	 	
• Automatic entry	of redundant data	-9	 	
• Automatic cross	-file updating	-10	 	•

DATA ENTRY	Design Change	1.9
• Flexible design f	or data entry	-1

Comment-Rating-Weight-| | V V V

DATA DISPLAY	General 2.0
• Necessary data displayed	-1
o Only necessary data displayed	-2 -2
• Data displayed in usable form	-3
• Data display consistent with user	conventions -4
o Establishing display standards	-5 -5
• Consistent display format	-6
• User control of data display	-7
o User changes to displayed data	-8
o Protection of displayed data	-9
• Context for displayed data	-10
• Familiar wording	-11
o Consistent wording	-12
o Consistent wording across display	ys -13
• Minimal use of abbreviation	-14
o Consistent abbreviation	-15
o Distinctive abbreviations	-16
o Dictionary of abbreviations	-17
o Minimal punctuation of abbreviat	ions -18

DATA	DISPLAY			Unta	Туре	2.1
• Ap	propriate	data	types			-1

Comment	-
Rating-	1
Weight-	
	1
V V	V

DATA DISPLAY - Data Type	Text 2.1.1
<ul> <li>Conventional text display</li> <li>Consistent text format</li> <li>Conventional use of mixed case</li> <li>Separation of paragraphs</li> <li>Consistent word spacing</li> </ul>	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Minimal hyphenation</li> <li>Conventional punctuation</li> <li>Clarity of wording</li> <li>Sentences begin with main topic</li> <li>Simple sentence structure</li> </ul>	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
o Concise wording o Distinct wording o Affirmative sentences o Active voice o Temporal sequence	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Lists for related items</li> <li>Single-column list format</li> <li>Logical list ordering</li> <li>List ordering in multiple column</li> <li>Hierarchic structure for long limit</li> </ul>	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Abbreviations defined in text</li> </ul>	-21

Ę

家主などな

Commei	11-7
Rating	
Weight-	1
V V	V

DATA DISPLAY - Data Type Data Forms 2.	1.2	
• Forms for related data	-1	
<ul> <li>Visually distinctive data fields</li> </ul>	-2	
o Data field labeling	-3	
o Descriptive wording of labels	-4	
o Consistent wording of labels	-5	
o Distinctive wording of labels	-6	
o Consistent label location	-7	
o Distinctive label format	-8	
o Labels close to data fields	-9	
o Labeling units of measurement	-10	
• Consistent format across displays	-11	
o Form compatible for data entry and display	-12	
• Consistent format within data fields	-13	
• Partitioning long data items	-14	
• Distinguishing blanks from nulls	-15	

DATA DISPLAY - Data Type Tables 2	.1.3	
<ul> <li>Tables for data comparison</li> <li>Column and row labels</li> <li>Labeling units of measurement</li> <li>Justification of numeric data</li> <li>Justification of alphabetic data</li> </ul>	-1 -2 -3 -4 -5	
<ul> <li>Logical organization</li> <li>Tables referenced by first column</li> <li>Items paired for direct comparison</li> <li>Distinctive labeling</li> <li>Numbered items start with "1"</li> </ul>	-6 -7 -8 -9 -10	
<ul> <li>o Repeated elements in hierarchic numbering</li> <li>o Row scanning cues</li> <li>o Column scanning cues</li> <li>o Consistent column spacing</li> <li>Consistent label format</li> </ul>	-11 -12 -13 -14 -15	

Fr

	Comment
DATA DISPLAY - Data Type Graphics 2.1.4	
<ul> <li>Graphic display for data comparison -1</li> <li>Graphic displays for monitoring data change -2</li> <li>Conventional flowchart orientation -3</li> <li>Standarized graphics symbology -4</li> </ul>	· · ·
DATA DISPLAY - Data Type Combination 2.1.5	
• Mixing text with figures -1	·
DATA DISPLAY Density 2.2	
• Necessary data displayed -1 o Only necessary data displayed -2	` `
DATA DISPLAY Format 2.3	
<ul> <li>Consistent format</li> <li>Distinctive display elements</li> <li>Paging crowded displays</li> <li>Related data on same page</li> <li>Page labeling</li> <li>-5</li> </ul>	· · ·
<ul> <li>Windows for related data sets -6</li> <li>o Integrated display -7</li> <li>o Adequate window size -8</li> <li>Display title at top -9</li> <li>o Command entry, prompts, messages at bottom -10</li> </ul>	
<ul> <li>Logical data oganization</li> <li>Grouping for data comparison</li> <li>Data grouped by sequence of use</li> <li>Data grouped by function</li> <li>Data grouped by importance</li> <li>-15</li> </ul>	
<ul> <li>Data grouped by frequency -16</li> <li>Data grouped alphabetically or chronologically -17</li> </ul>	······································

(K

Con	nment	3
Rating	3-1	
Weight-		
1		
V	V	V

DATA DISPLAY	Coding 2.4
· TTALY Shafes and to all date	
• Highlighting critical data	-1
• Loding by data category	-2
• Meaningful codes	-3
o Familiar coding conventions	··4 ·
• Definition of display codes	-5 ·
• Consistent coding across displa	ys -6
Alphanumeric coding	-7 .
o Consistent case in alphabetic c	oding -8
o Combining letters and numbers	-9 .
o Short codes	-10
• Special symbols	-11
o Consistent use of special symbol	ols -12
o Markers close to items marked	-13
• Shape coding	-14
o Establishing standards for shap	e coding -15
• Line coding	-16
o Underlining for emphasis	-17
o Coding by line length	-18
a Coding by line direction	-19
• Size coding	-20
Ũ	
o Adequate differences in size	-21
<ul> <li>Brightness coding</li> </ul>	-22
o Brightness inversion	-23
• Color coding	-24
o Conservative use of color	-25
Adding solar to formattod dign	ava - 26
· Rading color to formatter disp	
o Nedundant Color coding	-2/
o Unique assignment of color code	
o Conventional assignment of cold	or codes -29
o Limited use of blue	-30
• Blink coding	-31
o Blinking marker symbols	-32
o Optimal blink rate	-33
• Coding with texture, focus, mot	-34
• Auditory coding	-35
o Distinctive auditory coding	-36
o Voice coding	-37

•

4

.

Con	ment	5
Rating	51	
Weight-	ļ	1
- 1	Ì	1
V	V	V

DATA DISPLAY	Generation 2.5	
• User selection of data for dis	play -1	
• Display identification labels	-2	
o Meaningful display labels	-3	
o Consistent format for display	labels -4	
• Fast response to display reque	st -5	
o Signaling completion of displa	y output -6	
• Regenerating changed data	-7	
o Replacing changed data	-8	
• Printing displays locally	-9 -9	

DATA	DISPLAY	Framing	2.6

٠	Integrated display	-1			
٠	Easy paging	-2	~		•
0	Continuous numbering in multipage lists	-3			
0	Labels for multipage tables	-4	<u> </u>		
٠	Annotating display of continued data	-5			•
0	Numbering display pages	-6			
٠	Consistent orientation for display framing	-7		_	•
0	Windowing with free cursor movement	-8			
٠	Labeling display framing functions	-9			•
0	Labeling windowing functions	-10			•
0	Labeling scrolling functions	-11			

# DATA DISPLAY Update 2.7

• • • •	Automatic display update Readability of changing data Visual integration of changing graphics Display freeze Labeling display freeze	-1 -2 -3 -4 -5	 	•
0 0	Signaling changes to frozen data Resuming update after display freeze	-6 -7	 	•

		Rat Weight-	Com ing   	ment	
DATA DISPLAY Suppression	2.8				
<ul> <li>Temporary suppression of displayed data</li> <li>Labeling display suppression</li> <li>Signaling changes to suppressed data</li> <li>Resuming display of suppressed data</li> </ul>	-1 -2 -3 -4				• • •

DATA DISPLAY	Design Change 2.9	
• Flexible design for data	display -	•1

的な。自己会社会

がいていてい

.

.

Con	ment	-
Rating	5-1	
Weight-		
	1	
V	V	V

---- -------- ----

-3 -4

SFOLIENCE	CONTROL	Conoral	20
DECOPIIOE	CONTROL	General	U

• Flexible sequence control	-1	
<ul> <li>Minimal user actions</li> </ul>	-2	· · ·
• Control matched to user skill	-3	·
• User initiative in sequence control	-4	
• Control by explicit user action	_5	·
control by explicit aber action	- 5	· ·
• Consistent user actions	-6	· · · · · · · · · · · · · · · · · · ·
<ul> <li>Logical transaction sequences</li> </ul>	-7	
• Distinctive display of control information	-8	
• Displayed context	-9	
• Consistent terminology for sequence control	-10	
consistent terminology for sequence control	10	·
• Foodback for control ontrios		
- recuback for concrete encires	-11	····· ···· ·
o indicating completion of processing	-12	<u> </u>
o Compatibility with user expectations	-13	•
<ul> <li>User-paced sequence control</li> </ul>	-14	
• Appropriate computer response time	-15	
· · · · · · · · · · · · · · · · · · ·		· ·
• Control availability	-16	
- Indianting control lackant	-10	<u> </u>
o indicating control lockout	-1/	· · · · ·
c interrupt to end control lockout	-18	· · · · · ·
<ul> <li>Control by simultaneous users</li> </ul>	-19	•

SEQUENCE CONTROL	Dialogue Ty	pe 3.1	
<ul> <li>Dialogue matched</li> <li>Appropriate comput</li> </ul>	to user and task ter response time	-1 -2	
SEQUENCE CONTROL	Question & Answer	3.1.1	

٠	Question-and-answer dialogue	-1	
٠	Questions displayed singly	-2	
٠	Recapitulating prior answers	-3	—
٠	Sequence compatible with source documents	-4	

#### Form Filling 3.1.2 SEQUENCE CONTROL

for	data entry	-1
for	control entry	-2

٠	Form filling for data entry
٠	Form filling for control entry
٠	Defaults for control entry
٠	Consistent format for control forms

Comm	ient	5-7
Rating-	٦	- 1
Weight-		
V	V	<b>v</b>

SEQUENCE CONTROL Menu Selection 3.1.	3		
• Manu selection	_1		
• Single selection per many	-1		
• Single selection per menu	-2		
• Single-column list format	-3	-	
• Menu selection by pointing	-4		
o Large pointing area for option selection	-5	4-2-12-2	*****
o Dual activation for pointing	-6		
<ul> <li>Menu selection by keyed entry</li> </ul>	-7		
o Standard area for code entry	-8		
• Feedback for menu selection	-9		
<ul> <li>Menu options worded as commands</li> </ul>	-10		
a Antion wording consistent with command			
lanouaga	-11		
• Latter codes for many solection	-11		
· Detter codes for menu selection	-12		
• Evaluate antion display	-13		
• Explicit option display	-14	-	
o complete display of menu options	-15		—
o Menu options dependent on context	-16	_	
<ul> <li>Consistent display of menu options</li> </ul>	-17		
<ul> <li>Menus distinct from other displayed</li> </ul>			
information	-18		
<ul> <li>Logical ordering of menu options</li> </ul>	-19		
• Logical grouping of menu options	-20	tionin a	
o Logical ordering of grouped options	-21	~	
o Labeling grouped options	-22		
• Hierarchic menus for sequential selection	-23		
o General menu	-24		
o Minimal steps in sequential menu selection	-25		_
o Easy selection of important options	-26		
o Automatic cursor placement	-27		
• Indicate current position in menu structure	-28		
a Control ontions distinct from mony branching	-29		
o concrot options distinct from menu branching	-27		
o consistent design of nierarchic menus	-30		
o Return to higher-level menus	-31		
o Keturn to general menu	-32		
• By-passing menu selection with command entry	-33		
o Stacking menu selections	-34		

Comment-			
Rat	in	8-1	
Weight-	ר		
	1		
	V	4	4

#### SEQUENCE CONTROL Function Keys 3.1.4 • Function keys for critical control entries -1 o Function keys for frequent control entries -2 o Function keys for interim control entries -3 • Distinctive labeling of function keys -4 o Labeling multifunction keys -5 • Single keying for frequent functions -6 o Single activation of function keys -7 -8 • Feedback for function key activation • Indicating active function keys -9 o Disabling unneeded function keys -10 • Single key for continuous functions -11 • Consistent assignment of function keys -12 o Consistent functions in different operational modes -13 • Return to base-level functions -14 Distinctive location -15 o Layout compatible with use -16

Con	ment	5-7
Rating	31	- 1
Weight-		
1		
▼	V	۷

•

SEQUENCE CONTROL Command Language	3.1.5	
• Command language	-1	
• Standard display area for command entry	-2	
• Functional command language design	-3	·
• Layered command languege	-4	
• Familiar wording	-5	·
o Consistent wording of commands	-6	
o Distinctive wording of commands	-7	
• User-assigned command names	-8	
• User-requested prompts	-9	
o General list of commands	-10	
• Command stacking	-11	
o User definition of macro commands	-12	
<ul> <li>Minimal command punctuation</li> </ul>	-13	
o Standard command delimiter	-14	
• Ignoring blanks in command entry	-15	
-gyy		
<ul> <li>Abbreviation of commands</li> </ul>	-16	
• Standard techniques for command editing	-17	
a Interpreting misspelled commands	-18	
<ul> <li>Correcting unspected commands</li> </ul>	_10	
- Abouting commande entry errors	-19	
o Aborting erroneous commands	-20	
Reviewing destructive commands	-21	

SEQUENCE CONTROL Query Language 3.1.	6	
• Query language	-1	
• Natural organization of data	-2	
o Coherent representation of data organization	-3	
<ul> <li>Task-oriented wording</li> </ul>	-4	
• Flexible query formulation	-5	
<ul> <li>Minimal need for quantifiers</li> </ul>	-6	
• Logic to link queries	-7	
<ul> <li>Linking sequential queries</li> </ul>	-8	
<ul> <li>Confirming large-scale retrieval</li> </ul>	-9	

		Rat Weight-	Com ting 7	ment     V	
SEQUENCE CONTROL Natural Language 3.1	.7				
o Constrained natural language	-1				•
SEQUENCE CONTROL Graphic Interaction 3.1	.8				
<ul> <li>Graphic interaction</li> <li>Menu selection as complementary dialogue</li> </ul>	-1 -2			_	•
SEQUENCE CONTROL Transaction Selection 3	.2				
<ul> <li>User control in transaction selection</li> <li>General list of control options</li> <li>Organization and labeling of listed options</li> <li>Indicating appropriate control options</li> <li>Prompting control entries</li> </ul>	-1 -2 -3 -4 -5				• • •
<ul> <li>Cursor placement for pointing at options</li> <li>Cursor placement for keyed entry of options</li> <li>Displaying option codes</li> <li>Task-oriented wording for options</li> <li>Only available options offered</li> </ul>	-6 -7 -8 -9 -10				• • •
<ul> <li>Indicating control defaults</li> <li>Consistent CONTINUE option</li> <li>Stacked commands</li> <li>Consistent order in command stacking</li> <li>Abbreviation in command stacking</li> </ul>	-11 -12 -13 -14 -15				• • •
<ul> <li>Minimal punctuation of stacked commands</li> <li>Standard delimiter in command stacking</li> <li>User definition of macro commands</li> <li>User-specified transaction timing</li> </ul>	-16 -17 -18 -19				• • •

Comment-Rating- | Weight- | | | | | V V V

SEQUENCE CONTROL	Interrupt 3.3	
• User interruption of transa	ctions -1	
<ul> <li>Distinctive interrupt option</li> </ul>	ns -2	
CANCEL option	-3	
BACKUP option	-4	
RESTART option	-5	
• ABORT option	-6	
o END option	-7	
PAUSE/CONTINUE options	-8	
o Indicating PAUSE status	-9	
o SUSPEND option	-10	
o Indicating SUSPEND status	-11	

SEQUENCE CONTROL	Context Definition	3.4		
• Defining context for	or uters	-1	 	
o Context established	d by prior entries	-2	 	•
o Record of prior en	tries	-3	 	•
• Display of operation	onal mode	-4	 	•
• Display of control	parameters	-5	 	•
• Highlighting selec	ted data	-6	 	•
• Consistent display	of context information	-7	 	•

	Coi	nment	3
Rat	t in	B1	
Weight-			
-	j	İ	į
	V	V	V

•

٠

٠

•

SEQUENCE CONTROL H	Error Management	3.5	
• Appropriate response to a	all entries	-1	 
<ul> <li>Command editing</li> </ul>		-2	 
<ul> <li>Prompting command correct</li> </ul>	ion	-3	 
<ul> <li>Errors in stacked command</li> </ul>	ls	-4	 
o Partial execution of stac	ked commands	-5	 
Explicit entry of correct	ions	-6	 
• User confirmation of dest	ructive entries	-7	
User warned of potential	data loss	-8	 
Distinctive CONFIRM actic	n	-9	 
• UNDO to reverse control a	actions	-10	 
Preventing data loss at l	LOG-OFF	-11	 
Immediate data correction	1	-12	 
> Flexible BACKUP for error	correction	-13	 

SEQUENCE CONTROL Alarm	s 3.6	
• Alarm definition by user	-1	
• Distinctive and consistent alarms	-2 -2	
<ul> <li>Alarm acknowledgement</li> </ul>	-3	
o Alarm reset	-4	_
o Acknowledgement of critical alarms	-5 -5	

SEQUENCE CONTROL	Design Change 3.7	Ì
• Flexible design	for sequence control -1	

a haya hananyiya

USER GUIDANCE	General 4.0	
• Standard procedures	-1	
• Explicit user actions	-2	
• Separate LOG-ON procedure	-3	
• Display of guidance information	-4	
• Only necessary information displa	yed -5	
• Consistent display format	-6	
o Consistent format for user guidan	ce -7	
• Distincitve format for user guida	nce -8	
o Distinctive cursor	-9	
• Clear control labels	-10	
• Clear data labels	-11	
• Highlighting critical user guidan	ce -12	
• Consistent coding conventions	-13	
o Familiar coding conventions	-14	
<ul> <li>Consistent wording</li> </ul>	-15	
o Familiar wording	-16	_
o Task-oriented wording	-17	
o Affirmative statements	-18	
o Active voice	-19	
o Temporal sequence	-20	
o Consistent grammatical structure	-21	
• Flexible user guidance	-22	
o Easy ways to get guidance	-23	

Ś,

2

Ĭ.

子ぞん。

対応に

語れていた。

たべてに

USER GUIDANCE	Status	Information	4.1		
<ul> <li>Indicating status</li> </ul>			-1		
• Automatic LOG-ON dis	play		-2		
o LOG-ON delay			-3		_
• Keyboard lock			-4		
• Operational mode			-5		_
• Other users			-6		
<ul> <li>System load</li> </ul>			-7		
• External systems			-8		
• Date and time signal	S		-9		
• Alarm settings			-10	· · · · · ·	

Co	mment	
Ratin	8	
Weight-		
	1	Ì
V	V	V

USER GUIDANCE	Routine Feedback	4.2	
• Consistent feedback		-1	
• Fast response		-2	
<ul> <li>Feedback for control</li> </ul>	entries	-3	
o Indicating completio	n of processing	-4	
<ul> <li>Feedback for print r</li> </ul>	equests	-5	
• Display identificati	on	-6	
dentifying multipag	e displays	-7	
Indicating operation	al mode	-8	
Indicating option se	lection	-9	
n Indicating item sele	ction	-10	
<ul> <li>Feedback for user in</li> </ul>	terrupt	-11	

USER GUIDANCE	Error Feedback 4.3	
<ul> <li>Informative error messages</li> <li>Specific error messages</li> <li>Task-oriented error messages</li> <li>Advisory error messages</li> <li>Brief error messages</li> </ul>	s -1 -2 ges -3 -4 -5	
<ul> <li>Neutral wording for error</li> <li>Multilevel error messages</li> <li>Multiple error messages</li> <li>Indicating repeated errors</li> <li>Non-disruptive error messages</li> </ul>	messages     -6     -7     -7       -7     -8     -7       s     -9     -7       ages     -10     -7	
<ul> <li>Appropriate response time</li> <li>Documenting error messages</li> <li>Cursor placement following</li> <li>User editing of entry error</li> <li>Cautionary messages</li> </ul>	for error messages -11          s       -12          g error       -13          ors       -14          -15	
<ul> <li>User confirmation of dest:</li> <li>Alarm coding</li> </ul>	ructive entries -16 -17	

Commen	t-
Rating-	1
Weight-	
V V	V

USER GUIDANCE	Job Aids 4.4	
• Guidance information always	available -1	
• General list of control opti	.ons -2	
• Logical menu structure	-3	
• Hierarchic menus	-4	
• Guidance for sequence contro	ol -5 <sup>–</sup>	
•		
• Transaction specific option	display -6	
• Prompting entries	-7	
o Standard display location fo	r prompting -8	
o User-requested prompts		
• Displayed context	-10	
• Cues for prompting data entr	-11	
• Consistent cursor positionin	-12	
• On-line system ouidance	-6 -13 -	
a Inday of data	-14	
a Index of commands	-17 -	
o maex of commands	-15 _	
. Distingues of otherwisting	-16	
• Dictionary of abbreviations	-10 _	
• Definition of display codes	-1/ -	
• Record of past transactions	-10 -	
• HELP	-19 _	
o Standard action to request h	1ELP -20 _	
o Task-oriented HELP	+21 _	
o Clarifying HELP requests	-22	
o Multilevel HELP	-23	
o Browsing HELP	-24	
<ul> <li>On-line training</li> </ul>	-25	
o Flexible training	-26	
o Adaptive training	-27	

Ê

2

ŝ

N.S.S.

Com	ment	
Rating		
Weight-	1	
V	Ŷ	Ý

USER GUIDANCE	User	Records	4.	5		
• User performance measurement	5			-1		
<ul> <li>Notifying users</li> </ul>				-2		
<ul> <li>Transaction records</li> </ul>				-3		
<ul> <li>Data access records</li> </ul>				-4		
<ul> <li>Program use records</li> </ul>				-5		_
<ul> <li>Error records</li> </ul>				-6		
• HELP records				-7		
USER GUIDANCE I	Design	Change	4.	6		
• Flexible design for user gui	idance			-1		
• Notifying users of design ch	hanges			-2		

のなななと

Comme	ent-
Rating-	
Weight-	
7 7	7 7

DATA TRANSMISSION	General 5.0	
• Consistent procedures	-1	
<ul> <li>Minimal user actions</li> </ul>	-2	
<ul> <li>Minimal memory load on user</li> </ul>	-3	
• Message composition compatible with	th data	
entry	-4	
o Message viewing compatible with d	ata display -5	
• Flexible user control	-6	
<ul> <li>Control by explicit user action</li> </ul>	-7	

DATA TRANSMISSION	Data Type 5.1	
<ul> <li>User-designed formats</li> </ul>	-1	
• Automatic text formatting	-2	
<ul> <li>Unformatted text</li> </ul>	-3	
• Data forms	-4	
o Tables and graphics	-5	
<ul> <li>Message highlighting</li> </ul>	-6	

DATA TRANSMISSION	Sending 5.2	
• Source selection	-1	
<ul> <li>Destination selection</li> </ul>	-2	
<ul> <li>Status information</li> </ul>	-3	
<ul> <li>Assignment of priority</li> </ul>	-4	
• Message printing	-5	
••••		

DATA TRANSMISSION	Receiving 5.3	
• Source selection	-1	
<ul> <li>Destination selection</li> </ul>	-2	
o Receipt by priority	-3	

DATA TRANSMISSION       Transmission Control       5.4         • Functional wording       -1         • Flexible data specification       -2         • Automatic message formatting       -3         • Automatic message routing       -4         • Automatic message routing       -4         • Automatic message initiation       -5         • User review of transmitted data       -6         DATA TRANSMISSION       Feedback       5.5         • Automatic feedback       -1         • Feedback for message sent       -2         • Information about messages received       -3         • User specification of feedback       -1         • Peferring message transmissions       -3         • Queuing failed transmissions       -3         • Queuing messages received       -4         • Non-disruptive message receipt       -5         • Priority indicating for messages received       -7         DATA TRANSMISSION       Record Keeping       5.7         • Automatic record keeping       -1	Comm Rating- ight-   V
• Functional wording       -1         • Flexible data specification       -2         • Automatic message formatting       -3         • Automatic message routing       -4         • Automatic message initiation       -5         • User review of transmitted data       -6         DATA TRANSMISSION       Feedback       5.5         • Automatic feedback       -1         • Feedback for message sent       -2         • Information about messages received       -3         • User specification of feedback       -4         DATA TRANSMISSION       Queuing       5.6         • Automatic queuing       -1         • Deferring message transmissions       -3         • Queuing failed transmissions       -3         • Queuing messages received       -4         • Non-disruptive message receipt       -5         • Priority indicating for messages received       -6         • User review of messages received       -7         DATA TRANSMISSION       Record Keeping       5.7         • Automatic record keeping       -1	
<ul> <li>Flexible data specification -2</li> <li>Automatic message formatting -3</li> <li>Automatic message routing -4</li> <li>Automatic message initiation -5</li> <li>User review of transmitted data -6</li> </ul> DATA TRANSMISSION Feedback 5.5 <ul> <li>Automatic feedback -1</li> <li>Feedback for message sent -2</li> <li>Information about messages received -3</li> <li>User specification of feedback -4</li> </ul> DATA TRANSMISSION Queuing 5.6 <ul> <li>Automatic queuing -1</li> <li>Deferring message transmissions -3</li> <li>Queuing failed transmissions -3</li> <li>Queuing messages received -4</li> <li>Non-disruptive message receipt -5</li> <li>Priority indicating for messages received -7</li> </ul> DATA TRANSMISSION Record Keeping 5.7 Automatic record keeping -1	
<ul> <li>Automatic message formatting -3</li> <li>Automatic message routing -4</li> <li>Automatic message initiation -5</li> <li>User review of transmitted data -6</li> </ul> DATA TRANSMISSION Feedback 5.5 <ul> <li>Automatic feedback -1</li> <li>Feedback for message sent -2</li> <li>Information about messages received -3</li> <li>User specification of feedback -4</li> </ul> DATA TRANSMISSION Queuing 5.6 <ul> <li>Automatic queuing -1</li> <li>Deferring message transmissions -3</li> <li>Queuing failed transmissions -3</li> <li>Queuing messages received -4</li> <li>Non-disruptive message receipt -5</li> <li>Priority indicating for messages received -7</li> </ul> DATA TRANSMISSION Record Keeping 5.7 Automatic record keeping -1	
<ul> <li>Automatic message routing -4</li> <li>Automatic message initiation -5</li> <li>User review of transmitted data -6</li> </ul> DATA TRANSMISSION Feedback 5.5 <ul> <li>Automatic feedback -1</li> <li>Feedback for message sent -2</li> <li>Information about messages received -3</li> <li>User specification of feedback -4</li> </ul> DATA TRANSMISSION Queuing 5.6 <ul> <li>Automatic queuing -1</li> <li>Deferring message transmissions -3</li> <li>Queuing failed transmissions -3</li> <li>Queuing messages received -4</li> <li>Non-disruptive message receipt -5</li> <li>O Priority indicating for messages received -6</li> <li>User review of messages received -7</li> </ul>	
Automatic message initiation     -5     User review of transmitted data     -6  DATA TRANSMISSION     Feedback     5.5     Automatic feedback     -1     Feedback for message sent     -2     Information about messages received     -3     User specification of feedback     -4  DATA TRANSMISSION     Queuing 5.6      Automatic queuing     -1     Deferring message transmission     -2     Queuing failed transmission     -3     Queuing messages received     -4 Non-disruptive message receipt     -5     Priority indicating for messages received     -7  DATA TRANSMISSION     Record Keeping     -1  DATA TRANSMISSION     Record Keeping     -1	
• User review of transmitted data -6 <u>DATA TRANSMISSION Feedback 5.5</u> • Automatic feedback -1 • Feedback for message sent -2 • Information about messages received -3 • User specification of feedback -4 <u>DATA TRANSMISSION Queuing 5.6</u> • Automatic queuing -1 • Deferring message transmissions -3 • Queuing failed transmissions -3 • Queuing messages received -4 • Non-disruptive message receipt -5 • Priority indicating for messages received -6 • User review of messages received -7 <u>DATA TRANSMISSION Record Keeping 5.7</u> • Automatic record keeping -1	
DATA TRANSMISSION       Feedback       5.5         • Automatic feedback       -1         • Feedback for message sent       -2         • Information about messages received       -3         • User specification of feedback       -4         DATA TRANSMISSION       Queuing       5.6         • Automatic queuing       -1         • Deferring message transmission       -2         • Queuing failed transmissions       -3         • Queuing messages received       -4         • Non-disruptive message receipt       -5         • Priority indicating for messages received       -6         • User review of messages received       -7         DATA TRANSMISSION       Record Keeping       5.7         • Automatic record keeping       -1	
<ul> <li>Automatic feedback</li> <li>Feedback for message sent</li> <li>Information about messages received</li> <li>User specification of feedback</li> <li>User specification of feedback</li> <li>Automatic queuing</li> <li>Automatic queuing</li> <li>Deferring message transmission</li> <li>Queuing failed transmissions</li> <li>Queuing messages received</li> <li>Non-disruptive message receipt</li> <li>Non-disruptive messages received</li> <li>Priority indicating for messages received</li> <li>User review of messages received</li> <li>Automatic record keeping</li> <li>Automatic record keeping</li> </ul>	
<ul> <li>Feedback for message sent -2</li> <li>Information about messages received -3</li> <li>User specification of feedback -4</li> </ul> DATA TRANSMISSION Queuing 5.6 <ul> <li>Automatic queuing -1</li> <li>Deferring message transmission -2</li> <li>Queuing failed transmissions -3</li> <li>Queuing messages received -4</li> <li>Non-disruptive message receipt -5</li> <li>Priority indicating for messages received -6</li> <li>User review of messages received -7</li> </ul> DATA TRANSMISSION Record Keeping 5.7 Automatic record keeping -1	
<ul> <li>Information about messages received -3</li> <li>User specification of feedback -4</li> </ul> DATA TRANSMISSION Queuing 5.6 <ul> <li>Automatic queuing -1</li> <li>Deferring message transmission -2</li> <li>Queuing failed transmissions -3</li> <li>Queuing messages received -4</li> <li>Non-disruptive message receipt -5</li> <li>Priority indicating for messages received -6</li> <li>User review of messages received -7</li> </ul> DATA TRANSMISSION Record Keeping 5.7 <ul> <li>Automatic record keeping -1</li> </ul>	
User specification of feedback -4      DATA TRANSMISSION Queuing 5.6      Automatic queuing -1     Deferring message transmission -2     Queuing failed transmissions -3     Queuing messages received -4     Non-disruptive message receipt -5     O Priority indicating for messages received -6     User review of messages received -7  DATA TRANSMISSION Record Keeping 5.7      Automatic record keeping -1	
DATA TRANSMISSION       Queuing       5.6         • Automatic queuing       -1         • Deferring message transmission       -2         • Queuing failed transmissions       -3         • Queuing messages received       -4         • Non-disruptive message receipt       -5         • Priority indicating for messages received       -6         • User review of messages received       -7         DATA TRANSMISSION       Record Keeping       5.7         • Automatic record keeping       -1	
<ul> <li>Deferring message transmission -2</li> <li>Queuing failed transmissions -3</li> <li>Queuing messages received -4</li> <li>Non-disruptive message receipt -5</li> <li>Priority indicating for messages received -6</li> <li>User review of messages received -7</li> <li>DATA TRANSMISSION Record Keeping 5.7</li> <li>Automatic record keeping -1</li> </ul>	
• Queuing failed transmissions       -3         • Queuing messages received       -4         • Non-disruptive message receipt       -5         • Priority indicating for messages received       -6         • User review of messages received       -7         DATA TRANSMISSION       Record Keeping       5.7         • Automatic record keeping       -1	
• Queuing messages received       -4         • Non-disruptive message receipt       -5         • Priority indicating for messages received       -6         • User review of messages received       -7         DATA TRANSMISSION       Record Keeping       5.7         • Automatic record keeping       -1	<u> </u>
<ul> <li>Non-disruptive message receipt -5</li> <li>Priority indicating for messages received -6</li> <li>User review of messages received -7</li> <li>DATA TRANSMISSION Record Keeping 5.7</li> <li>Automatic record keeping -1</li> </ul>	·
<ul> <li>Priority indicating for messages received -6</li> <li>User review of messages received -7</li> <li>DATA TRANSMISSION Record Keeping 5.7</li> <li>Automatic record keeping -1</li> </ul>	
<ul> <li>User review of messages received -7</li> <li>DATA TRANSMISSION Record Keeping 5.7</li> <li>Automatic record keeping -1</li> </ul>	
DATA TRANSMISSION     Record Keeping     5.7       • Automatic record keeping     -1	
DATA TRANSMISSION Design Change 5.8	
Blauible design for data transmission 1	

Comment-7		
Rating	51	
Weight-	1	
-	l	
V	V	V

DATA PROTECTION	General 6.0	
• Automatic security measures	-1	
<ul> <li>Consistent procedures</li> </ul>	-2	
• Control by explicit user action	-3	
• Feedback for mode selection	-4	
• Appropriate response to all entri-	es -5	
• User review and editing of entries	s -6	
• Resolving ambiguous entries	-7	
• Users warned of threats to securi	tv -8	

ALTER ALTERATION STATISTICS

SUPPORT STATE

1. S. M.

.

,

DATA PROTECTION	User Identification	6.1	
• Easy LOG-ON		-1	
o Prompting LOG-ON		-2	
• User choice of passw	ords	-3	
o Private entry of pas	swords	-4	
• Continuous recogniti	on of user identity	-5	· · · · · · ·

DATA PROTECTION	Data Access 6.2		
• Single authorization for data	access -1	 	•
<ul> <li>Displayed security classification</li> </ul>	ation -2	 	
• User editing of displayed dat	<b>-3</b>		
• Protecting displayed data	-4		
o Protecting display formats	<del>-</del> 5	 	•
<ul> <li>Easy display suppression</li> </ul>	-6		•
• Printing protected data	-7	 	•
• Automatic records of data acc	cess -8	 	•

Comment-Weight-| ▼ Ŷ

V

AND A DESCRIPTION OF A

DATA PROTECTION Data Entry/Change	6.3	
<ul> <li>Single authorization for data entry/change</li> <li>Data entry/change transaction records</li> <li>Protection from data change</li> <li>Segregating real from simulated data</li> <li>Emphasizing accuracy</li> </ul>	e -1 -2 -3 -4 -5	· · · ·
<ul> <li>Simple procedures</li> <li>Displaying default values</li> <li>Explicit user actions</li> <li>Single entry of related data</li> <li>User editing of data before entry</li> </ul>	-6 -7 -8 -9 -10	
<ul> <li>o Immediate error correction</li> <li>o User editing of entry errors</li> <li>• Flexible BACKUP for error correction</li> <li>• Explicit entry of corrections</li> <li>• Data verification by user review</li> </ul>	-11 -12 -13 -14 -15	
<ul> <li>Automatic data generation</li> <li>Validation of changed data</li> <li>Cross validation of changed data</li> <li>Displaying data to be changed</li> <li>User confirmation of destructive actions</li> </ul>	-16 -17 -18 -19 -20	

DATA PROTECTION	Data Transmission	6.4
<ul> <li>Automatic protectio</li> </ul>	n of transmitted data	-1
• User review of data	before transmission	-2
<ul> <li>Saving sent data un</li> </ul>	til receipt is confirmed	-3
<ul> <li>Queuing received me</li> </ul>	ssages	-4
• Printing messages	5	-5

Comment-		-
Rating-	٦	
Weight-	1	
-	Ì	
<b>V</b>	Ý.	V

DATA PROTECTION Loss Prevention 6	.5	
<ul> <li>Protecting data from computer failure</li> <li>Protecting data from other users</li> </ul>	-1 -2	
<ul> <li>Protecting data from interrupt actions</li> </ul>	-3	
• Segregating real from simulated data	-4	
• Appropriate ease/difficulty of user actions	-5	 
• Standard procedures	-6	
• Disabling unneeded controls	-7	
o Protecting controls	-8	
• Data entry independent of cursor placement	-9	
<ul> <li>Displaying data to be changed</li> </ul>	-10	
<ul> <li>User review of interpreted commands</li> </ul>	-11	
<ul> <li>Protective defaults</li> </ul>	-12	
• Explicit user action to select destructive		
modes	-13	
<ul> <li>Protecting data from user error</li> </ul>	-14	
• Distinctive file names	-15	
• Preventing data loss at LOG-OFF	-16	
• Warning users of potential data loss	-17	
• User confirmation of destructive actions	-18	
o Distinctive CONFIRM action	-19	
<ul> <li>Reversible control actions: UNDO</li> </ul>	-20	

6

Y

ł

ŝ

DATA PROTECTION	Design Chan	ge 6.6
• Flexible desi	ign for data protection	-1
• Protection fr	com design change	-2

#### APPENDIX B

でいたが、ためたためたたた。というたちため

San Grant

#### SAMPLE CHECKLIST ENTRIES

This appendix presents a portion of the USI design evaluation checklist showing sample entries for data entry functions. In the sample shown here, numbers have been entered from zero to ten to represent agreed weightings and judged ratings of different design guidelines. Those numbers are fanciful, and are included here only for illustrative purposes. They do not represent a design evaluation of any real system.

### DESIGN EVALUATION FOR USI SOFTWARE

С,

1

)

際ならや近

System: COMCON Date: 8-15-14 Evaluator: St. Smith

		Con	ment	- <u>-</u> ]
	Guideline Number   ⊽	Rating Weight	7     	     <b>V</b>
DATA ENTRY Ger	eral 1.0			
<ul> <li>Entry via primary display</li> <li>Feedback during data entry</li> <li>Fast response</li> <li>Single method for entering data</li> <li>Defined display areas for data entry</li> </ul>	-1 -2 -3 -4 7 -5	7 10 10 7 7	North Charles	
<ul> <li>Consistent method for data change</li> <li>User-paced data entry</li> <li>Explicit ENTER action</li> <li>ENTER key labeling</li> <li>Explicit CANCEL action</li> </ul>	-6 -7 -8 -9 -10	3 0 7 3 0	5 100	<ul> <li></li> &lt;</ul>
<ul> <li>Feedback for completion of data entries</li> <li>Feedback for repetitive data entries</li> <li>Feedback when changing data</li> <li>Keeping data items short</li> <li>Partitioning long data items</li> </ul>	ry -11 -12 -13 -14 -15	7 0 7 0 0	\$  Ø 	• • • •
<ul> <li>Optional abbreviation</li> <li>Distinctive abbreviation</li> <li>Consistent abbreviation rule</li> <li>Minimal exceptions to abbreviation r</li> <li>Minimal deviation from abbreviation</li> </ul>	-16 -17 -18 rule -19 rule -20	3 3 5 3 3	516/5755	۲ ۲ ۲
<ul> <li>o Fixed abbreviation length</li> <li>o Clarifying unrecognized abbreviation</li> <li>Prompting data entry</li> <li>Character entry via single keystroke</li> <li>o Minimal shift keying</li> </ul>	-21 15 -22 -23 2 -24 -25	0 5 5 0 0	15:51	• • • •
<ul> <li>Upper/lower case equivalent</li> <li>Decimal point optional</li> <li>Leading zeros optional</li> <li>Single/multiple blanks equivalent</li> </ul>	-26 -27 -28 -29	0 0 0 0		•

	V	Con Rating Veight	ment     V	
DATA ENTRY Position Designation	1.1			
• Distinctive cursor	-1	10	10	•
o Non-obscuring cursor	-2	10	7	61
o Precise pointing	-3	0		•
• Explicit activation	-4	10	10	•
• Fast Response	-5	10	5	r
• Stable cursor	-6	3	10	•
<ul> <li>Responsive cursor control</li> </ul>	-7	0		•
<ul> <li>Consistent incremental positioning</li> </ul>	-8	10	10	•
o Variable step size	-9	0		•
o Proportional spacing	-10	0		•
<ul> <li>Continuous cursor positioning</li> </ul>	-11	0		
<ul> <li>Direct pointing</li> </ul>	-12	10	10	•
o Large pointing area for option selection	-13	7	2	5
• Cursor control at keyboard	-14	5	<u>10</u>	۲
• Compatible control of cursor movement	-15	0		٠
• Minimal use of multiple cursors	-16	0		٠
o Distinctive multiple cursors	-17	0		•
o Distinctive control of multiple cursors	-18	0		•
o Compatible control of multiple cursors	-19	0	_	·
• Consistent HOME position	-20	3	<u>0</u>	•
• Consistent cursor placement	-21	5	5	r
<ul> <li>Easy cursor movement to data fields</li> </ul>	-22	3	4	5
<ul> <li>Display format protection</li> </ul>	-23	7	10	•
• Data entry independent of cursor placement	-24	7	10	•

D	ATA ENTRY	Direction Designat	ion 1.2	
•	Analog entry of	estimated direction	-1	U
٠	Keyed entry of o	quantified direction	-2	0

Cor	nmerit	
Rating	B-1	i
Weight-	1	1
-	1	
, V	V	V

DATA ENTRY	Text 1.3	
<ul> <li>Adequate display capacity</li> <li>Full editing capabilities during t</li> <li>Free cursor movement</li> <li>Control antries distinct from text</li> <li>Natural units of text</li> </ul>	-1 ext entry -2 -3 -4 -5	
<ul> <li>c Control entry based on units of te</li> <li>c Highlighting specified text</li> <li>b Cursor movement by units of text</li> <li>C String search</li> <li>c Upper/lower case equivalent in sea</li> </ul>	xt -6 -7 -8 -9 rch -10	3 3 3 2 V V V V V V V V V V V V V V V V
<ul> <li>Specifying case in search</li> <li>Global search and replace</li> <li>Case in global search and replace</li> <li>Automatic pagination aids</li> <li>User control of pagination</li> </ul>	-11 -12 -13 -14 -15	0 · 0 · 0 · 0 ·
<ul> <li>Controlling integrity of text unit</li> <li>Automatic line break</li> <li>Consistent word spacing</li> <li>Hyphonation by msers</li> <li>Format control by user</li> </ul>	s -16 -17 -18 -19 -20	$\begin{array}{cccc} 0 & \cdot \\ 8 & \overline{D} & \cdot \\ 8 & \overline{D} & \cdot \\ 5 & \overline{D} & \cdot \\ 10 & \overline{S} & \cdot \end{array}$
<ul> <li>Establishing predefined formats</li> <li>Storing user-defined formats</li> <li>Moving text</li> <li>Storing frequently used text</li> <li>Necessary data displayed</li> </ul>	-21 -22 -23 -24 -25	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
e Text distinct from annotation • Frinting for proofreading • Text displayed as printed • Flexible printing options • Information on printing status	-26 -27 -28 -29 -30	5 <u>5</u> . 0 <u> </u>
<ul> <li>Auditory signals for alerting user</li> <li>Protecting text during page overrue</li> <li>Confirming actions in DELETE mode</li> <li>Reversible actions</li> <li>User confirmation of editing change</li> </ul>	rs -31 ins -32 -33 -34 ges -35	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

があるというないではないです。

、ためたいなど、教育などのない。ためとなどは、「ためための」のなどなどが相応に

e.

	Coi	mnent	5
Rat	tin;	<b>5</b> -1	
Weight-	-1	1	
-	ĺ	Í	Í
	7	7	7

DATA ENTRY	Date Forms 1.4	
<ul> <li>Single entry of related data</li> <li>Flexible interrupt</li> <li>Minimal use of delimiters</li> <li>Standard delimiter character</li> <li>Data field labels</li> </ul>	-1 -2 -3 -4 -5	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Consistent labeling</li> <li>Protected labels</li> <li>Labels close to data fields</li> <li>Marking field boundaries</li> <li>Prompting field length</li> </ul>	-6 -7 -8 -9 -10	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
<ul> <li>Marking required/optional dat</li> <li>Automatic justification of va entries</li> <li>Explicit tabbing to data field</li> <li>Distinctive label format</li> <li>Consistent label format</li> </ul>	a fields -11 riable-length -12 ds -13 ~14 -15	0 8 <u> 0</u> . 9 <u>8</u> . 7 <u>8</u> .
<ul> <li>o Label punctuation as entry cu</li> <li>Informative labels</li> <li>Data format cueing in labels</li> <li>o Labeling units of measurement</li> <li>o Familiar units of measurement</li> </ul>	e16 -17 -18 -19 -20	
<ul> <li>Alternative units of measurem</li> <li>Form compatible for data entr</li> <li>Form compatible with source d</li> <li>Minimal Cursor positioning</li> <li>Data items in logical order</li> </ul>	ent -21 y and display -22 ocuments -23 -24 -25	
• Automatic cursor placement	-26	3 <u>5</u> r

# DATA ENTRY

4

r

Tables 1.5

<ul> <li>Tables for related data sets</li> <li>Distinctive labels</li> <li>Informative labels</li> <li>Tabbing within rows</li> <li>Tabbing within columns</li> </ul>	-1 -2 -3 -4 -5	10 <u>/c</u> 2 <u>/0</u> 4 <u>/0</u> 10 <u>/0</u>
<ul> <li>Automatic justification of entries</li> <li>Justification of numeric entries</li> <li>Aiding entry of duplicative data</li> <li>Row scanning cues</li> </ul>	-6 •7 -8 -9	

Cor	ment	
Rating	<u>,                                     </u>	
Weight		ļ
	1	ł
v	Ý	À

¥

# DATA ENTRY Graphics 1.6

(No entries)

v

Contraction of the local division of the loc

DATA ENTRY	Data Validation 1.	7		
<ul> <li>Automatic data validatio</li> <li>Accepting correct entrie</li> <li>Non-disruptive error mes</li> <li>Deferral of required dat</li> <li>Reminder of deferred ent.</li> </ul>	n s sages a antry ry	-1 -2 -3 -4 -5	$\begin{array}{c} 10 \\ 10 \\ 4 \\ \overline{b} \\ 0 \\ 0 \\ 0 \\ 0 \end{array}$	
<ul> <li>Timely validation of seq</li> <li>Optional item-by-item validation</li> </ul>	uential transactions lidation	-6 -7	0 <u> </u>	

DATA	ENTRY	Other Data Processing	1.8			
• De o Us c Di: o Ea o Te	fault values er definition of splay of default sy confirmation mporary replacem	default values values to enter default values ent of cefault values	-1 -2 -3 -4 -5	0 0 0 0		
<ul> <li>Au</li> <li>Au</li> <li>Us</li> <li>Au</li> <li>Au</li> </ul>	romatic generati tomatic computat er review of pri tomatic entry of tomatic cross-fi	on of routine data ion of derived data or entries redundant data le updating	~6 -7 -8 -9 -10	10 10 0 0 10	<u>10</u> 10 10	· • · · •

DATA ENTRY	Design Ch	lange 2 1.9			
• Flexible design	for data entry	-1	10	2	۶.

#### APPENDIX C

#### SAMPLE DESIGN ANALYSIS

The following pages illustrate the kind of analysis that could be based on the USI design evaluation checklist. The example shown here assumes that the sample checklist for data entry functions invented in Appendix B has been extended to include all USI functional areas. Since that checklist represents a fictional evaluation, this design analysis is also fictional, and does not represent an evaluation of any actual system.

In this sample analysis, it is assumed that an evaluator has assigned ratings to all required items in the checklist. This is indicated in the computer-generated report. In an actual system evaluation, that will not always be true. Some items may have been left unrated because of inadequate design information. In such a case, the computer might provide a partial design analysis. Or, if many ratings have been omitted, the computer might report that no useful analysis can be made.

The analysis begins at a general level, assessing overall USI design quality in relation to defined requirements. The analysis continues at levels of increasing detail, to provide a diagnostic evaluation of design compliance for different USI functional areas, and for specific functions within each area.

Various information is provided at different levels of analysis, including derived measures of design quality. The measures proposed here illustrate several promising possibilities. Still other measures might be derived from the itemized design evaluation checklist to match particular system requirements.

As noted in the text of this report, such a detailed design Analysis can be tedious using manual methods, although it is certainly feasible. It would be helpful to provide computer aids for such an analysis. If the weightings and ratings of USI jesign evaluation can be assigned on-line, as entries to an automated checklist, then it should be possible to provide a computergenerated summary and detailed diagnostic information, quickly and accurately. The computer output might look much like that imagined in the following pages. DESIGN EVALUATION FOR USI SOFTWARE

System: COMCON (proposed design) Date: 15 August 1984 Evaluator: S. L. Smith

#### SUMMARY

All required items have been rated, and so a comprehensive analysis of user interface software can be made.

Overall achievement of USI design objectives is here estimated at 78 percent. This figure represents a weighted average of assigned ratings for all required items, in relation to maximum possible ratings.

This figure indicates generally good achievement of design objectives, but with a need for further improvement. A profile of weighted design quality in six USI functional areas shows that improvement is needed in the design of user guidance and data protection functions:



A more detailed evaluation of USI design is presented in the following pages.

# ARY

#### FUNCTIONAL AREAS

Mean weights and ratings of design features for six USI functional areas are tabulated below.

	(A)	(B)	(C)	(D)	(E)	(F)	(G)
	Design Guidelines		Required Guidelines		Computed Design Quality		
	Liste	d Requ No.	ired %	Mean Weight	Mean Rating	Value	%
1. Data Entry	143	83	58	6.9	8.3	4846	85
2. Data Display	163	138	85	7.8	7.9	8678	81
3. Sequence Control	168	49	29	7.3	8.6	3010	84
4. User Guidance	97	39	40	8.1	6.4	1977	62
5. Data Transmission	40	16	40	7.7	8.9	1145	93
6. Data Protection	68	56	82	6.3	6.9	2358	66
Overall	679	381	56	7.3	7.8	22014	78

(A) = total number of guidelines in the design evaluation checklist.

(B) = number of required guidelines, i.e., those weighted above zero.

(C) = percent of listed guidelines that are required.  $[= 100 \times B/A]$ 

(D) = mean weight (1-10) assigned to required guidelines.

(E) = mean rating (0-10) of design compliance for required guidelines.

- (F) = computed sum of weighted design compliance, i.e., total of weights multiplied by ratings for required guidelines.
- (G) = percent of actual design quality achieved in relation to maximum
   potential compliance.
   [= 100 x F/(BxDx10) subject to rounding errors]

Overall design bias computed from this table is 1.5 percent. Design bias refers to a tendency for compliance to be greater for required design features that are assigned greater weight. Design bias is computed as  $100 \times (F/(BxDxE) - 1)$ .

The computed bias indicates that design compliance for this system is not significantly related to the weighting of required design features. For further improvement of USI design, it will be necessary to examine instances in which high-weighted features have received low ratings of design compliance.

A more detailed evaluation is presented separately for each USI functional area in the following pages.

#### DATA ENTRY

4

4

7

Mean weights and ratings of design guidelines for data entry functions are tabulated below. For a more detailed review of data entry functions, consult items in that section of the USI design evaluation checklist.

	(A)	(B)	(C)	(D)	(E)	(F)	(G)
	Desig	n		Requir	red	Comput	ted
	Guide	lines		Guide	lines	Design	n İ
	Listo	d Poou	ired	Moan	Moan	Quali:	ty
	LISCE	No.	%	Weight	Rating	Value	%
1.0 General	29	17	59	5.6	8.2	814	87
1.1 Position	24	14	58	6.8	8.9	882	88
1.2 Direction	2	0	0	- 1	-	-	-
1.3 Text	35	23	66	6.6	7.3	1211	80
1.4 Data Forms	26	16	62	7.3	8.4	969	84
1.5 Tables	9	6	67	7.3	10.0	440	100
1.6 Graphics	0	-	-	-	-	-	-
1.7 Data Validation	7	3	43	8.0	9.7	230	96
1.8 Other Processing	10	3	30	10.0	9.3	280	93
1.9 Design Change	1	1	100	10.0	2.0	20	20
Overall Data Entry	143	83	58	6.9	8.3	4846	85

Evaluator comments on specific guidelines are provided for 31 items.

The following high-weighted guidelines with low ratings of design compliance will require special attention to improve USI design.

		<u>Weight</u>	<u>Rating</u>
1.1-5	Fast response	10	5
1.4-5	Data field labels	10	2
1.9-1	Flexible design for data entry	10	2

\* \* \* \* \*

[A complete design analysis would continue with similar pages for five other USI functional areas. Those pages are omitted in this sample.]