

AD-A159 323

WEDGES USED FOR FILM CASSETTE PROTECTION(U) ARMY  
BALLISTIC RESEARCH LAB ABERDEEN PROVING GROUND MD  
G L BOYCE JUL 85 BRL-MR-3454


1/1

UNCLASSIFIED

F/G 14/5

NL

								END					
								FILED					
								DTIC					



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

2

AD



US ARMY  
MATERIEL  
COMMAND

MEMORANDUM REPORT BRL-MR-3454

AD-A159 323

WEDGES USED FOR  
FILM CASSETTE PROTECTION

Gary L. Boyce

July 1985

DTIC  
ELECTE  
SEP 23 1985  
S D  
K I

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

US ARMY BALLISTIC RESEARCH LABORATORY  
ABERDEEN PROVING GROUND, MARYLAND

DTIC FILE COPY

85 09 04 023

Destroy this report when it is no longer needed.  
Do not return it to the originator.

Additional copies of this report may be obtained  
from the National Technical Information Service,  
U. S. Department of Commerce, Springfield, Virginia  
22161.

The findings in this report are not to be construed as an official  
Department of the Army position, unless so designated by other  
authorized documents.

The use of trade names or manufacturers' names in this report  
does not constitute indorsement of any commercial product.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER MEMORANDUM REPORT BRL-MR-3454	2. GOVT ACCESSION NO. AD-A159323	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) WEDGES USED FOR FILM CASSETTE PROTECTION	5. TYPE OF REPORT & PERIOD COVERED	
	6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) Gary L. Boyce	8. CONTRACT OR GRANT NUMBER(s)	
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Ballistic Research Laboratory ATTN: AMXBR-TBD Aberdeen Proving Ground, MD 21005-5066	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 1L162618AH80	
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Ballistic Research Laboratory ATTN: AMXBR-OD-ST Aberdeen Proving Ground, MD 21005-5066	12. REPORT DATE July 1985	
	13. NUMBER OF PAGES 21	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. (of this report) Unclassified	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release, distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Flash X-RAY                      Protection Explosives                      Wedges and Cones Blast Pressures                Cassette		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  This report discusses the protection of flash x-ray film cassettes during explosive tests. The problem is to protect the x-ray film while placing a minimum amount of material in the path of the x-rays. This report demonstrates that using a hollow wooden wedge, with a 60° included angle, on the front of the cassette, dramatically reduces the damage to the cassette and film.		

DD FORM 1473  
1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

TABLE OF CONTENTS

	Page
LIST OF ILLUSTRATIONS . . . . .	5
I. INTRODUCTION . . . . .	7
II. EXPERIMENTAL SETUP AND RESULTS . . . . .	7
III. CONCLUSION . . . . .	9
ACKNOWLEDGEMENTS . . . . .	11
DISTRIBUTION LIST . . . . .	19

Accession For	
DTIC GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
Distribution/	
Availability Codes	
Avail and/or	
Special	
A-1	



LIST OF ILLUSTRATIONS

Figure		Page
1	Film Cassette . . . . .	13
2	Penetration Curve for 300 KV Flash X-Ray System - Model 43733A . . .	14
3	Film Cassette without Wedge . . . . .	15
4	Film Cassette with Wedge. . . . .	16
5	Film Cassette in Chamber using 300 KV Flash X-Ray . . . . .	17
6	Film Cassette in Chamber using Cone or Wedge. . . . .	18

## I. INTRODUCTION

High voltage flash x-ray systems are frequently used for observing explosive events. During such tests the x-ray screen and film must be protected from the blast from the charge, but the areal density of the protection must be small enough so that the x-rays are not blocked. In outdoor ranges this problem is minimized, but not eliminated, by letting the cassettes move in response to the blast. In enclosed chambers the problem is more severe because the motion of the cassettes must be restricted. Tests in our blast chambers are usually performed with the object about 2 - 4m from the x-ray tubes and about 0.6m from the cassette which holds the screen and film. The standard x-ray cassettes, ~~shown in Figure 1~~, consist of layers of aluminum, felt, foam, and a steel backing. They are typically 450mm by 530mm in area. Based on the Hewlett Packard Flash X-ray Manual, our 300kV flash x-rays will penetrate the equivalent of 50mm of aluminum at a distance of 3m, ~~as shown in Figure 2~~. This means one can safely use 25mm of aluminum on the front of the cassette and still have some ability to penetrate the test charge. Experience indicates that this is adequate to protect the cassette for explosive charges of up to 0.5kg, but it is inadequate for larger charges.

This report discusses the use of hollow wooden cones or wedges on the front of the cassette. The technique appears to offer excellent protection with a minimum of areal density. A similar technique, involving an aluminum cone, has been used at the Los Alamos National Laboratory.<sup>1</sup>

## II. EXPERIMENTAL SETUP AND RESULTS

Tests were performed in similar circumstances with and without wooden cones or wedges. The setup without the extra protection is shown in Figure 3; with the extra protection, it is shown in Figure 4. An explosive charge of 2 or 4kg was detonated 508mm above a cover plate which consisted of either 25mm of aluminum or 25mm of plywood. The cover plate was supported on its edges by a steel frame which rested on the floor of the blast chamber. The cover plate area was 450mm by 530mm. The wedges or cones were made of 19.6 or 25.4mm plywood and had an included angle of  $60^{\circ}$ , as shown in Figure 4.

The data is shown in Table 1. With a  $60^{\circ}$  cone, a 25mm aluminum cover plate was undamaged by a 4kg charge. Without a cone, even a 2kg charge caused unacceptable damage. However, plywood cover plates did not provide acceptable protection, even with a cone.

1. LASL Phermex Data, Vol I,  
Mader, Neal, and Dick.



Table 1. Experimental Results

Cover Plate	Cylinder Comp-B charge	Angled Plywood Protector	Damage to Cover Plate
1. 7039 25 mm alum	4.5 pounds	60° Cone	No damage
2. 7039 25 mm alum	4.5 pounds	No cone	25 - 31.25mm bend
3. 25 mm plywood	4.5 pounds	60° cone	Destroyed cover plate
4. 7039 25 mm alum	9 pounds	60° cone	No damage
5. 25 mm alum	9 pounds	No cone	25 - 31.25mm bend
6. 9 mm alum/1" plywood 3 mm alum	4.5 pounds	60° cone	Front bent 25 mm Did not spall
7. 25 mm alum	4.5 pounds	60° wedge	No damage
8. 9 mm alum/25 mm plywood/3 mm alum	4.5 pounds	No cone	Excessive damage, alum plates would cause damage to screens

### III. CONCLUSION

A wooden cone or wedge provides considerable additional protection to a film cassette with a minimum of added areal density. This technique is being utilized in the blast chambers in Building 1186, as shown in Figures 5 and 6.

ACKNOWLEDGEMENTS

The author wishes to thank Dr. Robert Frey (BRL) and Mr. Al Kennedy (Hewlett Packard Representative) for their helpful discussions.






Figure 1. Film Cassette.

<b>GENERAL CONDITIONS</b>	0.7 Gross Film Density	6 Minute Development at 68°F (20°C)
	Kodak XR5 (RPR, Royal Blue)	Subject Close to Film
	Tl. 2 or Equivalent Screens	




Figure 2. Penetration Curve for 300 KV Flash X-Ray System - Model 43733A.




Figure 3. Film Cassette without Wedge.





Figure 4. Film Cassette with Wedge.



**CASSETTE USED IN CHAMBER**

Figure 5. Film Cassette in Chamber using 300 KV Flash X-Ray.






Figure 6. Film Cassette in Chamber using Cone or Wedge.

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
12	Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22304-6145	1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-LCE, Dr. N. Slagg Dover, NJ 07801-5001
1	HQDA DAMA-ART-M Washington, DC 20310	1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-LCN, Dr. P. Harris Dover, NJ 07801-5001
2	Chairman DOD Explosives Safety Board ATTN: Dr. T. Zaker COL O. Westry Room 856-C Hoffman Bldg 1 2461 Eisenhower Avenue Alexandria, VA 22331	1	Commander US Army Armament, Munitions and Chemical Command ATTN: SMCAR-ESP-L Rock Island, IL 61299
1	Commander US Army Materiel Command ATTN: AMCDRA-ST 5001 Eisenhower Avenue Alexandria, VA 22333-0001	1	Director Benet Weapons Laboratory US Army AMCCOM, ARDC ATTN: SMCAR-LCB-TL Watervliet, NY 12189
1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-TSS Dover, NJ 07801-5001	1	Commander US Army Aviation Research and Development Command ATTN: AMSAV-E 4300 Goodfellow Boulevard St. Louis, MO 63120
1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-LCE, Dr. R. F. Walker Dover, NJ 07801-5001	1	Director US Army Air Mobility Research and Development Laboratory Ames Research Center Moffett Field, CA 94035
1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-TDC Dover, NJ 07801	1	Commander US Army Communications - Electronics Command ATTN: AMSEL-ED Fort Monmouth, NJ 07703

DISTRIBUTION LIST

<u>No. of</u> <u>Copies</u>	<u>Organization</u>	<u>No. of</u> <u>Copies</u>	<u>Organization</u>
1	Commander ERADCOM Technical Library ATTN: DELSD-L (Reports Section) Fort Monmouth, NJ 07703-5301	1	Commander US Army Research Office ATTN: Chemistry Division P.O. Box 12211 Research Triangle Park, NC 27709-2211
1	Commander US Army Missile Command ATTN: AMSMI-R Redstone Arsenal, AL 35898	1	Commander Office of Naval Research ATTN: Dr. J. Enig, Code 200B 800 N. Quincy Street Arlington, VA 22217
1	Commander US Army Missile Command ATTN: AMSMI-YDL Redstone Arsenal, AL 35898	1	Commander Naval Sea Systems Command ATTN: Mr. R. Beauregard, SEA 64E Washington, DC 20362
1	Commander US Army Missile Command ATTN: AMSME-RK, Dr. R.G. Rhoades Redstone Arsenal, AL 35809	1	Commander Naval Explosive Ordnance Disposal Facility ATTN: Technical Library Code 604 Indian Head, MD 20640
1	Commander US Army Tank Automotive Command ATTN: AMSTA-TSL Warren, MI 48090	1	Commander Naval Research Laboratory ATTN: Code 6100 Washington, DC 20375
1	Director US Army TRADOC Systems Analysis Activity ATTN: ATAA-SL White Sands Missile Range, NM 88002	1	Commander Naval Surface Weapons Center ATTN: Code G13 Dahlgren, VA 22448
1	Commandant US Army Infantry School ATTN: ATSH-CD-CSO-OR Fort Benning, GA 31905	9	Commander Naval Surface Weapons Center ATTN: Mr. L. Roslund, R122 Mr. M. Stosz, R121 Code X211, Lib E. Zimet, R13 R.R. Bernecker, R13 J.W. Forbes, R13 S.J. Jacobs, R10 Dr. C. Dickinson J. Short, R12 Silver Spring, MD 20910
1	Commander US Army Development & Employment Agency ATTN: MODE-TED-SAB Fort Lewis, WA 98433		

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
4	Commander Naval Weapons Center ATTN: Dr. L. Smith, Code 3205 Dr. A. Amster, Code 385 Dr. R. Reed, Jr., Code 388 Dr. K.J. Graham, Code 3835 China Lake, CA 93555	1	Director Los Alamos Scientific Laboratory ATTN: John Ramsey P.O. Box 1663 Los Alamos, NM 87544
1	Commander Naval Weapons Station NEDED ATTN: Dr. Louis Rothstein, Code 50 Yorktown, VA 23691	1	Director Sandia National Lab ATTN: Dr. J. Kennedy Albuquerque, NM 87115
			<u>Aberdeen Proving Ground</u>
			Dir, USAMSAA ATTN: AMXSY-D AMXSY-MP, H. Cohen
1	Commander in Chief US Atlantic Fleet ATTN: G-4 (NSAP) Norfolk, VA 23511		Cdr, USATECOM ATTN: AMSTE-TO-F Cdr, CRDC, AMCCOM, ATTN: SMCCR-RSP-A SMCCR-MU SMCCR-SPS-IL
1	Commander Air Force Rocket Propulsion Laboratory ATTN: Mr. R. Geisler, Code AFRPL MKPA Edwards AFB, CA 93523		
1	AFWL/SUL Kirtland AFB, NM 87117		
1	Air Force Armament Laboratory ATTN: AFATL/DLODL Eglin AFB, FL 32542-5000		
1	Commander US Army BMD Advanced Technology Center ATTN: Dr. David C. Sayles P.O. Box 1500 Huntsville, AL 35804		
1	Director Lawrence Livermore Laboratory University of California ATTN: Dr. M. Finger P.O. Box 808 Livermore, CA 94550		

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. BRL Report Number \_\_\_\_\_ Date of Report \_\_\_\_\_

2. Date Report Received \_\_\_\_\_

3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

4. How specifically, is the report being used? (Information source, design data, procedure, source of ideas, etc.) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided or efficiencies achieved, etc? If so, please elaborate. \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

CURRENT  
ADDRESS

\_\_\_\_\_  
Name  
\_\_\_\_\_  
Organization  
\_\_\_\_\_  
Address  
\_\_\_\_\_  
City, State, Zip

7. If indicating a Change of Address or Address Correction, please provide the New or Correct Address in Block 6 above and the Old or Incorrect address below.

OLD  
ADDRESS

\_\_\_\_\_  
Name  
\_\_\_\_\_  
Organization  
\_\_\_\_\_  
Address  
\_\_\_\_\_  
City, State, Zip

(Remove this sheet along the perforation, fold as indicated, staple or tape closed, and mail.)

FOLD HERE


Director  
US Army Ballistic Research Laboratory  
ATTN: AMXBR-OD-ST  
Aberdeen Proving Ground, MD 21005-5066



NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300

**BUSINESS REPLY MAIL**  
FIRST CLASS PERMIT NO 12062 WASHINGTON, DC  
POSTAGE WILL BE PAID BY DEPARTMENT OF THE ARMY



Director  
US Army Ballistic Research Laboratory  
ATTN: AMXBR-OD-ST  
Aberdeen Proving Ground, MD 21005-9989

FOLD HERE

**END**

**FILMED**

**11-85**

**DTIC**