**Research Report 1408** 

The Hewlett-Packard HP-41CV Hand-Held Computer as a Medium for Teaching Mathematics 44 to Fire Control Systems Repairers AD-A160 John A. Boldovici and Thomas D. Scott

> Training and Simulation Technical Area **Training Research Laboratory**

COPY FILE



OCT 1 7 1985

100

85 10 10

U. S. Army

3110

Research Institute for the Behavioral and Social Sciences

October 1984

Approved for public release; distribution unlimited,

# U. S. ARMY RESEARCH INSTITUTE FOR THE BEHAVIORAL AND SOCIAL SCIENCES

# A Field Operating Agency under the Jurisdiction of the

Deputy Chief of Staff for Personnel

EDGAR M. JOHNSON Technical Director

L. NEALE COSBY Colonel, IN Commander

Technical review by

Angelo Mirabella Steven Sabat

#### NOTICES

DISTRIBUTION: Primary distribution of this report has been made by ARI. Please address correspondence concerning distribution of reports to: U.S. Army Research institute for the Behavioral and Social Sciences, ATTN: PERI-TST, 5001 Elsenhower Avenue, Alexandria, Virginia 22333.

FINAL DISPOSITION: This report may be destroyed when it is no longer needed. Please do not return it to the U.S. Army Research institute for the Behavioral and Social Sciences.

NOTE: The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
REPORT NUMBER 2. GOVT ACCESSIO	N NO. 3. RECIPIENT'S CATALOG NUMBER
ARI Research Report 1408 $AD - A/(a)$	$\mathcal{G}$ $\mathcal{H}\mathcal{G}$
TITLE (and Subtitio)	5. TYPE OF REPORT & PERIOD COVERED
THE HEWLETT-PACKARD HP-41CV HAND-HELD COMPUTER	Final Report January 1984-June 1984
AS A MEDIUM FOR TEACHING MATHEMATICS TO FIRE	6. PERFORMING ORG. REPORT NUMBER
CONTROL SYSTEMS REPAIRERS	
AUTHOR()	8. CONTRACT OR GRANT NUMBER(+)
John A. Boldovici	
Thomas D. Scott	
PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK
J.S. Army Research Institute for the Behavioral	AREA & WORK UNIT NUMBERS
and Social Sciences (PERI-II)	20162717A70
5001 Eisenhower Avenue, Alexandria, VA 22333-56	
CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE October 1984
and Social Sciences	13. NUMBER OF PAGES
5001 Eisenhower Avenue, Alexandria, VA 22333-56	00 70
MONITORING AGENCY NAME & ADDRESS(II different from Controlling Of	Ice) 15. SECURITY CLASS. (of this report)
	Unclassified
	15. DECLASSIFICATION DOWN GRADING
	ited
DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the abatract entered in Block 20, if differ	uited
Approved for public release; distribution unlim	uited
Approved for public release; distribution unlim	uited
Approved for public release; distribution unlim	uited
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the abstract entered in Block 20, 11 differ 	uited
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if differ 	nt from Report)
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, 11 differ 	ory, H. F. O'Neil, Jr., Director with the U.S. Army Communica-
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if differ 	ory, H. F. O'Neil, Jr., Director with the U.S. Army Communica-
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if differ SUPPLEMENTARY NOTES Nork performed by ARI Training Research Laborat In fulfillment of a Memorandum of Understanding tions Technology Office, the U.S. Army Ordnance Training Center, Fort Dix, NJ. KEY WORDS (Continue on reverse elde if necessary and identify by block me	nt from Report) ory, H. F. O'Neil, Jr., Director with the U.S. Army Communica- Center and School, and the Army
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, 11 differ SUPPLEMENTARY NOTES Nork performed by ARI Training Research Laborat in fulfillment of a Memorandum of Understanding cions Technology Office, the U.S. Army Ordnance Training Center, Fort Dix, NJ. KEY WORDS (Continue on reverse side if necessary and identify by block me land-held computers	nt from Report) ory, H. F. O'Neil, Jr., Director with the U.S. Army Communica- Center and School, and the Army
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if differ SUPPLEMENTARY NOTES Nork performed by ARI Training Research Laborat in fulfillment of a Memorandum of Understanding cions Technology Office, the U.S. Army Ordnance Training Center, Fort Dix, NJ. KEY WORDS (Continue on reverse olds if necessary and identify by block mill and-held computers Fire-control systems repairers	nt from Report) ory, H. F. O'Neil, Jr., Director with the U.S. Army Communica- Center and School, and the Army
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if differ SUPPLEMENTARY NOTES Nork performed by ARI Training Research Laborat in fulfillment of a Memorandum of Understanding cions Technology Office, the U.S. Army Ordnance Training Center, Fort Dix, NJ. KEY WORDS (Continue on reverse elds if necessary and identify by block me land-held computers Pire-control systems repairers Cvaluation design	nt from Report) ory, H. F. O'Neil, Jr., Director with the U.S. Army Communica- Center and School, and the Army
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if differ SUPPLEMENTARY NOTES Nork performed by ARI Training Research Laborat in fulfillment of a Memorandum of Understanding cions Technology Office, the U.S. Army Ordnance Training Center, Fort Dix, NJ. KEY WORDS (Continue on reverse olds if necessary and identify by block mill and-held computers Fire-control systems repairers	nt from Report) ory, H. F. O'Neil, Jr., Director with the U.S. Army Communica- Center and School, and the Army
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if difference SUPPLEMENTARY NOTES Nork performed by ARI Training Research Laborat In fulfillment of a Memorandum of Understanding tions Technology Office, the U.S. Army Ordnance Training Center, Fort Dix, NJ. KEY WORDS (Continue on reverse side if necessary and identify by block no land-held computers Dire-control systems repairers Evaluation design Training effectiveness	uited mrt from Report) cory, H. F. O'Neil, Jr., Director with the U.S. Army Communica- Center and School, and the Army umber) mber)
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if different SUPPLEMENTARY NOTES Nork performed by ARI Training Research Laborat In fulfillment of a Memorandum of Understanding cions Technology Office, the U.S. Army Ordnance Training Center, Fort Dix, NJ. KEY WORDS (Continue on reverse elde if necessary and identify by block no hand-held computers Cire-control systems repairers Cvaluation design Training effectiveness ADSTRACT (Centimue on reverse elde if necessary and identify by block no A comparison was conducted between the per	<pre>ited ited ont from Report) cory, H. F. O'Neil, Jr., Director with the U.S. Army Communica- Center and School, and the Army umber) mber) formance of two groups o 30</pre>
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if different SUPPLEMENTARY NOTES Nork performed by ARI Training Research Laborat In fulfillment of a Memorandum of Understanding tions Technology Office, the U.S. Army Ordnance Training Center, Fort Dix, NJ. KEY WORDS (Continue on reverse elde if necessary and identify by block no land-held computers Pire-control systems repairers Cvaluation design Training effectiveness ADSTRACT (Cauthous an reverse elde H necessary and identify by block no A comparison was conducted between the per Fire control systems repairers after completing	<pre>ited mt from Report) cory, H. F. O'Neil, Jr., Director with the U.S. Army Communica- Center and School, and the Army umber) formance of two groups o 30 the mathematics part of the</pre>
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if different SUPPLEMENTARY NOTES Nork performed by ARI Training Research Laborat In fulfillment of a Memorandum of Understanding cions Technology Office, the U.S. Army Ordnance Training Center, Fort Dix, NJ. KEY WORDS (Continue on reverse elde if necessary and identify by block no land-held computers Pire-control systems repairers Cvaluation design Training effectiveness ADSTRACT (Continue on reverse elde H necessary and identify by block no A comparison was conducted between the per Fire control systems repairers after completing 5G10 course. The evaluation was designed by o	<pre>ited mt from Report) ory, H. F. O'Neil, Jr., Director ( with the U.S. Army Communica- Center and School, and the Army umber) formance of two groups o 30 the mathematics part of the one of the cooperating military</pre>
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if differ SUPPLEMENTARY NOTES Nork performed by ARI Training Research Laborat in fulfillment of a Memorandum of Understanding tions Technology Office, the U.S. Army Ordnance Training Center, Fort Dix, NJ. KEY WORDS (Continue on reverse elde if necessary and identify by block me land-held computers Dire-control systems repairers Evaluation design Training effectiveness ADSTRACT (Continue on reverse elde if necessary and identify by block me A comparison was conducted between the per fire control systems repairers after completing 15G10 course. The evaluation was designed by o agencies, and the authors analyzed the resultin	<pre>ited mt from Report) cory, H. F. O'Neil, Jr., Director with the U.S. Army Communica- Center and School, and the Army umber) formance of two groups o 30 the mathematics part of the one of the cooperating military g data. One group of repair</pre>
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if different SUPPLEMENTARY NOTES Nork performed by ARI Training Research Laborat In fulfillment of a Memorandum of Understanding tions Technology Office, the U.S. Army Ordnance Training Center, Fort Dix, NJ. KEY WORDS (Continue on reverse aids if necessary and identify by block me land-held computers Dire-control systems repairers Evaluation design Training effectiveness ADSTRACT (Centifies on reverse aids if necessary and identify by block me A comparison was conducted between the per Fire control systems repairers after completing 15G10 course. The evaluation was designed by o agencies, and the authors analyzed the resultin personnel used the Hewlett-Packard HP-41CV hand	<pre>ited ited mut from Report)  ory, H. F. O'Neil, Jr., Director with the U.S. Army Communica- Center and School, and the Army umber)  formance of two groups o 30 the mathematics part of the one of the cooperating military g data. One group of repair -held computer in training.</pre>
Approved for public release; distribution unlim DISTRIBUTION STATEMENT (of the obstract entered in Block 20, if differ SUPPLEMENTARY NOTES Nork performed by ARI Training Research Laborat in fulfillment of a Memorandum of Understanding tions Technology Office, the U.S. Army Ordnance Training Center, Fort Dix, NJ. KEY WORDS (Continue on reverse elde if necessary and identify by block me land-held computers Dire-control systems repairers Evaluation design Training effectiveness ADSTRACT (Continue on reverse elde if necessary and identify by block me A comparison was conducted between the per fire control systems repairers after completing 15G10 course. The evaluation was designed by o agencies, and the authors analyzed the resultin	<pre>ited ited ant from Report)  cory, H. F. O'Neil, Jr., Director with the U.S. Army Communica- Center and School, and the Army amber)  formance of two groups o 30 the mathematics part of the one of the cooperating military g data. One group of repair -held computer in training. without computers. The dif-</pre>

3

.

**`**\_`

-

•

SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

ARI Research Report 1408

20. (Continued)

Flaws in the evaluation design prevented determining whether the findings of no difference between the groups' performance was due to the kinds of training (computer and conventional) or to:


- 1. Differences between entry-level mastery of course material by the two groups.
- 2. Different amounts of training by the two groups.
- 3. An end-of-course test which was not difficult enough to reveal proficiency differences between the two groups.

Several recommendations were made for designing and conducting future evaluations. The main recommendations were that:

- 1. Test scores for untrained persons be obtained, against which the scores of trained people can be compared.
- 2. Records be kept of the amounts of practice by each member of the compared groups.
- 3. End-of-course tests be difficult enough to reveal differences between good and mediocre performances.

An experimental design was presented for future use which uses a notraining control group, separates the effects of amount and kind of training, and is likely to detect proficiency differences.





UNCLASSIFIED ii SECURITY CLASSIFICATION OF THIS PAGE (Minn Date Entered)

**Research Report 1408** 

# The Hewlett-Packard HP-41CV Hand-Held Computer as a Medium for Teaching Mathematics to Fire Control Systems Repairers

John A. Boldovici and Thomas D. Scott

Training and Simulation Technical Area Robert J. Seidel, Chief

Training Research Laboratory Harold F. O'Neil, Jr., Director

U.S. ARMY RESEARCH INSTITUTE FOR THE BEHAVIORAL AND SOCIAL SCIENCES 5001 Eisenhower Avenue, Alexandria, Virginia 22333-5600

> Office, Deputy Chief of Staff for Personnel Department of the Army

> > October 1984

Army Project Number 20162717A790 Human Performance Effectiveness and Simulation

Approved for public release; distribution unlimited

ARI Research Reports and Technical Reports are intended for sponsors of R&D tasks and for other research and military agencies. Any findings ready for implementation at the time of publication are presented in the last part of the Brief. Upon completion of a major phase of the task, formal recommendations for official action normally are conveyed to appropriate military agencies by briefing or Disposition Form.

## FOREWORD

Providing Technical Advisory Service to many Army Organizations is an important part of the Army Research Institute mission. This report is the result of an agreement between ARI, the Army Communications Technology Office, Training Development Institute, Ordnance Center and School, and the Army Training Center at Fort Dix, New Jersey. ARI was responsible for analyzing and reporting the results of an evaluation designed and implemented by the other organizations.

No differences were found between end-of-course test scores of soldiers who used a hand-held computer in training, and soldiers who received conventional training without computers. Flaws in the evaluation design, however, prevented determining whether there was truly no advantage to using the computer, or that the results were due to other factors. The authors therefore make specific recommendations for the design of future, related evaluations.

EDGAR M. JOHNSON Technical Direct

# EXECUTIVE SUMMARY

The TRADOC Training Development Institute (TDI) and the New Technology Office of the US Army Ordnance Center and School (USAOC&S) began work in 1981 to survey hand-held computers (HHCs), and to identify potential applications for their use in training. The survey (Francis and Levy, 1982) described a number of devices and courses in which HHCs seemed potentially useful as training media. One of the HHCs and one of the courses described in the survey were used in the present investigation.

#### REQUIREMENT

The requirement for this research resulted from a Memorandum of Understanding in which the responsibilities were divided as follows:

1. US Army Communications Technology Office (ACTO): coordination.

2. US Army Training Development Institute: contract for test and evaluation plan.

3. US Army Ordnance Center and School: implement test and evaluation plan.

4. Army Training Center (ATC), Fort Dix, New Jersey: implement subsequent test and evaluation of Quasar Panasonic HHC.

5. US Army Research Institute (ARI): analyze data and write reports.

The purpose of the research was to estimate the effectiveness, efficiency, user acceptance, implementation quality, reliability, and cost of the Hewlett-Packard HP-41CV, as used for training Fire Control Systems Repairers (MOS 45G10).

#### PROCEDURE

Sixty soldiers in the 45G10 course were divided into two groups of 30 each. One group used the Hewlett-Packard HP-41CV hand-held computer during training for the mathematics part of the course. The other group received conventional training for the mathematics part of the course. without using computers. An end-of-training mastery test was administered to members of both groups, and a questionnaire was administered to members of the HHC group and the instructor.

#### FINDINGS

The questionnaire responses indicated that the HP-41CV was acceptable to the students and instructor who used it for learning and teaching mathematics.

The difference between the two groups' performance on the end-oftraining mastery test was not statistically significant. Flaws in the evaluation design, however, prevented determining whether the finding of no difference between the groups' performance was due to the kinds of training (computer vs. conventional) or to:

1. Differences between entry-level mastery of course material by the two groups.

2. Different amounts of training by the two groups.

3. An end-of-course test which was not difficult enough to reveal proficiency differences between the two groups.

USE OF FINDINGS

Several recommendations were made for designing and conducting future evaluations. The main recommendations were that:

1. Test scores for untrained persons be obtained, against which the scores of trained people can be compared.

2. Records be kept of the amount of practice by each member of the compared groups.

3. End-of-course tests be difficult enough to reveal differences between good and mediocre performances.

An experimental design was presented for future use which uses a no-training control group, separates the effects of amount and kind of training, and is likely to detect proficiency differences. THE HEWLETT-PACKARD HP-41CV HAND-HELD COMPUTER AS A MEDIUM FOR TEACHING MATHEMATICS TO FIRE CONTROL SYSTEMS REPAIRERS

1.1

ጣጣ	NUT	ENTS
υU	п.т.	CUID.

																																Page
INTRODUCTI	on.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	1
Purpose HP-41CV Course		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	1 1 2
METHOD	• •	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	2
Subject Equipme Procedu	nt .	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	٠	•	٠	•	•	•	•	•	•	2 2 2
RESULTS AN	D DI	SCU	JSS	310	N	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	3
Effecti Efficie User Ac Quality Reliabi Cost	ncy cept of lity	anc Imp	e ple	eme	• • •	at	ic	• • •	• • •	• • •	• • •		• • •	• • •	•	• • •		• • •		• • •	• • •	• • •	• • •	• • •	• • •	• • •	• • •	•	• • •	• • •	• • •	3 5 6 10 11 11
SUMMARY .	••	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	12
RECOMMENDA	TION	S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	٠	•	•	•	•	14
REFERENCES	••	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	17
APPENDIX A	• I	NSI	rRL	JCT	ЮF	R M	1A)	<b>IU</b>	ΥL	FC	R	HI	<b>р_</b> Ц	1	CC	MF	נטי	ref	R I	LES	550	ON	•	•	•	•	•	•	•	•	•	A-1
В		XCE 5GI																										:				
		OR																										٠	•	•	•	B-1
C	• E	ND-	-01	7-A	NN	ΙEX	( (	2 1	res	STS	5 A	NI		NS	SWE	RS	3	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	C-1
D	• 5	TUT	DEN	T	હા	JES	ST	[0]	NN/	AII	٦F	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	D-1
E	• I	NST	rRU	JCI	ЮF	۲ <b>۲</b>	SO I	est	<b>FI</b> C	ONI	IA]	ERE	2	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	E-1
F	• н	(P-)	+10	c/c	v	SF	PE(		FIC	CAT	ric	ONS	3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	F-1

. .

CONTENTS (Continued)

# LIST OF TABLES

Table	1.	Percents of students (n = 30) responding in each rating category for questionnaire items 5 through 11 (1 = highest, 5 = lowest)	8
	2.	Percents of students (n = 30) responding in various categories to the question, "What did you like about using the computer in this annex?"	9
		LIST OF FIGURES	
Figure	21.	Mean time (in minutes) reported to have been spent by the HHC students ( $n = 30$ ) on each kind of practice problem	6

2. HHC group's ratings of the usefulness of the 11 kinds of practice exercises .... 10

# THE HEWLETT-PACKARD HP-41CV HAND-HELD COMPUTER AS A MEDIUM FOR TEACHING MATHEMATICS TO FIRE CONTROL SYSTEMS REPAIRERS (45G10)<sup>1</sup>

Very Large Scale Integration microcircuits have allowed reducing the size of microcomputers, with attendant increases in portability, and extension to applications outside offices and classrooms.

The TRADOC Training Development Institute (TDI) and the New Technology Office of the US Army Ordnance Center and School (USAOC&S) began work in 1981 with Battelle Columbus Laboratories to survey hand-held computers (HHCs), and to identify potential applications for their use in training. The survey (Francis and Levy, 1982) described a number of devices and courses in which HHCs seemed potentially useful as training media. One of the HHCs and one of the courses described in the Francis and Levy (1982) survey were used in the present investigation.

#### Purpose

The purpose of this research was to estimate the effectiveness, efficiency, user acceptance, implementation quality, reliability, and cost of the Hewlett-Packard HP-41CV, as used for training Fire Control Systems Repairers (MOS 45G10).

#### HP-41CV

Francis and Levy (1982) described the Hewlett-Packard HP-41CV as,

...a device that looks like a calculator, [with] a comparatively large memory and numerous peripherals...there is a selection of programmed application ROMs, a user's library, and a newsletter. Though marketed as a calculator, internally this device resembles a computer more than does [for example] the Sharp [PC1211]/Radio Shack [TRS-80PC]...(p.4).

<sup>&</sup>lt;sup>1</sup>The findings reported here are not official Department of the Army position unless so designated by authorized documents. The test and evaluation plan for this research was provided by Battelle Columbus Laboratories under contract to the US Army Training Development Institute. The data were analyzed, and the report was written by John A. Boldovici and Thomas Scott of the US Army Research Institute (ARI), in fulfillment of a Memorandum of Understanding with US Army Communications Technology Office (ACTO), the US Army Ordnance Center and School (USAOC&S), and the Army Training Center (ATC), Fort Dix, New Jersey.

Specifications for the device, presented as Appendix F in Francis and Levy's (1982) report, are reproduced as Appendix F in this report.

# Course Content

The 45G10 MOS course was designed to teach enlisted personnel to perform direct and general support maintenance of computer, ballistic, laser rangefinders and designators; tank-mounted thermal sights; and related test equipment at skill level one. The subject matter includes general electricity and electronics; basic digital circuits; precision soldering; direct and general support (DS/GS) maintenance of ballistic computers, laser rangefinders, and designators; tank-mounted thermal sights, and TMDE. The course also covers common maintenance subjects: publications, tools, maintenance forms, safety, maintenance discipline, and soldier's manual orientation.

Mastering the electronics and digital circuits parts of the course requires mathematical skills which will be described later. The practice exercises for developing these mathematical skills were implemented on the HP-41CV, and with conventional paper-and-pencil materials.

#### METHOD

#### Subjects

The subjects were 60 soldiers enrolled in the 45G10 training course, who were divided nonsystematically (but not randomly) into two groups of 30 each.

#### Equipment

An HP-41CV was given to each member of one group, which was designated "HHC." Subjects in the other (CONV) group used conventional paper-and-pencil practice. No other special equipment was used for either the HHC or CONV group.

The course instructor was given an HP-41CV and a printer, which was used to print out a use record for each HP-41CV assigned to the HHC students. The print-out information included the number of drill problems given, the number of drill problems incorrect, the number of problems not attempted, and the highest level of difficulty achieved.

#### Procedure

Instructors were given an introduction to the HHC, and information on its care, use, and capabilities before the course began. (See outline in Appendix A.) Students in the 45G course were given similar training. Students' use of the HHC was self-paced, with timing and amount of use at the students' discretion. The Outline Program of Instruction for the Fire Control System Repairer course is excerpted in Appendix B. The HHC was employed in support of Annex C of the course, which is allocated 48 hours, or approximately 6 percent, of the total 795 hours of instruction. Annex C mathematics was chosen for implementation of the HHC for two reasons: instructional time was short, and the topics to be covered seemed suited to HHC applications.

Programmers at the Battelle Columbus Laboratories wrote, pilot tested, and refined the HP-41CV software. The practice exercises addressed:

- 1. Decimal to binary conversion.
- 2. Binary to decimal conversion.
- 3. Decimal to octal conversion.
- 4. Octal to decimal conversion..
- 5. Decimal to hexadecimal conversion.
- 6. Hexadecimal to decimal conversion.
- 7. One digit hexadecimal (hangman game).
- 8. Two digit hexadecimal (hangman game).
- 9. Binary addition.
- 10. Binary subtraction.
- 11. Boolean logic.

Two equivalent<sup>2</sup> forms of an end-of-annex test were constructed. Copies of the forms were shuffled, and one copy was given to each student in the two groups on completion of Annex C. The test forms are presented with answer keys in Appendix C. Students in the HHC group were then asked to complete a questionnaire, which is shown in Appendix D.

#### **RESULTS AND DISCUSSION**

#### Effectiveness

The mean scores for the end-of-annex test were 92.5 percent for HHC group, and 87.0 percent for the CONV group. The difference is not statistically significant. This does not mean that no differences existed between the effectiveness of HHC and CONV training. It means, rather, that any differences which may have existed were not sufficiently reliable to be detected by the procedures and tests used in this evaluation.

Factors other than training frequently affect students' scores on end-of-course achievement tests. These factors include:

 $^{2}$ A Mann-Whitney <u>U</u> test revealed no statistically significant difference between mean numbers of errors on the two forms.

- 1. Students' entry-level ability.
- 2. Students' entry-level mastery of course material.
- 3. Amount of training.
- 4. Test difficulty.

<u>Students' entry-level ability</u>. Students were, as noted earlier, assigned nonsystematically to the HHC and CONV groups. Doing so provided a hedge against differences between the groups' entry-level abilities, but did not guarantee that such differences were absent.

Two sets of Armed Services Vocational Abilities Battery (ASVAB) scores were examined for clues about possible differences between the HHC and CONV groups' entry-level abilities. Mean General Technical (GT) scores, which estimate verbal and mathematical abilities, were 114.6 for the HHC group, and 114.1 for the CONV group. The difference is not statistically significant. Mean Electronics (EL) scores were 115.5 for the HHC group, and 116.3 for the CONV group. The difference also is not statistically significant. To the extent that the GT and EL scores reflect students' ability to learn the material presented in Annex C, therefore, that ability had no differential effect on the groups' Annex C test scores.

<u>Students' entry-level mastery of course material</u>. No data were available for examining possible differences between the groups' pre-training mastery of the Annex C material. Estimating how much of the material students had mastered before Annex C training began would have required comparing the HHC and CONV groups' end-of-annex scores to either: (a) end-of-annex scores achieved by a no-training control group, or (b) HHC and CONV pre-test scores. The unavailability of either of these measures was unfortunate. Their absence precluded comparing the two groups' pre-training proficiency. Their absence also precluded ascribing any causal relation between training on the one hand, and Annex C test scores on the other. As is often the case in device evaluations, the equivalence of the alternative programs was examined without regard for questions of whether and how much either program was better than no training at all.

<u>Amount of Training</u>. Of the many factors which affect training effectiveness, one of the most potent is amount of training. Given relevance (that is, not teaching "the wrong things"), amount of training usually exerts stronger effects than media do. (See, for example, Rose, Wheaton, Leonard, Fingerman, and Boycan; 1976.) Objective data on the amounts of training received by the HHC and CONV groups were, unfortunately, not obtained in this evaluation.<sup>3</sup> The finding of no difference between the HHC and CONV groups' end-of-annex scores may

<sup>3</sup>Self reports about the amount of training received by the HHC group were gotten and will be discussed later. These data are, however, irrelevant to the present discussion.

therefore be due to differences between the amounts of training received by the two groups. If one group did in fact practice more than the other did, then the finding of no difference between the end-of-annex test scores simply suggests that, given two media or programs of unequal effectiveness, more practice with the less effective medium can yield proficiency levels which are comparable to those achieved with less practice using the more effective medium.

Test difficulty. Test difficulty is defined as the difference between the maximum possible score and the observed score(s). As observed scores approach the maximum possible score, a test becomes, by definition, easier. When compared groups score at or near 100 percent on a test, "ceiling effects" are said to occur. Ceiling effects can happen because training was extremely effective, because students had mastered much of the material covered by the test before training began, or for any reason that made performance on the test easy for the test takers. Such results may be desirable in training, but are not desirable in evaluations of training effectiveness. The reason for this is that measuring differences between groups' performance requires variance between the groups' test scores. Little variance occurred between the compared groups' test scores in this evaluation, and statistically significant differences were therefore not observed. Because of ceiling effects, no light was shed on the effectiveness of HHC or CONV training, either of which may have been superior had the test been more difficult.

#### Efficiency

Efficiency as used in this evaluation refers to efficient use of students' time. Similar amounts of time were available for both groups to practice and perform drills, but objective records of amounts of practice by the two groups were, as noted earlier, not obtained. Differences between the two groups' efficiency in learning the Annex C material cannot, therefore, be accurately estimated. This, of course, considers only the effects of using the HHC on the test scores, and does not take into account possible benefits derived from the HHC students' learning how to use a small computer. Evaluation of such effects was beyond the scope of this project.

One question bearing on the students' use of time, and one which might have had an effect on the Annex C test scores, is whether the students used the HHC for at least the suggested amount of time. Students in the HHC group were instructed to use the HHC for 12-18 minutes for each kind of problem. Figure 1 presents the amount of time students reported using the HHC for each kind of problem.<sup>4</sup>

<sup>4</sup>Figure 1 shows six kinds of problems rather than the 11 mentioned earlier, because similar kinds of problems were combined to make students' time estimation easier. "Decimal to binary conversion," for example, includes "binary to decimal conversion" in Figure 1.




Figure 1. Mean time (in minutes) reported to have been spent by the HHC students (n=30) on each kind of practice problem.

As can be seen in Figure 1, the HHC students reported using the HHC for more than the suggested minimum (12-minute) amount of time for each kind of practice problem. Practice records for the HHC group also indicated that 28 of the 30 students solved problems at the highest difficulty level for each of the 11 kinds of problem. That increased practice would have increased the HHC group's scores on the end-of-annex test therefore seems unlikely. Whether decreased practice would have decreased scores cannot be determined.

#### User Acceptance

Table 1 shows the stems of seven questionnaire items which addressed students' acceptance of the HHC, and the percents of students responding in each rating category. Here it can be seen that 80 to 96.6 percent of the students responded in the two most positive categories for the seven questions. The least positive ratings were given in response to item 7: "When you used the computer, how did it affect the use of your time during the annex?" These ratings were consistent with open-ended question 2, which asked, "What did you dislike about using the computer in this annex?" Fifty-seven percent of the students commented that the HP-41CV was too slow. The computer's response time was reported as the only drawback of any importance, although 80 percent of the students indicated the HHC made "better" or "much better" use of their time (Table 1, item 7).

HHC students also were asked an open-ended question (item 1) about what they liked about using the computer. Table 2 summarizes the positive responses in which 10 percent (n=3) or more of the students made similar comments.

TABLE 1

PERCENTS OF STUDENTS (N=30) RESPONDING IN EACH RATING CATEGORY FOR QUESTIONNAIRE ITEMS 5 THROUGH 11 (1 = HIGHEST, 5 = LOWEST)

	ITEMS			RAT	RATINGS		
			~	m	=	Ś	-
5.	When you used the computer, how much do you think you learned compared with other learning activities?	43.3	46.7	10.0	0.0	0.0	
6.	When you used the computer, how fast do you think you learned compared with other learning activities?	10.0	46.7	13.3	0.0	0.0	
	When you used the computer, how did it affect the use of your time during the annex?	30.0	50.0	13.3	6.7	0.0	
8.	How interested were you in going through the practice exercises on the computer?	70.0	26.7	3.3	0	0.0	
9.	How often did you try to get to the highest difficulty level of the practice exercise?	86.7	10.0	0.0	3.3	0.0	
<u>.</u>	10. Would you like to use the computer for other training?	76.7	20.0		0.0	0.0	
-	11. How would you advise a friend who had a choice between taking a course where there was a great deal of use of the computer or another course without the computer?	56.7	40.0	3.3	0.0	0.0	
				_ ~~	_ =		

8

Responses	Percents
Learned More	27
Received More Practice	23
Easier to Learn	17
Good Feedback/Quick Feedback	13
New or Fun to Use	13
Easy to Use	10
Liked Self-Pacing	10

PERCENTS OF STUDENTS (N=30) RESPONDING IN VARIOUS CATEGORIES TO THE QUESTION, "WHAT DID YOU LIKE ABOUT USING THE COMPUTER IN THIS ANNEX?"

TABLE 2

HHC group students were asked to rate the usefulness of the HP-41CV for each of the eleven kinds of practice exercises mentioned earlier. Students were, as can be seen in Figure 2, positive in their responses: mean ratings on a scale of from 1 to 10 ranged from 8.5 to 9.1.

The questionnaire completed by the instructor is presented with his responses in Appendix E. The instructor reported that students' learning, confidence, attention, and efficient use of time were increased when using the HHC compared to the paper-and-pencil method. He also reported that use of the HHC in training made him more available to help students.




Figure 2. HHC group's ratings of the usefulness of the 11 kinds of practice exercises. (Ratings are on a scale of 1 = "not useful" to 10 = "useful.")

The instructor "strongly disagree(d)" with the statement, "I would like to see the HHC used in other annexes in this course," and noted that this was because of the "technical aspects of the rest of the course." That is, the instructor thought that the other subject matter in the course was not appropriate for HHC applications.

## Quality of Implementation

Few problems seem to have occurred in implementing HHC training, although two cases of equipment malfunction were reported.

Two members of the HHC group volunteered comments about the instructor. Both comments were positive.

## Reliability.

Two hardware malfunctions were logged during Annex C training. Both were described as "major." One of the Boolean algebra problems also was reported not to have functioned approximately 20 percent of the time. Because of the small number of malfunctions, the brevity of use, and the lack of exact data on hours of use, traditional reliability estimation statistics (mean time between failure, for example) were not computed.

#### Cost

The list price of the HP-41CV was 325 dollars in 1982. Retailers contacted during the writing of this report quoted prices of 260 to 275 dollars per unit. Organizations anticipating acquiring such devices should, of course, consider all costs associated with the new instruction, including peripherals, new software development and installation, hardware and software maintenance, and overhead; and those costs should be compared to the costs of conventional instruction. Available data did not permit such comparisons during the present study.

#### SUMMARY

The purpose of this research was to estimate the user acceptance, efficiency, reliability, implementation quality, cost, and effectiveness of the Hewlett-Packard HP-41CV as used for teaching mathematics to Fire Control Systems Repairers.

# User Acceptance

Students' responses to questionnaire items about the acceptability of the HP-41CV were mainly positive. Eighty percent of the HHC group reported, for example, that the HHC made "better use" or "much better use" of their time. Fifty-seven percent, however, noted that the computer was "too slow" in accepting their answers and displaying new problems.

The HHC also was acceptable to the instructor, as indicated by his reports that students' learning, confidence, attention, and efficient use of time were increased by using the HHC as compared to the CONV method; and that using the HHC in training made him more available to help students.

#### Efficiency

The HHC students reported having spent at least the recommended amount of time (12 minutes) practicing each kind of problem. Comparable data were not available for the CONV students, and objective measures of amount of practice were unavailable for either group. Estimating the HHC group's efficiency, either in some absolute sense, or relative to the CONV group, was therefore impossible.

# Reliability

The instructor reported two "major" malfunctions, and one algebra problem that did not work 20 percent of the time. Insufficient data were available, however, for making conventional estimates of reliability; mean time between failures, for example.

# Implementation Quality

Two students volunteered comments about the instructor. Both comments were positive. Additional data bearing on implementation quality were not available.

# Cost

Available data were insufficient for estimating the cost of HHC and CONV training.

# Effectiveness

Several factors precluded assessing the effectiveness of either HHC or CONV training:

1. <u>No Control Group</u>. Estimating the amount of proficiency due to training (that is, "training effectiveness") requires comparing trained people's end-of-training scores to the scores of untrained people. The untrained people can be a separate no-training control group, or the HHC and CONV group before training begins. Neither end-of-course scores for a no-training control group, nor pretraining scores for the HHC and CONV groups were obtained in this study. The amount of proficiency ascribable to training could not, therefore, be determined.

2. Unknown amounts of practice. This evaluation did not permit separating the effects of amounts of practice from the effects of using the HHC and CONV training. Whether the lack of differences between the two groups' end-of-training scores was due to using the HHC and conventional training, or to different amounts of practice by the two groups could not be determined.

3. <u>Ceiling Effects</u>. Detecting proficiency differences between two groups requires variance between the groups' scores. If the compared groups nearly "max" the test, as was the case in the present study, then variance is restricted, and possible differences are masked. Whether the training for the HHC and CONV groups was equally effective, or the test was not difficult enough to detect proficiency differences which did in fact exist between the groups could not be determined.

In summary then, the HP-41CV was acceptable to the students and instructor who used it for learning and teaching mathematics. The efficiency, reliability, implementation quality, cost, and effectiveness of using the device remain to be demonstrated.

#### RECOMMENDATIONS

Limits on research resources demand that selectivity be exercised in deciding what to evaluate. Recommended priorities for evaluations such as the one reported here are, from lowest to highest:

1. User acceptance: Research on user acceptance should be reserved for diagnosing ineffective programs of instruction. The importance of research on user acceptance depends upon whether the instructional program is ineffective or effective. If the program is ineffective, and one wants to know why, then user acceptance may be among the issues that should be examined. If a program in effective, then user acceptance may be assumed to be either sufficient or irrelevant. Whether a course is effective or ineffective should in any event be established before research on user acceptance is undertaken.

2. <u>Implementation quality</u>: Research on implementation quality should, like research on user acceptance, be reserved for diagnosing ineffective programs of instruction. The considerations here are as they were for user acceptance: If one is interested in why a program is ineffective, then implementation quality may be an appropriate research issue. Effective programs, on the other hand, can be assumed to have been adequately implemented or insensitive to implementation quality. The effectiveness of the program should in any event be established before scarce resources are expended for implementation quality research.

3. <u>Reliability</u>: Research on the reliability of instructional delivery systems should be reserved for instances in which (a) a comparison case is available, or (b) the different actions that will attend different outcomes of the research are specified in advance. Objective data on delivery-system reliability are of little value alone. Knowing that a system's MTBF is X hours, for example, becomes valuable only when the MTBF (a) can be compared to similar data for something else (the reliability of the conventional training delivery-systems, for example, or a minimally acceptable reliability standard); or (b) leads to different actions (buying or not buying the system, for example).

4. Efficiency: Instructional efficiency can be computed from data on the cost and effectiveness of instruction. Measuring efficiency therefore requires no research other than that required for measuring cost and effectiveness. Efficiency of instructional systems is as it is for other systems: a set of numbers which reflects how much is put into the system relative to how much comes out. Input for training systems may include amount of training time, and all other instructional resources whose prices can be estimated. Input for training systems is price, and is appropriately expressed in dollars. The output of training systems is proficiency, which is expressed in terms of amount learned. There are, unfortunately, no "units" of amount learned, which can only be expressed in relative terms; percent improvement, for example, or percent of maximum possible performance. Input dollars may be divided into or by output percents to yield indexes of training efficiency or cost effectiveness. This is analogous, but by no means identical, to unit pricing in supermarkets. It is analagous in that price in both cases may be divided by the amount of "what you get." It is not comparable because pounds, ounces, and other weights and measures used by supermarkets are absolute: a pound is a pound irrespective of what is measured. This is not the case with amount learned, which as mentioned earlier, is relative: a 20 percent improvement in Course X is unlikely to be "the same as" a 20 percent improvement in Course Y, or for that matter in Course X measured at another time.

5. <u>Cost</u>: Savings due to using new instructional programs should be estimated before research is conducted to measure the programs' effectiveness. If the case for savings due to the new program is not compelling on rational (prospective) grounds, then little will be gained by empirical research on the costs and effectiveness of alternatives.

6. <u>Effectiveness</u>: Research designs for examining the effectiveness of instructional programs should insure that:

(a) Test scores for untrained persons are obtained, against which the scores of trained persons can be compared. If this is not done, then the amount of proficiency ascribable to training will not be determinable.

(b) Records are kept of the amounts of practice by each member of the compared groups. If this is not done, then determining whether proficiency differences between groups were due to kinds of training or to amounts of training will not be possible.

(c) End-of-course tests are difficult enough to reveal differences between good and mediocre performances. If this is not done, then proficiency differences between the compared groups may be masked.

Recommendation 6 can be implemented by using an experimental design in which each compared group is divided into three subgroups, one of which gets no training, another of which gets the usual amount of training, and another which gets an amount between the usual and none. All groups are then tested on a multiple-item proficiency test. Such a design hedges against ceiling effects, uses a no-training control group, and separates the effects of amount of training from the effects of training media.

# REFERENCES

- Francis, L. D., & Levy, G. W. (1982). An evaluation of the feasibility of using hand-held computers for training. Fort Monroe, VA: U.S. Army Training and Doctrine Command.
- Rose, A. M., Wheaton, G. R., Leonard, B. L., Jr., Fingerman, P. W., & Boycan,
   G. G. (1976). Evaluation of two tank gunnery trainers (ARI Research Memorandum 76-19). Alexandria, VA: U.S. Army Research Institute for the Behavioral and Social Sciences. (AD A082 954)

#### APPENDIX A

INSTRUCTOR MANUAL FOR HP-41 COMPUTER LESSON Do's and Don't's for HP-41-Using Instructors


- 1. Read the student Supplement first; then read all the notes here before starting.
- Never unplug the card reader, the printer, or the modules from the back (top?) of the computer while the computer is on. We haven't tried it, but the manual warns of dire consequences.
- 3. When loading cards into the computer, always pull the last card out before inserting the next card. The second card will NOT bump out the first, but will jam impressively.

4. Whenever you do something to the computer, the PRGM message should be off. From time to time, while it is calculating, PRGM will be on, but before you are to do anything (e.g., read cards, enter info), the PRGM message will go out. If cards are read in while PRGM is on, the program on the cards will probably be erased.

# Setting up a computer for the first time or Reloading a computer with a different drill

To ready the computers, do the following:

- 1. Load batteries (and charge, if rechargeable).
- 2. Turn computer off.
- 3. Place the XFTN in port #1 of the computer. Computer should always be off when XFTN is inserted or removed. (Re-initialization will be needed if XFTN is moved from one computer to another. This should never be necessary.)
- 4. Attach the card reader.
- 5. Find the keyboard overlay template packed with each computer. Use a pen to mark it like the example shown below.



- Clear out all programs in main memory: With the computer off, hold down the "+" key and keep it held down while you press ON. Release "+" and see the message "memory lost".
- Adjust the number of registers as follows: XEQ, ALPHA, SIZE (spell this out), ALPHA, wait a second, type "100".
- 8. Now begin loading programs. Whenever you do something to the computer with programs BATTELLE has written, the PRGM message should be off. From time to time, while it is calculating, PRGM will be on, but before you are to do anything (e.g., read cards, enter info), the PRGM message will go out. If cards are read in while PRGM is on, the program on the cards will probably be erased.

The first program to be loaded will always be "RAN". Press: GOLD-GTO- $\cdot$ - $\cdot$  and put the card labeled "RAN" into the right side of the card reader with the #1 end of the card going in first. When fed through, pull it out and replace it in the holder.

9. There are six different sets of drill programs.

We suggest you load three computers with each set of drills. It is possible to delete and reload programs to adjust the number of computers of each type available to students. You just follow the directions above starting with step #6. The two remaining computers can be used for slow drills or as spares. Make a paper label for each computer (e.g., "#1 Binary") and place it in the slot on the top of the card reader.

10. Most of the drills require three programs; a program which "runs" a pair of drill exercises, a program to generate random numbers, and a program which generates a particular problem for a drill. The problem generator should be loaded <u>second</u> since the drill program (loaded last) must be deleted to make room for the instructor's program when a student is done. The names of the programs and the way they will fit in memory are:

A-3

	Function	Permanent	Problem	Drill (LIFO)
#1	Binary Drill	RAN	BGEN	D12
#2	Octal Drill	RAN	OGEN	D34
#3	Hex Drill	RAN	HGEN	D56
#4	Hex-Binary Drill	RAN	BHGN	D78
#5	Add-Sub Drill	RAN	BGEN	D90
#6	Boolean Drill	RAN	Special*	D11
	Instructor Data Dump	RAN	(Leftover)	INSTR

\* See below.

When loading a program, remember to press GOLD - GTO - . - . before each whole program (1 or more cards with the same name) is loaded. If you don't, the computer will say "Nonexistent" when you try to execute.

When feeding cards in, remember that most generally are fed in twice, once from each direction. Which end first or which card first doesn't really matter to the computer, but it's confusing if you don't do them in order. The computer will ask for any missing cards by number. Always check to see if the display reads "CARD ERR" after the card is fed through. If so, re-insert. If you get card err twice in a row, use the special head cleaning "card" once. Use this only when you are having problems. The cleaning card is abrasive and should not be used unless necessary. Always pull out the last card before inserting the next card. The second card will NOT bump out the first, but will jam impressively. To Summarize:

If you wante	d to load a computer labeled #1 Binary, you would
a)	assemble the computer
b)	clear all memory and see "memory lost"
c)	adjust SIZE
d)	type GOLD - GTO
e)	feed in RAN card - one direction only
f)	type GOLD - GTO
g)	feed in cards for BGEN
h)	type GOLD - GTO
i)	feed in D12
j)	check to see that D12 executes (more about that later).
11. Special	instructions for loading computer #6 Drill Dll.
a)	GOLD - GTO , b) then load RAN.
c)	then GOLD - GTO
d)	Next, load D112
e)	Then put the name D112 into the alpha register (Press ALPHA,
	GOLD, CLX/A, D, GOLD 1, GOLD 2, ALHPA).
f)	Then XEQ, ALPHA, SAVEP, ALPHA, wait. This procedure loads D112
	into the XFTN module.
g)	Now delete D112 from main memory: XEQ, ALPHA, CLP, ALPHA,
	ALPHA, D112, ALPHA.
h)	GOLD - GTO
1)	Next load D11.
j)	GOLD - GTO
k)	Load D111. D11 will delete D111 and load D112 at the appropriate
	time.
12. The INS	IR program always readies the computer for the next student. The
first t	ime the computer is used, however, a special initialization is
needed.	To initialize: type "O", STO, type "Ol" and wait a second. When
this is	done, the computer gets ready to zero some internal student data
counters	s when the drill is next executed. When fully initialized and the
	s executed, the computer will <u>always</u> ask for the student number.
	ne number is entered, the computer will display, "READY"

**A-**5

- 13. To make the computer automatically execute the drill as soon as it is turned on, do the following:
  - a) GOLD, 7 (causes "SF" to be shown), then type 11.
  - b) GOLD, GTO, ALPHA. program name (e.g., D11), ALPHA
  - c) Turn the computer off
  - d) This feature is called "auto-start".
- 14. Prepare the classroom by:
  - a) finding a place for the printer, problem log, batteries, rechargers, etc.
  - b) check labeling of the computers
  - c) verify a supply of Annex C, Supplement 2 is ready
  - d) By using an adhesive page or by disassembling and reassembling student guide, correct the learning activities list.

Normal Day-to-Day Training Operations

 Read the student Supplement first; then read all the notes here and in the "Set Up" section before starting.

The order of events in a classroom is typically:

- 2. The student reads some directions.
- 3. The student requests a computer from you by its number. You turn on the computer. It beeps to let you know auto-start worked.
- 4. You enter the student's number from the sheet on the instructor's desk or you add a new student's name next to the first unassigned number. The computer replies "READY..."
- 5. You hand the computer to the student.

- 6. The student hands the computer back to you after 15-20 minutes. Its display says "Instructor". You hit R/S.
- You delete the drill: XEQ, ALPHA, CLP, ALPHA, ALPHA, drill name, ALPHA.
   Note: For Computer #6, Boolean Algebra, you only delete Dll2.

- 8. You type GOLD GTO . . and load the program named INSTR from cards. The computer will autostart in the printing program.
- 9. You turn <u>off</u> the computer, remove the "dummy" plastic module (leaving the cardreader in place), plug in the printer, turn it on.
- 10. You turn on the computer and, only if auto-start does not work, hit XEQ, ALPHA, INSTR, ALPHA to execute the instructor program.
- 11. If the printing went well, you type "Y" when the computer asks to zero the results.
- 12. You turn the computer and printer off, remove the printer plug, replace the "dummy" module, and turn the computer back on.
- 13. You delete the instructor program: XEQ, ALPHA, CLP, ALPHA, ALPHA INSTR, ALPHA.
- 14. You load the drill back in: GOLD GTO . . and feed in the cards. Note: for Dll, you need load Dlll only.
- 15. The computer will auto-start so that it requests the student number. If not, enter: XEQ, ALPHA, program name (e.g., D11), ALPHA. You could also do step 13 on page 6 of these directions, but the above is shorter. Because the auto-start feature will make the computer execute the drill just loaded, you may (especially for computer #6) have the computer executing the wrong program (D111 instead of D11). This will not harm anything but will produce weird displays (e.g. numbers with two decimal points). To halt the execution in these cases, press R/S right after loading.
- 16. Turn the computer off, and place it on the shelf until needed by the next student.

# Hints and guidelines about other things that might happen and further details about the computer's operation

- 17. To repeat: Only the last program (labeled LIFO on the chart on page 4) must be deleted to load INSTR for computers 1 5. For computer 6, delete only Dlll. Other programs you have loaded will automatically be called by the computer when needed.
- 18. When the student's computer doesn't say "INSTRUCTOR" when it's handed to you at the end of a session, hit "9" on the index. (Note that all values other than 1, 2, and 9 recycle the index.) "9" on the index causes a display of "FINISHED--SEE INSTRUCTOR". Once you have that display, press R/S.
- 19. To execute the program that does not automatically execute after pressing ON: hit XEQ key, ALPHA, spell out the name, hit ALPHA, wait for the duck to quit flying. Program names are:\*

D12	-	Binary	#1
D34	-	Octal	#2
D56	-	Hexadecimal	#3
D78	-	Binary - Hex	#4
D90	-	Addition/Subtraction	#5
110	-	Boolean	#6
INSTR	-	Instructor Mode	

20. The printer plug goes in with the printing to the outside. The plug looks like it will go in another 1/16", but it won't. When turning the printer on, turn it all the way on -- there is a STANDBY position in the middle that could be confusing. See the appendix for sample printer output. If the printer won't work, you can still run the INSTR program and copy the data out by hand. Press R/S every time you get a blank line or when you want to continue. If the INSTR program for some reason won't load or execute, see the appendix of this document for a way to extract the data.

\* Numbers must be preceded by the GOLD key.

ł

Never unplug the card reader, the printer, or the modules on the back (top?) of the computer while the computer is on. We haven't tried it, but the manual warns of dire consequences.

- 21. When feeding cards in, remember that most generally are fed in twice, once from each end. Which end first or which card first doesn't really matter to the computer, but it's confusing to the operator if you don't do them in order. The computer will ask for any missing cards by number.
- 22. At some time you may mistype a student number and press R/S. To re-enter a student number, without using INSTR, type 9 on the index, R/S, type 0, hit "STO" key, type "0]", then execute the program.
- 23. If you want to run D11 more than once for a student, you need to delete D112 from memory, and load D111 between each run. There is never a need to load D112 into the XFTN module again unless the XFTN module is removed from the computer.
- 24. The HP runs a bit slowly. While it is running, the "duck" will be flying across the screen or the "PRGM" will be lit.
- 25. The "levels" of difficulty within a drill are based on the number of digits in the non-decimal base. Therefore, when viewing decimal values to be converted to another base, you may sometimes think the level has changed inappropriately, but it's really okay. For example, you change 101 to octal properly, then get a new problem that seems easier: 65. But, both are 3 digit numbers in octal.
- 26. A student should never need to use the 4 switches at the top: on/user/prgm/alpha.
- 27. Other duties that you as an instructor have with respect to the hand held computer project are:
  - a) Checking paper in the printer. See the manual for how to re-load paper.
  - b) Checking for "BATT" indicator on the computer and replacing or recharging batteries.
  - c) recharging the printer.

D

d) handing out and collecting the student evaluation sheets.
 They are completed right after the Boolean algebra drill.

A-9

- e) Writing down on the log any problems with the computer or the programs.
- Reporting to Jim Dees any programming problem that threatens the chances of the computer experiment not working as intended.
- 28. The computer should normally auto-start correctly if the student does not turn off the computer in the middle of the drill. If the student or instructor turns the computer off at the very beginning of a drill (on the menu) or the computer turns off automatically (after 10 minutes) while on the main, the computer will auto-start just fine. The computer will sound a tone when it is turned on if it is going to auto-start. Should the computer accidentally be turned off and not auto-start, enter: XEQ, ALPHA, program name (e.g. Dl2), ALPHA.

As an instructor, you should only turn the computer off when it is set to the "Enter student number" display on the menu. No harm results if the computer gets turned off at other times, but you will have to use the XEQ key as above to start the program. One other interesting side-effect of using auto-start: when you load a program from cards (for example, INSTR or a drill), if auto-start is set, the newly-loaded program is immediately executed. In the case of INSTR, this means the computer will ask you to connect the printer. REMEMBER to turn off the computer before connecting the printer.

If auto-start is set and you have deleted the main program (INSTR or a drill), and then you turn the computer off and back on , the computer will try to restart in a nonexistent program. The results may be erratic, though not harmful to the computer. If this occurs, press R/S until the PRGM light disappears and a number appears on the display. Try to load the proper program and reset the auto-start via step 13, page 6.

₽

### Appendix A

## Troubleshooting and Incidental Information

Troubleshooting (also see the Hewlett-Packard Manuals)

Sympt	om	Problem	Solution
No display		<ol> <li>Batteries low</li> <li>Battery pack not in good contact</li> <li>Program displaying blank line</li> </ol>	- R/S
Computer:	No Room	1. Drill or Instructor Program not deleted	-
		2. No GTO,.,. between programs	Reload all
Computer:	Nonexistent	<ol> <li>Drill or generating programs not loaded</li> </ol>	
		2. Misspelled	
	ĺ	1. General Orneriness	Always repeat once
Computer:	Card Err	2. Dirty Reader	Special Red Card
Computer:	Checksum	3. Dirty Card	Soap and Water
	ĺ	4. Weak battery	
Computer:	Data Err	1. Invalid input	R/S and
		2. Forgot to press ALPHA	repeat

Standard Procedures

To Delete a program, hit: XEQ, ALPHA, CLP, ALPHA, wait, ALPHA, name of program, ALPHA, wait.

When loading a new program, remember to press GOLD - GTO - . - . before each whole program (1 or more cards with the same name) is loaded. If you don't, then the computer will say "Nonexistent" when you try to execute. Do <u>NOT</u> use this procedure after loading the last program.

## To Copy Magnetic Cards

E C		
1	1.	Load the computer with the programs you want to copy.
ţ	2.	Label the blank cards with the program name, date, and your initials.
ł	3.	XEQ, ALPHA, P-A-C-K, ALPHA.
Į	4.	GOLD, GTO, ALPHA, program name, ALPHA.
	5.	There may be a brief pause, then the display will return to whatever it was before.
	6.	Press PRGM (on the top row of four keys) and, if all has been done correctly, you will see, for example: Ol LBL <sup>*</sup> RAN if your program name was RAN. Ignore the two digits.
	7.	Take the card you labeled RAN in step #2 above and put it in the card reader with the #1 end first. Remove it and put the #2 in, if prompted by the computer.
	8.	The computer will prompt you for which card/side to insert until the whole program is copied. Be sure you have the right end of the right card, because the computer doesn't care and will overwrite blissfully.
	9.	When one program is completely copied, you can repeat step # 7 with more labeled blank cards.
		· · ·
		•
E		

A-12

When loading cards, remember that most cards are fed through twice -- once from each direction. Always check to see if the display reads "CARD ERR" after the card is fed through. If so, re-insert. If you get CARD ERR twice in a row, use the special head cleaning "card" once.

So that you can debug some problems yourself, here is a way to look at data without using INSTR. This technique can also be used if the INSTR program fails.

To view the collected student data, press RCL, then type the two digit code shown at the left on the following table for the data you want. Continue pressing RCL and giving codes until you have all the data you need.


00 - # of First\* Drill

- 01 Student ID #
- 02 # Problems Given for Drill "A"
- 03 Highest Level Reached Drill "A"
- 04 # Problems Given for Drill "B"
- 05 Highest Level Reached Drill "B"
- 06 # Problems Missed for Drill "A"
- 07 # Problems Skipped for Drill "A" (i.e., returns to index)
- OB # Problems Missed for Drill "B"

09 - # Problems Skipped for Drill "B"

10 - Current Seed for Random Number Generator

\*i.e., if D56 is loaded, this value will be "5".



A-14

#### LEARNING ACTIVITIES

- 1. This exercise is printed in Programmed Instruction (PI) format. Read and perform all required actions in the top section of all pages first, then the middle section, and finally the bottom section. Contact your instructor if you need clarification. Correct answers for the blanks are on the back of the same page.
- Read FM 11-72, pages 2-1 to 2-8 only (up to, but not including, "Octal").
- 3. Go to page 2 of Annex C, Supplement 2, and follow the directions there.
- 4. Read FM 11-72, pages 2-9 to 2-11 (up to, but not including, "Hexadecimal").
- 5. Go to page 7 of Annex C, Supplement 2, (titled "Octal") and follow directions there.
- 6. Read FM-72, pages 2-11 and 2-12 (up to, but not including, "Binary Coded Decimal").
- 7. Go to page 9 of the Annex C, Supplement 2, (titled "Hexadecimal") and follow the directions there.
- 8. Read FM 11-72, pages 2-16 to 2-18 only.
- 9. Go to page 11 of the Annex C, Supplement 2 and follow the directions there.
- 10. Read FM 11-72, pages 2-20 (starting at "subtraction") and 2-21 (stop at the bottom of the page).
- 11. Go to page 12 of the Annex C, Supplement 2, and follow the directions there.
- 12. Read the following pages from FM 11-72:

2-12 to 2-16 2-19 to 2-20 2-22 to 2-27

D

- 13. Have the instructor give you the Exercise Examination.
- 14. When you have achieved a GO on the examination, have the instructor initial and date the Student Progress Chart (located on page 2), then proceed to Exercise II which begins on page 17 of this manual.

#### LEARNING ACTIVITIES

- 1. This exercise is printed in Programmed Instruction format. Read and complete all required actions. If you need clarification, contact your instructor.
- 2. Read FM 11-72, pages 3-1 to 3-12 only.
- 3. Go to page 13, Annex C, Supplement 2, (titled "Boolean Algebra") and follow the directions there.
- 4. Have the instructor give you the Exercise Examination.
- 5. Ask your instructor for the "Computer Evaluation Questionnaire". Complete it while your instructor grades your test.
- 6. When you have achieved a GO on the examination, have the instructor initial and date the Student Progress Chart (located on page 2), then proceed to Exercise III which begins on page 33.

#### APPENDIX B

### EXCERPTS FROM THE PROGRAM OF INSTRUCTION, "COURSE 113: 45G10, FIRE CONTROL SYSTEMS REPAIRER" (INCLUDES POI FOR ANNEX C, "BASIC DIGITAL CIRCUITS")

#### PREFACE

- A. COURSE NO: 113-45G10 (USA) COURSE TITLE: Fire Control Systems Repairer
- B. PURPOSE: To train enlisted personnel to perform direct and general support maintenance of computer, ballistics; laser rangefinders/designators; tank mounted thermal sights and related test equipment at skill level one of MOS 45G. MOS for which trained: Fire Control Systems Repairer (45G10).
- C. PREREQUISITES: Active Army, Reserve Component or USMC personnel. Score of 95 or higher in aptitude area EL. Twenty-three months or more of active duty required of active Army personnel after completion of the course. Security clearance required: Confidential.
- D. SCOPE: General electricity/electronics; basic digital circuits; precision soldering; DS/GS maintenance of ballistic computers, laser range finders/designators; tank mounted thermal sights and TMDE. Common maintenance subjects, i.e., publications, tools, maintenance forms, safety, maintenance discipline and soldier's manual orientation.
- E. LENGTH: Peacetime Mobilization 22 weeks, 3 days 16 weeks, 2 days
- F. TRAINING LOCATION: US Army Ordnance Center and School Aberdeen Proving Ground, Maryland 21005

B-1

## COURSE SUMMARY

Course Title: Fire Control Systems Repairer, 113-45G10

Speciality: 45G10

	USA		USMC	
	Peacetime	Mobilization	Peacetime	Mobilization
Hours:	1002	985	599	590

#### Summary:

	•	USA USMC				Annex	Page
·		Peacetime	Mob	Peacetime	Mob		
۸.	Task Cluster Titles:						
	Orientation and Common Maintenance Subjects	21	21	. · 15	15		7
	Basic AC-DC Electronics	146	146	146	146	B	9
	Basic Digital Circuits	48	48	48	48	С	15
	Common Precision Soldering	82	82	82	82	D	17
	Maintenance of Laser Observation Set AN/GVS-5	96(1)	<b>9</b> 6(1)	96(1)	96(1)	) E	20
	Marine Corps Peculiar Subjects	0	0	59	59	F	23
	Maintenance of M60A3 Tank Fire Control System	235	235	0	0	G	29
	Maintenance of Ground Laser Locator Designator AN/TVQ-2	105	105	0	0	H	31
	Miscellaneous Subjects	46	46	20	20	I	32
	End-of-Course Examination	16	16	7	7	J	33
	Subtotal	795	795	473	473		·

		USA Peacetime	Hours Mob	USMC Peacetime	Mob
<b>B.</b>	Administrative Time				
	Inprocessing	12(2)	12(2)	12(2)	12(2)
	Outprocessing	8.	8	8	8
	Commandant's Time	40	40	22	22
	Open Time	30	30	12	12
	Physical Readiness Training	113(3)	96(3)	68(3)	59(3)
	Physical Readiness Testing	4(3)	4(3)	4(3)	4(3)
	Subtotal	207	190	126	117
	Total	1002(4)	985(4)	599(4)	590(4)
c.	Recapitulation				
	1. Security classification:	Confidential.			
	2. Type of Instruction				
	Conference	18.0	18.0	36.0	36.0
	Television	13.3	13.3	12.3	12.3
	PM (Printed Material)	15.7	15.7	11.2	11.2
	Practical Exercise 1	479.4	479.4	256.4	256.4
	Practical Exercise 2	122.1	122.1	95.1	95.1
	Examination 1	112.1	112.1	33.1	33.1
	Examination 2	15.1	15.1	10.6	10.6
	Examination 3	19.3	19.3	18.3	18.3
	Administrative Time	207.0	187.0	126.0	117.0
	Total	1002.0	982.0	599.0	590.0

\_\_\_\_\_

.....

(.....


٠.

B-3

.

.

- (1) Three NBC tasks are integrated into training in this Annex. These hours are reflected in Annex E (Lan 45G10-E1), but are not included in hours reflected in paragraph A above.
- (2) Includes eye examination in accordance with TM Med 279.
- (3) Physical Readiness Training and Testing will be accomplished before and/or after the academic day and is not included in the overall course length.
- (4) Total POI hours are completed by adding academic time, in and outprocessing time, Commander's time and open time and PT time. Total POI hours are not used to determine course length.



Task Cluster Annex: C - Basic Digital Circuits

Purpose:

CUTA BATT

Student will demonstrate a knowledge of basic electronics and apply it to basic digitial circuits.

. Total Hours:	USA <u>Peacetime</u> 48	<u>мођ</u> 48	USMC <u>Peacetime</u> 48	<u>Мор</u> 48	
POI File:	45G10-C1 B1	nary System			
Type of Inst:	.4PM (1:20)	3PE2 (1:6)	.6E3 (l per class)		
Hours:	4	4	4	4	
Objective:	Write correct without erro	-	given problems in the	e binary numbe:	rs system,
References:	FM 11-72				
POI File:	45G10-C2 Bo	olean Algeb	ſa		
Type of Inst:	.4PH (1:20)	3PE2 (1:6)	.6E3 (l per class)		
Hours:	4	4	- 4	4	•
Objective:		by writing	of boolean algebra, w and drawing correct re •		
References:	F:1 11-72				
POI File:	45G10-C3 D	Lode Logic	,		
Type of Inst:	.4PM (1:20)	3PE2 (1:6)	.6E3 (1 per class)		
llours:	4	4	4	4	
Objective:		by writing	of diode logic gates and drawing correct r		
References:	TM 9-1220-2	21-34/1			

	USA Peacetime	Mob	USMC Peacetime	Мор	
POI File:	45G10-C4 Log	ic Trainer			
Type of Inst:	1PM (1:20) 2	5PE1 (1:3)	1E1 (1:3)		
Hours:	27	27	27	27	
Objective:		and require	gic circuit, without a d reference, the circu		
References:	FM 11-72, M40	)10 Digital L	ogic and Applications		
POI File:	45G10-C5 Log	gic Applicati	ODS		
Type of Inst:	.5PM (1:20)	7.5PE2 (1:6)	1E3 (l per class)		
Hours:	9	9	9	9.	
Objective:	hexadecimal	conversion, w	of logic mechanization without reference or as onses to at least fifte	sistance, b	y writing
References:	FH 11-72				

(\_\_\_\_\_\_

\_\_\_\_\_

[

•••••

ŀ

APF	PEN	DIX	С
-----	-----	-----	---

END-OF-ANNEX C TESTS AND ANSWERS

ANNEX C EXERCISE

(Form A)

.....


.....


	ent Name:
	ert the binary numbers below to their decimal equivalents.
	$1,011_2 =10$
2.	$110,101_2 =10$
	$10,111,101_2 =10$
Conv	ert the decimal numbers below to their binary equivalents.
	<sup>12</sup> 10 =2
	<sup>39</sup> 10 =2
	221 <sub>10</sub> =2
	ert the octal numbers below to their decimal equivalents.
	. 55 <sub>8</sub> =10
8.	466 <sub>8</sub> =10
9.	6362 <sub>8</sub> =10
Conv	ert the decimal numbers below to their octal equivalents.
10.	<sup>31</sup> 10 <sup>=</sup>
11.	186 <sub>10</sub> =8
	<sup>2302</sup> 10 =8
Conv	ert the hexadecimal numbers below to their decimal equivalents.
13.	<sup>B</sup> 16 <sup>=</sup>
14.	$C^{3}_{16} ={10}$
	•
15.	BCE <sub>16</sub> =10

Convert the decimal numbers below to their hexadecimal equivalents. 1410 = \_\_\_\_\_16 16. 21410 = \_\_\_\_\_16 17. 375510 = \_\_\_\_\_16 18. Convert the hexadecimal numbers below to their binary equivalents. 19. A<sub>16</sub> = \_\_\_\_\_2 F7<sub>16</sub> = \_\_\_\_\_2 20. 21. DB16 = \_\_\_\_\_2 Convert the binary numbers below to their hexadecimal equivalents. 1,100, = \_\_\_\_\_16 22.  $11,100,101_2 = -----16$ 23.  $10,101,011_2 = -----16$ 24. Add the binary numbers as indicated. Ż5. 1,011 + 1,110 26. 110,101 + 111,101 27. 11,011,101 + 10,101,111 Subtract the binary numbers as indicated. 28. 1,101 - <u>1,010</u> 111,001 29. - 101,011

30. 11,110,011 - <u>10,101,111</u>

**\_\_\_** 






Ċ-4


## ANNEX C EXERCISE (Form B)

Date	:
Conv	ert the binary numbers below to their decimal equivalents.
۱.	$1,101_2 =10$
2.	$111,101_2 =10$
3.	10,101,111 <sub>2</sub> =10
Conv	ert the decimal numbers below to their binary equivalents.
4.	<sup>10</sup> 10 =2
	<sup>59</sup> 10 <sup>=</sup> 2
6.	<sup>243</sup> 10 =2
Conv	ert the octal numbers below to their decimal equivalents.
7.	438 =10
	3648 =10
	5274 <sub>8</sub> =10
Conv	ert the decimal numbers below to their octal equivalents.
	<sup>33</sup> 10 <sup>=</sup>
	<sup>252</sup> <sub>10</sub> =8
	2676 <sub>10</sub> =8
	ert the hexadecimal numbers below to their decimal equivalents.
13.	$c_{16} =10$
14.	$E_{16} =10$
15.	CFD <sub>16</sub> =10
	C-5

Convert the decimal numbers below to their hexadecimal equivalents. 16. 1310 = \_\_\_\_\_16 18110 = \_\_\_\_\_16 17. 356410 = \_\_\_\_\_16 18. Convert the hexadecimal numbers below to their binary equivalents. 19. F<sub>16</sub> = \_\_\_\_\_ 20. A2<sub>16</sub> = \_\_\_\_2 21.  $BC_{16} = ----2$ Convert the binary numbers below to their hexadecimal equivalents. 1,0112 = \_\_\_\_\_16 22. 11,010,1002 = \_\_\_\_\_16 23. 24. 11,101,1002 = \_\_\_\_\_16 Add the binary numbers as indicated. 25. 1,101 +1,010111,001 26. + 101,011 27. 11,110,011 + <u>10,101,111</u> Subtract the binary numbers as indicated. 28. 1,110 - 1,011 111,101 - 110,110 29. 30. 11,011,101 - 10,101,111 C--6

----





## ANNEX C EXERCISE KEYS

\_\_\_\_

----

••••

	Form A		Form B
۱.	1110	1.	<sup>13</sup> 10
2.	<sup>53</sup> 10	2.	<sup>61</sup> 10
3.	189 <sub>10</sub>	3.	17510
4.	1,1002	4.	1,0102
5.	100,1112	5.	111,0112
6.	11,011,101 <sub>2</sub>	6.	11,110,011 <sub>2</sub>
7.	<sup>45</sup> 10	7.	<sup>35</sup> 10
8.	310 <sub>10</sub>	8.	<sup>244</sup> 10
9.	3,31410	9.	2,74810
10.	378	10.	418
11.	2728	11.	374 <sub>8</sub>
12.	4,3768	12.	5,164 <sub>8</sub>
13.	11 <sub>10</sub>	13.	<sup>12</sup> 10
14.	19510	14.	228 <sub>10</sub>
15.	3,02210	15.	3,325 <sub>10</sub>
16.	E16	16.	D <sub>16</sub>
17.	D616	17.	<sup>B5</sup> 16
18.	EAB16	18.	DEC16
19.	1,0102	19.	1,1112
20.	11,110,1112	20.	10,100,0102
21.	11,011,011,	21.	10,111,1002
22.	- <sup>C</sup> 16	. 22.	. <sup>B</sup> 16
23.	<sup>E5</sup> 16	23	. <sup>D4</sup> 16
24.	AB <sub>16</sub>	24	. <sup>EC</sup> 16

C-9

# ANNEX C EXERCISE KEYS (Continued)

Ń

2

	Form A		Form B
25.	11,001	25.	10,111
26.	1,110,010	26.	1,100,100
27.	110,001,100	27.	110,100,010
28.	11	28.	11
29.	1,110	29.	1,000
30.	1,000,100	30.	101,110
31.	2	31.	. 4
32.	3	32.	2
33.	4	33.	3
34.	3	34.	- 4
35.	2	35.	3
36.	1	36.	1

#### APPENDIX D

#### STUDENT QUESTIONNAIRE

Please complete this form to the best of your ability so that the use of hand-held computers in this annex can be fully and fairly evaluated.

Student Name:\_\_\_\_\_ Today's Date: month Day Year 1. What did you like about using the computer in this annex? 2. What did you dislike about using the computer in this annex? 3. Rate the usefulness of each of the following computer practice exercises on a scale of 1 to 10: Circle One Number Not Useful Useful Decimal to binary conversion a. Binary to decimal conversion Ь. Decimal to octal conversion с. Octal to decimal conversion **d**. Decimal to hexadecimal conversion e. Hexadecimal to decimal conversion f.

- One digit hexadecimal hangman q.
- Two digit hexadecimal hangman h.
- Binary addition 1.
- Binary subtraction j.
- k. Boolean logic

1 2

3 4

6 7

6 7 8

5 6 7 8 9

5 6 7 8 9 10

6 7 8 9 10

4. The directions for each pair of drills suggested that you use the computer for 12-18 minutes. How long on the average did you <u>in fact</u> use it?

a.	Decimal to binary plus binary to decimal conversion	mins.~
b.	Decimal to octal conversion plus octal to decimal conversion	mins.
c.	Decimal to hexadecimal conversion plus hexadecimal to decimal conversion	mins.
d.	One digit hexadecimal hangman plus two digit hangman hexadecimal hangman	mins.
e.	Binary addition plus binary subtraction	mins.
f.	Boolean logic	mins.

Please check the one response that best describes your opinion.

- 5. When you used the computer, how much do you think you learned compared with other learning activities?
  - 1) Learned much more using the computer
  - 2) Learned more using the computer

-

----

.....

----

<u>انا</u>

- Learned about the same amount using the computer
  - 4) Learned less using the computer
  - 5) Learned much less using the computer
- 6. When you used the computer, how fast do you think you learned compared with other learning activities?
  - 1) Learned much faster using the computer
  - 2) Learned faster using the computer
  - 3) Learned in about the same time using the computer
  - 4) Learned slower using the computer
  - 5) Learned much slower using the computer
- 7. When you used the computer, how did it affect the use of your time during the annex?
  - Made much better use of my time -- Wasted much less
  - 2) Made better use of my time -- Wasted less
  - 3) Made little or no difference in use of my time
  - Made worse use of my time -- Wasted more
  - 5) Made much worse use of my time -- Wasted much more

- 8. How interested were you in going through the practice exercises on the computer?
  - 1) Very interested while using the computer
  - 2) Interested while using the computer
  - 3) Not interested while using the computer
  - 4) Bored while using the computer
  - 5) Very bored while using the computer
  - 9. How often did you <u>try</u> to get to the highest difficulty level of the practice exercises?
    - 1) Almost always tried to get the highest difficulty level
    - 2) Often tried to get to the highest difficulty level
    - 3) <u>Sometimes</u> tried to get to the highest difficulty level
    - 4) Rarely tried to get to the highest difficulty level
    - 5) <u>Never</u> tried to get to the highest difficulty level
- 10. Would you like to use the computer for other training?
  - 1) Would very much like to use the computer
  - 2) Would like to use the computer
  - 3) Undecided

÷

.....

-----

\_\_\_\_

-----

<u>.</u>....

.....

<u>....</u>:

.....

<u>...</u>

Ē

----

.

- 4) Would not like to use the computer
- 5) Would very much not like to use the computer
- 11. How would you advise a friend who had a choice between taking a course where there was a great deal of use of the computer or another course without the computer?
  - 1) Fight tooth and nail to get into the computer course
  - 2) Request the computer course, if convenient
  - 3) Neither request nor avoid the computer course
  - 4) Avoid the computer course, if possible
    - 5) Avoid the computer course like the plague

#### APPENDIX E

#### INSTRUCTOR QUESTIONNAIRE

## INSTRUCTOR/STAFF HHC EVALUATION

Please complete this form to the best of your ability so that the use of the hand-held computer in this course can be fully and fairly evaluated.

Today's Da	te:	22 Day	September Month	<u>1983</u> Year	
·	_ 1)	Regular School s	em which best desc instructor (Answer taff (Stop after q pecify your positi	all questions.) uestion 4.)	
2. What cours	do yo se?	u feel ar It is min	e the instructiona d against machine w	l <u>advantages</u> of which holds the in	using the HHC in this nterest of the student.
	•		e the instructiona rams are too slow.		of using the HHc in this
		ges in tra ? <u>No</u>			course because of the use
5. If t cour 	se an	e of the d more con	HHC became more wig urses in the schoo	despread (used in 1), how would you	n more lessons in this ur role be changed?

E – 1

In Questions 6 through L2, compare practice exercises using the HHC with the paper practice exercises. For each question, please check the one box which best describes your opinion about the impact of the use of the HHC in Annex C.

	How Did Use of the HHC Affect:	Greatly Increased	Increased	Little Or No Change	Decreased	Greatly Decreased
6.	Student learning in the annex?		x			
7.	Instructor's confidence and feeling of usefulness?		x			
8.	Student attention in the annex?	2	x			
9.	Student confidence in number conversions?	1	x			
10.	Student confidence in Boolean algebra?		x	}	]	
11.	<pre>Efficient use of student's time in the annex?</pre>		x			
12.	Instructor availability to assist students during the annex?		х			

Please check the one response that best describes your opinion.

13. I would like to see the HHC used in other annexes in this course.

- 1) Strongly agree
- 2) Agree
- 3) Undecided
  - 4) Disagree
- x 5) Strongly disagree

because of the technical aspect of the rest of the course.

14. I would like to see the HHC used in other courses at the school.

- 1) Strongly agree
- <u> X 2) Agree</u>
- \_\_\_\_\_ 3) Undecided
  - 4) Disagree
- 5) Strongly disagree
- 15. How easy or difficult was it for you to obtain student data from the HHC?

  - \_\_\_\_\_ 2) Easy
  - \_\_\_\_\_ 3) Neither easy nor difficult
  - \_\_\_\_\_ 4) Difficult
  - 5) Very difficult
- 16. How useful was the student data you obtained?
  - <u>x</u> 1) Very useful
  - 2) Useful

D

- \_\_\_\_\_3) Not useful
- 17. Rate the usefulness of each of the following HHC practice exercises on a scale of 1 (not useful) to 10 (useful):

		Circle One Number									
		Not Useful			Useful						
a.	Decimal to binary conversion	1	2	3	4	5	6	7	8	9	10
Ь.	Binary to decimal conversion	1	2	3	4	5	6	7	8	9	10
c.	Decimal to octal conversion	1	2	3	4	5	6	7	8	9	10
d.	Octal to decimal conversion	1	2	3	4	5	6	7	8	9	10
e.	Decimal to hexadecimal conversion	1	2	3	4	5	6	7	8	9	10
f.	Hexadecimal to decimal conversion	1	2	3	4	5	6	7	8	9	10
g.	One digit hexadecimal hangman	۱	2	3	4	5	6	7	8	9	10
h.	Two digit hexadecimal hangman	۱	2	3	4	5	6	7	8	9	10
i.	Binary addition	۱	2	3	4	5	6	7	8	9	10
j.	Binary subtraction	1	2	3	4	5	6	7.	8	9	10
k.	Boolean logic	1	2	3	4	5	6	7	8	9	10

18. How much assistance did students require to use the HHC?

- 1) A great deal of assistance
- x 2) Some assistance

3) <u>Little</u> assistance

## 19. If you had the choice of teaching another course where there was major use of the HHC, would you:

- 1) Fight tooth and nail to be assigned as the instructor
- x 2) Request assignment, if convenient
- Neither request nor avoid assignment
- 4) Avoid assignment, if possible
- 5) Avoid assignment like the plague

20. Add any comments, ideas, or stories about the use of the HHC below.


I did not use the instructor program as I could use RCL and # sequences and get the same info much faster. For teaching (remedial or additional), the HHC is good for the students, and the instructor should have more time for the students then.

#### APPENDIX F

#### HP-41C/CV SPECIFICATIONS

## COMPUTERS, PERIPHERALS & CALCULATORS

Personal Computation [4] Models HP-41C, HP-41CV, Memory Modules



#### HP-41C or HP-41CV Alphanumeric Full Performance I rammable with Continuous Memory

The HP-41 is the most powerful handheld, programmable calcula-tor ever made by HP. You now have two calculators to choose from: the HP-41C with 441 bytes of program memory built in (expandable to 2.233 bytes) or the HP-41CV with 2.233 bytes built in.

The HP-41 communicates with words as well as numbers. You can key in any combination of letters and numbers up to 24 characters wide and display 12 characters at a time. A complete system of status annunciators also helps to keep you firmly in control. Error messages are displayed in plain, understandable English. For aural feedback, you can use the HP-41 "beeper." Ten different tones will let you signal the end of a program or data entry point. Continuous Men saves your programs and data even when the calculator is turned off, Over 130 separate operations comprise the total HP-41 function catalog. You can assign a function or program to almost any key. The MP-61 comes with keyboard overlays and a set of user labels to help facilitate customization of your HP-61. With a few keystrokes, you can actually create a "personalized" custom calculator for special application

You can store more and longer programs in the HP-41 than you ever thought possible. Each program is autonomous. Call it up by name, edit it, even clear is without affecting other programs. And each program can have up to 99 local plus 15 local alpha labels for addresses or subroutines. However, these independent programs can also be interactive. Using global labels, you can summon one program or branch to a subroutine (up to 6 levels) from another program. Both the HP-41C and HP-41CV come complete with Owner's

Handbook and Programming Guide, quick reference guide, applica-tion book, 4 N-cell batteries, 2 keyboard overlays, 1 module or overlay holder, I set of function labels, and a soft carrying case.

#### HP-41C and HP-41CV Specifications

HP-41C and HP-41CV Specifications Mathematical Functions: SIN, COS, TAN, and inverses, DEG, RAD, GRAD, REP, DEGERAD, HEMMS, actal/decimal con-versions, sign, modulo, INT, FRAC, ABS, round, log, 10°, e<sup>1</sup>, in (1 + a), e<sup>1</sup> - 1, y<sup>2</sup>, V x, 1/x, e, +, -, x, +, LN, H.MS±, CHS. Statistical Functions: S, J%, i, s, summations (n, Ix, Ix<sup>2</sup>, Zy, Zy<sup>2</sup>, Ixy), summation corrections, select summation registers, factorial: Stack Functions: ENTER; R; R; s=y, X=REGISTER; 1 AST.X

LAST-X.

shift left, siphs view, sppend siphs

Programming Features: 100 numeric labels, unlimited global alpha labels, user-definable keys, indirect addressing of labels, data storage and recall, storage register arithmetic, alpha storage and recall, viewing register contents, display formats, looping, audible tone pitch, definition of accumulation registers, flag setting and clearing, catalog

. . . . . . . . .

list, 6 levels of subroutines, controlled looping, 30 user flags, 26 sys. tem flags, 4 flag test functions in addition to set flag and clear flag, 10 conditional tests, 2 of which may be used with alpha strings (a=y, x≠y).

Editing: singlestep execution, single- and backstep inspection of a program, delete program memory lines, position the calculator at any line in program memory, pause to review intermediate results, correc-tion key to delete keystroke while entering data or alpha character, change size of data storage register allocation, catalog positioning change size of data storage register allocation, catalog positioning General: label program, alpha prompt, aural prompt, pack program memory, stop, end, programmable OFF, go to end of program mem-ory and prepare calculator for new program, advance paper, prompt, catalog isst, copy program from ROM to user memory. Clearing Options: DISPLAY, X REGISTER DATA, REGIS-TERS, ALPHA, PROGRAM, FLAG, STACK, STATISTICS REGISTERS

Display: fixed decimal, scientific, and engineering notation

Momory: last-& register, 4-register stack, alpha register, data storage registers

MP-41C: 63 registers and 0 program bytes or 0 registers and 441 bytes (cspandable to 2,233 bytes). MP-4 1CV: 319 registers and 0 program bytes, or 0 registers and 2,233

bytes Power Requirements: 4 size N batteries, not rechargeable. Option-

al nickel cadmium battery pack. Size:  $33 \times 79 \times 144$  mm (1.3  $\times$  3.1  $\times$  5.7 in)

Alone, the HP-41 is a powerful, programmable, problem-solving calculator. But, by adding optional plug-in perpherals and modules, you can expand the capabilities of the HP-41 to keep pace with your growing computational needs. Four input/output (1/O) ports at the top of the HP-41 accept peripherals, plug-in application modules, or Memory Modules. Each quick-connect peripheral and module is selfcontained, with its own set of functions that is added to the calculator's existing function catalog. And each peripheral and module is fully portable


HP 821064 Memory Module

These Memory Modules can quintuple the HP-41C's memory Each module contains an additional 64 registers that can be allocated as program memory or storage registers, or any combination. You can add four Memory Modules to your HP-41C for a total of 319 storage registers or 2,233 bytes. The Memory Modules, like the HP-41C have Continuous Memory, However, memory loss will occur when the module is removed from the calculator, (Use only with the HP-41C.)

HP 82170A Quad Memory Modula

The equivalent of four Memory Modules, the Quad Memory Mod-ule contains 256 data storage registers or 1,792 program bytes and expands the HP-41C's memory to full HP-41CV expacity using only one port. The Quad Memory Module, like the HP-41C, has Continu-ous Memory. However, memory loss will occur when the module is removed from the calculator. (Use only with the HP-41C.)

COMPUTERS, PERIPHERALS & CALCULATORS



NEW

Users' Library, Custom Services Program





#### **HP Users' Library**

The Users' Library is dedicated to making programs contributed by HP-67, HP-97 and HP-41 users available to others. You'll discover a wide variety of programs written for specific applications areas. The solutions you need may already exist! As a subscriber to the Library, you will receive the Catalog of Contributed Programs and the Contributor's Guide, periodic supplements, and coupons for four programs of your choice complete with pre-recorded magnetic cards. You will also receive the HP Key Notes newsletter, which keeps you abreast of programming techniques, Library activities, and notes of interest.

Ordering Information	Price
First Year Subscription	\$20.00
Annuel Renewal	\$10.00
HP-67, HP-97 Programs (Includes program descrip-	
tions/listings, and magnetic cards.)	\$6 OO
HP-41C, HP-41CV Programs (Includes program de-	
scriptions/listings, magnetic cards, and bar code.)	\$6.00

#### Custom Services

111

HP Custom Services satisfies the growing need for specialization in portable computing products. Through customization, the powerful HP-41C and HP-41CV calculators can be tailored to do your dedicated complex or repetitious calculations when and where you need them.

Using customer or third party written programs, the HP-41 or an HP-41 with blank keys (Option 001), can be customized using one of three options: custom ROM's, custom magnetic cards or custom bar code. Each option is designed to suit particular information and problem-tolving requirements. When selecting one of these alternatives, consideration is given to: frequency of code alterations, desired program capacity, updating of variables in your data, required level of privacy and initial investment. For assistance, consult your local HP Field Engineer.

**MP 82500A or 8 Custom Modules (ROM's)** 

4K or 8K bytes of memory with each module. Nearly 21,000 program lines with up to four 8K modules.

HP 82502A Custom Magnetic Cards Used with the HP-41C, HP-41CV, HP-67, and HP-97. Each card

can be customized to load 175 to 200 instructions. Custom Bar Code

Inexpensive way to load custom programs or data. Available from an independent vendor.

The HP-41 saves time, lowers cost, and ensures accuracy for both the technical and non-technical user. The standard HP-41 allows you to retain access to the full programmable capabilities and scientific functions of the calculator even a filer it has been customized. A custom HP-41C or HP-41CV Option 001 with a blank keyboard.

A custom HP-41C or HP-41CV Option 001 with a blank keyboard, is made as friendly as possible. This special calculator limits use to those keys you have designated, minimizing potential user error. Custom overlays. (HP 82501A), label keys for either calculator and provide the final, professional touch.

vide the linal, professional fouch. Already many companies have improved their productivity with customized HP-41's. Proven applications, from banking to fuel savings, from media buying to heavy equipment sales and service, from circuit design to diamond sales, give the same result, increased performance and improved productivity.

Ordering Information

Quantity	Custom Modules		Custom Mag Card	Custom Bar Cod		
	<b>X</b>	."	4E (18 cards/set)	4K (6 cards/prog) (3 prog)		
100	NI	NA	199/set	\$3.51, set		
250	\$102	\$ 63	\$46 /set	13 02 / set		
500	\$ 52	\$ 39	\$28/set	\$2.86 'se'		
1000	\$ 42	\$ 27	\$19-set	\$2.76/14:		
5000	\$ 26	\$ 17	\$12 rset	\$2.72-54		



## **COMPUTERS, PERIPHERALS & CALCULATORS**

HP-41 Peripherals, Software, Accessories



#### HP 82104A Card Reader

Reads and writes programs and data onto magnetic cards with 32 registers per card. Adds over 30 card reader control functions to your calculator, including prompts and program security. Also reads HP-67/97 program cards.

#### HP 82143A Thermal Printer/Plotter

Portable, quiet, thermal operation, and battery operable, the HP \$2143A prints upper- and lower-case alpha characters, including spe-cial characters you can create. The Printer/Plotter also does highresolution plotting routines.

#### HP 82153A Optical Wand

Inputs data by reading programs in the form of bar code. Most HP-41 software is available in bar code, including Users' Library programs and solutions books.

#### **HP-41** Application Pace

Whether you're an engineer or technicisn, student or scientist, busi-ness person or other professional, you'll find an application pac or solutions book to solve many of the most common and difficult probtems in your area. Every application pac comes with a comprehensive manual, and,

when applicable, a keyboard overlay. Choose from: · Petroleum Fluids

· Securities

· Statistica

Engineers

Engineers

· Surveying . Machine Design

- Aviation Clinical Lab & Nuclear

- Medicine Circuit Analysis
- Financial Decisions
- · Mathematics
- . Games
- · Home Management · Real Estate
- \* Thermal & Transport Science \* Navigation

HP-41 Solutions Books

#### Business:

#### · Business Statistics/

- Marketing/Sales
- . Home Construction
- Estimating
- Lending, Savings, & Leasing Real Estate

#### · Small Business

#### Engineering:

- Antennas
   Chemical Engineering
- Civil Engineering
   Control Systems
- · Electrical Engineering

#### Computation:

• Geometry • High-Level Math

# Other: • Calendars • Cardiac/Pulmonary

- · Chemistry
- . Games

### · Optometry I (General)

Ordering Information	Price
HP-4)C	\$250.00
HP-41CV	\$325.00
HP \$2106A Memory Module	30.00
HP \$2170A Quad Memory Module	\$95.00
HP \$2104A Card Reader	\$215.00
HP \$2143A Thermal Printer/Plotter	\$381 00
HP \$2153A Optical Wand	\$125.00
HP-41 Application Pacs	\$30 00 to \$"\$ 00
HP-41 Solutions Books	\$:2.50

#### **Calculator Accessories**

A Hewlett-Packard cakulator purchase is a smart decision Power, convenience, and quality from a company you can depend on But HP calculators also have a versatility unequaled in the industry. There is a complete accessory line engineered to provide the support you need No matter what type of Hewite Parket in types you choose, you'll find it supported by a full line of replacement accessories and supplies to keep it operational.

#### · Fluid Dynamics & Hydraulics Heating, Ventilating, & Air Conditioning

- Mechanical Engineering
- · Solar Engineering
- · Test Statistics
- · Optometry II (Contact Leases)
- · Physics
- · Surveying
- · Taxes

والمراجع والمعادية والمعالية والمحاج والمعادية والمعادية والمعادية والمعادية والمعادية والمعادية والمعادية وال

· . . .

· Stress Analysis-Mechanical

· Structural Analysis-Civil