

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS - 965 - 2

2

AD-A160 565

DNA-TR-84-401

DUST INDUCED ELECTRO-MAGNETIC NOISE (DIEMN)

**D.P. Bacon
D.P. Cherin
Science Applications International Corporation
P.O. Box 1303
McLean, VA 22101**

5 November 1984

Technical Report

CONTRACT No. DNA 001-83-C-0117

**APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED.**

THIS WORK WAS SPONSORED BY THE DEFENSE NUCLEAR AGENCY
UNDER RDT&E RMSS CODE X326083469 Q93QMXVD00001 H2590D.

**DTIC
ELECTE
OCT 24 1985
B**

DTIC FILE COPY

**Prepared for
Director
DEFENSE NUCLEAR AGENCY
Washington, DC 20305-1000**

Destroy this report when it is no longer needed. Do not return to sender.

PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY,
ATTN: STTI, WASHINGTON, DC 20305-1000, IF YOUR
ADDRESS IS INCORRECT, IF YOU WISH IT DELETED
FROM THE DISTRIBUTION LIST, OR IF THE ADDRESSEE
IS NO LONGER EMPLOYED BY YOUR ORGANIZATION.



REPORT DOCUMENTATION PAGE

1a REPORT SECURITY CLASSIFICATION UNCLASSIFIED		1b RESTRICTIVE MARKINGS	
2a SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION AVAILABILITY OF REPORT Approved for public release; distribution is unlimited.	
2b DECLASSIFICATION/DOWNGRADING SCHEDULE N/A since UNCLASSIFIED		5 MONITORING ORGANIZATION REPORT NUMBER(S) DNA-TR-84-401	
4 PERFORMING ORGANIZATION REPORT NUMBER(S) SAIC-84/1402		6a NAME OF PERFORMING ORGANIZATION Science Applications International Corporation	
6b OFFICE SYMBOL (If applicable)		7a NAME OF MONITORING ORGANIZATION Director Defense Nuclear Agency	
6c ADDRESS (City, State, and ZIP Code) P.O. Box 1303 McLean, Virginia 22101		7b ADDRESS (City, State, and ZIP Code) Washington, DC 20305-1000	
8a NAME OF FUNDING SPONSORING ORGANIZATION		8b OFFICE SYMBOL (If applicable)	
9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER DNA 001-83-C-0117		10 SOURCE OF FUNDING NUMBERS	
8c ADDRESS (City, State, and ZIP Code)		PROGRAM ELEMENT NO 62715H	PROJECT NO Q93QMXV
		*ASK NO 0	WORK UNIT ACCESSION NO DP 250917
11 TITLE (Include Security Classification) DUST INDUCED ELECTRO-MAGNETIC NOISE (DIEMN)			
12 PERSONAL AUTHOR(S) D.P. Bacon and D.P. Cherin			
13a TYPE OF REPORT Technical Report	13b TIME COVERED FROM 840301 TO 841031	14 DATE OF REPORT (Year Month Day) 841105	15 PAGE COUNT 24
16 SUPPLEMENTARY NOTES This work was sponsored by the Defense Nuclear Agency under RDT&E RMSS code X326083469 Q93QMXVD00001 H2590D.			
17 COSATI CODES		18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	Electro-Magnetic Noise	
20	14	Communications	
20	1	Dust Electrification	
19 ABSTRACT (Continue on reverse if necessary and identify by block number) A review of the data and theory related to DIEMN has been conducted and a strawman hypothesis of the phenomenon proposed. This hypothesis has been used to consider the probable features of DIEMN at the MINOR SCALE high explosive event.			
20 DISTRIBUTION AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21 ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED	
22a NAME OF RESPONSIBLE INDIVIDUAL Betty L. Fox		22b TELEPHONE (Include Area Code) 202-325-7042	22c OFFICE SYMBOL DNA/STTI

SUMMARY

We have taken a quick look at the data and theory related to DIEMN and constructed a strawman hypothesis for the phenomenon. By no means do we feel that the phenomenon is understood or necessarily poses a serious threat to fielded systems; we do feel, however, that we now have a hypothesis which we can use to develop meaningful experiments and data analysis to resolve these issues.



Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Avail and/or	
Dist	Special
A-1	

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
Summary	1
I Introduction	3
II DIEMN-Data in Brief	4
III Basic Theory	6
IV Direct Course	8
V Recommendations for Future Work	12
References	14

SECTION I INTRODUCTION

In 1976, a high explosive event took place. The event was DICE THROW, a 600T ANFO* surface burst. The charge was in the form of a cylinder capped with a hemisphere. The detonation produced a large, dense dust cloud. At the event, Bill Graham of TRW tape-recorded the noise received by a portable AM radio tuned between stations. This tape, along with observations of lightning at the volcanic eruptions of Surtsey (1963), Heimay (1973), and Mt. St. Helens (1980), raised the concern of trans- and post-nuclear attack, dust-cloud induced communications interference.

In an attempt to gather more information on the generation of this suspected Dust Induced Electro-Magnetic Noise (DIEMN), a team from SAIC went to the 1983 DIRECT COURSE event. This team made measurements in five frequency bands (10-600kHz, 2.3-2.9MHz, 15.0-15.6MHz, 50.0-50.6MHz, 220.0-220.6MHz) beating the higher frequency bands down to 10-600kHz and recording the resulting analog signal with an EMI 600kHz bandwidth tape recorder. The intent was to measure the DIEMN in the bands of interest to BMD/BMO and to quantify the level of the noise. The result of the measurements, and complementary electrostatic measurements, was to raise more questions than answers.

In this report, we present the global physics issues involved in the DIEMN process. We begin by stating in extremely abbreviated form the available data relating to DIEMN, discuss the physical processes which must occur, relate the experimental data to our understanding of DIEMN, and conclude with recommendations for future work.

*Ammonium Nitrate (94%) and Fuel Oil (6%)

SECTION II

DIEMN-DATA IN BRIEF

The data base on DIEMN is sparse: the Bill Graham DICE THROW tape; electrostatic field-change measurements of lightning produced at the volcanic eruptions of Surtsey¹, Heimay², and Mt. St. Helens³ and the observation of lightning discharges at these same eruptions; and electrostatic^{4,5} and electromagnetic measurements made at DIRECT COURSE. An attempt to locate data from above-ground nuclear weapons tests that might be relevant to DIEMN is discussed in a companion report and will not be included here except to state that no hard evidence of DIEMN was found in the Weapons Test reports examined.

The DICE THROW tape made by Bill Graham was made somewhere in the AM broadcast band (500-1600kHz) with a limited bandwidth (~10kHz). This tape has "clicks" and "pops" for a time period of roughly five to ten seconds post-detonation.

During the volcanic eruptions of Surtsey in February 1964, considerable displays of lightning were seen. These lightning discharges started approximately 10 seconds after the start of each new eruption sequence. Measurements of the quasi-static electric field indicate that the clouds formed by the eruption were positively charged (as opposed to normal thunderclouds which tend to be negatively charged) and had a charge density of approximately 10-100 C/km³.

The lightning associated with the eruption of Mt. St. Helens was reportedly spectacular in size and frequency of bolts. A compendium of eyewitness accounts³ reports: "To some the lightning appeared to be mostly from cloud to cloud (8SE). [Note: numbers in parentheses are the approximate distance in km from the mountain in the cardinal direction given.] A heavy concentration of vertical lightning at altitudes of 25,000-30,000 ft was entirely within the vertical eruption column (40W). Others noted many cloud-to-ground strikes (9W, 15E), some of which started forest fires (12Wb) and one of which struck an individual (20N). Beneath any part of the eruptive cloud, radios became useless because of static (8SE, 12Wa, 27N). On Mount Adams, climbers noted that the air became electrically charged as the ash cloud

moved overhead, and one climber received an electrical discharge upon raising his ice axe (50Ea)."

At DIRECT COURSE, electrostatic measurements were made by two groups (Naval Research Laboratory and New Mexico Institute of Mining and Technology) and electromagnetic measurements by one group (SAIC). The electrostatic measurements show a prompt positive charge followed quickly by a negative charge. The electromagnetic measurements of the SAIC team indicated that the "noise" in some of the frequency bands persisted for roughly a minute. Given the lack of knowledge of scaling relationships for this phenomena with yield, the fact that measurable charge exists as well as detectable RF "noise" is cause enough to explore the processes involved in dust charging in an attempt to put the observations in perspective.

SECTION III BASIC THEORY

In order to produce RF noise, some form of electrical discharge is required. This implies that bulk charge has separated which in turn implies charging and charge accumulation processes exist. We propose to consider these issues sequentially from charge generation to discharge and RF radiation.

Charging Phenomena. The first process to be understood is the generation of net charge. The importance of the word "net" here must be stressed; individual pairs of oppositely charged particles exchanging charge to form neutrals can not produce substantial RF power. We see, therefore, that it is not enough to find a mechanism which produces charge exchange between interacting particles, but the mechanism must have a built in assymetry which allows the interacting particles to separate in a preferential manner according to the sign of their charge. This is also the case in thunderstorms.

While the charge generation mechanisms in thunderstorms are not totally understood, they are generally separated into two classes: inductive and non-inductive. Inductive charging relies on the conductivity and polarizability of water and the presence of ambient electric fields to produce a top/bottom charge separation in a large droplet which becomes a free charge separation if many small droplets are continually shed from the top of the large drop. Because of the different slip velocities of the different sizes, the positive and negative drops will separate. Non-inductive charging does not require an ambient electric field, rather it depends on the presence of different materials with different surface energies or work functions. If these conditions exist, then collisions between particles of different materials will leave the materials preferentially charged. If, in addition, the materials have different sizes, then their differing slip velocities will lead to a gross charge separation.

Charge Separation. As mentioned above, in order to understand DIEMN, it is not sufficient to produce charged particles, but it is also necessary to have a mechanism

for gross charge separation and charge accumulation. The simplest mechanism for charge separation is gravitation coupled with drag. The terminal velocity of a 50 micron diameter particle is of the order of 0.1m/s; that of a 500 micron diameter particle, 2.4m/s. Thus if a cloud consist of a mixture of particles with a size distribution having humps centered at 50 and 500 microns, the differently sized particles will separate with a relative velocity of about 2m/s. Given that an electromagnetic signal was received in the 50 MHz band (which implies a discharge length of the order of 6 m) this separation velocity does not seem out of line.

To form this type of size distribution in the early time ($T \lesssim 2\text{min}$) DIRECT COURSE dust cloud, it is necessary to suppose that the surface is composed of two materials with different fracture properties. However, if this assumption is made, it is relatively easy to also assume different surface energies for the materials and the charging mechanism follows directly from the argument in the previous section.

Discharge. The electric fields produced by the separated charge are the source of energy for DIEMN. The dust cloud represents a leaky capacitor (ionic atmospheric conductivity provides the leakage path). If the field surpasses the breakdown strength of the dielectric (in this case the dusty air), then a discharge can occur. This breakdown field varies from roughly 3MV/m for clean dry air at full atmospheric pressure (760 torr) to 30KV/m for air at 1 torr. It is important to understand that these breakdown strengths represent the macroscopic fields in the gap between the clean parallel plates in which these measurements were made; the breakdown field in dusty air is expected to be lower due to the field enhancement caused by the sharp dielectric points present.

The above presents the basic theoretical concepts necessary for the understanding of DIEMN. We do not intend to continue this theory discussion further here, rather we will jump to the data taken at DIRECT COURSE and quantify the theory at the same time.

SECTION IV DIRECT COURSE

As part of our attempt to understand the DIEMN process, we took an in-depth look at the electrostatic field measurements taken at DIRECT COURSE by both the Naval Research Laboratory⁴ and the New Mexico Institute of Mining and Technology.⁵ The NRL system had a frequency response of 2 Hz while the NM Tech system had a response (unintegrated) of 300 kHz. The NRL probe measured the potential at 1.2 m above the surface and inferred an average E_z ; this is not an easy probe to calibrate due to non-linear ground plane effects. In addition, the metal rod antenna had a large cross-section ($\sim 40 \text{ cm}^2$) which could be impacted by charged particles and thereby induce an unwanted signal. The NM Tech probes were buried and shielded somewhat but had a larger exposed sensor area ($\sim 225 \text{ cm}^2$). Also, the probe was based on the detection of fringing field inside an open box with a normal electric field applied to the open face; this is also a very difficult probe geometry to calibrate.

The calibration factor for the NRL probe was $\sim 1 \text{ kV/V}$ and it therefore saturated at a field of $\sim 10 \text{ kV/m}$; the NM Tech probe had a calibration factor of $\sim 300 \text{ kVm}^{-1}/\text{V}$ and a saturation value of 56.3 kV/m . In addition, the NM Tech crew ascertained that 0.6 nC ($4 \times 10^9 e$) incident on the sensor will by itself saturate the detector. The NRL team did not determine the equivalent sensitivity for their detector.

Figure 1 gives a crude indication of the test site and the locations of the dusty radial and the NRL and NM Tech detector locations.




Figure 1. Location of NRL (*) and NM tech (●) sensors.

The maximum recorded field strength for each team was 1700 V/m (T + 72 sec, 1225 m from GZ) by NRL and a saturation field of 56300 V/m (T + 4 sec, 120 m from GZ) by NM Tech. (All numbers quoted are approximate). In order to get a little better feel for the (lack of) correlation between the two data sets, it is instructive to look at the NRL data for a station 2285 m from GZ and the NM Tech data at 1975 m. The NRL measurement peaks at T + 53 sec at a value of 350 V/m; the NM Tech peak occurs at T + 5 sec with a value of 12000 V/m. Obviously, based on these last results, the data of the two groups do not correlate at all.

The NM Tech researchers realized the lack of correlation in their own data at different stations and reported such at the January, 1984 DIRECT COURSE workshop held at NRL: "There is little correlation between the electric field disturbances observed at adjacent sites (which indicates that the charges affecting each sensor were close to it)." This explanation applies only to data taken post-shock; pre-shock, no local disturbances (and hence local charge separation) can take place. Therefore, the early time (pre-shock) NRL data should not be affected by local changes.

Figure 2 shows the NRL pre-shock data. The peak occurs at approximately T + 0.6 seconds; at this time the shock radius is 375 m and the closest data station is 1225 m. Since the spatial dependence of a dipole is R^{-3} and that of a quadrupole is R^{-5} , the quadrupole moment effect should be an order of magnitude less at the nearest recording station and we should be able to consider the problem to be that of a dipole.




Figure 2. NRL pre-shock data (arrows denote shock arrival).

Given a charge Q a distance d above conducting plane, the vertical electric field at the conducting plane is given by

$$E_z = \frac{2Qd}{(r^2 + d^2)^{3/2}} \quad (1)$$

Two measurements of the field suffice to determine Q and d . The NRL data at $T + 0.6$ sec is:

Data Point	$r(m)$	$E_z (V/m)$
1	1225	26.2
2	1875	8.0
3	2285	6.6

The following pairs result in the given values of dipole charge and height:

Data Pair	$Q(mC)$	$d(m)$
1-2	8	405
1-3	6	980
2-3	6	2945

Thus we see that the dipole height (which must be less than the tower height - 50 m - plus the shock radius - 375 m - or 425 m) varies from the physical to the grossly unphysical, calling the data and its interpretation into question. What is the mechanism for producing these charges and fields in only 0.6 sec? Part of the problem may be that the NRL probes had a frequency response of 2Hz; nevertheless, serious questions are raised.

This electrostatic data represents the problem we face throughout the analysis of DIEMN--the data is tantalizing in the sense that it exists, but upon closer inspection lacks high confidence. The electromagnetic data suffers the same fate. Figure 3 shows the relative magnitude of the DIEMN signal above background in a 10 kHz bandwidth. Two things must be noted: 1) the data is ambiguous and 2) there are only 10 (non-prompt) events observed. The ambiguity means that no single event may be relied upon absolutely; the total of 10 events is too few for statistical analysis. In addition, the small number of events introduces the issue of the causal relationship between the DIRECT COURSE event and the measurements; specifically would the noise observed have been there even without the shot. This last issue cannot be ignored since virtually no pre-shot data was recorded.




Figure 3. SAIC prompt and delayed noise data.

SECTION V RECOMMENDATIONS FOR FUTURE WORK

The issue of DIEMN contains numerous open issues. The charge production mechanism has not been positively identified, nor the separation process. The breakdown strength of dusty air is unknown and the basic breakdown process is still open for questions. The amount of charge created and the conversion efficiency into RF radiation in the frequency bands of interest is unknown.

The only way for progress to be made in this effort is to form an hypothesis. A working hypothesis can be used to make predictions which can be subjected to experimental verification. Without some starting point, the number of questions becomes insurmountable.

To allow us to formulate a working hypothesis we begin by listing what we feel we know with some confidence: 1) there are free charges (as seen by both NRL and NM Tech) and 2) there are discharges (as indicated by the DICE THROW, Mt. St. Helens, and DIRECT COURSE observations). Based on this information, we consider it valid to propose a strawman hypothesis for DIEMN.

The hypothesis consists of a charging mechanism based on contact electrification between two different component materials of the dust which have different size distributions and which therefore separate due to their different slip velocities. This is a hydrodynamically driven process and therefore, if we assume that we are far from saturating the charge on the dielectric, the charging process must scale by $(Yield)^{1/3}$. The discharge, on the other hand, is governed by the properties of the dusty air (e.g., breakdown strength, conductivity) which should be relatively insensitive to yield; thus an increase in free charge should result in more discharges, not longer discharges. The result is that the amplitude of the noise signal is unlikely to increase much with yield, however the duration of the noise will increase.

To investigate this strawman hypothesis, we recommend that: (1) A repeat of the DIRECT COURSE electromagnetic measurements be made at MINOR SCALE to

investigate the yield dependence on the amplitude and duration of the noise; and (2) that a laboratory experiment be conducted to determine the breakdown characteristics of dusty air. We do not believe that a repeat of the electrostatic measurements is warranted due to the problems of calibration and contamination of the signal by charged particles striking the detectors.

REFERENCES

1. Anderson, Robert, et al., *Science* 148, No. 3674, 1179 (1965).
2. Brook, M., et al., *Journal of Geophysical Research* 79, 472 (1974).
3. The 1980 Eruptions of Mount St. Helens, Washington, P.W. Lipman and D.R. Mullineaux, Eds., US Geological Survey, Geological Survey Professional Paper 1250, US Government Printing Office, 1980.
4. Anderson, R.V., et al., *Electrostatic Charging Phenomena Associated with Direct Course*, May, 1984 (Unpublished).
5. Moore, C.B., et al., *Electric Field Measurements During the Direct Course Experiment*, December, 1983 (Unpublished).

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

Assist to the Secy of Defense, Atomic Energy
 ATTN: Executive Assistant
 ATTN: J. Rubell

Defense Communications Engineer Center
 ATTN: Code R123, Tech Library
 ATTN: Code R400
 ATTN: Code R720, C. Stansberry

Defense Intelligence Agency
 ATTN: DB 4C2, D. Spohn
 ATTN: RTS-2A, Tech Library
 ATTN: RTS-2B

Defense Nuclear Agency
 ATTN: RAEV
 4 cy ATTN: RAEE
 4 cy ATTN: STTI-CA

Defense Technical Information Center
 12 cy ATTN: DD

Field Command, DNA, Det 2
 Lawrence Livermore National Lab
 ATTN: FC-1

Field Command, Defense Nuclear Agency
 ATTN: FCLMC, H. Putnam
 ATTN: FCPR
 ATTN: FCTT
 ATTN: FCTT, W. Summa
 ATTN: FCTXL

Interservice Nuclear Weapons School
 ATTN: TTV

Joint Chiefs of Staff
 ATTN: J-3 Strategic Operations Div

Joint Strat Tgt Planning Staff
 ATTN: JLAA
 ATTN: JLK, DNA Rep
 ATTN: JLKS
 ATTN: JPTM
 2 cy ATTN: JPPFD

National Communications System
 ATTN: NCS-TS

National Security Agency
 ATTN: R-52, O. Van Gunten

Under Secy of Def for Rsch & Engrg
 ATTN: Strat & Space Sys (OS)

DEPARTMENT OF THE ARMY

BMD Systems Command
 ATTN: BMDSC-AOLIB
 ATTN: BMDSC-LEE, R. Webb

US Army Comm, Elect Command
 ATTN: DRCPM-ATC
 ATTN: DRDCO-SEI

DEPARTMENT OF THE ARMY (Continued)

Harry Diamond Laboratories
 ATTN: DELHD-NW, J. Rosado, 20000
 ATTN: DELHD-NW-E, 21000
 ATTN: DELHD-NW-EA, 21100
 ATTN: DELHD-NW-EB, 21200
 ATTN: DELHD-NW-EC, 21300
 ATTN: DELHD-NW-ED, 21400
 ATTN: DELHD-NW-EE, 21500
 ATTN: DELHD-R, 22000
 ATTN: DELHD-TA-L, 81100, Tech Library
 ATTN: DELHD-TD, 00102
 ATTN: DELHD-TF
 ATTN: NWPO
 ATTN: 00100 Commander/Tech Dir/Div Dir
 2 cy ATTN: DELHD-NW-RC, 22300

US Army Armor Center
 ATTN: Tech Library

US Army Ballistic Research Lab
 ATTN: DRDAR-BLB, W. Van Antwerp
 ATTN: DRDAR-BLE

US Army Comm-Elec Engrg Instal Agency
 ATTN: CCC-CEJ-SES

US Army Communications Command
 ATTN: ATSI-CD-MD
 ATTN: CC-OPS-OS
 ATTN: CC-OPS-PD

US Army Communications Sys Agency
 ATTN: CCM-AD-SV
 ATTN: CCM-RD-T

US Army Electronics R&D Command
 ATTN: DELSD-L, W. Werk

US Army Engineer Div Huntsville
 ATTN: HNDED-SR
 ATTN: T. Bolt

US Army Intel Threat Analysis Det
 ATTN: Admin Officer

US Army Intelligence & Sec Cmd
 ATTN: Tech Library

US Army Materiel Sys Analysis Actvty
 ATTN: DRXSY-PO

US Army Test and Evaluation Comd
 ATTN: DRSTE-CM-F
 ATTN: DRSTE-CT-C

US Army Training and Doctrine Comd
 ATTN: ATCD-Z

US Army White Sands Missile Range
 ATTN: STEWS-TE-N, K. Cummings

USA Missile Command
 ATTN: Documents Section
 ATTN: DRCPM-PE-EA, W. Wagner
 ATTN: DRCPM-PE-EG, W. Johnson

DEPARTMENT OF THE NAVY

Naval Air Systems Command
ATTN: AIR 350F

Naval Electronic Systems Command
ATTN: PME 117-21

Naval Ocean Systems Center
ATTN: Code 08, J. Rockway
ATTN: Code 54, C. Fletcher

Naval Ordnance Station
ATTN: Standardization Division

Naval Postgraduate School
ATTN: Code 1424 Library

Naval Research Laboratory
ATTN: Code 1434, E. Brancato
ATTN: Code 2627, D. Folen
ATTN: Code 4700, W. Ali
ATTN: Code 4701, I. Vitokovitsky
ATTN: Code 4760, R. Grieg
ATTN: Code 6623, R. Statler
ATTN: Code 6624

Naval Surface Weapons Center
ATTN: Code F30
ATTN: Code F32, E. Rathbun

Naval Surface Weapons Center
ATTN: Code F-56

Naval Weapons Center
ATTN: Code 343, FKA6A2, Tech Svcs

Naval Weapons Evaluation Facility
ATTN: Code AT-6

Office of Naval Research
ATTN: Code 427

Strategic Systems Project Office
ATTN: NSP-2301, M. Meserole
ATTN: NSP-2342, R. Coleman
ATTN: NSP-2701
ATTN: NSP-27334
ATTN: NSP-43, Tech Library

DEPARTMENT OF THE AIR FORCE

Aeronautical Systems Division
ATTN: ASD/ENSSA
ATTN: ASD/YYEF

Air Force Aeronautical Sys Div
ATTN: ASD/ENACE, J. Corbin

Air Force Institute of Technology
ATTN: ENA, G. Baker, D 58T

Air Force Weapons Laboratory
ATTN: NT
ATTN: NTN
ATTN: NTYC, M. Schneider
ATTN: NTYEE, C. Baum
ATTN: NTYEP, W. Page
ATTN: SUL

Air University Library
ATTN: AUL-LSE

DEPARTMENT OF THE AIR FORCE (Continued)

Air Logistics Command
ATTN: OO-ALC/MMEDO, L. Kidman
ATTN: OO-ALC/MMETH, P. Berthel

Ballistic Missile Office/DAA
ATTN: ENSN
ATTN: ENSN, W. Clark
ATTN: ENSN, W. Wilson
ATTN: M. Stapanian

Electronic Systems Division
ATTN: SCS-1E

Foreign Technology Division
ATTN: NIIS Library
ATTN: TQTD, B. Ballard

Rome Air Development Center
ATTN: TSLD

Sacramento Air Logistics Center
ATTN: MMCREB, F. Schrader
ATTN: MMIRA, J. Demes
ATTN: MMSREM, F. Spear

Space Division
ATTN: IND

Strategic Air Command
ATTN: DEMUE
ATTN: INAO
ATTN: NRI/STINFO
ATTN: XPFS
ATTN: XPQ

DEPARTMENT OF ENERGY

Department of Energy
Albuquerque Operations Office
ATTN: CTID
ATTN: WSSB

Emergency Electric Power Adm
US Department of Energy
ATTN: L. O'Neill

OTHER GOVERNMENT AGENCIES

Central Intelligence Agency
ATTN: OSWR/NED

Department of Transportation
Federal Aviation Administration
ATTN: SEC DIV ASE-300

Federal Emergency Management Agency
ATTN: OPIR, M. Murtha
ATTN: SL-EM, J. Hain

NORAD
ATTN: NORAD/J5YX

DEPARTMENT OF ENERGY CONTRACTORS

Sandia National Laboratories
ATTN: M. Morris
ATTN: Org 1231, C. Vittitoe
ATTN: Org 2322, E. Hartman

DEPARTMENT OF ENERGY CONTRACTORS (Continued)

University of California
Lawrence Livermore National Lab
ATTN: L-10, H. Kruger
ATTN: L-13, D. Meeker
ATTN: L-153, E. Miller
ATTN: L-156, H. Cabayan
ATTN: L-97, T. Dorich
ATTN: Tech Info Dept Library

Los Alamos National Laboratory
ATTN: B. Noel
ATTN: MS670, J. Malik

DEPARTMENT OF DEFENSE CONTRACTORS

Aerospace Corp
ATTN: I. Garfunkel
ATTN: J. Reinheimer
ATTN: Library

Agabian Associates
ATTN: Library

Allied Corp
ATTN: Dept 6401

Allied Corp
ATTN: M. Frank

Analytical Systems Engineering Corp
ATTN: M. Nucefora

AVCO Systems Division
ATTN: Library A830

Battelle Memorial Institute
ATTN: E. Leach

BDM Corp
ATTN: Corporate Library
ATTN: S. Clark
ATTN: W. Sweeney

BDM Corp
ATTN: Library

Boeing Co
ATTN: D. Kemle
ATTN: H. Wicklein
ATTN: J. Dicome, Org 2-3744 M/S 47-36
ATTN: Kent Tech Library

Boeing Military Airplane Co
ATTN: C. Sutter

Booz-Allen & Hamilton, Inc
ATTN: R. Chrisner
ATTN: Tech Library

Calspan Corp
ATTN: R. Thompson

Calspan Corp
ATTN: Library

Charles Stark Draper Lab, Inc
ATTN: K. Fertig
ATTN: TIC MS 74

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

Cincinnati Electronics Corp
ATTN: L. Hammond

Computer Sciences Corp
ATTN: A. Schiff

Dikewood Corp
ATTN: Tech Lib for C. Jones
ATTN: Tech Lib for D. Pirio
ATTN: Tech Library

Dikewood Corp
ATTN: K. Lee

E-Systems Inc
ATTN: J. Moore

Eaton Corp
ATTN: E. Karpen

EG&G Wash Analytical Svcs Ctr, Inc
ATTN: C. Giles

Electro-Magnetic Applications, Inc
ATTN: D. Merewether

Ford Aerospace & Communications Corp
ATTN: H. Linder

General Dynamics Corp
ATTN: Research Library

General Dynamics Corp
ATTN: Research Library

General Electric Co
ATTN: D. Nepveux
ATTN: J. Peden

General Electric Co
ATTN: C. Hewison

General Electric Co
ATTN: Tech Library

General Research Corp
3 cy ATTN: Tech Info Office

Georgia Institute of Technology
ATTN: Res & Sec Coord for H. Denny

Grumman Aerospace Corp
ATTN: L-01 35

GTE Communications Products Corp
ATTN: A. Novenski
ATTN: A. Murphy
ATTN: D. Flood
ATTN: J. Waldron
ATTN: M. Snow

GTE Government Systems Corp
ATTN: L. Lesinski

Harris Corp
ATTN: V Pres & Mgr Prgms Div

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

Hazeltine Corp
ATTN: J. Okrent

Honeywell, Inc
ATTN: R. Johnson
ATTN: S&RC Library

Honeywell, Inc
ATTN: S. Graff
ATTN: W. Stewart

Horizons Technology, Inc
ATTN: R. Kruger

Hughes Aircraft Co
ATTN: CTDC 6/E110
ATTN: K. Walker

Hughes Aircraft Intl Svc Co
ATTN: A. Narevsky, S32/C332

IIT Research Institute
ATTN: ACOAT

IIT Research Institute
ATTN: I. Mindel
ATTN: J. Bridges

Institute for Defense Analyses
ATTN: Tech Info Services

IRT Corp
ATTN: B. Williams
ATTN: N. Rudie

IRT Corp
ATTN: J. Klebers

JAYCOR
ATTN: D. Higgins

JAYCOR
ATTN: E. Wenaas
ATTN: R. Stahl

JAYCOR
ATTN: Library

Kaman Sciences Corp
ATTN: A. Bridges
ATTN: F. Shelton
ATTN: N. Beauchamp
ATTN: W. Rich

Kaman Sciences Corp
ATTN: E. Conrad

Kaman Tempo
ATTN: DASIAC
ATTN: R. Rutherford
ATTN: W. Hobbs, Jr
ATTN: W. McNamara

Kaman Tempo
ATTN: DASIAC

Litton Systems, Inc
ATTN: MS 64-61, E. Eustis

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

Litton Systems, Inc
ATTN: J. Skaggs

Lockheed Missiles & Space Co, Inc
ATTN: Tech Info Center

Lockheed Missiles & Space Co, Inc
ATTN: B. Kimura
ATTN: D. Nishida, Dept 85-76
ATTN: H. Thayn
ATTN: L. Rossi
ATTN: S. Taimuty, Dept 81-74/154

Lutech, Inc
ATTN: F. Tesche

Martin Marietta Corp
ATTN: J. Casalese
2 cy ATTN: M. Griffith

McDonnell Douglas Corp
ATTN: T. Ender, 33/6/618

McDonnell Douglas Corp
ATTN: S. Schneider

McDonnell Douglas Corp
ATTN: M. Potter
ATTN: R. Twomey, MS/36-43

Mission Research Corp
ATTN: EMP Group
ATTN: J. Gilbert
ATTN: W. Crevier
2 cy ATTN: C. Longmire

Mission Research Corp
ATTN: A. Chodorow
ATTN: D. Gardner
ATTN: M. Scales

Mission Research Corp
ATTN: J. Lubell
ATTN: R. Curry
ATTN: W. Stark
ATTN: W. Ware

Mission Research Corp, San Diego
ATTN: J. Erler
ATTN: V. Van Lint

Mitre Corp
ATTN: M. Fitzgerald

Norden Systems, Inc
ATTN: Tech Library

Northrop Corp
ATTN: RAD Effects Grp

Pacific-Sierra Research Corp
ATTN: H. Brode, Chairman SAGE
ATTN: L. Schlessinger

Physics International Co
ATTN: Document Control

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

R&D Associates
ATTN: C. Knowles
ATTN: C. Mo
ATTN: Document Control
ATTN: M. Grover
ATTN: P. Haas
ATTN: W. Graham
ATTN: W. Karzas

Rand Corp
ATTN: B. Bennett

Raytheon Co
ATTN: G. Joshi

Raytheon Co
ATTN: H. Flescher

RCA Corp
ATTN: G. Brucker

Rockwell International Corp
ATTN: D/243-068, 031-CA31
ATTN: J. Erb
ATTN: V. Michel

Rockwell International Corp
ATTN: B. White

Rockwell International Corp
ATTN: F. Shaw

Rockwell International Corp
ATTN: B-1 DIV TIC, BAOB

S-CUBED
ATTN: A. Wilson

Sanders Associates, Inc
ATTN: R. Despathy

Science Applications Intl Corp
ATTN: W. Chadsey
2 cy ATTN: D. Bacon
2 cy ATTN: D. Chernin

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

Science & Engrg Associates, Inc
ATTN: V. Jones

Singer Co
ATTN: Tech Info Center

Sperry Corp
ATTN: M. Cort

Sperry Corp
ATTN: Tech Library

Sperry Corp
ATTN: D. Schow

SRI International
ATTN: A. Whitson
ATTN: E. Vance

Teledyne Brown Engineering
ATTN: F. Leopard
ATTN: J. Whitt

Texas Instruments, Inc
ATTN: D. Manus
ATTN: Tech Library

Transients Limited Corp
ATTN: D. Clark

TRW Electronics & Defense Sector
ATTN: H. Holloway
ATTN: L. Magnolia
ATTN: O. Adams
ATTN: R. Plebuch
ATTN: W. Gargaro

TRW Electroncis & Defense Sector
ATTN: R. Kitter

United Technologies Corp
ATTN: Chief Elec Design

END

FILMED

12-85

DTIC