

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

August 1985

12

Report No. STAN-CS-85-1068
Also numbered KSL-85-20

AD-A162 190

GUIDON-WATCH: A Graphic Interface for Viewing A Knowledge-Based System

by

Mark H. Richer
William J. Clancey

Department of Computer Science

Stanford University
Stanford, CA 94305

DTIC
ELECTE
DEC 10 1985
S B

DISTRIBUTION STATEMENT A
Approved for public release
Distribution Unlimited

DTIC FILE COPY



85 12 9 038

85 12 9 038

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Tech Report #14	2. GOVT ACCESSION NO. AD-A162 190	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Guidon-Watch: A Graphic Interface for Viewing a Knowledge-Based System	5. TYPE OF REPORT & PERIOD COVERED Technical, August 1985	
	6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) Mark H. Richer and William J. Clancey	8. CONTRACT OR GRANT NUMBER(s) N00014-85K-0305	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Stanford Knowledge Systems Laboratory 701 Welch Road, Bldg. C Department of Computer Science Palo Alto, CA 94304	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR702-003	
11. CONTROLLING OFFICE NAME AND ADDRESS Personnel and Training Research Programs Office of Naval Research (Code 458) Arlington, VA 22217	12. REPORT DATE August 1985	
	13. NUMBER OF PAGES	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) ONR Representative - Mr. Robin Simpson Durand Aeronautics Building, Rm. 165 Stanford University, Stanford, CA 94305	15. SECURITY CLASS. (of this report) Unclassified	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release: distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Also KSL Memo 85-20 to appear in <u>IEEE Computer Graphics and Applications</u> , November 1985, in press.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This paper describes GUIDON-WATCH, a graphic interface that uses multiple windows and a mouse to allow a student to browse a knowledge base and view reasoning processes during diagnostic problem solving. Methods are presented for providing multiple views of hierarchical structures, overlaying results of a search process on top of static structures to make the strategy visible, and pictorially expressing evidence relations between findings and hypotheses. This work demonstrates the advantages of stating a diagnostic search procedure in a well-structured, rule-based language, separate		

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

19. KEY WORDS (Continued)

20 ABSTRACT (Continued)

from domain knowledge. A number of issues in software design are also considered, including the automatic management of a multiple-window display.

GUIDON-WATCH:
A GRAPHICS INTERFACE FOR VIEWING
A KNOWLEDGE BASED *SYSTEM*

Mark H. Richer
William J. Clancey

Stanford Knowledge Systems Laboratory
Department of Computer Science
701 Welch Road, Building C
Palo Alto, CA 94304

The studies reported here were supported (in part) by:

The Office of Naval Research
Personnel and Training Research Programs,
Psychological Sciences Division.
Contract No. N00014-85K-0305

The Josiah Macy, Jr. Foundation
Grant No. B852005
New York City

The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the Office of Naval Research or the U.S. Government.

Approved for public release; distribution unlimited. Reproduction in whole or in part is permitted for any purpose of the United States Government.

Abstract

This paper describes GUIDON-WATCH, a graphic interface that uses multiple windows and a mouse to allow a student to browse a knowledge base and view reasoning processes during diagnostic problem solving. Methods are presented for providing multiple views of hierarchical structures, overlaying results of a search process on top of static structures to make the strategy visible, and graphically expressing evidence relations between findings and hypotheses. This work demonstrates the advantages of stating a diagnostic search procedure in a well-structured, rule-based language, separate from domain knowledge. A number of issues in software design are also considered, including the automatic management of a multiple-window display. ←



✓	
By _____	
Dist _____	
Available _____	
Dist	_____
A-1	_____

1. Introduction

An increasing number of Artificial Intelligence (AI) programs are implemented on high performance workstations with a bitmap display, a mouse, and a keyboard. The programming environment (usually a dialect of LISP) generally provides support for displaying multiple windows and using menus that can be selected with a mouse. Importantly, a programmer can also specify arbitrary regions of a window (e.g., text items) to be selectable with the mouse. This means that a user can invoke an action by pressing or releasing a mouse button while the mouse cursor is in a selectable region. These features make it possible to create a user interface that is efficient and easy to use for viewing and browsing a complex system.

The GUIDON project at Stanford University is investigating how knowledge-based systems can provide the basis for teaching programs. NEOMYCIN (Clancey and Letsinger, 1984), a medical consultation system, has been developed for this purpose. This paper describes GUIDON-WATCH, a graphic interface to NEOMYCIN that uses multiple windows and the mouse to allow a user to browse the NEOMYCIN knowledge base and view reasoning processes during a consultation. The results reported include methods for providing multiple views of a data base, techniques for illustrating dynamic processes including a search strategy, and some conclusions regarding automatic management of a multiple window display.

The paper is organized into the following sections:

- **Project Goals and Results to Date**
- **The Development of NEOMCYIN**
- **Description of GUIDON-WATCH**
- **Prior and Related Work in Graphic Interfaces**
- **Future Work**
- **Conclusions**

2. Project Goals

The ability to display and select information in several windows allows people to control and observe the behavior of an application program more easily. A graphic interface to a knowledge-based system can serve different kinds of users, including system designers, implementers, domain experts, students, and other end users.

In the GUIDON project, the end users will be medical students. We are currently collaborating with physicians and medical students to adapt NEOMYCIN, GUIDON-WATCH,

and other programs for medical instruction. However, when this work began better tools were also needed to maintain the NEOMYCIN knowledge base and to debug program behavior. As a result, GUIDON-WATCH evolved into a tool for both programmers and medical students to use. We are just starting to make a clean separation between the functionality that is useful for students versus programmers. We plan to develop user profiles that determine the interface behavior in a given situation. The current prototype can only be customized by making changes at the programming level.

GUIDON-WATCH is based on established principles for designing user interfaces on graphical workstations (Ingalls, 1981, Tesler, 1981, Foley and Van Dam, 1982, Card, et al., 1983, Foley, et al., 1984). The design criteria for GUIDON-WATCH emerged from the conventional wisdom on the subject. The user interface is viewed as a conversation consisting of two languages (Foley, et al., 1984): (1) the language in which the user retrieves or requests information (with the mouse), and (2) the program's display and its interpretation. With regard to both languages we aim to maximize expressiveness, understandability, and efficiency. The user should be able to retrieve all information through one interface that is easy to understand and efficient to use. The display should include all relevant information, be easy to interpret, and update quickly when a user makes a request.

Several GUIDON-WATCH users have found the interface simple, consistent, and easy to use. However, those unfamiliar with NEOMYCIN have difficulty realizing exactly how and when the display can be useful. We have found that the display is the best means we have for explaining NEOMYCIN. Therefore, an on-line introduction to GUIDON-WATCH and NEOMYCIN is planned.

Informal evaluation with Stanford University medical students is scheduled for the fall of 1985. Students will *watch* NEOMYCIN diagnose one or more patients. Data records of actual patients will be stored in files that can be accessed by NEOMYCIN during its questioning phase. A student will use GUIDON-WATCH to observe NEOMYCIN's reasoning processes during the consultation. NEOMYCIN will be able to explain in English why it asked a question (Hasling, 1984). Eventually, students will assist NEOMYCIN during a diagnosis in an apprenticeship setting.

The major results to date are summarized below:

- Multiple windows can provide several concurrent views of a knowledge-based system. They help users cope with the complexity of the system by highlighting

and summarizing important reasoning events during a problem-solving session.

- Several methods for highlighting facts and events were found effective. These include using different font styles, reverse video, boxing, flashing, and graying regions. Using these techniques, dynamic information associated with a given patient can be overlaid on top of static structures such as a disorder tree or a table of evidence.
- Early results indicate that both programmers and medical users prefer to have GUIDON-WATCH manage screen space automatically. This includes the sizing, placing, and closing of windows. It is not trivial to do this with a large number of windows, particularly during development when changes to the system are frequent. A knowledge-based approach to window management is suggested.

3. The Development of NEOMYCIN

The GUIDON project evolved from the MYCIN experiments (Shortliffe, 1976, Buchanan and Shortliffe, 1984) of the 1970s. MYCIN is a rule-based consultation program that recommends drug therapy for certain infectious diseases (e.g., meningitis). Because much of the functionality (e.g., the inference mechanism) of MYCIN does not depend on medical knowledge, it was possible to develop a domain-independent shell called EMYCIN (Van Melle, 1981). MYCIN now consists of EMYCIN plus the MYCIN medical knowledge base. EMYCIN was used to develop several other knowledge-based systems, and is the basis for several commercial products.

In 1979 Clancey completed GUIDON (Clancey, 1983), an intelligent tutoring system that interfaces with EMYCIN. GUIDON can interactively present the rules in an EMYCIN knowledge base to a student. However, Clancey found that the MYCIN rules were often difficult to understand because they combine a diagnostic procedure with medical facts in an opaque manner (Clancey and Letsinger, 1984). In a MYCIN rule the ordering of conjunct clauses in the premise might *implicitly* contain a strategy. For example, a rule might only apply if the patient is an alcoholic. One MYCIN rule premise begins with "if the patient is over 18 years of age and an alcoholic." The strategy that is implicitly represented in this rule premise is "don't ask a patient under 18 years of age if they are alcoholic." As a result, students would not understand many MYCIN rules nor the diagnostic strategy that MYCIN uses




Figure 3-1: The evolution of a knowledge-based system

MYCIN evolved into EMYCIN, a domain-independent shell for building knowledge-based systems. The GUIDON tutoring system is a separate module that could be used with any EMYCIN system. EMYCIN was not found to be an adequate foundation for an instructional program. Therefore, EMYCIN and the MYCIN knowledge base were reconfigured into NEOMYCIN, a medical consultation system which is designed for enhanced explanation and tutoring capabilities. The domain-independent shell that NEOMYCIN is built with is called HERACLES. NEOMYCIN is the basis for GUIDON2, a tutoring system now in development.

implicitly.

GUIDON demonstrated that satisfying the requirements for expert performance are not necessarily sufficient for the purpose of explanation and tutoring. Therefore, MYCIN was significantly reconfigured into a new program called NEOMYCIN (Clancey and Letsinger, 1984) that represents a diagnostic strategy separately from medical facts. For example, the diagnostic strategy used in NEOMYCIN explicitly states to check for conditions that would make a question inappropriate. The knowledge base has also been expanded to include diseases that can be confused with meningitis (this is important for instruction). NEOMYCIN is the foundation for GUIDON-2, a new series of instructional programs. GUIDON-WATCH is the first component of the GUIDON-2 system. Importantly, interactive graphics makes knowledge and reasoning visible only to the extent that the knowledge is represented *explicitly* in a program. The well-structured and explicit design of NEOMYCIN provides many opportunities

for exposing the program's reasoning to students and other users.




Figure 3-2: The HERACLES architecture.

The relationship between GUIDON-WATCH and three primary system modules is illustrated above. A consultation system consists of HERACLES, a knowledge base, and GUIDON-WATCH. For instructional use, the GUIDON2 module (now in development) can be added. GUIDON-WATCH provides an interface for instructional use, to run consultations, and to edit the knowledge base. Although there are differences in the interface for each kind of user, in general, the interface is very similar and represents a single program with several modes of behavior. (The graphic editor is not described in this paper because that interface has not been completely integrated with HERACLES.)

NEOMYCIN has led to a domain-independent system called HERACLES. HERACLES is to NEOMYCIN as EMYCIN is to MYCIN (Figure 3-1). In other words, NEOMYCIN consists of HERACLES and a medical knowledge base (Figure 3-2). HERACLES is a software tool applicable to diagnostic problems in many domains. For example, HERACLES was used to

develop a knowledge base for cast iron fault diagnosis (Thompson and Clancey, 1985). The HERACLES program includes a diagnostic procedure represented in a rule-based declarative language, rule interpreters, a set of domain relations (e.g., causes, subtype, suggests), various software tools for developing knowledge-based systems (many derived from EMYCIN), an explanation facility, and GUIDON-WATCH. To construct a specific consultation program, the system designer adds a knowledge base of facts and rules. All the examples in this paper use the NEOMYCIN knowledge base, but GUIDON-WATCH will work with any HERACLES knowledge base.

4. Description of the GUIDON-WATCH display

The windows and menus used in GUIDON-WATCH are described in detail in this section. First, the programming environment is briefly described to show what tools we started with. Second, an overview of the interface is provided. The third section describes the display facilities in detail.

4.1. Programming Environment

GUIDON-WATCH is implemented on XEROX 1100 Series workstations running INTERLISP-D. The black and white display screen is 1024 pixels wide by 808 pixels high, which provides approximately 75 pixels per inch resolution. INTERLISP-D provides a window package that supports multiple overlapping windows, scroll bars, and other window operations (Sannella, 1983). Many graphics primitives are provided for drawing lines and curves, manipulating bitmaps, filling and manipulating regions, checking the state and position of the mouse, etc. In addition, a menu package, a grapher package (e.g., to display trees), and several default window functions (e.g., scrolling by repainting) are provided. It required only a page of code to implement a simple pull-down menu package using the window primitives.

4.2. Overview of the User Interface

Pull-down menus and a Prompt Window are at the top of the GUIDON-WATCH display. (Figure 4-1). The Prompt Window is a standard part of the INTERLISP-D user interface and is used to print messages. Currently there are three pull-down menus of interest to a medical student: *KB (Knowledge Base) Windows*, *Consult*, and *Help*. The *KB Windows* pull-down menu displays a list of windows that can be opened for browsing the knowledge base or viewing a consultation. The *Consult* menu is used to start and quit a consultation. The *Help* menu allows the user to obtain information on the contents of a window.

The screenshot shows the GUIDON-WATCH interface. At the top, there are menu bars: 'KB Windows', 'Consult', and 'Help'. The main window contains a list of questions for the user to answer:

- 1) ** Mary (Age: 42 YEARS, Sex: FEMALE)
- 2) Please describe the chief complaints:
 - ** HEADACHE
 - ** STIFF-NECK-ON-FLEXION
 - ** NAUSEA
- 3) For how long has Mary's headache lasted?
 - ** 10 DAYS
- 4) How severe is Mary's headache (on a scale of 0 to 4 with 0 for very mild and 4 for very severe)?
 - ** 3
- 5) Does Mary have a fever?

Below the main window, there are several smaller windows:

- Evidence for INFECTIOUS PROCESS:** A table showing findings and their associated rules and confidence scores.
- RULE423:** A window showing the rule's condition and conclusion.
- Differential:** A window showing a list of hypotheses with their confidence (CF) and cumulative confidence (CUMCF) scores.
- Hypotheses With Evidence:** A window showing hypotheses with their CF and CUMCF scores.

Figure 4-1: A GUIDON-WATCH display during a consultation.

The user is running a consultation and the system has paused at question 5. The user has opened several windows to get information about the hypotheses that are being considered at this time. The use of pull down menus is also illustrated: the user has selected the KB Windows menu and moved the mouse over the menu item Taxonomy. If the user releases the mouse button now, the Taxonomy Window will be displayed.

4.2.1. Use of the mouse

XEROX 1100 computers can be used with either a two or three button mouse (selecting the left and right button at the same time on a two button mouse is equivalent to pressing the middle button on the three button mouse). In GUIDON-WATCH, the mouse is used in a simple and consistent way. The left button is used to select all menu items and text items in a window. For example, in a window that displays a list of diseases, the user can select the name of a disease using the left button. A pop-up menu is displayed that allows a user to get more information in another window (Figure 4-2). Only those items that are currently relevant appear in the pop-up menu.




Figure 4-2: The Causal Relations Window.

The user has selected the node SUBARACHNOID-HEMORRHAGE with the left button and a pop-up menu is displayed with items for displaying additional information. This graph was automatically generated from the NEOMYCIN knowledge base, edited by hand to fit on the screen, and then stored on a file. If the user wished to display the graph with a different root node GUIDON-WATCH dynamically generates the graph at runtime.

It has not been decided whether or not students will be asked to use more than the left button. In our current programming environment, the right button is used in the default manner provided by INTERLISP-D, to manipulate windows (e.g., reshaping, closing). The middle button is sometimes used to display a pop up menu with items that apply to the entire data structure in a window. For example, a user may want to highlight those items in a window that all have a certain property. We are considering the use of icons in a window for operations besides selecting menu or text items (e.g., closing a window). Therefore, the student

interface may only use one button.

4.2.2. On-line Help

If the user selects *Help window* from the *HELP* pull-down menu, then a *HELP* icon attaches to the mouse cursor. The user can get help about a window by moving the *HELP* icon into a window and buttoning the window. A message associated with the selected window is printed in a special help window.

4.2.3. Management of windows

The INTERLISP-D graphics package provides functions for prompting users to position a ghost image of a window or to a shape a window. These prompts can be confusing to novices and distract from the task at hand. If it is possible to make a good decision regarding the size and position of a window, then we can free the user from this chore. In addition, an automatic window management system can often optimize the use of screen space better than a user. This is true in *GUIDON-WATCH* because there are a known set of windows whose contents are constrained to a certain form (e.g., a table).

To manage the window display, the screen is divided into logical units. The *GUIDON-WATCH* screen consists of a top, middle, and bottom section. The top section contains the pull-down menus and the Prompt Window. The bottom and middle sections display knowledge base structures and have well-defined lower borders. Another logical division of the *GUIDON-WATCH* display provides vertical boundaries. For example, the width of the screen can be divided into equal or unequal regions. The current prototype uses three regions with two equal and one slightly wider than the other two. Furthermore, you can have a hierarchy of subdivisions (i.e., regions) Each window in *GUIDON-WATCH* is associated with one or more regions where it can be displayed.

GUIDON-WATCH decides where to place a window based on several considerations: (1) the default region of the window, (2) the other windows that are displayed and their position, and (3) the set of windows that the user would mostly likely prefer to remain in view. While the current window management system is effective, we would like to extend the flexibility of the interface. This would require a more complex scheme. It might be necessary to consider moving or reshaping windows that are already on the screen. Note that window systems that provide this capability do not consider the *semantics* of the contents of windows. Therefore, algorithms for scaling pictures and changing the font size of text are not sufficient when you have to decide where windows should be placed and which windows should be closed or

covered.

Although flexibility and control are relinquished by the user, the benefits of automatic screen management seem to outweigh potential disadvantages. Automatic window management saves the user time and maximizes the use of screen space. It is possible to allow the user to turn off automatic features, change defaults, or allow the user to use the move and reshape facilities. Furthermore, menus or icons can be used to allow the user to choose from a predefined set of sizes, positions, fonts, etc., but then the implementation of the automatic window manager becomes increasingly complex. In our current implementation, when a window is displayed, a complex conditional in the window's display function is evaluated. This code is difficult to understand and modify. In addition, the situation has been complicated by the need for different user profiles. We are considering an approach where the behavior of the interface is specified separately and declaratively using knowledge representation formalisms (e.g., rules) and object-oriented programming.

4.2.4. Dynamic updating of the screen display

Displaying dynamically changing information presents problems that are not unique to our application. For example, how often do you update the screen? Do you gray out regions that are out of date or immediately update them? Our philosophy is that users should be able to open and close windows at any time and that the display should accurately reflect the current state of the system or gray out regions that are not continuously updated. Regions that are grayed out can either be automatically updated at specified intervals or manually updated by having the user simply button the window to redisplay itself.

4.3. The GUIDON-WATCH windows

This section describes many of the windows available to the GUIDON-WATCH user and addresses the following important issues: What information in a HERACLES knowledge base is most important to display? For programmers? For medical students? How can dynamic information be displayed? In the first subsection below, the focus is on static knowledge structures and how they are displayed in GUIDON-WATCH. Subsequent subsections discuss the display of dynamic consultation knowledge.

4.3.1. What is there to display in a knowledge base?

A HERACLES knowledge base (e.g., NEOMYCIN medical knowledge base) includes findings, hypotheses, rules, tasks, and relations among these. Findings are data that can be requested or inferred from rules. Generally findings can be observed or measured. Hypotheses can only be inferred from rules. In NEOMYCIN, hypotheses include diseases and pathophysiological states. Relations refer to predicate calculus relations and in HERACLES include *subtype*, *causes*, etc. *Static* knowledge includes facts about findings and hypotheses as defined by relations (e.g., meningitis is a subtype of infection, headache is a finding, etc.). It also includes the diagnostic procedure and domain rules (e.g., if the patient has double vision, then there is suggestive evidence for intracranial pressure). *Dynamic* knowledge is situation specific and refers to information that becomes known only during a problem solving session (e.g., "Mary's temperature is 102 degrees.").

NEOMYCIN uses a diagnostic strategy known as heuristic classification (Clancey and Letsinger, 1984). Given an enumerated set of solutions (e.g., diseases or possible diagnoses), NEOMYCIN heuristically maps a set of findings onto one or more possible solutions. This diagnostic procedure is provided by HERACLES (Heuristic Classification Shell). It is represented as tasks, which are procedures that are stated in a declarative rule-based language (Figure 4-3). When a task is invoked, one or more of its metarules are applied (Figures 4-4, 4-5). Metarules in HERACLES are similar to conditionals in a procedure, but they are expressed as abstract rules.

Windows that display static knowledge include the task and metarule windows in Figures 4-3, 4-4, and 4-5. They also include the Findings, Hypotheses, and Relations windows, which simply display an alphabetical ordering. Other windows display a graph to show the relationships between groups of objects. The Causal Relations Window (Figure 4-2) is a lattice with causal and subtype links between findings and hypotheses; the Diagnostic Strategy window (Figure 4-6) shows the calling structure of the diagnostic tasks; and the Taxonomy window (Figure 4-7) represents a subtype hierarchy of disorders. In all of these windows the user may select an item to get more information.

4.3.2. Reifying the process

The windows described below all display dynamic information during a consultation.

The Taxonomy and Causal Relations Windows. An important concept in medical diagnosis is the *differential*, the set of competing hypotheses currently being considered. The etiological

TASK PURSUE-HYPOTHESIS	
ENDCONDITION:	STOP-PURSUING
TASK-TYPE:	SIMPLE
TASKGOAL:	PURSUED
FOCUS:	CURFOCUS
TASK-TRY-ALL?:	T
ACHIEVED-BY:	(RULE171 RULE590)
LOCALVARS:	(\$BETTERHYP)

Figure 4-3: The Task Property Window.

Above the properties and values of the task Pursue-Hypothesis are displayed.

taxonomy is a tree of possible diagnoses or solutions in NEOMYCIN. The differential represents a *cut* through this solution space. Boxing the hypotheses in the Taxonomy Window that are on the differential is a simple way to make this *cut* visible (Figure 4-7).

Flashing and boxing nodes in the Taxonomy and Causal Relations Windows emphasize the dynamic search strategy. Whenever a hypothesis is added to the differential, its corresponding node label is flashed and then boxed. Whenever the hypothesis is removed from the differential, the box is redrawn with lighter lines, so that the hypotheses that had been considered previously are still highlighted, but the ones currently on the differential are more prominent (Figure 4-7). A student can observe NEOMYCIN *looking up* the disorder tree to group and compare categories of disorders before *looking down* to refine hypotheses.

Conclusions in a HERACLES consultation are associated with *certainty factors* that represent a degree of belief. They are not probabilities. In HERACLES, each hypothesis has both a certainty factor (CF) and a cumulative certainty factor (CUMCF). The CF represents the




Figure 4-4: The Metarules Window.

Above the metarules that the task Pursue-Hypothesis calls are displayed.

combined certainty of all rules that have concluded directly about the hypothesis. The CUMCF represents a combination of the CF of a given hypothesis (which may be zero) with CFs of its descendants in the disorder taxonomy. For example, evidence for meningitis (a positive CF) increases the CUMCF of infectious process because meningitis is a subtype of infectious process. (To be exact, negative CFs of ancestors are also combined; therefore, evidence against infection can decrease the CUMCF of meningitis.)

When the CF or CUMCF is updated for a hypothesis, new values are printed below the node label corresponding to the hypothesis. The CF is printed on the left, the CUMCF on the right if it differs. The figures in this paper show the CFs printed as integers from -1000 to +1000; this is how they are represented internally. These numbers are far from precise and should be interpreted as falling in several categories: definite, strongly suggestive, suggestive, weakly suggestive or no evidence for (or against) a hypothesis. For students the internal CF values will not be printed; instead a graphic notation, such as zero to four pluses or minuses could be




Figure 4-5: The Rule Window displaying a metarule of the task Pursue-Hypothesis.

used to indicate the degree of belief.

In the case in which a hypothesis window is not open, the printing, boxing and flashing of nodes is not done immediately. However, whenever the Taxonomy or Causal Relations window is opened during a consultation, the window is updated so that all the hypotheses are appropriately boxed, and certainty factors are printed. Therefore, the user is free to open these windows at any time. Below we describe several other windows that display dynamic information.

The Consultation Typescript. The Consult window (Figure 4-1) is opened when a user starts a consultation using the *Consult* menu. This window displays the questions that are asked during a consultation. Each question is followed by a response that is either supplied by the user or is retrieved automatically from a patient data file. Before an answer is retrieved the program pauses. The user can then use the mouse to select items or open any windows. A menu is provided that allows a user to proceed one or more questions further, receive textual explanations, resize the consultation window, etc.




Figure 4-6: The Diagnostic Task Tree Window.

When a task is selected in this window, a menu pops up that allows the user to display either the properties of the task in the Task Property window (Figure 4-3) or the metarules that a task applies in the Metarules window (Figure 4-4). During a consultation the user can also choose to see dynamic information about task calls. This is described in the section Dynamic Task Windows.

Evidence Window. This window can be displayed without running a consultation. However, during a consultation dynamic information is overlaid onto static knowledge structures to show the current evidence relations between findings and hypotheses (Figure 4-8). All potential evidence for a hypothesis is displayed as a table in this window. The first column lists findings and hypotheses that suggest a hypothesis. The second column lists the rules that use these findings or hypotheses to conclude about the hypothesis. The third column shows the maximum CF in the rule's action, and the fourth column shows, if different, the minimum CF in the rule's action.

During a consultation, additional information is provided to the user through the use of bold fonts and graying over regions. A finding with a positive value is printed in bold; a negative finding is grayed over. Analogously, rules that have succeeded are printed in bold; rules that have failed are grayed over. Findings and rules that appear in normal print have not been investigated yet. This simple notation is an effective means of providing a great deal of




Figure 4-7: The Taxonomy Window.

The boxing, flashing, and printing techniques used in this window make the dynamic search strategy visible by displaying dynamic information on top of a static knowledge structure, in this case the etiological taxonomy. The differential shown here is NEOMYCIN's internal differential and may not correspond precisely to a physician's differential. The differential shown to a student may differ from NEOMYCIN's internal list. This graph was generated, edited, and stored in the same manner as the graph in Figure 4-2. Note that Figures 4-7 through 4-10 correspond to the same state of the consultation as displayed in Figure 4-1.

information in a concise and understandable manner. Furthermore, it illustrates how dynamic information can be displayed on top of static knowledge structures that are displayed in a table format.

Positive Findings Window. The Positive Findings Window (Figure 4-10) displays all the findings that have a positive value (i.e., the value is "yes", a number, or symbolic). Findings are printed in the first column, values in the second column, and CFs in the third (printed only if less than 1000). Findings are selectable, and when buttoned a pop-up menu is displayed. For example, a user may want to select a finding to find out which hypotheses the finding may suggest.

In this window items are printed incrementally during a consultation. If the Positive Findings window is open, then new positive findings are printed in the window as soon as they

Evidence for MENINGITIS		
FINDING	RULE(S)	MAXCF MINCF
TENSE-FONTANEL	RULE060	800
SEIZURES	RULE060	800
REDFLAG-CNS-FINDI	RULE323	700
STIFF-NECK-ON-FLE	RULE424	500
	RULE183	500
HEADACHE	RULE424	500
NEONATE	RULE183	500
WBC	RULE131	-700
CSFCELLCOUNT	RULE131	-700
	RULE117	-800
CSFPROTEIN	RULE117	-800

Figure 4-8: The Evidence Window.

The findings and hypotheses displayed in this window are ordered so that the ones that may be most suggestive (have the highest MAXCF) are on top. The user may have selected Meningitis in the Taxonomy Window because it is on the differential with a positive CF, and then displayed this Evidence Window. The user may then display a rule that succeeded or failed in the Rule Window. For example, RULE424 is printed in bold in the Evidence Window above showing that the rule succeeded. This rule is then displayed in the Rule Window (Figure 4-9).

are known. If the window is closed, then the whole list of positive findings is printed when the window is opened. This feature provides flexibility for the user, who can open or close the window at any time during a consultation.

Differential and Hypotheses With Evidence Windows. Hypotheses on the differential are boxed when they appear in certain windows. However, the differential is such an important structure that a special window is provided for its display (Figure 4-11). However, not all hypotheses for which there is positive evidence are on the differential at a given time. Another important class of hypotheses are all those for which there is belief. This includes hypotheses for which there is direct evidence (i.e., at least one rule concluded the hypothesis) and those for which there is belief when propagation is included (i.e., the CUMCF is above a certain


```

RULE 424
If:  1) The patient has a stiff neck
      on flexion, and
      2) The patient has a headache
Then: If you are considering
      infectious-process, there
      is suggestive evidence
      (.5) that the patient's
      infection is meningitis

```

Figure 4-9: The Rule Window displaying a domain rule.

threshold). These are displayed in a separate window (Figure 4-12).

In both the Differential and Hypotheses-With-Evidence windows, hypotheses that have direct evidence supporting them are printed in bold. These windows also contain columns for CF and CUMCF values. As usual, the hypotheses are selectable. These two windows, as well as the Taxonomy and the Causal relations windows, illustrate how GUIDON-WATCH provides *multiple views* of the same knowledge structures.

Dynamic Task Windows. These windows provide users with dynamic views of the diagnostic strategy as it is instantiated during a consultation. This is a challenging presentation problem because the abstract nature of the diagnostic procedure as it is represented in the task and metarules is not nearly as intuitive to people as are disorder hierarchies, causal networks, domain rules, and lists of findings. Although the goal is to provide a view of NEOMYCIN's reasoning that is understandable to medical students, the model of the diagnostic strategy is in the form of a complex procedure that is intimately tied to basic concepts of computing. For example, task calls are very similar to procedure calls; a task may have a focus and local variables. A focus consists of one or more findings, hypotheses, or rules depending on the task.

Positive Findings		
FINDING	VALUE	CF
AGE	42	
SEX	FEMALE	
RACE	LATINO	
HEADACHE	YES	
STIFF-NECK-ON-FLEXION	YES	
NAUSEA	YES	
HEADACHE-DURATION	10	
HEADACHE-SEVERITY	3	
CNS-FINDING	YES	
STIFF-NECK-SIGNS	YES	
HEADACHE-CHRONICITY	CHRONIC	800
	SUBACUTE	300
CNS-FINDING-DURATION	10	

Figure 4-10: The Positive Findings Window.

For example, Test-Hypothesis may have meningitis as a focus in NEOMYCIN. Tasks invoke other tasks in a chain, similar to procedure calls.

The three windows described below each provide a different view of the dynamic diagnostic strategy by using three different graphic formats: a stack, a tree, and a table. Although it has not yet been decided how they will be adapted for instruction, they are already very useful for programmers trying to debug or understand NEOMYCIN's behavior. Programmers can use these windows to find out exactly what NEOMYCIN is doing or has done at a detailed strategic level. Consistent with Model's (Model, 1979) recommendations, these windows provide monitoring and debugging tools at a level that corresponds to the program's design (e.g., tasks and metarules). This is a great improvement over examining the low-level LISP stack which reflects the strategy only in a very indirect way.

Task Stack Window. This window displays the current stack of task calls, which is similar to a stack of procedure calls (Figure 4-13). The task calls are printed from in the order that they were called, with the first task printed at the top of the window. If the task has a focus, then it is printed in square brackets after the task. The metarule that the task successfully applied is

Differential		
HYPOTHESIS	CF	CUMCF
VIRAL-MENINGITIS	200	
FUNGAL-MENINGITIS	---	
MYCOBACTERIUM-TB-MENINGITIS	---	
PARTIALLY-TREATED-BACTERIAL-MENINGITIS	---	

Figure 4-11: The Differential Window.

This is the differential several questions after the point shown in Figure 4-1. Subsequent figures all show windows as displayed at this later point.

printed below the task. Metarules are *attached* to the task they invoke by a vertical line. Different font faces are used to distinguish tasks, metarules, and foci from one another. Every rule, finding, and hypothesis in the Task Stack Window is selectable so that the user can quickly get more detailed information on an item of interest.

The Task Stack Window provides a view of the current path through the diagnostic tree with metarules and foci instantiated. By examining the task stack, the user can understand the reason for the current strategy. For example, the user may be interested in why a question is being asked. Students will be able to get textual explanations that should satisfy their needs (Figure 4-1), but programmers may want to examine the task stack to understand the computational reasons for a data request at the task and metarule level. By examining the task stack in Figure (4-13) the user can see that NEOMYCIN is testing the hypothesis Mycobacterium-TB-Meningitis. As a result, a rule that was applied led to a series of calls to

Hypotheses With Evidence		
HYPOTHESIS	CF	CUMCF
INFECTIOUS-PROCESS	700	880
MENINGITIS	500	600
CHRONIC-MENINGITIS	200	
VIRAL-MENINGITIS	200	
ACUTE-MENINGITIS	---	200

Figure 4-12: The Hypotheses With Evidence Window.

the task Findout. The last call, with the focus "compromised," finally resulted in the question "Is Mary a compromised-host?," which the user would see in the Consultation Typescript Window.

Dynamic Task Tree Window. This window displays a graph that shows all or part of the dynamic history of task calls (Figure 4-14). This allows a user to view the overall *structure* of the diagnostic strategy that NEOMYCIN is using during or at the end of a consultation. This is useful because the static Diagnostic Task Tree Window (Figure 4-6) shows all possible paths in the task tree; this window shows only the paths that are part of an actual diagnosis and reveals patterns of multiple calls of the same task.

Task History Window. This window contains a table of all the invocations of any given task during the consultation (Figure 4-15). More or less, it provides an alternate view (for a given task) of the information displayed in the Dynamic Task Tree Window. In the first column, the invocation number of the task is printed, with "1" meaning the first time the task was called. In the second column, the focus of the task call is printed; in the third column, the metarule that invoked the task is printed; and in the fourth column, the calling task is printed.

```

MAKE-DIAGNOSIS [ ]
RULE384
COLLECT-INFO [ ]
RULE062
ESTABLISH-HYPOTHESIS-SPACE [ ]
RULE586
EXPLORE-AND-REFINE [ ]
RULE163
PURSUE-HYPOTHESIS [
  MYCOBACTERIUM-TB-MENINGITIS ]
RULE171
TEST-HYPOTHESIS [
  MYCOBACTERIUM-TB-MENINGITIS ]
RULE603
APPLYRULES [ RULE366 RULE309 RULE309
  RULE002 RULE525 ]
RULE094
APPLYRULE1 [ RULE309 ]
RULE095
FINDOUT [ STEROIDS ]
RULE153
FINDOUT [ IMMUNOSUPPRESSED ]
RULE153
FINDOUT [ SYSTEMIC-COMPROMISED ]
RULE153
FINDOUT [ COMPROMISED ]
RULE169

```

Figure 4-13: The Task Stack Window.

As usual, rules, findings, hypotheses, and tasks are selectable. Additionally, the user can select an invocation number in order to display more information on the history of that task call, including a dynamic task tree with the chosen task invocation as the root or any metarules that succeeded during the task call.

Together, the three dynamic task windows provide a powerful aid for inspecting the current




Figure 4-14: The Dynamic Task Tree Window.

The node labels of tasks in this tree are abbreviated, but the user can see the full name expanded when a node is selected. TH is short for Test-Hypothesis in this tree. The figure above illustrates how the user can see multiple calls of a task and the resulting events in the Dynamic Task Tree Window.

and past diagnostic strategy used during the consultation. It is clear that medical students would need some instruction in these concepts before the dynamic task windows would be meaningful to them. Part of the problem is that many of the task names are not commonly used in medicine. It is hoped that some of the problem can be alleviated by choosing names for the diagnostic tasks that are more familiar to students. Additionally, some tasks may be hidden from a student's view because they involve computational details of interest to a programmer only.

5. Prior and Related Work in Graphic Interfaces

GUIDON-WATCH was influenced by a diverse collection of work stretching back to Vannevar Bush's seminal article, in which a desk-sized, electronic information device called a "memex" was proposed (Bush, 1945). Doug Engelbart and his colleagues pioneered much of the early work on information handling systems and provided the basis for the user interfaces commonly found on today's workstations (Engelbart, 1963, English and Engelbart, 1967, Engelbart, 1970, Engelbart, 1982). Alan Kay led the Learning Research Group (LRG) at

Task History of TEST-HYPOTHESIS			
NO.	FOCUS	CALLER	METARULE
1	INFECTIOUS-PROCESS	G&D	RULE393
2	MENINGITIS	G&D	RULE400
3	MENINGITIS	G&D	RULE400
4	ACUTE-MENINGITIS	G&D	RULE400
5	CHRONIC-MENINGITIS	PUH	RULE171
6	MYCOBACTERIUM-TB-MEN	PUH	RULE171

Figure 4-15: The Task History Window.

XEROX PARC that brought similar ideas to fruition on personal workstations. (Kay, 1977) Engelbart's group and the LRG shaped a view of the computer as a communications medium by which a user can store, retrieve, manipulate, and transfer information with ease. The LRG's vision of a dynabook (Goldberg, 1979, Borning, 1979, Weyer and Borning, 1984, Gould and Finzer, 1984) stills remains an exciting dream in the spirit of Bush's memex.

The 1970s also brought many advances in Artificial Intelligence including the development of knowledge-based systems such as MYCIN. Starting from a different point of view, Seymour Papert led a group at M.I.T. that explored the use of computer languages such as LOGO to teach subjects such as geometry and physics in a new way (Papert, 1980). Papert offers a provocative view of AI and computers in education; he influenced us to consider how we can provide students with conceptual and software tools to explore computational models (Papert, 1980). John Seely Brown further inspired us to understand the potential of these ideas; his discussion of *reifying the process* of problem solving (Brown, 1983) is particularly relevant to GUIDON-WATCH. To *reify* means to make real or concrete, or to materialize something that is abstract. GUIDON-WATCH makes the abstract diagnostic procedure used in NEOMYCIN

more concrete and visible.

Partly because bit-mapped raster displays have only recently been integrated with AI programming environments, little has been written about graphic interfaces in AI programs. Some notable exceptions include Model (Model, 1979), AIPS (Zdybel, et al., 1981), the ONCOCIN project (Tsuji and Shortliffe, 1983, Tsuji and Shortliffe, 1985, Lane, et al., 1985), and the STEAMER project (Hollan, et al., 1984, Stevens, et al., 1983). Model demonstrated that graphic displays can facilitate the monitoring and debugging of complex programs (he used MYCIN for an early demonstration of his work). Tsuji and Shortliffe investigated this idea further by implementing several graphic tools for constructing, monitoring, and debugging ONCOCIN's knowledge base and inference procedures. (ONCOCIN is a system that helps physicians administer experimental cancer therapy.) The ONCOCIN group's strong commitment to the use of interactive graphics has resulted in several graphic interfaces, including the *ONCOCIN Interviewer* (Lane, et al., 1985), a program that helps physicians enter patient data.

STEAMER, an instructional program about power plant operation, uses interactive color graphics in a knowledge-based simulation. It is interesting to compare the use of interactive graphics in STEAMER and GUIDON-WATCH. STEAMER emphasizes the construction of a *visible, interactive, and inspectable simulation*. It displays the complex *physical processes* of a steam propulsion plant. NEOMYCIN, on the other hand, is a *computational model of diagnostic reasoning*. GUIDON-WATCH provides a user with a visible, interactive, and inspectable model of NEOMYCIN's *reasoning processes*.

Several knowledge-base browsers similar to GUIDON-WATCH were developed more or less concurrently. For example, ART, KEE, SRL+, LOOPS, S.1, and STROBE provide interactive graphic displays that allow programmers to browse class hierarchies and other general data structures (Stefik, et al., 1983, Kunz, et al., 84, Williams, 1984, Richer, 1985). Sophisticated graphic editors may be provided; for example, STROBE has an excellent knowledge base editor (Schoen and Smith, 1983). However, the browsers provided in these systems are very general and are too complex for end users, requiring an understanding of the underlying knowledge representation framework. On the other hand, KEE and LOOPS do provide support for creating end-user iconic displays. These can be very useful for displaying the state of a complex device.

GUIDON-WATCH differs from other browsing programs because it is tuned to display

specific kinds of knowledge structures (e.g., those found in a HERACLES system). For example, GUIDON-WATCH can display disease taxonomies, causal networks, evidence for a hypothesis, and positive findings in a way that is *appropriate for end users* such as medical students. Graphic techniques described in this paper illustrate an abstract diagnostic procedure during its actual use. To paraphrase, if a knowledge base is written for HERACLES, then an effective user interface is provided automatically.

6. Future Work

A continuing decrease in the price of hardware will provide more opportunities to use higher resolution screens, interactive pictures, color, animation, and interactive video. Certainly, we have only touched the surface in using graphics for viewing a knowledge-based system. Interactive and animated pictures can illustrate facts and processes. However, implementing interactive graphic displays is time-consuming. There is a need for high-level user interface kits that provide most of the common features that developers now have to implement over and over again. It is probable that an object-oriented programming system will be adopted as an extension to the Common Lisp standard (Bobrow, et al. , 1985, Steele, 1984). This could provide the basis for a generic interface shell for lisp environments. Two examples of interface packages that successfully use the object-oriented approach include MacApp (Tesler, 1985) and EzWin (Lieberman, 1985); the latter is written in *flavors*, the object-oriented language within Zetalisp (Weinreb and Moon, 1981).

The discussion so far has focused on what interactive graphics can provide for AI systems. However, AI technology can contribute directly to more intelligent graphic interfaces. Current research topics include user modeling, intelligent presentation, and declarative languages for describing graphical interaction. Mackinlay (Mackinlay, 1983) is investigating some of these issues. For GUIDON-WATCH, we decided how to present information and hand-coded it. Instead, Mackinlay's program *reasons on its own* about how to present information. For example, it can decide to present data as a bar chart, a pie chart, a plot chart, a table, or a graph. It can also design several alternative sophisticated presentations from simpler ones and then use heuristics to choose one to display to the user.

Another important aspect of Mackinlay's work is that it uses a knowledge-based approach. Therefore, its reasoning is represented in an explicit, declarative language and not in opaque code. The use of a declarative representation results in programs that are easier to modify and understand. We found that the parts of our display code that are trying to be *smart*, such as

the management of windows, are poorly represented in LISP. The code fails to make the underlying reasoning explicit, and it is difficult to modify. Another advantage of using a declarative representation is that it can be used in multiple ways. Mackinlay's current work addresses only the intelligent presentation problem, but eventually programs may be able to explain why a particular presentation was chosen. The graphic designer using an intelligent computer aid would want a justification for some design decisions. In intelligent tutoring systems, it would be useful if a program could automatically generate questions regarding a presentation on the screen.

The problems involved in developing intelligent interfaces are certainly very difficult, but if they are going to be solved, it seems likely that user interface behavior must be represented separately in a declarative language or a data base. Because the user interface is becoming an increasingly complex and important component of a software system, there are compelling reasons to make a clean separation between the user interface and the rest of a software system (Zdybel, et al., 1981, Smith, et al., 1984, Ciccarelli, 1984). There are several reasons to support such highly modular systems:

- they are easier to maintain and debug
- they can be customized more easily
- domain independence is possible
- an intelligent reasoning component can be interfaced with less difficulty

In general, programs can be more attuned to individual users. Some users may prefer different configurations of the screen. The size of the fonts chosen in a window may be too small for some users. Optimizing screen space must not interfere with other concerns such as readability of the screen. Future versions of GUIDON-WATCH should allow users to customize the display to their liking while still providing automatic window management facilities. User models can play a role in smart interfaces that infer a user's preferences. However, a program must have an explicit model of the user in order to reason about the user's preferences. We believe that a knowledge-based approach (i.e., using declarative representations) is necessary if a intelligent interface must combine general knowledge about presentation with specific knowledge about a user. This is an area for long-term interdisciplinary research in several areas of computer science, psychology, linguistics, communications, education, and graphic design.

7. Conclusions

GUIDON-WATCH allows a user to view a knowledge-based consultation system efficiently. The program demonstrates how multiple windows, menus, and a mouse can be used to achieve this goal. It also demonstrates that stating a diagnostic procedure in a well-structured rule-based language facilitates developing a graphic interface for viewing and inspecting diagnostic problem-solving behavior. The most important principles learned from this effort are as follows:

- **Providing multiple views of the same knowledge or behavior can help a user understand a complex system.** Tables, trees, pictures, animation, and other graphic formats can offer these different views. The current prototype of GUIDON-WATCH has made extensive use of trees and tables to display information in multiple, meaningful ways. Hierarchical relationships are naturally represented as trees, and lists of records with several fields are displayed as tables effectively. There are several important events in NEOMYCIN such as changes in the differential, conclusions about findings and hypotheses, and the task calls. Several windows with different formats can provide different views of these events. However, different classes of users may vary with regard to what constitutes an effective user interface.

- **The use of bold fonts, boxing and graying items, and other graphic techniques can maximize information content and highlight facts and events in a way that is quickly understandable.** The use of these simple techniques in the Taxonomy and Evidence windows illustrates their effectiveness (Figures 4-7 and 4-8).

- **In well-constrained situations it is possible to manage the display and placement of windows automatically.** Screen space is a precious resource, and each window must be designed, sized and placed to use space efficiently. However, this is a job that can be cumbersome for a user. Additionally, we want to avoid having a user concentrate on the motor activity of using the mouse to move and place windows on the screen. We believe that there is a fundamental difference between the information retrieval task that GUIDON-WATCH is designed for and more creative and open-ended tasks such as programming or writing. For the latter category, the availability of overlapping windows that are usually shaped and positioned under the user's control may be more desirable.

By displaying information in multiple ways and allowing a user to interactively browse the dynamic state of a consultation, we have taken a first step towards reifying the process of reasoning during a NEOMYCIN consultation. Subsequent instructional programs now under development will ask students to explain, debug, and augment their own and program-generated problem-solving behavior. They will use graphic displays like GUIDON-WATCH to compare and contrast alternative solutions to problems.

Acknowledgements

Diane Warner Hasling, Julie Thompson Richer, Ted Crovello, and the CG&A reviewers contributed valuable comments to earlier drafts of this paper. Dr. Curt Kapsner and John Macias are helping us adapt NEOMCYIN and GUIDON-WATCH for use with medical students. Their feedback is helping us determine how GUIDON-WATCH and other programs can best benefit medical students.

This research has been supported in part by ONR and ARI Contract N00014-79C-0302 and more recently by the Josiah Macy, Jr. Foundation (Grant No. B852005). Computational resources have been provided by the SUMEX-AIM facility (NIH grant RR00785).

References

- Bobrow, D.G., Kahn, K., Kiczales, G., Masinter, L., Stefik, M., and Zdybel, F. *COMMONLOOPS -- merging COMMON LISP and Object-Oriented Programming*. Technical Report ISL-85-8, XEROX Palo Alto Research Center, August 1985.
- Borning, A. *Thinglab -- a constraint-oriented simulation laboratory*. Technical Report SSL-79-3, Xerox Palo Alto Research Center, July 1979.
- Brown, J.S. *Process versus product--a perspective on tools for communal and informal electronic learning*, in *Education in the Electronic Age*, July, 1983. Proceedings of a conference sponsored by the Educational Broadcasting Corporation, WNET/Thirteen Learning Lab, NY, pp. 41-58 .
- Buchanan, B.G. and Shortliffe, E.H. *Rule-Based Expert Systems*. Reading, MA: Addison-Wesley 1984.
- Bush. As we may think. *Atlantic Monthly*, July 1945, 176, 101-108.
- Card, S.K., Moran, S.K., and Newell, A. *The Psychology of Human-Computer Interaction*. Hillsdale, NJ: Lawrence Erlbaum Associates 1983.
- Ciccarelli, E. *Presentation based user interfaces*. Technical Report AI-TR-794, Artificial Intelligence Laboratory, Massachusetts Institute Technology, August 1984.
- Clancey, W.J. Overview of Guidon. *Journal of Computer-Based Instruction*, Summer 1983, 10(1 & 2), 8-15. (Also in *The Handbook of Artificial Intelligence*, Volume 2, eds. Barr and Feigenbaum, Kaufmann, Los Altos, CA, 1982, pp. 267-278.).
- Clancey, W. J. and Letsinger, R. NEOMYCIN: Reconfiguring a rule-based expert system for application to teaching. In Clancey, W. J. and Shortliffe, E. H. (editors), *Readings in Medical Artificial Intelligence: The First Decade*, pages 361-381. Addison-Wesley, Reading, MA, 1984.
- Engelbart, D.C. A conceptual framework for the augmentation of man's intellect. In Howerton and Weeks (editors), *Vistas in Information Handling*, pages 1-29. Spartan Books, Washington, D.C., 1963.
- Engelbart, D. *Advanced intellect-augmentation techniques*. SRI project 7079, final report, Stanford Research Institute, July 1970.
- Engelbart, D.C. *Toward high-performance knowledge workers*, in *Proceedings of the AFIPS Office Automation Conference*, pages 279-290, April, 1982.
- English, W.K. and Engelbart, D.C. Display-selection techniques for text manipulation. *IEEE Transactions on Human Factors in Electronics*, March 1967, HFE-8(1), 5-15.
- Foley, J.D. & Van Dam, A. *Fundamentals of Interactive Computer Graphics*. Reading, MA: Addison-Wesley 1982.
- Foley, J.D., Wallace V.L., and Chan, P. The human factors of computer graphics interaction techniques. *IEEE Computer Graphics and Applications*, November 1984, 4(11), 13-49.
- Goldberg. Educational uses of a dynabook. *Computers & Education*, 1979, 3, 247-266.
- Gould, L. and Finzer, W. *Programming by rehearsal*. Technical Report SCL-84-1, Xerox Palo

Alto Research Center, May 1984.

- Hasling, D. W., Clancey, W. J., and Rennels, G. Strategic explanations for a diagnostic consultation system. *International Journal of Man-Machine Studies*, 1984, 20, 3-19.
- Hollan, J. D., Hutchins, E. L., and Weitzman, L. STEAMER: An interactive inspectable simulation-based training system. *The AI Magazine*, 1984, 5(2), 15-27.
- Ingalls, D.H.H. Design principles behind smalltalk. *Byte*, August 1981, 6(8), 286-298.
- Kay, A. Microelectronics and the personal computer. *Scientific American*, September 1977, 237(3), 230-244.
- Kunz, J.C., Kehler, T.P. and Williams, M.D. Applications development using a hybrid AI development system. *AI Magazine*, Fall 84, 5(3), 41-54.
- Lane, C., Differding, J., and Shortliffe, E. *Graphical access to medical expert systems: II. Design of an interface for physicians*. Technical Report KSL-85-15, Knowledge Systems Laboratory, Stanford University, July 1985.
- Lieberman, H. There's more to menu systems than meets the screen. *Computer Graphics*, July 1985, 19(3), 181-189.
- Mackinlay, J. *Intelligent presentation: the generation problem for user interfaces*. Technical Report HPP-83-34, Computer Science Department, Stanford University, March 1983.
- Model, M. *Monitoring system behavior in a complex computation environment*. Technical Report STAN-CS-79-701, Computer Science Department, Stanford University, January 1979.
- Papert, S. *Mindstorms: Children, Computers, and Powerful Ideas*. New York: Basic Books, Inc. 1980.
- Richer, M.H. *Evaluating the existing tools for developing knowledge-based systems*. Technical Report KSL-85-19, Knowledge Systems Laboratory, Stanford University, May 1985.
- Sannella, M., ed. *Interlisp Reference Manual*. Palo Alto, CA: Xerox Corporation 1983.
- Schoen, E. and Smith R.G. *Impulse, a display-oriented editor for Strobe*, in *Proceedings of the National Conference on AI*, pages 356-358, AAAI, August, 1983.
- Shortliffe, E. H. *Computer-based medical consultations: MYCIN*. New York: Elsevier 1976.
- Smith, R.G., Lafue, G.M.E., Schoen, E. and Vestal, S.C. Declarative task description as a user-interface structuring mechanism. *Computer*, September 1984, 17(9), 29-38.
- Steele, G.L. *Common LISP -- the language*. Burlington, MA: Digital Press 1984.
- Stefik, M., Bobrow, D.G., Mittal, S. and Conway, L. Knowledge programming in loops: report on an experimental course. *The AI Magazine*, Fall 1983, 4(3), 3-13.
- Stevens, A., Roberts, B., and Stead, L. The use of a sophisticated graphics interface in computer-assisted instruction. *IEEE Computer Graphics and Applications*, March/April 1983, 3(2), 25-31.
- Tesler, L. The smalltalk environment. *Byte*, August 1981, 6(8), 90-147.
- Tesler, L. *MacApp, Release 0.1*. Cupertino, CA: Apple Computer, Inc. 1985.

- Thompson, T.F. and Clancey, W.J. *The CASTER system: an experiment in knowledge acquisition within a generic expert system shell*. Technical Report KSL-85-32, Knowledge Systems Laboratory, Stanford University, August 1985.
- Tsuji, S. and Shortliffe, E. *Graphical access to the knowledge base of a medical consultation system*, in *Proceedings of AAMSI (American Association for Medical Systems and Informatics) Congress 83*, pages 551-555, May, 1983.
- Tsuji, S. and Shortliffe, E.H. *Graphical access to medical expert systems: I. Design of a knowledge engineer's interface*. Technical Report KSL-85-11, Knowledge Systems Laboratory, Stanford University, July 1985.
- Van Melle, V. *System Aids in Constructing Consultation Programs*. Ann Arbor, Michigan: UMI Research Press 1981.
- Weinreb, D. and Moon, D. *Lisp Machine Manual*. Cambridge, MA: Symbolics, Inc. 1981.
- Weyer, S. and Borning, A. *A prototype electronic encyclopedia*. Technical Report 84-08-01, Computer Science Department, University of Washington, August 1984.
- Williams, C. Software tool packages the expertise needed to build expert systems. *Electronic Design*, August 1984, 153-167.
- Zdybel, F., Greenfield, N., Yonke, M. and Gibbons, J. *An Information Presentation System*, in *Proceedings of the Seventh International Joint Conference on Artificial Intelligence*, pages 978-984, August, 1981.

Personnel Analysis Division,
AF/MPXA
5C360, The Pentagon
Washington, DC 20330

Air Force Human Resources Lab
AFHRL/MPD
Brooks AFB, TX 78235

AFOSR,
Life Sciences Directorate
Bolling Air Force Base
Washington, DC 20332

Dr. Robert Ahlers
Code N711
Human Factors Laboratory
NAVTRAEQUIPCEN
Orlando, FL 32813

Dr. Ed Aiken
Navy Personnel R&D Center
San Diego, CA 92152

Dr. William E. Alley
AFHRL/MOT
Brooks AFB, TX 78235

Dr. Earl A. Alluisi
HQ, AFHRL (AFSC)
Brooks AFB, TX 78235

Dr. John R. Anderson
Department of Psychology
Carnegie-Mellon University
Pittsburgh, PA 15213

Dr. Nancy S. Anderson
Department of Psychology
University of Maryland
College Park, MD 20742

Dr. Steve Andriole
Perceptronics, Inc.
21111 Erwin Street
Woodland Hills, CA 91367-3713

Dr. John Annett
University of Warwick
Department of Psychology
Coventry CV4 7AJ
ENGLAND

Dr. Phipps Arabia
University of Illinois
Department of Psychology
603 E. Daniel St.
Champaign, IL 61820

Technical Director, ARI
5001 Eisenhower Avenue
Alexandria, VA 22333

Special Assistant for Projects,
OASN(MBRA)
5DBCO, The Pentagon
Washington, DC 20350

Dr. Michael Atwood
ITT - Programming
1000 Oronoque Lane
Stratford, CT 06497

Dr. Patricia Baggett
University of Colorado
Department of Psychology
Box 345
Boulder, CO 80309

Dr. Eva L. Baker
UCIA Center for the Study
of Evaluation
145 Moore Hall
University of California
Los Angeles, CA 90024

Dr. Meryl S. Baker
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Donald E. Bamber
Code 71
Navy Personnel R & D Center
San Diego, CA 92152

Mr. J. Barber
HQS, Department of the Army
DAPE-ZBR
Washington, DC 20310

Capt. J. Jean Belanger
Training Development Division
Canadian Forces Training System
CPTSHQ, CFB Trenton
Astra, Ontario, K0K
CANADA

CDR Robert J. Biersner, USN
Naval Biodynamics Laboratory
P. O. Box 29407
New Orleans, LA 70189

Dr. Menucha Birenbaum
School of Education
Tel Aviv University
Tel Aviv, Ramat Aviv 69978
ISRAEL

Dr. Werner P. Birke
Personalstammamt der Bundeswehr
Kolner Strasse 262
D-5000 Koeln 90
FEDERAL REPUBLIC OF GERMANY

Dr. Gautam Biswas
Department of Computer Science
University of South Carolina
Columbia, SC 29208

Dr. John Black
Yale University
Box 11A, Yale Station
New Haven, CT 06520

Arthur S. Elaiwes
Code N711
Naval Training Equipment Center
Orlando, FL 32813

Dr. Robert Blanchard
Navy Personnel R&D Center
San Diego, CA 92152

Cdt. Arnold Bohrer
Sectie Psychologisch Onderzoek
Rekruterings-En Selectiecentrum
Kwartier Koningen Astrid
Bruijnstraat
1120 Brussels, BELGIUM

Dr. Jeff Bonar
Learning R&D Center
University of Pittsburgh
Pittsburgh, PA 15260

Dr. Gordon H. Bower
Department of Psychology
Stanford University
Stanford, CA 94306

Dr. Richard Eraby
NTEC Code 10
Orlando, FL 32751

Dr. Robert Breaux
Code N-095R
NAVTRAEQUIPCEN
Orlando, FL 32813

Dr. John S. Brown
XEROX Palo Alto Research
Center
3535 Coyote Road
Palo Alto, CA 94304

Dr. Bruce Buchanan
Computer Science Department
Stanford University
Stanford, CA 94305

Dr. Patricia A. Butler
NTE Mail Stop 1806
1200 19th St., NW
Washington, DC 20208

Dr. Tom Cafferty
Dept. of Psychology
University of South Carolina
Columbia, SC 29208

Dr. Robert Calfee
School of Education
Stanford University
Stanford, CA 94305

Dr. Jaime Carbonell
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

Mr. James W. Carey
Commandant (G-PTE)
U.S. Coast Guard
2100 Second Street, S.W.
Washington, DC 20593

Dr. Susan Carey
Harvard Graduate School of
Education
337 Gutman Library
Appian Way
Cambridge, MA 02138

Dr. Pat Carpenter
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

Dr. Robert Carroll
NAVOP O1B7
Washington, DC 20370

Dr. Fred Chang
Navy Personnel R&D Center
Code 51
San Diego, CA 92152

Dr. Davida Charney
Department of Psychology
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr. Eugene Charniak
Brown University
Computer Science Department
Providence, RI 02912

Dr. Michelene Chi
Learning R & D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15213

Dr. Susan Chipman
Code 442PT
Office of Naval Research
800 N. Quincy St.
Arlington, VA 22217-5000

Mr. Raymond E. Christal
AFHRL/MOE
Brooks AFB, TX 78235

Dr. Yee-Teen Chu
Perceptronics, Inc.
21111 Erwin Street
Woodland Hills, CA 91367-3713

Dr. William Clancey
Computer Science Department
Stanford University
Stanford, CA 94306

Chief of Naval Education
and Training
Liaison Office
Air Force Human Resource Laboratory
Operations Training Division
Williams AFB, AZ 85224

Assistant Chief of Staff
for Research, Development,
Test, and Evaluation
Naval Education and
Training Command (N-5)
NAS Pensacola, FL 32508

Dr. Allan M. Collins
Bolt Beranek & Newman, Inc.
50 Moulton Street
Cambridge, MA 02138

Dr. Stanley Collyer
Office of Naval Technology
800 N. Quincy Street
Arlington, VA 22217

Dr. Lynn A. Cooper
Learning R&D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15213

Dr. Meredith P. Crawford
American Psychological Association
Office of Educational Affairs
1200 17th Street, N.W.
Washington, DC 20036

Dr. Hans Crombag
University of Leyden
Education Research Center
Boerhaavelaan 2
2334 EN Leyden
The NETHERLANDS

Dr. Lee Cronbach
16 Laburnum Road
Atherton, CA 94205

Dr. Kenneth B. Cross
Anacapa Sciences, Inc.
P.O. Drawer Q
Santa Barbara, CA 93102

Dr. Mary Cross
Department of Education
Adult Literacy Initiative
Room 4145
400 Maryland Avenue, SW
Washington, DC 20202

CTB/McGraw-Hill Library
2500 Garden Road
Monterey, CA 93940

CDR Mike Curran
Office of Naval Research
800 N. Quincy St.
Code 270
Arlington, VA 22217-5000

Bryan Dallman
AFMRL/LRT
Lowry AFB, CO 80230

Dr. Charles E. Davis
Personnel and Training Research
Office of Naval Research
Code 442P
300 North Quincy Street
Arlington, VA 22217-5000

Mr. Robert Denton
AFMPC/MPCYPR
Randolph AFB, TX 78150

Mr. Paul DiRenzo
Commandant of the Marine Corps
Code LEC-4
Washington, DC 20380

Dr. R. K. Dismukes
Associate Director for Life Sciences
AFOSR
Bolling AFB
Washington, DC 20332

Defense Technical
Information Center
Cameron Station, Bldg 5
Alexandria, VA 22314
Attn: TC
(12 Copies)

Dr. Thomas M. Duffy
Communications Design Center
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Barbara Eason
Military Educator's
Resource Network
InterAmerica Research Associates
1555 Wilson Blvd
Arlington, VA 22209

Edward E. Ebdowes
CNATRA N301
Naval Air Station
Corpus Christi, TX 78419

Dr. John Ellis
Navy Personnel R&D Center
San Diego, CA 92252

Dr. Richard Elster
Deputy Assistant Secretary
of the Navy (Manpower)
OASN (M&RA)
Department of the Navy
Washington, DC 20350-1000

Dr. Susan Embretson
University of Kansas
Psychology Department
Lawrence, KS 66045

Dr. Randy Engle
Department of Psychology
University of South Carolina
Columbia, SC 29208

Lt. Col Rich Entlich
HQ, Department of the Army
OCSA (DACS-DPM)
Washington, DC 20310

Dr. William Epstein
University of Wisconsin
W. J. Brogden Psychology Bldg.
1202 W. Johnson Street
Madison, WI 53706

ERIC Facility-Acquisitions
4933 Rugby Avenue
Bethesda, MD 20014

Dr. K. Anders Ericsson
University of Colorado
Department of Psychology
Boulder, CO 80309

Edward Esty
Department of Education, OERI
MS 40
1200 19th St., NW
Washington, DC 20208

Dr. Beatrice J. Farr
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Marshall J. Farr
2520 North Vernon Street
Arlington, VA 22207

Dr. Pat Federico
Code 511
NPRDC
San Diego, CA 92152

Dr. Jerome A. Feldman
University of Rochester
Computer Science Department
Rochester, NY 14627

Dr. Paul Feltovich
Southern Illinois University
School of Medicine
Medical Education Department
P.O. Box 3926
Springfield, IL 62708

Mr. Wallace Feurzeig
Educational Technology
Bolt Beranek & Newman
10 Moulton St.
Cambridge, MA 02238

Dr. Craig I. Fields
ARPA
1400 Wilson Blvd.
Arlington, VA 22209

Dr. Gerhard Fischer
University of Colorado
Department of Computer Science
Boulder, CO 80309

Dr. Linda Flower
Carnegie-Mellon University
Department of English
Pittsburgh, PA 15213

Dr. Kenneth D. Forbus
University of Illinois
Department of Computer Science
1304 West Springfield Avenue
Urbana, IL 61801

Dr. Carl H. Frederiksen
McGill University
3700 McTavish Street
Montreal, Quebec H3A 1Y2
CANADA

Dr. John R. Frederiksen
Bolt Beranek & Newman
50 Moulton Street
Cambridge, MA 02138

Dr. Norman Frederiksen
Educational Testing Service
Princeton, NJ 08541

Dr. Alfred R. Fregly
AFOSR/NL
Bolling AFB, DC 20332

Dr. Bob Frey
Commandant (G-P-1/2)
USCG HQ
Washington, DC 20593

Dr. Alinda Friedman
Department of Psychology
University of Alberta
Edmonton, Alberta
CANADA T6G 2E9

Dr. R. Edward Geiselman
Department of Psychology
University of California
Los Angeles, CA 90024

Dr. Michael Genesereth
Stanford University
Computer Science Department
Stanford, CA 94305

Dr. Dedre Gentner
University of Illinois
Department of Psychology
603 E. Daniel St.
Champaign, IL 61820

Dr. Don Gentner
Center for Human
Information Processing
University of California
La Jolla, CA 92093

Dr. Robert Glaser
Learning Research
& Development Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15260

Dr. Arthur M. Glenberg
University of Wisconsin
W. J. Brogden Psychology Bldg.
1202 W. Johnson Street
Madison, WI 53706

Dr. Marvin D. Glock
13 Stone Hall
Cornell University
Ithaca, NY 14853

Dr. Gene L. Glove
Office of Naval Research
Detachment
1030 E. Green Street
Pasadena, CA 91106-2485

Dr. Sam Glucksberg
Princeton University
Department of Psychology
Green Hall
Princeton, NJ 08540

Dr. Joseph Goguen
Computer Science Laboratory
SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025

Dr. Sherrie Gott
AFHRL/MODJ
Brooks AFB, TX 78235

Jordan Grafman, Ph.D.
Department of Clinical
Investigation
Walter Reed Army Medical Center
6825 Georgia Ave., N. W.
Washington, DC 20307-5001

Dr. Richard H. Granger
Department of Computer Science
University of California, Irvine
Irvine, CA 92717

Dr. Wayne Gray
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. James G. Greene
University of California
Berkeley, CA 94720

H. William Greenup
Education Advisor (EC71)
Education Center, ECDEC
Quantico, VA 22134

Dipl. Päd. Michael W. Hubon
Universität Dusseldorf
Erziehungswissenschaftliches
Universitätsstr. 1
D-4000 Dusseldorf 1
WEST GERMANY

Dr. Henry M. Half
Half Resources, Inc.
4918 33rd Road, North
Arlington, VA 22207

Dr. Ronald K. Hambleton
Laboratory of Psychometric and
Evaluative Research
University of Massachusetts
Amherst, MA 01003

Dr. Cheryl Hamel
NTEC
Orlando, FL 32813

Dr. Ray Hannapel
Scientific and Engineering
Personnel and Education
National Science Foundation
Washington, DC 20550

Stevan Harnad
Editor, The Behavioral and
Brain Sciences
20 Nassau Street, Suite 240
Princeton, NJ 08540

Mr. William Hartung
PEAM Product Manager
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Wayne Harvey
SRI International
333 Ravenswood Ave.
Room B-S324
Menlo Park, CA 94025

Dr. Reid Hastie
Northwestern University
Department of Psychology
Evanston, IL 60201

Dr. Harold Hawkins
Office of Naval Research
Code 442PT
800 N. Quincy Street
Arlington, VA 22217-5000

Prof. John R. Hayes
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr. Barbara Hayes-Roth
Department of Computer Science
Stanford University
Stanford, CA 95305

Dr. Frederick Hayes-Roth
Teknowledge
525 University Ave.
Palo Alto, CA 94301

Dr. Joan I. Heller
505 Haddon Road
Oakland, CA 94606

Dr. Geoffrey Hinton
Computer Science Department
Carnegie-Mellon University
Pittsburgh, PA 15213

Dr. Jim Hollan
Code 51
Navy Personnel R & D Center
San Diego, CA 92152

Dr. Melissa Holland
Army Research Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Keith Holyoak
University of Michigan
Human Performance Center
330 Packard Road
Ann Arbor, MI 48109

Prof. Lutz F. Hornke
Universität Dusseldorf
Erziehungswissenschaftliches
Universitätsstr. 1
Dusseldorf 1
WEST GERMANY

Mr. Dick Hoshaw
NAVOP-135
Arlington Annex
Room 2834
Washington, DC 20350

Dr. Steven Hunka
Department of Education
University of Alberta
Edmonton, Alberta
CANADA

Dr. Earl Hunt
Department of Psychology
University of Washington
Seattle, WA 98105

Dr. Ed Hutchins
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Dillon Inouye
WICAT Education Institute
Provo, UT 84057

Dr. Alice Isen
Department of Psychology
University of Maryland
Catonsville, MD 21228

Dr. Zachary Jacobson
Bureau of Management Consulting
365 Laurier Avenue West
Ottawa, Ontario K1A 0S5
CANADA

Dr. Robert Jannarone
Department of Psychology
University of South Carolina
Columbia, SC 29208

Dr. Claude Janvier
Directeur, CIRADE
Université' du Quebec a Montreal
Montreal, Quebec H3C 3P8
CANADA

COL Dennis W. Jarvi
Commander
AFHRL
Brooks AFB, TX 78235-5601

Margaret Jerome
c/o Dr. Peter Chandler
83, The Drive
Hove
Sussex
UNITED KINGDOM

Dr. Joseph E. Johnson
Assistant Dean for
Graduate Studies
College of Science and Mathematics
University of South Carolina
Columbia, SC 29208

Dr. Douglas H. Jones
Advanced Statistical
Technologies Corporation
13 Trafalgar Court
Lawrenceville, GA 30043

Col. Dominique Jouslin de Noray
Etat-Major de l'Armee de Terre
Centre de Relations Humaines
3 Avenue Octave Greard
75007 Paris
FRANCE

Dr. Marcel Just
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr. Milton S. Katz
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Scott Kelso
Baskins Laboratories,
270 Crown Street
New Haven, CT 06510

Dr. Dennis Kibler
University of California
Department of Information
and Computer Science
Irvine, CA 92717

Dr. David Kieras
University of Michigan
Technical Communication
College of Engineering
1223 E. Engineering Building
Ann Arbor, MI 48109

Dr. Peter Kincaid
Training Analysis
& Evaluation Group
Department of the Navy
Orlando, FL 32813

Dr. Walter Kintsch
Department of Psychology
University of Colorado
Campus Box 345
Boulder, CO 80302

Dr. David Klahr
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr. Mazie Knerr
Program Manager
Training Research Division
HamRRO
1100 S. Washington
Alexandria, VA 22314

Dr. Janet L. Kolodner
Georgia Institute of Technology
School of Information
& Computer Science
Atlanta, GA 30332

Dr. Stephen Kosslyn
Harvard University
1236 William James Hall
33 Kirkland St.
Cambridge, MA 02139

Dr. Kenneth Kotovsky
Department of Psychology
Community College of
Allegheny County
800 Allegheny Avenue
Pittsburgh, PA 15233

Dr. David H. Krantz
2 Washington Square Village
Apt. # 15J
New York, NY 10012

Dr. Benjamin Kuipers
Department of Mathematics
Tufts University
Medford, MA 02155

Dr. Patrick Kyllonen
AFHRL/MOE
Brooks AFB, TX 78235

Dr. David R. Lambert
Naval Ocean Systems Center
Code 441T
271 Catalina Boulevard
San Diego, CA 92152

Dr. Pat Langley
University of California
Department of Information
and Computer Science
Irvine, CA 92717

M. Diane Langston
Communications Design Center
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr. Kathleen LaPiana
Naval Health Sciences
Education and Training Command
Naval Medical Command,
National Capital Region
Bethesda, MD 20814-5022

Dr. Jill Larkin
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

Dr. Robert Lawler
Information Sciences, FRL
GTE Laboratories, Inc.
40 Sylvan Road
Waltham, MA 02254

Dr. Paul E. Lehner
PAR Technology Corp.
7926 Jones Branch Drive
Suite 170
McLean, VA 22102

Dr. Alan M. Leagold
Learning R&D Center
University of Pittsburgh
Pittsburgh, PA 15260

Dr. Alan Leshner
Deputy Division Director
Behavioral and Neural Sciences
National Science Foundation
1800 G Street
Washington, DC 20550

Dr. Jim Levin
University of California
Laboratory for Comparative
Human Cognition
DOO3A
La Jolla, CA 92093

Dr. Michael Levine
Educational Psychology
210 Education Bldg.
University of Illinois
Champaign, IL 61801

Dr. Charles Lewis
Faculteit Sociale Wetenschappen
Rijksuniversiteit Groningen
Oude Boteringestraat 23
9712GC Groningen
The NETHERLANDS

Dr. Clayton Lewis
University of Colorado
Department of Computer Science
Campus Box 430
Boulder, CO 80309

Dr. Charlotte Linde
SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025

Dr. Marcia C. Linn
Lawrence Hall of Science
University of California
Berkeley, CA 94720

Dr. Robert Linn
College of Education
University of Illinois
Urbana, IL 61801

Dr. Don Lyon
P. O. Box 44
Higley, AZ 85236

Dr. Jane Malin
Mail Code SR 111
NASA Johnson Space Center
Houston, TX 77058

Dr. William L. Maloy
Chief of Naval Education
and Training
Naval Air Station
Pensacola, FL 32508

Dr. Sandra P. Marshall
Department of Psychology
University of California
Santa Barbara, CA 93106

Dr. Manton M. Matthews
Department of Computer Science
University of South Carolina
Columbia, SC 29208

Dr. Richard E. Mayer
Department of Psychology
University of California
Santa Barbara, CA 93106

Dr. James McBride
Psychological Corporation
c/o Harcourt, Brace,
Javanovich Inc.
1250 West 6th Street
San Diego, CA 92101

Dr. Kathleen McKeown
Columbia University
Department of Computer Science
New York, NY 10027

Dr. Joe McLachlan
Navy Personnel R&D Center
San Diego, CA 92152

Dr. James McMichael
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Barbara Means
Human Resources
Research Organization
1100 South Washington
Alexandria, VA 22314

Dr. Arthur Melmed
U. S. Department of Education
724 Brown
Washington, DC 20208

Dr. Al Meyrowitz
Office of Naval Research
Code 433
800 N. Quincy
Arlington, VA 22217-5000

Dr. Ryszard S. Michalski
University of Illinois
Department of Computer Science
1304 West Springfield Avenue
Urbana, IL 61801

Prof. D. Michie
The Turing Institute
76 North Hanover Street
Glasgow G1 2AD, Scotland
UNITED KINGDOM

Dr. George A. Miller
Department of Psychology
Green Hall
Princeton University
Princeton, NJ 08540

Dr. Lance A. Miller
IBM Thomas J. Watson
Research Center
P.O. Box 218
Yorktown Heights, NY 10598

Dr. Mark Miller
Computer*Thought Corporation
1721 West Plano Parkway
Plano, TX 75075

Dr. Andrew R. Molnar
Scientific and Engineering
Personnel and Education
National Science Foundation
Washington, DC 20550

Dr. William Montague
NPRDC Code 13
San Diego, CA 92152

Dr. Tom Moran
Xerox PARC
3533 Coyote Hill Road
Palo Alto, CA 94304

Dr. Melvyn Moy
Navy Personnel R & D Center
San Diego, CA 92152

Dr. Allen Munro
Behavioral Technology
Laboratories - USC
1845 S. Elena Ave., 4th Floor
Redondo Beach, CA 90277

Director,
Decision Support
Systems Division, NMPC
Naval Military Personnel Command
N-164
Washington, DC 20370

Director,
Distribution Department, NMPC
N-4
Washington, DC 20370

Director,
Overseas Duty Support
Program, NMPC
N-62
Washington, DC 20370

Head, HRM Operations Branch,
NMPC
N-62P
Washington, DC 20370

Director,
Recreational Services
Division, NMPC
N-65
Washington, DC 20370

Assistant for Evaluation,
Analysis, and MIS, NMPC
N-6C
Washington, DC 20370

Spec. Asst. for Research, Experi-
mental & Academic Programs,
NPTC (Code 016)
NAS Memphis (75)
Millington, TN 39054

Director,
Research & Analysis Div.,
NAVRUITCOM Code 02
4015 Wilson Blvd.
Arlington, VA 22203

Assistant for Long Range
Requirements,
CNO Executive Panel
NAVOP OOK
2000 North Beauregard Street
Alexandria, VA 22311

Assistant for Planning MANTRAPERS
NAVOP 01B6
Washington, DC 20370

Assistant for MPT Research,
Development and Studies
NAVOP 01B7
Washington, DC 20370

Head, Military Compensation
Policy Branch
NAVOP 134
Washington, DC 20370

Head,
Workforce Information Section,
NAVOP 140P
Washington, DC 20370

Head,
Family Support Program Branch,
NAVOP 156
1300 Wilson Blvd., Room 828
Arlington, VA 22209

Head, Economic Analysis Branch,
NAVOP 162
Washington, DC 20370

Head -- Manpower, Personnel,
Training, & Reserve Team,
NAVOP 914D
5A578, The Pentagon
Washington, DC 20350

Assistant for Personnel
Logistics Planning,
NAVOP 987H
5D772, The Pentagon
Washington, DC 20350

Leadership Management Education
and Training Project Officer,
Naval Medical Command
Code 05C
Washington, DC 20372

Technical Director,
Navy Health Research Ctr.
P.O. Box 85122
San Diego, CA 92138

Dr. T. Niblett
The Turing Institute
36 North Hanover Street
Glasgow G1 2AD, Scotland
UNITED KINGDOM

Dr. Richard E. Nisbett
University of Michigan
Institute for Social Research
Room 5261
Ann Arbor, MI 48109

Dr. Donald A. Norman
Institute for Cognitive Science
University of California
La Jolla, CA 92093

Director, Training Laboratory,
NPRDC (Code 05)
San Diego, CA 92152

Director, Manpower and Personnel
Laboratory,
NPRDC (Code 06)
San Diego, CA 92152

Director, Human Factors
& Organizational Systems Lab,
NPRDC (Code 07)
San Diego, CA 92152

Fleet Support Office,
NPRDC (Code 301)
San Diego, CA 92152

Library, NPRDC
Code P201L
San Diego, CA 92152

Commanding Officer,
Naval Research Laboratory
Code 2627
Washington, DC 20390

Dr. Harry F. O'Neil, Jr.
Training Research Lab
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Stellan Ohlsson
Learning R & D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15213

Director, Technology Programs,
Office of Naval Research
Code 200
800 North Quincy Street
Arlington, VA 22217-5000

Director, Research Programs,
Office of Naval Research
800 North Quincy Street
Arlington, VA 22217-5000

Office of Naval Research,
Code 433
800 N. Quincy Street
Arlington, VA 22217-5000

Office of Naval Research,
Code 442
800 N. Quincy St.
Arlington, VA 22217-5000

Office of Naval Research,
Code 442EP
800 N. Quincy Street
Arlington, VA 22217-5000

Office of Naval Research,
Code 442PT
800 N. Quincy Street
Arlington, VA 22217-5000
(6 Copies)

Special Assistant for Marine
Corps Matters,
NPR Code 100M
800 N. Quincy St.
Arlington, VA 22217-5000

Dr. Judith Orasanu
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Jesse Orlansky
Institute for Defense Analyses
1801 N. Beauregard St.
Alexandria, VA 22311

Prof. Seymour Papert
20C-100
Massachusetts Institute
of Technology
Cambridge, MA 02139

Dr. James Paulson
Department of Psychology
Portland State University
P.O. Box 751
Portland, OR 97207

Lt. Col. (Dr.) David Payne
AFHRL
Brooks AFB, TX 78235

Dr. Douglas Pearce
DCIEM
Box 2000
Downsview, Ontario
CANADA

Dr. Robert Penn
NPRDC
San Diego, CA 92152

Dr. Nancy Pennington
University of Chicago
Graduate School of Business
1101 E. 58th St.
Chicago, IL 60637

Military Assistant for Training and
Personnel Technology,
OUSD (R & E)
Room 3D129, The Pentagon
Washington, DC 20301

Dr. Ray Perez
ARI (PERI-II)
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. David N. Perkins
Educational Technology Center
337 Gutman Library
Appian Way
Cambridge, MA 02138

ICDR Frank C. Petho, MSC, USN
CNATRA Code N36, Bldg. 1
NAS
Corpus Christi, TX 78419

Administrative Sciences Department,
Naval Postgraduate School
Monterey, CA 93940

Department of Operations Research,
Naval Postgraduate School
Monterey, CA 93940

Department of Computer Science,
Naval Postgraduate School
Monterey, CA 93940

Dr. Tjeerd Plomp
Twente University of Technology
Department of Education
P.O. Box 217
7500 AE ENSCHEDE
THE NETHERLANDS

Dr. Martha Polson
Department of Psychology
Campus Box 346
University of Colorado
Boulder, CO 80309

Dr. Peter Polson
University of Colorado
Department of Psychology
Boulder, CO 80309

Dr. Steven E. Poltrock
MCC
9439 Research Blvd.
Echelon Bldg #1
Austin, TX 78759-6509

Dr. Harry E. Fople
University of Pittsburgh
Decision Systems Laboratory
1740 Scaife Hall
Pittsburgh, PA 15261

Dr. Joseph Psotka
ATTN: PERI-10
Army Research Institute
5001 Eisenhower Ave.
Alexandria, VA 22333

Dr. Lynne Reider
Department of Psychology
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr. James A. Reggia
University of Maryland
School of Medicine
Department of Neurology
22 South Greene Street
Baltimore, MD 21201

CDR Karen Reider
Naval School of Health Sciences
National Naval Medical Center
Bldg. 141
Washington, DC 20814

Dr. Fred Reif
Physics Department
University of California
Berkeley, CA 94720

Dr. Lauren Resnick
Learning R & D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15213

Dr. Mary S. Riley
Program in Cognitive Science
Center for Human Information
Processing
University of California
La Jolla, CA 92093

William Rizzo
Code 712 NAVTRAEQUIPCEN
Orlando, FL 32813

Dr. Andrew M. Rose
American Institutes
for Research
1055 Thomas Jefferson St., NW
Washington, DC 20007

Dr. William B. Rouse
Georgia Institute of Technology
School of Industrial & Systems
Engineering
Atlanta, GA 30332

Dr. Donald Rubin
Statistics Department
Science Center, Room 608
1 Oxford Street
Harvard University
Cambridge, MA 02138

Dr. David Rumelhart
Center for Human
Information Processing
Univ. of California
La Jolla, CA 92093

Ms. Riitta Ruotsalainen
General Headquarters
Training Section
Military Psychology Office
PL 919
SF-00101 Helsinki 10, FINLAND

Dr. Michael J. Samet
Perceptronics, Inc
6271 Variel Avenue
Woodland Hills, CA 91364

Dr. Robert Sasmor
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Roger Schank
Yale University
Computer Science Department
P.O. Box 2158
New Haven, CT 06520

Mrs. Birgitte Schneidelbach
Forsvarets Center for Lederskab
Christianshavns Voldgade 8
1424 Kobenhavn K
DENMARK

Dr. Walter Schneider
University of Illinois
Psychology Department
603 E. Daniel
Champaign, IL 61820

Dr. Alan H. Schoenfeld
University of California
Department of Education
Berkeley, CA 94720

Dr. Janet Schofield
Learning R&D Center
University of Pittsburgh
Pittsburgh, PA 15260

Dr. Marc Sebrechts
Department of Psychology
Wesleyan University
Middletown, CT 06475

Dr. Judith Segal
Room 819F
NIE
1200 19th Street N.W.
Washington, DC 20208

Dr. Robert J. Seidel
US Army Research Institute
5001 Eisenhower Ave.
Alexandria, VA 22333

Dr. Ramsay W. Selden
NIE
Mail Stop 1241
1200 19th St., NW
Washington, DC 20208

Dr. W. Steve Sellman
OASD(MRA&L)
2B269 The Pentagon
Washington, DC 20301

Dr. Michael G. Shafto
ONR Code 442PT
800 N. Quincy Street
Arlington, VA 22217-5000

Dr. Sylvia A. S. Shafto
National Institute of Education
1200 19th Street
Mail Stop 1806
Washington, DC 20208

Dr. T. E. Sheridan
Dept. of Mechanical Engineering
MIT
Cambridge, MA 02139

Dr. Ted Shortliffe
Computer Science Department
Stanford University
Stanford, CA 94305

Dr. Lee Shulman
Stanford University
1040 Cathcart Way
Stanford, CA 94305

Dr. Randall Shumaker
Naval Research Laboratory
Code 7510
4555 Overlook Avenue, S.W.
Washington, DC 20375-5000

Dr. Miriam Shustack
Code 51
Navy Personnel R & D Center
San Diego, CA 92152

Dr. Robert S. Siegler
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr. Herbert A. Simon
Department of Psychology
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr. Zita M Simutis
Instructional Technology
Systems Area
ARI
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. H. Wallace Sinaiko
Manpower Research
and Advisory Services
Smithsonian Institution
801 North Pitt Street
Alexandria, VA 22314

Dr. Derek Sleeman
Stanford University
School of Education
Stanford, CA 94305

Dr. Charles F. Smith
North Carolina State University
Department of Statistics
Raleigh, NC 27695-8703

Dr. Edward E. Smith
Bolt Beranek & Newman, Inc.
50 Moulton Street
Cambridge, MA 02138

Dr. Alfred F. Smode
Senior Scientist
Code 7B
Naval Training Equipment Center
Orlando, FL 32813

Dr. Elliot Soloway
Yale University
Computer Science Department
P.O. Box 2158
New Haven, CT 06520

Dr. Richard Sorensen
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Kathryn T. Spoehr
Brown University
Department of Psychology
Providence, RI 02912

James J. Staszewski
Research Associate
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr. Marian Stearns
CRI International
333 Ravenswood Ave.
Room B-3724
Menlo Park, CA 94025

Dr. Robert Sternberg
Department of Psychology
Yale University
Box 11A, Yale Station
New Haven, CT 06520

Dr. Albert Stevens
Bolt Beranek & Newman, Inc.
50 Moulton St.
Cambridge, MA 02238

Dr. Paul J. Sticha
Senior Staff Scientist
Training Research Division
HumPRO
1100 S. Washington
Alexandria, VA 22314

Dr. Thomas Sticht
Navy Personnel R&D Center
San Diego, CA 92152

Dr. David Stone
KAJ Software, Inc.
3420 East Shea Blvd.
Suite 161
Phoenix, AZ 85028

Cdr Michael Suman, PD 303
Naval Training Equipment Center
Code N51, Comptroller
Orlando, FL 32813

Dr. Hariharan Swaminathan
Laboratory of Psychometric and
Evaluation Research
School of Education
University of Massachusetts
Amherst, MA 01003

Mr. Brad Sympson
Navy Personnel R&D Center
San Diego, CA 92152

Dr. John Tangney
AFOSR/NL
Bolling AFB, DC 20332

Dr. Kikumitsu Tatsuoka
CERL
252 Engineering Research
Laboratory
Urbana, IL 61801

Dr. Martin M. Taylor
DCIEM
Box 2000
Downsview, Ontario
CANADA

Dr. Perry W. Thorndyke
FMC Corporation
Central Engineering Labs
1185 Coleman Avenue, Box 580
Santa Clara, CA 95052

Major Jack Thorpe
DARPA
1400 Wilson Blvd.
Arlington, VA 22209

Dr. Douglas Towne
Behavioral Technology Labs
1845 S. Elena Ave.
Redondo Beach, CA 90277

Dr. Amos Tversky
Stanford University
Dept. of Psychology
Stanford, CA 94305

Dr. James Tweeddale
Technical Director
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Paul Twhig
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Headquarters, U. S. Marine Corps
Code MPI-20
Washington, DC 20380

Dr. Kurt Van Lehn
Xerox PARC
3333 Coyote Hill Road
Palo Alto, CA 94304

Dr. Beth Warren
Bolt Beranek & Newman, Inc.
50 Moulton Street
Cambridge, MA 02138

Dr. David J. Weiss
N660 Elliott Hall
University of Minnesota
75 E. River Road
Minneapolis, MN 55455

Roger Weissinger-Baylon
Department of Administrative
Sciences
Naval Postgraduate School
Monterey, CA 93940

Dr. Donald Weitzman
MITRE
1820 Dolley Madison Blvd.
MacLean, VA 22102

Dr. Keith T. Westcourt
FMC Corporation
Central Engineering Labs
1185 Coleman Ave., Box 580
Santa Clara, CA 95052

Dr. Douglas Wetzel
Code 12
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Barbara White
Bolt Beranek & Newman, Inc.
10 Moulton Street
Cambridge, MA 02238

Dr. Mike Williams
IntelliGenetics
124 University Avenue
Palo Alto, CA 94301

Dr. Hilda Wing
Army Research Institute
5001 Eisenhower Ave.
Alexandria, VA 22333

Dr. Robert A. Wisher
U.S. Army Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Martin F. Wiskoff
Navy Personnel R & D Center
San Diego, CA 92152

Dr. Merlin C. Wittrock
Graduate School of Education
UCLA
Los Angeles, CA 90024

Mr. John H. Wolfe
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Wallace Wulfeck, III
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Joe Yasabuke
AFRL/LRT
Lowry AFB, CO 80030

Dr. Masoud Yazdani
Dept. of Computer Science
University of Exeter
Exeter EX4 4LL
Devon, ENGLAND

Major Frank Yohannan, USMC
Headquarters, Marine Corps
(Code MPI-20)
Washington, DC 20380

Mr. Carl York
System Development Foundation
181 Lytton Avenue
Suite 210
Palo Alto, CA 94301

Dr. Joseph L. Young
Memory & Cognitive
Processes
National Science Foundation
Washington, DC 20550

Dr. Steven Zornetzer
Office of Naval Research
Code 440
800 N. Quincy St.
Arlington, VA 22217-5000

Dr. Michael J. Zyda
Naval Postgraduate School
Code 52CK
Monterey, CA 93943

END

FILMED

1-86

DTIC