

MICROCOPY RESOLUTION TEST CHART
NBS-1963 A

AD-A164 154

AD



TECHNICAL REPORT BRL-TR-2692

COMPETING UNIMOLECULAR REACTIONS OF
FLAME RADICALS. I. ISOMERIZATION
AND DISSOCIATION OF THE METHOXY RADICAL

George F. Adams

November 1985

DTIC
ELECTE
FEB 11 1986
S D

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

US ARMY BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

DTIC FILE COPY

86 2 11 01

Destroy this report when it is no longer needed.
Do not return it to the originator.

Additional copies of this report may be obtained
from the National Technical Information Service,
U. S. Department of Commerce, Springfield, Virginia
22161.

The findings in this report are not to be construed as an official
Department of the Army position, unless so designated by other
authorized documents.

The use of trade names or manufacturers' names in this report
does not constitute indorsement of any commercial product.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Technical Report BRL-TR-2692	2. GOVT ACCESSION NO. AD-A164154	RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) COMPETING UNIMOLECULAR REACTIONS OF FLAME RADICALS. I. ISOMERIZATION AND DISSOCIATION OF THE METHOXY RADICAL		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) George F. Adams		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Ballistic Research Laboratory, ATTN: SLCBR-IB Aberdeen Proving Ground, MD 21005-5066		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS U.S. Army Ballistic Research Laboratory ATTN: SLCBR-DD-T Aberdeen Proving Ground, MD 21005-5066		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 1L161102AH43
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE November 1985
		13. NUMBER OF PAGES 31
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE NA
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Unimolecular Reactions Methoxy Radical Many-Body Perturbation Theory		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) meg Ab initio electronic structure calculations provide chemical energy differences necessary for statistical mechanical rate coefficient estimates. We report the results of many-body perturbation theory results for two unimolecular reactions of the methoxy radical. Rate coefficient estimates for the dissociation (H-atom scission), and isomerization (1,2-hydrogen shift) reactions infer that these reactions compete at high temperatures.		

TABLE OF CONTENTS

	<u>Page</u>
LIST OF TABLES.....	5
I. INTRODUCTION.....	7
II. THEORETICAL CHEMISTRY OVERVIEW.....	10
III. ELECTRONIC STRUCTURE THEORY RESULTS.....	13
IV. RATE COEFFICIENT ESTIMATES.....	16
V. CONCLUSIONS.....	20
REFERENCES.....	21
DISTRIBUTION LIST.....	25

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution / _____	
Availability Codes	
Dist	Avail and/or Special
A-1	



LIST OF TABLES

<u>Table</u>	<u>Page</u>
1	Optimized Geometrical Parameters for Stationary Points on the Methoxy Surface14
2	Electronic Energies (Units: Hartrees).....15
3	Vibrational Frequencies for Points on the Methoxy Hypersurface (Units: Wavenumbers).....15
4	Rate Coefficient Calculation Details for Dissociation of CH ₃ O.....18
5	Rate Coefficient Calculation Details for Isomerization of CH ₃ O.....18
6	Rate Coefficient Details; Modified Critical Energies, T = 1200K.....18

I. INTRODUCTION

Flame chemistry models for even simple chemical oxidations include hundreds of chemical reactions. Commonly, rate coefficient data is available for few of the proposed reactions. In some cases, reaction network schemes do not provide even qualitative descriptions of the observed chemistry. The methoxy radical, CH_3O , appears as a constituent in chemical models that describe the oxidation of fuels, especially combustion systems. Numerous experimental¹⁻¹⁰ and theoretical¹¹⁻¹⁹ research projects have focused upon this

1. K. Iwasaki and K. Taniyama, "Electron Spin Resonance of Methoxy Radicals Trapped in the Methanol Irradiated at 4.2K," J. Am. Chem. Soc., Vol. 100, p. 1964, 1978.
2. D.K. Russell and H.F. Radford, "Analysis of the LMR Spectra of Methoxy, CH_2O ," J. Chem. Phys., Vol. 72, p. 7250, 1980.
3. H.R. Wendt and H.E. Hunzicker, "Electronic Absorption Spectrum of CH_3O ," J. Chem. Phys., Vol. 71, p. 5202, 1979.
4. K. Ohbayashi, H. Akimata, and I. Tanaka, "Emission Spectra of CH_3O , $\text{C}_2\text{H}_5\text{O}$ and $i\text{-C}_3\text{H}_7\text{O}$ Radicals," J. Phys. Chem., Vol. 81, p. 798, 1977.
5. M. Sutoh, N. Washida, H. Akimoto, M. Nakamura, and M. Okuda, "The Emission of CH_3O from Reactions of Metastable Rare Gas Atoms with Methanol," J. Chem. Phys., Vol. 73, p. 591, 1980.
6. G. Imoue, H. Akimato, and M. Okuda, "Spectroscopy of the $\text{CH}_3\text{O } A^2A_1-X^2E$ System by Laser-Excited Fluorescence Method," J. Chem. Phys., Vol. 72, p. 2769, 1980.
7. N. Sanders, J.E. Butler, L.R. Pasternak, and J.R. McDonald, " CH_3O Production from 266 mm Photolysis of Methyl Nitrite and Reaction with NO ," Chem. Phys., Vol. 49, p. 17, 1980.
8. D.E. Powers, J.B. Hopkins, and R.E. Smalley, "Laser Production of Set-Cooled Radicals. Methoxy and Methoxy-Argon," J. Phys. Chem., Vol. 85, p. 2711, 1981.
9. B.K. Janousek, A.H. Zimmerman, K.J. Reed, and J.I. Brauman, "Electron Photodetachment from Aliphatic Molecular Anions. Gas Phase Electron Affinities of Methoxyl, Tert-Butoxyl, and Neopentoxyl Radicals," J. Am. Chem. Soc., Vol. 100, p. 6142, 1978.
10. P.C. Engelking, B.G. Ellison, and W.C. Lineberger, "Laser Photodetachment Electron Spectrometry of Methoxide, Deuteromethoxide and Thiomethoxide: Electron Affinities and Vibrational Structure of CH_3O , CD_3O , and CH_3S ," J. Chem. Phys., Vol. 69, p. 1829, 1978.
11. D.R. Yarkony, H.F. Schaefer, III, and S. Rothenberg, "Geometries of the Methoxy Radical (X^2E and A^2A_1 States) and the Methoxide Ion," J. Am. Chem. Soc., Vol. 90, p. 656, 1974.

12. W.A. Lathan, C.A. Curtiss, W.J. Hehre, J.B. Lisle, and J.A. Pople, "Molecular Orbital Theory of the Electronic Structure of Organic Compounds," Progr. Phys. Org. Chem., Vol. 11, p. 175, 1974.
13. H. Umeyama and S. Nakagawa, "Spectroscopic Observation of the Methoxy Radical," Chem. Pharm. Bull., Vol. 25, p. 1671, 1977.
14. J.T. Hougen, "Double Group Considerations, Jahn-Teller Induced Rovibronic Effects, and Nuclear Spin-Electron Spin Hyperfine Hamiltonian for a Molecule of Symmetry C_{3v} in an Electronic 2E State," J. Mol. Spectrosc., Vol. 81, p. 73, 1980.
15. G.F. Adams, G.D. Bent, G.D. Purvis, and R.J. Bartlett, "Calculation of Dissociation Energies Using Many-Body Perturbation Theory," Chem. Phys. Letters, Vol. 81, p. 461, 1981.
16. C.F. Jaeckels, "Electronic Structure Calculations for Methoxy: The X^2E and A^2A_1 States," J. Chem. Phys., Vol. 76, p. 505, 1982.
17. G.F. Adams, R.J. Bartlett, and G.D. Purvis, "On the Unimolecular Reactions of CH_3O and CH_2OH ," Chem. Phys. Letters, Vol. 87, p. 311, 1982.
18. G.D. Bent, G.F. Adams, R.H. Bartram, G.D. Purvis, and R.J. Bartlett, "Many-Body Perturbation Theory Electronic Structure Calculations for the Methoxy Radical. I. Determination of Jahn-Teller Energy Surfaces, Spin-Orbital Splitting and Zeeman Effect," J. Chem. Phys., Vol. 76, p. 4144, 1982.
19. S. Saebo, L. Radom, and H.F. Schaefer, III, "On the Weakly Exothermic Rearrangement of Methoxy Radical (CH_3OH)," J. Chem. Phys., Vol. 78, p. 845, 1983.

radical. Most of these researches attempted to elucidate the molecular structure and spectroscopy of this radical; tasks which remain incomplete, however. To date, no empirically derived structure has been obtained, nor has the complete vibrational spectrum been determined. While such characterization studies continue, the chemical reactions that include the radical populate nearly all combustion models. Here too, the lack of experimental and theoretical information leads to great uncertainty in estimating rate coefficients for these reactions. Our previous research on this radical¹⁷ was motivated, in part, by uncertainty in rate coefficient data for the hydrogen dissociation reaction,



Since methoxy is but one hydrogen atom more complex than formaldehyde, we also considered the 1,2-hydrogen shift reaction that isomerizes methoxy to form hydroxymethyl



As was the case with the formaldehyde results,²⁰ the electronic energy barrier for methoxy isomerization was only slightly higher than the dissociation barrier. This result supported Radford's interpretation of experimental data suggesting that the isomerization reaction (Eq. 2) may compete with the dissociation reaction (Eq. 1).²¹ Subsequently, Batt, Burrows, and Robinson²² estimated an activation energy for the isomerization reaction, and concluded that the dissociation reaction dominates at high temperature. They noted, however, that the rearrangement reaction may compete with the dissociation at high temperature.

This report describes electronic structure calculations pertinent to these two reactions of methoxy. The quantum chemical results are used to obtain rate coefficient estimates for these two reactions for both low and high temperatures, in the low pressure limit region.

-
20. J.D. Goddard and H.F. Schaefer, III, "The Photodissociation of Formaldehyde: Potential Energy Surface Features," J. Chem. Phys., Vol. 70, p. 5117, 1979.
 21. H.F. Radford, "The Fast Reaction of CH₂OH with O₂," Chem. Phys. Letters, Vol. 71, p. 195, 1980.
 22. L. Batt, J.P. Burrows, and G.N. Robinson, "On the Isomerization of the Methoxy Radical: Relevance to Atmospheric Chemistry and Combustion," Chem. Phys. Letters, Vol. 78, p. 467, 1981.

II. THEORETICAL CHEMISTRY OVERVIEW

The description of chemical reaction pathways using quantum chemical methods has been simplified by the introduction of analytic formulas for the gradient of the energy and the second-derivatives of the energy.²³ This research employed the use of analytical energy gradients, computed with reference to unrestricted Hartree-Fock (UHF) wavefunctions, to locate those points on the energy hypersurface where the gradients vanish. Such points correspond to equilibrium structures, when there are no negative second-derivatives, and transition state structures, when there is one and only one negative second derivative. Structural parameters and second-derivatives for the methoxy radical, and the two transition states were obtained using the GRADSCF system of electronic structure codes.²⁴ These UHF calculations obtained wavefunctions expanded in a 6-31G** basis set.²⁵ Subsequent structural optimizations obtained using a Dunning-Huzinaga double-zeta basis set²⁶ augmented by polarization functions on all atoms²⁷ did not yield significantly different results.

Self-consistent field methods, like UHF, yield unreliable predictions of chemical energy differences. These methods exclude the effects of correlated electron motions. There are a number of quantum chemical methods available to estimate the correlation-energy contribution. In this study, we have used the linked-cluster based method known as many-body perturbation theory (MBPT). The reference function for the MBPT calculations was taken to be a UHF wavefunction in the double-zeta plus polarization basis set. The MBPT calculations are fourth-order calculations that include all single-, double-, and quadruple-excitation diagrams that contribute at fourth-order.

-
23. M.J. Page, P.W. Saxe, B.H. Lengsfeld, III, and G.F. Adams, "On the Development of MCSCF and MCSCF-CI Methods for the Calculation of Hessian Matrices," to be published.
 24. A. Komornicki, National Resource for Computations in Chemistry (NRCC), Software Catalog, Program Number QH04 (GRADSCF), Vol. I, 1980.
 25. P.C. Hariharan and J.A. Pople, "Accuracy of AH_m Equilibrium Geometries by Single Determinant MO Theory," Mol. Phys., Vol. 27, p. 209, 1974.
 26. T.H. Dunning, Jr., "Gaussian Basis Functions for Use in Molecular Calculations. I. Contraction of (9SSp) Atomic Basis Sets for First-Row Atoms," J. Chem. Phys., Vol. 53, p. 2823, 1970.
 27. T.H. Dunning and P.J. Hay, "Gaussian Basis Sets for Molecular Calculations in Modern Theoretical Chemistry, Methods of Electronic Structure Theory," Vol. 3, H.F. Schaeffer, editor, 1977.

To estimate the unimolecular rate coefficients we use a simplified theory of unimolecular reactions developed by Troe.^{28 29} Troe's review paper²⁹ cites the lack of detailed knowledge of the potential energy hypersurfaces and the intermolecular energy transfer processes as deficiencies that hamper the development of predictive rate coefficient models. The electronic structure calculations reported here, and in references 15 and 17, provide useful information about the potential energy hypersurfaces for the methoxy radical. Details of the energy transfer processes stand beyond the scope of this work. Troe's model avoids the energy transfer processes by invoking the strong collision hypothesis, and seeking ways to correct this overestimate.

Troe²⁹ expresses the limiting low-pressure pseudo-first-order rate coefficient, k_0 , as

$$k_0 = \beta_c k_0^{sc} , \quad (3)$$

where β_c represents the temperature dependent collision efficiency and k_0^{sc} represents the strong-collision form of the limiting rate coefficient. The strong-collision rate coefficient is expressed as

$$k_0^{sc} = [M] Z_{LJ} \frac{\rho(E_0)kT}{Q_v} F_E F_{rot} F_{anh} \exp(-E_0/kT) , \quad (4)$$

where Z_{LJ} is the Lennard-Jones collision frequency, $\rho(E_0)$ is the harmonic density of states, Q_v is the vibrational partition function, and the F terms are correction factors for the energy dependence of the density of states, rotational effects and anharmonicity, respectively. The exponential contains the critical energy, E_0 , the energy difference between the reactant and the transition state measured between the vibrational zero-points. In this work, we used expressions given by Troe in Reference 27 to evaluate the factors of k_0^{sc} .

A more precise approach to the treatment of competing reactions requires that we treat the two reactions simultaneously. Formally, for a two-channel competing reaction process, the total and single-channel rate coefficients are given by³⁰

-
28. J. Troe, "Theory of Thermal Unimolecular Reactions at Low Pressures. II. Strong Collision Rate Constants Applications," J. Phys. Chem., Vol. 66, p. 4758, 1977.
29. J. Troe, "Predictive Possibilities in Unimolecular Rate Theory," J. Phys. Chem., Vol. 83, p. 114, 1979.
30. Th. Just and J. Troe, "Theory of Two-Channel Thermal Unimolecular Reactions. I. General Formulation," J. Phys. Chem., Vol. 87, p. 3068, 1980.

$$k_0 = \int_{E_{01}}^{\infty} h(E) f(E) [k_1(E) + k_2(E)] dE \quad (5)$$

$$k_{10} = k_0 - k_{20} \quad (6)$$

$$k_{20} = \int_{E_{02}}^{\infty} h(E) f(E) k_2(E) dE \quad (7)$$

where k_{10} represents the rate coefficient for the channel with the lower critical energy and k_{20} that for the channel with the higher critical energy, $h(E)$ is the population of reactive states above the lower threshold energy, and $f(E)$ is the equilibrium population at energy E . Specific expressions for the total rate-coefficient are

$$k_0 = [M] Z \frac{\rho(E_{01})kT}{Q_v} \exp(-E_{01}/kT) F_E \left(\frac{\alpha}{\alpha + F_E kT}\right)^2 \quad (8)$$

where E_{01} is the critical energy for the lower critical energy channel, and α represents the average energy removed in down transitions. The corresponding expression for the upper-channel rate coefficient is

$$k_{02} = k_0 \exp\left(-\frac{(E_{02}-E_{01})(\alpha + F_E kT)}{\alpha F_E kT}\right) * \\ \left[\left(\frac{\alpha + F_E kT}{\alpha F_E kT}\right) \int_{E_{02}}^{\infty} \left(\frac{k_2(E)}{k_1(E) + k_2(E)}\right) * \right. \\ \left. \exp\left(-\frac{(E-E_{02})(\alpha + F_E kT)}{\alpha F_E kT}\right) dE\right] \quad (9)$$

The integral appearing in the last equation can be approximated in various ways. If the specific branching ratio

$$v_2(E) = \frac{k_2(E)}{k_1(E) + k_2(E)}, \quad (10)$$

varies only slightly with energy, then the ratio will be nearly equal to $v_2(E_{02})$. If $v_2(E)$ varies markedly with E , then the specific rate constants $k_1(E)$ and $k_2(E)$ must be used in evaluating the integral, or an exponential model must be used to approximate $v_2(E)$. Since we're interested in the variation of the rate coefficients with temperature over a large temperature range, the evaluation of the specific branching ratio will be treated in a consistent manner. A more thorough discussion of the theory of two-channel unimolecular reactions is given by Just and Troe.³⁰ The treatment used in

this study assumes a vibrational two-channel model for the low-pressure limit of the unimolecular reaction. Both unimolecular reactions of the methoxy radical are characterized by rigid transition state complexes.

III. ELECTRONIC STRUCTURE THEORY RESULTS

In our previous report on the unimolecular reactions of the methoxy radical,¹⁷ we reported structural parameters for CH_3O and a series of transition states relevant to the chemistry of the radical. As noted by Saebo, et al,¹⁹ the structure reported in Reference 17 for the methoxy radical corresponds to the $^2\text{A}''$ component of the ^2E state, rather than the $^2\text{A}'$ ground state. The correct structural parameters and electronic energy are reported for the $\text{X}^2\text{A}'$ state of methoxy in this report. The transition state structures cited in Reference 17 correspond to points on the $^2\text{A}'$ hypersurface. Thus, the electronic contribution to the critical energies equals the electronic energy differences between the two transition state structures and the equilibrium structure. Table 1 contains a summary of the structural information for the radical and the transition states, and Table 2 contains the results of the electronic energy calculations obtained with the double zeta plus polarization basis set at several levels of theory. The most accurate energy differences should be those predicted by fourth-order MBPT; thus, the electronic energy barriers equal 35.2 kcal/mole and 35.6 kcal/mole for dissociation and isomerization, respectively.

TABLE 1. OPTIMIZED GEOMETRICAL PARAMETERS FOR STATIONARY POINTS
ON THE METHOXY SURFACE^{a,b}

CH₃O (X²A')

r(C-H ₁)	1.086
r(C-H ₃)	1.089
r(C-O)	1.382
OCH ₁	111.7
OCH ₃	106.1
H ₁ CH ₂	110.5

Transition Structure: Dissociation

r(C-H ₁)	1.087
r(C-H ₃)	1.834
r(C-O)	1.225
OCH ₁	121.4
OCH ₃	99.8
H ₁ CH ₂	116.7

Transition Structure: Isomerization

r(C-H ₁)	1.078
r(C-H ₃)	1.264
r(C-O)	1.367
OCH ₁	117.4
OCH ₃	53.5
H ₁ CH ₂	118.3

a - Units: Bond Lengths, Angstroms.

b - Units: Bond Angles, Degrees.

TABLE 2. ELECTRONIC ENERGIES (UNITS: HARTREES)

	<u>Radical Equilibrium</u>	<u>Transition State Dissociation</u>	<u>Transition State Isomerization</u>
UHF	-114.4484	-114.3845	-114.3668
SDQ-MBPT(4)	-114.7621	-114.7060	-114.7054

To determine the critical energy for reaction requires knowledge of the zero-point vibrational energy for the reactant and transition state. By computing the second-derivatives of the molecular energy with respect to nuclear distortion, we can determine the harmonic vibrational frequencies for these structures. The harmonic frequencies for the methoxy radical and the two transition states are presented in Table 3. Note that each of the transition states has one, and only one, imaginary frequency. With these results, we estimate the critical energy for dissociation to be 29.5 kcal/mole, while that for isomerization is 31.7 kcal/mole.

TABLE 3. VIBRATIONAL FREQUENCIES FOR POINTS ON THE METHOXY HYPERSURFACE (UNITS: WAVENUMBERS)

<u>Equilibrium</u>	<u>Dissociation TS*</u>	<u>Isomerization TS*</u>
3274	3768	3366
3255	3138	3249
3188	1708	2473
1668	1518	1621
1604	1345	1266
1585	1211	1241
1283	668	1074
1226	504	945
1130	955i	2569i

*Transition State.

To anticipate our treatment of the rate coefficients, we note that the vibrational frequencies for the methoxy radical share the defect of all frequencies determined using SCF analytical gradients. Such frequencies are estimates of harmonic vibrations, while empirically observed vibrational frequencies include anharmonic character. The experience of quantum chemists in computing frequencies suggests that the results reported in Table 3 will exceed observed frequencies by approximately 10%. Therefore, we reduce the predicted frequencies before use in the rate coefficient estimation.

IV. RATE COEFFICIENT ESTIMATES

The rate coefficients for dissociation and isomerization of the methoxy radical for temperatures in the range, $300\text{K} < T < 1200\text{K}$, are evaluated in two ways. We present first the results of separate calculations of the two processes, ignoring the complications introduced by formal consideration of the competitive nature of the reactions. We then consider the reactions as two competitive reactions, determining branching ratios using Troe's vibrational two-channel model. Comparison of the two treatments allows us to assess the utility of the simple model as a quick and dirty tool for assessing branching ratios.

In addition, we consider also the effect upon these results of errors in the quantum chemical calculations. It is commonly accepted that electronic structure methods overestimate barriers to unimolecular reactions. Thus, it is necessary to determine whether the reasonable correction of the quantum chemical barrier heights leads to significantly different relative reaction rates, or branching ratios.

There occurs in the literature several values for the heat of formation of the methoxy radical.^{10 31} These values, when combined with the heats of formation of formaldehyde and hydrogen provide the heat of reaction for the dissociation. Using the various experimental values, the heat of reaction may be 22.2 kcal/mole or 26.7 kcal/mole. In a paper on the a priori determination of dissociation energies, we estimated the heat of formation of CH_3O to be 1.0 ± 3.0 kcal/mole.¹⁵ This value has the virtue that the error bars encompass the experimental values; this leads to a dissociation energy estimate equal to 25.1 kcal/mole. Correcting this value for classical translational energy contributions, we obtain the OK dissociation energy, 24.2 kcal/mole. This sets a lower limit on the critical energy for this reaction channel. The value predicted by the electronic structure calculations for the critical energy corresponds to a recombination barrier of 5.3 kcal/mole, a value several kcal higher than the barrier estimated for the isoelectronic ethyl radical barrier. Thus, there is some evidence that the critical energy for dissociation has been overestimated by several kcal/mole.

Estimating the error for the isomerization reaction barrier is less straightforward. Although we expect that the value exceeds the "true" critical energy, it is difficult to make a reasonable estimate of the error. On the one hand, we believe that the theoretical methods used provide a more reliable prediction of the isomerization barrier than for the dissociation barrier. Conversely, we have not included the contribution of triple excitations on the fourth-order energy contribution; an effect that should reduce the isomerization barrier more than it reduces the dissociation

31. L. Batt and R.D. McCullough, "Pyrolysis of Dimethyl Peroxide," Int. J. Chem. Kinetics, Vol. 8, p. 492, 1970.

barrier. In any case, however, we expect both barriers to be reduced by better theoretical calculations. Therefore, to provide a useful test of the effect of quantum chemical errors on the branching ratios, we assume that the "correct" critical energies are: dissociation 27.0 kcal/mole; isomerization, 30.0 kcal/mole. These values will be used to estimate branching ratios for $T = 1200\text{K}$.

In the following sections, we present the results obtained for the rate coefficients by treating the reactions as independent and coupled.

A. Independent Rate Coefficient Treatment

The data used to evaluate the factors in the expression for k_0^{SC} were determined entirely from the results of the quantum chemical calculations which are summarized in Tables 1-3. To estimate a value for the collisions efficiency, we assumed that the average energy transfer in a down collision was 4.6 kJ/mole (1.099 kcal/mole), and used Troe's relationship connecting β_c and α . We summarize in Tables 4 and 5 the factors obtained for the dissociation and isomerization reactions, respectively. The values of k_0 , given in the right-hand column, lead to the conclusion that the dissociation dominates at room temperature, but that the isomerization reaction competes with dissociation at high temperatures. To some extent the result parallels the change in relative values of the exponential factor, but one should note that the harmonic density of states factor always favors the isomerization reaction. In fact, the density of states factor will always favor the channel with the higher critical energy, since we've evaluated the density of states at E_0 . To recapitulate, this model predicts that the isomerization and dissociation reactions compete at high temperature, a result that concurs with Batt's conjecture.

What is the effect on the high-temperature rate coefficients of reducing the critical energies for the two reactions? The detailed results for the two reactions are collected in Table 6. The ratios of the k_0 's changes little from that obtained using the original quantum chemical critical energies. Apparently the results of assuming a greater separation between the two critical energies cancel the results of reducing these values. Thus, if we assume that the branching ratio for the competitive reactions can be estimated by computing the rate coefficients independently, we conclude that the isomerization and dissociation reactions compete at high temperature.

B. Vibrational Two-Channel Model

The expression for the total unimolecular rate coefficient, Eq. (8), is very similar to the expression derived by Troe for the low pressure rate coefficient of a single unimolecular reaction. Missing are rotational and anharmonic corrections. The expression, however, contains a term relating to the energy-transfer step size. Since we estimated this value to determine the collision efficiency, β_c , consistency demands retaining the same value in this treatment.

To evaluate the expression⁷ for the rate coefficient, k_{20} , requires evaluating the specific branching ratio, $V_2(E)$, given by Eq. (10). The expression for $V_2(E)$, may be rewritten as

TABLE 4. RATE COEFFICIENT CALCULATION DETAILS FOR DISSOCIATION OF CH₃O

T	Z _{LJ}	ρkT/Q	F _{anh}	F _E	F _{rot}	exp(-E ₀ /kT)	β _c	k ₀
300	2.06(14)	244.0	1.07	1.16	4.06	4.43(-22)	.496	1.6(-6)
600	2.42(14)	363.6	1.07	1.24	2.74	2.11(-11)	.263	1.7(6)
900	2.78(14)	295.7	1.07	1.40	2.13	7.6(-8)	.158	3.0(9)
1200	3.03(14)	192.5	1.07	1.56	1.76	4.6(-6)	.104	8.2(10)

TABLE 5. RATE COEFFICIENT CALCULATION DETAILS FOR ISOMERIZATION OF CH₃O

T	Z _{LJ}	ρkT/Q	F _{anh}	F _E	F _{rot}	exp(-E ₀ /kT)	β _c	k ₀
300	2.06(14)	356.8	1.07	1.09	3.8	8.02(-24)	.496	1.3(-10)
600	2.42(14)	531.8	1.07	1.22	2.6	3.37(-12)	.263	3.6(5)
900	2.78(14)	433.7	1.07	1.37	2.1	2.25(-8)	.158	1.3(9)
1200	3.03(14)	282.4	1.07	1.53	1.7	1.84(-6)	.104	4.5(10)

TABLE 6. RATE COEFFICIENT DETAILS; MODIFIED CRITICAL ENERGIES, T = 1200K

Z _{LJ}	ρkT/Q	F _{anh}	F _E	F _{rot}	exp(-E ₀ /kT)	k ₀ ^{SC}
Dissoication 3.03(14)	121.9	1.07	1.6	1.70	1.3(-5)	1.39(12)
Isomerization 3.03(14)	209.8	1.07	1.56	1.70	3.7(-6)	6.6(11)

$$V_2(E) = \frac{W_2(E)}{W_1(E) + W_2(E)} \quad , \quad (11)$$

where $W_1(E)$ indicates the number of open vibrational reaction channels for the products of the lower critical energy pathway. Thus, one can determine $V_2(E)$ by counting the number of open channels at each energy for each pathway. Since the critical energies for the two reaction paths are so nearly equal, the specific branching ratio should vary only slightly with energy near E_{02} , so we follow Troe and assume that

$$V_2(E) \approx V_2(E_{02}) \quad .$$

Finally, rather than count the number of reactant channels open for each pathway, we assume that the specific branching ratio can be approximated substituting the vibrational partition functions for the two activated complexes. This approximation has no formal justification, but since we have estimates of the vibrational eigenvalues orthogonal to the reaction coordinate, we assume that the populations of these states provides an approximation to the number of available channels for each pathway. This leaves us to evaluate the trivial integral,

$$k_{02} \int_{E_{02}}^{\infty} \exp \left(- \frac{(E_0 - E_{02})(\alpha + F_E kT)}{\alpha F_E kT} \right) \quad , \quad (12)$$

Evaluating the expressions, using the data from Table 5, we find that for $T = 300$

$$k_{20} \approx .002 k_0 \quad ,$$

while for $T = 1200K$

$$k_{20} \approx .023 k_0$$

Since

$$k_{10} = k_0 - k_{20} \quad ,$$

it is obvious that the two-channel model does not predict the isomerization reaction to compete with the dissociation reaction, even at $T = 1200K$. This result depends, however, upon the estimates of the energy transfer parameter, α , the dilemma faced when trying to use unimolecular models as predictive models.

The electronic structure calculations summarized in this report provide information about the potential energy hypersurface for the methoxy radical reactions that has not been available heretofore. To some extent, Troe's desire for details of the potential energy surface has been satisfied. Nonetheless, two simplified models for rate coefficient estimates provide qualitatively different descriptions of the relative importance of the two reaction channels. This result demonstrates the need for more precise descriptions of the energy transfer processes that dominate the low-pressure unimolecular reactions.

V. CONCLUSIONS

The results of this study do not provide a definitive demonstration that the isomerization reaction of the methoxy radical competes with the dissociation reaction. One simplified dynamical model suggests that the reactions do compete at high temperature. However, Troe's model for two-channel thermal unimolecular reactions predicts that the isomerization reaction does not compete with the dissociation reaction. The latter result, however, depends strongly upon the details of the energy-transfer processes that control the low-pressure rates, and on the rather gross approximations we've used in applying that model.

Variation of the predicted critical energies to values that intuition suggests are closer to reality, leads to virtually no change in the branching ratio predicted by the uncoupled dynamical model. The rate coefficient estimates, however, do change significantly, indicating that predictive rate coefficient models yet await more accurate quantum chemical calculations.

REFERENCES

1. K. Iwasaki and K. Taryama, "Electron Spin Resonance of Methoxy Radicals Trapped in the Methanal Irradiated at 4.2K," J. Am. Chem. Soc., Vol. 100, p. 1964, 1978.
2. D.K. Russell and H.F. Radford, "Analysis of the LMR Spectra of Methoxy, CH₂O," J. Chem. Phys., Vol. 72, p. 7250, 1980.
3. H.R. Wendt and H.E. Hunzicker, "Electronic Absorption Spectrum of CH₃O," J. Chem. Phys., Vol. 71, p. 5202, 1979.
4. K. Ohbayashi, H. Akimata, and I. Tanaka, "Emission Spectra of CH₃O, C₂H₅O and i-C₃H₇O Radicals," J. Phys. Chem., Vol. 81, p. 798, 1977.
5. M. Sutoh, N. Washida, H. Akimoto, M. Nakamura, and M. Okuda, "The Emission of CH₃O from Reactions of Metastable Rare Gas Atoms with Methanol," J. Chem. Phys., Vol. 73, p. 591, 1980.
6. G. Imoue, H. Akimato, and M. Okuda, "Spectroscopy of the CH₃O A²A₁-X²E System by Laser-Excited Fluorescence Method," J. Chem. Phys., Vol. 72, p. 2769, 1980.
7. N. Sanders, J.E. Butler, L.R. Pasternak, at J.R. McDonald, "CH₃O Production from 266 mm Photolysis of Methyl Nitrite and Reaction with NO," Chem. Phys., Vol. 49, p. 17, 1980.
8. D.E. Powers, J.B. Hopkins, and R.E. Smalley, "Laser Production of Set-Cooled Radicals. Methoxy and Methoxy-Argon," J. Phys. Chem., Vol. 85, p. 2711, 1981.
9. B.K. Janousek, A.H. Zimmerman, K.J. Reed, and J.I. Brauman, "Electron Photodetachment from Aliphatic Molecular Anions. Gas Phase Electron Affinities of Methoxyl, Tert-Butoxyl, and Neopentoxyl Radicals," J. Am. Chem. Soc., Vol. 100, p. 6142, 1978.
10. P.C. Engelking, B.G. Ellison, and W.C. Lineberger, "Laser Photodetachment Electron Spectrometry of Methoxide, Deuteromethoxide and Thiomethoxide: Electron Affinities and Vibrational Structure of CH₃O, CD₃O, and CH₃S," J. Chem. Phys., Vol. 69, p. 1829, 1978.
11. D.R. Yarkony, H.F. Schaefer, III, and S. Rothenberg, "Geometries of the Methoxy Radical (X²E and A²A₁ States) and the Methoxide Ion," J. Am. Chem. Soc., Vol. 90, p. 656, 1974.
12. W.A. Lathan, C.A. Curtiss, W.J. Hehre, J.B. Lisle, and J.A. Pople, "Molecular Orbital Theory of the Electronic Structure of Organic Compounds," Progr. Phys. Org. Chem., Vol. 11, p. 175, 1974.
13. H. Umeyama and S. Nakagawa, "Spectroscopic Observation of the Methoxy Radical," Chem. Pharm. Bull., Vol. 25, p. 1671, 1977.

14. J.T. Hougen, "Double Group Considerations, Jahn-Teller Induced Rovibronic Effects, and Nuclear Spin-Electron Spin Hyperfine Hamiltonian for a Molecule of Symmetry C_{3v} in an Electronic 2E State," J. Mol. Spectrosc., Vol. 81, p. 73, 1980.
15. G.F. Adams, G.D. Bent, G.D. Purvis, and R.J. Bartlett, "Calculation of Dissociation Energies Using Many-Body Perturbation Theory," Chem. Phys. Letters, Vol. 81, p. 461, 1981.
16. C.F. Jaeckels, "Electronic Structure Calculations for Methoxy: The X^2E and A^2A_1 States," J. Chem. Phys., Vol. 76, p. 505, 1982.
17. G.F. Adams, R.J. Bartlett, and G.D. Purvis, "On the Unimolecular Reactions of CH_3O and CH_2OH ," Chem. Phys. Letters, Vol. 87, p. 311, 1982.
18. G.D. Bent, G.F. Adams, R.H. Bartram, G.D. Purvis, and R.J. Bartlett, "Many-Body Perturbation Theory Electronic Structure Calculations for the Methoxy Radical. I. Determination of Jahn-Teller Energy Surfaces, Spin-Orbital Splitting and Zeeman Effect," J. Chem. Phys., Vol. 76, p. 4144, 1982.
19. S. Saebo, L. Radom, and H.F. Schaefer, III, "On the Weakly Exothermic Rearrangement of Methoxy Radical (CH_3OH)," J. Chem. Phys., Vol. 78, p. 845, 1983.
20. J.D. Goddard and H.F. Schaefer, III, "The Photodissociation of Formaldehyde: Potential Energy Surface Features," J. Chem. Phys., Vol. 70, p. 5117, 1979.
21. H.F. Radford, "The Fast Reaction of CH_2OH with O_2 ," Chem. Phys. Letters, Vol. 71, p. 195, 1980.
22. L. Batt, J.P. Burrows, and G.N. Robinson, "On the Isomerization of the Methoxy Radical: Relevance to Atmospheric Chemistry and Combustion," Chem. Phys. Letters, Vol. 78, p. 467, 1981.
23. M.J. Page, P.W. Saxe, B.H. Lengsfeld, III, and G.F. Adams, "On the Development of MCSCF and MCSCF-CI Methods for the Calculation of Hessian Matrices," to be published.
24. A. Komornicki, National Resource for Computations in Chemistry (NRCC), Software Catalog, Program Number QH04 (GRADSCF), Vol. I, 1980.
25. P.C. Hariharan and J.A. Pople, "Accuracy of AH_m Equilibrium Geometries by Single Determinant MO Theory," Mol. Phys., Vol. 27, p. 209, 1974.
26. T.H. Dunning, Jr., "Gaussian Basis Functions for Use in Molecular Calculations. I. Contraction of (9SSp) Atomic Basis Sets for First-Row Atoms," J. Chem. Phys., Vol. 53, p. 2823, 1970.
27. T.H. Dunning and P.J. Hay, "Gaussian Basis Sets for Molecular Calculations in Modern Theoretical Chemistry, Methods of Electronic Structure Theory," Vol. 3, H.F. Schaeffer, editor, 1977.

28. J. Troe, "Theory of Thermal Unimolecular Reactions at Low Pressures. II. Strong Collision Rate Constants Applications," J. Phys. Chem., Vol. 66, p. 4758, 1977.
29. J. Troe, "Predictive Possibilities in Unimolecular Rate Theory," J. Phys. Chem., Vol. 83, p. 114, 1979.
30. Th. Just and J. Troe, "Theory of Two-Channel Thermal Unimolecular Reactions. I. General Formulation," J. Phys. Chem., Vol. 87, p. 3068, 1980.
31. L. Batt and R.D. McCullough, "Pyrolysis of Dimethyl Peroxide," Int. J. Chem. Kinetics, Vol. 8, p. 492, 1976.

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
12	Administrator Defense Technical Info Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22304-6145	1	Director US Army Air Mobility Research and Development Laboratory Ames Research Center Moffett Field, CA 94035
1	HQ DA DAMA-ART-M Washington, DC 20310	4	Commander US Army Research Office ATTN: R. Ghirardelli D. Mann R. Singleton R. Shaw P.O. Box 12211 Research Triangle Park, NC 27709-2211
1	Commander US Army Materiel Command ATTN: AMCDRA-ST 5001 Eisenhower Avenue Alexandria, VA 22333-0001	1	Commander US Army Communications - Electronics Command ATTN: AMSEL-ED Fort Monmouth, NJ 07703
1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-TSS Dover, NJ 07801	1	Commander ERADCOM Technical Library ATTN: DELSD-L, Reports Section Fort Monmouth, NJ 07703-5301
1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-TDC Dover, NJ 07801	2	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-LCA-G, D.S. Downs J.A. Lannon Dover, NJ 07801
1	Director Benet Weapons Laboratory Armament R&D Center US Army AMCCOM ATTN: SMCAR-LCB-TL Watervliet, NY 12189	1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-LC-G, L. Harris Dover, NJ 07801
1	Commander US Army Armament, Munitions and Chemical Command ATTN: SMCAR-ESP-L Rock Island, IL 61299	1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-SCA-T, L. Stiefel Dover, NJ 07801
1	Commander US Army Aviation Research and Development Command ATTN: AMSAV-E 4300 Goodfellow Blvd. St. Louis, MO 63120	1	Commander Armament R&D Center US Army AMCCOM ATTN: SMCAR-SCA-T, L. Stiefel Dover, NJ 07801

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
1	Commander, U.S. Army Missile Command, Research, Development & Engineering Center ATTN: AMSMI-RD Redstone Arsenal, AL 35898	1	Commander Naval Air Systems Command ATTN: J. Ramnarace, AIR-54111C Washington, DC 20360
1	Dir, U.S. Army Missile & Space Intelligence Center, ATTN: AIAMS- YDL Redstone Arsenal, AL 35898-5500	2	Commander Naval Ordnance Station ATTN: C. Irish P.L. Stang, Code 515 Indian Head, MD 20640
2	Commander US Army Missile Command ATTN: AMSMI-RK, D.J. Ifshin W. Wharton Redstone Arsenal, AL 35898	1	Commander Naval Surface Weapons Center ATTN: J.L. East, Jr., G-23 Dahlgren, VA 22448
1	Commander US Army Missile Command ATTN: AMSMI-RKA, A.R. Maykut Redstone Arsenal, AL 35898-5249	2	Commander Naval Surface Weapons Center ATTN: R. Bernecker, R-13 G.B. Wilmot, R-16 Silver Spring, MD 20910
1	Commander US Army Tank Automotive Command ATTN: AMSTA-TSL Warren, MI 48090	1	Commander Naval Weapons Center ATTN: R.L. Derr, Code 389 China Lake, CA 93555
1	Director US Army TRADOC Systems Analysis Activity ATTN: ATAA-SL White Sands Missile Range, NM 88002	2	Commander Naval Weapons Center ATTN: Code 3891, T. Boggs K.J. Graham China Lake, CA 93555
1	Commandant US Army Infantry School ATTN: ATSH-CD-CSO-OR Fort Benning, GA 31905	5	Commander Naval Research Laboratory ATTN: L. Harvey J. McDonald E. Oran J. Shnur R.J. Doyle, Code 6110 Washington, DC 20375
1	Commander US Army Development and Employment Agency ATTN: MODE-TED-SAB Fort Lewis, WA 98433	1	Commanding Officer Naval Underwater Systems Center Weapons Dept. ATTN: R.S. Lazar/Code 36301 Newport, RI 02840
1	Office of Naval Research Department of the Navy ATTN: R.S. Miller, Code 432 800 N. Quincy Street Arlington, VA 22217		

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
1	Superintendent Naval Postgraduate School Dept. of Aeronautics ATTN: D.W. Netzer Monterey, CA 93940	1	Applied Combustion Technology, Inc. ATTN: A.M. Varney P.O. Box 17885 Orlando, FL 32860
4	AFRPL/DY, Stop 24 ATTN: R. Corley R. Geisler J. Levine D. Weaver Edwards AFB, CA 93523-5000	2	Applied Mechanics Reviews The American Society of Mechanical Engineers ATTN: R.E. White A.B. Wenzel 345 E. 47th Street New York, NY 10017
1	AFRPL/MKPB, Stop 24 ATTN: B. Goshgarian Edwards AFB, CA 93523-5000	1	Atlantic Research Corp. ATTN: M.K. King 5390 Cherokee Avenue Alexandria, VA 22314
2	AFOSR ATTN: L.H. Caveny J.M. Tishkoff Bolling Air Force Base Washington, DC 20332	1	Atlantic Research Corp. ATTN: R.H.W. Waesche 7511 Wellington Road Gainesville, VA 22065
1	AFWL/SUL Kirtland AFB, NM 87117	1	AVCO Everett Rsch. Lab. Div. ATTN: D. Stickler 2385 Revere Beach Parkway Everett, MA 02149
1	Air Force Armament Laboratory ATTN: AFATL/DLODL Eglin AFB, FL 32542-5000	1	Battelle Memorial Institute Tactical Technology Center ATTN: J. Huggins 505 King Avenue Columbus, OH 43201
1	NASA Langley Research Center Langley Station ATTN: G.B. Northam/MS 168 Hampton, VA 23365	1	Cohen Professional Services ATTN: N.S. Cohen 141 Channing Street Redlands, CA 92373
4	National Bureau of Standards ATTN: J. Hastie M. Jacox T. Kashiwagi H. Semerjian US Department of Commerce Washington, DC 20234	2	Exxon Research & Eng. Co. Government Research Lab ATTN: A. Dean M. Chou P.O. Box 48 Linden, NJ 07036
1	Aerojet Solid Propulsion Co. ATTN: P. Micheli Sacramento, CA 95813		

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
1	Ford Aerospace and Communications Corp. DIVAD Division Div. Hq., Irvine ATTN: D. Williams Main Street & Ford Road Newport Beach, CA 92663	1	Honeywell, Inc. Government and Aerospace Products ATTN: D.E. Broden/ MS MN50-2000 600 2nd Street NE Hopkins, MN 55343
1	General Applied Science Laboratories, Inc. ATTN: J.I. Erdos 425 Merrick Avenue Westbury, NY 11590	1	IBM Corporation ATTN: A.C. Tam Research Division 5600 Cottle Road San Jose, CA 95193
1	General Electric Armament & Electrical Systems ATTN: M.J. Bulman Lakeside Avenue Burlington, VT 05401	1	IIT Research Institute ATTN: R.F. Remaly 10 West 35th Street Chicago, IL 60616
1	General Electric Co. ATTN: Alan Wait Rd 3, Plains Rd Ballston Spa, NY 12020	2	Director Lawrence Livermore National Laboratory ATTN: C. Westbrook M. Costantino P.O. Box 808 Livermore, CA 94550
1	General Electric Ordnance Systems ATTN: J. Mandzy 100 Plastics Avenue Pittsfield, MA 01203	1	Lockheed Missiles & Space Co. ATTN: George Lo 3251 Hanover Street Dept. 52-35/B204/2 Palo Alto, CA 94304
1	General Motors Rsch Labs Physics Department ATTN: R. Teets Warren, MI 48090	1	Los Alamos National Lab ATTN: B. Nichols T7, MS-B284 P.O. Box 1663 Los Alamos, NM 87545
2	Hercules, Inc. Allegany Ballistics Lab. ATTN: R.R. Miller E.A. Yount P.O. Box 210 Cumberland, MD 21501	1	Olin Corporation Smokeless Powder Operations ATTN: V. McDonald P.O. Box 222 St. Marks, FL 32355
1	Hercules, Inc. Bacchus Works ATTN: K.P. McCarty P.O. Box 98 Magna, UT 84044	1	Paul Gough Associates, Inc. ATTN: P.S. Gough 1048 South Street Portsmouth, NH 03801

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
2	Princeton Combustion Research Laboratories, Inc. ATTN: M. Summerfield N.A. Messina 475 US Highway One Monmouth Junction, NJ 08852	1	Teledyne McCormack-Selph ATTN: C. Leveritt 3601 Union Road Hollister, CA 95023
1	Hughes Aircraft Company ATTN: T.E. Ward 8433 Fallbrook Avenue Canoga Park, CA 91303	1	Textron, Inc. Bell Aerospace Co. Division ATTN: T.M. Ferger P.O. Box 1 Buffalo, NY 14240
1	Rockwell International Corp. Rocketdyne Division ATTN: J.E. Flanagan/HB02 6633 Canoga Avenue Canoga Park, CA 91304	1	Thiokol Corporation Elkton Division ATTN: W.N. Brundige P.O. Box 241 Elkton, MD 21921
4	Sandia National Laboratories Combustion Sciences Dept. ATTN: R. Cattolica S. Johnston P. Mattern D. Stephenson Livermore, CA 94550	1	Thiokol Corporation Huntsville Division ATTN: R. Glick Huntsville, AL 35807
1	Science Applications, Inc. ATTN: R.B. Edelman 23146 Cumorah Crest Woodland Hills, CA 91364	3	Thiokol Corporation Wasatch Division ATTN: S.J. Bennett P.O. Box 524 Brigham City, UT 84302
1	Science Applications, Inc. ATTN: H.S. Pergament 1100 State Road, Bldg. N Princeton, NJ 08540	1	United Technologies ATTN: A.C. Eckbreth East Hartford, CT 06108
3	SRI International ATTN: G. Smith D. Crosley D. Golden 333 Ravenswood Avenue Menlo Park, CA 94025	3	United Technologies Corp. Chemical Systems Division ATTN: R.S. Brown T.D. Myers (2 copies) P.O. Box 50015 San Jose, CA 95150-0015
1	Stevens Institute of Tech. Davidson Laboratory ATTN: R. McAlevy, III Hoboken, NJ 07030	2	United Technologies Corp. ATTN: R.S. Brown R.O. McLaren P.O. Box 358 Sunnyvale, CA 94086
		1	Universal Propulsion Company ATTN: H.J. McSpadden Black Canyon Stage 1 Box 1140 Phoenix, AZ 85029

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
1	Veritay Technology, Inc. ATTN: E.B. Fisher 4845 Millersport Highway P.O. Box 305 East Amherst, NY 14051-0305	1	Case Western Reserve Univ. Div. of Aerospace Sciences ATTN: J. Tien Cleveland, OH 44135
1	Brigham Young University Dept. of Chemical Engineering ATTN: M.W. Beckstead Provo, UT 84601	1	Cornell University Department of Chemistry ATTN: E. Grant Baker Laboratory Ithaca, NY 14853
1	California Institute of Tech. Jet Propulsion Laboratory ATTN: MS 125/159 4800 Oak Grove Drive Pasadena, CA 91103	1	Univ. of Dayton Rsch Inst. ATTN: D. Campbell AFRPL/PAP Stop 24 Edwards AFB, CA 93523
1	California Institute of Technology ATTN: F.E.C. Culick/ MC 301-46 204 Karman Lab. Pasadena, CA 91125	1	University of Florida Dept. of Chemistry ATTN: J. Winefordner Gainesville, FL 32611
1	University of California, Berkeley Mechanical Engineering Dept. ATTN: J. Daily Berkeley, CA 94720	3	Georgia Institute of Technology School of Aerospace Engineering ATTN: E. Price W.C. Strahle B.T. Zinn Atlanta, GA 30332
1	University of California Los Alamos Scientific Lab. ATTN: T.D. Butler P.O. Box 1663, Mail Stop B216 Los Alamos, NM 87545	1	University of Illinois Dept. of Mech. Eng. ATTN: H. Krier 144MEB, 1206 W. Green St. Urbana, IL 61801
2	University of California, Santa Barbara Quantum Institute ATTN: K. Schofield M. Steinberg Santa Barbara, CA 93106	1	Johns Hopkins University/APL Chemical Propulsion Information Agency ATTN: T.W. Christian Johns Hopkins Road Laurel, MD 20707
1	University of Southern California Dept. of Chemistry ATTN: S. Benson Los Angeles, CA 90007	1	University of Michigan Gas Dynamics Lab Aerospace Engineering Bldg. ATTN: G.M. Faeth Ann Harbor, MI 48109-2140

DISTRIBUTION LIST

<u>No. Of Copies</u>	<u>Organization</u>	<u>No. Of Copies</u>	<u>Organization</u>
1	University of Minnesota Dept. of Mechanical Engineering ATTN: E. Fletcher Minneapolis, MN 55455	1	Stanford University Dept. of Mechanical Engineering ATTN: R. Hanson Stanford, CA 94305
3	Pennsylvania State University Applied Research Laboratory ATTN: K.K. Kuo H. Palmer M. Micci University Park, PA 16802	1	University of Texas Dept. of Chemistry ATTN: W. Gardiner Austin, TX 78712
1	Polytechnic Institute of NY Graduate Center ATTN: S. Lederman Route 110 Farmingdale, NY 11735	1	University of Utah Dept. of Chemical Engineering ATTN: G. Flandro Salt Lake City, UT 84112
2	Princeton University Forrestal Campus Library ATTN: K. Brezinsky I. Glassman P.O. Box 710 Princeton, NJ 08540	1	Virginia Polytechnic Institute and State University ATTN: J.A. Schetz Blacksburg, VA 24061
1	Princeton University MAE Dept. ATTN: F.A. Williams Princeton, NJ 08544		<u>Aberdeen Proving Ground</u> Dir, USAMSAA ATTN: AMXSY-D AMXSY-MP, H. Cohen Cdr, USATECOM ATTN: AMSTE-TO-F Cdr, CRDC, AMCCOM ATTN: SMCCR-RSP-A SMCCR-MU SMCCR-SPS-IL
1	Purdue University School of Aeronautics and Astronautics ATTN: J.R. Osborn Grissom Hall West Lafayette, IN 47906		
2	Purdue University School of Mechanical Engineering ATTN: N.M. Laurendeau S.N.B. Murthy TSPC Chaffee Hall West Lafayette, IN 47906	10	Central Intelligence Agency Office of Central Reference Dissemination Branch Room GE-47 HQS Washington, D.C. 20502
1	Rensselaer Polytechnic Inst. Dept. of Chemical Engineering ATTN: A. Fontijn Troy, NY 12181		

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. BRL Report Number _____ Date of Report _____

2. Date Report Received _____

3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

4. How specifically, is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided or efficiencies achieved, etc? If so, please elaborate. _____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

CURRENT ADDRESS

Name

Organization

Address

City, State, Zip

7. If indicating a Change of Address or Address Correction, please provide the New or Correct Address in Block 6 above and the Old or Incorrect address below.

OLD ADDRESS

Name

Organization

Address

City, State, Zip

(Remove this sheet along the perforation, fold as indicated, staple or tape closed, and mail.)

----- FOLD HERE -----


Director
U.S. Army Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 21005-5066



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON, DC
POSTAGE WILL BE PAID BY DEPARTMENT OF THE ARMY



Director
U.S. Army Ballistic Research Laboratory
ATTN: SLCBR-DD-T
Aberdeen Proving Ground, MD 21005-9989

----- FOLD HERE -----

END

FILMED

3

-86

DTIC