
AD-A164 233	ON LEARNI Californi Science	ING THE PAS IA UNIY SAN D E RUMELH 5-K-0450	T TENSE	s of e la jol al. oc	NGLIS LA IN T 85	I VERB	S(U) Cogni 07	TIVE	1/1	
UNCLASSIFIED	N00014-8	5-K-8458	_				F/G 5	/18	NĽ	
	5 I D									
END Franco Franc										
<u> </u>	-									1



ŝ

MICROCOPY RESOLUTION TEST CHART

ON LEARNING THE PAST TENSES OF ENGLISH VERBS

David E. Rumelhart and James L. McClelland

October 1985

ICS Report 8507

COGNITIVE SCIENCE This document has been approved for public release and sale; its distribution is unlimited. ucso INSTITUTE FOR COGNITIVE SCIENCE UNIVERSITY OF CALIFORNIA, SAN DIEGO LA JOLLA, CALIFORNIA 92093

86



AD-A164 233

111

Ŀ





ON LEARNING THE PAST TENSES OF ENGLISH VERBS

David E. Rumelhart and James L. McClelland

October 1985

ICS Report 8507



David E. Rumchart Institute for Cognitive Science University of California, San Diego

James L. McClelland Department of Psychology Carnegie-Mellon University

To be published in J. L. McClelland, D. E. Rumelhart, & the PDP Research Group, Parallel Distributed Processing: Explorations in the Microstructure of Cognition: Vol. 2. Psychological and Biological Models. Cambridge, MA: Bradford Books/MIT Press.

This research was supported by the first author's Contract N00014-85-K-0450, NR 667-548 with the Personnel and Training Research Programs of the Office of Naval Research and grant from the System Development Foundation, by the second author's Contracts N00014-82-C-0374 and N00014-C-0338 with the Personnel and Training Research Programs of the Office of Naval Research, and by Research Scientist Career Development Award MH00385 to the second author from the National Institute of Mental Health. The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the sponsoring agencies. Approved for public release; distribution unlimited. Reproduction in whole or in part is permitted for any purpose of the United States Government. Requests for reprints should be sent to David E. Rumelhart, Institute for Cognitive Science, C-015; University of California, San Diego; La Jolla, CA 92093. Copyright © 1985 by David E. Rumelhart and James L. McClelland

This decoment has been approved for a blic release and sale; its and abution is unlimited.




			REPORT DOCUM	MENTATION	PAGE			
	ECURITY CLASSI	FICATION		16 RESTRICTIVE	MARKINGS			•
Unclas	SIFIED CLASSIFICATION				AVAILABILITY OF	REPOR	<u>الم</u>	
					for public r			
. DECLASS	FICATION / DOW	NGRADING SCHEDU	JLE		ion unlimite		•	
PERFORMI	NG ORGANIZATI	ON REPORT NUMB	ER(S)	5 MONITORING	ORGANIZATION RE	PORT	NUMBER(S)	
ICS 85	07			ł				
	PERFORMING C ute for Co e		73 NAME OF M	ONITORING ORGAN	NZATIO	Ň		
C-015 Univer	(City, State, and sity of Ca la, CA 92	lifornia, Sa	n Diego	76. ADDRESS (Ci	ty, State, and ZIP (lode)		
NAME OF	FUNDING / SPO	_	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMEN	T INSTRUMENT IDE	NTIFICA	ATION NUM	BER
	(City, State, and				FUNDING NUMBER	5	<u> </u>	
Code l Office	142 PT of Naval	Research	, VA 22217-5000	PROGRAM ELEMENT NO.	PROJECT NO. NR 667-548	TASK NO.		WORK UNIT
TITLE (Inc	lude Security C	lassification)		·•				
On Lea	rning the	Past Tenses	of English Verbs					
	L AUTHOR(S)			<u> </u>		-		
	E. Rumelha	nt and lamoe						
			L. McClelland	14 0475 05 858	DOT Wass Manth		IE BACE CO	
a. TYPE OF Techni	REPORT	135. TIME (FROM <u>Ma</u>	OVERED r_85TO_0ct_85	October			15. PAGE CC 40	
a. TYPE OF Techni SUPPLEM Parallel Di	EREPORT Cal ENTARY NOTAT Istributed Proce	135. TIME (FROM <u>Ma</u> TION To be p	OVERED <u>r 85</u> TO Oct 85 ublished in J. L. McC s in the Microstructure	October Icliand, D. E. R	umelhart, & the l	PDP Re	40 csearch Gro	oup,
a. TYPE OF Techni SUPPLEM Parallel Di Cambridge	REPORT Cal ENTARY NOTAT Istributed Proce , MA: Bradford COSATI	13b. TIME (FROM Mill TION To be p essing: Exploration d Books/MIT Pres CODES	OVERED <u>r 85</u> TO Oct 85 ublished in J. L. McC s in the Microstructure	October Icliand, D. E. Ri of Cognition: Vol	1985 umelhart, & the 1 2. Psychological	PDP Re and Bio	40 csearch Gro plogical Mod	oup, Ielz.
a. TYPE OF Techni SUPPLEM Parallel Di Cambridge	EREPORT Cal ENTARY NOTAT Stributed Proce , MA: Bradford	13b. TIME (FROM Min TION To be p essing: Exploration d Books/MIT Pres	TO VERED <u>r 85</u> TO Oct 85 ublished in J. L. McC s in the Microstructure s. 18. SUBJECT TERMS (learning; no	October Icliand, D. E. Ri of Cognition: Vol Continue on rever etworks; lan	1985 umelhart, & the 1 2. Psychological	PDP Re and Bio	40 csearch Gro blogical Mod	number)
a. TYPE OF Techni SUPPLEM Parallel Di Cambridge FIELD	REPORT Cal ENTARY NOTAT Istributed Proce , MA: Bradfor COSATI GROUP	13b. TIME (FROM Mill TION To be p essing: Exploration d Books/MIT Pres CODES SUB-GROUP	TO VERED <u>r 85</u> TO Oct 85 ublished in J. L. McC s in the Microstructure s. 18. SUBJECT TERMS (learning; no morphology	October Icliand, D. E. Ri of Cognition: Vol Continue on rever- etworks; lan	1985 umelhart, & the 1 2. Psychological se if necessary and	PDP Re and Bio	40 csearch Gro blogical Mod	number)
a. TYPE OF Techni SUPPLEM Parallel Di Cambridge FIELD	REPORT Cal ENTARY NOTAT Istributed Proce , MA: Bradfor COSATI GROUP	13b. TIME (FROM Mill TION To be p essing: Exploration d Books/MIT Pres CODES SUB-GROUP	TO VERED <u>r 85</u> TO Oct 85 ublished in J. L. McC s in the Microstructure s. 18. SUBJECT TERMS (learning; no	October Icliand, D. E. Ri of Cognition: Vol Continue on rever- etworks; lan	1985 umelhart, & the 1 2. Psychological se if necessary and	PDP Re and Bio	40 csearch Gro blogical Mod	number)
a. TYPE OF Techni SUPPLEM Parallel Di Cambridge FIELD	REPORT CCAI ENTARY NOTAT istributed Procession (MA: Bradford COSATI GROUP T (Continue on This part the past tenses in which they finally learn t more detail by simple homogonistic accomputer simulation account, show	13b. TIME (FROM Min FROM Min FROM Min Books/MIT Press CODES SUB-GROUP reverse if necessary over presents an a in English. Ch first learn past he exceptions to y dispensing with geneous learning among a networ uulation of the lays how details of	TO VERED <u>r 85</u> TO Oct 85 ublished in J. L. McC s in the Microstructure s. 18. SUBJECT TERMS (learning; no morphology	October Icliand, D. E. R. of Cognition: Vol Continue on rever- etworks; lan humber) dard "rule base aid to pass thro carn the past te y that the acqu t the child learn ow how "rule- g the root for postrates the op pocess not captu	d [*] account of a ugh a three-phas nse rule and over isition data can us rules and subs like [*] behavior c m to past tens perating principl red by the rule	PDP Re and Bio f identifi ; per child's se acquerregul be accuerregul be accuertitutin can em e map les of	40 esearch Gro blogical Mod fy by block ceptrons s acquisition uisition pro arize, and counted for arize from pping. A our altern	oup, lels. number) 5; 5; 5; 5; 5; 5; 5; 5; 5; 5; 5; 5; 5;
a. TYPE OF Techni SUPPLEM Parallel Di Cambridge FIELD D. ABSTRAC	REPORT Cal ENTARY NOTAT Stributed Procession (MA: Bradford COSATI GROUP T (Continue on This part the past tenses in which they finally learn t more detail by simple homogon interactions a computer simulation account, show makes predict	13b. TIME (FROM Min FROM Min Books/MIT Press CODES SUB-GROUP reverse if necessary over presents an a c in English. Ch first learn past he exceptions to y dispensing with geneous learning among a network utation of the law we how details of ions about othe ILITY OF ABSTRACT	TO VERED <u>r 85</u> TO Oct 85 ublished in J. L. McC in the Microstructure s. 18. SUBJECT TERMS (learning; no morphology y and identify by block is illernative to the stan- tildren are typically si tense by rote, then lead to the rule. We show in the assumption that g procedure. We show is the acquisition pro- r details of the acquis	October Icliand, D. E. R. of Cognition: Vol Continue on rever- etworks; lan humber) Idard "rule base aid to pass thro carn the past the v that the acqu t the child learn ow how "rule- g the root for onstrates the op ocess not captu ition process not 21 ABSTRACT S Unclass i	d [*] account of a ugh a three-phas nse rule and over isition data can us rules and subs like [*] behavior c m to past tens perating princip red by the rule of yet observed.	PDP Re and Bio f identifi ; per child's se acquerregul be accuertitutin e map les of accourt ATION	40 esearch Gro blogical Mod fy by block ceptrons arize, and counted for arize from ping. A our altern nt emerge,	oup, lels. number) 5; on of occess then or in ace a i the large ative , and
a. TYPE OF Techni SUPPLEM Parallel Di Cambridge FIELD D. ABSTRAC	REPORT CCA1 ENTARY NOTAT Stributed Procession (MA: Bradford COSATI GROUP T (Continue on This part the past tenses in which they finally learn t more detail by simple homogonite interactions a computer simulation makes predict	13b. TIME (FROM Min FROM Min Books/MIT Press CODES SUB-GROUP reverse if necessary over presents an a c in English. Ch first learn past he exceptions to y dispensing with geneous learning among a network utation of the law we how details of ions about othe ILITY OF ABSTRACT	TO VERED <u>r 85</u> TO Oct 85 ublished in J. L. McC in the Microstructure s. 18. SUBJECT TERMS (learning; no morphology y and identify by block is ilternative to the stan- tildren are typically si tense by rote, then lead the rule. We show in the assumption that g procedure. We show is the acquisition pro- r details of the acquis	October Icliand, D. E. R. of Cognition: Vol Continue on rever- etworks; lan humber) Idard "rule base aid to pass thro carn the past the v that the acqu t the child learn ow how "rule- g the root for onstrates the op ocess not captu ition process not 21 ABSTRACT S Unclass i	d [*] account of a ugh a three-phase d [*] account of a ugh a three-phase nse rule and over isition data can us rules and subs like [*] behavior of m to past tens perating princip red by the rule of yet observed.	PDP Re and Bio f identifi ; per child's se acquerregul be accuertitutin e map les of accourt ATION	40 esearch Gro blogical Mod fy by block ceptrons arize, and counted for arize from ping. A our altern nt emerge,	oup, lels. number) 5; on of occess then or in ace a i the large ative , and
a. TYPE OF Techni SUPPLEM Parallel Di Cambridge FIELD ABSTRAC	REPORT Cal ENTARY NOTAT Stributed Procession (MA: Bradford COSATI GROUP T (Continue on This part the past tenses in which they finally learn t more detail by simple homogon interactions a computer simulation account, show makes predict	13b. TIME (FROM Min FROM Min FROM Min Books/MIT Press CODES SUB-GROUP reverse if necessary over presents an a e in English. Ch offirst learn past he exceptions to y dispensing with geneous learning among a networ ulation of the l we how details of ions about othe ILITY OF ABSTRACT	TO VERED <u>r 85</u> TO Oct 85 ublished in J. L. McC in the Microstructure s. 18. SUBJECT TERMS (learning; no morphology y and identify by block is ilternative to the stan- tildren are typically si tense by rote, then lead the rule. We show in the assumption that g procedure. We show is the acquisition pro- r details of the acquis	October Icliand, D. E. Ri of Cognition: Vol Continue on rever- etworks; Lan humber) dard "rule base aid to pass thro carn the past te y that the acquit the child learn ow how "rule- g the root for onstrates the op occss not captu bition process not 21 ABSTRACT S Unclass i 22b TELEPHONE	d [*] account of a ugh a three-phas nse rule and over isition data can is rules and subs like [*] behavior of m to past tens perating princip red by the rule of yet observed.	PDP Re and Bio f identifi ; per child's se acque cregul be ac cregul be ac cregul cregul be ac cregul be ac cregul be ac cregul cregul be ac cregul be ac cregul cregul be ac cregul cregu	40 esearch Gro blogical Mod fy by block ceptrons arize, and counted for arize from ping. A our altern nt emerge,	oup, lels. number) 5; on of occss then or in ace a i the large ative , and


5-5-7 5-2-5

0

Contents

R





A	valiability Codes
Dist	Avail and/or Spucial
A-1	

On Learning the Past Tenses of English Verbs

DAVID E. RUMELHART and JAMES L. McCLELLAND

THE ISSUE

Scholars of language and psycholinguistics have been among the first to stress the importance of rules in describing human behavior. The reason for this is obvious. Many aspects of language can be characterized by rules, and the speakers of natural languages speak the language correctly. Therefore, systems of rules are useful in characterizing what they will and will not say. Though we all make mistakes when we speak, we have a pretty good ear for what is right and what is wrong—and our judgements of correctness—or grammaticality—are generally even easier to characterize by rules than actual utterances.

On the evidence that what we will and won't say and what we will and won't accept can be characterized by rules, it has been argued that, in some sense, we "know" the rules of our language. The sense in which we know them is not the same as the sense in which we know such "rules" as "*i* before e except after c," however, since we need not necessarily be able to state the rules explicitly. We know them in a way that allows us to use them to make judgements of grammaticality, it is often said, or to speak and understand, but this knowledge is not in a form or location which permits it to be encoded into a communicable verbal statement. Because of this, this knowledge is said to be *implicit*.

So far there is considerable agreement. However, the exact characterization of implicit knowledge is a matter of great controversy. One view, which is perhaps extreme but is nevertheless quite clear, holds that the rules of language are stored in explicit form as propositions, and are used by language production, comprehension, and judgment mechanisms. These propositions cannot be described verbally only because they are sequestered in a specialized subsystem which is used in language processing, or because they are written in a special code that only the language processing system can understand. This view we will call the *explicit*, *inaccessible rule* view.

On the explicit, inaccessible rule view, language acquisition is thought of as the process of inducing rules. The language mechanisms are thought to include a subsystem—often called the *language acquisition device* (LAD)—whose business it is to discover the rules. A considerable amount of effort has been expended on the attempt to describe how the LAD might operate, and there are a number of different proposals which have been laid out. Generally, though,

they share three assumptions:

- The mechanism hypothesizes explicit, inaccessible rules.
- Hypotheses are rejected and replaced as they prove inadequate to account for the utterances the learner hears.
- The LAD is presumed to have *innate* knowledge of the possible range of human languages and, therefore, is presumed to consider only hypotheses within the constraints imposed by a set of *linguistic universals*.

The recent book by Pinker (1984) contains a state-of-the-art example of a model based on this approach.

We propose an alternative to explicit, inaccessible rules. We suggest that lawful behavior and judgements may be produced by a mechanism in which there is no explicit representation of the rule. Instead, we suggest that the mechanisms that process language and make judgements of grammaticality are constructed in such a way that their performance is characterizable by rules, but that the rules themselves are not written in explicit form anywhere in the mechanism. An illustration of this view, which we owe to Bates (1979), is provided by the honeycomb. The regular structure of the honeycomb arises from the interaction of forces that wax balls exert on each other when compressed. The honeycomb can be described by a rule, but the mechanism which produces it does not contain any statement of this rule.

In our earlier work with the interactive activation model of word perception (McClelland & Rumelhart, 1981; Rumelhart & McClelland, 1981, 1982), we noted that lawful behavior emerged from the interactions of a set of word and letter units. Each word unit stood for a particular word and had connections to units for the letters of the word. There were no separate units for common letter clusters and no explicit provision for dealing differently with orthographically regular letter sequences—strings that accorded with the rules of English—as opposed to irregular sequences. Yet the model did behave differently with orthographically regular nonwords than it behaved with words. In fact, the model simulated rather closely a number of results in the word perception literature relating to the finding that subjects perceive letters in orthographically regular letter strings more accurately than they perceive letters in irregular, random letter strings. Thus, the behavior of the model was lawful even though it contained no explicit rules.

It should be said that the pattern of perceptual facilitation shown by the model did not correspond exactly to any system of orthographic rules that we know of. The model produced as much facilitation, for example, for special nonwords like SLNT, which are clearly irregular, as it did for matched regular nonwords like SLET. Thus, it is not correct to say that the model exactly mimicked the behavior we would expect to emerge from a system which makes use of explicit orthographic rules. However, neither do human subjects. Just like the model, they showed equal facilitation for vowelless strings like SLNT as for regular nonwords like SLET. Thus, human perceptual performance seems, in this case at least, to be characterized only approximately by rules.

Some people have been tempted to argue that the behavior of the model shows that we can do without linguistic rules. We prefer, however, to put the matter in a slightly different light. There is no denying that rules still provide a fairly close characterization of the performance of our subjects. And we have no doubt that rules are even more useful in characterizations of sentence production, comprehension, and grammaticality judgements. We would only suggest that parallel distributed processing models may provide a mechanism sufficient to capture lawful behavior, without requiring the postulation of explicit but inaccessible rules. Put succinctly, our claim is that PDP models provide an alternative to the explicit but inaccessible rules account of implicit knowledge of rules.

We can anticipate two kinds of arguments against this kind of claim. The first kind would claim that although certain types of rule-guided behavior might emerge from PDP models, the







The phenomenon we wish to account for is actually a sequence of three stages in the acquisition of the use of past tense by children learning English as their native tongue. Descriptions of development of the use of the past tense may be found in Brown (1973), Ervin (1964), and Kuczaj (1977).

models simply lack the computational power needed to carry out certain types of operations which can be easily handled by a system using explicit rules. We believe that this argument is simply mistaken. We discuss the issue of computational power of PDP models in Chapter 4. Some applications of PDP models to sentence processing are described in Chapter 19. The second kind of argument would be that the details of language behavior, and, indeed, the details of the language acquisition process, would provide unequivocal evidence in favor of a

It is this latter kind of argument we wish to address in the present chapter. We have selected a phenomenon that is often thought of as demonstrating the acquisition of a linguistic rule. And we have developed a parallel distributed processing model that learns in a natural way to behave in accordance with the rule, mimicking the general trends seen in the acquisition

system of explicit rules.

THE PHENOMENON

data.

In Stage 1, children use only a small number of verbs in the past tense. Such verbs tend to be very high-frequency words, and the majority of these are irregular. At this stage, children tend to get the past tenses of these words correct if they use the past tense at all. For example, a child's lexicon of past-tense words at this stage might consist of *came*, got, gave, looked, needed, took, and went. Of these seven verbs, only two are regular—the other five are generally idiosyncratic examples of irregular verbs. In this stage, there is no evidence of the use of the rule—it appears that children simply know a small number of separate items.

In Stage 2, evidence of implicit knowledge of a linguistic rule emerges. At this stage, children use a much larger number of verbs in the past tense. These verbs include a few more irregular items, but it turns out that the majority of the words at this stage are examples of the *regular* past tense in English. Some examples are wiped and pulled.

The evidence that the Stage 2 child actually has a linguistic rule comes not from the mere fact that he or she knows a number of regular forms. There are two additional and crucial facts:

- The child can now generate a past tense for an invented word. For example, Berko (1958) has shown that if children can be convinced to use *rick* to describe an action, they will tend to say *ricked* when the occasion arises to use the word in the past tense.
- Children now *incorrectly* supply regular past-tense endings for words which they used correctly in Stage 1. These errors may involve either adding ed to the root as in comed /k^{*}md/, or adding ed to the irregular past tense form as in camed /kAmd/ (Ervin, 1964; Kuczaj, 1977).

Such findings have been taken as fairly strong support for the assertion that the child at this stage has acquired the past-tense "rule." To quote Berko (1958):

If a child knows that the plural of witch is witches, he may simply have memorized the

¹ The notation of phonemes used in this chapter is somewhat nonstandard. It is derived from the computerreadable dictionary containing phonetic transcriptions of the verbs used in the simulations. A key is given in Table 5.

plural form. If, however, he tells us that the plural of gutch is gutches, we have evidence that he actually knows, albeit unconsciously, one of those rules which the descriptive linguist, too, would set forth in his grammar. (p. 151)

In Stage 3, the regular and irregular forms coexist. That is, children have regained the use of the correct irregular forms of the past tense, while they continue to apply the regular form to new words they learn. Regularizations persist into adulthood—in fact, there is a class of words for which either a regular or an irregular version are both considered acceptable—but for the commonest irregulars such as those the child acquired first, they tend to be rather rare. At this stage there are some clusters of exceptions to the basic, regular past-tense pattern of English. Each cluster includes a number of words which undergo identical changes from the present to the past tense. For example, there is a ing/ang cluster, an ing/ung cluster, an eet/it cluster, etc. There is also a group of words ending in /d/ or /t/ for which the present and past are identical.

Table 1 summarizes the major characteristics of the three stages.

Variability and Gradualness

The characterization of past-tense acquisition as a sequence of three stages is somewhat misleading. It may suggest that the stages are clearly demarcated and that performance in each stage is sharply distinguished from performance in other stages.

In fact, the acquisition process is quite gradual. Little detailed data exists on the transition from Stage 1 to Stage 2, but the transition from Stage 2 to Stage 3 is quite protracted and extends over several years (Kuczaj, 1977). Further, performance in Stage 2 is extremely variable. Correct use of irregular forms is never completely absent, and the same child may be observed to use the correct past of an irregular, the base+ed form, and the past+ed form, within the same conversation.

Other Facts About Past-Tense Acquisition

Beyond these points, there is now considerable data on the detailed types of errors children make throughout the acquisition process, both from Kuczaj (1977) and more recently from Bybee and Slobin (1982). We will consider aspects of these findings in more detail below. For now, we mention one intriguing fact: According to Kuczaj (1977), there is an interesting difference in the errors children make to irregular verbs at different points in Stage 2. Early on, regularizations are typically of the base+cd form, like goed; later on, there is a large increase in the frequency of past+cd errors, such as wented.

TABLE 1

CHARACTERISTICS OF THE THREE STAGES OF PAST TENSE ACQUISITION

Verb Type	Stage 1	Stage 2	Stage 3
Early Verbs	Correct	Regularized	Correct
Regular		Correct	Correct
Other Irregular		Regularized	Correct or Regularized
Novel		Regularized	Regularized


THE MODEL

The goal of our simulation of the acquisition of past tense was to simulate the three-stage performance summarized in Table 1, and to see whether we could capture other aspects of acquisition. In particular, we wanted to show that the kind of gradual change characteristic of normal acquisition was also a characteristic of our distributed model, and we wanted to see whether the model would capture detailed aspects of the phenomenon, such as the change in error type in later phases of development and the change in differences in error patterns observed for different types of words.

We were not prepared to produce a full-blown language processor that would learn the past tense from full sentences heard in everyday experience. Rather, we have explored a very simple past-tense learning environment designed to capture the essential characteristics necessary to produce the three stages of acquisition. In this environment, the model is presented, as learning experiences, with pairs of inputs—one capturing the phonological structure of the root form of a word and the other capturing the phonological structure of the correct past-tense version of that word. The behavior of the model can be tested by giving it just the root form of a word and examining what it generates as its "current guess" of the corresponding past-tense form.

Structure of the Model

The basic structure of the model is illustrated in Figure 1. The model consists of two basic parts: (a) A simple pattern associator network similar to those studied by Kohonen (1977; 1984; see Chapter 2) which learns the relationships between the base form and the past-tense form, and (b) a decoding network which converts a featural representation of the past-tense form into a phonological representation. All learning occurs in the pattern associator; the decoding network is simply a mechanism for converting a featural representation which may be a near





miss to any phonological pattern into a legitimate phonological representation. Our primary focus here is on the pattern associator. We discuss the details of the decoding network in the Appendix.

Units. The pattern associator contains two pools of units. One pool, called the input pool, is used to represent the input pattern corresponding to the root form of the verb to be learned. The other pool, called the output pool, is used to represent the output pattern generated by the model as its current guess as to the past tense corresponding to the root form represented in the inputs.

Each unit stands for a particular feature of the input or output string. The particular features we used are important to the behavior of the model, so they are described in a separate section below.

Connections. The pattern associator contains a modifiable connection linking each input unit to each output unit. Initially, these connections are all set to 0 so that there is no influence of the input units on the output units. Learning, as in other PDP models described in this book, involves modification of the strengths of these interconnections, as described below.

Operation of the Model

On test trials, the simulation is given a phoneme string corresponding to the root of a word. It then performs the following actions. First, it encodes the root string as a pattern of activation over the input units. The encoding scheme used is described below. Node activations are discrete in this model, so the activation values of all the units that should be on to represent this word are set to 1, and all the others are set to 0. Then, for each output unit, the model computes the net input to it from all of the weighted connections from the input units. The net input is simply the sum over all input units of the input unit activation times the corresponding weight. Thus, algebraically, the net input to output unit i is

$$net_i = \sum a_j w_{ij}$$

where a_j represents the activation of input unit j, and w_{ij} represents the weight from unit j to unit i.

Each unit has a threshold, θ , which is adjusted by the learning procedure that we will describe in a moment. The probability that the unit is turned on depends on the amount the net input exceeds the threshold. The *logistic* probability function is used here as in the Boltzmann machine (Chapter 7) and in harmony theory (Chapter 6) to determine whether the unit should be turned on. The probability is given by

$$p(a_i = 1) = \frac{1}{1 + e^{-(net_i - \Phi_i)/T}}$$
(1)

where T represents the temperature of the system. The logistic function is shown in Figure 2. The use of this probabilistic response rule allows the system to produce different responses on different occasions with the same network. It also causes the system to learn more slowly so the effect of regular verbs on the irregulars continues over a much longer period of time. As discussed in Chapter 2, the temperature, T, can be manipulated so that at very high temperatures the response of the units is highly variable; with lower values of T, the units behave more like *linear threshold units*.

Since the pattern associator built into the model is a one-layer net with no feedback connections and no connections from one input unit to another or from one output unit to another,

LEARNING THE PAST TENSE 7




FIGURE 2. The logistic function used to calculate probability of activation. The x-axis shows values of $net_i = \theta_i/T$, and the y-axis indicates the corresponding probability that unit *i* will be activated.

iterative computation is of no benefit. Therefore, the processing of an input pattern is a simple matter of first calculating the net input to each output unit and then setting its activation probabilistically on the basis of the logistic equation given above. The temperature T only enters in in setting the variability of the output units; a fixed value of T was used throughout the simulations.

To determine how well the model did at producing the correct output, we simply compare the pattern of output Wickelphone activations to the pattern that the correct response would have generated. To do this, we first translate the correct response into a target pattern of activation for the output units, based on the same encoding scheme used for the input units. We then compare the obtained pattern with the target pattern on a unit-by-unit basis. If the output perfectly reproduces the target, then there should be a 1 in the output pattern wherever there is a 1 in the target. Such cases are called hits, following the conventions of signal detection theory (Green & Swets, 1966). There should also be a 0 in the output whenever there is a 0 in the target. Such cases are called correct rejections. Cases in which there are 1s in the output but not in the target are called false alarms, and cases in which there are 0s in the output which should be present in the input are called misses. A variety of measures of performance can be computed. We can measure the percentage of output units that match the correct past tense, or we can compare the output to the pattern for any other response alternative we might care to evaluate. This allows us to look at the output of the system independently of the decoding network. We can also employ the decoding network and have the system synthesize a phonological string. We can measure the performance of the system either at the featural level or at the level of strings of phonemes. We shall employ both of these mechanisms in the evaluation of different aspects of the overall model.

Learning

On a learning trial, the model is presented with both the root form of the verb and the target. As on a test trial, the pattern associator network computes the output it would generate from the input. Then, for each output unit, the model compares its answer with the target. Connection strengths are adjusted using the classic perceptron convergence procedure (Rosenblatt, 1962). The perceptron convergence procedure is simply a discrete variant of the delta rule presented in Chapter 2 and discussed in many places in this book. The exact procedure is as follows: We can think of the target as supplying a teaching input to each output unit, telling it what value it ought to have. When the actual output matches the target output, the model is doing the right thing and so none of the weights on the lines coming into the unit are adjusted. When the computed output is 0 and the target says it should be 1, we want to increase the probability that the unit will be active the next time the same input pattern is presented. To do this, we increase the weights from all of the input units that are active by a small amount η . At the same time, the threshold is also reduced by η . When the computed output is 1 and the target says it should be 0, we want to decrease the probability that the unit will be active the next time the same input pattern is presented. To do this, the weights from all of the input units that are active are reduced by η , and the threshold is increased by η . In all of our simulations, the value of η is simply set to 1. Thus, each change in a weight is a unit change, either up or down. For nonstochastic units, it is well known that the perceptron convergence procedure will find a set of weights which will allow the model to get each output unit correct, provided that such a set of weights exists. For the stochastic case, it is possible for the learning procedure to find a set of weights that will make the probability of error as low as desired. Such a set of weights exists if a set of weights exists that will always get the right answer for nonstochastic units.

Learning Regular and Exceptional Patterns in a Pattern Associator

In this section, we present an illustration of the behavior of a simple pattern associator model. The model is a scaled-down version of the main simulation described in the next section. We describe the scaled-down version first because in this model it is possible to actually examine the matrix of connection weights, and from this to see clearly how the model works and why it produces the basic three-stage learning phenomenon characteristic of acquisition of the past tense. Various aspects of pattern associator networks are described in a number of places in this book (Chapters 1, 2, 8, 9, 11, and 12, in particular) and elsewhere (Anderson, 1973, 1977; Anderson, Silverstein, Ritz, & Jones, 1977; Kohonen, 1977, 1984). Here we focus our attention on their application to the representation of rules for mapping one set of patterns into another.

For the illustration model, we use a simple network of eight input and eight output units and a set of connections from each input unit to each output unit. The network is illustrated in Figure 3. The network is shown with a set of connections sufficient for associating the pattern of activation illustrated on the input units with the pattern of activation illustrated on the output units. (Active units are darkened; positive and negative connections are indicated by numbers written on each connection). Next to the network is the matrix of connections abstracted from the actual network itself, with numerical values assigned to the positive and negative connections. Note that each weight is located in the matrix at the point where it occurred in the actual network diagram. Thus, the entry in the *i*th row of the *j*th column indicates the connection w_{ij} from the *j*th input unit to the *i*th output unit.

Using this diagram, it is easy to compute the net inputs that will arise on the output units when an input pattern is presented. For each output unit, one simply scans across its rows and adds up all the weights found in columns associated with active input units. (This is exactly

LEARNING THE PAST TENSE 9




FIGURE 3. Simple network used in illustrating basic properties of pattern associator networks; excitatory and inhibitory connections needed to allow the active input pattern to produce the illustrated output pattern are indicated with + and -. Next to the network, the matrix of weights indicating the strengths of the connections from each input unit to each output unit. Input units are indexed by the column they appear in; output units are indexed by row.

what the simulation program does!) The reader can verify that when the input pattern illustrated in the left-hand panel is presented, each output unit that should be on in the output pattern receives a net input of +45; each output unit that should be off receives a net input of $-45.^2$ Plugging these values into Equation 1, using a temperature of 15,³ we can compute that each output unit will take on the correct value about 95% of the time. The reader can check this in Figure 2; when the net input is +45, the exponent in the denominator of the logistic function is 3, and when the net input is -45, the exponent is -3. These correspond to activation probabilities of about .95 and .05, respectively.

One of the basic properties of the pattern associator is that it can store the connections appropriate for mapping a number of different input patterns to a number of different output patterns. The perceptron convergence procedure can accommodate a number of arbitrary associations between input patterns and output patterns, as long as the input patterns form a linearly independent set (see Chapters 9 and 11). Table 2 illustrates this aspect of the model. The first two cells of the table show the connections that the model learns when it is trained on each of the two indicated associations separately. The third cell shows connections learned by the model when it is trained on both patterns in alternation, first seeing one and then seeing the other of the two. Again, the reader can verify that if either input pattern is presented to a network with this set of connections, the correct corresponding output pattern is reconstructed with high probability; each output unit that should be on gets a net input of at least

² In the examples we will be considering in this section, the thresholds of the units are fixed at 0. Threshold terms add an extra degree of freedom for each output unit and allow the unit to come on in the absence of input, but they are otherwise inessential to the operation of the model. Computationally, they are equivalent to an adjustable weight to an extra input unit that is always on.

³ For the actual simulations of verb learning, we used a value of T equal to 200. This means that for a fixed value of the weight on an input line, the effect of that line being active on the unit's probability of firing is much lower than it is in these illustrations. This is balanced by the fact that in the verb learning simulations, a much larger number of inputs contribute to the activation of each output unit. Responsibility for turning a unit on is simply more distributed when larger input patterns are used.

TABLE 2

WEIGHTS IN THE &UNIT NETWORK AFTER VARIOUS LEARNING EXPERIENCES

A .		Weights acquired in learning $(2 4 7) + (1 4 6)$					B .		ighta 6) •	-	ired i	o Ica	ming	
	(4 7	<i>'</i> , '	(140	''				(54	· •, •	(50				
	15		15		15				-16	-16		-16		
	-16		-16		-16				-17	-17		-17		
	-17		-17		-17				17	17		17		
	16		16		16				-16	-16		-16		
	-16		-16		-16				-17	-17		-17		
	17		17		17				16	16		16		
	-16		-16		-16				17	17		17		
	-17	•	-17		-17	•		•	-17	-17			•	
С.	Weights acquired in learning					D.	Wei	ights	acqu	ired i	n lea	rning		
	Aa	nd B	togeth	er	-		the rule of 78							
	24	-24		24	24		61	-37	-37	-5	-5	-3	-6	-7
	-13	-13	-26	13	-13		-35	60	-38	-4	-6	-3	-5	-8
	-23	24	1	. 24	-23		-39	-35	61	-4	-5	-4	-7	-6
	24	-25	-1	25	24		-6	-4	-5	59	-37	-37	-8	-7
	-13	-13	-26	-13	-13		-5	-5	-4	-36	60	-38	-7	-7
ż	13	13	26	. 13	13		-5	-4	-6	-37	-38	60	-8	-7
÷	-25	24	-1	24	-25			1		1			-50	51
•	-12	-13	-25	-13	-12	•	•	•	-1	-2	i	·	49	-50

+45, and each output unit that should be off gets a net input below -45.

The restriction of networks such as this to linearly independent sets of patterns is a severe one since there are only N linearly independent patterns of length N. That means that we could store at most eight unrelated associations in the network and maintain accurate performance. However, if the patterns all conform to a general rule, the capacity of the network can be greatly enhanced. For example, the set of connections shown in cell D of Table 2 is capable of processing all of the patterns defined by what we call the *rule of 78*. The rule is described in Table 3. There are 18 different input/output pattern pairs corresponding to this rule, but they present no difficulty to the network. Through repeated presentations of examples of the rule, the perceptron convergence procedure learned the set of weights shown in cell D of Table 2. Again, the reader can verify that it works for any legal association fitting the rule of 78. (Note that for this example, the "regular" pairing of (147) with (148) was used rather than the exceptional mapping illustrated in Table 3).

TABLE 3

THE RULE OF 78

Input patterns consist of one active unit from each of the following sets:	(1 2 3) (4 5 6) (7 8)				
	(78)				
The output pattern paired with a given input pattern consists of:	The same unit from (1 2 3) The same unit from (4 5 6) The other unit from (7 8)				
Examples:	247 - 248 168 - 167 357 - 358				
An exception:	147 • 147				

LEARNING THE PAST TENSE

We have, then, observed an important property of the pattern associator: If there is some structure to a set of patterns, the network may be able to learn to respond appropriately to all of the members of the set. This is true, even though the input vectors most certainly do not form a linearly independent set. The model works anyway because the response that the model should make to some of the patterns can be predicted from the responses that it should make to others of the patterns.

Now let's consider a case more like the situation a young child faces in learning the past tenses of English verbs. Here, there is a regular pattern, similar to the rule of 78. In addition, however, there are exceptions. Among the first words the child learns are many exceptions, but as the child learns more and more verbs, the proportion that are regular increases steadily. For an adult, the vast majority of verbs are regular.

To examine what would happen in a pattern associator in this kind of a situation, we first presented the illustrative 8-unit model with two pattern-pairs. One of these was a regular example of the 78 rule [(258) - (257)]. The other was an exception to the rule [(147) - (147)]. The simulation saw both pairs 20 times, and connection strengths were adjusted after each presentation. The resulting set of connections is shown in cell A of Table 4. This number of learning trials is not enough to lead to perfect performance; but after this much experience, the model tends to get the right answer for each output unit close to 90 percent of the time. At this point, the fact that one of the patterns is an example of a general rule and the other is an exception to that rule is irrelevant to the model. It learns a set of connections that can accommodate these two patterns, but it cannot generalize to new instances of the rule.

This situation, we suggest, characterizes the situation that the language learner faces early on in learning the past tense. The child knows, at this point, only a few high-frequency verbs, and these tend, by and large, to be irregular, as we shall see below. Thus each is treated by the network as a separate association, and very little generalization is possible.

But as the child learns more and more verbs, the proportion of regular verbs increases. This changes the situation for the learning model. Now the model is faced with a number of examples, all of which follow the rule, as well as a smattering of irregular forms. This new situation changes the experience of the network, and thus the pattern of interconnections it contains.

A. /	After 2	0 ехра	surcs	to				B. A	fter 1	0 шог	e expo	sures	to		
(147)	• (14	7), (2	58) -	• (2 5	7)		a	ll 18 a	ssocia	tions				
12	-12		12	-12		12	-12	44	-34	-26	-2	-10	-4	-8	-8
-11	13		-11	13		-11	13	-32	46	-27	-11	2	-4	-9	-4
-11	-11		-11	-11		-11	-11	-30	-24	43	-5	-5	-1	-2	-9
12	-12		12	-12		12	-12	-1	-7	-7	45	-34	-26	-4	-11
-11	11		-11	11		-11	11	-8	-3	-3	-31	44	-27	-7	-7
-11	-12		-11	-12		-11	-12	-6	-8	-3	-31	-28	42	-7	-10
12	11		12	11		12	11	11	-2	-6	11	-2	-6	-35	38
-11	-13		-11	-13	٠	-11	-13	-9	-4	7	-13	1	6	36	-42
c . A	After 3	0 mor	e expo	surcs	to			D. A	fter a	total	of 500) ех ро	su res		
8	11 18 a	ssocia	tions					to	o ali 1	8 ass o	ciatio	35			
61	-38	-38	-6	-5	-4	-6	-9	64	-39	- 39	-5	-4	-5	-7	-7
-38	62	-39	-6	-5	-4	-8	-7	-39	63	-39	-5	-5	-5	-7	-8
-37	-38	62	-5	-5	-3	-7	-6	-39	-40	64	-5	-5	-5	-8	-7
-4	-6	-6	62	-40	-38	-8	-8	-5	-5	-5	64	-40	-39	-8	-7
-5	-5	-4	-38	62	-38	-7	-7	-5	-5	-5	-39	63	-39	-7	-8
-6	-4	-5	-38	-39	62	-8	-7	-5	-5	-5	-39	-39	63	-8	-7
20	-5	-4	22	-5	-6	-50	61	71	-28	-29	70	-28	-28	-92	106
-19	8	5	-18	5	7	54	-60	-70	27	28	-70	27	28	91	-106

TABLE 4

REPRESENTING EXCEPTIONS: WEIGHT'S IN THE 8-UNIT NETWORK

Because of the predominance of the regular form in the input, the network learns the regular pattern, temporarily "overregularizing" exceptions that it may have previously learned.

Our illustration takes this situation to an extreme, perhaps, to illustrate the point. For the second stage of learning, we present the model with the entire set of eighteen input patterns consisting of one active unit from (1 2 3), one from (4 5 6), and one from (7 8). All of these patterns are regular except the one exception already used in the first stage of training.

At the end of 10 exposures to the full set of 18 patterns, the model has learned a set of connection strengths that predominantly captures the "regular pattern." At this point, its response to the exceptional pattern is *worse* than it was before the beginning of Phase 2; rather than getting the right output for Units 7 and 8, the network is now *regularizing* it.

The reason for this behavior is very simple. All that is happening is that the model is continually being bombarded with learning experiences directing it to learn the rule of 78. On only one learning trial out of 18 is it exposed to an exception to this rule.

In this example, the deck has been stacked very strongly against the exception. For several learning cycles, it is in fact quite difficult to tell from the connections that the model is being exposed to an exception mixed in with the regular pattern. At the end of 10 cycles, we can see that the model is building up extra excitatory connections from input Units 1 and 4 to output Unit 7 and extra inhibitory strength from Units 1 and 4 to Unit 8, but these are not strong enough to make the model get the right answer for output Units 7 and 8 when the (1 4 7) input pattern is shown. Even after 40 trials (panel C of Table 4), the model still gets the wrong answer on Units 7 and 8 for the (1 4 7) pattern more than half the time. (The reader can still be checking these assertions by computing the net input to each output unit that would result from presenting the (1 4 7) pattern.)

It is only after the model has reached the stage where it is making very few mistakes on the 17 regular patterns that it begins to accommodate to the exception. This amounts to making the connection from Units 1 and 4 to output Unit 7 strongly excitatory and making the connections from these units to output Unit 8 strongly inhibitory. The model must also make several adjustments to other connections so that the adjustments just mentioned do not cause errors on regular patterns similar to the exceptions, such as (1 5 7), (2 4 7), etc. Finally, in panel D, after a total of 500 cycles through the full set of 18 patterns, the weights are sufficient to get the right answer nearly all of the time. Further improvement would be very gradual since the network makes errors so infrequently at this stage that there is very little opportunity for change.

It is interesting to consider for a moment how an association is represented is a model like this. We might be tempted to think of the representation of an association as the difference between the set of connection strengths needed to represent a set of associations that includes the association and the set of strengths needed to represent the same set excluding the association of interest. Using this definition, we see that the representation of a particular association is far from invariant. What this means is that learning that occurs in one situation (e.g., in which there is a small set of unrelated associations) does not necessarily transfer to a new situation (e.g., in which there are a number of regular associations). This is essentially why the early learning our illustrative model exhibits of the $(1 4 7) \rightarrow (1 4 7)$ association in the context of just one other association can no longer support correct performance when the larger ensemble of regular patterns is introduced.

Obviously, the example we have considered in this section is highly simplified. However, it illustrates several basic facts about pattern associators. One is that they tend to exploit regularity that exists in the mapping from one set of patterns to another. Indeed, this is one of the main advantages of the use of distributed representations. Second, they allow exceptions and regular patterns to coexist in the same network. Third, if there is a predominant regularity in a set of patterns, this can swamp exceptional patterns until the set of connections has been acquired that captures the predominant regularity. Then further, gradual tuning can occur that adjusts these connections to accommodate both the regular patterns and the exception. These basic properties of the pattern associator model lie at the heart of the three-stage acquisition process, and account for the gradualness of the transition from Stage 2 to Stage 3.

Featural Representations of Phonological Patterns

The preceding section describes basic aspects of the behavior of the pattern associator model and captures fairly well what happens when a pattern associator is applied to the processing of English verbs, following a training schedule similar to the one we have just considered for the acquisition of the rule of 78. There is one caveat, however: The input and target patterns the base forms of the verbs and the correct past tenses of these verbs—must be represented in the model in such a way that the features provide a convenient basis for capturing the regularitics embodied in the past-tense forms of English verbs. Basically, there were two considerations:

- We needed a representation which permitted a differentiation of all of the root forms of English and their past tenses.
- We wanted a representation which would provide a natural basis for generalizations to emerge about what aspects of a present tense correspond to what aspects of the past tense.

A scheme which meets the first criterion but not the second is the scheme proposed by Wickelgren (1969). He suggested that words should be represented as sequences of context-sensitive phoneme units, which represent each phone in a word as a triple, consisting of the phone itself, its predecessor, and its successor. We call these triples *Wickelphones*. Notationally, we write each Wickelphone as a triple of phonemes, consisting of the central phoneme, subscripted on the left by its predecessor and on the right by its successor. A phoneme occurring at the beginning of a word is preceded by a special symbol (#) standing for the word boundary; likewise, a phoneme occurring at the end of a word is followed by #. The word /kat/, for example, would be represented as $\#k_a, k_a^a$, and $t_{\#}$. Though the Wickelphones in a word are not strictly position specific, it turns out that (a) few words contain more than one occurrence of any given Wickelphone, and (b) there are no two words we know of that consist of the same sequence of Wickelphones. For example, /slit/ and /silt/ contain no Wickelphones in common.

One nice property of Wickelphones is that they capture enough of the context in which a phoneme occurs to provide a sufficient basis for differentiating between the different cases of the past-tense rule and for characterizing the contextual variables which determine the subregularities among the irregular past-tense verbs. For example, the word-final phoneme which determines whether we should add /d/, /t/ or $/^{\circ}d/$ in forming the regular past. And it is the sequence $_{i}N_{\#}$ which is transformed to $_{i}N_{\#}$ in the ing - ang pattern found in words like sing.

The trouble with the Wickelphone solution is that there are too many of them, and they are too specific. Assuming that we distinguish 35 different phonemes, the number of Wickelphones would be 35^3 , or 42,875, not even counting the Wickelphones containing word boundaries. And, if we postulate one input unit and one output unit in our model for each Wickelphone, we require rather a large connection matrix $(4.3 \times 10^4 \text{ squared}, \text{ or about } 2 \times 10^9)$ to represent all their possible connections.

Obviously, a more compact representation is required. This can be obtained by representing each Wickelphone as a distributed pattern of activation over a set of feature detectors. The basic idea is that we represent each phoneme, not by a single Wickelphone, but by a pattern of what we call Wickelfeatures. Each Wickelfeature is a conjunctive, or context-sensitive, feature, capturing a feature of the central phoneme, a feature of the predecessor, and a feature of the successor.

Details of the Wickelf eature representation. For concreteness, we will now describe the details of the feature coding scheme we used. It contains several arbitrary properties, but it also captures the basic principles of coarse, conjunctive coding described in Chapter 3. First, we will describe the simple feature representation scheme we used for coding a single phoneme as a pattern of features without regard to its predecessor and successor. Then we describe how this scheme can be extended to code whole Wickelphones. Finally, we show how we "blur" this representation, to promote generalization further.

To characterize each phoneme, we devised the highly simplified feature set illustrated in Table 5. The purpose of the scheme was (a) to give as many of the phonemes as possible a distinctive code, (b) to allow code similarity to reflect the similarity structure of the phonemes in a way that seemed sufficient for our present purposes, and (c) to keep the number of different features as small as possible.

The coding scheme can be thought of as categorizing each phoneme on each of four dimensions. The first dimension divides the phonemes into three major types: interrupted consonants (stops and nasals), continuous consonants (fricatives, liquids, and semivowels), and vowels. The second dimension further subdivides these major classes. The interrupted consonants are divided into plain stops and nasals; the continuous consonants into fricatives and sonorants (liquids and semivowels are lumped together); and the vowels into high and low. The third dimension classifies the phonemes into three rough places of articulation—front, middle, and back. The fourth subcategorizes the consonants into voiced vs. voiceless categories and subcategorizes the vowels into long and short. As it stands, the coding scheme gives identical codes to six pairs of phonemes, as indicated by the duplicate entries in the cells of the table. A more adequate scheme could easily be constructed by increasing the number of dimensions and/or values on the dimensions.

Using the above code, each phoneme can be characterized by one value on each dimension. If we assigned a unit for each value on each dimension, we would need 10 units to represent the features of a single phoneme since two dimensions have three values and two have two values. We could then indicate the pattern of these features that corresponds to a particular phoneme as a pattern of activation over the 10 units.

Now, one way to represent each Wickelphone would simply be to use three sets of feature patterns: one for the phoneme itself, one for its predecessor, and one for its successor. To

				Plac	e			
		Fre	ont	Mid	dle	Back		
		v/L	U/S	V/L	U/S	V/L	U/S	
Interrupted	Stop Nasal	b m	р •	d n	t -	8 N	k -	
Cont. Consonant	Fric. Llq/SV	v/D w/l	f/T -	Z f	•	Z/j y	S/C b	
Vowel	High Low	E A	i c	0 1	8/a	U W	u •/o	

TABLE 5

CATEGORIZATION OF PHONEMES ON FOUR SIMPLE DIMENSIONS

Key: N - ng in sing; D + th in the; T = th in with; Z - z in azure; S = sh in ship; C - ch in chip; E = ee in beet; i - i in bit; O - oa in boat; \cdot - u in but or schwa; U - oo in boot; u - oo in book; A - ai in bait; e - e in bet; 1 - i e in bite; a - a in bat; a - a in father; W - ow in cow; \cdot - aw in saw; o - o in hot. capture the word-boundary marker, we would need to introduce a special eleventh feature. Thus, the Wickelphone $\#k_a$ can be represented by

[(000) (00) (000) (00) 1] [(100) (10) (001) (01) 0] [(001) (01) (010) (01) 0].

Using this scheme, a Wickelphone could be represented as a pattern of activation over a set of 33 units.

However, there is one drawback with this. The representation is not sufficient to capture more than one Wickelphone at a time. If we add another Wickelphone, the representation gives us no way of knowing which features belong together.

We need a representation, then, that provides us with a way of determining which features go together. This is just the job that can be done with detectors for Wickelfeatures—triples of features, one from the central phoneme, one from the predecessor phoneme, and one from the successor phoneme.

Using this scheme, each detector would be activated when the word contained a Wickelphone containing its particular combination of three features. Since each phoneme of a Wickelphone can be characterized by 11 features (including the word-boundary feature) and each Wickelphone contains three phonemes, there are $11 \times 11 \times 11$ possible Wickelfeature detectors. Actually, we are not interested in representing phonemes that cross word boundaries, so we only need 10 features for the center phoneme.

Though this leaves us with a fairly reasonable number of units $(11 \times 10 \times 11 \text{ or } 1,210)$, it is still large by the standards of what will easily fit in available computers. However, it is possible to cut the number down still further without much loss of representational capacity since a representation using all 1,210 units would be highly redundant; it would represent each feature of each of the three phonemes 16 different times, one for each of the conjunctions of that feature with one of the four features of one of the other phonemes and one of the four features of the other.

To cut down on this redundancy and on the number of units required, we simply eliminated all those Wickelfeatures specifying values on two different dimensions of the predecessor and the successor phonemes. We kept all the Wickelfeature detectors for all co binations of different values on the same dimension for the predecessor and successor phonenes. It turns out that there are 260 of these (ignoring the word-boundary feature), and each feature of each member of each phoneme triple is still represented four different times. In addition, we kept the 100 possible Wickelfeatures combining a preceding word-boundary feature with any feature of the main phoneme and any feature of the successor; and the 100 Wickelfeatures combining a following word boundary feature with any feature of the main phoneme and any feature of the successor. All in all then, we used only 460 of the 1,210 possible Wickelfeatures.

Using this representation, a verb is represented by a pattern of activation over a set of 460 Wickelfeature units. Each Wickelphone activates 16 Wickelfeature units. Table 6 shows the 16 Wickelfeature units activated by the Wickelphone ${}_{k}A_{m}$, the central Wickelphone in the word *came*. The first Wickelfeature is turned on whenever we have a Wickelphone in which the preceding contextual phoneme is an interrupted consonant, the central phoneme is a vowel, and the following phoneme is an interrupted consonant. This Wickelfeature is turned on for the Wickelphone ${}_{k}A_{m}$ since /k/ and /m/, the context phonemes, are both interrupted consonants and /A/, the central phoneme, is a vowel. This same Wickelfeature would be turned on in the representation of ${}_{b}l_{d}$, ${}_{p}$, ${}_{n}m_{p}$, and many other Wickelfeatures. Similarly, the sixth Wickelfeature listed in the table will be turned on whenever the preceding phoneme is made in the back, and the central and following phonemes are both made in the front. Again, this is turned on because /k/ is made in the back and /A/ and /m/ are both made in the front. In addition to ${}_{k}A_{m}$ this feature would be turned on for the Wickelphones ${}_{k}I_{n}$, ${}_{k}A_{p}$, ${}_{k}A_{p}$, and others. Similarly, each of the sixteen Wickelfeatures stands for a conjunction of three phonetic

TABLE 6

Fcature	Preceding Context	Central Phoneme	Following Contex		
1	Interrupted	Vowd	Interrupted		
2	Back	Vowd	Front		
3	Stop	Vowel	Nasal		
4	Voiced	Vowd	Unvoiced		
5	Interrupted	Front	Vowel		
6	Back	Front	Front		
7	Stop	Front	Nasal		
8	Voiced	Front	Unvoiced		
9	Interrupted	Low	Interrupted		
10	Back	Low	Front		
11	Stop	Low	Nasai		
12	Voiced	Low	Unvoiced		
13	Interrupted	Long	Vowci		
14	Back	Long	Front		
15	Stop	Long	Nasal		
16	Voiced	Long	Unvoiced		

THE SIXTEEN WICKELFEATURES FOR THE WICKELPHONE A

features and occurs in the representation of a large number of Wickelphones.

Now, words are simply lists of Wickelphones. Thus, words can be represented by simply turning on all of the Wickelfeatures in any Wickelphone of a word. Thus, a word with three Wickelphones (such as *came*, which has the Wickelphones $\#k_A$, $_kA_m$, and $_m\#$) will have at most 48 Wickelfeatures turned on. Since the various Wickelphones may have some Wickelfeatures in common, typically there will be less than 16 times the number of Wickelfeatures turned on for most words. It is important to note the temporal order is entirely implicit in this representation. All words, no matter how many phonemes in the word, will be represented by a subset of the 460 Wickelfeatures.

Blurring the Wickelf eature representation. The representational scheme just outlined constitutes what we call the primary representation of a Wickelphone. In order to promote faster generalization, we further blurred the representation. This is accomplished by turning on, in addition to the 16 primary Wickelfeatures, a randomly selected subset of the similar Wickelfeatures, specifically, those having the same value for the central feature and one of the two context phonemes. That is, whenever the Wickelfeature for the conjunction of phonemic features f_1 , f_2 , and f_3 is turned on, each Wickelfeature of the form $<?f_2f_3>$ and $< f_1f_2?>$ may be turned on as well. Here "?" stands for "any feature." This causes each word to activate a larger set of Wickelfeatures, allowing what is learned about one sequence of phonemes to generalize more readily to other similar but not identical sequences.

To avoid having too much randomners in the representation of a particular Wickelphone, we turned on the same subset of additional Wickelfeatures each time a particular Wickelphone was to be represented. Based on subsequent experience with related models (see Chapter 19), we do not believe this makes very much difference.

There is a kind of trade-off between the discriminability among the base forms of verbs that the representation provides and the amount of generalization. We need a representation which allows for rapid generalization while at the same time maintains adequate discriminability. We can manipulate this factor by manipulating the probability p that any one of these similar Wickelfcatures will be turned on. In our simulations we found that turning on the additional features with fairly high probability (.9) led to adequate discriminability while also producing relatively rapid generalization.

Although the model is not completely immune to the possibility that two different words

LEARNING THE PAST TENSE 17

will be represented by the same pattern, we have encountered no difficulty decoding any of the verbs we have studied. However, we do not claim that Wickelfeatures necessarily capture all the information needed to support the generalizations we might need to make for this or other morphological processes. Some morphological processes might require the use of units which were further differentiated according to vowel stress or other potential distinguishing characteristics. All we claim for the present coding scheme is its sufficiency for the task of representing the past tenses of the 500 most frequent verbs in English and the importance of the basic principles of distributed, coarse (what we are calling blurred), conjunctive coding that it embodies (see Chapter 3).

Summary of the Structure of the Model

In summary, our model contained two sets of 460 Wickelfeature units, one set (the input units) to represent the base form of each verb and one set (the output units) to represent the past-tense form of each verb.

The model is tested by typing in an input phoneme string, which is translated by the fixed encoding network into a pattern of activation over the set of input units. Each active input unit contributes to the net input of each output unit, by an amount and direction (positive or negative) determined by the weight on the connection between the input unit and the output unit. The output units are then turned on or off probabilistically, with the probability increasing with the difference between the net input and the threshold, according to the logistic activation function. The output pattern generated in this way can be compared with various alternative possible output patterns, such as the correct past-tense form or some other possible response of interest, or can be used to drive the decoder network described in the Appendix.

The model is trained by providing it with pairs of patterns, consisting of the base pattern and the target, or correct, output. Thus, in accordance with common assumptions about the nature of the learning situation that faces the young child, the model receives only correct input from the outside world. However, it compares what it generates internally to the target output, and when it gets the wrong answer for a particular output unit, it adjusts the strength of the connection between the input and the output units so as to reduce the probability that it will make the same mistake the next time the same input pattern is presented. The adjustment of connections is an extremely simple and *local* procedure, but it appears to be sufficient to capture what we know about the acquisition of the past tense, as we shall see in the next section.

THE SIMULATIONS

The simulations described in this section are concerned with demonstrating three main points:

- That the model captures the basic three-stage pattern of acquisition.
- That the model captures most aspects of differences in performance on different types of regular and irregular verbs.
- That the model is capable of responding appropriately to verbs it has never seen before, as well as to regular and irregular verbs actually experienced during training.

In the sections that follow we will consider these three aspects of the model's performance in turn.

The corpus of verbs used in the simulations consisted of a set of 506 verbs. All verbs were chosen from the Kucera and Francis (1967) word list and were ordered according to frequency of their gerund form. We divided the verbs into three classes: 10 high-frequency verbs, 410 medium-frequency verbs, and 86 low-frequency verbs. The ten highest frequency verbs were: come (/k^m/), get (/get/), give (/giv/), look (/luk/), take (/tAk/), go (/gO/), have (/hav/), live (/liv/), and feel (/fEl/). There is a total of 8 irregular and 2 regular verbs among the top 10. Of the medium-frequency verbs, 334 were regular and 76 were irregular. Of the low-frequency verbs, 72 were regular and 14 were irregular.


The Three-Stage Learning Curve

The results described in this and the following sections were obtained from a single (long) simulation run. The run was intended to capture approximately the experience with past tenses of a young child picking up English from everyday conversation. Our conception of the nature of this experience is simply that the child learns first about the present and past tenses of the highest frequency verbs; later on, learning occurs for a much larger ensemble of verbs, including a much larger proportion of regular forms. Although the child would be hearing present and past tenses of all kinds of verbs throughout development, we assume that he is only able to learn past tenses for verbs that he has already mastered fairly well in the present tense.

To simulate the earliest phase of past-tense learning, the model was first trained on the 10 high-frequency verbs, receiving 10 cycles of training presentations through the set of 10 verbs. This was enough to produce quite good performance on these verbs. We take the performance of the model at this point to correspond to the performance of a child in Phase 1 of acquisition. To simulate later phases of learning, the 410 medium-frequency verbs were added to the first 10 verbs, and the system was given 190 more learning trials, with each trial consisting of one presentation of each of the 420 verbs. The responses of the model early on in this phase of training correspond to Phase 2 of the acquisition $p_1 p_2 p_2 p_3$; its ultimate performance at the end of 190 exposures to each of the 420 verbs corresponds to Phase 3. At this point, the model exhibits almost errorless performance on the basic 420 verbs. Finally, the set of 86 lower frequency verbs were presented to the system and the transfer responses to these were recorded. During this phase, connection strengths were not adjusted. Performance of the model on these transfer verbs is considered in a later section

We do not claim, of course, that this training experience exactly captures the learning experience of the young child. It should be perfectly clear that this training experience exaggerates the difference between early phases of learning and later phases, as well as the abruptness of the transition to a larger corpus of verbs. However, it is generally observed that the early, rather limited vocabulary of young children undergoes an explosive growth at some point in development (Brown, 1973). Thus, the actual transition in a child's vocabulary of verbs would appear quite abrupt on a time-scale of years so that our assumptions about abruptness of onset may not be too far off the mark.

Figure 4 shows the basic results for the high-frequency verbs. What we see is that during the first 10 trials there is no difference between regular and irregular verbs. However, beginning on Trial 11 when the 410 midfrequency verbs were introduced, the regular verbs show better performance. It is important to notice that there is no interfering effect on the regular verbs as the midfrequency verbs are being learned. There is, however, substantial interference on the irregular verbs. This interference leader to a dip in performance on the irregular verbs. Equality of performance between regular and irregular verbs is never again attained during the training period. This is the so-called U-shaped learning curve for the learning of the irregular past



High Frequency Verbs


FIGURE 4. The percentage of correct features for regular and irregular high-frequency verbs as a function of trials.

tense. Performance is high when only a few high-frequency, largely irregular verbs are learned, but then drops as the bulk of lower frequency regular verbs are being learned.

We have thus far only shown that performance on high-frequency irregular verbs drops; we have not said anything about the nature of the errors. To examine this question, the response strength of various possible response alternatives must be compared. To do this, we compared the strength of response for several different response alternatives. We compared strengths for the correct past tense, the present, the base+ed and the past+ed. Thus, for example with the verb give we compared the response strength of /gAv/, /giv/, /givd/, and /gAvd/. We determined the response strengths by assuming that these response alternatives were competing to account for the features that were actually turned on in the output. The details of the competition mechanism, called a binding network, are described in the Appendix. For present purposes, suffice it to say that each alternative gets a score that represents the percentage of the total features that it accounts for. If two alternatives both account for a given feature, they divide the score for that feature in proportion to the number of features each accounts for uniquely. We take these response strengths to correspond roughly to relative response probabilitics, though we imagine that the actual generation of overt responses is accomplished by a different version of the binding network, described below. In any case, the total strength of all the alternatives cannot be greater than 1, and if a number of features are accounted for by none of the alternatives, the total will be less than 1.

Figure 5 compares the response strengths for the correct alternative to the combined strength of the regularized alternatives.⁴ Note in the figure that during the first 10 trials the response strength of the correct alternative grows rapidly to over .5 while that of the regularized alternative drops from about .2 to .1. After the midfrequency verbs are introduced, the response

⁴ Unless otherwise indicated, the regularized alternatives are considered the base+ed and past+ed alternatives. In a later section of the paper we shall discuss the pattern of differences between these alternatives. In most cases the base+ed alternative is much stronger than the past+ed alternative.



High Frequency Irregulars

FIGURE 5. Response strengths for the high-frequency irregular verbs. The response strengths for the correct responses are compared with those for the regularized alternatives as a function of trials.

strength for the correct alternative drops rapidly while the strengths of regularized alternatives jump up. From about Trials 11 through 30, the regularized alternatives together are stronger than the correct response. After about Trial 30, the strength of the correct response again exceeds the regularized alternatives and continues to grow throughout the 200-trial learning phase. By the end, the correct response is much the strongest with all other alternatives below .1.

The rapidity of the growth of the regularized alternatives is due to the sudden influx of the medium-frequency verbs. In real life we would expect the medium-frequency verbs to come in somewhat more slowly so that the period of maximal regularization would have a somewhat slower onset.

Figure 6 shows the same data in a slightly different way. In this case, we have plotted the ratio of the correct response to the sum of the correct and regularized response strengths. Points on the curve below the .5 line are in the region where the regularized response is greater that the correct response. Here we see clearly the three stages. In the first stage, the first 10 trials of learning, performance on these high-frequency verbs is quite good. Virtually no regularization takes place. During the next 20 trials, the system regularizes and systematically makes errors on the verbs that it previously responded to correctly. Finally, during the remaining trials the model slowly eliminates the regularization responses as it approaches adult performance.

In summary, then, the model captures the three phases of learning quite well, as well as the gradual transition from Phase 2 to Phase 3. It does so without any explicit learning of rules. The regularization is the product of the gradual tuning of connection strengths in response to the predominantly regular correspondence exhibited by the medium-frequency words. It is not quite right to say that individual pairs are being stored in the network in any simple sense. The connection strengths the model builds up to handle the irregular forms do not represent these items in any separable way; they represent them in the way they must be represented to be stored along with the other verbs in the same set of connections.





FIGURE 6. The ratio of the correct response to the sum of the correct and regularized response. Points on the curve below the .5 line are in the region where the regularized response is greater than the correct response.


Before discussing the implications of these kinds of results further, it is useful to look more closely at the kinds of errors made and at the learning rates of the medium-frequency regular and irregular verbs.

Learning the medium-frequency verbs. Figure 7A compares the learning curves for the regular verbs of high and medium frequency, and Figure 7B compares the learning curves for the corresponding groups of irregular verbs. Within only two or three trials the medium-frequency verbs catch up with their high-frequency counterparts. Indeed, in the case of the irregular verbs, the medium-frequency verbs seem to surpass the high-frequency ones. As we shall see in the following section, this results from the fact that the high-frequency verbs include some of the most difficult pairs to learn, including, for example, the go/went pair which is the very most difficult to learn (aside from the verb be, this is the only verb in English in which the past and root form are completely unrelated). It should also be noted that even at this early stage of learning there is substantial generalization. Already, on Trial 11, the very first exposure to the medium-frequency verbs, between 65 and 75 percent of the features are produced correctly. Chance responding is only 50 percent. Moreover, on their first presentation, 10 percent more of the features of regular verbs are correctly responded to than irregular ones. Eventually, after 200 trials of learning, nearly all of the features are being correctly generated and the system is near asymptotic performance on this verb set. As we shall see below, during most of the learning period the difference between high- and medium-frequency verbs is not important. Rather, the differences between different classes of verbs is the primary determiner of performance. We now turn to a discussion of these different types.

•

High & Medium Regulars








FIGURE 7. The learning curves for the high- and medium-frequency verbs.

Types of Regular and Irregular Verbs

To this point, we have treated regular and irregular verbs as two homogeneous classes. In fact, there are a number of distinguishable types of regular and irregular verbs. Bybee and Slobin (1982) have studied the different acquisition patterns of the each type of verb. In this section we compare their results to the responses produced by our simulation model.

Bybce and Slobin divided the irregular verbs into nine classes, defined as follows.⁵

- I. Verbs that do not change at all to form the past tense, e.g., beat, cut, hit.
- II. Verbs that change a final $\frac{d}{t0}$ to $\frac{t}{t0}$ form the past tense, e.g., send/sent, build/built.
- III. Vcrbs that undergo an internal vowel change and also add a final /t/ or /d/, e.g., feel/felt, lose/lost, say/said, tell/told.
- IV. Verbs that undergo an internal vowel change, delete a final consonant, and add a final /t/ or /d/, e.g., bring/brought, catch/caught.⁶

⁵ Criteria from Bybee and Slobin, 1982, pp. 268-269.

⁶ Following Bybee and Slobin, we included *buy/bought* in this class even though no final consonant is deleted.

- V. Verbs that undergo an internal vowel change whose stems end in a dental, e.g., bite/bit, find /found, ride/rode.
- VIa. Verbs that undergo a vowel change of /i/ to /a/ e.g., sing/sang, drink/drank.
- VIb. Verbs that undergo an internal vowel change of /i/ or /a/ to /^{*}/ e.g., sting/stung, hang/hung.⁷
- VII. All other verbs that undergo an internal vowel change, e.g., give/gave, break/broke.
- VIII. All verbs that undergo a vowel change and that end in a dipthongal sequence, e.g., blow/blew, fly/flew.

A complete listing by type of all of the irregular verbs used in our study is given in Table 7.

In addition to these types of irregular verbs, we distinguished three categories of regular verbs: (a) those ending in a vowel or voiced consonant, which take a /d/ to form the past tense; (b) those ending in a voiceless consonant, which take a /t/; and (c) those ending in /t/ or /d/, which take a final /d/ to form the past tense. The number of regular verbs in each category, for each of the three frequency levels, is given in Table 8.

TABLE 7

IRREGULAR VERBS

		Frequency	
Туре	High	Medium	Low
I	······	beat fit set spread hit cut put	thrust bid
11		build send spend	bend lend
ш	fæl	deal do flee tell sell hear keep leave sleep lose mean say sweep	creep weep
IV	have make	think buy bring seek teach	catch
v	get	meet shoot write lead understand sit mislead bleed feed stand light find fight read meet hide hold ride	breed wind grind
Vía		drink ring sing swim	
VIb		drag hang swing	dig cling stick
VII	give take come	shake arise rise run become bear wear speak brake drive strike fall freeze choose	tcar
VIII	go	throw blow grow draw fly know see	

⁷ For many purposes we combine Classes VIa and VIb in our analyses.

Т	ABLE 8	
OF REGUL		асн туря

			Frequency				
Туре	Suffix	Example	High	Medium	Low		
End in dental	/*d/	start	0	94	13		
End in voiceless consonant	/t/	look	1	64	30		
End in voiced consonant or vowel	/d/	BOVE	1	176	29		

Type 1: No-change verbs. A small set of English verbs require no change between their present- and past-tense forms. One factor common to all such verbs is that they already end in /t/ or /d/. Thus, they superficially have the regular past-tense form—even in the present tense. Stemberger (1981) points out that it is common in inflectional languages not to add an additional inflection to base forms that already appear to have the inflection. Not all verbs ending in /t/ or /d/ show no change between present and past (in fact the majority of such verbs in English do show a change between present and past tense), but there is a reasonably large group—the Type I verbs of Bybee and Slobin—that do show this trend. Bybee and Slobin (1982) suggest that children learn relatively early on that past-tense verbs in English tend to end in /t/ or /d/ and thus are able to correctly respond to the no-change verbs rather early. Early in learning, they suggest, children also incorrectly generalize this "no-change rule" to verbs whose present and past tenses differ.

The pattern of performance just described shows up very clearly in data Bybee and Slobin (1982) report from an elicitation task with preschool children. In this task, preschoolers were given the present-tense form of each of several verbs and were asked to produce the corresponding past-tense form. They used the set of 33 verbs shown in Table 9.

The results were very interesting. Bybee and Slobin found that verbs not ending in t/d were predominately used as no-change verbs. The number of occurrences of each kind is shown in Table 10. These preschool children have, at this stage, both learned to regularize verbs not ending in t/d and, largely, to leave verbs ending in t/d without an additional ending.

Interestingly, our simulations show the same pattern of results. The system learns both to regularize and has a propensity not to add an additional ending to verbs already ending in t/d. In order to compare the simulation results to the human data we looked at the performance of the same verbs used by Bybec and Slobin in our simulations. Of the 33 verbs, 27 were in the high- and medium-frequency lists and thus were included in the training set used in the simulation. The other six verbs (smoke, catch, lend, pat, hurt and shut) were either in the low-

TABLE	9	
-------	---	--

VERBS USED BY BYBEE & SLOBIN

Type of Verb	Verb List
Regular	walk smoke melt pat smile climb
Vowel change	drink break run swim throw meet shoot ride
Vowel change + t/d	do buy lose sell sleep help teach catch
No change	hit hurt set shut cut put best
Other	go make build lend

TABLE 10

REGULAR AND NO CHANGE RESPONSES TO t/d AND OTHER VERBS (Data from Bybec & Slobin, 1982)

Verb Ending	Regular Suffix	No Change
Not 1/d	203	34
t/d	42	157

frequency sample or did not appear in our sample at all. Therefore, we will report on 27 out of the 33 verbs that Bybee and Slobin tested.

It is not clear what span of learning trials in our simulation corresponds best to the level of the preschoolers in Bybee and Slobin's experiment. Presumably the period during which regularization is occurring is best. The combined strength of the regularized alternatives exceeds correct response strength for irregulars from about Trial 11 through Trials 20 to 30 depending on which particular irregular verbs we look at. We therefore have tabulated our results over three different time ranges—Trials 11 through 15, Trials 16 through 20, and Trials 21 through 30. In each case we calculated the average strength of the regularized response alternatives and of the no-change response alternatives. Table 11 gives these strengths for each of the different time periods.

The simulation results show clearly the same patterns evident in the Bybee and Slobin data. Verbs ending in t/d always show a stronger no-change response and a weaker regularized response than those not ending in t/d. During the very early stages of learning, however, the regularized response is stronger than the no-change response—even if the verb does end with t/d. This suggests that the generalization that the past tense of t/d verbs is formed by adding /d/ is stronger than the generalization that verbs ending in t/d should not have an ending added. However, as learning proceeds, this secondary generalization is made (though for only a subset of the t/d verbs, as we shall see), and the simulation shows the same interaction that Bybee and Slobin (1982) found in their preschoolers.

The data and the simulations results just described conflate two aspects of performance, namely, the tendency to make no-change errors with t/d verbs that are not no-change verbs and the tendency to make correct no-change responses to the t/d verbs that are no-change verbs. Though Bybee and Slobin did not report their data broken down by this factor, we can examine the results of the simulation to see whether in fact the model is making more no-change errors with t/d verbs for which this response is incorrect. To examine this issue, we return to the full corpus of verbs and consider the tendency to make no-change errors separately for irregular verbs other than Type I verbs and for regular verbs.

Erroneous no-change responses are clearly stronger for both regular and irregular t/d verbs.

TABLE 11

AVERAGE SIMULATED STRENGTHS OF REGULARIZED AND NO-CHANGE RESPONSES

Time Period	Verb Ending	Regularized	No Change
11-15	not 1/d	0.44	0.10
	t/d	0.35	0.27
16-20	not t/d	0.32	0.12
	\$/d	0.25	0.35
21-30	not t/d	0.52	0.11
	1/d	0.32	0.41

Figure 8A compares the strength of the erroneous no-change responses for irregular verbs ending in t/d (Types II and V) versus those not ending in t/d (Types III, IV, VI, VII, and VIII). The no-change response is erroneous in all of these cases. Note, however, that the erroneous no-change responses are stronger for the t/d verbs than for the other types of irregular verbs. Figure 8B shows the strength of erroneous no-change responses for regular verbs ending in t/dversus those not ending in t/d. Again, the response strength for the no-change response is clearly greater when the regular verb ends in a dental.

We also compared the regularization responses for irregular verbs whose stems end in t/d with irregulars not ending in t/d. The results are shown in Figure 8C. In this case, the regularization responses are initially stronger for verbs that do not end in t/d than for those that do. Thus, we see that even when focusing only on erroneous responses, the system shows a greater propensity to respond with no change to t/d verbs, whether or not the verb is regular, and a somewhat greater tendency to regularize irregulars not ending in t/d.

There is some evidence in the literature on language acquisition that performance on Type I verbs is better sooner than for irregular verbs involving vowel changes—Types III through VIII. Kuczaj (1978) reports an experiment in which children were to judge the grammaticality of sentences involving past tenses. The children were given sentences involving words like hit or hitted or ate or eated and asked whether the sentences sounded "silly." The results, averaged over three age groups from 3;4 to 9;0 years, showed that 70 percent of the responses to the no-change verbs were correct whereas only 31 percent of the responses to vowel-change irregular verbs were correct. Most of the errors involved incorrect acceptance of a regularized form. Thus, the results show a clear difference between the verb types, with performance on the Type I verbs superior to that on Type III through VIII verbs.


The simulation model too shows better performance on Type I verbs than on any of the other types. These verbs show fewer errors than any of the other irregular verbs. Indeed the error rate on Type I verbs is equal to that on the most difficult of the regular verbs. Table 12 gives the average number of Wickelfeatures incorrectly generated (out of 460) at different periods during the learning processes for no-change (i.e., Type I) irregular verbs, vowel-change (i.e., Type III-VIII) irregular verbs, regular verbs ending in t/d, regular verbs not ending in t/d, and regular verbs ending in t/d whose stem is a CVC (consonant-vowel-consonant) monosyllable. The table clearly shows that throughout learning, fewer incorrect Wickelfeatures are generated for no-change verbs than for vowel-change verbs. Interestingly, the table also shows that one subset of regulars are no easier than the Type I irregulars. These are the regular verbs which look on the surface most like Type I verbs, namely, the monosyllabic CVC regular verbs ending in t/d. These include such verbs as bat, wait, shout, head, etc. Although we know of no data indicating that people make more no-change errors on these verbs than on multisyllabic verbs ending in t/d, this is a clear prediction of our model. Essentially what is happening is that the model is learning that monosyllables ending in t/d sometimes take no additional

TABLE	12
-------	----

AVERAGE NUMBER OF WICKELFEATURES INCORRECTLY GENERATED


Trial Number	Irre	gular Verbs	Regular Verbs				
	Type I	Types III-VIII	Ending in t/d	Not Ending in t/d	CV:/d		
11-15	89.8	123.9	74.1	82.8	87.3		
16-20	57 6	93.7	45.3	51.2	60.5		
21-30	45 5	78.2	32.9	37.4	47.9		
31-50	34 4	61.3	22.9	26.0	37.3		
51-100	18.8	39.0	11.4	12.9	21.5		
101-200	11.8	21.5	6.4	7.4	12.7		





14-14-549-641

No-Change Responses



Regularization Responses




FIGURE 8. A: The strength of erroneous no-change responses for irregular verbs ending in a dental versus those not ending in a dental. B: The strength of erroneous no-change responses for regular verbs ending in a dental versus those not ending in a dental. C: The strength of erroneous regularization responses for irregular verbs ending in a dental versus those not ending in a dental.

inflection.⁸ This leads to quicker learning of the no-change verbs relative to other irregular verbs and slower learning of regular verbs which otherwise look like no-change verbs. It should be noted that the two regular verbs employed by Bybee and Slobin which behaved like no-change verbs were both monosyllables. It would be interesting to see if whether no-change errors actually occur with verbs like *decide* or *devote*.

⁶ Though the model does not explicitly encode number of syllables, monosyllabic words are distinguished from multisyllabic words by the fact that the former contain no Wickelphones of the form ${}_{V}C_{V}$. There are no no-change verbs in English containing such Wickelphones.

Types III-VIII: Vowel-change verbs. To look at error patterns on vowel-change verbs (Types III-VIII) Bybee and Slobin (1982) analyzed data from the spontaneous speech of preschoolers ranging from one-and-one-half to five years of age. The data came from independent sets of data collected by Susan Ervin-Tripp and Wick Miller, by Dan Slobin, and by Zell Greenberg. In all, speech from 31 children involving the use of 69 irregular verbs was studied. Bybee and Slobin recorded the percentages of regularizations for each of the various types of vowel-change verbs. Table 13 gives the percentages of regularization by preschoolers, ranked from most to fewest erroneous regularizations. The results show that the two verb types which involve adding a t/d plus a vowel change (Types III and IV) show the least regularizations, whereas the verb type in which the present tense ends in a diphthong (Type VIII) shows by far the most regularization.

It is not entirely clear what statistic in our model best corresponds to the percentage of regularizations. It will be recalled that we collected response strength measures for four different response types for irregular verbs. These were the correct response, the no-change response, the base+ed regularization response, and the past+ed regularization response. If we imagine that no-change responses are, in general, difficult to observe in spontaneous speech, perhaps the measure that would be most closely related to the percentage of regularizations would be the ratio of the sum of the strengths of the regularization responses to the sum of the strengths of regularization responses and the correct response—that is,

(base +ed + past +ed) (base +ed + past +ed + correct).

As with our previous simulation, it is not entirely clear what portion of the learning curve corresponds to the developmental level of the children in this group. We therefore calculated this ratio for several different time periods around the period of maximal overgeneralization. Table 14 shows the results of these simulations.

The spread between different verb classes is not as great in the simulation as in the children's data, but the simulated rank orders show a remarkable similarity to the results from the spontaneous speech of the preschoolers, especially in the earliest time period. Type VIII verbs show uniformly strong patterns of regularization whereas Type III and Type IV verbs, those whose past tense involves adding a t/d at the end, show relatively weak regularization responses. Type VI and Type VII verbs produce somewhat disparate results. For Type VI verbs, the simulation conforms fairly closely to the children's speech data in the earliest time period, but it shows rather less strength for regularizations of these verbs in the later time periods and in the average over Trials 11-30. For Type VII verbs, the model errs in the opposite direction: Here it tends to show rather greater strength for regularizations of these verbs than we see in the children's speech. One possible reason for these discrepancies may be the

TABLE 13

PERCENTAGE OF REGULARIZATION BY PRESCHOOLERS (Data from Bybee & Slobin, 1982)

Verb Type	Example	Percentage Regularization			
VIII	blew	80			
VI	sang	55			
v	bit	34			
VII	broke	32			
111	felt	13			
ſV	caught	10			

TABLE 14

RELATIVE TO CORRECT RESPONSES										
Rank Order	Data		Trials 11-15		Trials 16-20		Trials 21-30		Average Trials 11-30	
	Туре	Percent	Туре	Ratio	Туре	Ratio	Турс	Ratio	Туре	Ratio
1	vm	80	νп	.86	VIII	.76	ναι	.61	νπι	.71
2	VI	55	νπ	.80	νų	.74	VΠ	.61	VΠ	.69
3	v	34	VI	.76	v	.60	ſV	.48	v	.56
4	VII	32	v	.72	IV	.59	v	.46	٢V	.56
5	ш	13	٢V	.69	ш	.57	ш	.44	ш	.53
6	IV	10	ш	.67	vt	.52	VI	.40	VI	.52

STRENGTH OF REGULARIZATION RESPONSES RELATIVE TO CORRECT RESPONSES

model's insensitivity to word frequency. Type VI verbs are, in fact, relatively low-frequency verbs, and thus, in the children's speech these verbs may actually be at a relatively earlier stage in acquisition than some of the more frequent irregular verbs. Type VII verbs are, in general, much more frequent—in fact, on the average they occur more than twice as often (in the gerund form) in the Kucera-Francis count than the Type VI verbs. In our simulations, all medium-frequency verbs were presented equally often and the distinction was not made. A higher fidelity simulation including finer gradations of frequency variations among the verb types might lead to a closer correspondence with the empirical results. In any case, these verbs aside, the simulation seems to capture the major features of the data very nicely.

Bybce and Slobin attribute the pattern of results they found to factors that would not be relevant to our model. They proposed, for example, that Type III and IV verbs were more easily learned because the final t/d signaled to the child that they were in fact past tenses so the child would not have to rely on context as much in order to determine that these were pasttense forms. In our simulations, we found these verbs to be easy to learn, but it must have been for a different reason since the learning system was always informed as to what the correct past tense really was. Similarly, Bybee and Slobin argued that Type VIII verbs were the most difficult because the past and present tenses were so phonologically different that the child could not easily determine that the past and present tenses of these verbs actually go together. Again, our simulation showed Type VIII verbs to be the most difficult, but this had nothing to do with putting the past and present tense together since the model was always given the present and past tenses together.

Our model, then, must offer a different interpretation of Bybee and Slobin's findings. The main factor appears to be the degree to which the relation between the present and past tense of the verb is idiosyncratic. Type VIII verbs are most difficult because the relationship between base form and past tense is most idiosyncratic for these verbs. Thus, the natural generalizations implicit in the population of verbs must be overcome for these verbs, and they must be overcome in a different way for each of them. A very basic aspect of the mapping from present to past tense is that most of the word, and in particular everything up to the final vowel, is unchanged. For regular verbs, all of the phonemes present in the base form are going against the grain more than those that do not; the larger the changes, the harder they will be to learn. Another factor is that past tenses of verbs generally end in /t/ or /d/.

Verbs that violate the basic past-tense pattern are all at a disadvantage in the model, of course, but some suffer less than others because there are other verbs that deviate from the basic pattern in the same way. Thus, these verbs are less idiosyncratic than verbs such as go/went, see/saw, and draw/drew which represent completely idiosyncratic vowel changes. The difficulty with Type VIII verbs, then, is simply that, as a class, they are simply more


idiosyncratic than other verbs. Type III and IV verbs (e.g., feel/felt, catch/caught), on the other hand, share with the vast bulk of the verbs in English the feature that the past tense involves the addition of a t/d. The addition of the t/d makes these verbs easier than, say, Type VII verbs (e.g., come/came) because in Type VII verbs the system must not only learn that there is a vowel change, but it must also learn that there is not an addition of t/d to the end of the verb.

Type VI verbs (sing/sang, drag/drug) are interesting from this point of view, because they involve fairly common subregularities not found in other classes of verbs such as those in Type V. In the model, the Type VI verbs may be learned relatively quickly because of this subregularity.

Types of regularization. We have mentioned that there are two distinct ways in which a child can regularize an irregular verb: The child can use the base+ed form or the past+ed form. Kuczaj (1977) has provided evidence that the proportion of past+ed forms increases, relative to the number of base+ed forms, as the child gets older. He found, for example, that the nine youngest children he studied had more base+ed regularizations than past+ed regularizations whereas four out of the five oldest children showed more past+ed than base+ed regularizations. In this section, we consider whether our model exhibits this same general pattern. Since the base form and the past-tense form are identical for Type I verbs, we restrict our analysis of this issue to Types II through VIII.

Figure 9 compares the average response strengths for base+ed and past+ed regularizations as a function of amount of training. The results of this analysis are more or less consistent with Kuczaj's findings. Early in learning, the base+ed response alternative is clearly the stronger of the two. As the system learns, however, the two come together so that by about 100 trials the base+ed and the past+ed response alternatives are roughly equally strong. Clearly, the simulations show that the percentage of regularizations that are past+ed increases with experiencojust as Kuczaj found in children. In addition, the two curves come together rather late, consistent with the fact, reported by Kuczaj (1977), that these past+ed forms predominate for the

Verb Types II-VIII





most part in children who are exhibiting rather few regularization errors of either type. Of the four children exhibiting more past+ed regularizations, three were regularizing less than 12% of the time.


A closer look at the various types of irregular verbs shows that this curve is the average of two quite different patterns. Table 15 shows the overall percentage of regularization strength due to the base+ed alternative. It is clear from the table that the verbs fall into two general categories, those of Types III, IV, and VIII which have an overall preponderance of base+ed strength (the percentages are all above .5) and Types II, VII, V, and VI which show an overall preponderance of past+ed strength (the percentages are all well below .5). The major variable which seems to account for the ordering shown in the table is the amount the ending is changed in going from the base form to the past-tense form. If the ending is changed little, as in sing/sang or come/came, the past+ed response is relatively stronger. If the past tense involves a greater change of the ending, such as see/saw, or sleep/slept, then the past+ed form is much weaker. Roughly, the idea is this: To form the past+ed for these verbs two operations must occur. The normal past tense must be created, and the regular ending must be appended. When these two operations involve very different parts of the verb, they can occur somewhat independently and both can readily occur. When, on the other hand, both changes occur to the same portion of the verb, they conflict with one another and a clear past+ed response is difficult to generate. The Type II verbs, which do show an overall preponderance of past+ed regularization strength, might seem to violate this pattern since it involves some change to the end in its past-tense form. Note, however, that the change is only a one feature change from /d/ to /t/ and thus is closer to the pattern of the verbs involving no change to the final phonemes of the verb. Figure 10A shows the pattern of response strengths to base+ed and past+ed regularizations for verb Types II, VII, V, and VI which involve relatively little change of the final phonemes from base to past form. Figure 10B shows the pattern of response strengths to base+ed and past+ed for verb Types III, IV, and VIII. Figure 10A shows very clearly the pattern expected from Kuczaj's results. Early in learning, base+ed responses are by far the strongest. With experience the past+ed response becomes stronger and stronger relative to the base+ed regularizations until, at about Trial 40, it begins to exceed it. Figure 10B shows a different pattern. For these verbs the past+ed form is weak throughout learning and never comes close to the base+ed regularization response. Unfortunately, Kuczaj did not present data on the relative frequency of the two types of regularizations separately for different verb types. Thus for the present, this difference in type of regularization responses remains an untested prediction of the model.

TABLE 15


PERCENTAGE OF REGULARIZATION STRENGTH DUE TO BASE+ED


Verb Type	Percent base+ed	Examples
	0.77	sicep/slept
IV	0.69	catch/caugh
VШ	0.68	scc/saw
II	0.38	spend/spent
VII	0.38	come/came
v	0.37	bite/bit
VI	0.26	sing/sang

Verb Types II, V, VI, and VII



Verb Types III, IV, and VIII





Transfer to Novel Verbs

To this point we have only reported on the behavior of the system on verbs that it was actually taught. In this section, we consider the response of the model to the set of 86 lowfrequency verbs which it never saw during training. This test allows us to examine how well the behavior of the model generalizes to novel verbs. In this section we also consider responses to different types of regular verbs, and we examine the model's performance in generating unconstrained responses.

Overall degree of transfer. Perhaps the first question to ask is how accurately the model generates the correct features of the new verbs. Table 16 shows the percentage of Wickel-features correctly generated, averaged over the regular and irregular verbs. Overall, the performance is quite good. Over 90 percent of the Wickelfeatures are correctly generated without

TABLE 16

PROPORTION OF WICKELFEATURES CORRECTLY GENERATED

Regular	.92
Irregular	.84
Overail	.91

any experience whatsoever with these verbs. Performance is, of course, poorer on the irregular verbs, in which the actual past tense is relatively idiosyncratic. But even there, almost 85 percent of the Wickelfeatures are correctly generated.

Unconstrained responses. Up until this point we have always proceeded by giving the model a set of response alternatives and letting it assign a response strength to each one. This allows us to get relative response strengths among the set of response alternatives we have provided. Of course, we chose as response alternatives those which we had reason to believe were among the strongest. There is the possibility, however, that the output of the model might actually favor some other, untested alternative some of the time. To see how well the output of the model is really doing at specifying correct past tenses or errors of the kind that children actually make, we must allow the model to choose among all possible strings of phonemes.

To do this, we implemented a second version of the binding network. This version is also described in the Appendix. Instead of a competition among alternative strings, it involves a competition among individual Wickelphone alternatives, coupled with mutual facilitation between mutually compatible Wickelphones such as $\#k_A$ and k_Am^{9} .

The results from the free-generation test are quite consistent with our expectations from the constrained alternative phase, though they did uncover a few interesting aspects of the model's performance that we had not anticipated. In our analysis of these results we have considered only responses with a strength of at least .2. Of the 86 test verbs, There were 65 cases in which exactly one of the alternatives exceeded .2. Of these, 55 were simple regularization responses, four were no-change responses, three involved double marking of regular verbs, (e.g., type was responded to with /t1pt^d/), and there was one case of a vowel change (e.g., slip/slept). There were 14 cases in which two alternatives exceeded threshold and one case in which three exceeded threshold. Finally, in six cases, no response alternative exceeded threshold. This occurred with the regular verbs jump, pump, soak, warm, trail, and glare. In this case there were a number of alternatives, including the correct past-tense form of each of these verbs, competing with a response strength of about .1.

Table 17 shows the responses generated for the 14 irregular verbs. The responses here are very clear. All of the above-threshold responses made to an irregular verb were either regularization responses, no-change responses (to Types I and V verbs as expected) or correct vowelchange generalizations. The fact that bid is correctly generated as the past for bid, that wept is correctly generated as the past for weep, and that clung is correctly generated as a past tense for cling illustrates that the system is not only sensitive to the major regular past-tense pattern, but is sensitive to the subregularities as well. It should also be noted that the no-change responses to the verbs grind and wind occurs on monosyllabic Type V verbs ending in t/d, again showing evidence of a role for this subregularity in English past-tense formation.

Of the 72 regular verbs in our low-frequency sample, the six verbs mentioned above did not have any response alternatives above threshold. On 48 of the remaining 66 regular verbs, the only response exceeding threshold was the correct one. The threshold responses to the remaining 18 verbs are shown in Table 18.

Note that for 12 of the 18 verbs listed in the table, the correct response is above threshold. That means that of the 66 regular verbs to which any response at all exceeded threshold, the correct response exceeded threshold in 60 cases. It is interesting to note, also, that the model never chooses the incorrect variant of the regular past tense. As shown in Table 8, verbs ending in a /t/ or /d/ take $/^{2}d/$ in the past tense; verbs ending in unvoiced consonants take /t/, and verbs ending in vowels or voiced consonants take /d/. On no occasion does the model assign a strength greater than .2 an incorrect variant of the past tense. Thus, the model has

⁹ The major problem with this method of generating responses is that it is tremendously computer intensive. Had we used this method to generate responses throughout the learning phase, we estimate that it would have taken over three years of computer time to complete the learning phase alone! This compares to the 260 hours of computer time the learning phase took with the response alternatives supplied. It took about 28 hours to complete the response generation process in testing just the 86 low-frequency verbs used in this section of the study.

TABLE 17

V erb Type	Presented Word	Phonetic Input	Phonetic Response	English Rendition	Response Strength
-	bid	/bid/	/bid/	(bid)	0.55
	thrust	/TT*st/	/11°st°d/	(thrusted)	0.57
II	bend	/bend/	/bend^d/	(bended)	0.28
	lend	/lend/	/lend [*] d/	(lended)	0.70
ш	creep	/krep/	/krept/	(creeped)	0.51
	wccp	/wep/	/wept/	(wccpcd)	0.34
	•	•	/wept/	(wept)	0.33
ĩ۷	catch	/kac/	/kact/	(catched)	0.67
v	breed	/bred/	/bred^d/	(brædæd)	0.48
	grind	/grund/	/grind/	(grind)	0.44
	wind	/wind/	/wind/	(wind)	0.37
VI	cling	/klin/	/klind/	(clinged)	0.28
	Ū		/£1*N/	(clung)	0.23
	dig	/dig/	/digd/	(digged)	0.22
	stick	/stik/	/stikt/	(sticked)	0.53
VII	tear	/ter/	/terd/	(tcarcd)	0.90

THE MODEL'S RESPONSES TO UNFAMILIAR LOW-FREQUENCY IRREGULAR VERBS

clearly learned the substructure of the regular correspondence and adds the correct variant to all different types of base forms. These results clearly demonstrate that the model acts in accordance with the regular pattern for English verbs and that it can apply this pattern with a high level of success to novel as well as familiar verbs.

In addition to the regular responses, five of the responses were no-change responses. In three cases the no-change response was to a verb ending in t/d. Four of the responses followed the pattern of Type III verbs, modifying the vowel and adding a final /t/. Thus, for example, we have the past of *sip* rendered as *sept*, presumably on the model of *sleep/slept*, *keep/kept*, *sweep/swept*, etc. Interestingly, three of the four cases involved verbs whose base form ended in /p/ just as in the models listed above. Even though these last responses are, strictly speaking, incorrect, they all indicate a sensitivity to the regular and subregular patterns of the English past tense.

Perhaps the most surprising result evident from the table is the occurrence of a double past marker on the responses to seven of the verbs. Although we know of no references to this phenomenon in the literature, we expect that children (and adults) do occasionally make this kind of error. It is interesting, and possibly significant, that all seven of these responses occurred to verbs whose correct past tense is the addition of a t/t. It would be interesting to see whether children's errors of this type follow a similar pattern.

Finally, there were just four responses that involved the addition or modification of consonants. These were maded as a past tense of mate, squawked as a past tense for squat, membled as a past tense for mail, and toureder as a past tense for tour. It is unlikely that humans would make these errors, especially the last two, but these responses are, for the most part, near threshold. Furthermore, it seems likely that many of these responses could be filtered out if the model incorporated an auto-associative network of connections among the output units. Such a network could be used to clean up the output pattern and would probably increase the tendency of the model to avoid bizarre responses. Unfortunately, we have not yet had the chance to implement this suggestion.

TABLE 18

SYSTEM RESPONSES TO UNFAMILIAR LOW-FREQUENCY REGULAR VERBS
--

Verb Type	Presented Word	Phonetic Input	Phonetic Response	English Rendition	Response Rendition
End in t/d	guard	/gard/	/gatd/ /gatd`d/	(guard) (guarded)	0.29 0.26
	kid	/kid/	/kid/ /kid^d/	(kid) (kidded)	0.39 0.24
	mate	/m∧t/	/m∧t^d/ /m∧d^d/	(mated) (maded)	0.43 0.23
	કલુપ થ	/skw*t/	/skw°t´d/ /skw°t/ /skw°kt/	(squated) (squat) (squawked)	0.27 0.22 0.21
End in unvoiced	carp	/karp/	/karpt/ /kapt`d/	(carped) (carpted)	0.28 0.21
consonant	drip	/drip/	/dript*d/ /dript/	(dripted) (dripped)	0.28 0.22
	тър	/map/	/mapt`d/ /mapt/	(mapted) (mapped)	0.24 0.22
	shape	/sap/	/sapt/ /sipt/	(shaped) (shipped)	0.43 0.27
	sip	/sip/	/sipt/ /sept/	(sipped) (sepped)	0.42 0.28
	slip	/slip/	/slept/	(slept)	0.40
	smoke	/smOk/	/smOkt^d/ /smOk/	(smokted) (smoke)	0.29 0.22
	snap	/snap/	/snapt^d/	(snapted)	0.40
	step	/step/	/stept *d/	(stepted)	0.59
	type	/tip/	/tipt*d/	(typted)	0.33
End in voiced consonant or vowel	brown	/brwn/	/brwnd/ /br°nd/	(browned) (brawned)	0.46 0.39
	hug	/h^g/	/h`g/	(hug)	0.59
	mail	/m A ^i/	/m^^ld/ /memb^ld/	(mailed) (membled)	0.38 0.23
	tour	/t∪r/	/turd*r/ /turd/	(toureder) (toured)	0.31 0.25

Summary. The system has clearly learned the essential characteristics of the past tense of English. Not only can it respond correctly to the 460 verbs that it was taught, but it is able to generalize and transfer rather well to the unfamiliar low-frequency verbs that had never been presented during training. The system has learned about the conditions in which each of the three regular past-tense endings are to be applied, and it has learned not only the dominant, regular form of the past tense, but many of the subregularities as well.

It is true that the model does not act as a perfect rule-applying machine with novel pasttense forms. However, it must be noted that people—or at least children, even in early gradeschool years—are not perfect rule-applying machines either. For example, in Berko's classic (1958) study, though her kindergarten and first-grade subjects did often produce the correct past forms of novel verbs like *spow*, *mott*, and *rick*, they did not do so invariably. In fact, the

rate of regular past-tense forms given to Berko's novel verbs was only 51 percent¹⁰ Thus, we see little reason to believe that our model's "deficiencies" are significantly greater than those of native speakers of comparable experience.

CONCLUSIONS

We have shown that our simple learning model shows, to a remarkable degree, the characteristics of young children learning the morphology of the past tense in English. We have shown how our model generates the so-called U-shaped learning curve for irregular verbs and that it exhibits a tendency to overgeneralize that is quite similar to the pattern exhibited by young children. Both in children and in our model, the verb forms showing the most regularization are pairs such as *know/knew* and *see/saw*, whereas those showing the least regularization are pairs such as *know/knew* and *see/saw*, whereas those showing the least regularization are pairs such as *feel/felt* and *catch/caught*. Early in learning, our model shows the pattern of more no-change responses to verbs ending in t/d whether or not they are regular verbs, just as young children do. The model, like children, can generate the appropriate regular past-tense form to unfamiliar verbs whose base form ends in various consonants or vowels. Thus, the model generates an / d/ suffix for verbs ending in t/d, a /t/ suffix for verbs ending in an unvoiced consonant, and a /d/ suffix for verbs ending in a voiced consonant or vowel.

In the model, as in children, different past-tense forms for the same word can coexist at the same time. On rule accounts, such *transitional* behavior is puzzling and difficult explain. Our model, like human children, shows an relatively larger proportion of past+ed regularizations later in learning. Our model, like learners of English, will sometimes generate past-tense forms to novel verbs which show sensitivities to the subregularities of English as well as the major regularities. Thus, the past of cring can sometimes be rendered crang or crung. In short, our simple learning model accounts for all of the major features of the acquisition of the morphology of the English past tense.

In addition to our ability to account for the major known features of the acquisition process, there are also a number of predictions that the model makes which have yet to be reported. These include:

- We expect relatively more past +ed regularizations to irregulars whose correct past form *does not* involve a modification of the final phoneme of the base form.
- We expect that early in learning, a no-change response will occur more frequently to a CVC monosyllable ending in t/d than to a more complex base verb form.
- We expect that the double inflection responses (/dript^d/) will occasionally be made by native speakers and that they will occur more frequently to verbs whose stem is ends in /p/ or /k/.

The model is very rich and there are many other more specific predictions which can be derived from it and evaluated by a careful analysis of acquisition data.

We have, we believe, provided a distinct alternative to the view that children learn the rules of English past-tense formation in any explicit sense. We have shown that a reasonable account of the acquisition of past tense can be provided without recourse to the notion of a "rule" as anything more than a *description* of the language. We have shown that, for this case, there is no *induction problem*. The child need not figure out what the rules are, nor even that

¹⁰ Unfortunately, Berko included only one regular verb to compare to her novel verbs. The verb was *melt*. Children were 73 percent correct on this verb. The two novel verbs that required the same treatment as *melt* (*most* and *bodd*) each received only 33 percent correct responses.

there are rules. The child need not decide whether a verb is regular or irregular. There is no question as to whether the inflected form should be stored directly in the lexicon or derived from more general principles. There isn't even a question (as far as generating the past-tense form is concerned) as to whether a verb form is one encountered many times or one that is being generated for the first time. A uniform procedure is applied for producing the past-tense form in every case. The base form is supplied as input to the past-tense network and the resulting pattern of activation is interpreted as a phonological representation of the past form of that verb. This is the procedure whether the verb is regular or irregular, familiar or novel.

In one sense, every form must be considered as being derived. In this sense, the network can be considered to be one large rule for generating past tenses from base forms. In another sense, it is possible to imagine that the system simply stores a set of rote associations between base and past-tense forms with novel responses generated by "on-line" generalizations from the stored exemplars.

Neither of these descriptions is quite right, we believe. Associations are simply stored in the network, but because we have a superpositional memory, similar patterns blend into one another and reinforce each other. If there were no similar patterns (i.e., if the featural representations of the base forms of verbs were orthogonal to one another) there would be no generalization. The system would be unable to generalize and there would be no regularization. It is statistical relationships among the base forms themselves that determine the pattern of responding. The network merely reflects the statistics of the featural representations of the verb forms.

We chose the study of acquisition of past tense in part because the phenomenon of regularization is an example often cited in support of the view that children do respond according to general rules of language. Why otherwise, it is sometimes asked, should they generate forms that they have never heard? The answer we offer is that they do so because the past tenses of similar verbs they are learning show such a consistent pattern that the generalization from these similar verbs outweighs the relatively small amount of learning that has occurred on the irregular verb in question. We suspect that essentially similar ideas will prove useful in accounting for other aspects of language acquisition. We view this work on past-tense morphology as a step toward a revised understanding of language knowledge, language acquisition, and linguistic information processing in general.

ACKNOWLEDGMENTS

Sec. S

This rescarch was supported by ONR contracts N00014-85-K-0450, N00014-82-C-0374, and N00014-79-C-0338, by a grant from the System Development Foundation, and by a Research Scientist Career Development Award MH00385 to the second author from the National Institute of Mental Health.

APPENDIX

One important aspect of the Wickelfeature representation is that it completely suppressed the temporal dimension. Temporal information is stored implicitly in the feature pattern. This gives us a representational format in which phonological forms of arbitrary length can be represented. It also avoids an a priori decision as to which part of the verb (beginning, end, center, etc.) contains the past-tense inflection. This grows out of the learning process. Unfortunately, it has its negative side as well. Since phonological forms do contain temporal information, we need to have a method of converting from the Wickelfeature representation into the time domain-in short, we need a decoding network which converts from the Wickelfeature representation to either the Wickelphone or a phonological representational format. Since we have probabilistic units, this decoding process must be able to work in the face of substantial noise. To do this we devised a special sort of decoding network which we call a binding network. Roughly speaking, a binding network is a scheme whereby a number of units compete for a set of available features—finally attaining a strength that is proportional to the number of features the units account for. We proceed by first describing the idea behind the binding network, then describing its application to produce the set of Wickelphones implicit in the Wickelfeature representation, and finally to produce the set of phonological strings implicit in the Wickelfeatures.

Binding Networks

The basic idea is simple. Imagine that there are a set of input features and a set of output features. Each output feature is consistent with certain of the input features, inconsistent with certain other of the input features, and neutral about still other of the input features. The idea is to find a set of output features that accounts for as many as possible of the output features while minimizing the number of input features accounted for by more than one output feature. Thus, we want each of the output features to compete for input features. The more input features it captures, the stronger its position in the competition and the more claim it has on the features it accounts for. Thus consider the case in which the input features are Wickelfeatures and the output features are Wickelphones. The Wickelphones compete among one another for the available Wickelfeatures. Every time a particular Wickelphone "captures" a particular Wickelfeature, that input feature no longer provides support for other Wickelphones. In this way, the system comes up with a set of more or less nonoverlapping Wickelphones which account for as many as possible of the available Wickelfeatures. This means that if two Wickelphones have many Wickelfeatures in common (e.g., k_m and kA_m) but one of them accounts for more features than the other, the one that accounts for the most features will remove nearly all of the support for the very similar output feature which accounts for few if any input features uniquely. The binding network described below has the property that if two output units are competing for a set of input features, each will attain a strength proportional to the number of input features uniquely accounted for by that output feature divided by the total number of input features uniquely accounted for by any output feature.

This is accomplished by a network in which each input unit has a fixed amount of activation (in our case we assumed that it had a total activation value of 1) to be distributed among the output units consistent with that input feature. It distributes its activation in proportion to the strength of the output feature to which it is connected. This is thus a network with a dynamic weight. The weight from input unit j to output unit i is thus given by

$$w_{ij} = \frac{a_i}{\sum_{k_j} a_{k_j}}$$

where k_j ranges over the set of output units consistent with input units j. The total strength of output unit k at time t is a linear function of its inputs at time t-1 and is thus given by

$$a_{k}(t) = \sum_{j_{k}} i_{j_{k}} w_{kj_{k}}(t) = \frac{\sum_{j_{k}} i_{j_{k}} a_{k}(t-1)}{\sum_{l_{j_{k}}} a_{l_{j_{k}}}(t-1)}$$

where j_k ranges over the set of input features consistent with output feature k, l_{j_k} ranges over the set of output features consistent with input feature j_k , and i_j takes on value 1 if input feature j is present and is 0 otherwise.

We used the binding network described above to find the set of Wickelphones which gave optimal coverage to the Wickelfeatures in the input. The procedure was quite effective. We used as the set of output all of the Wickelphones which occurred anywhere in any of the 500 or so verbs we studied. We found that the actual Wickelphones were always the strongest when we had 80 percent or more of the correct Wickelfeatures. Performance dropped off as the percentage of correct Wickelfeatures dropped. Still when as few as 50 percent of the Wickelfeatures were correct, the correct Wickelphones were still the strongest most of the time. Sometimes, however, a Wickelphone not actually in the input would become strong and push out the "correct" Wickelphones. If we added the constraint that the Wickelphones must fit together to form an entire string (by having output features activate features that are consistent neighbors), we found that more than 60 percent of correct Wickelfeatures lead to the correct output string more than 90 percent of the time.

The binding network described above is designed for a situation in which there is a set of input features that is to be divided up among a set of output features. In this case, features that are present, but not required for a particular output feature play no role in the evaluation of the output feature. Suppose, however, that we have a set of alternative output features one of which is supposed to account for the entire pattern. In this case, input features that are present, but not consistent with a given output feature must count against that output feature. One solution to this is to have input units *excite* consistent output units according the the rule given above and to *inhibit* inconsistent output units. In the case in which we tried to construct the entire phonological string directly from a set of Wickelfeatures we used the following activation rule:

$$a_{k}(t) = \sum_{j_{k}} i_{j_{k}} w_{kj_{k}}(t) - \sum_{l_{k}} i_{l_{k}}$$

where l_k indexes the input features that are inconsistent with output feature k. In this case, we used as output features all of the strings of less than 20 phonemes which could be generated from the set of Wickelphones present in the entire corpus of verbs. This is the procedure employed to produce responses to the lowest frequency verbs as shown in Tables 17 and 18.

REFERENCES

- Anderson, J. A. (1973). A theory for the recognition of items from short memorized lists. Psychological Review, 80, 417-438.
- Anderson, J. A. (1977). Neural models with cognitive implications. In D. LaBerge & S. J. Samuels (Eds.), Basic processes in reading: Perception and comprehension (pp. 27-90). Hillsdale, NJ: Erlbaum.
- Anderson, J. A., Silverstein, J. W., Ritz, S. A., & Jones, R. S. (1977). Distinctive features, categorical perception, and probability learning: Some applications of a neural model. *Psychological Review*, 84, 413-451.
- Bates, E. (1979). Emergence of symbols. New York: Academic Press.
- Berko, J. (1958). The child's learning of English morphology. Word, 14, 150-177.
- Brown, R. (1973). A first language. Cambridge, MA: Harvard University Press.
- Bybee, J. L., & Slobin, D. I. (1982). Rules and schemas in the development and use of the English past tense. Language, 58, 265-289.
- Ervin, S. (1964). Imitation and structural change in children's language. In E. Lenneberg (Ed.), New directions in the study of language. Cambridge, MA: MIT Press.
- Green, D. M., & Swets, J. A. (1966). Signal detection theory and psychophysics. New York: Wiley.
- Kohonen, T. (1977). Associative memory: A system theoretical approach. New York: Springer.
- Kohonen, T. (1984). Self-organization and associative memory. Berlin: Springer-Verlag.
- Kucera, H., & Francis, W. (1967). Computational analysis of present-day American English. Providence, RI: Brown University Press.
- Kuczaj, S. A. (1977). The acquisition of regular and irregular past tense forms. Journal of Verbal Learning and Verbal Behavior, 16, 589-600.
- Kuczaj, S. A. (1978). Children's judgements of grammatical and ungrammatical irregular past tense verbs. Child Development, 49, 319-326.
- McClelland, J. L., & Rumelhart, D. E. (1981). An interactive activation model of context effects in letter perception: Part 1. An account of basic findings. *Psychological Review*, 88, 375-407.
- Pinker, S. (1984). Language learnability and language development. Cambridge, MA: Harvard University Press.
- Rosenblatt, F. (1962). Principles of neurodynamics. Washington, DC: Spartan.
- Rumelhart, D. E., & McClelland, J. L. (1981). Interactive processing through spreading activation. In A. M. Lesgold & C. A. Perfetti (Eds.), *Interactive Processes in Reading*. Hillsdale, NJ: Erlbaum.
- Rumchart, D. E., & McClelland, J. L. (1982). An interactive activation model of context effects in letter perception: Part 2. The contextual enhancement effect and some tests and extensions of the model. *Psychological Review*, 89, 60-94.
- Stemberger, J. P. (1981). Morphological haplology. Language, 57, 791-817.
- Wickelgren, W. A. (1969). Context-sensitive coding, associative memory and serial order in (speech) behavior. Psychological Review, 76, 1-15.

ICS Technical Report List

The following is a list of publications by people in the Institute for Cognitive Science. For reprints, write or call:

Institute for Cognitive Science, C-015 University of California, San Diego La Jolla, CA 92093 (619) 452-6771

8301. David Zipser. The Representation of Location. May 1983.

- 8302. Jeffrey Elman and Jay McClelland. Speech Perception as a Cognitive Process: The Interactive Activation Model. April 1983. Also published in N. Lass (Ed.), Speech and language: Volume 10, New York: Academic Press, 1983.
- 8303. Ron Williams. Unit Activation Rules for Cognitive Networks. November 1983.
- 8304. David Zipser. The Representation of Maps. November 1983.
- 8305. The HMI Project. User Centered System Design: Part I, Papers for the CHI '83 Conference on Human Factors in Computer Systems. November 1983. Also published in A. Janda (Ed.), Proceedings of the CHI '83 Conference on Human Factors in Computing Systems. New York: ACM, 1983.
- 8306. Paul Smolensky. Harmony Theory: A Mathematical Framework for Stochastic Parallel Processing. December 1983. Also published in Proceedings of the National Conference on Artificial Intelligence, AAAI-83, Washington DC, 1983.
- 8401. Stephen W. Draper and Donald A. Norman. Software Engineering for User Interfaces. January 1984. Also published in Proceedings of the Seventh International Conference on Software Engineering, Orlando, FL, 1984.
- 8402. The UCSD HMI Project. User Centered System Design: Part II, Collected Papers. March 1984. Also published individually as follows: Norman, D.A. (in press), Stages and levels in human-machine interaction, International Journal of Man-Machine Studies; Draper, S.W., The nature of expertise in UNIX; Owen, D., Users in the real world; O'Malley, C., Draper, S.W., & Riley, M., Constructive interaction: A method for studying user-computer-user interaction; Smolensky, P., Monty, M.L., & Conway, E., Formalizing task descriptions for command specification and documentation; Bannon, L.J., & O'Malley, C., Problems in evaluation of human-computer interfaces: A case study; Riley, M., & O'Malley, C., Planning nets: A framework for analyzing user-computer interactions; all published in B. Shackel (Ed.), INTERACT '84, First Conference on

S.W., Software engineering for user interfaces, Proceedings of the Seventh International Conference on Sof tware Engineering, Orlando, FL, 1984. 8403. Steven L. Greenspan and Eric M. Segal. Reference Comprehension: A Topic-Comment Analysis of Sentence-Picture Verification. April 1984. Also published in Cognitive Psychology, 16, 556-606, 1984. 8404. Paul Smolensky and Mary S. Riley. Harmony Theory: Problem Solving, Parallel Cognitive Models, and Thermal Physics. April 1984. The first two papers are published in Proceedings of the Sixth Annual Meeting of the Cognitive Science Society, Boulder, CO, 1984. 8405. David Zipser. A Computational Model of Hippocampus Place-Fields. April 1984. 8406. Michael C. Mozer. Inductive Information Retrieval Using Parallel Distributed Computation. May 1984. 8407. David E. Rumelhart and David Zipser. Feature Discovery by Competitive Learning. July 1984. Also published in Cognitive Science, 9, 75-112, 1985. 8408. David Zipser. A Theoretical Model of Hippocampal Learning During Classical Conditioning. December 1984. 8501. Ronald J. Williams. Feature Disce ery Through Error-Correction Learning. May 1985. 8502. Ronald J. Williams. Inference of Spatial Relations by Self-Organizing Networks. May 1985. 8503. Edwin L. Hutchins, James D. Hollan, and Donald A. Norman. Direct Manipulation Interfaces. May 1985. To be published in D. A. Norman & S. W. Draper (Eds.), User

Erlbaum.

8504. Mary S. Rilcy. User Understanding. May 1985. To be published in D. A. Norman & S. W. Draper (Eds.), User Centered System Design: New Perspectives in Human-Computer Interaction. Hillsdale, NJ: Erlbaum.

Centered System Design: New Perspectives in Human-Computer Interaction. Hillsdale, NJ:

Human-Computer Interaction, Amsterdam: North-Holland, 1984; Norman, D.A., & Draper,

8505. Liam J. Bannon. Extending the Design Boundaries of Human-Computer Interaction. May 1985.

8506. David E. Rumelhart, Geoffrey E. Hinton, and Ronald J. Williams. Learning Internal Representations by Error Propagation. September 1985. To be published in D. E. Rumelhart & J. L. McClelland (Eds.), Parallel Distributed Processing: Explorations in the Microstructure of Cognition: Vol. 1. Foundations. Cambridge, MA: Bradford Books/MIT Press.

8507. David E. Rumelhart and James L. McClelland. On Learning the Past Tense of English Verbs. October 1985. To be published in D. E. Rumclhart & J. L. McClelland (Eds.), Parallel Distributed Processing: Explorations in the Microstructure of Cognition: Vol. 2. Psychological and Biological Models. Cambridge, MA: Bradford Books/MIT Press.

Earlier Reports by People in the Cognitive Science Lab

The following is a list of publications by people in the Cognitive Science Lab and the Institute for Cognitive Science. For reprints, write or call:

Institute for Cognitive Science, C-015 University of California, San Diego La Jolla, CA 92093 (619) 452-6771

- ONR-8001. Donald R. Gentner, Jonathan Grudin, and Eileen Conway. Finger Movements in Transcription Typing. May 1980.
- ONR-8002. James L. McClelland and David E. Rumelhart. An Interactive Activation Model of the Effect of Context in Perception: Part I. May 1980. Also published in Psychological Review, 88,5, pp. 375-401, 1981.
- ONR-8003. David E. Rumelhart and James L. McClelland. An Interactive Activation Model of the Effect of Context in Perception: Part II. July 1980. Also published in Psychological Review, 89, 1, pp. 60-94, 1982.
- ONR-8004. Donald A. Norman. Errors in Human Performance. August 1980.
- ONR-8005. David E. Rumelhart and Donald A. Norman. Analogical Processes in Learning. September 1980. Also published in J. R. Anderson (Ed.), Cognitive skills and their acquisition. Hillsdale, NJ: Erlbaum, 1981.
- ONR-8006. Donald A. Norman and Tim Shallice. Attention to Action: Willed and Automatic Control of Behavior. December 1980.
- ONR-8101. David E. Rumelhart. Understanding Understanding. January 1981.
- ONR-8102. David E. Rumchart and Donald A. Norman. Simulating a Skilled Typist: A Study of Skilled Cognitive-Motor Performance. May 1981. Also published in Cognitive Science, 6, pp. 1-36, 1982.
- ONR-8103. Donald R. Gentner. Skilled Finger Movements in Typing. July 1981.
- ONR-8104. Michael I. Jordan. The Timing of Endpoints in Movement. November 1981.
- ONR-8105. Gary Perlman. Two Papers in Cognitive Engineering: The Design of an Interface to a Programming System and MENUNIX: A Menu-Based Interface to UNIX (User Manual). November 1981. Also published in Proceedings of the 1982 USENIX Conference, San Diego, CA, 1982.
- ONR-8106. Donald A. Norman and Diane Fisher. Why Alphabetic Keyboards Are Not Easy to Use: Keyboard Layout Doesn't Much Matter. November 1981. Also published in Human Factors, 24, pp. 509-515, 1982.
- ONR-8107. Donald R. Gentner. Evidence Against a Central Control Model of Timing in Typing. December 1981. Also published in Journal of Experimental Psychology: Human Perception and Performance, 8, pp. 793-810, 1982.

- ONR-8202. Jonathan T. Grudin. Central Control of Timing in Skilled Typing. February 1982.
- ONR-8203. Amy Geoffroy and Donald A. Norman. Ease of Tapping the Fingers in a Sequence Depends on the Mental Encoding. March 1982.
- ONR-8204. LNR Research Group. Studies of Typing from the LNR Research Group: The role of context, differences in skill level, errors, hand movements, and a computer simulation. May 1982. Also published in W. E. Cooper (Ed.), Cognitive aspects of skilled typewriting. New York: Springer-Verlag, 1983.
- ONR-8205. Donald A. Norman. Five Papers on Human-Machine Interaction. May 1982. Also published individually as follows: Some observations on mental models, in D. Gentner and A. Stevens (Eds.), Mental models, Hillsdale, NJ: Erlbaum, 1983; A psychologist views human processing: Human errors and other phenomena suggest processing mechanisms, in Proceedings of the International Joint Conference on Artificial Intelligence, Vancouver, 1981; Steps toward a cognitive engineering: Design rules based on analyses of human error, in Proceedings of the Conference on Human Factors in Computer Systems, Gaithersburg, MD, 1982; The trouble with UNIX, in Datamation, 27,12, November 1981, pp. 139-150; The trouble with networks, in Datamation, January 1982, pp. 188-192.
- ONR-8206. Naomi Miyake. Constructive Interaction. June 1982.
- ONR-8207. Donald R. Gentner. The Development of Typewriting Skill. September 1982. Also published as Acquisition of typewriting skill, in Acta Psychologica, 54, pp. 233-248, 1983.
- ONR-8208. Gary Perlman. Natural Artificial Languages: Low-Level Processes. December 1982. Also published in The International Journal of Man-Machine Studies, 20, pp. 373-419, 1984.
- ONR-8301. Michael C. Mozer. Letter Migration in Word Perception. April 1983. Also published in Journal of Experimental Psychology: Human Perception and Performance, 9, 4, pp. 531-546, 1983.
- ONR-8302. David E. Rumchhart and Donald A. Norman. Representation in Memory. June 1983. To appear in R. C. Atkinson, G. Lindzey, & R. D. Luce (Eds.), Handbook of experimental psychology. New York: Wiley (in press).

UCSD/Rumelhart

Dr. Lynn A. Cooper Learning R&D Center Dhiversity of Pittsburgh 3393 O'Hara Street Pittsburgh, PA 15213

CAPT P. Michael Curran Office of Naval Research BOO M. Quincy St. Code 125 Arlington, VA 22217-5000

Bryan Dallman AFHRL/LRT Lowry AFB, CO 80230

Dr. Joel Davis Office of Naval Research Code 1141NP 830 North Quincy Street Arlington, VA 22217-5000 Dr. Natalie Dehn Cepartment of Computer and Information Science University of Oregon Eugene, OR 97403 Dr. R. K. Dismukes Associate Director for Life Sciences AFOSR

Bolling AFB Washington, DC 20332

Dr. Emanuel Donchin University of Illinois Department of Psychology Champaign, IL 61820

Defense Technical Information Center Cameron Station, Bidg 5 Alexandria, VA 22314 Attn: TC (12 Copies)

Dr. Ford Ebner Brown University Anatomy Department Medical School Providence, RI 02912

Edward E. Eddowes CNATRA N301 Naval Air Station Corpus Christi, TX 78419 Dr. Jeffrey Elman University of California, San Diego Department of Lingulatics, C-008 La Jolla, CA 92093

Dr. Randy Engle Department of Psychology University of South Carolina Columbia, SC 29208 Dr. William Epstein University of Misconsin W. J. Brogden Psychology Bidg. 1202 M. Jöhnson Street Madison, WI 53706

ERIC Facility-Acquisitions 4833 Rugby Avenue Bethesda, MD 20014

Dr. K. Anders Ericsson University of Colorado Department of Psychology Boulder, CO 80309 Dr. W. E. Evans Hubbs Sea World Institute 1720 S. Shores Rd. Mission Bay San Diego, CA 92109

Dr. Marshall J. Farr 2520 North Vernon Street Arlington, VA 22207

Dr. Pat Federico Code 511 NPRDC San Diego, CA 92152 Dr. Jerome A. Feldman University of Rochester Computer Science Department Rochester, NY 14627

Dr. Paul Feltovich Southern Illinois University School of Mactions

Center for Human

Dr. Don Gentne'

School of Medicine Medical Education Department P.O. Box 3926 Springfield, IL 62708

Dr. Craig I. Fields ARPA

1400 Wilson Blvd. Arlington, VA 22209 Dr. Dexter Fletcher

University of Oregon Computer Science Department Eugene, OR 97403

Dr. Kenneth D. Forbus University of Illinois Department of Computer Science 1304 West Springlield Avenue Urbana, IL 61801

Dr. John R. Frederiksen Bolt Beranek & Neuman 50 Moulton Street Cambridge, MA 02138 Dr. Michaela Gallagher University of North Carolina Department of Psychology Chapel Hill, NC 27514

Dr. R. Edward Geiselman Department of Psychology University of California Los Angeles, CA 90024 Dr. Michael Genesereth Stanford University Computer Science Department Stanford, CA 94305

Dr. Dedre Gentner University of Illinois Department of Psychology 603 E. Daniel St. Champaign, IL 61820

UCSD/Rumelhart

1985/10/31

Information Processing University of California La Jolla, CA 92093 Dr. Robert Glaser Learning Research University of Pittsburgh 3939 O'Hara Street Pittsburgh, PA 15260

Dr. Gene L. Gloye Office of Maval Research Detachment 1030 E. Greet Pasadena, CA 91106-2485 Dr. Sam Glucksberg Princeton University Department of Psychology Green Hall Princeton, NJ 08540 Dr. Daniel Gopher Industrial Engineering & Management TECHNION TECHNION ISRAEL

Dr. Sherrie Gott AFHRL/MODJ Brooks AFB, TX 78235 Jordan Grafman, Ph.D. Department of Clinical Investigation Malter Reed Army Wedical Center 6825 Georgia Ave., N. W. Washington, DC 20307-5001 Dr. Richard H. Granger Department of Computer Science University of California, Irvine Irvine, CA 92717

Dr. Wayne Gray Army Research Institute 5001 Eisenbwer Avenue Alexandria, VA 22333

UCSD/Rumelhart

Dr. Phillip L. Ackerman University of Minnesota Department of Psychology Minneapolis, MW 55455

Life Sciences Directorate Bolling Air Force Base Washington, DC 20332 AFOSR.

Human Factors Laboratory Orlando, FL 32813 Dr. Robert Ahlers NA VTRAEQUIPCEN Code N711

Navy Personnel R&D Center San Diego, CA 92152 Dr. Ed Alken

Dr. Earl A. Alluisi HQ. AFHRL (AFSC) Brooks AFB, TX 78235

Center for Neural Science Providence, RI 02912 Dr. James Anderson Brown University

Dr. John R. Anderson Department of Psychology Carnegie-Mellon University Pittsburgh, PA 15213

Department of Psychology University of Maryland College Park, MD 20742 Dr. Nancy S. Anderson

woodland Hills, CA 91367-3713 Perceptronics, Inc. Dr. Steve Andriole 21111 Erwin Street

Technical Director, ARI 5001 Eisenhower Avenue Alexandria, VA 22333

Dr. Alan Baddeley Medical Research Council Applied Psychology Unit Cambridge CB2 2EF 15 Chaucer Road ENGLAND

University of Colorado Department of Psychology Dr. Patricia Baggett Box 345 Boulder, CO 80309

Department of Psychology University of California Los Angeles, CA 90024 Dr. Jackson Beatty

Dr. Isaac Bejar Educational Testing Serv<u>i</u>ce Princeton, NJ 08450

Dr. Gautam Biswas Department of Computer Science University of South Carolina Columbia, SC 29208

Naval Blodynamics Laboratory New Orleans, LA 70189 Dr. Alvah Bittner

Waval Training Equipment Center Arthur S. Blaiwes Drlando, FL 32813 Code N711

University of Chicago Department of Education Dr. R. Darrell Bock Chicago, IL 60637

Department of Psychology Stanford University Stanford, CA 94306 Dr. Gordon H. Bower

Code N-C95R NAVTRAEQUIPCEN Orlando, FL 32813 Dr. Robert Breaux

Dr. John S. Browm XEROX Palo Alto Research 3333 Coyote Road Palo Alto, CA 94304 Center

Computer Science Department Stanford University Stanford, CA 94305 Dr. Bruce Buchanan

Carnegie-Mellon University Department of Psychology Pittsburgh, PA 15213 Dr. Jaime Carbonell

Dr. Gall Carpenter Northeastern University Department of Mathematics, 504LA 360 Huntington Avenue Boston, MA 02115

Carnegie-Mellon University Department of Psychology Pittsburgh, PA 15213 Dr. Pat Carpenter

College of Arts and Sciences Catholic University of Chair, Department of Psychology

Washington, DC 20064 America

Carnegie-Mellon University Dr. Davida Charney Department of Psychology Pittsburgh, PA 15213 Schenley Park

Brown University Computer Science Department Providence, RI 02912 Dr. Eugene Charniak

Dr. Michelene Chi Learning R & D Center University of Pittsburgh 3339 O'Hama Street Pittsburgh, PA 15213

UCSE/Rumelhart

1985/10/31

1

Mr. Raymond E. Christal Brooks AFB, TX 78235 AFHRL/MOE

Computer Science Department Stanford University Dr. William Clancey Stanford, CA 94306

Department of Psychology University of South Carolina Columbia, SC 29208 Dr. David E. Clement

Liaison Office Air Force Human Resource Laboratory Operations Training Division Williams AFB, A2 85224 Chief of Naval Education and Training

for Research. Development. Test, and Evaluation Naval Education and Training Command (N-5) Assistant Chief of Staff

University of Illinois Department of Psychology NAS Pensacola, FL 32508 Dr. Michael Coles

Dr. Allan M. Collins Bolt Beranek & Newman, Inc. Champaign, IL 61820

Dr. Stanley Collyer Office of Naval Technology 50 Moulton Street Cambridge, MA 02138

Code 222 800 N. Quíncy Street Arlington, VA 22217-5000

Center for Neural Science Providence, RI 02912 Brown University Dr. Leon Cooper
































1

.

-

UCSD/Rumelhart

Dr. James G. Greeno University of California Berkeley, CA 94720 Dr. William Greenough University of Illinois Department of Psychology 61820 Champaign, IL Dr. Stephen Grossberg Center for Adaptive Systems 111 Cummington Street Boston University 300B 244

University of North Carolina Department of Biostatistics Chapel Hill, NC 27514 Dr. Muhammad K. Habib

02215

Boston, MA

Dr. Henry M. Halff Halff Resources, Inc. 4918 33rd Road, Worth Arlington, VA 22207

Dr. Cheryl Hamel NTEC

Orlando, FL 32813

National Science Foundation Scientific and Engineering Personnel and Education Dr. Ray Hannapel

Washington, DC 20550

Editor, The Behavioral and Brain Sciences 20 Nassau Street, Suite 240 Stevan Harnad

Computer Science Department Carnegie-Mellon University Princeton, NJ 08540 Dr. Geoffrey Hinton

15213

Pittsburgh, PA

Cognitive Science (C-015) Intelligent Systems Group Dr. Jim Hollan Institute for

La Jolla, CA 92093 UCSD

University of Michigan 2313 East Engineering Ann Arbor, MI 48109 Dr. John Holland

Behavioral and Social Sciences Army Research Institute for the 5001 Eisenhower Avenue Alexandria, VA 22333 Dr. Melissa Holland

Human Performance Center University of Michigan 48109 Dr. Keith Holyoak 330 Packard Road Ann Arbor, MI 4

Department of Psychology University of Mashington Seattle, WA 98105 Dr. Earl Hunt

Cognitive Science (C-015) Dr. Ed Hutchins Intelligent Systems Group Institute for La Jolla, CA 92093 ucsp

Dr. Alice Isen Department of Psychology University of Maryland Catonsville, MD 21228

Department of Psychology University of South Carolina Dr. Robert Jannarone Columbia, SC 29208

COL Dennis W. Jarvi Commander AFHRL

Brooks AFB, TX 78235~5601

Computer Research Center Hewlett-Packard Laboratories 1501 Page Mill Road Palo Aito, CA 94304 Dr. Robin Jeffries

The Johns Hopkins University Chair, Department of Psychology

Dr. Marcel Just Carnegie-Mellon University 21218 Baltimore, MD

Department of Psychology Pittsburgh. PA 15213 Schenley Park

Dr. Daniel Kahneman The University of British Columbia Department of Psychology Vancouver, British Columbia CANADA V6T 1Y7 #154-2053 Main Mall

Grumman Aerospace Corporation MS CO4-14 Bethpage, NY 11714 Dr. Demetrios Karls

Dr. Milton S. Katz Army Research Institute 5001 Elsenhower Avenue Alexandria, VA 22333

Department of Psychology University of Oregon Eugene, OR 97403 Dr. Steven W. Keele

Haskins Laboratories. 270 Crown Street New Haven, CT 06510 Dr. Scott Kelso

Dr. Dennis Kibler University of California Department of Information and Computer Science Irvine, CA 92717

College of Engineering 1223 E. Engineering Building Ann Arbor, MI 48109 University of Michigan Technical Communication Dr. David Kieras

1985/10/31

UCSD/Rumelhart

Dr. David Klahr Carnegie-Mellon University Department of Psychology Pittsburgh, PA 15213 Dr. Mazie Knerr Schenley Park

Training Research Division HumRRO Alexandria, VA 22314 1100 S. Washington Program Manager

1236 William James Hall Cambridge, MA 02138 Dr. Stephen Kosslyn Harvard University 33 Kirkland St

Department of Paychology Community College of Dr. Kenneth Kotovsky 800 Allegheny Avenue Pittsburgh, PA 15233 Allegheny County

Dr. David H. Krantz 2 Washington Square Village Apt. # 15J New York, NY 10012

University of Texas at Austin Department of Computer Sciences T.S. Painter Hall 3.28 Austin, Texas 78712 Dr. Benjamin Kuipers

Naval Ocean Systems Center Code 441T 271 Catalina Boulevard Dr. David R. Lambert

San Diego, CA 92152 Dr. Pat Langley

University of California Department of Information and Computer Science Irvine, CA 92717

























UCSD/Rumelhart

1985/10/31

UCSD/Rumelhart

Dr. Marcy Lansman University of North Carolina The L. L. Thurstone Lab. Davie Hall 013A Chapel Hill, MC 27514

Dr. Jill Larkin Carnegie-Mellon University Department of Psychology Pittsturgh, PA 15213

Dr. Robert Lawler Information Sciences, FRL GTE Laboratories, Inc. 40 Sylvan Road Waltham, MA 02254

Dr. Paul E. Lehner PAR Technology Corp. 7326 Jones Branch Drive Suite 170

McLean, VA 22102

Dr. Alan M. Lesgold Learning R&D Center University of Pittsburgh Pittsburgh, PA 15260 Dr. Alan Leshner Deputy Division Director Behavioral and Neural Sciences Stational Science Foundation 1800 G Street Washington, DC 20550

Dr. Jim Levin University of California Laboratory for Comparative Human Cognition D0034

La Jolla, CA 92093 Dr. Michael Levine Educational Psychology

210 Education Bidg. University of Illinois Champaign, IL 61801 Dr. Clayton Lewis

Dr. Clayton Lewis University of Colorado Department of Computer Science Campus Box 430 Boulder, CO 80309

Dr. Bob Lloyd Dept. of Geography University of South Carolina Columbia, SC 29208 Dr. Gary Lynch University of California Center for the Neurobiology of Learning and Memory Irvine, CA 92717

Dr. Don Lyon P. O. Box 44 Higley, AZ 85236 Dr. William L. Maloy Chief of Naval Education and Training Naval Air Station Pensacola, FL 32508 Dr. Sandra P. Marshall Dept. of Psychology San Diego State University San Diego, CA 92182

Dr. Manton M. Matthews Department of Computer Science University of South Carolina Columbia, SC 29208

Dr. Richard E. Mayer Department of Psychology University of California Santa Barbara, CA 93106 Dr. James McBride Psychological Corporation </ A marcourt, Brace, Javanovich Inc. 1250 West 6th Street San Diego, CA 92101 Dr. Jay McClelland Department of Psychology Carnegie-Mellon University Pittsburgh, PA 15213 Dr. James L. McGaugh Center for the Neurobiology Un Conterning and Memory University of California, Irvine Irvine, CA 92717

Dr. Joe McLachlan Navy Personnel R&D Center San Diego, CA 92152

San Diego, CA 92152 Dr. James McMichael Assistant for MPT Resear

Assistant for MPT Research, Development, and Studies NAVOP 0187 Washington, DC 20370 Dr. Arthur Melmed U. S. Department of Education 724 Brown Washington, DC 20208

Dr. Al Meyrowitz Office of Naval Research Code 113 800 N. Quincy Arlington, VA 22217-5000 Dr. George A. Miller Department of Psychology Green Hall Princeton UN v6540 Dr. Andrew R. Molnør Scientific and Engineering Personnel and Education National Science Foundation

Dr. William Montague NPFDC Code 13 San Diego, CA 92152

Washington, DC 20550

Dr. Tom Moran Xerox PARC 3333 Coyote Hill Road Palo Alto, CA 94304 Dr. Allen Munro Behavioral Technology Laboratories - USC 1845 S. Elena Ave., 4th Floor Redondo Beach, CA 90277 Dr. David Navon Institute for Cognitive Science University of California La Jolla, CA 92093

Dr. Allen Newell Department of Psychology Carnegte-Heilon University Schenley Parko Pittsburgh, PA 15213

Pittsburgh, PA 15213 Dr. Donuld A. Norman Institute for Cognitive Science University of California La Jolla, CA 92093

Director, Training Laboratory, NPRDC (Code 05)

San Diego, CA 92152 Director, Manpower and Personnel

Laboratory. NPRDC (Code 06) San Diego, CA 92152 Director, Human Factors & Organizational Systems Lab, NPRDC (Code 07)

San Diego, CA 92152 Fleet Support Office.

NPRDC (Code 301) San Diego, CA 92152

Library, NPRDC Code P201L San Diego, CA 92152 · Commanding Officer, Naval Research Laboratory Code 2627

Code 2627 Washington, DC 20390 Dr. Harry F. O'Neil, Jr. University of Southern California School of Education -- WPH 801 Det. of Educational Psychology and Technology Los Angeles, CA 90089-0031

Dr. Stellan Ohlsson Learning R & D Center University of Pittsburgh 3339 O'Hara Street Pittsburgh, PA 15213

ONR DISTRIBUTION LIST



UCSD/Rumelhart

1985/10/31

Director, Technology Programs, Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000 Code 12

Director, Research Programs, Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

Mathematics Group, Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000 Code 1111MA

Office of Naval Research, 800 N. Quincy Street Arlington, VA 22217-5000 Code 1133

Office of Naval Research, Code 1141NP 800 N. Quincy Street Arlington, VA 22217-5000 Office of Naval Research, 800 N. Quincy St. Arlington, VA 22217-5000 Code 1142

800 N. Quincy Street Arlington, VA 22217-5000 Office of Naval Research, Code 1142EP

Office of Naval Research, Code 1142PT 800 N. Ouincy Street Arlington, VA 22217-5000 (6 Copies)

Office of Naval Research Branch Office, London Psychologist

Box 39 FPO New York, NY 09510

Special Assistant for Marine 800 N. Quincy St. Arlington, VA 22217-5000 Corps Matters, OKR Code DOMC

Office of Naval Research Liaison Office, Far East APO San Francisco, CA 96503 **Psychologist**

Dr. Judith Orasanu Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333

Dr. Jesse Orlansky Institute for Defense Analyses 1801 N. Beauregard St. Alexandria, VA 22311

Code 52 - Training Systems Navy Personnel R&D Center San Diego, CA 92152 Daira Paulson

Lt. Col. (Dr.) David Payne Brooks AFB, TX 78235 AFHRL

University of California, Department of Psychology Santa Barbara, CA 93106 Dr. James W. Pellegrino Santa Barbara

5001 Eisenhower Avenue Alexandria, VA 2233 Dr. Ray Perez ARI (PERI-II)

Department of Computer Science. Naval Postgraduate School Monterey. CA 93940

Department of Psychology Cambridge, MA 02139 Dr. Steven Pinker E10-018

Dr. Martha Polson Department of Psychology Campus Box 346 University of Colorado Boulder, CO 80309

Dr. Peter Polson University of Colorado Department of Psychology Boulder, CO 80309

University of Oregon Department of Psychology Eugene, OR 97403 Dr. Mike Posner

Stanford University Department of Psychology Bidg. 4201 -- Jordan Hall Stanford, CA 9u305 Dr. Karl Pribram

Army Research Institute 5001 Eisenhower Ave. Alexandria, VA 22333 Dr. Joseph Psotka ATTN: PERI-1C

Department of Psychology Carnegie-Mellon University Pittsburgh, PA 15213 Dr. Lynne Reder Schenley Park

Department of Neurology University of Maryland School of Medicine 22 South Greene Street Baltimore, MD 21201 Dr. James A. Reggia

Dr. Ernst Z. Rothkopf AT&T Bell Laboratories Room 2D-456 600 Mountain Avenue Murray Hill, NJ 07974

Georgia Institute of Technology School of Industrial & Systems Dr. William B. Rouse Engineering Atlanta, GA 30332

UCSD/Rumelhart

Science Center, Room 608 Statistics Department 1 Oxford Street Harvard University Dr. Donald Rubin

Cambridge, MA C2138

Information Processing Dr. David Rumelhart Univ. of California Center for Human

Haskins Leboratories Dr. E. L. Saltzman La Jolla, CA 92093

New Haven, CT 06510 Dr. Fumiko Samejima 270 Crown Street

Department of Psychology University of Tennessee Knoxville, TN 37916 Yale University Department of Psychology Dr. Arthur Samuel

Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333 New Haven, CT 06520 Dr. Robert Sasmor

Sox 114, Yale Station

Learning RiD Center University of Pittsburgh 3939 O'Hara Street 15260 Pittsburgh, PA

Dr. Walter Schneider

Learning R&D Center University of Pittsburgh Pittsburgh, PA 15260 Dr. Janet Schofield

1200 19th Street N.W. Washington, DC 20208 Dr. Judith Segal Room 819F

15/01/535

UCSD/Rumelhart

Dr. Robert J. Seidel US Army Research Institute 5001 Eisenhower Ave. Alexandria, VA 22333 Dr. Sylvia A. S. Shafto National Institute of Education 1200 19th Street Mail Scop 1806 Washington, DC 20208 Dr. T. B. Sheridan Dept. of Mechanical Engineering wit

Cambridge, MA 02139

Dr. Herbert A. Simon Department of Psychology Carnegie-Mellon University

Dr. Richard E. Snow Department of Psychology Stanford University Stanford, CA 94306

Pittsburgh, PA 15213

Schenley Park

Dr. Kathryn T. Spoehr Brown University Department of Psychology Providence, RI 02912 Dr. Ted Steinke Dept. of Geography University of South Carolina Columbia, SC 29208

Dr. Saul Sternberg University of Pennsylvania Department of Psychology 3315 Walnut Street Philadelphia, PA 19104 Dr. Albert Stevens Bolt Beranek & Newman, Inc. 10 Moulton St. Cambridge, MA 02238

Dr. Paul J. Sticha Senior Staff Scientist Training Research Division HumRO 1100 S. Washington Alexandria, VA 22314 Dr. Patrick Suppes Stanford University Institute for Hathematical Studies in the Social Sciences Stanford, CA 94305

Dr. John Tangney AFOSR/NL

Bolling AFB, DC 20332 Dr. Richard F. Thompson Stanford University

Department of Psychology Bidg. 4201 -- Jordan Hall Starford, CA 94305 Chair Denartment of

Chair, Department of Computer Science Towson State University Towson, MD 21204

Dr. Michael T. Turvey Haskins Laboratories 270 Crown Street New Haven, CT 06510

Dr. Amos Tversky Stanford University Dept. of Psychology Stanford, CA 94305 Dr. James Tweeddale Technical Director Navy Personnel R&D Center San Diego, CA 92152 Headquarters, U. S. Marine Corps Code MPI-20 Washington, DC 20380

Dr. William Uttal NOSC, Hawail Lab Box 997 Kailua, HI 96734

Dr. Kurt Van Lehn Xrox FARC 3333 Coyote H111 Road Palo, Alto, CA 94304

Lowry AFB, CO 80230

Dr. Joe Yasatuke AFHRL/LRT

> Dr. Edward Wegman Office of Naval Research Code 111 800 Morth Quincy Street Arlington, VA 22217-5000

Dr. Shih-Sung Wen Jackson State University 1325 J. R. Lynch Street

39217

Jackson, MS

Dr. Keith T. Wescourt FMC Corporation Contral Engineering Labs 1185 Coleman Ave., Box 580 Santa Clara, CA 95052

Dr. Douglas Wetzel Code 12 Navy Personnel R&D Center San Diego, CA 92152 Dr. Barry Whitsel University of North Carolina Department of Physiology Medical School Chapel Hill, NC 27514

Dr. Christopher Wickens Department of Psychology University of Illinois Champaign, IL 61820 Dr. Robert A. Wisher U.S. Army Institute for the Behavioral and Social Sciences Del Eisenhower Avenue Alexandria, VA 2233

Dr. Martin F. Wiskoff Navy Personnel R & D Center San Diego, CA 92152

Dr. Donald Woodward Office of Naval Research Code 1141NP 800 North Quincy Street Arlington, VA 22217-5000

UCSD/Rumelhart

1985/10/31

Dr. Masoud Yazdani Dept. of Computer Science University of Exeter Exeter Ex4 4QL Devon, ENGLAND Mr. Carl York System Development Foundatio

System Development Foundation 181 Lytton Avenue Suite 210 Palo Alto, CA 94301

Dr. Joseph L. Young Memory & Cognitive Processes National Science Foundati

National Science Foundation Washington, DC 20550 Dr. Steven Zornetzer Office of Naval Research Code 1140

Code 1140 800 N. Quincy St. Arlington, VA 22217-5000

Dr. Michael J. Zyda Naval Postgraduate School Code 52CK Monterey, CA 93943

ONR DISTRIBUTION LIST



END

3-86

DTIC