
ND-A167 178

PERCENT ERRORS IN THE ESTIMATION OF DEMAND FOR SECONDARY ITEMS(U) ARMY ARMHENT HUNITIONS AND CHEMICAL COMMAND ROCK ISLAND IL A. G B ROBINSON NOV 85

UNCLASSIFIED AMSNC-RDA-TN-8582 SBI-AD-E788 824

F/G 15/5 NL



MICROCOP'

CHART



AD-A167 178



## PERCENT ERRORS IN THE ESTIMATION OF DEMAND FOR SECONDARY ITEMS

NTIC FILE COPY

George Robinson AMSMC-SAL November 1985

### SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION	PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESS	SION NO.	3. RECIPIENT'S CATALOG NUMBER
RDA-TN-8502	AD-ALL	1178	
4. TITLE (and Subtitio)			5. TYPE OF REPORT & PERIOD COVERED
Percent Errors in the Estimation o	f Demand fo	r	
Secondary Items		L	Technical Note
		1	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)	<del></del>		RDA-TN-8502 CONTRACT OR GRANT NUMBER()
George B. Robinson		1	e. Con inaci un unani numunany
George II. Mornson			
<ol> <li>PERFORMING ORGANIZATION NAME AND ADDRESS         US Army Armament Munitions and Che         ATTN: AMSMC-SAL</li> </ol>		ind	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Rock Island, IL 61299-6000		1	
11. CONTROLLING OFFICE NAME AND ADDRESS	<del></del>		12. REPORT DATE
			November 1985
			13. NUMBER OF PAGES
TA	: Controlling	349.50)	58 15. SECURITY CLASS. (of this report)
14. MONITORING AGENCY NAME & ADDRESS(II different	I from Controlling	· · · · · ·	•
		- 1	Unclassified
			15a, DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)			
Approved for Public Release; Distr	ibution Unl	limited	l
•••			
17. DISTRIBUTION STATEMENT (of the abetract entered	i- Block 20, if dif	farent from	Dancel
17. DISTRIBUTION STATEMENT (or the avenue: Chiefe	IN BIOCK 2V,	191901 1. v	Report)
		<u></u> -	
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary an	d identify by bloci	r number)	
Percent Errors Average Monthly De		ares	
Estimation Wholesale Level	_	mmodity	Command Standard System
Forecasting Logistics	•	(CCSS)	
Supply Secondary Items			
Demand Spare Parts			
20. ABSTRACT (Continue on reverse side if necessary and			
AMC subordinate commands use the Co			
help manage secondary items. Perce	ent errors	in the	estimation of demand are
used by CCSS to compute economic or Because the percent errors had not	heer quantit	ties at	AMCCOM this at wiv
computed percent errors had not	deen verii	M demar	nd and return data. The
percent errors found were roughly t			
It was recommended that the current	en percent ei	rrors l	ne retained and that
a limited number of serviceable ret			

DU 1 JAN 73 14/5 EDITION OF 1 NOV 68 IS OBSOLETE

UNCLASSIFIED

READ INSTRUCTIONS

### **ACKNOWLEDGEMENTS**

Significant guidance was received from Mr. Gordy Lergom of the AMCCOM Materiel Management Directorate Messis. Ed Gotwals and Alan Kaplan of the Inventory Research Office.

CONTROL CONTRO

_	Ananion	For	1	7	
1	Accesion		4	1	
١	NTIS C		Ö		
١	Unanno			1	
1	Justifica	tion		=	
1	Ву	_			
	Distribu	tion /			
	A	vailability Co	odes		
	Dist	Avail and/ Special	or	- 1	
		)			
	1A-1			1	
	<u> </u>	<u></u>		<del></del>	
				QL	ALITY
				\\	3
				_	

### **SUMMARY**

Percent errors in the estimation of demand are used in the Commodity Command Standard System (CCSS) Economic Order Quantity/Variable Safety Level (EOQ/VSL) computations. The percent error is the average unsigned percentage difference between the estimated item demand and the actual demand. CCSS uses different percent errors for different demand levels and different item annual costs. These percent errors had never been verified at AMCCOM since the inception of CCSS during the 1970s.

Two related CCSS parameters also had never been verified:

- 1. The percentage of serviceable returned items used to offset demand, currently 20 percent.
- 2. The annual value of item demand used to classify items as low value or high value, currently \$200 per year.

The following data were used to develop the percent errors in the estimation of demand:

- 1. Demand Return Disposal (DRD) transactions for the years 1979-1983.
- 2. National Item Identification Number (NIIN) changes.
- 3. The NIINs and other data for managed, non-ammunition items in CCSS.

The following method was used:

- 1. For each vearly file of DRD transactions the transaction count, quantity, and dollar value for each item were accumulated. Disposals, unserviceable returns, and the following demands were omitted:
  - a. Non-recurring.
  - b. One-time.
  - c. Foreign military sales.
  - d. Depot overhaul.
  - e. Zero quantity.
- ?. After item NIINs were updated, the only items retained were those which met all six of the following criteria:

- a. Managed.
- b. Non-ammunition.
- c. Non-provisioning.
- d. Either Procurement Appropriation Secondary (PAS) or Army Stock Fund (ASF).
- e. Normally stocked, stored, and issued.
- f. Had nonzero demand in the first year of the study.
- 3. For each item, two years of demand history were used to predict the percent error for the following year. Percent errors were computed by comparing 1981-82 average demand level with 1983 net demand, i.e. demand less serviceable returns. Similarly 1980-81 was used to predict 1982, and 1979-80 to predict 1981.
- 4. Percent errors were accumulated by number of requisitions and yearly dollar value, and were adjusted to nine-month percent errors to accommodate CCSS.

### Results and conclusions are as follows:

- 1. The computed percent errors were roughly ten percent higher than those in CCSS.
- 2. The current CCSS percent errors fit the observed distributions more closely than the computed percent errors did.
- 3. The expected number of requisitions generally exceeded the number observed in the past.
- 4. When serviceable returns were used to offset demands, the percent errors became larger.
- 5. When the low/high value breakpoint was increased from \$200 to \$500 or to \$1,000, the percent errors changed very little, but the items became somewhat more equally divided between the low and high value classes.
- 6. By adjusting the means and the percent errors, better fits to the observed distributions were obtained.

### It is recommended:

1. That the CCSS percent errors not be changed at present.

- 2. That serviceable returns not be used to offset demands.
- 3. That CCSS be revised to adjust the means before using the percent errors to compute the demand distribution.

If it appears feasible to revise CCSS to adjust the means, then it is recommended:

- 1. That the proposed breakpoint between low and high dollar value items be increased from \$200 to some value between \$500 and \$1,000 per year.
- 2. That percent errors and factors to adjust the means be recomputed using the new breakpoint and the program change factors.
- 3. That the costs and benefits of adjusting the means and changing the percent errors be evaluated.

### TABLE OF CONTENTS

Summary	i
Introduction	1
Dat a	2
Met hod	3
Results	6
Conclusions	8
kecommendations	9
Distribution List	10
Appendix A Percent Errors for All Years	A-1
Appendix B Using Serviceable Returns to Offset Demands-Preliminary	B-1
Appendix C Percent Errors for Different Breakpoints	C-1
Appendix D Items With Percent Errors Exceeding 1000 Percent	D-1
Appendix E Histograms of Percent Errors	E-1
Appendix F The Negative Binomial Distribution	F-1
Appendix G Expected and Actual Mean	G-1
Appendix H Expected and Actual Standard Deviation	H-1
Appendix I Obtaining Closer Fits to the Demand Distributions	1-1
Appendix J Using Serviceable Returns to Offset Demands-Final	J-1

### INTRODUCTION

The Commodity Command Standard System (CCSS) is a computerized system that AMCCOM and other US Army commands use for material management. CCSS processes requisitions, keeps track of current items, records demand, return and disposal transactions, and determines reorder points, reorder quantities, and whether items should be stocked or ordered as needed.

The percent error is defined as the average unsigned percentage difference between the estimated item demand for a nine-month time span and the actual item demand for the nine months. For example, if the estimated demand is 100 and the actual demand is either 180 or 20, the percent error is 80 percent. Percent errors are provided by CCSS for seven levels of item annual demand and two levels of item annual total dollar value,  $\leq 200.00$  and  $\leq 200.00$ . This methodology was developed by the US Army Inventory Research Office (IRO).

CONTRACT PROPERTY ACCORDING BOTTLESS CAMPARES SERVICES INC.

Percent errors in the estimation of demand are used in CCSS Economic Order Quantity/Variable Safety Level (EOQ/VSL) computations. The economic order quantity is the order quantity which is the least expensive in the long run. The variable safety level is the excess inventory carried to meet demand in excess of the estimates. CCSS EOQ/VSL computations use two years of demand history, the percent errors, and the program change factor (PCF) to predict item demand during the procurement leadtime (PROLT) for the item. The PCF accounts for the expected change in usage caused by changes in the type and number of weapon systems that use the item.

When this study was performed, CCSS did the EOQ/VSL computations only for nonprovisioning (old) items. (Currently, CCSS does the EOQ/VSL computations for provisioning items as well.) Provisioning items are denoted by a "4" in the third position of the Financial Inventory and Accounting Code (FIA-CD). Items usually change from provisioning to nonprovisioning status after two years in CCSS, but this change can be overridden.

### DATA

The following data were used to develop the percent errors in the estimation of demand:

- 1. Demand keturn Disposal (DRD) transactions for the years 1979-1983. The DRD transactions since 1976 are available on magnetic tape for all items, including ammunition items, nonmanaged items, and items which are no longer in CCSS.
- 2. National Item Identification Number (NIIN) changes were extracted from CCSS on 31 January 1984.
- 3. NIIN information for managed were non-ammunition items in CCSS, extracted 27 January 1984. The information included, for each item:
  - a. The date that the item entered CCSS (DT-ENTRY).
  - b. The Financial Inventory and Accounting Code (FIA-CD).
  - c. The Inventory Management and Processing Code (IMPC).

### METHOD

For each yearly file of DRD transactions the transaction count, quantity, and dollar value for each item were accumulated. The following transactions were omitted:

- 1. Disposals: Record Identification (REC-ID) = 3.
- Unserviceable returns: REC-ID = 2 and Condition Code (COND-CD) not "A" through "E".
- 3. Transactions with zero quantity: Final Quantity (FNL-QTY) = 0.
- 4. Nonrecurring or one-time demands: Demand Code (DMD-CD) = "N" or "O".
- 5. Foreign military sales: the first character of Document Number (DOC-NO) = "B", and the sixth character of DOC-NO = "3" through "8" or "Z".
- 6. Depot overhaul demand: Project Code (PROJ-CD) = "ZCN".

After item NIINs were updated, only items which met all the following criteria were retained:

- 1. AMCCOM managed and non-ammunition: the first position of FIA-CD = "M".
- 2. Non-provisioning: the first two digits of DT-ENTRY were 80 or less. Although the FIA-CD identified items as provisioning or nonprovisioning, because the 1982 FIA-CDs were not available, the DT-ENTRY was used instead.
- 3. Either Procurement Appropriation Secondary (PAS) or Army Stock Fund (ASF). Note: All ASF items are secondary items.
  - a. A PAS item has the second digit of the FIA-CD equal to " ${\tt K}$ " through " ${\tt Z}$ ".
  - b. An ASF item has the second digit of the FIA-CD equal to "2".
- 4. Stocked: IMPC = "IB" or "IC".
- 5. Demanded during the first year of the study, according to the DRD transactions. Note: This step insured that customer demand for the item had not just begun.

Demands could be offset by serviceable returns in either the predicting ("old") or predicted ("new") years. New year demand was offset by all of the new year serviceable returns, so that the accuracy of predicting the net new year demand would be found. Old year demand was offset by returns on a one-tor-one basis, up to a given percentage of demand. Several maximum offsets were tested: O percent, 5 percent, 10 percent, 15 percent, 20 percent, 50 percent, and 100 percent of old year demand.

The deduction from predicted demand of a percentage of serviceable returns needs some explanation: Serviceable returns are items which were requisitioned and distributed to the field, not used, and subsequently returned. Therefore, serviceable returns indicate past demand, but there is no way to tell when that past demand occurred or what type of demand it was. It may have been demanded over two years ago or it may have been a non-recurring demand. Since CCSS only retains two years of demand history and because of the uncertainty of when past demand occurred or what type of demand it was, an adjustment to the recurring demand is made. Until recently a 5% offset was used. This offset has now been changed to 20% and may be revised again.

Percent errors were computed for each item and accumulated by demand level and item "extended price," that is, whether the average annual dollar value of the item was  $\langle = \$200.00$  or  $\rangle$  \$200.00 for the two predicting years. Percent errors were also accumulated for other extended price breakpoints, namely \$100, \$500, \$1,000, \$5,000, and \$25,000. Old year demand was not offset by serviceable returns.

Because these computations found an average error for a 12-month time span but CCSS bases its percent errors on a 9-month span, each average percent error was then multiplied by the square root of 12/9, approximately 1.155. This method is the one used by CCSS, as documented in the CCSS Operating Instructions (CCSSOI) 18-710-102, Volume 4, Appendix C, as corrected by Mr. W. Karl Kruse of IRO.

Subsequently, percent errors were computed using demand during 1979-81 and 1980-82.

histograms of the percent errors were computed so that the observed distributions could be compared with negative binomial distributions. For each item the computed ratio of actual demand to expected demand was tallied in the corresponding histogram cell. For each three year period two histograms were tallied, one for items with total annual value less than the \$200 breakpoint and one for items exceeding the breakpoint. These histograms were then converted to show, for each level of annual demand, the percent of items in each class.

Moreover, the means and standard deviations were also

computed for items in each class of total annual value and average annual demand. The means and standard deviations were used to compute negative binomial distributions for comparison with:

- 1. The negative binomial distribution that CCSS would generate from the current ("old") percent errors.
- 2. The distribution that CCSS would generate from the computed ("new") percent errors.
- 3. The observed distribution. These comparisons were done cell by cell in the histograms by adding the unsigned differences between a negative binomial distribution and the observed distribution. Because the CCSS computation of safety levels involved only cases where the actual demand was higher than the predicted demand, only those cells were used in comparing the distributions.

In performing Chi-Square tests to compare distributions, all of the cells were used. However, if the expected value of a cell was five or less, that cell was combined with another cell. In each case the test was performed by first computing the Chi-Square value between two percent type histograms and then multiplying by the ratio of the number of items in the class divided by 100. Consequently the Chi-Square values are only approximate.

In order to obtain closer fits between the negative binomial and the observed demand distributions, different values of the mean and the standard deviation were tried. Closeness of fit was defined as the sum of the unsigned differences between the histogram cells where the demand exceeded the estimate. The sums of squares of those deviations were also computed.

In response to a suggestion by Mr. Ed Gotwals of IRO, an improved method of considering serviceable returns was developed. For this purpose, the percent error was computed from the ratio:

prediction error
old year demand

### RESULTS

The percent errors for all years are tabulated in Appendix A. These percent errors were roughly ten percent higher than those in CCSS. The computed percent errors and those currently in CCSS are as follows:

	Currently	in CCSS	Computed		
Average Annual Number	Annual Dol	· <del></del>	Annual Dol		
of Requisitions	<b>&lt;=</b> \$200.	> \$200.	<b>&lt;</b> = \$200.	> \$200.	
2.5 - 4	1.701	1.286	1.969	1.324	
4.5 - 8	1.262	1.019	1.329	1.172	
8.5 - 16	1.024	0.792	1.020	0.958	
16.5 - 32	0.910	0.656	0.933	0.788	
32.5 - 62	0.575	0.575	0.664	0.643	
62.5 -122	0.469	0.469	0.578	0.558	
122.5 and over	0.409	0.409	0.460	0.456	

The percent errors for 1981-83 for different percentage offsets of old year serviceable returns are tabulated in Appendix B. The more that serviceable returns were used to help predict, the worse the predictions became. Consequently, serviceable returns were subsequently not used to predict future demands.

The percent errors for 1981-83 for different item annual cost breakpoints are tabulated in Appendix C. Because the results for other breakpoints were relatively close, the \$200 breakpoint currently used in CCSS was chosen for use in the rest of the study. However, a \$500 to \$1,000 per year breakpoint would have given a more even split between the low and high dollar value items.

For general information, items with percent errors exceeding 1,000 percent are listed in Appendix D.

ASSESSED BESTERVEN BUTCHEST BESTERVEN BESTERVEN

Percent error histograms are presented in Appendix E. By inspection, these histograms look somewhat like histograms for negative binomial distributions.

In appendix F, several negative binomial distributions are compared with each observed distribution. The column marked "Sum High Diffs" contains this sum for the region where the computation of safety levels would be affected, i.e., where the actual was higher than the predicted. In this region, the old

CCSS percent errors predicted markedly better than the new CCSS percent errors, and slightly better than direct computation for the known mean and standard deviation. In each case the negative binomial distributions resembled the observed one, even though Chi-Square tests usually showed that the observed distributions were not negative binomial.

Generally, CCSS underestimated the means and standard deviations of demand, as shown in Appendices G and H. by varying the means and standard deviations, closer tits to the observed demand distributions were obtained, as shown in an example in Appendix I.

Results of the improved method for considering serviceable returns are shown in Appendix J. The percent errors fell slightly, roughly three percent, as more serviceable returns were considered. The percent errors were generally the least when up to 20 to 50 percent of demand was offset with serviceable returns.

### CONCLUS IONS

The principal conclusions from the above results are:

- 1. The computed percent errors were roughly ten percent higher than those in CCSS.
- 2. The current CCSS percent errors fit the observed distributions more closely than the computed percent errors did.
- 3. The expected number of requisitions differed from the number observed in the past.
- 4. When serviceable returns were used to offset demands, the accuracy of prediction improved.
- 5. When the low/high value breakpoint was increased from \$200 to \$500 and \$1,000, the percent errors changed very little, and the items became somewhat more evenly distributed between the low and high value classes.
- 6. By adjusting the means and percent errors, better fits to the observed distributions were obtained.

### Reservations include the following:

- 1. There is an uncertainty caused by not knowing the Program Chance Factor (PCF), which could be anywhere from 0.01 to 2.0 for non-provisioning items. This factor adjusts past demand to reflect changes in the number and location of weapon systems using the item. Since the PCF was not available, this adjustment was not made.
- 2. The percent errors found may be too low because some valid items without demands in the first year of three were excluded.

### RECOMMENDATIONS

### It is recommended:

- 1. That the CCSS percent errors not be changed at present.
- 2. That CCSS use serviceable returns to offset up to 20 to 50 percent of demands.
- 3. That CCSS be revised to adjust the means before using the percent errors to compute the demand distribution.

If it appears feasible to revise CCSS to adjust the means, then it is recommended:

- 1. That the proposed breakpoint between low and high dollar value items be increased from \$200 to some value between \$500 and \$1,000 per year.
- 2. That percent errors and factors to adjust the means be recomputed using the new breakpoint and the program change factors.
- 3. That the costs and benefits of adjusting the means and changing the percent errors be evaluated.

### DISTRIBUTION LIST

NO. OF COPIES	
2	Commander, US Army Materiel Command, 5001 Eisenhower, Ave., Alexandria, VA 22333-0001  AMCS M-WRS
-	
	Commander, US Army Armament Munitions and Chemical Command, Rock Island, IL 61299-6000
1	AMS MC-MM
5	AMS MC-MMP-SS
1	AMS MC-SA
5	AMS MC-SAL
1	AMS MC- <b>\$AS</b>
	Commander, US Army Armament Munitions and Chemical Command, Rock Island, IL 61299-7300
4	SMCAR-ESP-L
	Commander, US Army Communications - Electronics Command, Fort Monmouth, NJ 07703
1	AMS EL-MM
1	AMS EL-PL-SA
	Commander US Army Troop Support Command,
	4300 Goodfellow Blvd., St. Louis, MO 63120-1584
1	AMS TS-S
1	AMS TS - CCC
1	AMSTS-SPSS (Risch)
	Commander, US Army Aviation Systems Command,
	4300 Goodfellow Blvd., St. Louis, MO 63120-1584
1	AMS AV -S
1	AMS AV -CCC
	Commander, US Army Tank-Automotive Command, Warren, MI 48397-5000
1	AMS TA-F
1	AMS TA-V
1	AMS TA-SA
1	Commandant, US Army Logistics Management Center, Fort Lee, VA 23801
1	Defense Logistics Agency, DLA-LO, Cameron Station, Alexandria, VA 22314
1	Logistics Studies Office, AMXMC-LSO, ALMC, Fort Lee, VA 23801
1	US Army Inventory Research Office, ATTN: Mr. Gotwals, US Army Materiel Systems Analysis Activity, 800 Custom House, 2d & Chestnut Streets, Philadelphia, PA 19106-2976

### APPENDIX A

ASSOCIATION OF THE PROPERTY STATES ASSOCIATE ASSOCIATION

PERCENT ERRORS FOR ALL YEARS

### PERCENT ERRORS FOR ALL YEARS

### **\$** \$200 Per Year

Annual Requisitions	Currently in CCSS	1979-81	1980-82	1981-83	1-2-3 Weighted Average
2.5-4 4.5-8 8.5-16 16.5-32 32.5-62 62.5-122 122.5 & Over	1.701 1.262 1.024 .910 .575 .469	1.682 1.297 1.105 .901 .703 .596*	1.984 1.238 .991 .900* .718 .580* .474*	2.055 1.400* 1.010 .962 .616 .570* .431*	1.969 1.329 1.020 .931 .664 .578

\*Smoothed

### > \$200 Per Year

Annual Requisitions	Currently in CCSS	1979-81	1980-82	1981-83	1-2-3 Weighted Average
2.5-4 4.5-8 8.5-16 16.5-32 32.5-62 62.5-122 122.5 & Over	1.286 1.019 .792 .656 .575 .469	1.194 1.018 .891 .753 .628 .549 .497	1.281 1.214 .960 .818 .641 .550*	1.396 1.195 .979 .779 .650* .566	1.324 1.172 .958 .788 .643 .558 .456

\*Smoothed

PARTIE SANDERS OF THE PROPERTY OF THE PARTY OF THE PARTY

じんだいには、一方のでは、これには、一方の人の人の人の意思できるというには、

## ALL DATA USED

MAXIMUM OLD YEAR DEMAND OFFSET = 0.00 %

BREAKPOINT = \$ 200.00

	AVERAGE \$	ERRORS IN P	
AVERAGE ANNUAL NUMBER OF REQUISITIONS IN 1979-80	AVERAGE & ERROR NET <= \$ 200.00	AVERAGE S	& ERROR COMBINED 200.00 AVERAGE & ERROR
0.5 - 2	2.644	1.486	2.391
2.5 - 4	1.682 *	1.194 *	1.486
4.5 - 8	1.297 *	1.018 *	1.133
8.5 - 16	1.105 *	0.891 *	0.953
16.5 - 32	0.901 *	0.753 *	0.782
32.5 - 62	0.703	0.628	0.637 *
62.5 - 122	1.313	0.549	* 965.0
122.5 and above	1.487	0.497	0.517 *

Percent errors are given as decimals; for example, 1.000 denotes 100% error. NOTES:

<sup>\*</sup> denotes the items found in CCSSOI 18-710-102, Volume 4, Appendix

# PERCENT ERRORS IN THE ESTIMATION OF DEMAND, FOR 1980-82

## ALL DATA USED

MAXIMUM OLD YEAR DEMAND OPFSET = 0.00 % MAXINUM NEW YEAR DEMAND OPFSET = 100.00 %

BREAKPOINT = \$ 200.00

	AVERAGE &	띴	s For 1982
NUMBER OF REQUISITIONS IN 1980-81	AVERAGE & ERROR NET <= \$ 200.00	AVERAGE & ERROR NET > \$ 200.00	COMBINED AVERAGE & ERROR
0.5 - 2	3.638	2.491	3.370
2.5 - 4	1.984 *	1.281 *	1.664
4.5 - 8	1.238 *	1.214 *	1.224
8.5 - 16	0.991 *	* 096.0	0.968
16.5 - 32	1.266 *	0.818 *	0.891
32.5 - 62	0.718	0.641	0.650 *
62.5 - 122	0.642	0.661	0.659 *
122.5 and above	0.411	0.474	0.473 *

Percent errors are given as decimals; for example, 1.000 denotes 100% error. NOTES:

denotes the items found in CCSSOI 18-710-102, Volume 4, Appendix C.

# PERCENT ERRORS IN THE ESTIMATION OF DEMAND, FOR 1981-83

## ALL DATA USED

MAXIMUM OLD YEAR DEMAND OFFSET = 0.00 & MAXIMUM NEW YEAR DEMAND OFFSET = 100.00 &

BREAKPOINT = \$ 200.00


AVERAGE & PEROPS IN PREDICTIONS FOR 1983

	AVERAGE &	AVERAGE & ERRORS IN PREDICTIONS FOR 1963	
AVERAGE ANNUAL NUMBER OF REQUISITIONS IN 1981-82	AVERAGE & ERROR NET <= \$ 200.00	AVERAGE & ERROR NET > \$ 200.00	COMBINED AVERAGE & ERROR
0.5 - 2	7.508	3.067	6.336
2.5 - 4	2.055 *	1.396 *	1.741
4.5 - 8	2.276 *	1.195 *	1.614
8.5 - 16	1.010 *	• 626.0	0.987
16.5 - 32	0.962 *	* 6.770	0.805
32.5 - 62	0.616	0.768	0.753 *
62.5 - 122	0.647	0.566	0.570 *
122.5 and above	0.423	0.431	0.430 *

A-4

Percent errors are given as decimals; for example, 1.000 denotes 100% error. NOTES:

denotes the items found in CCSSOI 18-710-102, Volume 4, Appendix C.



### USING SERVICEABLE RETURNS TO OFFSET DEMANDS -- PRELIMINARY

### Combined Percent Errors (Both ≤ \$200 and > \$200)

Average Annual Number of Requisitions	Offse	et					
in 1981-82	0%	5%	10%	15%	20%	50%	100%
2.5-4	1.741	1.779	1.820	1.861	1.904	2.259	2.550
4.5-8	1.614	1.645	1.676	1.706	1.738	1.987	2.339
8.5-16	.987	1.007	1,026	1.045	1.066	1.214	1.470
16.5-32	.805	.821	.836	.852	.869	1.003	1.270
32.5-62	.753	.773	.793	.814	.838	1.025	.899
62.5-122	.570	.574	.579	.585	.594	.668	.924
122.5 & More	.430	.427	.427	.429	.433	.456	.471

APPENDIX C

PERCENT ERRORS FOR DIFFERENT BREAKPOINTS

### PERCENT ERRORS FOR DIFFERENT BREAKPOINTS

### Percent Errors for Annual Value ≤ Breakpoint

Average Annual Number of Requisitions	Breakpo	Breakpoint							
in 1981-82	\$100	\$200	\$500	\$1000	\$5000	\$25000			
2.5-4	2,295	2.055	1.867	1.799	1.740	1.746			
4.5-8	2.694	2.276	1.967	1.833	1.680	1.630			
8.5-16	1.068	1.010	1.001	1.023	1.009	.990			
16.5-32	.997	.962	.847	.829	.813	.806			
32.5-62	.573	.616	.582	.565	.816	.776			
62.5-122	.834	.647	.605	.558	.595	.587			
122.5 & More	.636	.423	.433	.348	.378	.421			

### Percent Errors for Annual Value > Breakpoint

Average Annual	Breakpo	int				
Number of Requisitions in 1981-82	\$100	\$200	\$500	\$1000	\$5000	\$25000
2.5-4	1.383	1.396	1.448	1.525	1.748	1.442
4.5-8	1.225	1.195	1.143	1.113	1.138	1.224
8.5-16	.973	.979	.976	.942	.888	.933
16.5-32	.789	.779	.788	.788	.787	.797
32.5-62	.763	.768	.796	.844	.644	.598
62.5-122	.566	.566	.564	.572	.538	.483
122.5 & More	.430	.431	.430	.436	.451	.446

### NUMBER OF ITEMS BY CATEGORY FOR DIFFERENT BREAKPOINTS FOR 1981-83

	Breakpo	int				
	\$100	\$200	\$500	\$1000	\$5000	\$25000
Annual Value ≦ Breakpoint	1744	2583	3970	4959	7033	8340
Annual Value > Breakpoint	7378	6539	5152	4163	2089	782

APPENDIX D

ITEMS WITH PERCENT ERRORS EXCEEDING 1000 PERCENT

	NIIN=004425696,	OLD. ANNUAL. REQNS=	55.5,	급	03.8,	PREDICTED. OTY=	1976.0,	. NEW. OTY=	∞ (
	8	RECENS.	4.0		70.4,	PREDICTED.OTY=	, c	NET.NEW.OTY=	0.000
	NI IN=00235 3681,	OLD. ANNUAL. KEONSE	, v. v.	<u> </u>	50.6,	PREDICTED. CLIE	, ה ה ה	NEW	•
	9 2	•	, w	ا و			17.0.	MEW	
	NI IN=006586218.	• •	9	10	52.0.			NEW.	2198.0
	NI IN=010443870,	•	50.0		19.6	PREDICTED. OTY=		NET. NEW. OTY-	911.0
			5.0,	RATIO- 4		PREDICTED. OTY=	18.0,	NET. NEW. OTY=	894.0
	NI IN=010443484,		4.5,	RATIO- 4	45.9,	PREDICTED. OTY=	•	NEW.	
	NI IN=010443850,	OLD. ANNUAL. REGNS=	2.5,	RATIO- 4	40.6,	Predicted.oty=	•	. MEW.	935.0
	NI IN=010438205,	•	4.5,		39.5,	PREDICTED. OTY=	•	. NEW.	891.0
	NI IN=010443862,		4.0,		39.3,	Predicted. OTY=	22.0,	NEW.	886.0
	NI IN=010443869,	OLD. ANNUAL. REONS=	4.5,	RATIO- 3	36.7,	PREDICTED. OTY=	24.0,	NEW.	904.0
		•	5.0	RATIO	35.5,	•	25.0,	ZEV.	912.0
	NI IN=001794350,	•	. 4 . 5	M	55.1,	PKEDICTED. OFY	: .	NEW.	0.1/2
		•	, o,	8	64.6.	PKEDICTED. OFIE	, 0. C.	# 3 4 4 5	926
	MILM#010443865,	OLD ANNUAL REGINSE	, כ פ		,000	DEFINITION OF VE		ZEE	355.0
	TW=010/612/7	•	, 4			DEFECT CHEST OFFE	17.5.	NEE	539.0
<b>D-</b> :			היי		28.4.	PREDICTED.OTY=	30.0	ZEV	883.0
1		•	3.5			PREDICTED. OTY=		NEW.	245.0
	NI IN=010443871,		6.5		~	PREDICTED. OTY=	•	MEN.	909.0
	NI IN=010815624,	•	2.5,		26.6,	PREDICTED. OTY=		NET. NEW. OTY=	69.0
	NI IN=010437512,	•	4.5,		26.6,	PREDICTED. OTY=	13.5,	NEW.	372.0
	MI IN=010408806,	OLD. ANNUAL. REONS=	7.5,		24.3,	PREDICTED. OTY=	•	MEW.	202.0
	NI IN=006586227,	OLD. ANNUAL. RECHS-	5.5,	RATIO-	24.0,	PREDICTED. OTY=		NEW.	1087.0
	NI IN=0104 20533,	•	4.5,	RATIO- 1	22.3,	PREDICTED. OTY-	•	NEW.	163.0
	NI IN-010124704,	OLD. ANNUAL. REGNS-	7.0.	ĸ	20.2,	PREDICTED. OTY=	12.0,	NEW.	254.0
	0=R	•	5.5		19.5,	PREDICTED. OTY=	13.0,	ZEX.	267.0
	IN=01035368	•	•	RATIO	•	•	•	NEW.	290.0
	NI IN=000930097,	•	10.0,	RATIO	,6.81 6.81	PREDICTED. OTY-	182.5,	•	3638.0
		•	3.0,	PILE		FREDICTED. VI I		MEM	
	NI IN=010322332,	٠	11.0,	RATIO	17.5,	PREDICTED. OTY=	44.0,	NEW.	i
	NI IN=010950297,	•	17.5,	RATIO	17.2,	PREDICTED. OTY=		NEW.	2372.0
	IN=01065983	•	13.5,	RATIO	17.1,	PREDICTED. OTY=	92.5,	NEW.	16/3.0
	ဝူ	•	2.5,	RATIO=	17.0,	PREDICTED. OTY=	, w	NEW.	63.
	၀	•	4.5,	RATIO-	16.3,		7.0,	NEW.	121.0
		•	5.0,	RATIO-	15.6,	Predicted. Ofy=		NEW.	141.0
	IN=0103860	•	3.0.	H	13.7,	•	ທຸ	NEW.	81.0
	NI IN=009611311,	OLD. ANNUAL. REGNS=	3.0,	RATIO-	13.7,	Predicted.ory=	42.0,	NET . NEW . OTY=	618.0

57.0	64.0	104.0	166.0	48.0	510.0	133.0	372.0	238.0	144.0	117.0	110.0	132.0	347.0	156.0	65.0	41.0	305.0	109.0	116.0
NET. NEW. OTY=	NET. NEW. OTY=	. NEW.	NET. NEW. OTY=	NET. NEW. OTY=	NET. NEW. OTY=	NET. NEW. OTY=	NET. NEW. OTY=	. NEW.	NET. NEW. OTY=	NET. NEW. OTY=	NET.NEW.OTY=	NET. NEW. OTY=	NET : NEW . OTY=	NET. NEW. OTY=	NET. NEW. OTY=	NET. NEW. OTY=	NET. NEW. OTY=	NET. NEW. OTY=	net. New. Ofy=
4.0,	4.5,	7.5,	12.0,	3.5,	38.0,	10.0,	28.0,	18.0,	11.0,	9.0,	8.5,	10.5,	28.5,	13.0,	5.5,	3.5,	26.0,	9.5,	10.5,
PREDICTED. OTY=	PREDICTED. OTY=	PREDICTED. OTY=	PREDICTED. OTY=	PREDICTED. OTY=	Predicted. Oty=	Predicted. Oty=	Predicted. Oty-	PREDICTED. OTY-	Predicted. Of Y=	PREDICTED. OTY=	PREDICTED. OTY=	PREDICTED. OTY=	PREDICTED. OTY=	PREDICTED. OTY=	PREDICTED. OTY=	PREDICTED. OTY=	PREDICTED. OTY-	PREDICTED. OTY=	PREDICTED.OTY=
RATIO- 13.3,	RATIO- 13.2,	RATIO- 12.9,	RATIO- 12.8,	RATIO= 12.7,	RATIO= 12.4,	RATIO- 12.3,	RATIO- 12.3,	RATIO- 12.2,	RATIO- 12.1,	RATIO- 12.0,	_	RATIO= 11.6,	RATIO- 11.2,	-	RATIO- 10.8,	RATIO- 10.7,	RATIO- 10.7,	RATIO- 10.5,	RATIO- 10.0,
3.5,	3.5,	4.5	5.5	2.5	6.5	4.5,	15.5,	11.0,	6.0,	4.0,	4.0,	7.5,	4.5,	3.0,	5.0,	2.5,	5.0,	5.5,	3.5,
OLD. ANNUAL. REONS=	OLD. ANNUAL. REONS=		OLD. ANNUAL. REONS=	OLD. ANNUAL. REONS=		OLD. ANNUAL. REGNS=	OLD. AMNUAL. REGNS=	OLD. ANNUAL. REONS=	OLD. ANNUAL. RECNS=	OLD. ANNUAL. RECNS=		OLD. ANNUAL. REONS=	OLD. ANNUAL. REGINS=		OLD. ANNUAL. REONS=	OLD. ANNUAL. REONS=		OLD. ANNUAL. REONS-	OLD. ANNUAL. REONS=
NIIN=010225323,	NI IN=010552788,	NI IN=002198161,	NI IN=000749507,	NI IN=009904384,	NI IN=010443916,	NI IN=010443840,	NI IN=009183006,	NI IN=010427989,	NI IN=010490155,	NI IN=008784195,	NI IN=01079 30 31,	NI IN=010987708,	NI IN=000577168,	NI IN=010447097,	NI IN=010443843,	NI IN=010443861,	NI IN=010134229,	NI IN=004597288,	NI IN=0045 39377,

APPENDIX E

HISTOGRAMS OF PERCENT ERRORS

PERCENT ERRORS IN THE ESTIMATION OF DEMAND -- HISTOGRAM FOR 1979-81, BY COUNT

Consider the contract of the c

MAXIMUM OLD YEAR DEMAND OFFSET = 0.00 %

MAXIMUM NEW YEAR DEMAND OFFSET = 100.00 1

ITEM ANNUAL COST <= \$200.00 PER YEAR

TOTAL	ALL	1871	941	999	9	218	*	30	10
	000 . 01 & AND MO RE	20	=	,	•	0	0	0	0
1	400.01\$ 1000.01\$ TO AND 1000\$ PORE	130	\$	23	1	e	0	7	0
ACTUAL WAS	200.010 TO 4000	123	9	80	25	•	7	•	e
ACT	100.018 TO 2008	18	81	57	49	29	10	9	m
; ; ; ;	50.018 TO 1008	147	62	74	<b>+</b> 3	22	15	ĸ	C
	0.01 TO 500	100	7.7	69	4	36	24	•	1
ACTUAL EQUALLED PREDICTION	0	76	15	13	-	0	0	0	0
!	50.008 TO 0.018	150	129	122	16	58	18	e	m
CTUAL WAS	99.99 <b>\$</b> TO 50.01 <b>\$</b>	104	221	991	96	42	80	•	0
LOW LOW	1000	890	238	85	40	19	1	4	0
		0.5- 2	2.5- 4	4.5-8	8.5- 16	16.5- 32	32.5- 62	62.5-122	122.5 and more
			6-1	ANERAGE					

**E-1** 

Note: The number of items in each class is shown.

PERCENT EHRORS IN THE ESTIMATION OF DEMAND -- HISTOGRAM FOR 1979-81, BY COUNT

THE PROPERTY OF THE PROPERTY O

MAXIMUM OLD YEAR DEMAND OFFSET \* 0.00 &

MAXIMUM NEW YEAR DEMAND OFFSET = 100.00
ITEM ANNUAL COST > \$200.00 PER YEAR

COUNT	400.018 1000.018  TO AND ALL 10008 MORE CASES	7 523	2 630	1 952	2 1075	106	0 655	0 454	,
1	400.018 TO 10008	17	18	18	7	. 2	•	0	1
ACFUAL WAS	200.018 TO 4008	26	30	34	35	23	10	ĸ	
	100.018 TO 2008	21	4	58	75	46	31	24	
	50.018 TO 1008	30	40	99	98	58	09	39	,
	0.01 TO 508	37	48	123	137	152	160	126	•
ACTUAL EQUALLED PREDICTION	10	30	21	**	•	<b>~</b>	1	0	
S	50.008 TO 0.018	57	88	188	257	263	208	191	1 56
CTUAL WAS	99.998 TO 50.018	55	991	231	272	223	127	16	29
LOW LOW	1001	243	175	219	195	130	55	23	7
		0.5- 2	2.5- 4	4.5- 8	8.5- 16	16.5- 32	32.5- 62	62.5-122	122.5
			AVERAGE	ANNUAL	REQUISITIONS				

F - 2

Note: The number of items in each class is shown.

PERCENT ERIORS IN THE ESTIMATION OF DEMAND -- HISTOGRAM FOR 1979-81, BY PERCENT

MAXIMUM OLD YEAR DEMAND OFFSET = 0.00 %

MAXIMUM NEW YEAR DEMAND OFFSET = 100.00 %

ITEM ANNUAL COST <= \$200.00 PER YEAR

HIGH	50.01\$ 100.01\$ 200.01\$ 400.01\$ 1000.01\$  TO TO TO TO AND 100\$ 200\$ 400\$ 1000\$ MORE	2	71 91 61 51 18		108 118 68 28 14		128	38	08 308 308 08
1	0.01# TO 50#	\$	8	101	161	178	298	178	108
ACTUAL EQUALLED PREDICTION	0	4	28	28	0	0	0	0	80
1	50.008 TO 0.018	8	148	188	218	278	218	108	308
-ACTUAL WAS	99.99\$ TO 50.01\$	19	231	258	228	198	101	138	0
<b>V</b>	1001	48	258	138	86	86	8	138	5
		~	4	<b>c</b>	16	32	62	122	
		0.5-	2.5-	4.5-	8.5- 16	16.5- 32	32.5- 62	62.5-122	122.5

E - 3

Note: For each level of annual requisitions, the percent of items in each class is shown.

PERCENT ERRORS IN THE ESTIMATION OF DEMAND -- HISTOGRAM POR 1979-81, BY PERCENT

Residence established residence lesses and l

MAXIMUM OLD YEAR DEMAND OFFSET = 0.00 %

MAXIMUM NEW YEAR DEMAND OFFSET = 100.00

ITEM ANNUAL COST > \$200.00 PER YEAR

; ; ; ; ;	400.01\$ 1000.01\$ TO AND 1000\$ MORE	=	60	80	10	80	80	0	6
1	400.018 TO 10008	3.6	38	28	1.	0	0	0	0
ACTUAL WAS	200.018 TO 4008	\$	58	7	38	38	28		
ACT	100.018 TO 2008	4.2	78	<b>8</b> 9	7.8	58	88	28	80
1	50.018 TO 1008	9	9	78	8	89	86	<b>8</b> 6	138
1	0.01 TO TO 508	*	88	138	134	178	248	288	398
ACTUAL EQUAL LED PREDICTION	0	9	38	=	=	6	6	60	6
	50.008 TO 0.018	11	148	208	248	298	328	354	32%
-ACTUAL WAS	99.998 TO 50.018	11.	268	248	258	258	198	178	9
	1008	4 6	281	238	181	148	88	28	
		0.5- 2	2.5- 4	4.5- 8	8.5- 16	16.5- 32	32.5- 62	62.5-122	122.5 and more
		_	9	AVERAGE	SMOTETSTINGE	200111212024			-

Note: For each level of annual requisitions, the percent of items in each class is shown.

PERCENT ERRORS IN THE ESTIMATION OF DEMAND -- HISTOGRAM FOR 1980-82, BY COUNT

THE PROPERTY OF THE PROPERTY O

MAXIMIM OLD YEAR DEMAND OFFSET = 0.00 %

MAXIMUM NEW YEAR DEMAND OFFSET = 100.00 %

ITEM ANNUAL COST <= \$200.00 PER YEAR

		LOW LOW		MAS	ACTUAL EQUALLED PREDICTION			ACTUAL WAS	'UAL WAS HIGH			TOTAL
		1001	99.998 TO 50.018	50.008 TO 0.018	0	0.01 To 50\$	50.018 TO 1008	100.018 TO 2008	200.018 TO 4008	400.018 TO 10008	400.018 1000.018 TO AND 10008 MORE	ALL
	0.5- 2	907	115	161	*6	101	181	121	172	163	123	2144
	2.5- 4	183	162	114	18	86	78	102	99	26	11	968
AVERAGE	4.5-8	120	178	152	,	100	68	11	4	19	7	07.7
AMBUAL	8.5- 16	34	92	100	m	68	45	34	21	<b>œ</b>	-	406
REQUISITIONS	16.5- 32	<b>*</b>	33	53	0	<b>*</b>	17	11	11	•	æ	188
	32.5- 62	-	80	31	0	26	16	7	4	•	0	96
	62.5-122	0	1	7	0	7	7	4	-	0	0	*
	122.5 and more	0	•	e	0	<b>m</b>	1		0	•	•	60

E - 5

Note: The number of items in each class is shown.

PERCENT ERRORS IN THE ESTIMATION OF DEMAND -- HISTOGRAM FOR 1980-82, BY COUNT

MAXIMUM OLD YEAR DEMAND OFFSET = 0.00 %

MAXIMUM NEW YEAR DEMAND OFFSET = 100.00

ITEM ANNUAL COST > \$200.00 PER YEAR

TOTAL	ALL		653	746	1113	1140	1961	710	465	539
; ; ;	000.01 & AND MORE		18	8	v	9	~	0	-	0
; ; ;	400.018 1000.018 TO AND 10008 MORE	1	25	29	23	6	6	'n	'n	0
UAL WAS HIGH	200.01 <b>\$</b> TO 400 <b>\$</b>		64	4 2	7.1	29	28	19	10	11
ACTUAL WAS-	100.01 <b>\$</b> TO 200 <b>\$</b>	1 1 1 1 1	36	62	93	7.7	63	35	27	27
	50.01 \$ TO 100\$	 	90	89	100	106	96	98	58	74
	0.018 TO 508		43	74	135	173	165	175	110	232
ACTUAL EQUALLED PREDICTION	80		37	16	13	4	S	<b>4</b>	7	•
1	50.00\$ TO 0.018		69	112	199	293	291	236	180	191
ACTUAL WAS	99.998 TO 50.018	ı	49	144	240	288	227	135	57	22
	1008		232	206	234	155	92	46	16	12
			0.5- 2	2.5- 4	4.5- 8	8.5- 16	16.5- 32	32.5- 62	62.5-122	122.5 and more
			ā	AVERAGE	ANNOAL	REQUISITIONS				

2-6

Note: The number of items in each class is shown.

PERCENT ERRORS IN THE ESTIMATION OF DEMAND -- HISTOGRAM FOR 1980-82, BY PERCENT

CLASS CONTRACTOR OF THE PROPERTY OF THE PROPER

COLUMN SERVICE COLUMN C

MAXIMUM OLD YEAR DEMAND OFFSET = 0.00

MAXIMUM NEW YEAR DEMAND OFFSET = 100.00 %

ITEM ANNUAL COST <= \$200.00 PER YEAR

	18 400.018 1000.018 TO AND 08 10008 MORE	89 88 68	88 68 28	61 21 11	58 28 08	68 38 28	48 18 08	38 08 08	10 10 10
ACTUAL WAS-	100.018 200.018 TO TO TO 2008	<b>8</b> 9	118	<b>8</b> 6	88	<b>8</b> 6	7.8	128	138
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50.01 <b>\$</b> TO 100 <b>\$</b>	æ	16	<b>\$</b> 6	118	<b>1</b> 6	178	218	138
	0.018 TO 508	<b>\$</b>	118	138	178	188	288	418	388
ACTUAL EQUAL LED PREDICTION	10	4	28	1.8	~	0		<b>\$</b> 0	0
50	50.008 TO 0.018	8	13\$	208	258	281	338	218	388
ACTUAL WAS	99.998 TO 50.018	<b>3</b> 5	181	238	238	181	<b>8</b> 6	38	0
4	1008	428	208	168	8	7.8	~	<b>8</b> 0	5
		7	4	<b>50</b>	8.5- 16	16.5- 32	32.5- 62	62.5-122	
		0.5-	2.5-	AVERAGE 4.5-		REQUISITIONS 16.5	32.5	62.5	122.5

**z -** :

Note: For each level of annual requisitions, the percent of items in each class is shown.

PERCENT ERHORS IN THE ESTIMATION OF DEMAND -- HISTOGRAM FOR 1980-82, BY PERCENT

MAXIMUM OLD YEAR DEMAND OFFSET = 0.00 %

MAXIMUM NEW YEAR DEMAND OFFSET = 100.00 \$

ITEM ANNUAL COST > \$200.00 PER YEAR

! ! !	000.018 AND MORE	<b>98</b>	0	0	-	0	0	60	<b>\$</b> 0
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	400.01% 1000.01% TO AND 1000% MORE	80	4	2.8	1.8	-	7.	7	<b>8</b> 0
ACTUAL WAS	200.018 TO 4008	108	99	9	38	38	38	2.8	28
ACT	100.018 TO 2008	9	88	8	78	78	28	99	28
1 1 1	50.01\$ TO 100\$	88	80	86	<b>\$</b> 6	86	8	128	148
	0.018 TO 508	7.	101	128	158	178	258	248	438
ACTUAL EQUALLED PREDICTION	0	9	28	-	10	1.0	<b>\$</b> 0	•0	80
1	50.008 TO 0.018	118	158	181	268	308	338	398	308
ACTUAL WAS	99.998 TO 50.018	80	161	228	258	238	198	128	4
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1001	368	281	218	148	101	89	38	<b>5</b>
		0.5- 2	2.5- 4	4.5- 8	8.5- 16	16.5- 32	32.5- 62	62.5-122	122.5 and more
			AVERAGE	ANN UAL	REQUISITIONS				-

E **-** 3

Note: For each level of annual requisitions, the percent of items in each class is shown.

PERCENT ERRORS IN THE ESTIMATION OF DEMAND -- HISTOGRAM FOR 1981-83, BY COUNT

MAXIMUM OLD YEAR DEMAND OFFSET = 0.00 %

MAXIMUM NEW YEAR DEMAND OFFSET = 100.00

ITEM ANNUAL COST <= \$200.00 PER YEAR

TOTAL COUNT	AND ALL MORE CASES	128 1937	1901 61	26 805	0 424	1 176	0 83	0 28	0
1	400.01% 1000.01% TO AND 1000% MORE	129	65	46	6	2	0	0	c
ACTUAL WAS	200.018 TO 4008	167	104	6 5	24	11	1	7	C
AC	100.018 TO 2008	121	107	80	42	16	60	0	0
1	50.018 TO 1008	139	90	73	54	16	6	4	m
NO.	0.018 TO 508	1 06	113	96	67	4	22	7	2
ACTUAL EQUALLED PREDICTION	0	81	50	7	1	0	0	0	o
WAS	50.008 TO 0.018	149	143	141	103	46	25	12	
ACTUAL W	99.998 TO 50.018	137	176	155	88	27	4		0
; ; ; ;	1008	780	224	116	36	13	4	0	0
		0.5- 2	2.5- 4	4.5- 8	8.5- 16	16.5- 32	32.5- 62	62.5-122	122.5
				AVERAGE	JANANA	NEWOISTI LONS			

Ξ-;

Note: The number of items in each class is shown.

PERCENT ERRORS IN THE ESTIMATION OF DEMAND -- HISTOGRAM FOR 1981-83, BY COUNT

MAXIMIM OLD YEAR DEMAND OFFSET = 0.00 \$

MAXIMUM NEW YEAR DEMAND OFFSET = 100.00

ITEM ANNUAL COST > \$200.00 PER YEAR

TOTAL	ALL	695	696	1272	1344	1051	776	533	594
	AND MORE	22	m	w	۷n	0	-	0	0
	400.01\$ 1000.01\$ TO AND 1000\$ MORE	42	4	31	26	7	0	7	8
ACTUAL WAS	200.018 TO 4008		99	81	47	26	13	ĸ	9
ACT	100.01\$ TO 200\$	4	83	16	88	72	39	20	ĸ
; ; ; ; ; ;	50.018 TO 1008	64	80	104	114	80	72	53	22
1 1 1	0.018 TO 508	9	106	173	214	178	168	93	126
ACTUAL EQUAL LED PREDICTION	10	23	21	15	13	9	m	0	0
WAS	50.008 TO 0.018	78	147	211	295	296	256	225	329
	99.998 TO 50.018	4	161	302	343	264	174	104	75
ECTUAL	1001	257	258	259	198	122	20	32	59
		0.5- 2	2.5- 4	4.5-8	8.5- 16	16.5- 32	32.5- 62	62.5-122	122.5 and more
		r	AVERAGE	ANNUAL	REQUISITIONS				

Note: The number of items in each class is shown.

PERCENT ERMORS IN THE ESTIMATION OF DEMAND -- HISTOGRAM FOR 1981-83, BY PERCENT

MAXIMUM OLD YEAR DEMAND OFFSET = 0.00 & MAXIMUM NEW YEAR DEMAND OFFSET = 100.00 &

ITEM ANNUAL COST <= \$200.00 PER YEAR

	1000.018 AND MORE	"	28	38	6	1.0	8	6	60
	400.018 1000.018 TO AND 10008 MORE	2	99	9	28	13	80	6	6
'UAL WAS HIGH	200.018 TO 4008	8	106	8	9	89	18	78	6
ACTUAL WAS-	100.01 <b>8</b> TO 200 <b>8</b>	<b>*</b> 9	106	104	101	6	101	6	0
	50.018 TO 1008	*	88	6	138	<b>8</b> 6	118	146	\$0 <b>\$</b>
	0.01 tro	85	118	128	168	258	278	258	338
ACTUAL EQUALLED PREDICTION	*0	*	2.8	1.	6	6	8	6	80
	50.004 TO 0.014	88	138	188	248	268	308	438	178
LOW WAS	99.99\$ TO 50.01\$	7.	178	198	218	158	178	118	60
<b>(</b>	1008	404	218	148	8	78	28	6	8
		8	4	80	16	32	62	122	or e
		0.5-	2.5-	4.5-	8.5- 16	16.5- 32	32.5- 62	62.5-122	122.5 and more
		<b>r.</b> ,	AVERAGE	ANNUAL	REQUISITIONS				-

Note: For each level of annual requisitions, the percent of items in each class is shown.

PERCENT ERRORS IN THE ESTIMATION OF DEMAND -- HISTOGRAM FOR 1981-83, BY PERCENT

TOTAL PROPERTY OF THE PROPERTY

MAXIMUM OLD YEAR DEMAND OFFSET = 0.00 %

MAXIMUM NEW YEAR DEMAND OFFSET = 100.00 (

ITEM ANNUAL COST > \$200.00 PER YEAR

	400.01% 1000.01% TO AND 1000% MORE	38	60	0	10	0	0	0	<b>8</b> 0
	400.01% TO 1000%	<b>9</b>	\$6	28	28	1.0	0	0	0
ACTUAL WAS	100.018 TO 4008	6	7.	9	38	28	28	-	1.
ACT	100.011 2 TO 2008	•	86	7.	78	7.8	28	4.	=
	50.018 TO 1008	<b>8</b> 6	8	80	88	8	5	108	4 8
1	0.01 TO 508	6	114	148	161	178	228	178	218
ACTUAL EQUALLED PREDICTION	0	38	28		=	<b>*</b>	6	60	6
,	50.00% TO 0.01%		158	178	228	281	338	428	558
ACTUAL WASLOW	99.998 TO 50.018	2	178	248	268	258	221	208	138
	1008	378	278	208	151	128	9	9	83
		<b>~</b> 1	4	<b>6</b>	8.5- 16	. 32	. 62	122	ore
		0.5-	2.5-	4.5-		16.5- 32	32.5- 62	62.5-122	122.5 and more
			1	AVERAGE	ANNUAL	REQUISITIONS			

Note: For each level of annual requisitions, the percent of items in each class is shown.

APPENDIX F

THE NEGATIVE BINOMIAL DISTRIBUTION

### The Negative Binomial Distribution

The negative binomial distribution is used by CCSS to estimate the quantity of demands for an item. This distribution is discrete and unimodal, and as the variance approaches the mean it becomes Poisson.

This distribution can be computed from its mean  $\boldsymbol{\mu}$  and standard deviation  $\boldsymbol{\sigma}$  as follows:

$$p = \frac{\mu}{\sigma^2}$$

$$q = 1 - p$$

$$r = \mu - p$$

Let  $\rho_k$  denote the probability density at each nonnegative integer k. Then  $\rho_0$  =  $p^r$ 

and for k > 0,

$$\rho_k = \rho_{k-1} \times \frac{q \times (k+r-1)}{k}$$

For computational purposes we assume that all requisitions for an item are for the same quantity of items.

Source: Alan Kaplan of the US Army Inventory Research Office (IRO), by telephone on 9 September 1983.

In Tables F-1 and F-2, theoretical and observed distributions are tabulated together for comparison. The distributions are of four types:

- 1. Old CCSS -- figured from the current CCSS percent errors, as CCSS would: the mean was the average demand during the past two years, and the standard deviation was computed from the mean and the percent errors.
  - 2. New CCSS -- figured from the computed percent errors as CCSS would.
- 3. Direct -- figured directly from the observed mean and standard deviation for 1981-1983.
  - 4. Observed -- observed for 1981-1983.

Because the distributions are rounded to the nearest percent, they sometimes do not add up to 100 percent. Because of outliers in the data, the mean and standard deviation for two distributions were not readily available. Two other distributions were omitted because they had only 6 and 28 data points respectively.

The numerical column headings need some further explanation, since only onlimit for each column is given. For example, the column titled "> 50%" includes only items with percent errors > 50 percent and < 100 percent, and the column titled " < 1000%" includes only items with percent errors > 400 percent and < 1000 percent.

The "Sum High Diffs" column compares the theoretical distributions with the observed ones. Because we are primarily concerned with safety level, the distributions were compared only for the cases when they exceeded their means. For these cases for each theoretical distribution, the absolute values of the deviations from the observed percentages were added and placed in the Sum High Diffs column. Consequently, the smaller the Sum High Diffs value, the better the fit of the theoretical distribution to the observed one.

When the Old and New CCSS distributions were compared, the old one fit more closely. In only twelve cases were there sufficient items for a valid comparison. In seven cases, the Old CCSS distribution fit more closely; in one case, the New CCSS distribution fit more closely; and in four cases, the two distributions fit equally closely.

In Tables F-3 and F-4 the results of chi-squared tests comparing the various distributions are presented. The columns labeled "Reject 10%" and "Reject 1%" give the values of the chi-squared statistic above which we assert with 90 percent and 99 percent confidence, respectively, that the data was not distributed according to the test distribution.

CANADADA CANADARAN MAGALIFICA (CANADARA)

Table F-1
Distributions for Annual Value ≤ \$200

unnual	Туре	Actua	1 Was	Lov	Dkay			Actua	1 Was H	igh		Sum  High
lequi-	Distri- bution	100%	>50%	>07	oz	≤50 <b>z</b>	£100Z	≦200 <b>x</b>	≦400 <b>x</b>	≦1000 <b>x</b>	>1000%	Diffs
	Old CCSS	56	11	6	4	3	5	4	5	4	1	25
2.5 to	New CCSS	64	9	5	3	2	4	3	4	4	2	28
4	Direct	53	9	5	4	3	4	4	5	7	5	27
	Observed	21	17	13	2	11	8	10	10	6	2	
	Old CCSS	34	20	15	3	7	5	6	6	3	0	21
4.5 to	New CCSS	39	19	13	3	6	4	6	5	4	0	23
8	Direct											
	Observed	14	19	18	1	12	9	10	8	6	3	<u> </u>
2.5	Old CCSS	14	31	20	2	11	7	8	5	2	0	. 14
8.5 to	New CCSS	13	31	20	2	11	7	8	5	2	0	1 14
16	Direct	7	26	21	3	13	9	11	8	2	0	: 10
	Observed	8	21	24	0	16	13	10	6	2	0	
	Old CCSS	6	36	22	1	12	8	8	5	1	0	17
16.5 to	New CCSS	8	36	21	1	12	8	8	5	1	0	17
32	Direct	8	31	18	1	11	8	10	8	4	U	22
	Observed	7	15	26	0	25	9	9	6	1	1	:
22.5	Old CCSS	0	26	32	1	20	11	7	2	0	0	11
32.5	New CCSS	0	28	31	1	19	11	8	2	0	0	11
62	Direct	0	23	32	1	21	12	8	2	. 0	0	10
	Observed	5	17	30	0	27	11	10	1	0	0	<u> </u>
	014 CCSS	0	19	38	1	25	11	5	1	0	0	
62.5	New CCSS	0	26	33	1	21	11	7	2	: 0	0	01.1
122	Direct						<u> </u>			<del>_</del>	<u>†</u>	21
	Observed	0	11	43	O	25	14	0	7	0	; 0	Item
	014 CCSS	0	14	42	0	28	11	4	0	0	0	_#
122.5	New CCSS	0	16	41		27	11	5	0	0	0	Only
Over	Direct										ļ	6
	Observed	0	0	17	, (	33	50	0	0	. 0	0	Ite

Table F-2
Distributions for Annual Value > \$200

Annual	Type of	Actua	Was I	Low	Okay		<del></del>	Actua	L Was H:	lgh		Sum
Requi- sitions	Distri- bution	100%	>50%	>0%	02	≦50%	£1002	£200%	£400%	£10002	210002	High Diffs
	Old CCSS	43	15	9	6	5	7	6	5	3	0	14
2.5	New CCSS	47	14	8	6	4	6	6	5	4	0	15
to 4	Direct	36	14	9	7	5	8	7	7	5	1	9
	Observed	27	17	15	2	11	8	9	7	. 5	0	
	Old CCSS	20	23	20	5	11	7	8	5	2	0	6
4.5	New CCSS	31	21	16	4	8	5	7	6	3	0	10
to 8	Direct	34	19	13	3	7	5	6	6	5	1	15
	Observed	20	24	17	1	14	8	7	6	2	0	
	01d CCSS	6	29	25	3	15	9	8	4	1	0	5
8.5	New CCSS	12	31	20	2	12	7	8	5	1	0	9
16	Direct	19	30	16	2	9	6	9	6	3	j O	15
l 	Observed	15	26	22	1	16	8	7	3	2	0	
	01d CCSS	1	28	: 3G	2	18	10	8	3	. 0	0	6
16.5	New CCSS	3	33	25	2	15	9	8	4	0	Ú	7
32	Direct	4	36	25	2	14	8	7	3	0	O	5
	Observed	12	25	26	1	17	8	7	2	1	0	
	Old CCSS	0	26	32	1	20	11	7	2	. 0	0	£
32.5	New CCSS	0	30	29	1	18	10	8	2	0	0	8
62	Direct			:								
	Observed	6	22	33	U	22	9	5	2	0	0	
	Old CCSS	0	19	38	1	25	11	5	1	0	0	10
62.5	New CCSS	0	26	33	1	21	11	7	2	0	0	9
122	Direct	0	33	32	1	18	9	6	1	Ú	0	4
	Observed	6	20	42	0	17	10	4	1	0	0	
,,,,	Old CCSS	0	14	42	0	•28	11	4	0	0	0	18
122.5 and	New CCSS	0	16	41	0	27	11	5	0	0	0	18
Over	Direct	0	31	37	0	19	8	4	0	0	0	10
	Observed	5	13	55	0	21	4	1	1	0	0	

TABLE F-3
CHI-SQUARE TESTS

# TOTAL VALUE =\$200/YEAR

			<b>Approximate</b>		
Annual	Type of	Degrees of	Chi-Square	Reject	Reject
Reqns	Distribution	Freedom	Statistic	10%	12
2.5	New CCSS	9	1273	14.68	21.67
to 4	Direct	7	865	12.02	18.48
4.5	New CCSS	8	464	13.36	20.09
to 8	Direct	-	-	-	-
8.5	New CCSS	8	68	13.36	20.09
to 16	Direct	6	32	10.64	16.81
16.5	New CCSS	6	49	10.64	16.81
to 32	Direct	5	54	9.236	15.09
32.5	New CCSS	4	4.8	7.779	13.28
to 62	Direct	2	1.8	4.605	9.210
62.5	New CCSS	3	33	6.251	11.34
to 122	Direct	-	-	-	-
122.5	New CCSS	-	-	-	-
and Over	Direct	-	-	-	-

TABLE F-4
CHI-SQUARE TESTS
TOTAL VALUE >\$200/YEAR

			Approximate		
Annual	Type of	Degrees of	Chi-Square	Reject	Reject
Reqns	Distribution	Freedom	Statistic	10%	1%
2.5	New CCSS	8	375	13.36	20.09
to 4	Direct	6	148	10.64	16.81
4.5	New CCSS	8	169	13.36	20.09
to 8	Direct	6	271	10.64	16.81
8.5	New CCSS	7	54	12.02	18.48
to 16	Direct	6	168	10.64	16.81
16.5	New CCSS	7	321	12.02	18.48
to 32	Direct	5	219	9.236	15.09
32.5	New CCSS	5	20	9.236	15.09
to 62	Direct	-	-	-	-
62.5	New CCSS	5	24	9.236	15.09
to 122	Direct	2	25	4,605	9.210
122.5	New CCSS	4	57	7.779	13.28
and Over	Direct	2	103	4.605	9.210

APPENDIX G

EXPECTED AND ACTUAL MEAN

### EXPECTED AND ACTUAL MEAN

# Item Annual Cost ≤ \$200 per year

Average Annual Number of	Ratio of Act	ual Mean to Expe	cted Mean
Requisitions	1979-81	1980-82	1981-83
2.5 - 4	1.514	1.972	2.044
4.5 - 8	1.407	1.302	2.295
8.5 - 16	1.347	1.217	1.280
16.5 - 32	1.186	1.548	1.347
32.5 - 62	1.207	1.327	1.051
62.5 - 122	1.640	1.406	1.202
122.5 and more	2.127	1,255	1.299

### Item Annual Cost > \$200 per year

Average Annual			
Number of	Ratio of Act	ual Mean to Expe	cted Mean
Requisitions	1979-81	1980-82	1981-83
2.5 - 4	1.008	1.185	1.338
4.5 - 8	•948	1.205	1.177
8.5 - 16	•906	1.050	1.063
16.5 - 32	.849	1.022	.917
32 <b>.</b> 5 <b>-</b> 62	•947	.997	1.057
62.5 - 122	.989	1.151	.896
122.5 and more	1,196	1.183	.853

APPENDIX H

EXPECTED AND ACTUAL STANDARD DEVIATION

### EXPECTED AND ACTUAL STANDARD DEVIATION

Item	Annual	Cost	<	\$200	per	year	

Average Annual Number of Requisitions	Ratio of Actual 1979-81	to Expected 1980-82	Standard Deviation 1981-83
2.5 - 4	1,671	1.830	1.806
4.5 - 8	1.143	1.233	2.900
8.5 - 16	1.393	1.211	1,110
16.5 - 32	•983	2.116	1.435
32.5 - 62	1.769	1.223	.959
62.5 - 122	2.289	.882	1,350
122.5 and more	1.920	.931	.686

# Item Annual Cost > \$200 per year

Average Annual			•
Number of	Ratio of Actual	to Expected	Standard Deviation
Requisitions	1979-81	1980-82	1981-83
2.5 - 4	1.098	1.081	1,157
4.5 - 8	1.295	1.509	1.298
8.5 - 16	1.102	1.976	1,280
16.5 - 32	1.004	1.807	.976
32.5 - 62	.992	1.081	4.776
62.5 - 122	.955	1.723	.986
122.5 and more	.966	1.004	1.080

### COMPUTING THE STANDARD DEVIATION

### Glossary:

PCER is the percent error in demand for a nine month period.

PCER-LT is percent error in the procurement lead time.

PROLT is procurement lead time in months.

PROLT-DMD is the demand during the PROLT.

AMD is average monthly demand.

STD-DEV is the standard deviation.

AYD is average yearly demand.

### The CCSS Computation:

- 1. Source: CCSS Operating Instructions 18-710-102, Volume 4, Appendix C, as corrected by Karl Kruse of the Inventory Research Office.
- 2. Compute PCER-LT = PCER/ (PROLT/9) \*\*0.5
- 3. Compute PROLT-DMD = AMD x PROLT
- 4. If PROLT-DMD > 20 use GAMMA = 1.41; otherwise use GAMMA from this table:

PCER-LT	GAMMA
0 to .5	1.27
Over .5 to .8	1.33
Over .8 to 1.0	1.42
Over 1.0	1.52

5. Compute STD-DEV = PROLT-DMD x GAMMA x PCER-LT

### Our Computation:

- 1. Compute PCER-LT as in the CCSS computation. To generate a distribution comparable to the twelve-month histograms in Appendix E, PROLT = 12 months was used.
- 2. Compute the AYD as follows.
- a. For each interval of annual requisitions, choose a representative to generate a typical distribution for the interval. The numbers chosen were 3, 6, 12, 22, 45, 85, and 175 requisitions per year.
- b. For each interval, compute AYD = Annual Requisitions  $\mathbf{x}$  Average Quantity Requisitioned, using 2 as the Average Quantity Requisitioned.
- Compute PROLT-DMD = AYD x PROLT in years. PROLT in years = 1.0.
- 4. Compute GAMMA as in the CCSS computation. For 3 and 6 annual requisitions, PROLT-DMD = 6 and 12 respectively; since PCER-LT > 1.0, GAMMA = 1.52. For 12 and more annual requisitions, PROLT-DMD > 20, so GAMMA = 1.41.
- 5. Compute STD-DEV as in the CCSS computation.

# APPENDIX I OBTAINING CLOSER FITS TO THE DEMAND DISTRIBUTIONS

In Table I-1 closer fits to an observed demand distribution were obtained by varying the mean and standard deviation of negative binomial distributions. This case involved 2.5 to 4 annual requisitions with an annual value of \$200 or less.

The columns of Table I-1 are as follows:

1. The distribution used.

ALCOHOLD SERVICE CONTRACTOR CONTRACTOR

- 2. Actual Low or Equal: The percent of cases with the observed value less than or equal to the mean.
- 3. Actual was High: The percent of cases with the observed value greater that the mean, further subdivided into a histogram as follows:
  - a.  $\leq$  50% denotes cases with the observed value up to 1.5 times the mean.
  - b.  $\leq$  100% denotes cases with the observed value between 1.5 and 2 times the mean.
  - c. Similarly,  $\leq$  200%,  $\leq$  400%, and  $\leq$  1000% denote observed values from 2 to 3 times, from  $\bar{3}$  to 5 times, and from 5 to 11 times the mean.
  - d. > 1000% denotes that demand was more than 11 times the mean.
- 4. Sum Pos Diffs: For cases when the actual exceeded the mean, the sum of the percent differences between the observed and test distributions.
  - 5. Sum Pos Diffs<sup>2</sup>: The sum of the squares of those differences.

The rows of Table I-l are as follows:

CONTRACTOR CONTRACTOR REPORTED AND CONTRACTOR CONTRACTOR CONTRACTOR

- 1. Observed--The histogram observed when using 1981-82 to predict 1983.
- 2. Old CCSS--Using the current CCSS percent error with mean = 3 and standard deviation = 6.717.
- 3. New CCSS--Using the computed CCSS percent error with mean = 3 and standard deviation = 8.117.
- 4. Direct--Using the computed mean and computed standard deviation.
- 5. Variations of old and new CCSS with  $\mu=3$ --One of these distributions could be used without revising CCSS but by changing only the percent errors now in CCSS.
- 6. Variations of direct with  $\mu$  = 6.132 --Possibilities by using the expected mean and various standard deviations. Use of one of these distributions would require a revision of CCSS.
- 7. Variations of direct--Possibilities by using various means and standard devitions. Use of one of these distributions would also require a revision of CCSS.

TABLE I-1
Obtaining Closer Fits to the Demand Distributions

	O/yr. Actual Low Actual was High					Sum	Sum		
2.5 to 4 Annual Reqns.	or equal	≦ 50%	≦ 100%	≦ 200%	≤ 400%	<pre>= 1000%</pre>	<b>&gt;</b> 1000%	High Diffs	High 2 Diffs
Observed	53	11	8	10	10	6	2		
Old CCSS μ = 3, σ = 6.717	78	3	5	4	5	4	1	25	139
New CCSS μ =3, σ = 8.117	81	2	4	3	4	4	2	28	186
Direct μ =6.132, σ =14.655	71	3	4	4	5	7	5	27	151
Variations of old and new CCSS with $\mu$ = 3									
σ = 2 σ = 3 σ = 4 σ = 5 σ = 6 σ = 8 σ = 10	65 66 70 73 76 81 84	15 9 7 5 4 3 2	15 12 9 7 5 4	5 8 7 6 5 4 3	0 4 5 6 5 4 3	0 0 2 3 4 4	0 0 0 0 0 2 2	34 22 19 20 24 26 30	230 190 71 82 116 156 208
Variations of direct with µ = 6.132									
σ = 6 σ = 8 σ = 9 σ = 10 σ = 12 σ = 16 σ = 20	42 52 56 59 65 73 79	8 6 5 4 3 2	14 10 8 7 6 4 3	14 10 9 8 6 4 3	14 11 10 9 7 5	7 10 9 9 8 7 5	0 1 2 3 4 5	20 13 9 14 20 27 32	82 47 35 52 86 151 214
Variations of direct $\mu = 4.5$ , $\sigma = 4.5$ $\sigma = 6$ $\sigma = 7.5$	53 60 65	9 7 5	14 10 7	12 9 7	9 9 8	3 5 6	0 0 1	16 11 13	58 27 51
μ = 8, σ = 8 $σ = 10$ $σ = 12$	35 44 51	7 6 5	12 10 8	14 11 9	17 13 11	13 13 12	1 3 5	27 19 17	147 89 83

Note: $\mu = mean_{\phi} \sigma = standard deviation$ 

Also note: The Sum High Diffs and Sum High Diffs  $^2$  columns include only cases where the actual was high.



USING SERVICEABLE RETURNS TO OFFSET DEMANDS -- FINAL

# USING SERVICEABLE RETURNS TO OFFSET DEMANDS -- FINAL

# Modified Percent Errors (Both <=\$200 and >\$200)

(Average Ratios of Error to Old Year Demand)

Average Annual Number of Requisi		Offset							
in 1981-82	0.8	5%	10%	15%	20%	50%	1008		
2.5-4	1.741	1.736	1.732	1.728	1.725	1.724	1.747		
4.5-8	1.614	1.607	1.601	1.596	1.592	1.585	1.607		
8.5-16	. 987	.977	.969	. 964	. 960	. 960	. 985		
16.5-32	. 805	. 791	. 781	.773	.769	.765	.778		
32.5-62	. 753	.742	. 734	.729	.727	.728	.743		
62.5-122	. 570	. 553	. 542	.535	. 531	.530	. 544		
122.5 & More	.430	.412	. 402	. 398	. 396	. 395	. 394		

# EMED ED

5-86 DT [