

AD-A170 082 A FAMILY OF LOCALLY RESISTANT NONSYMMETRIC BIB DESIGNS 1/1  
OF DEGREE K. (U) ILLINOIS UNIV AT CHICAGO CIRCLE DEPT  
OF MATHEMATICS STATISTIC. A HEDAYAT ET AL. 15 FEB 86  
UNCLASSIFIED RR-86-01 AFOSR-TR-86-0405 AFOSR-85-0320 F/G 12/1 NL





1.0



1.1



1.25



1.4



1.6

1.5  
1.8  
2.0  
2.2  
2.5  
2.8  
3.15  
3.5  
4.0  
4.5



2.8



2.5



2.2



2.0



1.8

AD-A170 082



# THE UNIVERSITY OF ILLINOIS AT CHICAGO

A FAMILY OF LOCALLY RESISTANT NONSYMMETRIC  
BIB DESIGNS OF DEGREE  $k$

BY

A. HEDAYAT AND H. OHMORI

RESEARCH REPORT IN STATISTICS

No. 86-01

February 1986

DTIC  
ELECTE  
JUL 23 1986  
S B

DMC FILE COPY

## DEPARTMENT OF MATHEMATICS, STATISTICS, AND COMPUTER SCIENCE

DISTRIBUTION STATEMENT A  
Approved for public release  
Distribution Unlimited

A FAMILY OF LOCALLY RESISTANT NONSYMMETRIC  
BIB DESIGNS OF DEGREE  $k$

BY

A. HEDAYAT AND H. OHMORI

RESEARCH REPORT IN STATISTICS

No. 86-01

February 1986

DTIC  
ELECTE  
JUL 23 1986  
B

**DISTRIBUTION STATEMENT A**

Approved for public release  
Distribution Unlimited

Research supported by Grant AFOSR 85-0320 AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)  
NOTICE OF TRANSMITTAL TO DTIC  
This technical report has been reviewed and is  
approved for public release IAW AFR 100-12.  
Distribution is unlimited.  
MATTHEW J. KERRER  
Chief, Technical Information Division

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION <b>UNCLASSIFIED</b>			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY <b>NA</b>			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; Distribution unlimited		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE <b>NA</b>					
4. PERFORMING ORGANIZATION REPORT NUMBER(S)			5. MONITORING ORGANIZATION REPORT NUMBER(S) <b>AFOSR-TR. 86-0405</b>		
6a. NAME OF PERFORMING ORGANIZATION <b>University of Illinois</b>		6b. OFFICE SYMBOL <i>(If applicable)</i>	7a. NAME OF MONITORING ORGANIZATION <b>AFOSR/NM</b>		
6c. ADDRESS (City, State and ZIP Code)			7b. ADDRESS (City, State and ZIP Code) <b>Bldg. 410 Bolling AFB, DC 20332-6448</b>		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION <b>AFOSR</b>		8b. OFFICE SYMBOL <i>(If applicable)</i> <b>NM</b>	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER <b>AFOSR 85-0320</b>		
8c. ADDRESS (City, State and ZIP Code) <b>Bld. 410 Bolling AFB, DC</b>			10. SOURCE OF FUNDING NOS.		
			PROGRAM ELEMENT NO. <b>6.1102F</b>	PROJECT NO. <b>2304</b>	TASK NO. <b>A5</b>
			WORK UNIT NO.		
11. TITLE (Include Security Classification) <b>A Family of Locally Resistant Nonsymmetric BIB Designs of Degree k</b>					
12. PERSONAL AUTHOR(S) <b>A. Hedayat &amp; H. Ohmori</b>					
13a. TYPE OF REPORT <b>interim</b>		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Yr., Mo., Day) <b>Feb. 15, 1986</b>	15. PAGE COUNT <b>5</b>
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB. GR.	<b>Incomplete block design, BIB design, Resistant design to the loss of observations</b>		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)  The existence of a symmetric BIB(4t+3,2t+1,t) design implies the existence of a locally resistant BIB(4t+4,8t+6,4t+3,2t+2,2t+1) design of degree 2t+2. There are infinite number of such designs. Such designs are useful for running experiment under hostile circumstances where there are good chance of losing one or more observations. Such designs will preserve the statistical optimality of the data. Other theoretical results are also given.					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <b>UNCLASSIFIED/UNLIMITED</b> <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS <input type="checkbox"/>			21. ABSTRACT SECURITY CLASSIFICATION		
22a. NAME OF RESPONSIBLE INDIVIDUAL		22b. TELEPHONE NUMBER <i>(Include Area Code)</i>		22c. OFFICE SYMBOL	

A FAMILY OF LOCALLY RESISTANT NONSYMMETRIC  
BIB DESIGNS OF DEGREE  $k$

By A. Hedayat and H. Ohmori  
University of Illinois at Chicago

and

Ehime University

Abstract

The existence of a symmetric BIB  $(4t+3, 2t+1, t)$  design implies the existence of a locally resistant BIB  $(4t+4, 8t+6, 4t+3, 2t+2, 2t+1)$  design of degree  $2t+2$ . There are infinite number of such designs. Other results are also given.



Accession For	
BIB	<input checked="" type="checkbox"/>
MS	<input type="checkbox"/>
Unpubl. report	<input type="checkbox"/>
Justification	
By _____	
Distribution	
Availability Code	
Avail. and/or	
Dist	Special
A-1	

Research supported by Grant AFOSR 85-0320. AMS 1970 subject classifications. Primary 62K10, 62K05; Secondary 05B05.

Keywords and phrases. Incomplete block design, BIB designs, resistant BIB design.

A FAMILY OF LOCALLY RESISTANT NONSYMMETRIC  
BIB DESIGNS OF DEGREE  $k$

By A. Hedayat and H. Ohmori  
University of Illinois at Chicago

and

Ehime University

1. Introduction and Background. Hedayat and John (1974) introduced and studied the concept of resistant and susceptible balanced incomplete block (BIB) designs based on  $v$  treatments in  $b$  blocks of size  $k$  each. For convenience, we shall recall two of their concepts. They defined a BIB design to be locally resistant of degree  $n \leq v-2$  if upon deletion of the experimental units assigned to a specific set of  $n$  treatments, the remaining design preserves the original property that under the usual homoscedastic additive linear model all normalized estimable linear functions of the remaining  $v-2$  treatment effects are estimated with the same precision. Further, they defined a BIB design to be globally resistant of degree  $n$  if it has the above property with respect to all  $\binom{v}{n}$  subsets of  $n$  treatments out of  $v$  treatments.

One obvious message which we can get from the results of Hedayat and John (1974) is this. Not all BIB designs, and certainly not all observations within a fixed BIB design are created equal. Specifically, their Theorem 5.5 states that a sufficient condition for a BIB design to be locally resistant of degree  $k$  is  $v = b$ . The necessity of this condition was

left as an open problem. In Section 2, we show that fortunately this condition is not necessary. We have identified a family of BIB designs with  $v \neq b$  which are locally resistant of degree  $k$ . Therefore, our catalog of locally resistant BIB designs is substantially enlarged. In Section 3, we point out that some conditions stated in Hedayat and John (1974) can be improved upon and list some interesting and related papers which have appeared since 1974.

2. A Family of Locally Resistant BIB Designs of Degree  $k$  With  $v \neq b$ .

Theorem 2.1. The existence of a symmetric BIB  $(4t+3, 2t+1, 1)$  design implies the existence of a locally resistant BIB  $(4t+4, 8t+6, 4t+3, 2t+2, 2t+1)$  design of degree  $2t+2$ .

Proof. Let  $\underline{N}$  and  $\underline{M}$  be the incidence matrices of symmetrical BIB  $(4t+3, 2t+1, t)$  and BIB  $(4t+3, 2t+2, t+1)$  designs respectively. Note that the existence of  $\underline{N}$  implies the existence of  $\underline{M}$ . Without loss of generality,  $\underline{N}$  and  $\underline{M}$  can be written as

$$\underline{N} = \begin{bmatrix} J_{2t+1,1} & \underline{N}_1 \\ O_{2t+2,1} & \underline{N}_2 \end{bmatrix}, \quad \underline{M} = \begin{bmatrix} O_{2t+1,1} & \underline{M}_1 \\ J_{2t+2,1} & \underline{M}_2 \end{bmatrix}$$

where both  $\underline{N}_2$  and  $\underline{M}_2$  are incidence matrices of a



BIB  $(2t+2, 4t+2, 2t+1, t+1, t)$  design. Let

$$\bar{N} = \begin{bmatrix} 1 & J_{-1, 4t+2} & 0 & O_{-1, 4t+2} \\ J_{-2t+1, 1} & N_1 & O_{2t+1, 1} & M_1 \\ O_{-2t+2, 1} & N_2 & J_{-2t+2, 1} & M_2 \end{bmatrix}.$$

Then  $\bar{N}$  is the incidence matrix of a BIB  $(4t+4, 8t+6, 4t+3, 2t+2, 2t+1)$  design (see Lemma 2.1 of Bhat and Shrikhande (1970)). If we lose all the experimental units related to the first  $2t+2$  treatments as specified by the first  $2t+2$  rows of  $\bar{N}$  we will be left with a design whose incidence matrix is given by  $[N_2 \ J_{-2t+2, 1} \ M_2]$ . The C matrix of this remaining design can be easily computed to be the following complete symmetric matrix

$$(4t+1)(I_{2t+2} - (2t+2)^{-1} J_{2t+2, 2t+2}).$$

Therefore, by Lemma 1.3 of Hedayat and John (1974),  $\bar{N}$  is the incidence matrix of a locally resistant BIB  $(4t+4, 8t+6, 4t+3, 2t+2, 2t+1)$  design of degree  $2t+2$ .

It is known that there are infinitely many symmetric BIB  $(4t+3, 2t+1, t)$  designs. Therefore, there are infinitely many locally resistant nonsymmetric BIB design of degree  $k$ . Fortunately, the family of symmetric BIB design and the above family of nonsymmetric BIB designs are not the only locally resistant designs of degree  $k$ . For example, the BIB  $(6, 10, 5, 3, 2)$

design

1	1	1	1	1	2	2	2	3	3
2	2	3	4	4	3	4	5	4	5
3	5	6	5	6	4	6	6	5	6

which is not a member of the family of designs in Theorem 2.1 is locally resistant of degree  $k = 3$  with respect to any set of treatments within the same block.

An obvious way of generalizing the outcome of the above example is this. Suppose a BIB design,  $d$ , has the property that its  $b$  blocks can be partitioned into 3 sets of blocks, say  $S_1, S_2$  and  $S_3$  such that: (i) All blocks in  $S_1$  are identical ( $S_1$  can have a single block); (ii) Each block in  $S_2$  has  $k-1$  treatments in common with a block in  $S_1$ ; (iii) If we remove those treatments which appear in blocks of  $S_1$  from the blocks of  $S_3$  then the remaining part of  $S_3$  forms a BIB design with or without repeated blocks. Then  $d$  is a locally resistant design of degree  $k$  with respect to those  $k$  treatments which appear in  $S_1$ .

### 3. Closing Remarks

We like to point out that Corollary 4.2 of Hedayat and John (1974) could be improved upon by adding  $(N_4) b \geq v + r - 1$  and replacing  $(N_3) \lambda > 1$  by  $(N_3) \lambda \geq k-1$ .

Since 1974 several papers have appeared on this topic. We would like to mention the following selected papers. John (1976)

analyzed the performance of BIB designs upon the loss of an arbitrary treatment and proved that, in general, BIB designs are highly efficient in the sense of A-optimality among all equireplicated designs. Most (1975) generalized Theorem 4.3 of Hedayat and John (1974) characterizing globally resistant designs of degree  $n$ ,  $n < k < v$ . Constantine (1986) proved that a BIB design preserves its optimality by loss of up to  $t-2$  treatments if and only if it is a  $t$ -design. For a survey article on  $t$ -designs see Hedayat and Kageyama (1980) and Kageyama and Hedayat (1983).

#### REFERENCES

- Bhat, V.N. and Shrikhande, S.S. (1970). Non-isomorphic solutions of some balanced incomplete block designs. J. Combinatorial Theory 9, 174-191.
- Constantine, G.M. (1986). Preservation of optimality under loss of varieties. J. Roy. Statist. Soc. Ser. B., to appear.
- Hedayat, A. and John, P.W.M. (1974). Resistant and susceptible BIB designs. Ann. Statist. 2, 148-158.
- Hedayat, A. and Kageyama, S. (1980). The family of  $t$ -designs- Part I. J. Statist. Plann. Infer. 4, 173-212.
- John, P.W.M. (1976). Robustness of balanced incomplete block designs. Ann. Statist. 4, 960-962.
- Kageyama, S. and Hedayat, A. (1983). The family of  $t$ -designs- Part II. J. Statist. Plann. Infer. 7, 257-287.
- Most, B.M. (1975). Resistance of balanced incomplete block designs. Ann. Statist. 3, 1149-1162.

END

DTIC

8-86