

AD-A172 094

CLOSURE OF THE NBUE (NEW BETTER THAN USED IN
EXPECTATION) AND DMRL (DECRE. (U) ILLINOIS UNIV AT
CHICAGO CIRCLE STATISTICAL LAB A ABOUAMMOM ET AL.

1/1


UNCLASSIFIED

DEC 85 AFOSR-TR-86-0710 AFOSR-85-0320

F/G 12/1

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

2

AD-A172 094

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY NA		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for Public Release; Distribution Unlimited	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR-TR-86-0710	
6a. NAME OF PERFORMING ORGANIZATION University of Illinois at Chicago	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION AFOSR/NM	
6c. ADDRESS (City, State and ZIP Code) P.O. Box 4348 Chicago, Illinois 60680		7b. ADDRESS (City, State and ZIP Code) Air Force Office of Scientific Research Bldg. 410 Bolling AFB, Washington, D.C. 20332-6448	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION AFOSR	8b. OFFICE SYMBOL (If applicable) NM	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER AFOSR 85-0320	
9c. ADDRESS (City, State and ZIP Code) Air Force Office of Scientific Research Bldg. 410 Rolling AFB, Washington, D.C. 20332-6448		10. SOURCE OF FUNDING NOS.	
11. TITLE (Include Security Classification) Closure of the NBUE and DMRL Classes Under Formation of Parallel Systems.		PROGRAM ELEMENT NO. 6.1102F	PROJECT NO. 2304
12. PERSONAL AUTHOR(S) A. Abouammoh and E. El-Neweihi		TASK NO. A5	WORK UNIT NO.
13a. TYPE OF REPORT Interim	13b. TIME COVERED FROM _____ TO _____	14. DATE OF REPORT (Yr., Mo., Day) December, 1985	15. PAGE COUNT 6
16. SUPPLEMENTARY NOTATION			

COSATI CODES		
IELD	GROUP	SUB. GR.

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)
New better than used in expectation, decreasing mean residual life, parallel systems, independent and identically distributed components

ABSTRACT (Continue on reverse if necessary and identify by block number)

The class of new better than used in expectation life distributions is shown to be closed under the formation of parallel systems with independent and identically distributed components. The class of differentiable life distribution with decreasing mean residual life is also proved to have the same closure property.

AD-A172 094

DTIC FILE COPY

DTIC ELECTE
SEP 19 1988
S D

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS <input type="checkbox"/>		21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED	
22a. NAME OF RESPONSIBLE INDIVIDUAL Brian W. Woodruff, Major		22b. TELEPHONE NUMBER (Include Area Code) (202) 767-5027	22c. OFFICE SYMBOL AFOSR/NM

AFOSR-TR- 86-0710



THE UNIVERSITY OF ILLINOIS AT CHICAGO

Closure of the NBUE and DMRL Classes
Under Formation of Parallel Systems

by

A. Abouammoh and E. El-Newehi

December 1985

Approved for public release;
distribution unlimited.

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFOSR)
UNCLASSIFIED TRANSMITTAL TO DTIC
This technical report has been reviewed and is
approved for public release IAW AFR 190-12.
Distribution is unlimited.
W. THOMAS KEPPER
Chief, Technical Information Division

DEPARTMENT OF MATHEMATICS, STATISTICS, AND COMPUTER SCIENCE

Closure of the NBUE and DMRL Classes
Under Formation of Parallel Systems

by

A. Abouammoh and E. El-Neweihi

December 1985

Closure of the NBUE and DMRL Classes
Under Formation of Parallel Systems

by

A. Abouammoh¹ and E. El-Neweihi^{2,3}

December 1985

Department of Mathematics, Statistics and
Computer Science
University of Illinois at Chicago
Technical Report No. 85-07
Statistical Laboratory



Accession For		
NTIS	CRA&I	<input checked="" type="checkbox"/>
DTIC	TAB	<input type="checkbox"/>
Unannounced		<input type="checkbox"/>
Justification		
By		
Distribution/		
Availability Codes		
Dist	Avail and/or Special	
A-1		

1. Department of Statistics, King Saud University, Riyadh, Saudi Arabia.
2. Department of Mathematics, Statistics and Computer Science, University of Illinois at Chicago, Chicago, Illinois 60680.
3. Research sponsored by the Air Force Office of Scientific Research, AFSC, USAF, under Grant AFOSR 85-0320.

KEYWORDS: New better than used in expectation, decreasing mean residual life, parallel systems, independent and identically distributed components.

AMS 1980 subject classifications: Primary 60K10, Secondary 62N05.

ABSTRACT

The class of new better than used in expectation life distributions is shown to be closed under the formation of parallel systems with independent and identically distributed components. The class of differentiable life distributions with decreasing mean residual life is also proved to have the same closure property.

1. INTRODUCTION.

The class of new better than used in expectation (NBUE) life distributions arises quite naturally in considering maintenance and replacement policies. The class of life distributions with decreasing mean residual life (DMRL) is receiving a good deal of current attention, especially in biostatistics. It is well known that the NBUE class and the DMRL class are not closed under the formation of general coherent systems with independent components. In fact a series system with independent and identically distributed (i.i.d.) NBUE components may not have an NBUE life distribution, (see Barlow and Proschan (1981), page 183).

However, the question as to whether or not the NBUE and the DMRL properties are preserved under the formation of parallel systems with i.i.d. units has remained open (see Klefsjo (1985)). In this note we show that the class of NBUE life distributions and the class of differentiable DMRL life distributions are both closed under the formation of parallel systems with i.i.d. units. *Keywords: random variables; distribution functions*

2. THE RESULTS.

Recall that a nonnegative random variable T (or equivalently its distribution F) is said to have the NBUE property, or simply to be NBUE if

$$\int_t^{\infty} \bar{F}(u) du \leq \mu \bar{F}(t), \quad (2.1)$$

for all $t \geq 0$, where $\bar{F}(t) = 1 - F(t)$ and $\mu = ET < \infty$.

Similarly a nonnegative random variable T (or equivalently its distribution F) is said to be DMRL if $F(0) = 0$ and

$$\int_t^\infty \bar{F}(u)du/\bar{F}(t) \text{ decreases in } t, \quad (2.2)$$

for all $t \geq 0$ for which $\bar{F}(t) > 0$, where again $ET < \infty$.

In the following theorem we show that the class of NBUE life distributions is closed under the formation of parallel systems with i.i.d. units.

Theorem 2.1. Let T_1, \dots, T_n be i.i.d. NBUE random variables with common distribution F . Let $T = \max(T_1, \dots, T_n)$. Then T is NBUE.

Proof: Since $\mu = \int_0^t (1 - F(u))du + \int_t^\infty (1 - F(u))du$, condition (2.1) is equivalent to

$$\int_t^\infty \{F(t)(1 - F(u))\}/(1 - F(t))du \leq \int_0^t (1 - F(u))du, \quad (2.3)$$

where, to avoid trivialities, we tacitly assume that $1 - F(t) > 0$. We need to show that (2.3) remains true with $F^n(\cdot)$ replacing $F(\cdot)$, where $F^n(t)$ is the distribution function of T . To this end we only need to show that

$$\int_t^\infty F(t)(1 - F(u)) / (1 - F(t)) du \geq \int_t^\infty F^n(t)(1 - F^n(u)) / (1 - F^n(t)) du.$$

This last inequality follows readily by observing that

$$\begin{aligned}
 & F(t)(1 - F(u))/(1 - F(t)) - F^n(t)(1 - F^n(u))/(1 - F^n(t)) = \\
 & = F(t)(1 - F(u))/(1 - F(t)) \times \\
 & \times \{1 - F^{n-1}(t)[1 + F(u) + \dots + F^{n-1}(u)]/[1 + F(t) + \dots + F^{n-1}(t)]\} \geq 0.
 \end{aligned}$$

and the proof is now complete. \square

In the following theorem we prove that the class of differentiable DMRL life distributions is closed under the formation of parallel systems with i.i.d. components. In view of the fact that a DMRL distribution is necessarily continuous, the added assumption of differentiability should not be too restrictive.

Theorem 2.2. Let T_1, \dots, T_n be i.i.d. DMRL random variables with common differentiable distribution function F . Let $T = \max(T_1, \dots, T_n)$. Then T is DMRL.

Proof: Let f be the derivative of F . Then condition (2.2) is equivalent to

$$\int_t^\infty f(t)(1 - F(u))/(1 - F(t))^2 du \leq 1. \quad (2.4)$$

where again $1 - F(t)$ is tacitly assumed to be positive. We now need to show that (2.4) remains true with $F^n(\cdot)$ and its derivative replacing $F(\cdot)$ and its derivative respectively. To this end it suffices to show that

$$\int_t^\infty f(t)(1 - F(u))/(1 - F(t))^2 du \geq \int_t^\infty nF^{n-1}(t)f(t)(1 - F^n(u))/(1 - F^n(t))^2 du$$

Simple algebraic manipulations show that the above inequality

follows readily by establishing the following:

$$nF^{n-1}(t)[1 + F(u) + \dots + F^{n-1}(u)] \leq [1 + F(t) + \dots + F^{n-1}(t)]^2. \quad (2.5)$$

Now observe that $1 + F(t) + \dots + F^{n-1}(t) - nF^{(n-1)/2}(t)$

$$= \sum_{j=0}^{[(n-1)/2]} [1 - F^{[(n-1)/2]-j}(t)][F^j(t) - F^{(n-1)/2}(t)] \geq 0, \text{ where}$$

$[(n-1)/2]$ denotes the largest integer less than or equal to

$(n-1)/2$. This establishes (2.5) and the proof is now complete. \square

Remark 2.3. The assumption of differentiability in Theorem 2.2 can be replaced by the assumption of absolute continuity. In this case derivatives need only exist almost everywhere, however the proof remains essentially the same.

REFERENCES

1. Barlow, R.E. and Proschan, F. (1981). Statistical Theory of Reliability and Life Testing. To Begin With, Silver Spring, MD.
2. Klefsjo, B. (1985). On Closure under Formation of Parallel Systems. IEEE Transactions on Reliability. R-33(5), 423.

END

11 - 86

DTIC