

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

RAMBOTE A CONNECTION STEADER LASSEMANAL THARNS BY UNAMPLE.

Michael C. Moder

 $\Delta nm : \mathbb{R}^{3} \cap G$

ICS Report No. 1

HIGHTS REPORT OF STREET, CORES

PARTERING OF GALLEGRIMA, BARL J. CO. LA JOURA CALIFORNIA, GARLEGO



RAMBOT: A CONNECTIONIST EXPERT SYSTEM THAT LEARNS BY EXAMPLE

Michael C. Mozer

August 1986

ICS Report 8610

DTIC SEP 2 2 1986 D

Institute for Cognitive Science University of California, San Diego La Jolla, California 92093

I owe an eternal debt of gratitude to Paul Munro, who christened the system RAMBOT and even managed to make RAMBOT into an acronym on the somewhat generic phrase "Restructuring Associative Memory Based On Training." I also wish to thank Paul Smolensky and Dave Rumelhart for their thoughtful comments. The robots program available at UCSD was written by Allan R. Black of Strathclyde University, and was modified by Stephen J. Muir at Lancaster University.

This research was supported by an IBM Graduate Fellowship, a grant from the System Development Foundation, and the Personnel and Training Research Programs, Psychological Sciences Division, Office of Naval Research, Contract No. N00014-85-K-0450, Contract Authority Identification Number, NR 667-548. The views and conclusions contained in this document are those of the author and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the sponsoring agencies. Approved for public release; distribution unlimited. Reproduction in whole or in part is permitted for any purpose of the United States Government. Requests for reprints should be sent to Michael C. Mozer, Institute for Cognitive Science, C-015; University of California, San Diego; La Jolla, CA 9209...
Copyright © 1986 by Michael C. Mozer.

Approved for public release;
Distribution Unlimited

			REPORT DOCU	MENTATION	PAGE											
a. REPORT SE	CURITY CLASS	IFICATION		16. RESTRICTIVE	MARKINGS											
Jnclassif																
Za. SECURITY	CLASSIFICATIO	N AUTHORITY		3. DISTRIBUTION												
2b. DECLASSIF	ICATION / DOV	VNGRADING SCHEDU	LÉ	Approved fo distributio												
A. PERFORMIN	IG ORGANIZAT	ION REPORT NUMBE	R(S)	5. MONITORING	ORGANIZATION	REPORT NUMBER(S										
ICS 8610				7. NAME OF MONITORING ORGANIZATION												
Institute	for Cogn	ORGANIZATION itive Science fornia, San Di		7a. NAME OF MONITORING ORGANIZATION Personnel & Training Research Programs Office of Naval Research (Code 1142PT)												
	City, State, and	d ZIP Code)		7b. ADDRESS (City	y, State, and ZII	P Code)										
C-015 La Jolla,	CA 9209	3		800 North O Arlington,												
1-	FUNDING/SPO	NSORING	86. OFFICE SYMBOL	9. PROCUREMENT	INSTRUMENT I	DENTIFICATION NU	MBER									
ORGANIZA	ATION		(If applicable)	N00014-85-K	-0450											
BC ADDRESS (City, State, and	I ZIP Code)		10. SOURCE OF F	UNDING NUMBE	RS										
				PROGRAM ELEMENT NO. 61153N	PROJECT NO. RR04206	TASK NO. RRO4206-0A	WORK UNIT ACCESSION NO NR 667-548									
11. TITLE (Incl	ude Security C	lassification)		 	·											
RAMBOT: A	Connecti	onist Expert S	ns by Exampl	.e												
12. PERSONAL	AUTHOR(S)			, , , , , , , , , , , , , , , , , , , 												
Michael C																
13a. TYPE OF Technical		13b. TIME CO FROM <u>85</u>	OVERED Oct TO 86 Apr	14 DATE OF REPO 1986 August	RT (Year, Month	n, Day) 15. PAGE (15	COUNT									
16. SUPPLEME	NTARY NOTA	TION			_											
17.	COSATI	CODES	18. SUBJECT TERMS (Continue on reverse	e if necessary ar	nd identify by block	(number)									
FIELD	GROUP	SUB-GROUP	Connectionism:		-	- •										
05	10		observation; a													
1	<u> </u>	<u> </u>	game playing				· · · · · · · · · · · · · · · · · · ·									
19. ABSTRACT	(Continue on	reverse if necessary	and identify by block r	number) d is	506 22.4		10									
Ex	pert systems	seem to be quite	the rage in artificial	intelligence, but	getting expen	t knowledge into	these									
sys	tems is a dif	ficult problem. One	e solution would be to	endow the syste	ems with power	rful learning proce	dures									
wh	ich could di	scover appropriate	behaviors by observi	ing an expert in	action. A pro	mising source of	such									
lea	rning procedu	ires can be found i	n recent work on com	nectionist networl	cs, that is, mass	sively parallel net	works									
of	simple proces	ssing elements. In	this paper, I discuss a	connectionist exp	ert system that	learns to play a s	imple									
		_	player. The game, R				-									
		-	outer-controlled robots													
			will force all of the													
			nnectionist system lea													
observed moves. It is capable not only of replicating the performance of the human player, but of learning generalizations that apply to novel situations.																
ZO. DISTRIBUT	FION / AVAIL AR	ILITY OF ABSTRACT		21. ABSTRACT SE	CURITY CLASSIFI	CATION										
₩ UNCLAS	SIFIED/UNLIMIT	ED SAME AS F	RPT. DTIC USERS	Unclassif	ied											
	F RESPONSIBLE I Hawkins	INDIVIDUAL		22b. TELEPHONE ((202) 696-4		de) 22c. OFFICE SY ONR 114										
20.500111	434	02.40														

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted.
All other editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

Contents

CONNECTIONIST (PDP) SYSTEMS 1 ROBOTS—THE GAME 3 Tricks of the Game 4 Hiding behind junk heaps 4 Forcing robots to collide 4 Lining up robots 4 Teleporting 5 Collecting a Corpus of Moves 5
Tricks of the Game 4 Hiding behind junk heaps 4 Forcing robots to collide 4 Lining up robots 4 Teleporting 5 Collecting a Corpus of Moves 5
Hiding behind junk heaps. 4 Forcing robots to collide. 4 Lining up robots. 4 Teleporting. 5 Collecting a Corpus of Moves 5
Forcing robots to collide. 4 Lining up robots. 4 Teleporting. 5 Collecting a Corpus of Moves 5
Lining up robots. 4 Teleporting. 5 Collecting a Corpus of Moves 5
Teleporting
Collecting a Corpus of Moves
RAMBOT
Input Representation
Force player into upper-left quadrant of board6
Draw windows onto board7
Lay out grid 7
Activate units7
Output Representation 8
Overall Network Structure8
Evaluation of Performance Using Corpus
Examples From Play9
Getting ready to teleport9
Forcing robots to collide9
Hiding behind a junk heap9
Shortcomings
Evaluation of Performance in Free Play
Level of death
Average moves per completed level
BEYOND RAMBOT 13
REFERENCES



ين Dit.ib	_tion /
A	vailability Codes
Dist	Avair and for Special
A-1	

RAMBOT: A Connectionist Expert System That Learns by Example

MICHAEL C. MOZER

INTRODUCTION

Expert systems are prominent among the successes of artificial intelligence. In fact, expert systems have become so popular that almost any program, if billed as an "expert" system, gains instant notariety. It's not always clear what is or is not an expert system, but the most interesting systems seem to operate in domains where the knowledge involved cannot be expressed in concise algorithms (Charniak & McDermott, 1985). Consequently, the most difficult task in building these systems is encoding the knowledge base (Duda & Shortliffe, 1983). Experts are often not as much help as one would like, because it is hard for experts to specify exactly what it is they're doing that makes them experts.

It would be desireable if expert systems could observe an expert in action and then discover rules of the domain based on their observations. This would allow the experts to do what they do best—perform—rather than what they do poorly—explain their own behavior. Of course, discovering the rules of any domain based on observation is a difficult task and requires powerful learning procedures. One promising source of such learning procedures can be found in the recent work on learning in multilayered connectionist networks (Ackley, Hinton, & Sejnowski, 1985; Barto & Anandan, 1985; Rumelhart, Hinton, & Williams, 1986). These networks have the ability to learn arbitrary associations from a set of known variables to a set of target variables or actions, say, from possible symptoms of a disease to possible treatments. More importantly, the networks are able to generalize from a set of examples to the broader class of situations they may be confronted with. While they generally do not discover explicit, psychologically real rules of the sort that most expert systems use, the behavior of these networks appears "rule governed" (Anderson & Hinton, 1981; Rumelhart & McClelland, 1986).

In this paper, I report on my initial efforts at constructing a connectionist expert system that learns to play a simple computer game by observing a human player. I begin by discussing some relevant properties of connectionist networks. Next, I explain the rules of the computer game, called *robots*, and present some strategy. I then describe my connectionist system, *RAMBOT*, which learns to play the robots game. Finally, I look beyond RAMBOT to consider the applicability of connectionist techniques to the design of expert systems in other domains.

CONNECTIONIST (PDP) SYSTEMS

Connectionist, or parallel distributed processing (PDP), systems are networks of simple processing elements that operate in parallel. The typical processing element has a large number of input lines and a single output line. The output line conveys a scalar value, called the activation level, and is generally

a function of the weighted sum of the input lines. The output of a unit serves as input to other units or as an output of the system. Similarly, the inputs to a unit are received from other units or may be provided as input to the system.

A typical connectionist network architecture is shown in Figure 1. The network has three layers: an input layer, an intermediate layer, and an output layer. The input units are turned on by an external source, the input units then activate the intermediate units, and the intermediate units in turn activate the output units. This type of network implements an associative memory: an input activity pattern is mapped into an output activity pattern. Another way of conceptualizing the network is to imagine that each input unit represents some feature of an external environment and each output unit represents a possible action that could be taken. In this case, the network performs a stimulus-response mapping. For instance, the input units could signify the political climate of the world, the output units the possible actions that a nation might take (e.g., launch a nuclear attack, bomb innocent children, and so forth).

Learning in this network involves adjusting the strengths of connection, or weights, between units to implement the desired mapping. Until recently, the only known weight-adjusting algorithms were for two-layered networks, that is, networks with direct input/output connections, which are unable to learn many sorts of mappings. However, Barto and Anandan (1985), Ackley, Hinton and Sejnowski (1985), and Rumelhart, Hinton, and Williams (1986) have recently developed learning algorithms for multi-layered networks like the one shown in Figure 1. I have been working with the back propagation algorithm of Rumelhart et al.

Using back propagation, a network can be trained to associate a set of paired input/output patterns. This training consists of two phases. In the activation phase, an input pattern is presented and is allowed to flow through the layered network to produce an output pattern. This output pattern is then compared with the target output pattern (the output that is to be associated with the given input) and a measure of discrepancy or error is computed. In the back propagation phase, the error is passed backwards through the network so that each unit has an indication of its contribution to the error. The back propagation algorithm implements gradient descent in the error measure; that is, it specifies a change in the weights that is guaranteed to decrease the error.




FIGURE 1. Typical connectionist network architecture.

Following learning, the network can perform arbitrary mappings between input and output patterns. More importantly, it is capable of generalization: If novel input patterns are presented, the network produces output patterns that appear reasonable in terms of the learned associations. To better understand the nature of such generalizations, consider the simplified case of a network that behaves linearly. Suppose this linear network has learned to associate input pattern A with output pattern A' and B with B'. Then, presenting a pattern that is halfway between A and B will result in an output that is halfway between A' and B'. Thus, generalization in this case consists of linear interpolation and extrapolation of learned patterns.

More realistically, multilayered networks require nonlinearities to achieve interesting sorts of behavior; these nonlinearities complicate the generalization issue. With the sorts of nonlinearities that are typical of back-propagation networks, it is still true that an input pattern composed of a mixture of A and B will produce an output pattern composed of a mixture of A' and B', though only if A and B are sufficiently similar. Unfortunately, "sufficiently similar" is difficult to define. A more sensible way of looking at generalization in a network like the one shown in Figure 1 is as follows. Think of the intermediate layer as performing a recoding of the input layer; that is, the intermediate layer constructs an internal representation of the inputs, one that is useful for solving the problem at hand. Generalization is then determined by the similarity among internal representations, not similarity among the actual input patterns. Thus, the response to a novel input pattern is similar to the response to known input patterns whose internal representations are similar to that of the novel pattern. Further, if the output units are linear or semilinear (see Rumelhart et al., 1986), the network performs the sort of interpolation and extrapolation described above, except it uses the internal representations of A and B, rather than A and B themselves.

The advantage of generalization should be obvious: the system needn't be trained on every point in the input space. If an unfamiliar input is presented, the system automatically determines its similarity to known inputs and produces a response based on this similarity. In contrast, many systems with explicit rules do not perform well in unfamiliar situations. Often, a missing or overspecified rule will cause the system to grind to a halt.

ROBOTS—THE GAME

I now return to the particular problem I've been working on: teaching a connectionist network to play the game robots.

The game is played on a CRT screen. The version I've worked with uses a 20×20 cell board. A sample board is shown in Figure 2A. The player is represented by an "I" and takes up one cell on the board. There are a varying number of robots, each represented by an equal sign. At the start of the game, the robots are placed on the board at random. On each turn, the player can move to an adjacent cell, remain at the current location, teleport, or wait. Teleport means that the player is lifted from the current location to a random location on the board; wait means that the player stays at the current location for the remainder of the game. The utility of these commands will be explained shortly.

After the player moves, each of the robots is allowed to move to an adjacent cell. The robots follow a simple algorithm. They march directly towards the player:

```
robot_delta_x = sign(player_x - robot_x) and robot_delta_y = sign(player_y - robot_y).
```

If two robots land in the same cell, they collide and are replaced by a junk heap. Junk heaps are inert and harmless to the player. The player must walk around junk heaps, but if robots collide with a junk heap, they are destroyed and become part of the heap. Figure 2B shows the game state one move after Figure 2A, where the player has moved left. As one can see, the two robots nearest to the player have collided and formed a junk heap, represented by an "@."




FIGURE 2. A sample board before the player's move (A), and the board following one move by player and robots (B). The player moved to the left.

The player is forbidden from moving off the board, moving onto a cell with a junk heap or a robot, or moving adjacent to a robot. The player can die in one of three ways: by teleporting onto a robot, by teleporting onto a cell adjacent to a robot (in which case the robot moves over and crushes him), or by using the wait command when there is a robot directly in the line of sight (in which case the robot marches to the player and crushes him).

The object of the game is to kill off the robots by forcing them to run into each other or into junk heaps. When this happens, the game restarts at a higher level of difficulty, meaning that there are more robots on the board. The game begins at level 1 with 10 robots, and the number of robots increases to nearly 200 by level 9.

Tricks of the Game

Hiding behind junk heaps. If the player hides to one side of a junk heap and robots are approaching from the other side, the robots will march into the heap. For instance, the robot on the same row as the player in Figure 2B will eventually hit the junk heap. If in fact all robots are on the opposite side of the heap, the player can use the wait command and wipe them out in a single turn.

Forcing robots to collide. Whenever two robots are aligned in a column or row (i.e., having the same x- or y-coordinate), the player has the opportunity to force the robots to collide with one another. In the case of two horizontally aligned robots, the player must be positioned in between the two robots, and either above or below. As long as the player remains above or below the robots, the robots will attempt to converge on the player, and will collide in the process. (The same applies to two vertically aligned robots.) For example, there are two horizontally aligned robots in the lower right-hand corner of Figure 2B. If the player remains at the current location or moves down and to the left, the robots will run into one another before they reach the player. Further, the player can control exactly where the robots will collide by manipulating their speed of convergence. The robots will converge fastest if the player is between the two robots, half as fast if the player is aligned with one of the robots, or not at all if the player is off to one side of the pair.

Lining up robots. Because it is so useful to have robots aligned horizontally or vertically, a good strategy is to try forcing the robots to line themselves up. Even if lining up the robots will not help in the present situation, it may be that after teleporting, the player will be in a position where robots will

collide as they converge on him. One simple heuristic for lining up the robots is to march towards the center of mass of the robots. As the robots approach, their movement strategy will tend to place them along the horizontal and vertical axes centered on the player's location.

Teleporting. If the player becomes trapped by robots, teleporting is the only option. However, because there is no guarantee that teleporting will land the player in a "safe" position, the player should avoid teleporting unnecessarily, especially at higher levels of the game.

Collecting a Corpus of Moves

Robots is an addicting game. With practice, it also becomes fairly automatic. One can play while carrying on a conversation or eating. Over a period of several weeks, I played nearly 300 games, and recorded the games to use as examples for RAMBOT. "Recording a game" means saving an image of the board at the start of every turn, along with my move in response to that situation. In the end, 18,200 of these "situation-response" pairs were saved. This corpus did not, of course, represent optimal play; it represented my abilities and included occasional errors, which were not screened out.


RAMBOT

RAMBOT's goal was to learn associations between situations from the corpus and the corresponding responses. That is, given a board image as input, RAMBOT was to produce as output the corresponding move that I made. Following learning, RAMBOT should be capable not only of replicating my performance, but also of generalizing its learning to novel situations: when presented with a situation "similar" to ones it has observed, RAMBOT should suggest a response "similar" to the observed

As in most connectionist networks, input and output representations play a critical role in determining the notion of "similarity," and hence, in determining the sort of generalizations that will be made and the overall difficulty of the learning task. In principle, input and output representations are not important, because with sufficient units in the intermediate layer, any input/output mapping can be achieved. However, practical limitations on the number of intermediate units demand careful selection of input and output representations. With appropriate representations, some of the similarity structure of the game can be built explicitly into the network.

Input Representation

The simplest input representation would be to have two units for each cell on the board. One unit would be turned on if there was a robot in the corresponding cell, the other would be turned on if there was a junk heap, and perhaps both would be turned on if the player was in that cell. However, this scheme has a serious drawback, which can be seen by considering the representations that would be generated for the situations shown in Figures 3A-D. The set of units activated in one situation does not overlap with the set activated in another. Because overlap among input patterns is necessary for the explicit representation of similarity, this encoding does not suggest that the four situations are related, when in fact they are extremely similar: the appropriate response to each situation is to move away from the robots and then stay put, allowing the robots to collide with one another. More generally, a player's response should, for the most part, depend only on the relative location of the robots with respect to the player and each other, not on the absolute location of the player, nor strictly on the absolute lute distance of the player to the robots, nor on the absolute orientation of the player with respect to the robots (see Figure 3E for an exception). An input representation is required that captures the location,






FIGURE 3. Four similar situations (A-D) in which the player's response should be unaffected by absolute location, scale, and orientation of the player with respect to the robots. In one situation (E), the absolute location does matter due to the edge of the board.

scale, and orientation invariances present in the game. The representation chosen for RAMBOT achieves these invariances to a degree. To explain this representation, the steps involved in constructing it from a board image are described.

Force player into upper-left quadrant of board. The board is flipped around so that the player always lies in the upper-left quadrant of the board. If the player is in the upper-right quadrant, the board (and the corresponding move made by the player) is mirrored around the central vertical axis; if the player is in the lower-left quadrant, the board is mirrored around the central horizontal axis; if the player is in the lower-right quadrant, the board is mirrored around both vertical and horizontal axes. Following this procedure, the relative position of the player is fixed with respect to the nearest corner of the board.

Draw windows onto board. Two windows are drawn on the board: a fine-scale window, which is centered on the player's location and covers a 13×13 region (6 cells to either side of the player), and a coarse-scale window, which is fixed with respect to the player's location and covers a 29×29 region (9 cells to the left of the player, 19 to the right). Because the player is located in the upper-left quadrant, the coarse-scale window is guaranteed to enclose the entire board.

Lay out grid. Within each window, a 7×7 grid of equally spaced points is laid out to span the region within the window. For the fine-scale window, this means that grid points fall on every other cell; for the coarse-scale window, grid points fall on every fourth cell.

Activate units. Each grid point represents the receptive-field center of two input units. One unit is activated by robots in its immediate vicinity, the other by junk heaps. More specifically, the receptive fields of the fine-scale and coarse-scale units are as follows:

	0.15	0.19	0.20	0.25	0.20	0.19	0.15
	0.19	0.25	0.31	0.50	0.31	0.25	0.19
0.25 0.50 0.25	0.20	0.31	0.45	0.75	0.45	0.31	0.20
0.50 1.00 0.50	0.25	0.50	0.75	1.00	0.75	0.50	0.25
0.25 0.50 0.25	0.20	0.31	0.45	0.75	0.45	0.31	0.20
	0.19	0.25	0.31	0.50	0.31	0.25	0.19
	0.15	0.19	0.20	0.25	0.20	0.19	0.15

These numbers represent the amount of activation that will be assigned to a unit given that a robot or junk heap appears in various locations with respect to the unit's receptive-field center. For example, if a robot is located at the center of a fine-scale robot-detecting unit's receptive field, 1.0 units of activation will be added to that unit's activation level. If the robot is located in the cell to the immediate lower right of the unit's receptive field center, 0.25 units of activation will be added. Because receptive fields overlap, any object on the board may produce activation in several units. However, the receptive fields are designed to guarantee that the net activity produced by any object is constant, independent of the object's location or the number of receptive fields it lies within.

The walls around the playing field are treated like junk heaps. For practical purposes, they behave the same way—they are inert and the player is not allowed to walk into them. However, because of the large number of points defining each wall, the activity of a wall point was set to only 5% of that produced by a junk heap. The aim was to prevent the presence of walls from overwhelming information about junk heaps.

This representation has many virtues. First, the player can be in various locations on the board, yet the input patterns will look similar if the local arrangement of robots and junk heaps is similar; nonetheless, activations from the walls serve to distinguish cases in which the player is trapped in a corner. Second, because the receptive fields of the units are so broadly tuned, a certain amount of scale invariance is built in. Third, the locations of objects are coarse coded (Hinton, McClelland, & Rumelhart, 1986), meaning that each object activates several nearby units. This helps to define the two-dimensional structure of the board by way of correlations in activity among neighboring units. Fourth, by coding the player's location with respect to the nearest corner, important orientation invariances are captured. Fifth, the two windows onto the board provide both a foveal and global view of the situation, with high resolution in the foveal view.

¹ Two ideas for improving the input representation seem promising but have not been implemented. First, the coarse-scale window wastes a large proportion of its units because they lie off the board. If the window "wrapped around" from one edge of the board to the other, the number of units could be reduced and the remaining units would be better utilized. Second, additional units could be added to the input pattern to represent a temporal context (a time-decaying trace) of previous moves (Jordan, 1985). Thus, the input pattern would specify not only the current board but also a recent history of moves; this would give the network the ability to learn plans extending over time.

Output Representation

The output representation is straightforward. There is one unit for each of the eight "directional" moves, one unit for remaining in the current location, and one unit each for teleport and wait. To provide RAMBOT with explicit information about the arrangement of the directional moves, target output patterns showed activation not only for the selected move, but also for its two "neighbors" (the directional moves to either side of the selected move). For example, when the player responded by moving directly upwards in a given situation, RAMBOT learned to associate that situation with an activity level of 1.0 for the "up" unit, and also with an activity level of 0.2 for the "up-left" and "up-right" units.

Overall Network Structure

The input layer had 196 units, the intermediate layer 74 units, and the output layer 11. The number of intermediate units selected was based on a guess of sufficiency conditions; little work has been done to estimate the necessary number of units. There was full connectivity from one layer to the next, but no direct connections from input to output layers. There were a total of 15,318 connections. The intermediate and output units were semilinear units with a logistic activation function, as described in Rumelhart, Hinton, and Williams (1986).

Evaluation of Performance Using Corpus

RAMBOT has been presented with nearly a million learning trials. This amounts to innumerable hours on our Sun-2's, but only on the order of 12 hours of Cray CPU time. Figure 4 shows performance as a function of learning trial. The bottom line indicates the percent of trials in which the most active output unit corresponded the stored response; the middle line indicates the percent of trials in which either the most active output unit or, if it was a directional move, one of its neighbors corresponded to the stored response; and the top line indicates the percent of trials in which either the most active or second most active output unit corresponded to the stored response.

Performance continues to improve, though the bottom line appears to be approaching an asymptote around 73%. This turns out to be quite impressive, for the following reason. I wrote a program that randomly selected boards from the corpus, displayed them for me, and allowed me to make a new response without knowledge of my original response. Replaying over 10% of the corpus in this fashion, I was able to match my original responses on only 66% of the trials. Thus, RAMBOT is at least as good at predicting my moves as I am.

The graph also shows RAMBOT's ability to generalize. Points labeled with xs immediately follow the addition of new moves to the corpus. (The corpus started with only about 4,000 moves and was gradually built up to 18,200.) Performance was barely affected when new moves were added. Thus, RAMBOT is able to respond to unfamiliar moves with almost the same degree of accuracy as to familiar moves. (The drop in performance following a rearrangement of the learning trials, the r points, is due to the use of momentum in the back-propagation rule; see Rumelhart et al., 1986.)

In addition to replaying old games, RAMBOT can, of course, play new games. For this purpose, RAMBOT was set up to interact with the robots game. At the start of each turn, an image of the board was encoded on the input units of the network. Activation was allowed to flow through the network to the output units, and the most active output unit was selected as RAMBOT's move. If this move was invalid (i.e., it involved walking into a wall, robot, junk heap, or adjacent to a robot), the move was discarded and the next most active move was considered. The selected move was then fed back to the robots game, the robots were allowed to move, and this cycle repeated.

Although the time required for learning was substantial, play proceeds in real time. Move selection takes about 1-2 seconds on a Sun-2 with a floating point board. Watching RAMBOT play is impressive. Most of the time it does just what I would have done—a clever program indeed.




FIGURE 4. Performance as a function of learning trial. The bottom line indicates the percent of trials in which the most active output unit corresponded to the stored response; the middle line indicates the percent of trials in which either the most active output unit or, if it was a directional move, one of its neighbors corresponded to the stored response; and the top line indicates the percent of trials in which either the most active or second most active output unit corresponded to the stored response. x = newmoves added to corpus; r = reordered presentation sequence.

Examples From Play

What follows are several typical examples from actual play.

Getting ready to teleport. Figure 5 shows the board at the start of a turn, as well as the activation levels of the output units in response to that board. The 3×3 array of numbers indicates the activity levels of the eight directional moves and the remain-in-current-location move, arranged by direction. The letter t stands for the teleport unit, w for the wait unit. Activation levels range from 0-1. The activation level of the selected move is flagged by an asterisk. In Figure 5, RAMBOT is trapped and its only valid move is to teleport. This is the move with the highest activation level. It is interesting to note that three other moves receive some activation: down, down-left, and left. These are the moves that one would consider if the wall were not present. Thus, this example shows that RAMBOT has learned certain facts about the game: walking into walls and robots is not an option, and when being chased by robots, move away from them.

Forcing robots to collide. Figure 6 shows a sequence of moves in which RAMBOT comes around from the right of two horizontally aligned robots and forces them to collide with one another.

Hiding behind a junk heap. Figure 7 shows a sequence of moves in which RAMBOT uses a junk heap to protect itself. RAMBOT first moves towards the junk heap, forcing the robot to its right to crash into the heap, then moves above the heap, forcing the robots below to crash into the heap.




FIGURE 5. The current board and RAMBOT's choice of a move. The numeric values on the right are activation levels of the output units and are explained in the text.

Shortcomings. In observing RAMBOT at play, only two strategic shortcomings were evident to me. First, RAMBOT tended to teleport when being chased by robots and a wall was approaching as shown in Figure 8A. Generally, this is a reasonable strategy, but in the example shown, it appears that RAMBOT teleported too soon. It could have forced the two aggressor robots to collide instead, thereby altering the game state radically. Unfortunately, the tendency to teleport prematurely has serious consequences: one teleport often leads to another, and each teleport is life threatening.

Second, RAMBOT appears to have overgeneralized the conditions under which the wait command applies. Waiting is a good move when the player is protected by a junk heap and all robots are lined up on the other side of the heap. However, as shown in Figure 8B, RAMBOT did not pay serious enough attention to the presence of robots elsewhere on the board. I should confess that "waiting in the face of danger" is an error I occasionally make, and several instances of this behavior appear in the learning corpus.

Evaluation of Performance in Free Play

In order to evaluate RAMBOT's performance in free play, two statistics were collected over a thousand game sample. These statistics were (a) the level at which the player died, and (b) the average number of moves required to successfully complete a level. For comparison, statistics were also collected on my play in the 300 game learning corpus and a random strategy over a thousand game sample. The random strategy, RANDOM, chose its move entirely at random from the set of valid moves.

Level of death. When all robots on the board are destroyed, the game restarts at a higher level of difficulty, with an increasing density of robots at higher levels. On average, RANDOM reached level 2.10, RAMBOT level 2.97, and I managed to get to level 4.33. To determine the effect of RAMBOT's erroneous "waiting in the face of danger" (see Figure 8B), the wait command was replaced by the remain-still-for-one-move command and another thousand games were run with this modified strategy. On average, RAMBOT without the wait command reached level 3.57, significantly better than with wait. Clearly, overgeneralization of the conditions under which this command applies had a dramatic effect on performance.

1		[
[1	
1		1	
I6=.=		[I	
[[·····=······	
	0.00 0.04 0.20	 	0.02 0.16 *0.91
1	0.00 0.00 0.20	1	0.01 0.20 0.31
	0.00 0.10 *0.76	1	0.07 0.00 0.14
===		di	
1	0.01 0.12 0.11	1	0.19 0.00 0.00
=.=			
= 	t: 0.00	[]	t: 0.00
[t: 0.00	1	t: 0.00
1	w: 0.00	[]	w: 0.00
1		1	
ji		jj	
1		1	
1		1	
1		[
		<u> </u>	
1		[]	
[I.e.=		1	
1			
	0.00 0.01 0.15		0.03 0.00 0.03
ii		1	
19=	0.02 0.14 +0.62	16	0.02 *0.71 0.06
		[·····•	
= . = =	0.05 0.00 0.09	 	0.01 0.00 0.03
1		1	
1	t: 0.00		t: 0.00
_ ii		[
1	w: 0.00	1	w: 0.10
[]		[
1		1	
		1	
1		1	
1		1	
1		1	
110=			
<u> </u>			
[······]	A AA A AA A AA		
<u> </u>	0.00 0.00 0.00	[0.02 0.00 0.06
 @==	0.00 *0.88 0.00	10	0.01 *0.88 0.14
16		1	3.02 0.00 V.44
	0.03 0.07 0.00		0.00 0.00 0.00
ii		1	
[
[······!	t: 0.00	<u> </u>	t: 0.00
1	w: 0.00	[w: 0.00
1	W: 0.00	1	#: V.UU
1		1	
		1	

FIGURE 6. A sequence of six moves in which RAMBOT forces two robots to collide. The sequence begins in the upper-left corner, moves down the column, and then on to the right-hand column.

1		1	
j		1	
1		[
. [-	
[]		-I	
.= 	0.11 0.01 0.00	[0.00 0.00 0.00
1	0.11 0.01 0.00	1	0.00 0.00 0.00
1	0.13 0.00 0.00	1	0.20 0.00 0.01
1		i	
1	*0.47 0.46 0.02		*0.75 0.31 0.10
<u> </u>		<u> </u>	
1	t: 0.00	1	t: 0.02
1	e: 0.00	1	L: 0.02
1	w: 0.00		w: 0.00
1		i	
-		<u> </u>	
[
1		1	
		[
I.		[]	
==			
1			
 	0.02 0.04 0.03	ii	0.00 0.00 0.01
1		1	
_!·····!	0.04 0.03 0.06	<u> </u>	0.06 0.00 0.02
= 	0.44 *0.47 0.12	 	*0.66 0.56 0.14
	0.44 -0.47 0.11	1	-0.00 0.50 0.10
1	t: 0.00	1	t: 0.03
[······		-	
<u> </u>	w: 0.00	[]	w: 0.00
		1	
1		1	
1			
1		1	
· [
		_ [
[= <u>-</u>		<u> </u>	
 		· · · · · · · · · · · · · · · · · · ·	
1	0.00 0.00 0.02		*0.51 0.11 0.10
1		1	
1	0.09 0.00 0.12	_ ii	0.13 0.51 0.01
_ [
<u> </u>	*0.68 0.41 0.23	[0.00 0.00 0.00
1	t: 0.00		t: 0.00
1			•
ii	w: 0.00	_ ii	w: 0.00
- [····		<u> </u>	
[]		1	
1		[
· · · · · · · · · · · · · · · · · · ·		,	

FIGURE 7. A sequence of six moves in which RAMBOT uses a junk heap to protect itself.

L					B	******			
	1					1			
	1					1			
	1					1			
	1					1			
	1					1			
	[1			
		0.00	0.00	0.20		1	0.34	0.15	0.09
	1					1			
		0.00	0.00	0.26		1	0.02	G.22	0.01
	1	0.00	0.00	0.35		1	0.00	0.00	0.00
	1					1			
		t: *0	. 47			1	t: (0.00	
	1					1			
	1	w: 0	.00			1	w: *	0.85	
						1			
	1					1			
	1					1			
	1					1			

FIGURE 8. Examples of poor moves chosen by RAMBOT.

Average moves per completed level. Table 1 shows, by level, the average number of moves per successfully completed level. RANDOM never got past level 5 and required over twice as many moves as either RAMBOT or myself, but RAMBOT's performance was comparable to mine. Because successful completion of a level is often prevented by the two shortcomings noted earlier (see Figure 8), Table 1 provides some indication of RAMBOT's playing abilities when such basic errors are not made.

BEYOND RAMBOT

RAMBOT appears to have captured at least some of my expertise in the game of robots. RAMBOT could no doubt be improved, perhaps by adding moves to the learning corpus, by modifying the input representation (see Footnote 1), by increasing the number of intermediate units, or by adding direct input/output connections. Further possibilities include constructing a connectionist network that learns by experience using reinforcement learning techniques (Barto & Anandan, 1985; Barto, Sutton, & Brouwer, 1981); or constructing an optimal robots-playing program which uses brute force search techniques and teaching RAMBOT with examples from this optimal program. While both of these approaches are feasible for the relatively simple game of robots, they are far less so for complex domains such as chess playing and medical diagnosis. The goal of RAMBOT was not to build an optimal robots-playing system, but to build a system that started with little knowledge about a domain and could learn general rules of the domain by observing a human expert.

TABLE 1

Level	RANDOM	RAMBOT	MIKE
1	57.1	21.9	18.0
2	48.9	21.2	19.6
3	44.6	21.1	18.7
4	43.3	20.6	20.8
5	47.0	21.7	22.8
6		19.8	22.8
7		20.0	22.0

What are the costs and benefits of building such a system with connectionist techniques? To begin with, domain experts must specify every source of information that is potentially relevant to their decision processes (though they need not specify how the information is used). This information serves as the input to the connectionist net. Further, experts must provide a corpus of performance data, sufficiently large to sample the input space well. Without representative sampling, the system will not have solid ground on which to base generalizations.

The one serious drawback to a connectionist expert system is that the system itself has little power of explanation. It is possible to examine the outputs of the intermediate units, and to use the "internal representations" developed by the system as a justification for decisions, but generally these internal representations are so complex and highly distributed that they simply add to confusion rather than help to explain the system's behavior. A more reasonable means of increasing the explanatory power of the system is to break down its decision process. For example, in the case of medical diagnosis, the appropriate input/output mapping would not be from symptoms to diseases, but from known symptoms to possible diseases and further tests that could be performed to discover additional symptoms. Thus, the system could be used iteratively, performing tests suggested by the network and then feeding results of these tests back into the system. This approach at least provides a sequence of steps taken by the system to reach a decision.

RAMBOT does illustrate several important and unique properties. First and foremost, the system is able to generalize from training examples. Second, the system is able to learn behavior that is dependent on an extremely large number of variables—the robots playing board contains 400 cells—and is able to learn despite inconsistent expert behavior, as my inability to reproduce moves in the learning corpus attests to. Third, the system is able to suggest multiple hypotheses with varying degrees of certainty, as embodied by the activation levels of the output units. Fourth, the system allows for the non-linear combination of evidence, unlike many expert systems that use numerical methods (Charniak & McDermott, 1985).

Beyond these generalities, what does the success of RAMBOT have to suggest for the construction of learning connectionist expert systems in other domains? One problem with the robots game is that it can easily be thought of as a perceptual, pattern-matching task. Connectionist systems are commonly held to be good at this sort of task, but it is not as clear that connectionist techniques will prove useful in "higher-level," symbolic domains. As an argument against this point of view, consider a domain far removed from perception: using a computer operating system, say UNIX. A connectionist expert system for this domain is feasible. The idea would be to build a UNIX apprentice program (UNIXBOT?) that could learn to predict what command the user was likely to type next based on a recent history of commands and some contextual information, such as the time of day or the current working directory. If the system could make strong enough predictions, it could correct user errors, or even anticipate commands.

In principle, a system that learns to predict what command will be typed next is no different than one that learns to predict the next move of a game. It seems that much of cognitive behavior can be framed in terms of pattern recognition, even though we don't ordinarily think of that behavior as being perceptual. Experts in a domain just "see" solutions (Rumelhart, 1984). If this is indeed true, connectionist techniques may have application to a wide range of expert systems applications.

REFERENCES

- Ackley, D., Hinton, G., & Sejnowski, T. (1985). A learning algorithm for Boltzmann machines. Cognitive Science, 9, 147-169.
- Anderson, J. A., & Hinton, G. E. (1981). Models of information processing in the brain. In G. E. Hinton & J. A. Anderson (Eds.), *Parallel models of associative memory*. Hillsdale, NJ: Lawrence Erlbaum Associates.
- Barto, A. G., & Anandan, P. (1985). Pattern recognizing stochastic learning automata. *IEEE Transactions on Systems, Man, and Cybernetics*, 15, 360-375.
- Barto, A. G., Sutton, R. S., & Brouwer, P. S. (1981). Associative search network: A reinforcement learning associative memory. *Biological Cybernetics*, 40, 201-211.
- Charniak, E., & McDermott, D. (1985). Introduction to artificial intelligence. Reading, MA: Addison-Wesley.
- Duda, R. O., & Shortliffe, E. H. (1983). Expert systems research. Science, 220, 261-268.
- Hinton, G. E., McClelland, J. L., & Rumelhart, D. E. (1986). Distributed representations. In D. E. Rumelhart, J. L. McClelland, & the PDP Research Group, Parallel distributed processing: Explorations in the microstructure of cognition. Vol. 1: Foundations. Cambridge, MA: MIT Press/Bradford Books.
- Jordan, M. I. (1985). The learning of representations for sequential performance. Unpublished doctoral dissertation, University of California, San Diego.
- Rumelhart, D. E. (1984, October). The nature of expertise. General discussant at the meeting on The Nature of Expertise, Pittsburgh, PA.
- Rumelhart, D. E., Hinton, G. E., & Williams, R. (1986). Learning internal representations by error propagation. In D. E. Rumelhart, J. L. McClelland, & the PDP Research Group, Parallel distributed processing: Explorations in the microstructure of cognition. Vol. 1: Foundations. Cambridge, MA: MIT Press/Bradford Books.
- Rumelhart, D. E., & McClelland, J. L. (1986). On learning the past tenses of English verbs. In J. L. McClelland, D. E. Rumelhart, & the PDP Research Group, Parallel distributed processing: Explorations in the microstructure of cognition. Vol. 2: Psychological and biological models. Cambridge, MA: MIT Press/Bradford Books.

ICS Technical Report List

The following is a list of publications by people in the Institute for Cognitive Science. For reprints, write or call:

Institute for Cognitive Science, C-015 University of California, San Diego La Jolla, CA 92093 (619) 452-6771

- 8301. David Zipser. The Representation of Location. May 1983.
- 8302. Jeffrey Elman and Jay McClelland. Speech Perception as a Cognitive Process: The Interactive Activation Model. April 1983. Also published in N. Lass (Ed.), Speech and language: Volume 10, New York: Academic Press, 1983.
- 8303. Ron Williams. Unit Activation Rules for Cognitive Networks. November 1983.
- 8304. David Zipser. The Representation of Maps. November 1983.
- 8305. The HMI Project. User Centered System Design: Part I, Papers for the CHI '83 Conference on Human Factors in Computer Systems. November 1983. Also published in A. Janda (Ed.), Proceedings of the CHI '83 Conference on Human Factors in Computing Systems. New York: ACM, 1983.
- 8306. Paul Smolensky. Harmony Theory: A Mathematical Framework for Stochastic Parallel Processing. December 1983. Also published in Proceedings of the National Conference on Artificial Intelligence, AAAI-83, Washington DC, 1983.
- 8401. Stephen W. Draper and Donald A. Norman. Software Engineering for User Interfaces. January 1984. Also published in Proceedings of the Seventh International Conference on Software Engineering, Orlando, FL, 1984.
- 8402. The UCSD HMI Project. User Centered System Design: Part II, Collected Papers. March 1984. Also published individually as follows: Norman, D.A. (1984), Stages and levels in human-machine interaction, International Journal of Man-Machine Studies, 21, 365-375; Draper, S.W., The nature of expertise in UNIX; Owen, D., Users in the real world; O'Malley, C., Draper, S.W., & Riley, M., Constructive interaction: A method for studying user-computer-user interaction; Smolensky, P., Monty, M.L., & Conway, E., Formalizing task descriptions for command specification and documentation; Bannon, L.J., & O'Malley, C., Problems in evaluation of human-computer interfaces: A case study; Riley, M., & O'Malley, C., Planning nets: A framework for analyzing user-computer interactions; all published in B. Shackel (Ed.), INTERACT '84, First Conference on Human-Computer Interaction, Amsterdam: North-Holland,

- 1984; Norman, D.A., & Draper, S.W., Software engineering for user interfaces, *Proceedings of the Seventh International Conference on Software Engineering*, Orlando, FL, 1984.
- 8403. Steven L. Greenspan and Eric M. Segal. Reference Comprehension: A Topic-Comment Analysis of Sentence-Picture Verification. April 1984. Also published in Cognitive Psychology, 16, 556-606, 1984.
- 8404. Paul Smolensky and Mary S. Riley. Harmony Theory: Problem Solving. Parallel Cognitive Models, and Thermal Physics. April 1984. The first two papers are published in Proceedings of the Sixth Annual Meeting of the Cognitive Science Society, Boulder, CO, 1984.
- 8405. David Zipser. A Computational Model of Hippocampus Place-Fields. April 1984.
- 8406. Michael C. Mozer. Inductive Information Retrieval Using Parallel Distributed Computation. May 1984.
- 8407. David E. Rumelhart and David Zipser. Feature Discovery by Competitive Learning. July 1984. Also published in Cognitive Science, 9, 75-112, 1985.
- 8408. David Zipser. A Theoretical Model of Hippocampal Learning During Classical Conditioning.

 December 1984.
- 8501. Ronald J. Williams. Feature Discovery Through Error-Correction Learning. May 1985.
- 8502. Ronald J. Williams. Inference of Spatial Relations by Self-Organizing Networks. May 1985.
- 8503. Edwin L. Hutchins, James D. Hollan, and Donald A. Norman. Direct Manipulation Interfaces. May 1985. Also published in D. A. Norman & S. W. Draper (Eds.), User Centered System Design: New Perspectives on Human-Computer Interaction, 1986, Hillsdale, NJ: Erlbaum.
- 8504. Mary S. Riley. User Understanding. May 1985. Also published in D. A. Norman & S. W. Draper (Eds.), User Centered System Design: New Perspectives on Human-Computer Interaction, 1986, Hillsdale, NJ: Erlbaum.
- 8505. Liam J. Bannon. Extending the Design Boundaries of Human-Computer Interaction. May 1985.
- 8506. David E. Rumelhart, Geoffrey E. Hinton, and Ronald J. Williams. Learning Internal Representations by Error Propagation. September 1985. Also published in D. E. Rumelhart, J. L. McClelland, & the PDP Research Group, Parallel Distributed Processing: Explorations in the Microstructure of Cognition: Vol. 1. Foundations, 1986, Cambridge, MA: Bradford Books/MIT Press.
- 8507. David E. Rumelhart and James L. McClelland. On Learning the Past Tense of English Verbs.

 October 1985. Also published in J. L. McClelland, D. E. Rumelhart, & the PDP Research Group, Parallel Distributed Processing: Explorations in the Microstructure of Cognition: Vol. 2.

 Psychological and Biological Models, 1986, Cambridge, MA: MIT Press/Bradford Books.

- 8601. David Navon and Jeff Miller. The Role of Outcome Conflict in Dual-Task Interference. January 1986.
- 8602. David E. Rumelhart and James L. McClelland. PDP Models and General Issues in Cognitive Science. April 1986. Also published in D. E. Rumelhart, J. L. McClelland, & the PDP Research Group, Parallel Distributed Processing: Explorations in the Microstructure of Cognition. Vol. 1: Foundations, 1986, Cambridge, MA: MIT Press/Bradford Books.
- 8603. James D. Hollan, Edwin L. Hutchins, Timothy P. McCandless, Mark Rosenstein, and Louis Weitzman. *Graphical Interfaces for Simulation*. May 1986. To be published in W. B. Rouse (Ed.), Advances in Man-Machine Systems (Vol. 3). Greenwich, CT: Jai Press.
- 8604. Michael I. Jordan. Serial Order: A Parallel Distributed Processing Approach. May 1986.
- 8605. Ronald J. Williams. Reinforcement Learning in Connectionist Networks: A Mathematical Analysis. June 1986.
- 8606. David Navon. Visibility or Disability: Notes on Attention. June 1986.
- 8607. William Appelbe, Donald Coleman, Allyn Fratkin, James Hutchison, and Walter J. Savitch. Porting UNIX to a Network of Diskless Micros. June 1986.
- 8608. David Zipser. Programming Networks to Compute Spatial Functions. June 1986.
- 8609. Louis Weitzman. Designer: A Knowledge-Based Graphic Design Assistant. July 1986.
- 8610. Michael C. Mozer. RAMBOT: A Connectionist Expert System That Learns by Example. August 1986.

Earlier Reports by People in the Cognitive Science Lab

The following is a list of publications by people in the Cognitive Science Lab and the Institute for Cognitive Science. For reprints, write or call:

Institute for Cognitive Science, C-015 University of California, San Diego La Jolla, CA 92093 (619) 452-6771

- ONR-8001. Donald R. Gentner, Jonathan Grudin, and Eileen Conway. Finger Movements in Transcription Typing. May 1980.
- ONR-8002. James L. McClelland and David E. Rumelhart. An Interactive Activation Model of the Effect of Context in Perception: Part I. May 1980. Also published in Psychological Review, 88.5, pp. 375-401, 1981.
- ONR-8003. David E. Rumelhart and James L. McClelland. An Interactive Activation Model of the Effect of Context in Perception: Part II. July 1980. Also published in Psychological Review, 89, 1, pp. 60-94, 1982.
- ONR-8004. Donald A. Norman. Errors in Human Performance. August 1980.
- ONR-8005. David E. Rumelhart and Donald A. Norman. Analogical Processes in Learning. September 1980. Also published in J. R. Anderson (Ed.), Cognitive skills and their acquisition. Hillsdale, NJ: Erlbaum, 1981.
- ONR-8006. Donald A. Norman and Tim Shallice. Attention to Action: Willed and Automatic Control of Behavior. December 1980.
- ONR-8101. David E. Rumelhart. Understanding Understanding. January 1981.
- ONR-8102. David E. Rumelhart and Donald A. Norman. Simulating a Skilled Typist: A Study of Skilled Cognitive-Motor Performance. May 1981. Also published in Cognitive Science, 6, pp. 1-36, 1982.
- ONR-8103. Donald R. Gentner. Skilled Finger Movements in Typing. July 1981.
- ONR-8104. Michael I. Jordan. The Timing of Endpoints in Movement. November 1981.
- ONR-8105. Gary Perlman. Two Papers in Cognitive Engineering: The Design of an Interface to a Programming System and MENUNIX: A Menu-Based Interface to UNIX (User Manual). November 1981. Also published in Proceedings of the 1982 USENIX Conference, San Diego, CA, 1982.
- ONR-8106. Donald A. Norman and Diane Fisher. Why Alphabetic Keyboards Are Not Easy to Use: Keyboard Layout Doesn't Much Matter. November 1981. Also published in Human Factors, 24, pp. 509-515, 1982.
- ONR-8107. Donald R. Gentner. Evidence Against a Central Control Model of Timing in Typing.

 December 1981. Also published in Journal of Experimental Psychology: Human Perception and Performance, 8, pp. 793-810, 1982.

- ONR-8201. Jonathan T. Grudin and Serge Larochelle. Digraph Frequency Effects in Skilled Typing. February 1982.
- ONR-8202. Jonathan T. Grudin. Central Control of Timing in Skilled Typing. February 1982.
- ONR-8203. Amy Geoffroy and Donald A. Norman. Ease of Tapping the Fingers in a Sequence Depends on the Mental Encoding. March 1982.
- ONR-8204. LNR Research Group. Studies of Typing from the LNR Research Group: The role of context, differences in skill level, errors, hand movements, and a computer simulation. May 1982. Also published in W. E. Cooper (Ed.), Cognitive aspects of skilled typewriting. New York: Springer-Verlag, 1983.
- ONR-8205. Donald A. Norman. Five Papers on Human-Machine Interaction. May 1982. Also published individually as follows: Some observations on mental models, in D. Gentner and A. Stevens (Eds.), Mental models, Hillsdale, NJ: Erlbaum, 1983; A psychologist views human processing: Human errors and other phenomena suggest processing mechanisms, in Proceedings of the International Joint Conference on Artificial Intelligence, Vancouver, 1981; Steps toward a cognitive engineering: Design rules based on analyses of human error, in Proceedings of the Conference on Human Factors in Computer Systems, Gaithersburg, MD, 1982; The trouble with UNIX, in Datamation, 27.12. November 1981, pp. 139-150; The trouble with networks, in Datamation, January 1982, pp. 188-192.
- ONR-8206. Naomi Miyake. Constructive Interaction. June 1982.
- ONR-8207. Donald R. Gentner. The Development of Typewriting Skill. September 1982. Also published as Acquisition of typewriting skill, in Acta Psychologica, 54, pp. 233-248, 1983.
- ONR-8208. Gary Perlman. Natural Artificial Languages: Low-Level Processes. December 1982. Also published in The International Journal of Man-Machine Studies, 20, pp. 373-419, 1984.
- ONR-8301. Michael C. Mozer. Letter Migration in Word Perception. April 1983. Also published in Journal of Experimental Psychology: Human Perception and Performance, 9, 4, pp. 531-546, 1983.
- ONR-8302. David E. Rumelhart and Donald A. Norman. Representation in Memory. June 1983. To appear in R. C. Atkinson, G. Lindzey, & R. D. Luce (Eds.), Handbook of experimental psychology. New York: Wiley (in press).

Distribution List (UCSD/Rumelhart) NR 667-548

res n	Sota	ology	55455
Phillip L. Ackerman	University of Minnesota	of Psychology	
1111p	sity of		Minneapolis, MN
Dr. Ph	Univer	Dupart ment	MInne

Dr. Beth Adelson Department of Computer Science Tufts University Medford, MA 02155

AFOSR, Life Sciences Directorate Bolling Air Force Base Washington, DC 20332 Dr. Robert Ahlers Code N711 Human Factors Laboratory Naval Training Systems Center Orlando, FL 32813

Dr. Ed Alken Navy Personnel RtD Center San Diego, CA 92152-6800

Dr. Earl A. Alluisi HQ, AFHRL (AFSC) Brooks AFB, TX 78235 Dr. James Anderson Brown University Center for Neural Science Providence, RI 02912 Dr. John R. Anderson Department of Psychology Carnegie-Mellon University Pittsburgh, PA 15213

Dr. Nancy S. Anderson Department of Psychology University of Maryland College Park, MD 20742 School of information Technology & Engineering 4400 University Drive Falrfax, VA 22030

George Mason University

Dr. Steve Andriole

Technical Director, ARI 5001 Elsenhower Avenue Alexandria, VA 22333

Distribution List [UCSD/Rumelhart] NR 667-548

Dr. Gary Aston-Jones
Department of Biology
New York University
1009 Main Bldg
Washington Square
New York, NY 10003

Dr. Alan Baddeley Medical Research Council Applied Psychology Unit 15 Chaucer Road Cambridge CB2 2EF ENGLAND Dr. Patricia Baggett University of Colorado Department of Psychology Box 345 Boulder, CO 80309

Dr. Jackson Beatty Department of Psychology University of California Los Angeles, CA 90024 Dr. Isaac Bejar Educational Testing Service Princeton, NJ 08450

Princeton, NJ 08450
Leo Beltracchi
United States Nuclear
Regulatory Commission
Washington DC 20555

Dr. Gautam Biswas Department of Computer Science University of South Carolina Columbia, SC 29208

Dr. Alvah Bittner
Naval Blodynamics Laboratory
New Orleans, LA 70189
Dr. John Black
Teachers College
Columbia University

525 West 121st Street New York, NY 10027

Dr. Arthur S. Blaiwes Code N711 Naval Training Systems Center Orlando, FL 32813

Dr. R. Darrell Bock University of Chicago NORC Chicago South Ellis Chicago, IL 60637 Dr. Gordon H. Bower Department of Psychology Stanford University Stanford, CA 94306 Dr. Robert Breaux Code N-095R Naval Training Systems Center Orlando, FL 32813

Dr. John S. Brown KEROX Palo Alto Research Center 3333 Coyote Road Palo Alto, CA 94304 Dr. Bruce Buchanan Computer Science Department Stanford University Stanford, CA 94305 Joanne Capper Center for Research into Practice 1718 Connecticut Ave., N.W. Washington, DC 20009 Dr. Jaime Carbonell

Carnegle-Mellon University
Department of Psychology
Pittsburgh, PA 15213
Dr. Gall Carpenter
Northeastern University
Department of Mathematics, 504LA

360 Huntington Avenue

Boston, MA 02115

Dr. Pat Carpenter Carnegle-Mellon University Department of Psychology Pittsburgh, PA 15213

LCDR Robert Carter
Office of the Chief
of Naval Operations
OP-DIB
Pentagon
Washington, DC 20350-2000

Chair, Department of
Paychology
College of Arts and Sciences
Catholic University of
America
Washington, DC 20064

Dr. Alphonse Chapanis 6415 Bellona Lane Suite 210 Buxton Towers Baltimore, MD 21204 Dr. Paul R. Chatelier OUSDRE Pentagon Washington, DC 20350-2000

Dr. Michelene Chi Learning R & D Center University of Pittsburgh 3939 O'Hara Street Pittsburgh, PA 15213

Mr. Raymond E. Christal AFHRL/MOE Brooks AFB, TX 78235 Dr. William Clancey Stanford University Knowledge Systems Laboratory 701 Welch Road, Bidg. C Palo Alto, CA 94304 Dr. David E. Clement Department of Psychology University of South Carolina Columbia, SC 29208 Chief of Naval Education and Training Liaison Office Air Force Human Resource Lab Operations Training Division Williams AFB, AZ 85224

comment appropriate appropriate appropriate

Distribution List (UCSD/Rumelhart) NR 667-548

rreet 22217-5000 n omputer and 5catence freqon 403 eJinois 1111001s 801 1111001s 801 1111001s 1111	eto Dr. Kenneth D. Forbus	-			1304 West Spi	6 Urbana, 1L 61801			14 Department of Linguistics		1000011				Cambridge, MA 02138			207 Psychology Department	Toronto ONT			152-6800 Julie A. Gadsden			Adn						n Department Chapel Hill, NC 27514				Los Angeles, CA 90024			Stanford University	Computer Science Department	eet Stanford, CA 94305		Dr. Dedre Gentner				×
ם ב	S. L.	Other Particular Control of the Particular C	Oniversity of war			Madison, WI 5370	and ERIC Facility-Acquisitions		Bethesda, MD 200		Distriction of Co.					Dr. Marshall J.	2520 North Vernon Street	Arlington, VA 22	Dr. Pat Federico	Code 511	NPRDC	San Diego, CA 92	•		2		Rochester, NY 14		Dr. Paul Feltovich	School of Medicine	Medical Educatio	P.O. Box 3926	Springfield, IL	Dr. Craig I. Fie			Arlington, VA 22209			9931 Corsica Street	C-008		Dr. Jane M. Flin	4	Department of rs	Department of Psychology
				BOO N. Cuincy St	Arlington, VA	2)	Department of Computer	Information		>	2001 00 P (1200) 20	Ut. Getalu r. Desoniq	Artificial inte	Coordinated Sci	University of Illinois	Urbana, IL 61801		Dr. R. K. Dismukes	AFOSR	Bolling AFB	Washington, DC	•	Dr. Emanuel Donchin	University of Illinois	Department of	Champalon, IL		Defense Technical	Information Center	Alexandria, VA 22314	Attn: TC			CNATRA N301	Naval Air Statio	Corpus Christi,		Dr. Jeffrey Elman	University of Californ		Department of Linguist	La Jolla, CA 92093		- 1 - 1 - 1 - 1 - 2 - 1 - 2	a louis Aguay . Jo	Code II-41NF

& Development Center University of Pittsburgh 3939 O'Hara Street Pittsburgh, PA 15260 Robert Glaser Learning Research

Office of Naval Research Pasadena, CA 91106-2485 1030 E. Green Street Dr. Gene L. Gloye Detachment

Department of Psychology Princeton University 08540 Dr. Sam Glucksberg Princeton, NJ

Industrial Engineering Dr. Daniel Gopher 4 Management Halfa 32000 TECHNION ISRAEL

2021 Lyctonsville Road Jordan Grafman, Ph.D. Brooks AFB, TX 78235 AFHRL/MODJ

Dr. Sherrie Gott

University of California, Irvine Department of Computer Science Dr. Richard H. Granger Irvine, CA 92717

Department of Blology 1009 Main Bidg Washington Square New York, NY 10003 New York University Dr. Steven Grant

Army Research Institute Elsenhower Avenue Alexandria, VA 22333

University of California Dr. James G. Greeno Berkeley, CA 94720

University of Illinois Department of Psychology Dr. William Greenough 61820 Champaign, IL

Center for Adaptive Systems Dr. Stephen Grossberg

111 Cummington Street 02215 Boston University Boston, MA

University of North Carolina Department of Biostatistics Dr. Muhammad K. Habib Chapel Hill, NC 27514

Halff Resources, Inc. 4918 33rd Road, North Arlington, VA 22207 Dr. Henry M. Halff

Orlando, FL 32813 Cheryl Hamel

Applied Physics Laboratory Johns Hopkins University Dr. Bruce W. Hamill Johns Hopkins Road Laurel, MD

20910

Silver Spring, MD

Personnel and Education National Science Foundation Scientific and Engineering Washington, DC 20550 Dr. Ray Hannapel

20 Nassau Street, Sulte 240 Princeton, NJ 08540 Editor, The Behavioral and Brain Sciences

Department of Neurosciences University of California, Dr. Steven A. Hillyard 92093 La Jolla, CA San Diego

Computer Science Department Carnegle-Mellon University Dr. Geoffrey Hinton Pittsburgh, PA

Cognitive Science (C-015) Intelligent Systems Group Dr. Jim Hollan Institute for

University of Michigan 2313 East Engineering Ann Arbor, MI 48109 La Jolla, CA 92093 Dr. John Holland

Behavioral and Social Sciences Army Research Institute for the Dr. Melissa Holland

Ann Arbor, MI

Human Performance Center 5001 Eisenhower Avenue University of Michigan 48109 Alexandria, VA 22333 Dr. Keith Holyoak 330 Packard Road Ann Arbor, MI

Human Performance Laboratory Catholic University of Dept. of Psychology Dr. James Howard

Washington, DC Amer1ca

Department of Psychology University of Washington Seattle, WA 98105 Dr. Earl Hunt

Cognitive Science (C-015) Intelligent Systems Group Dr. Ed Hutchins Institute for

La Jolla, CA 92093

Department of Psychology University of Maryland Catonsville, MD Dr. Alice Isen

Department of Psychology University of South Carolina Dr. Robert Jannarone Columbia, SC 29208

Brooks AFB, TX 78235-5601 COL Dennis W. Jarvi Commander AFHRI

Hewlett-Packard Laboratories 94303-0971 Dr. Robin Jeffries Palo Alto, CA P.O. Box 10490

The Johns Hopkins University Chair, Department of Baltimore, MD Psychology

22217-5000 800 N. Quincy Street Arlington, VA CDR Tom Jones ONR Code 125

Thatcher Jones Associates P.O. Box 6640 08648 Dr. Douglas H. Jones 10 Trafalgar Court Lawrenceville, NJ

Carnegle-Mellon University Department of Psychology Pittsburgh, PA 15213 Dr. Marcel Just Schenley Park

The University of British Columbia Department of Psychology #154-2053 Main Mall Vancouver, British Columbia CANADA V6T 1Y7 Dr. Daniel Kahneman

ONR DISTRIBUTION LIST

Grumman Aerospace Corporation Dr. Demetrios Karis Bethpage, NY MS C04-14

TOTAL STATE OF THE PROPERTY

1000000

555555

6225554G | D235555

Distribution List [UCSD/Rumelhart] NR 667-548

	tute	nue	•
Katz	Army Research Institute	Elsenhower Avenue	Alexandria, VA 22333
8	arch	nhowe	Α, .
Milton S.	Rese	Else	Indri
Dr.	Army	2003	Alexa

Dr. Steven W. Kaele Department of Psychology University of Oregon Eugene, OR 97403

Dr. Scott Kelso Haskins Laboratories, 270 Crown Street New Haven, CT 06510 Dr. Dennis Kibler University of California Department of Information and Computer Science Irvine, CA 92117 Dr. David Kleras University of Michigan Technical Communication College of Engineering 1223 E. Engineering Bullding Ann Arbor, MI 48109

Dr. David Klahr Carnegle-Hellon University Department of Psychology Schenley Park Pittsburgh, PA 15213 Dr. Mazie Knerr Program Manager Training Research Division HumbRO 1100 S. Washington Alexandria, VA 22314

Dr. Marcy Lansman

Dr. Ronald Knoll Bell Laboratories Murray Hill, NJ 07974 Dr. Sylvan Kornblum University of Michigan Mental Health Research Institute 205 Washtenaw Place Ann Arbor, MI 48109

Dr. Stephen Kosslyn Harvard University 1236 William James Hall 33 Kirkland St. Cambridge, MA 02138 Dr. Kenneth Kotovsky
Department of Psychology
Community College of
Allegheny County
800 Allegheny Avenue
Pittsburgh, PA 15233

Dr. David H. Krantz 2 Washington Square Village Apt. # 15J New York, NY 10012 Dr. Benjamin Kuipers University of Texas at Austin Department of Computer Sciences T.S. Painter Hall 3.28 Austin, Texas 78712

Dr. David R. Lambert
Naval Ocean Systems Center
Code 441T
271 Catalina Boulevard
San Diego, CA 92152-6600
Dr. Pat Langley

Dr. Pat Langley University of California Department of Information and Computer Science Irvine, CA 92717 University of North Carolina The L. L. Thurstone Lab. Davie Hall 013A Chapel Hill, NC 27514 Dr. Jill Larkin Carnegle-Mellon University Department of Psychology Pittsburgh, PA 15213

Dr. Robert Lawler Information Sciences, FRL GTE Laboratories, Inc. 40 Sylvan Road Waltham, MA 02254

Dr. Paul E. Lehner PAR Technology Corp. 1926 Jones Branch Drive Suite 170 McLean, VA 22102 Dr. Alan M. Lesgold Learning R&D Center University of Pittsburgh Pittsburgh, PA 15260 Dr. Alan Leshner Deputy Division Director Behavioral and Neural Sciences National Science Foundation 1800 G Street Washington, DC 20550

Dr. Jim Levin University of California Laboratory for Comparative Human Cognition DOO3A

La Jolla, CA 92093

Dr. Michael Levine Educational Psychology 210 Education Bldg. University of Illinois Champaign, IL 61801 Dr. Clayton Lewis
University of Colorado
Department of Computer Science
Campus Box 430

Library Naval War College Newport, RI 02940 Library Naval Training Systems Center Orlando, FL 32013

Dr. Bob Lloyd Dept. of Geography University of South Carolina Columbia, SC 29208

Dr. Gary Lynch
University of California
Center for the Neurobiology of
Learning and Memory
Irvine, CA 92717

Dr. Don Lyon P. O. Box 44 Higley, A2 85236 Dr. William L. Maloy Chief of Naval Education and Training Naval Air Station Pensacola, FL 32508 Dr. Evans Mandes
Department of Psychology
George Mason University
4400 University Drive
Fairfax, VA 22030

Dr. Sandra P. Marshall
Dept. of Psychology
San Diego State University
San Diego, CA 92182
Dr. Manton M. Matthews

Department of Computer Science University of South Carolina Columbia, SC 29208 Dr. Richard E. Mayer

Department of Psychology University of California Santa Barbara, CA 93106

Dr. James McBride
Psychological Corporation
c/o Harcourt, Brace,
Javanovich Inc.
1250 West 6th Street
San Diego, CA 92101

Dr. Jay McClelland Department of Psychology Carnegie-Mellon University Pittsburgh, PA 15213

The Part of the

APPENDED CONTRACT DESCRIPTION

Contract Statement (September 1999)

Distribution List (UCSD/Rumelhart) NR 667-548

Dr. James L. McGaugh	Center for the Neurobiology	of Leafining and memory Iniversity of California, Irvine	Irvine, CA 92717
Dr. Jam	Center	Univers	Irvine,

Dr. Gall McKoon CAS/Psychology Northwestern University 1859 Sheridan Road Kreege 8230 Evanston, IL 60201 Dr. Joe McLachlan Navy Personnel RéD Center San Diego, CA 92152-6800

Dr. James McMichael Assistant for MPT Research, Development, and Studies OP 0187 Washington, DC 20370

Dr. Douglas L. Medin Department of Psychology University of Illinois 603 E. Daniel Street Champalgn, IL 61820 Dr. Arthur Melmed U. S. Department of Education 724 Brown Washington, DC 20208

Dr. Al Meyrowitz Offlice of Naval Research Code 1133 800 N. Quincy Arlington, VA 22217-5000 Dr. George A. Miller
Department of Psychology
Green Hall
Princeton University
Princeton, NJ 08540

Dr. Andrew R. Molnar Scientific and Engineering Personnel and Education National Science Foundation Washington, DC 20550

Dr. William Montague NPRDC Code 13 San Diego, CA 92152-6800 Dr. Tom Moran Xerox PARC 3333 Coyote Hill Road Palo Alto, CA 94304

Dr. Allen Munro

Behavioral Technology Laboratories - USC 1845 S. Elena Ave., 4th Floor Redondo Beach, CA 90277 Dr. David Navon Institute for Cognitive Science University of California La Jolla, CA 92093

Dr. Allen Newell
Department of Psychology
Carnegie-Mellon University
Scheniey Park
Pittsburgh, PA 15213

Dr. Mary Jo Nissen University of Minnesota N218 Elliott Hall Minneapolis, MN 55455 Dr. Donald A. Norman Institute for Cognitive Science University of California La Jolla, CA 92093

Director, Training Laboratory, NPRDC (Code 05) San Diego, CA 92152-6800 Director, Manpower and Personnel Laboratory, NPRDC (Code 06) San Diego, CA 92152-6800 Director, Human Factors
6 Organizational Systems Lab,
NPRDC (Code 07)
San Diego, CA 92152-6800

San Diego, CA 92152-6800

Fleet Support Office,

NPRDC (Code 301)

Library, NPRDC Code P201L San Diego, CA 92152-6800

Commanding Officer, Naval Research Laboratory Code 2627 Washington, DC 20390 Dr. Harold F. O'Neil, Jr.
School of Education - WPH 801
Department of Educational
Psychology & Technology
University of Southern California
Los Angeles, CA 90089-0031

Dr. Michael Oberlin Naval Training Systems Center Code 711 Orlando, FL 32813-7100

Dr. Stellan Ohlsson Learning R & D Center University of Pittsburgh 3939 O'Hara Street Pittsburgh, PA 15213 Mathematics Group,
Office of Naval Research
Code 1111MA
800 North Quincy Street
Arilngton, VA 22217-5000

Office of Naval Research,

Code 1133 800 N. Quincy Street Arlington, VA 22217-5000 Office of Naval Research, Code 1141NP

800 N. Quincy Street
Ariington, VA 22217-5000
Office of Naval Research,
Code 1142

800 N. Quincy St. Arlington, VA 22217-5000

Office of Naval Research, Code 1142EP 600 N. Quincy Street Arlington, VA 22217-5000

Office of Naval Research, Code 1142PT 800 N. Quincy Street Arlington, VA 22217-5000 (6 Copies)

Psychologist Office of Naval Research Branch Office, London Box 39 FPO New York, NY 09510 Special Assistant for Marine Corps Matters, ONR code 00MC 800 N. Quincy St. Arlington, VA 22217-5000

Psychologist Office of Naval Research Liaison Office, Far East APO San Francisco, CA 96503

Dr. Judith Orasanu Army Research Institute 5001 Elsenhower Avenue Alexand 1a, VA 22333 Dr. Jesse Orlansky Institute for Defense Analyses 1801 N. Beauregard St. Alexandria, VA 22311

Dr. Robert F. Pasnak Department of Psychology George Mason University 4400 University Drive Fairfax, VA 22030 Daira Paulson Code 52 - Training Systems Navy Personnel RdD Center San Diego, CA 92152-6800

Dr. James W. Pellegrino University of California, Santa Barbara Department of Psychology Santa Barbara, CA 93106

Contraction of the second

Distribution List (UCSD/Rumelhart) NR 667-548

Dr. Ray Perez ARI (PERI-II) 5001 Elsenhower Avenue Alexandria, VA 22333			
II (PERI-II) 101 Elsenhower Avenue emandria, VA 2233	Dr. Lynne Reder	Dr. Walter Schneider	Dr. Ted Steinke
01 Elsenhower Avenue exandria, VA 22333		Learning R&D Center	Dept. of Geography
exandria, VA 22333	Carnegle-Mellon University	University of Pittsburgh	University of South Carolina
77744 50 784491863		1010 O'Usts Ctroot	Columbia er 20208
	Dittehingh Da 14911	Detropied De 1600	
	ביורי ביו ביולוי בי ביולוי		
Department of comparer scrence,			Ut. Saut Scernberg
Maval Postgraduate school	Ur. James A. Keggla	Dr. Janet Schoffeld	University of Pennsylvania
Monterey, CA 93940	University of Maryland	Learning R&D Center	Department of Psychology
	School of Medicine	University of Pittsburgh	
Dr. Steven Pinker		Pittsburgh, PA 15260	Philadelphia, PA 19104
Department of Psychology	22 South Greene Street		
E10-018	Baltimore, MD 21201	Dr. Robert J. Seidel	Dr. Albert Stevens
E.I.T.	•	US Army Research Institute	Bolt Beranek & Newman, Inc.
Cambridge, MA 02139	Dr. Ernst 2. Rothkonf	5001 Flaanbower Ave.	10 Moulton St.
	ATAT Bell Laboratories	Alexandria VA 2233	Cambridge, MA 02238
Dr. Martha Polson	Room 20-456		
Department of Psychology	600 Mountain Avenue	Dr. T. B. Chartdan	Dr. Daul J. Sricha
Campile Box 346	Market H. J. C. D. D. 202	Don't of Mochanical Profession	Confor Craff Criestist
Interests of Colorado	Porto de latan faring	MIT	Training December 500
Boulder CO BOADS	Dr. M(1) tam B Bonce	Combridge MB 02139	
	• ?	campinge, m otios	1100 G Lightner
	Search technology, inc.	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Alcon washington
		Dr. Berbert A. Simon	ALEXADOLIA, VA 22314
University of Colorado	NOICEORS, GA SOUSE	Department of Psychology	
Department of respondings	11:0	Carnegle-Mellon University	DI. SCEVE SLOMI
ider, to eosos	or boneto nuotni	Scheniey Fark	AIR BIQG. 31
T T T T T T T T T T T T T T T T T T T	Solution Control Con	Fittsburgn, FA 15213	80.00 ST-979 MOON
Tichest to rouses			
Department of Neurology	CATOR SCREEN	LICOL Robert Simpson	
Washington University	natvata university	Delense Advanced Research	Dr. Patrick Suppes
Š	Campitage, MA UZISB	Projects Administration	Stanford University
St. Louis, MO 63110		۲.	Institute for Mathematical
	Dr. David Kumelnart	Arlington, VA 22209	Studies in the Social Sciences
Dr. Mary C. Potter	Center for Human		Stanford, CA 94305
Department of Psychology	Information Processing	Dr. Linda B. Smith	
_	Univ. of California	Department of Psychology	Dr. John Tangney
Cambridge, MA 02139	La Jolla, CA 92093	7	AFOSR/NL
		Bloomington, IN 47405	Bolling AFB, DC 20332
Dr. Karl Pribram	Dr. E. L. Saltzman		
Stanford University	Haskins Laboratories	Dr. Robert F. Smith	Dr. Richard F. Thompson
Department of Psychology	270 Crown Street	Department of Psychology	Stanford University
Bldg. 4201 Jordan Hall	New Haven, CT 06510	George Mason University	Department of Psychology
Stanford, CA 94305		끏	Bldg. 4201 Jordan Hall
		Fairfax, VA 22030	Stanford, CA 94305
Dr. Joseph Psotka	ŏ		
ATTN: PERI-1C	University of Tennessee	Dr. Richard E. Snow	Chair, Department of
Army Research Institute	Knoxville, TN 37916	Department of Psychology	Computer Science
5001 Eisenhower Ave.		Stanford University	Towson State University
Alexandria, VA 22333	Dr. Arthur Samuel	Stanford, CA 94306	Towson, MD 21204
	Yale University		
	Department of Psychology	Dr. Kathryn T. Spoehr	Dr. Michael T. Turvey
	ะ	Brown University	Haskins Laboratories
	New Haven, CT 06520	Department of Psychology	270 Crown Street
		Providence, RI 02912	New Haven, CT 06510

Tversky	University	Psychology	CA 94305
Dr. Anos	Stanford	Dept. of	Stanford.

Dr. James Tweeddale Technical Director Navy Personnel R&D Center San Diego, CA 92152-6800 Meadquarters, U. S. Marine Corps Code MPI-20 Washington, DC 20380

Dr. William Uttal NOSC, Hawall Lab Box 997 Kailua, H! 96734 Dr. Kurt Van Lehn Department of Psychology Carnegie-Wellon University Scheniey Park Pittsburgh, PA 15213 Dr. Norman M. Weinberger University of California Center for the Neurobiology of Learning and Memory Irvine, CA 92717

Dr. Shih-Sung Wen Jackson State University 1325 J. R. Lynch Street Jackson, MS 39217 Dr. Keith T. Wescourt FMC Corporation Central Engineering Labs 1185 Coleman Ave., Box 580 Santa Clara, CA 95052

Dr. Douglas Wetzel Code 12 Navy Personnel R&D Center San Diego, CA 92152-6800 Dr. Barry Whitsel University of North Carolina Department of Physiology Medical School Chapel Hill, NC 27514

Dr. Christopher Wickens Department of Psychology University of Illinois Champaign, IL 61820 Dr. Heather Wild Naval Air Development Center Code 6021 Warminster, PA 18974-5000

Marminster, FA 18574-5000 Dr. Michael Williams Incellicorp 1975 El Camino Real West Mountain View, CA 94040-2216 Dr. Robert A. Wisher U.S. Army Institute for the Behavioral and Social Sciences 5001 Elsenhower Avenue Alexandria, VA 22333

Dr. Martin F. Wiskoff Navy Personnel R & D Center San Diego, CA 92152-6800

Dr. Donald Woodward
Office of Naval Research
Code 1141NP
800 North Quincy Street
Arilngton, VA 22217-5000

Dr. Joe Yasatuke AFHRL/LRT Lowry AFB, CO 80230

Dr. Masoud Yazdani
Dept. of Computer Science
University of Exeter
Exeter EX4 4QL
Devon, ENGLAND
Mr. Carl York
System Development Foundation

Dr. Joseph L. Young Memory & Cognitive Processes National Science Foundation Washington, DC 20550

Palo Alto, CA 94301

181 Lytton Avenue

Dr. Steven Zornetzer Office of Naval Research Code 1140 800 M. Quincy St. Arlington, VA 22217-5000 Dr. Michael J. 2yda Naval Postgraduate School Code 52CK Monterey, CA 93943-5100

10-86