ND-A1	79 889	A C Gra	EVELOP	MENT : AND A	SYSTEM	FOR A		ED TR	ANSITI V ANN	ON NET	HORK	v	1
UNCLAS	SIFIE) 15	MAR 87	TR-8	7/ONR-	25 N99	014-8	-K-83	95 95	F70 5	5/7	NL	
		5 C									Þ		
							_						
								.					



7

MIC N#

OTK FILE COPY

A Development System for Augmented Transition Network Grammars and A Large Grammar for Technical Prose

John Mayer and David Kieras

University of Michigan



Technical Report No. 25 (TR-87/ONR-25)

March 15, 1987

This research was supported by the Personnel and Training Research Programs under Contract Number N00014-85-K-0385, Contract Authority Identification Number NR 667-547. Reproduction in whole or part is permitted for any purpose of the United States Government.

Approved for Public Release; Distribution Unlimited





REPORT (DOCUMENTATIO	N PAGE			Form Approved OMB No. 0704-0188		
REPORT SECURITY CLASSIFICATION		16. RESTRICTIVE MARKINGS					
SECURITY CLASSIFICATION AUTHORITY	Approved	for public	releas	e:			
b. DECLASSIFICATION / DOWNGRADING SCHEDU	ILE	distribu	tion unlimit	ed.			
PERFORMING ORGANIZATION REPORT NUMBE TR-87/0NR-25	R(S)	5. MONITORING ORGANIZATION REPORT NUMBER(S)					
a name of performing organization University of Michigan	7a NAME OF MONITORING ORGANIZATION Cognitive Science Office of Naval Research (Code 1142CS) 800 N. Quincy Street						
C ADDRESS (City, State, and ZIP Code) Technical Communication Prog Ann Arbor, MI 48109-1109	gram	76. ADDRESS (C Arlingto	7b. ADDRESS (City, State, and ZIP Code) Arlington, VA 22217				
a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-85-K-0385					
Sc. ADDRESS (City, State, and ZIP Code)	1	10 SOURCE OF	FUNDING NUMBER	RS			
	ELEMENT NO	RR04206	NO. RR042	ACCESSION NO			
3a. TYPE OF REPORT 13b TIME C Technical FROM 6 SUPPLEMENTARY NOTATION	OVERED TO	14. DATE OF REF March 15	ORT (Year, Month 5, 1987	, Day) 19	48		
17COSATI CODES18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)FIELDGROUPSUB-GROUPTraining Materials, Documentation, Authoring Systems0509Natural Language Processing					by block number) oring Systems,		
19 ABSTRACT (Continue on reverse if necessar)	and identify by block	number)					
This report is in Grammar Specification Lang a complex augmented trans expressions into a trans parsing. The algorithms u second section presents th grammar was developed to draft stage of writing, as Some results on the co grammar is close to being	two major sec juage (HGSL) whi sition network sition network used by the comp be HGSL for a la allow parsing part of a cor overage of the practically use	ctions. The ich greatly grammar (A which a biler and in arge gramma of technic mputer-based e grammar a eful.	ne first pre simplifies IN). A comp simple int nterpreter a ar for tech cal trainin d comprehens are presente	sents the de iler c erpret re pre nical g mate ible d to s	a High-Level velopment of onverts HGSL er uses for sented. The prose. The rials in the writing aid. how that the		
20 DISTRIBUTION / AVAILABILITY OF ABSTRACT		21 ABSTRACT	SECURITY CLASSIF				
22a NAME OF RESPONSIBLE INDIVIDUAL	22b TELEPHONE (Include Area Code) 22c OFFICE SYMBOL (202) 696-4318						
Susan Chipman		(202) 69	6-4318				

-

ABSTRACT

This report is in two major sections. The first presents a High-Level Grammar Specification Language (HGSL) which greatly simplifies the development of a complex augmented transition network grammar (ATN). A compiler converts HGSL expressions into a transition network which a simple interpreter uses for parsing. The algorithms used by the compiler and interpreter are presented. The second section presents the HGSL for a large grammar for technical prose. The grammar was developed to allow parsing of technical training materials in the draft stage of writing, as part of a computer-based comprehensible writing aid. Some results on the coverage of the grammar are presented to show that the grammar is close to being practically useful.

Accesion For						
NTIS (A	1				
DTIC 1	rab		1			
Unar.no	unced	IJ				
Justification						
By Di-t ibution/						
Availability Codes						
Dist	st Avail and for Special					
A-1						

A Development System for Augmented Transition Network Grammars

and a Large Grammar for Technical Prose

John Mayer and David Kieras

The system described in this report is meant to allow for the rapid development of augmented transition network (ATN) parsers for natural language parsing. This report assumes knowledge of the basics of ATN parsers; for background, see Winograd (1983). The system is based on the standard ATN parser approach, but the user does not directly specify the nodes and arcs of the network grammar to be interpreted; rather, the grammar developer uses a more abstract shorthand called High-level Grammar Specification Language (HGSL). An HGSL compiler converts this shorthand into equivalent networks suitable for use by the ATN interpreter.

The first part of this report describes the syntax and semantics of HGSL, and the network implementation of each construct. The second part describes the algorithms used in the HGSL compiler and the ATN interpreter and HGSL compiler. The third part presents a large grammar for technical prose which was developed with this system.

A High-level Grammar Specification Language (HGSL)

HGSL allows the user to easily specify common syntactic patterns. These specifications are then compiled into ATN networks, which are interpreted during parsing. These ATN networks are constructed from arcs of five types: word test, lex test, net-call, pop, and conditional. Word test arcs allow control to pass to the next node only if the current word matches the given word. Lex test arcs are similar but specify a lexical category to match, rather than a particular word. Net-call arcs name some network which is to be called, together with a next state to which control passes if the net call succeeds, while a pop arc signals a successful return from a net call. Last, the conditional arc causes evaluation of an arbitrary condition, which if true, results in control passing to the specified next state.

The language allows for matching the input sentence against actual words, lexical categories, networks, and conditions. These basic components may be combined to form sequences and alternations. Optional and repeated items are indicated in a straightforward way.

HGSL Syntax

In the following discussion, we will present the syntax of each HGSL construct, its meaning, an example of its use, and finally the ATN network into which it is compiled. Table 1 gives a context-free grammar for HGSL; rules from this grammar will be cited for each construct.

Table 1

Context-free Grammar for the High-level Specification Language

1	Grammar	->	Netdefinition Grammar
2		->	Netdefinition "END-GRAMMAR"
3	Netdefinition	->	"NET-DEF" <string> Expression</string>
4	Expression	->	"!" <string></string>
5	Expression	->	<string></string>
6	Expression	->	"#" <string></string>
7	Expression	->	"{" Expression Sequence
8	Sequence	->	Expression Sequence
9	-	->	n } n
10	Expression	->	"{" Expression Alternation
11	Alternation	->	"/" Expression Alternation
12		->	n } n
13	Expression	->	"-" "{" Expression "}"
14	Expression	->	"+" "{" Expression "}"
15	Expression	->	"*" "{" Expression "}"
16	Expression	->	"<" <lisp expression=""> ">"</lisp>

A grammar written in HGSL is a list of network definitions, each definition consisting of the key word NET-DEF, followed by the name of the network and an HGSL expression. The list is terminated with the key word END-GRAMMAR (Rules 1-3). The top-level network must be named #START.

Basic expressions. The simplest HGSL expressions are used to match actual words or lexical categories. A <u>literal word</u> <u>match</u> is specified by prefixing the relevant word with an exclamation point (Rule 4). Thus the expression !THE will recognize only the word the. The network which is built to implement a literal word match is a single word-test arc that compares the current word with <string>. Far more useful is the ability to specify a <u>lexical category match</u>. Since this is the most common test in a grammar, lexical categories are written plainly (Rule 5). For example, the expression NOUN will match any noun. The lexical category match generates a single lex-test arc. A <u>network match</u> is indicated by prefixing a pound sign to the name of the network (Rule 6). For example, #NP is an invocation of the noun phrase network. The net-call expression generates a net-call arc.

Sequences. A sequence can be described by enclosing a list of HGSL expressions in brackets (Rules 7-9). Thus {!THE NOUN #VP} is a sequential pattern satisfied by the word the, followed by any word of the class noun, followed by any group of words which satisfies the expression for the #VP network. This rule can be applied recursively, allowing us to create a sequential expression from simpler sequential expressions. For example, {#NP {#VP #NP}} is a legal expression which happens to be equivalent to {#NP #VP #NP}.

To match exactly one of several expressions, Alternations. the alternatives are separated by slashes and the whole is enclosed in brackets (Rules 10-12). The pattern {!THE / !A / !SOME} requires the next word to be one of the three words, the, a, or some. Once we have both sequences and alternations, the recursive possibilities of HGSL become more $\{ \#VP / \{ \#NP \#VP \} \}.$ interesting as in This pattern could be a top-level definition of #SENTENCE since it is satisfied either by **#VP** (an imperative sentence), or by the sequence {**#NP #VP**} (a declarative pattern).

Optional matches. The appearance of a subexpression in some larger pattern may be made optional by placing a dash before it (Rule 13). The pattern { - {!IN !ORDER} !TO #VP} matches both In order to form a more perfect union and To form a more perfect union.

Repetition. Shorthand expressions are provided for two very common types of sequential repetition corresponding to zero-or-more, shown by a preceding asterisk, and <u>one-or-more</u> shown by a preceding plus sign (Rules 14, 15). For example, {* {PREP #NP}} matches any number of consecutive prepositional phrases, including none at all, and {#NP !VERB + {#NP}} matches a sentence with one or more objects in the verb phrase.

<u>Conditional matches</u>. It will sometimes be convenient to be able to insert arbitrary conditions into a larger expression. A LISP form that evaluates to true or false can be enclosed in angle brackets to constitute a valid HGSL expression. For example, the pattern

 $\{ \#NP \ \#VP \ \le QUAL \ (NUMBER-OF \ NP) \ (NUMBER-OF \ VP) \ > \ \#NP \}$

first matches an #NP followed by a #VP. We must then evaluate the condition in angle brackets and then proceed to match a second NP only if the condition evaluates to true. The condition is implemented by a single test arc in the ATN. Note that HGSL does

not provide any standardized data structures to be tested by conditional expressions. Thus in order to write a condition, the grammar writer must go outside HGSL, at least in its current form, and devise a LISP expression based on the data structures of the interpreter.

These conditions may be arbitrarily complicated and therefore may be a trap for the grammar developer. Using them too often will severely reduce the ease with which the grammar can be understood and extended. On the other hand, a few well-motivated conditions may allow considerable rule economy without introducing any serious obscurity. Our experience with using conditions shows that they can sometimes be quite simple and still be useful.

Network Generation

Sequences. Generation of a network for a sequence of patterns proceeds as follows. Suppose we have obtained a subnet for the first expression in the sequence. To ensure that the patterns specified by the consecutive subexpressions are matched in order, we need only build the second subnet so that its start node is the end node for the first subnet. We likewise let each subsequent pair of adjacent component networks share end and start nodes. The start node for the whole network is that of the sequentially first component network and the end node of the whole is that of the last component network. This construction is shown in Figure 1 for the sequential pattern {E1 E2 E3}. Each box represents an arbitrarily complicated expression. All that has to be known about them in order to incorporate these expressions into a more complex net is that they have a single start and stop node as shown. Note how the stop node of El is the same as the start node of E2, as suggested by the overlapping circles. The correctness of this construction depends on the fact that the subnets are "one-way" nets, in that control can never flow backwards from the stop node to the start node. If this were not the case, the net might recognize the first subexpression, then the second, then wander back and redo the first.

Accession for the second secon

Alternation. To build a network for an alternation we use a single new start node as the subnet start node for each of the subexpressions. We then add T-test arcs (i.e. test arcs for which the condition always evaluates to TRUE) from the various end-nodes to a single new end-node created for the composite net. This is shown in Figure 1 for the alternation $\{E1 \ / \ E2 \ / \ E3\}$. The lighter arcs represent the nets previously generated for E1, E2, and E3. The arcs added to implement the alternation are shown as heavy arcs. Clearly the newly constructed network can only be traversed if exactly one of the component networks can be satisfied.



Figure 1 Network Implementation of HGSL constructs. Boxed "E" and thin arrows are the previously constructed net of the arbitrary expression E. Optional expressions. Given an expression and some net that implements it, we can easily add arcs to make the same expression optional. We do this by adding a T-test arc, evaluated after the first arc of the expression, leading from the start node to the end-node. We then have the option either to pass through the net, or to match nothing to it, as shown in Figure 1.

<u>Repetitions</u>. Implementing one-or-more repetition is a bit complicated. Assuming we have generated a net for the expression to be repeated, we add an arc leading from its end node back to its start node, as shown in Figure 1. This will allow the pattern to be matched more than once. We also create a new end node for the composite network and connect the component network's end node to it via a T-test. After the pattern has been matched one or more times, control can follow this path out of the network.

The most complicated network construction is that for zero-or-more repetition. As shown in Figure 1, we take the network of the expression to be repeated and add a backward T-test from its end to its start node. As in one-or-more repetition, this allows the pattern to be matched more than once. We also create new start and end nodes. The old end node is connected to the new one by a T-test arc. This is the exit from the network after the pattern has been matched one or more times. Finally we add a pair of new arcs out of the new start node. The first leads into the old start node. Any path through the network which begins by taking this arc will have to satisfy the repeated pattern one or more times. The second arc is a T-test leading directly to the end node of the composite network. This allows for zero repetitions of the expression.

It can be proven that the network implementations of the HGSL constructs adopted here are correct. However it is also true that the current HGSL compiler does not produce the most compact networks possible. For example, Figure 2 shows a more efficient network construction for alternation.

いいい いいいい

Ŗ

IMPLEMENTATION ALGORITHMS

The HGSL Compiler

Here we describe how HGSL constructs are compiled into networks suitable for the interpreter described below. The expression to be compiled as a network is parsed by the set of mutually recursive functions shown in Table 2. Each function is responsible for parsing the structure for which it is named and adding the appropriate arcs and nodes.





Figure 2. Alternate network implementations of { E1 / E2 / E3 }. The higher one is currently implemented, but the lower one is more efficient.

The HGSL Compiler

```
function #HGSLC(INPUT FILE: FILE) returns BOOLEAN is
SELECT OUT PORTION OF FILE TO BE COMPILED;
return #GRAMMAR;
end #HGSLC;
function #GRAMMAR returns BOOLEAN is
100p
  if CURRENT-WORD = END-GRAMMAR then
    return TRUE;
 else if #NETWORK-DEFINITION then do nothing;
 else
  return FALSE;
 end if;
end loop;
end #GRAMMAR;
function #NETWORK-DEFINITION returns BOOLEAN is
if CURRENT-WORD = NET-DEF then ADVANCE-WORD; end if;
RECORD CURRENT-WORD AS NAME OF THIS NETWORK;
ADVANCE-WORD;
START = A START NODE FOR THIS NETWORK;
RECORD START AS FIRST NODE OF THIS NETWORK;
if #EXPRESSION(START, STOP) then
 ADD A POP ARC BEGINNING AT STOP;
 return TRUE;
else
 return FALSE;
end if;
end #NETWORK-DEFINITION;
function #EXPRESSION(START, STOP) returns BOOLEAN is
if CURRENT-WORD STARTS WITH "#" then
  return #NET-CALL(START,STOP); end if;
if CURRENT-WORD STARTS WITH "<" then
   return #CONDITION(START, STOP); end if;
if CURRENT-WORD STARTS WITH A LETTER then
   return #LEX-TEST(START,STOP); end if;
if CURRENT-WORD STARTS WITH "!" then
   return #WORD-TEST(START,STOP); end if;
 if CURRENT-WORD IS "-" then
  return #OPTIONAL(START,STOP); end if;
 if CURRENT-WORD IS "+" then
   return #ONE-OR-MORE(START,STOP); end if;
```

(table continues)

if CURRENT-WORD IS "*" then return #ZERO-OR-MORE(START, STOP); end if; if CURRENT-WORD IS "{" then return #LIST-NO-PREFIX(START,STOP); end if; return FALSE; end #EXPRESSION; function #NET-CALL(START, STOP) returns BOOLEAN is STOP = A NEWLY ALLOCATED NODE; USE CURRENT-WORD TO LOOK UP START NODE FOR INVOKED NET; ADD NET ARC FROM START TO INVOKED NET WITH NEXT STATE = STOP; return TRUE; end #NET-CALL; function #CONDITION(START, STOP) returns BOOLEAN is STOP = A NEWLY ALLOCATED NODE; ADD TEST ARC FROM START TO STOP USING CURRENT-WORD AS TEST EXPRESSION; return TRUE; end #CONDITION; function #WORD-TEST (START, STOP) returns BOOLEAN is STOP = A NEWLY ALLOCATED NODE; ADD WORD-TEST ARC FROM START TO STOP USING CURRENT-WORD AS WORD TO COMPARE WITH; return TRUE; end #WORD-TEST; function #LEX-TEST(START,STOP) returns BOOLEAN is STOP = A NEWLY ALLOCATED NODE; ADD LEX-TEST ARC FROM START TO STOP USING CURRENT-WORD AS LEXICAL CATEGORY TO COMPARE WITH; return TRUE; end #LEX-TEST; function #OPTIONAL(START, STOP) returns BOOLEAN is WORD-ADVANCE: if #LIST-NO-PREFIX(START,STOP) then ADD "T" TEST ARC FROM START TO STOP; return TRUE; else return FALSE; end if; end #OPTIONAL;

(table continues)

```
function #ONE-OR-MORE(START, STOP) returns BOOLEAN is
WORD-ADVANCE:
if #LIST-NO-PREFIX(START,STOP2) then
  STOP = NEWLY ALLOCATED NODE;
 ADD "T" TEST ARC FROM STOP2 TO START;
 ADD "T" TEST ARC FROM STOP2 TO STOP;
  return TRUE;
else
  return FALSE;
 end if;
end #ONE-OR-MORE;
function #ZERO-OR-MORE(START, STOP) returns BOOLEAN is
ADVANCE-WORD;
 START2 = NEWLY ALLOCATED NODE;
 if #LIST-NO-PREFIX(START2,STOP2) then
  STOP = NEWLY ALLOCATED NODE;
  ADD "T" TEST ARC FROM START TO START2;
  ADD "T" TEST ARC FROM STOP2 TO STOP;
  ADD "T" TEST ARC FROM START TO STOP;
  ADD "T" TEST ARC FROM STOP2 TO START;
  return TRUE;
 else
  return FALSE;
 end if;
end #ZERO-OR-MORE;
function #LIST-NO-PREFIX(START, STOP) returns BOOLEAN is
ADVANCE-WORD;
STOP = A NEWLY ALLOCATED NODE;
if #EXPRESSION(START, STOP2) then null; else return FALSE; end if;
 if CURRENT-WORD = "/" then
 ADD "T" TEST ARC FROM STOP2 TO STOP;
 until CURRENT-WORD = "}" loop
   if #EXPRESSION(START, STOP2) then
    ADD "T" TEST ARC FROM STOP2 TO STOP;
   else return FALSE;
   end if;
  end loop;
  return TRUE;
 else
 until CURRENT-WORD = "}" loop
   START = STOP2;
   if #EXPRESSION(START, STOP2) then null;
   else return FALSE; end if;
  end loop;
  STOP = STOP2;
  return TRUE;
 end if;
end #LIST-NO-PREFIX;
```

#HGSLC is the top-level function of the compiler. It takes the name of an input file and asks the user whether the entire grammar should be compiled or if just one of the network definitions should be recompiled. It then calls #GRAMMAR. Since a grammar is just a list of network definitions ended by the key word END-GRAMMAR, the function #GRAMMAR calls #NETWORK-DEFINITION repeatedly until that key word is encountered.

#NETWORK-DEFINITION checks for the key word NET-DEF, records the name of the network being defined, and then calls #EXPRESSION. #EXPRESSION is simply a large select statement which examines the current character to determine which type of expression follows. The appropriate function is then called. The functions #NET-CALL, #CONDITION, #LEX-TEST, #WORD-TEST are low-level functions which actually build single arcs for the routines that call them.

#OPTIONAL, #ONE-OR-MORE, #ZERO-OR-MORE, and #LIST-NO-PREFIX are intermediate level routines that all call the function #EXPRESSION one or more times, adding additional arcs to the results of these function calls, and sometimes piecing them together to form a larger net. #OPTIONAL adds a single arc to whatever structure has been built for its component expression. #ONE-OR-MORE adds two arcs and #ZERO-OR-MORE adds four. #LIST-NO-PREFIX is the most complicated net, since it builds either a disjunctive or a sequential net and in either case this requires piecing together the nets generated during calls to #EXPRESSION as discussed above and pictured in Figure 1.

The ATN Interpreter

The interpreter used by our system is fairly conventional. The output of the compiler is a set of networks based on the constructions given above. These networks are represented as sets of arcs leading from one node to another. The interpreter has only one major data structure, a stack of nodes that is used to maintain the current path through the various nets. The interpreter repeatedly pops this stack and tries to extend the path, generally by evaluating the next arc out of the most recently stacked node.

The output produced by the HGSL system is a syntax tree such as that shown in Figure 3. This tree is based on the parse path constructed automatically by the interpreter. Once parsing the top-level net has been successfully completed, the parse path will be stored at the top of the parse stack and can be interpreted as a syntax tree.

Table 3 gives the interpreter algorithm in pseudo-code. The stack frame, declared in lines 2-8, contains a node id number, the id number of the last outgoing arc examined, the position of

(#START (#SENTENCE (#NP (DET THE) (NOUN INSTRUCTOR)) (#VP (VERB PERFORMED) (#NP (DET THE) (NOUN PROCEDURE)))))

Figure 3. Example of parser output for the sentence "The instructor performed the procedure."

The ATN Interpreter

```
function ATN INTERPRETER returns SUCCESS-OR-FAILURE is
 1
 2
     FRAME is record
 3
      STATE: integer;
 4
      LAST-ARC-TESTED: integer;
 5
      POSITION-IN-SENTENCE: integer;
 6
      ACTIVE-NET-CALL-FLAG: boolean;
 7
      NET-PATH: list of FRAME;
 8
     end record;
 9
     CURRENT-FRAME: FRAME;
10
     S: stack of FRAME;
11
     POPPED-SENTENCE: boolean;
12
    begin
     POPPED-SENTENCE := FALSE;
13
     PUSH(S,[#INVALID-NET-NAME,1,0,TRUE,NIL]);
14
15
     PUSH(S,[#START1,0,1,FALSE,NIL]);
16
     while not POPPED-SENTENCE loop
17
      CURRENT-FRAME = POP(S);
18
      if CURRENT-FRAME MATCHES [-,-,-,TRUE,NET-PATH] then
19
       S := PUSH(S, NET-PATH);
20
      else if CURRENT-FRAME MATCHES [-,-,-,TRUE,NIL] then
21
       S := PUSH(S, [-, -, -, FALSE, NIL]);
22
      else if CURRENT-FRAME MATCHES
23
       [STATE, ARC-NO, POSITION, FALSE, NIL] then
24
       NEXT-ARC-NO := ARC-NO + 1;
       NEXT-ARC := FETCH-ARC (STATE, NEXT-ARC-NO);
25
26
       TEST-RESULT := TEST-ARC (NEXT-ARC, POSITION);
27
       if TEST-RESULT = RAN-OUT-OF-ARCS then
28
        if STATE = INVALID-NET-NAME then
29
         return FAILURE;
30
        end if;
31
       else if TEST-RESULT = SUCCESS then
32
        if ARC-TEST MATCHES (ARC-TYPE, X, NEXT-STATE) and
33
         MEMBER-OF (ARC-TYPE, {WORD, LEX}) then
34
         S = PUSH(S, [NEXT-STATE, 0, POSITION+1, FALSE, NIL]);
35
        else if ARC-TEST MATCHES (TEST, X, NEXT-STATE) then
36
         S = PUSH([NEXT-STATE, 0, POSITION], S);
37
        else if ARC-TEST MATCHES (POP, NIL, NIL) then
38
         INVOKER-FRAME := MOST RECENTLY STACKED FRAME
39
          THAT MATCHES [STATE, ARC, -, TRUE, NIL];
40
         NET-PATH := ALL FRAMES ABOVE INVOKER-FRAME;
41
         if STATE = #START1 then POPPED-SENTENCE := TRUE; end if;
42
         ARC-TEST := FETCH-ARC(STATE, ARC);
43
         MATCH ARC-TEST TO [ARC-TYPE, NIL, NEW-STATE];
44
         S := PUSH(S,[STATE,ARC,X,FALSE,NET-PATH]));
```

(table continues)

ななななな。

45 S := PUSH(S, [NEW-STATE, 0, X, FALSE, NIL]); 46 end if; 47 else 48 S := PUSH(S,CURRENT-FRAME); 49 end if; 50 end if; 51 end loop; 52 return SUCCESS; end ATN INTERPRETER; 53

the parser in the current sentence when the node was reached, a flag signalling whether the last arc evaluated triggered a currently active net call, and the network path of any completed net call originating at the node. Initially the stack contains two frames, the node #INVALID-NET-NAME which is shown invoking the first node of the top-level network #START (lines 14,15). The standard cycle of the interpreter is a loop (lines 16,50) which exits either with success when the top-level net call to #START returns, or with failure when the stack is exhausted.

The loop begins with popping the stack (line 17). The popped stack frame will fall into one of four categories. The first case (line 18) is when the stack frame has a completed net path stored with it. In this case, the path is removed from the current frame and placed on the stack allowing the interpreter to back up into a previously completed net-call. The second case (line 20) is for stack frames which have triggered a currently active net call. Coming across one of these indicates that the net call has failed, so after the ACTIVE-NET-CALL-FLAG is set to FALSE, the stack frame is pushed to allow the next arc for that node to be considered.

The third case (line 22) is for all other frames and involves fetching and testing the next outgoing arc (lines 24-25). If there are no more arcs, then the current node will be given no further consideration. If there are no more arcs and the current node is the one that marks the stack bottom, (i.e. #INVALID-NET-NAME), then the interpreter returns FAILURE (lines 28-29). Assuming there is an arc to evaluate, and that evaluation succeeds (line 31), the appropriate action is taken depending on the arc. If evaluation fails (line 47), no action is taken before beginning the next cycle when the next arc will be examined.

A successful word or lex test will require stacking a frame for the next state together with a current word position that has been incremented by one (lines 32-34). A successful conditional test also causes the next state to be stacked (line 35-36). A pop arc is always successful and its processing involves looking down in the stack for the most recent active net call (line 38-39). All nodes stacked above this represent the path which has been found through the invoked net and are added to the stack frame of the node which triggered the net call.

Pressess Issues to the second s

たいことであると

1.22.52

55555555 [22262224] [2226224] [22224244

If an invocation of the top-level network was popped (line 41), then POPPED-SENTENCE will be set to TRUE, control will exit the loop, and the interpreter will return SUCCESS. Note that because of this, the HGSL supplied by the user must not be recursive at the top level, i.e. the grammar must not include a call to **#**START.

A GRAMMAR FOR TECHNICAL PROSE

A substantial grammar has been developed using HGSL. This section presents the grammar and discusses its coverage and some of its strong and weak points.

The grammar was developed to cover a set of sentences taken from Navy technical training materials. Any sentence which could not be parsed lead to an extension of the HGSL grammar. HGSL was designed to make this process as quick as possible by allowing nets to be described in a compact, easily-read formalism. In practice the system did make improvements easier. HGSL also makes it easier to spot rules which are either inconsistent or not as general as they might be. Far-ranging reorganizations of the grammar, while very time-consuming for an explicit node and arc representation, are fairly simple with a powerful grammar shorthand like HGSL.

GRAMMAR DESCRIPTION

Table 4 presents an overview of the grammar; Table 5 lists the lexical categories used by the grammar. The complete HGSL text appears as an appendix; in this section the text will be presented for description piece-meal. One thing to note about this grammar is that it was developed to recognize rather than to generate sentences. Consequently it would not be difficult to use it to generate some very bad sentences. Also since it is meant to be suitable for systems which critique poor prose (see Kieras, 1985), the nets should not fail on sentences which are only slightly ungrammatical; otherwise the majority of the input text might never survive the first-stage syntactic analysis.

The grammar developed here suffers from an ad hoc approach to conjunction which has lead to the inclusion of conjunctive branches in many of the nets. The option which we did not pursue is to build a special mechanism outside the grammar that would have constituted a general theory of where conjunction can occur,

Network Names and General Characterizations

#START

The top-level network and starting point for all parsing.

#HEADING

Titles, chapter or paragraph headings, etc consisting of some formatting mark (i.e. indentation, roman numerals) followed by a noun phrase.

#CSTATEMENT

Conjunctive statement. One or more sentences conjoined together.

#STATEMENT

Either declarative or imperative.

#DECLARATIVE-STATEMENT

#IMPERATIVE-STATEMENT

#PPCL

Past participle clause. Clauses based on a past participle and explicitly introduced by some subordinating conjunction such as when given aircraft type and weather conditions.

#VINGCL

Present participle clause. Clauses based on a present participle introduced by a subordinating conjunction. While collecting and safeguarding drug evidence.

#SUBCL

Subordinate clause. Full sentences introduced by a subordinating conjunction. Because the procedure was performed incorrectly, ...

#VERB-COMPLEX-ARGUMENT

Infinitive clauses following "to" which act like the object of a verb or simply give the purpose of the action. He tried to perform the procedure He performed the procedure to conform with regulations

(table continues)

#FOR-TO

Infinitive clauses which begin a sentence To perform the procedure , ... For the students to perform the procedure...

#WHETHER-OR

Compound condition formed with "whether". Whether the user is a novice or if he knows the system well, this reference manual will be helpful.

#SUBRELCLS

Subject relative clause. The modified noun is the subject of the relative clause.

#ELIDED-VP

Elided verb phrase. Clauses based on a past or present participle from which a form of the verb "to be" has been deleted. May introduce a sentence or modify a noun. Given adequate instructions, the students ... a procedure requiring expert supervision

#ADJCL

Adjective clause. Clauses which follow and complete the meaning of certain adjectives. able to perform the procedure

#OBJRELCLS

Object relative clause. The modified noun is the object of the relative clause which follows. the procedure the instructor performed

#FOR-TO-RELCLAUSE

A relative clause based on an infinitive and possibly introduced by "for". the equipment for the trainees to use during class

#COMPOUND-MODIFIER

Conjunction of noun-modifying phrases sometimes following the modified noun, but sometimes preceding it. "Whether working with a visual information specialist or alone, ... All procedures, official or unofficial, ...

#CVP

Conjoined verb phrase.

#VP

Verb phrase.

(table continues)

#VCOMP

Verb complement. The modifying phrases that follow the main verb and other verb parts such as participles and the infinitive.

#GINF

Generalized infinitive. Includes not only the lexical category INF, but multiple word infinitives followed by modifying phrases such as The procedure is to be performed by the instructor.

#CNP

Conjoined noun phrases.

#NP

Noun phrase. Both the usual noun phrase consisting of adjectives and head noun as well as whole clauses which can function like a noun, e.g. What the instructor said was unclear.

#GERUND

A present participle and its modifier acting as a noun. Following the instructions for this procedure is crucial.

#PREPPHR

Prepositional phrase. Also allows for conjunctions as in With the instructor's assistance and in keeping with the rules ...

#RELCLAUSE

Relative clauses. Either subject (SUBRELCLS) or object (OBJRELCLS) relative clauses.

#INTERRUPTER

Phrases typically set off by commas and serving to qualify a noun phrase.

Table of Lexical Categories

ADJCL	Adjective introducing a clause -
	Available for
ADJ	Adjective
ADV	Adverb
AUX-DO	Forms of the verb do acting as verb
	auxiliaries
AUX-HAVE	Forms of the verb have used for the
	past tense
AUX-IS	Forms of the verb is in
	progressives or passives
AUX-MODAL	Modals such as may, might, should,
	etc.
CONJ	Conjunction
DEFDET	Definite determiner
HEADING-MARK	Characters marking a title or heading
INF	Infinitive form of a verb
NAME	Proper name
NDEFDET	Indefinite determiner
NEG	Negative
NOUN	Noun
POSS-MARK	Apostrophe in possessive forms
PPCL	Words introducing a past participle
	clause - though inspected by the
	instructor
PREDETADJ	Adjective preceding a determiner -
	all the best
PREP	Preposition
PRN	Pronoun
PROPPRN	Propositional pronoun - That is not
	true.
KELPKN	Relative pronoun
RESRELPRNK	Restrictive relative pronoun - that
CUDCT	as opposed to which
SUBCL	words that introduce a subordinate
	Clause
VERD	Any form of a verb, inflected or
VEDDINC	not Brecent participle
VERDING	Present participle
VINCCI	rast participie Worde that introduce a procent
A THRCP	norus that introduce a present
	participie clause - while
	berrorming the brocedure

and thus would have saved us the effort of addressing the problem on a case-by-case basis. Such an approach has the disadvantage of making the ATN interpreter non-standard.

The top-level network is #START, shown in Table 6. Since the grammar is meant to parse technical prose, rather than isolated sentences, #START recognizes both sentences (#CSTATEMENT) and any headings which may occur in the passage. Headings are assumed to be indicated by format markings such as peculiar indentation or special text editor control characters and consist of a noun phrase in the broadest sense (#CNP). #CNP includes any phrase that could be the subject of a sentence. This allows the system to handle titles such as "How to perform the procedure". For convenience of discussion, the rest of the grammar is divided into the following groups: sentences, subordinate clauses, relative clauses, verb phrases, and noun phrases.

Sentences

The main sentence patterns (see Table 6) are #DECLARATIVE-STATEMENT and #IMPERATIVE-STATEMENT. The first is simply a noun phrase followed by a verb phrase, while the second consists only of a verb phrase. The various clauses which can introduce or follow these basic sentence patterns are common to the two, and are factored off into the higher-level net #STATEMENT. Since #STATEMENT is the first definition of any complexity that we have so far encountered, it may be helpful to interpret it in some detail.

A #STATEMENT begins with zero or more instances of the six types of introductory clause, optionally followed by a comma, then proceeding to either a declarative or an imperative sentence, in either case optionally followed by a subordinate #STATEMENT is in turn the main constituent of clause. #CSTATEMENT which allows conjunction of two or more simple This net is fairly subtle. It begins with a sentences. **#**STATEMENT. Since the next expression is preceded with a "-", we know it may also end with that first #STATEMENT. Alternately we can add one or more comma-#STATEMENT pairs, before closing with a CONJ (possibly preceded with a comma) and one last #STATEMENT. There are two other nets which are entirely devoted to describing the conjunction of simpler expressions, one for conjoined nouns (#CNP) and one for conjoined verbs (#CVP).

HGSL for #START and Sentences

```
NET-DEF #START
    { #HEADING /
     { #CSTATEMENT !. } }
NET-DEF #HEADING
    { HEADING-MARK #CNP }
NET-DEF #CSTATEMENT
    { #STATEMENT
      - { * { !, #STATEMENT }
- { !, }
              CONJ
              #STATEMENT
         }
    }
NET-DEF #STATEMENT
    { * { #FOR-TO /
            #WHETHER-OR /
            #ELIDED-VP /
            #PREPPHR /
            #SUBCL /
            #ADV }
     - { !, }
     { #DECLARATIVE-STATEMENT / #IMPERATIVE-STATEMENT }
     - { SUBCL } }
NET-DEF #DECLARATIVE-STATEMENT
   { #CNP #CVP }
NET-DEF #IMPERATIVE-STATEMENT
   #CVP
```

1222212121

Subordinate Clauses

There is considerable variety among the subordinate clauses. #PPCL and #VINGCL, shown in Table 7, are nets based on past and present participles, respectively. Each is introduced by a subordinating conjunction. Note how the incremental approach to grammar design has lead to an option for conjunction in the #VINGLCL, but not in #PPCL. This is because the sample sentences so far processed have not required conjunction in #PPCL. #SUBCL is the combination of a subordinating conjunction and a full sentence.

#VERB-COMPLEX-ARGUMENT is an infinitive-based phrase appearing after the verb. Sometimes it will be identifiable as an argument of the verb, thus justifying its name, as in <u>He hopes</u> to get back to work. In other cases it will be modify the meaning of the entire sentence by giving the reason for which some action was taken, as in He did it to better his chances.

#FOR-TO is used to introduce a sentence. Like #VERB-COMPLEX-ARGUMENT, it is based on the infinitive, but allows the subject of the infinitive to be specified by adding for and a noun phrase at the front (For the plan to work, ...). #WHETHER-OR is probably best thought of as a complex subordinate clause, since it combines two #STATEMENTS into a subordinate relation to the main sentence, as in Whether the result is positive or if it cannot be determined, ... On the other hand, #WHETHER-OR differs from #SUBCL in that it may be based on a sentence fragment rather than a complete sentence as in Whether old or new, ... By comparison, Because old or new ... is unacceptable.

Relative Clauses

The relative clauses shown in Table 8 can be used to modify nouns, or in some cases, can be used in the place of nouns. **#SUBRELCLS includes relative clauses in which the noun modified** plays the role of subject in the relative clause. The most obvious variety uses a relative pronoun as in The procedure that One type of #SUBRELCLS that does not use relative works. pronouns is the #ELIDED-VP, which is based on a past or present participle, e.g. the procedures studied in this course or the trainees having the most difficulty, for the above examples. They are called elided verb phrases because they are taken to be shortened forms, such as the procedures which were studied in this course and the trainees who are having the most difficulty. Like most clauses which can modify a noun, #ELIDED-VP can be shifted to the front of the sentence, in which case it is being used to describe the subject of the sentence, as in Elected for the first time in 1982, the congressman

HGSL for Subordinate Clauses NET-DEF #PPCL { PPCL VERBPP #VCOMP } NET-DEF #VINGCL { VINGCL #GERUND * { { CONJ / !, } #GERUND } } NET-DEF #SUBCL { SUBCL #STATEMENT } NET-DEF #VERB-COMPLEX-ARGUMENT { !TO #GINF } NET-DEF #FOR-TO { - { { !FOR #CNP } / { !IN !ORDER } } !TO #GINF } NET-DEF #WHETHER-OR { ! WHETHER { #COMPOUND-MODIFIER / { #STATEMENT - { !OR !IF #STATEMENT } } } NET-DEF #COMPOUND-MODIFIER $\{ - \{ !BOTH / !EITHER \} \}$ { ADJ / #ELIDED-VP } * { { CONJ / !, } { ADJ / #ELIDED-VP } } }

HGSL for Relative Clauses

NET-DEF #SUBRELCLS
{ { RESRELPRN #CVP } /
#PREPPHR /
#ELIDED-VP /
#ADJCL }
NET-DEF #ELIDED-VP
{ - { NEG } * { ADV }
{ #GERUND / { VERBPP #VCOMP } } }
NET-DEF #ADJCL
{ - { !, }
ADJCL { #PREPPHR / { !TO #GINF } }
NET-DEF #OBJRELCLS
{ - { RESRELPRN } #DECLARATIVE-STATEMENT }
NET-DEF #FOR-TO-RELCLAUSE
{ - { !FOR #CNP } !TO #GINF }

Yet another variety of #SUBRELCLS is the #ADJCL. It is based on an infinitive or prepositional phrase and introduced by certain adjectives such as <u>eager</u>, <u>impatient</u>, or <u>glad</u> as in <u>Trainees glad to complete their instruction</u> or <u>Available to all</u> <u>employees</u>, group insurance

Aside from #SUBRELCLS, the other major varieties of relative clause are #OBJRELCLS and #FOR-TO-RELCLAUSE. In #OBJRELCLS the modified noun plays the role of the object and the relative pronoun is optional, as in <u>The procedure [that] the instructor</u> <u>demonstrated</u>. #FOR-TO-RELCLAUSE is a restricted version of #FOR-TO appropriate for use as a relative clause. It allows us to handle the thing to do or the thing for you to do.

Verb Phrases

There are three major verb phrase nets shown in Table 9, the principal one being #VP, which generates verb forms. It includes a fairly careful description of verb formats, covering the use of modal auxiliaries such as <u>can</u> or <u>may</u>, the use of <u>do</u>, <u>be</u> and <u>have</u> as auxiliaries, and simple tensed verbs, with consideration given to negation and adverbs occurring between

HGSL for Verb Phrases

NET-DEF #CVP { **#**VP * { + { CONJ / !, } #VP } } NET-DEF #VP { * { ADV } { { AUX-MODAL - { NEG } * { ADV } #GINF #VCOMP } / { AUX-DO - { NEG } * { ADV } INF #VCOMP } / { - { NEG } AUX-IS * { ADV } { VERBING / VERBPP } #VCOMP * { CONJ { VERBING / VERBPP } #VCOMP } } / { AUX-HAVE - { NEG } * { ADV } VERBPP #VCOMP } / { VERB **#**VCOMP } } } NET-DEF #VCOMP * { #CNP / { < LAST WORD IS A VERB TAKING STATEMENT OBJECT > #CSTATEMENT } / { !THAT #CSTATEMENT } / { { - { !, } #PREPPHR * { CONJ #PREPPHR } } / ADV / ADJ / #PPCL / #VINGCL / #VERB-COMPLEX-ARGUMENT / { !, #INTERRUPTER !, } / { !{ **#INTERRUPTER** !} } } NET-DEF #GINF { * { ADV } INF #VCOMP } / { { !HAVE VERBPP #VCOMP } /
!HAVE !BEEN { VERBPP / VERBING } #VCOMP } / { { !BE * { ADV } { VERBPP / VERBING } #VCOMP * { CONJ { VERBPP / VERBING } #VCOMP } } }

parts of the verb. Since this is a complicated definition, we will give several examples of the verb phrases that it includes.

There are basically five alternatives based on AUX-MODAL, AUX-DO, AUX-IS, AUX-HAVE, or VERB. The AUX-MODAL case begins with a modal verb such as <u>may</u>, <u>might</u>, or <u>should</u>, and then continues on to some infinitive and whatever object may follow the infinitive (#VCOMP). As an example, consider <u>must perform</u> <u>the procedure</u>. Adverbs and negating elements can be interspersed as indicated to give <u>must not carelessly perform</u> the procedure. The AUX-DO alternative is quite similar, but is based on a form of the verb <u>to do</u>, rather than a modal. The sort of infinitive phrase which follows <u>to do</u> is also slightly more restrictive, INF as opposed to #GINF. #GINF can generate <u>have done</u>, whereas the lexical category INF cannot. As a consequence, <u>should have done</u> it is allowed, but <u>did have done it</u> is not.

AUX-IS verb phrases have some form of the verb to be followed by a participle, either present (VERBING) or past (VERBPP). The participle can then be followed by the usual objects. Examples of this would be been performing the procedure or was told by the instructor. As indicated by the latter example, AUX-IS verb phrases include some passive voice constructs. The AUX-IS verb phrase has been extended to allow building conjunctive verb phrases by adding a CONJ and a second participle to give phrases such as been cleaned and inspected.

AUX-HAVE generates the past tense with <u>have</u> and so requires a past participle. An example with the optional arguments is <u>have performed the procedure</u>. The VERB-based verb phrase is the simplest pattern and captures the present tense of simple verbs, e.g. perform the procedure.

Every basic verb phrase described in #VP ends with a #VCOMP, a net describing the numerous phrases which can follow the main verb of a sentence. The first alternative in #VCOMP is the The second alternative uses a condition direct object (#CNP). (note the angle brackets). The rational for this condition is as Some verbs take whole clauses as their objects, as in I follows. hope they all get here on time. It would be very inefficient to begin parsing a sentence after every verb, so the condition ensures that we attempt this only if the verb is one of the relatively few which can take clauses for their objects. In the third #VCOMP option, a clause once again serves as object of the sentence, but it is explicitly marked by that, as in I hope that they all get here on time.

Some of the more straightforward post-verb elements include one (or more) prepositional phrases and the lexical class ADV (adverbs). The lexical class ADJ (adjectives) is appropriate only after such verbs as be, seem, become, etc. Currently no attempt is made to implement this restriction, which could be done with a condition.

#PPCL and **#VINGCL** are also possible verb complements, as in <u>He executed the procedure as ordered by the instructor</u> or <u>He</u> <u>executed the procedure before realizing it was inapplicable</u>. As mentioned above, **#VERB-COMPLEX-ARGUMENT** accounts for infinitive phrases that follow the verb.

The last options given under #VCOMP are for interrupter phrases, i.e. those which are likely to be set off from the rest of the sentence by commas or brackets. Since our understanding of the relation of these phrases to the rest of the sentence is incomplete, this constituent has an undeniable catch-all flavor, generating noun phrases, conjoined adjectives, and at least some subordinate clauses. Giving a more satisfactory account of these phrases would be an important next step for this grammar.

Likewise, the #VCOMP net could be improved by taking into account the few sequential restrictions that govern the ordering of the structures included. For example, a verb complement may include both a noun phrase and a clause object, but the order is not arbitrary, as shown by the contrast between The officer told the trainee his promotion was approved and *The officer told his promotion was approved the trainee. Currently #VCOMP does not impose any such restriction. A #VCOMP consists simply of zero or more items from the list of possible phrase structures. The surprising thing about this net is that it works as well as it does.

The last major verb net is #GINF which covers infinitive forms and likewise makes use of #VCOMP to describe complete infinitive-based phrases. There are basically four phrases here which can be illustrated by the following examples: do something, have done something, have been doing something, and be doing something.

Noun Phrases

The major noun phrase net is #NP, shown in Table 10. The first two options of the net are the most complicated. The first describes the sort of clause which can function both as a relative clause and as a noun, as in What he saw amazed him. There is also an interesting conjunctive version, Do you know As is clear from these where or when this trend started? examples, RELPRN is a fairly broad class including when, where, how, which, that, and so forth. It is not essential to give a full sentence after the RELPRN to get one of these noun-replacing An infinitive phrase will do just as well: Does he clauses. know where to turn?

HGSL for Noun Phrases

```
NET-DEF #CNP
  { - { !BOTH / !EITHER / !NEITHER }
      { #NP
         * { + { !, / !; / CONJ } #NP }
         -\{ \{ , \} \} \}
NET-DEF #NP
  { { RELPRN * { + { CONJ / !, } RELPRN }
          #DECLARATIVE-STATEMENT } /
     { RELPRN * { + { CONJ / !, } RELPRN }
!TO #GINF #VCOMP } /
     { !WHETHER #DECLARATIVE-STATEMENT
        !OR { !NOT / #DECLARATIVE-STATEMENT } }
     { * { PREDETADJ }
        - { DEFDET / NDEFDET }
        * { NOUN / { ADJ - { CONJ } } }
        NOUN
        - { #RELCLAUSE /
              { POSS-MARK #CNP } /
               { !{ #CNP !} } } /
        NAME /
        PROPPRN /
        PRN /
        #GERUND }
NET-DEF #GERUND
  { - { NEG } { VERBING / !HAVING VERBPP } #VCOMP }
NET-DEF #PREPPHR
  { PREP #CNP
      * { + { CONJ / !, } PREP #CNP } }
NET-DEF #RELCLAUSE
  { #FOR-TO-RELCLAUSE / #SUBRELCLS / #OBJRELCLS }
NET-DEF #INTERRUPTER
  { #COMPOUND-MODIFIER /
     #CNP /
     #PPCL }
```

The #WHETHER-OR clause discussed above in its role as a sentence-introducing dependent clause can also serve in place of a noun. For example, Whether the procedure is efficient is not crucial. The most common pattern described by #NP is the more obvious grouping of nouns and adjectives ending with a head noun, and then possibly followed by relative clauses. This pattern also covers noun phrases that turn out to be possessive forms. Other possible noun forms include proper names, pronouns (both PROPPRN and PRN) and gerunds (i.e. those phrases based on a present participle but serving as a noun). Ì

GRAMMAR COVERAGE

The grammar was originally developed to handle technical training materials written by Navy writers. The goal was to be able to process early drafts of such material, and not finished versions of the material, because the parser was intended to be used as part of a computerized comprehensible writing aid (see A sample of target materials was collected and Kieras, 1985). supplied by the Naval Personnel Research and Development Center (NPRDC), along with a lexicon containing about 10,000 words, tagged with their traditional parts of speech. This lexicon includes most of the words appearing in military technical training materials. It should be noted that a large quantity of such material appears in essentially an outline format, with heavy use of "telegraphic" prose. We did not attempt to ensure that the grammar could handle such material, both because key parts of the content are conveyed by the outline structure rather than sentence content, and because the telegraphic style is probably inappropriate for such documents anyway. As an indication of the coverage of the grammar, it parses all of the examples shown in Table 11.

Convergence of Coverage

The grammar was originally developed to handle the target materials in the usual non-systematic manner. That is, a few sentences were chosen and tried on the grammar. If there was a failure to parse the sentence, a decision was made whether extending the grammar would be reasonable, and if so, the However, we had the usual experience of extension was made. parser developers in that a lot of syntactic coverage comes very quickly in the development of the grammar, but each extension accounts for fewer new syntactic forms. Thus, when coverage is assessed in terms of the variety of syntactic forms, further work on the grammar tends to produce less and less additional But if the goal is to handle real material, with coverage. realistic distributions of syntactic forms, is it possible that the grammar development process converges to an adequate coverage? Of course, there are too many possible syntactic forms

Example sentences from each NPRDC materials sample

Sample 1

Given the logarithm table, a chain of amplifiers and/or attenuators with the gain or loss of each expressed in db, and the input power in watts, compute the gain or loss and output power.

Sample 2

In order to ensure that all art work requests leaving and returning to the IPDD are accurate and the requested word is done to the satisfaction of the customer, the following procedures will be adhered to in submitting audio-visual production requests.

Sample 3

Due to the technical nature of these performance tests and the requirement for the proctor to be fully aware of the examinees' actions and their consequences at all times, it is required that the proctor be qualified to teach this course of instruction.

Sample 4

Identify the proper methods of approaching a drug offender while collecting and safeguarding drug evidence as specified in applicable publications.

to hope realistically for a complete grammar. But the question is whether the process would get to a point of diminishing returns at a reasonably high proportion of sentences in the target material that are covered.

Thus, as part of the final grammar development process, a convergence study was conducted. A series of material samples were used, with the grammar extended to handle each sample in turn. A record was kept of each change made in the grammar, so that we could roughly quantify whether the extensions to the grammar either increased or decreased as we went from one sample to the next.

The specific samples were supplied by NPRDC. These were actual samples of draft materials to be used in technical

The sentences in these samples had been classified training. into two groups, based on whether or not they could be simply parsed by an extension of the relatively simple ATN grammar for technical prose found in Kieras (1983). We assumed that all of the sentences that could be parsed by the NPRDC grammar could also be parsed by the current ATN, which like the NPRDC grammar, evolved from the same original simple ATN. We then focused on the sentences that could not be parsed by the NPRDC grammar. The sentences shown in Table 11 are examples of sentences that could not be parsed by the NPRDC grammar, but could be parsed by the current grammar, after it was fully developed to handle these samples. These examples are chosen to represent the more complex sentences that could not be handled by the NPRDC parser, rather The samples were used in order of than the simpler ones. increasing size of the sample, which was the same as the order of increasing number of sentences that could not be parsed by the The grammar was elaborated as required for each of NPRDC ATN. the sentences, and a record kept of how many such changes were Notice that the criterion for a successful parse was only made. that the parser succeeded in producing a parse tree that was not Such parse trees may have difficulties in terms grossly wrong. of semantic interpretation, but we did not make a systematic effort to either quantify the number of such problems or to resolve them.

F.S. V. C.S.S.

The results are shown in Table 12. As shown in the Table, the first sample consisted of a total of 23 sentences, 5 of which could not be parsed by the NPRDC ATN, and all 5 of these sentences required extensions to our grammar. The next sample had 30 such non-parsable sentences, and 12 required extensions to the grammar. The fourth sample, however, had a total of 109 sentences in it, 62 of which could not be parsed by the NPRDC grammar, but by the time we reached this fourth sample, only four sentences required extensions to the grammar.

This overall decrease in the number of grammar extensions suggests that the grammar is converging to a coverage of the target materials that would be fairly adequate. Notice that each sample came from a different writer, so that we exposed the parser to the idiosyncracies of different writer's styles. Although this convergence study is very limited, we are encouraged that practically useful parsers for this target material can be developed, and that the grammar presented here is close to being a practically useful parser.

Grammar Convergence Results

	Sample in order				
	1	2	3	4	
Total sentences in sample	23	46	65	109	
Sentences not simply parsed	5	30	39	62	
Sentences requiring grammar extensions	5	12	6	4	
Percentage of total	22%	26%	98	48	

References

Kieras, D. E. (1983). A simulation model for the comprehension of technical prose. In G. H. Bower (Ed.), <u>The Psychology of Learning and Motivation</u>, <u>17</u>. New York, NY: Academic Press. Kieras, D. E. (1985). <u>The potential for advanced computerized aids for comprehensible writing of technical documents</u>. (Technical Report No. 17, TR-85/ONR-17). University of Michigan

Winograd, T. (1983). Language as a cognitive process: Vol. 1: Syntax. Reading, Massachusetts: Addison-Wesley. Appendix

The Grammar for Technical Training Materials

```
NET-DEF #START
    { #HEADING /
   { #CSTATEMENT !. } }
NET-DEF #HEADING
    { HEADING-MARK #CNP }
SENTENCES
NET-DEF #CSTATEMENT
    { #STATEMENT
    - { * { !, #STATEMENT }
- { !, }
        CONJ
        #STATEMENT
       }
    }
NET-DEF #STATEMENT
    { * { #FOR-TO /
      #WHETHER-OR /
      #ELIDED-VP /
      #PREPPHR /
      #SUBCL /
      #ADV }
   -\{ !, \}
   { #DECLARATIVE-STATEMENT / #IMPERATIVE-STATEMENT }
   - { SUBCL } }
NET-DEF #DECLARATIVE-STATEMENT
   { #CNP #CVP }
NET-DEF #IMPERATIVE-STATEMENT
   #CVP
```

SUBORDINATE CLAUSES

```
NET-DEF #PPCL
  { PPCL VERBPP #VCOMP }
NET-DEF #VINGCL
  { VINGCL #GERUND
       * { { CONJ / !, } #GERUND } }
NET-DEF #SUBCL
  { SUBCL #STATEMENT }
NET-DEF #VERB-COMPLEX-ARGUMENT
  { !TO #GINF }
NET-DEF #FOR-TO
 { - { { !FOR #CNP } / { !IN !ORDER } }
     !TO #GINF }
NET-DEF #WHETHER-OR
 { !WHETHER
    { #COMPOUND-MODIFIER /
     { #STATEMENT - { !OR !IF #STATEMENT } } }
NET-DEF #COMPOUND-MODIFIER
 \{ - \{ !BOTH / !EITHER \}
     { ADJ / #ELIDED-VP }
     * { { CONJ / !, } { ADJ / #ELIDED-VP } } }
RELATIVE CLAUSES
NET-DEF #SUBRELCLS
  { { RESRELPRN #CVP } /
    #PREPPHR /
    #ELIDED-VP /
    #ADJCL }
NET-DEF #ELIDED-VP
  \{ - \{ NEG \} * \{ ADV \} \}
   { #GERUND / { VERBPP #VCOMP } } }
NET-DEF #ADJCL
 \{ - \{ !, \} \}
   ADJCL { #PREPPHR / { !TO #GINF } } }
NET-DEF #OBJRELCLS
  { - { RESRELPRN } #DECLARATIVE-STATEMENT }
```

```
NET-DEF #FOR-TO-RELCLAUSE
  { - { !FOR #CNP } !TO #GINF }
VERB PHRASES
NET-DEF #CVP
    { #VP
    * { + { CONJ / !, }
       #VP
       3
    }
NET-DEF #VP
    { * { ADV }
    { { AUX-MODAL - { NEG } * { ADV } #GINF #VCOMP } /
       { AUX-DO - { NEG } * { ADV } INF #VCOMP } /
       { - { NEG } AUX-IS * { ADV }
          { VERBING / VERBPP } #VCOMP
          * { CONJ { VERBING / VERBPP } #VCOMP } } /
       { AUX-HAVE - { NEG } * { ADV } VERBPP #VCOMP } /
       { VERB #VCOMP } } }
NET-DEF #VCOMP
    { #CNP /
  *
       { < LAST WORD IS A VERB
       TAKING STATEMENT OBJECT > #CSTATEMENT } /
       { !THAT #CSTATEMENT } /
       { { - { !, } #PREPPHR
       * { CONJ #PREPPHR } } /
       ADV /
       ADJ /
#PPCL /
#VINGCL /
#VERB-COMPLEX-ARGUMENT /
{ !, #INTERRUPTER !, } /
{ !{ #INTERRUPTER !} } }
NET-DEF #GINF
  { * { ADV }
   { { INF #VCOMP } /
      { !HAVE VERBPP #VCOMP } /
      { !HAVE !BEEN { VERBPP / VERBING } #VCOMP } /
        { !BE * { ADV } { VERBPP / VERBING } #VCOMP
     * { CONJ { VERBPP / VERBING } #VCOMP } } } }
```

NOUN PHRASES

```
NET-DEF #CNP
  { - { !BOTH / !EITHER / !NEITHER }
    * { + { !, / !; / CONJ } #NP }
       - { !, } }
NET-DEF #NP
  { { RELPRN * { + { CONJ / !, } RELPRN }
     #DECLARATIVE-STATEMENT } /
   { RELPRN * { + { CONJ / !, } RELPRN }
     !TO #GINF #VCOMP } /
     { !WHETHER #DECLARATIVE-STATEMENT
      !OR { !NOT / #DECLARATIVE-STATEMENT } }
   { * { PREDETADJ }
      - { DEFDET / NDEFDET }
      * { NOUN / { ADJ - { CONJ } } }
      NOUN
      - { #RELCLAUSE /
         { POSS-MARK #CNP } /
      { !{ #CNP !} } } / NAME /
      PROPPRN /
      PRN /
      #GERUND }
NET-DEF #GERUND
  { - { NEG } { VERBING / !HAVING VERBPP } #VCOMP }
NET-DEF #PREPPHR
  { PREP #CNP
    * { + { CONJ / !, } PREP #CNP } }
NET-DEF #RELCLAUSE
  { #FOR-TO-RELCLAUSE / #SUBRELCLS / #OBJRELCLS }
NET-DEF #INTERRUPTER
  { #COMPOUND-MODIFIER /
   #CNP /
   #PPCL }
```

Recenter and and a

Department of Computer Science Tufts University Medford, MA 02155 Dr. Beth Adelson

1.2.1.1

Life Sciences Directorate Bolling Air Force Base Washington, DC 20332 AFOSR,

Naval Training Systems Čenter Orlando, FL 32813 Human Factors Laboratory Dr. Robert Ahlers Code N711

Personnel R&D Center San Diego, CA 92152-6800 Dr. Ed Aiken Navy

Dr. John Allen Department of Psychology George Mason University University Drive fax, VA 22030 Fairfax, VA 1400

Dr. William E. Alley Brooks AFB, TX 78235 AFHRL/MOT

Carnegie-Mellon University Pittsburgh, PA 15213 Department of Psychology Dr. John R. Anderson

Technical Director, ARI 5001 Eisenhower Avenue Alexandria, VA 22333

School of Information and Computer Science Georgia Institute of Dr. Albert N. Badre Technology

Dr. Patricia Baggett 30332 Atlanta, GA

University of Colorado Department of Psychology Boulder, CO 80309 Box 345

Dr. Eva L. Baker UCLA Center for the Study of Evaluation University of California Los Angeles, CA 90024 145 Moore Hall

Dr. James D. Baker Director of Automation Allen Corporation of America 401 Mythe Street 22314 Alexandria, VA

Dr. Meryl S. Baker Navy Personnel R&D Center San Diego, CA 92152-6800

Georgetown University Department of Psychology Washington, DC 20057 Dr. James Ballas Washington, DC

National Science Foundation 20550 1800 G Street, N.W. Dr. Harold Bamford Mashington, DC

Intelligenza artificiale Universita di Milano 20122 Milano - via F. Sforza 23 prof. dott. Bruno G. Bara Unita di ricerca di ITALY

Dr. Isaac Bejar Educational Testing Service Princeton, NJ 08450

United States Nuclear Regulatory Commission Washington DC 20555 Leo Beltracchi

Columbia University 525 West 121st Street New York, NY 10027 **Teachers** College Dr. John Black

Naval Training Systems Center Orlando, FL 32013 Dr. Arthur S. Blaiwes Code N711

University of Chicago 60637 Dr. R. Darrell Bock 6030 South Ellis Chicago, IL Dr. Deborah A. Boehm-Davis Department of Psychology George Mason University 400 University Drive 22030 fairfax, VA

22333-5600 Dr. Sue Bogner Army Research Institute 5001 Eisenhower Avenue Alexandrai, VA ATTN: PERI-SF

Dr. Gordon H. Bower Department of Psychology Stanford University Stanford, CA 94306

Drlando, FL 32751 Dr. Richard Braby NTSC Code 10

Naval Training Systems Center Orlando, FL 32813 Dr. Robert Breaux Code N-095R

CAPT Lorin W. Brown Illinois Institute of Commanding Officer NROTC Unit

60616-3793 3300 S. Federal Street Technology Chicago, IL

XEROX Palo Alto Research 3333 Coyote Road Palo Alto, CA 94304 Dr. John S. Brown Center

The James S. McDonnell University Club Tower Dr. John Bruer Foundation

1034 South Brentwood Blvd. St. Louis, MO 63117 Suite 1610

Computer Science Department Stanford University Dr. Bruce Buchanan Stanford, CA 94305

Mr. Donald C. Burgy General Physics Corp. 10650 Hickory Ridge Rd. Columbia, MD 21044

Maj. Hugh Burns AFHRL/IDE

LOWFY AFB, CO 80230-5000

Dr. Mark Burstein BBN

02238 10 Moulton Street Cambridge, MA 03

1718 Connecticut Ave., N.W. Mashington, DC 20009 Joanne Capper Center for Research into Practice

Dr. Pat Carpenter Carnegie-Mellon University Department of Psychology Pittsburgh, PA 15213

10598 Dr. John M. Carroll IBM Watson Research Center User Interface Institute P.O. Box 218 Yorktown Heights, NY

Dr. Robert Carroll 0187 đ

Washington, DC 20370

20350-2000 of Naval Operations Office of the Chief LCDR Robert Carter Pentagon Washington, DC **OP-01B**

Strategic Technology Division 94583 2600 Camino Ramon Rm. 3S-453 San Ramon, CA 94 Dr. Fred Chang Pacific Bell

Sares. KARAN MARENAN MUUUUUU PERSAAA MARUUUUU PERSAAA MARUUUUU PERSAAAN KARAA KARAAA KARAAA MUUUUUUU PERSAAA PERSAAA P

Dr. Davida Charney English Department Penn State University University Park, PA 16802

he with the

Dr. Eugene Charniak Brown University Computer Science Department Providence, RI 02912 Dr. L. J. Chmura Computer Science and Systems Code: 7590 Information Technology Division Mavai Research Laboratory Mashington, DC 20375

Dr. Yee-Yeen Chu Perceptronics, Inc. 21111 Erwin Street Woodland Hills, CA 91367-3713

Dr. William Clancey Stanford University Knowledge Systems Laboratory 701 Welch Road, Bidg. C Palo Alto, CA, 94304

Dr. Charles Clifton Tobin Mall Department of Paychology University of Masachusetts Amherst, MA 01003 Assistant Chief of Staff for Research, Development, Test, and Evaluation Naval Education and Training Command (N-5) NAS Pensacola, FL 32508

Dr. Stanley Collyer Office of Naval Technology Code 222 B00 M. Quincy Street Arlington, VA 22217-5000

Dr. Lynn A. Cooper Learning ReD Center University of Pittsburgh 1939 O'Hara Street Pittsburgh, PA 15213

LT Judy Crookshanks Chief of Naval Operations 0P-11265 Mashington, DC 20370-2000 Phil Cunniff Commanding Officer, Code 7522 Maval Undersea Warfare Engineering 98345 Keyport, WA 98345

CAPT P. Michael Curran Office of the CNO Director, Naval Medicine Pentagon, Room 4D471, OP-939 Washington, DC 20350-2000

Dr. Cary Czichon Intelligent Instructional Systems Trass Instruments AI Lab P.O. Box 660245 Dallas, TX 75266 Brian Dallman 3400 TTW/TTGXS Lowry AFB, CO 80230-5000 Dr. Natalie Dehn Department of Computer and Unformation Science University of Oregon Eugene, OR 97403 Goery Delacote Directeur de L'informatique Scientifique et Technique CNRS

15, Quai Anatole France 75700 Paris FRANCE

Dr. Denise Dellarosa Yale University Department of Psychology P.O. Box 11A Yale Station New Haven, CT 06520-7447

Dr. Thomas E. DeZern Froject Engineer, AI General Dynamics FO Box 748 Fort Worth, TX 76101

Dr. Andrea di Sessa University of California School of Education Tolman Hall Berkeley, CA 94720 Dr. Stephanie Doan Code 6021 Naval Air Development Center Warminster, PA 18974-5000

Dr. Emanuel Donchin University of Illinois Department of Psychology Champaign, IL 61820

Defense Technical Information Center Cameron Station, Bidg 5 Alexandria, VA 22314 Attn: TC (12 Copies)

Dr. Jean-Pierre Dupuy Ecole Polytechnique Crea l Rue Descartes Paris, FRANCE 75005

Mr. Ralph Dusek ARD Corporation 5457 Twins Knolls Road Suite 400 Columbia, MD 21045 Edward E. Eddowes CNATRA N301 Naval Air Station Corpus Christi, TX 78419 Dr. William Epstein University of Wisconsin W. J. Brogden Psychology Bldg. 102 W. Johnson Street Madison, WI 53706

ERIC Facility-Acquisitions 4833 Rugby Avenue Bethesda, MD 20014

Dr. Beatrice J. Farr Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333

第一人 うろうち 日本 しんりょう

Dr. Marshall J. Farr Farr-Sight Co. 2520 North Vernon Street Arlington, VA 22207

Dr. Pat Federico Code 511 NPRDC

NPRDC San Diego, CA 92152-6800

Dr. Paul Feltovich Southern Illinois University School of Medicine Medical Education Department P.O. Box 3926 Springfield, IL 62708

Mr. Wallace Feurzeig Educational Technology Bolt Beranek Newman 10 Moulton St. Cambridge, MA 02238

Dr. Craig I. Fields ARPA

1400 Wilson Blvd. Arlington, VA 22209 Dr. Gerhard Fischer University of Colorado Department of Computer Science Boulder, CO 80309

J. D. Fletcher 9931 Corsica Street Vienna VA 22180 Dr. John R. Frederiksen Bolt Beranek & Newman 50 Moulton Street Cambridge, MA 02138 Dr. Norman Frederiksen Educational Testing Service Princeton, NJ 08541

Dr. Michael Friendly Psychology Department York University Toronto ONT CANADA M3J 1P3

Stanford University Computer Science Department Stanford, CA 94305 Dr. Michael Genesereth

Teachers College Columbia Univ. 525 West 121st Street New York, NY 10027 Dr. Herbert Ginsburg

22601 Route 3 -- Box 225 Minchester, VA Lee Gladvin

Dr. Robert Glaser Learning Research & Development Center University of Pittsburgh 3939 O'Mara Street Pittsburgh, PA 15260

Dr. Arthur M. Glenberg University of Wisconsin M. J. Brogden Psychology Bldg. 1202 M. Johnson Street Madison, WI 53706

Dr. Marvin D. Glock 13 Stone Hall Cornell University Ithaca, NY 14853

Department of Psychology Princeton University Princeton, NJ 08540 Dr. Sam Glucksberg Princeton, NJ

Dr. Daniel Gopher Industrial Engineering 6 Management Haifa 32000 TECHNION

Brooks AFB, TX 78235 Dr. Sherrie Gott AFHRL/MODJ

I SRAEL

Dr. James G. Greeno University of California Berkeley, CA 94720

Dr. Dik Gregory Behavioral Sciences Division Admiralty Research Establishment Middlesex, ENGLAND reddington

School of Education Stanford University Stanford. CA 94305 Prof. Edward Haertel

Halff Resources, Inc. 4918 33rd Road, North Arlington, VA 22207 Dr. Henry M. Halff

Prof. of Education & Psychology University of Massachusetts at Amherst Dr. Ronald K. Hambleton Amherst, MA 01003 Hills House

Georgia Institute of Technology Atlanta, GA 30332 Center for Man-Machine Systems Research Dr. John M. Hammer

Center for Learning Technology Educational Development Center 55 Chapel Street 02160 Dr. Wayne Harvey Newton, MA Dr. Barbara Hayes-Roth Department of Computer Science Stanford University Stanford, CA 95305

Dr. Frederick Hayes-Roth Teknowledge 525 University Ave. Palo Alto, CA 94301

Oakland, CA 94606 Dr. Joan I. Heller 505 Haddon Road

Dr. Shelly Heller Department of Electrical Engi-neering & Computer Science George Mashington University Washington, DC 20052

Dr. Per Helmersen University of Oslo Department of Psychology Oslo 3, NORWAY Box 1094

Dr. James D. Hollan

3500 West Balcones Center Dr. Austin, TX 78759 Human Interface Program NCC,

University of Michigan 2313 East Engineering Ann Arbor, MI 48109 Dr. John Holland

University of California, Los Angeles Department of Psychology Los Angeles, CA 90024 Dr. Keith Holyoak

Dr. Thomas Holzman Lockheed Georgia Dept. 64-31 Zone 278

Lawrence Erlbaum Associates 6012 Greene Street Marietta, GA 30063 Ms. Julia S. Hough

Philadelphia, PA 19144

Dept. of Psychology Human Performance Laboratory Catholic University of Dr. James Howard America

20064 Dr. Barbara Hutson Washington, DC

22042 Graduate Center 2990 Telestar Ct. Falls Church, VA Virginia Tech

Dr. Alice Isen Department of Psychology University of Maryland Catonsville, MD 21228

Rijksuniversiteit Groningen Biologisch Centrum, Vleugel D Kerklaan 30, 9751 NN Haren Dr. Janet Jackson (Gn.)

NETHERLANDS

Information Technology Division Naval Research Laboratory Washington, DC 20375 Computer Science and Systems Code: 7590 Dr. R. J. K. Jacob

Manager, Research and Advanced Development Teknowledge, Inc. 255 University Ave. Palo Alto, CA 94301-1982 Neil Jacobstein

COL Dennis W. Jarvi Commander AFHRL

Brooks AFB, TX 78235-5601

Dr. Robin Jeffries Hewlett-Packard Laboratories P.O. Box 10490 Palo Alto, CA 94303-0971

22217-5000 ONR Code 125 800 N. Quincy Street Arlington, VA CDR Tom Jones

Division of Human Factors **U.S. Nuclear Regulatory** 20555 Mr. Daniel B. Jones Washington, DC Commission Safety

Thatcher Jones Associates P.O. Box 6640 08648 Dr. Douglas H. Jones 10 Trafalgar Court Lawrenceville, NJ Dr. Jane Jorgensen University of Oslo Institute of Psychology Box 1094, Blindern Oslo, WORMAY

and the second second

University of Minnesota Department of Psychology 55455 75 E. River Road Minneapolis, MN Dr. Ruth Kanfer Elliott Mall

Dr. Milton S. Katz Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333 Dr. Frank Keil Department of Psychology Cornell University Ithaca, NY 14850

Dr. Wendy Kellogg IBM T. J. Watson Research Ctr. P.O. Box 218 10598 Yorktown Heights, NY

University of California Department of Information and Computer Science Irvine, CA 92717 Dr. Dennis Kibler

Training Analysis & Evaluation Group Department of the Navy Orlando, FL 32813 Dr. Peter Kincald

Department of Psychology University of Colorado Campus Box 345 Dr. Walter Kintsch Boulder, CO 80302

Dakridge, TN 37811-0117 ALEMAN A 2233-3600 University Programs Division P.O. Box 117 Oakridge, TN 37831-0117 **Oakridge Associated** Dr. Paula Kirk Universities

Carnegie-Mellon University Department of Psychology Pittsburgh, PA 15213 Dr. David Klahr Schenley Park

School of Information and Computer Science Lanta, GA 30332-0280 Dr. Janet L. Kolodner Georgia Institute of Technology Atlanta, GA

2 Washington Square Village Apt. 8 15J New York, NY 10012 Dr. David H. Krantz

Dr. Benjamin Kuipers University of Texas at Austin Department of Computer Sciences T.S. Painter Hall 3.28 Austin, TX 78712

John Laird EECS рг.

University of Michigan Ann Arbor, MI 48109-2122

271 Catalina Boulevard San Diego, CA 92152-6800 Naval Ocean Systems Center Dr. David R. Lambert Code 441T

Dr. Pat Langley University of California Department of Information and Computer Science Irvine, CA 92717

University of North Carolina The L. L. Thurstone Lab. Davie Hall 013A Chapel Hill, NC 27514 Marcy Lansman рг.

ARI 6 S 10 5001 Eisenhower Avenue Alexandria, VA 22333-5600 Dr. R. W. Lawler

Dr. Alan M. Lesgold Learning Research and Development Center University of Pittsburgh Pittsburgh, PA 15260

Science and Technology Division, Library of Congress Mashington, DC 20540

> Deputy Division Director Behavioral and Neural Sciences National Science Foundation Washington, DC 20550 Dr. Alan Leshner Street 1800 G

92152-6800

Vern Malec NPRDC, Code P-306

Higley, AZ 85236

Dr. Don Lyon 0. Box 44 Dr. Jane www. Mail Code SR 111 NASA Johnson Space Center "----- TX 77058

Dr. Jane Malin San Diego, CA

Dr. William L. Maloy Chief of Naval Education

Educational Psychology 210 Education Building 1310 South Sixth Street Champaign, IL 61820-6990 Dr. Jim Levin Department of

Learning RiD Center University of Pittsburgh Pittsburgh, PA 15260 Dr. John Levine

210 Education Bldg. University of Illinois Dr. Michael Levine Educational Psychology Champaign, IL 61801

4555 Overlook Avenue, Southwest

Naval Research Laboratory

Code 7510

Dr. Elaine Marsh

Pensacola, FL 32508

Naval Air Station

and Training

20375-5000

Mashington, DC

Dr. Sandra P. Marshall Dept. of Psychology San Diego State University San Diego, CA 92182

Dr. Clayton Lewis University of Colorado Department of Computer Science Campus Box 430 80309 Boulder, CO

Department of Psychology Carnegie-Mellon University Pittsburgh, PA 15213 Matt Lewis

93106

Santa Barbara, CA

Dr. Gail McKoon

Department of Psychology University of California

Dr. Richard E. Mayer

Naval War College Newport, RI 02940 Library,

CAS/Psychology Northwestern University 1859 Sheridan Road

Naval Training Systems 32813 Orlando, FL Center Library,

Navy Personnel R&D Center San Diego, CA 92152-6800 Dr. Joe McLachlan

60201

Evanston, IL

Kresge #230

Dr. James S. McMichael Navy Personnel Research and Development Center 05 Code

San Diego, CA 92152 Dr. Barbara Means

Research Organization 1100 South Washington Alexandria, VA 22314 Human Resources

Dr. Douglas L. Medin Department of Psychology University of Illinois 603 E. Daniel Street Champaign, IL 61820

Dr. Jose Mestre Department of Physics Hasbrouck Laboratory University of Massachusetts Amherst, MA 01003

Dr. Al Meyrowitz Office of Naval Research 800 N. Quincy Arlington, VA 22217-5000 Code 1133

Dr. Ryszard S. Michalski University of Illinois Department of Computer Science 1304 Mest Springfield Avenue Urbana, IL 61801

The Turing Institute 36 North Hanover Street Glasgow Gl 2AD, Scotland UNITED KINGDOM Prof. D. Michie

Dr. George A. Miller Department of Psychology Princeton University Princeton, NJ 08540 Green Hall

IBM-FSD Headquarters 6600 Rockledge Drive Bethesda, MD 20017 Dr. Lance Miller

Dr. Andrew R. Molnar Scientific and Engineering Personnel and Education National Science Foundation Washington, DC 20550

San Diego, CA 92152-6800 Dr. William Montague NPRDC Code 13

Melvin D. Montemerlo Mashington, DC 20546 NASA Headquarters RTE-6 녚

Search Technology, Inc. 5550-A Peachtree Parkway Technology Park/Summit Norcross, GA 30092 Dr. Nancy Morris

Progr**am Ma**nager Training Research Division HumRRO 1100 S. Washington Alexandria, VA 22314 Dr. Randy Mumaw

Behavioral Technology Laboratories - USC 1845 S. Elena Ave., 4th Floor Redondo Beach, CA 90277 Dr. Allen Munro

Institute for Cognitive Science University of California La Jolla, CA 92093 Dr. David Navon

Mr. William S. Neale HQ ATC/TTA Randolph AFB, TX 78150

Dr. T. Niblett The Turing Institute 36 North Hanover Street Glasgow Gl 2AD, Scotland UNITED KINGDOM

Information Technology Division Dr. A. F. Norcio Computer Science and Systems Code: 7590 Naval Research Laboratory Washington, DC 20375

いない

NPRDC Code 01A San Diego, CA 92152-6800 Deputy Technical Director,

Director, Training Laboratory, NPRDC (Code 05) San Diego, CA 92152-6800

Director, Manpower and Personnel

Laboratory, NPRDC (Code 06) San Diego, CA 92152-6800

6 Organizational Systems Director, Human Factors Lab,

San Diego, CA 92152-6800 NPRDC (Code 07)

Library, NPRDC Code P201L San Diego, CA 92152-6800

Center Technical Director, Navy Personnel R&D Cen San Diego, CA 92152-6800 Commanding Officer, Naval Research Laboratory Code 2627

Washington, DC 20390

Dr. Harold F. O'Neil, Jr. School of Education - MPH 801 90089-0031 Psychology & Technology University of Southern California Department of Educational Los Angeles, CA

Naval Training Systems Center Code 711 Dr. Michael Oberlin

32813-7100

Orlando, FL

Center Office of Naval Research, Waterford Testing 1681 West 820 North Dr. James B. Olsen 84601 Provo, UT Director,

Code 1133 800 N. Quincy Street Arlington, VA 22217-5000

Office of Naval Research,

Code 1142BI 800 N. Quincy Street Arlington, VA 22217-5000.

Office of Naval Research, 800 N. Quincy St. Arlington, VA 22217-5000 Code 1142

Office of Naval Research, Code 1142PS 800 N. Quincy Street Arlington, VA 22217-5000

Office of Naval Research, 800 N. Quincy Street Arlington, VA 22217-5000 (6 Copies) Code 1142CS

Office of Naval Research Branch Office, London Psychologist,

FPO New York, NY 09510 Box 39

Special Assistant for Marine Corps Matters, ONR Code 00MC 800 N. Quincy St. Arlington, VA 22217-5000

Psychologist, Office of Naval Research Liaison Office, Far East APO San Francisco, CA 96503

Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333 Dr. Judith Orasanu

CDR R. T. Parlette Chief of Naval Operations OP-112G Washington, DC 20370-2000

Dr. James Paulson Department of Psychology Portland State University P.O. Box 751 Portland, OR 97207

Dr. Douglas Pearse DCIEM Box 2000 Downsview, Ontario CANADA Dr. Virginia E. Pendergrass Code 711 Naval Training Systems Center Orlando, FL 32813-7100 Military Assistant for Training and

Personnel Technology, OUSD (R & E) Room 3D129, The Pentagon Washington, DC 20301-3080 LCDR Frank C. Petho, MSC, USN CNATRA Code N36, Bldg. 1 Nas Corpus Christi, TX 78419

Dr. Steven Pinker Department of Psychology E10-018 M.I.T. Cambridge, MA 02139 Dr. Tjeerd Plomp Twente University of Technology Department of Education P.O. Box 217 7500 AE ENSCHEDE THE NETHERLANDS THE NETHERLANDS

Dr. Peter Polson University of Colorado Department of Psychology Boulder, CO 80309

Dr. Steven E. Poltrock MCC, Humman Interface Program

3500 West Balcones Center Dr. Austin, TX 78759

Dr. Mary C. Potter Department of Psychology MIT (B-10-032) Cambridge, MA 02139

Dr. Joseph Psotka ATTN: PERI-IC Army Research Institute 5001 Eisenhower Ave. Alexandria, VA 22333

Dr. Steve Reder Northwest Regional Lab. 300 SM Sixth Ave. Portland, OR 97204 Dr. James A. Reggia University of Maryland School of Medicine Department of Neurology 22 South Greene Street Baltimore, MD 21201

Dr. Wesley Regian AFHRL/MOD Brooks AFB, TX 78235 Dr. Gil Ricard Mail Stop C04-14 Grumman Aerospace Corp. Bethpage, NY 11714 Mark Richer 1041 Lake Street San Francisco, CA 94118

William Rizzo Code 712 Naval Training Systems Center Orlando, FL 32813 Dr. Linda G. Roberts Science, Education, and Transportation Program Office of Technology Assessment Congress of the United States Washington, DC 20510

Dr. Ernst Z. Rothkopf AT6T Bell Laboratories Room 2D-456 600 Mountain Avenue Murray Hill, NJ 07974 Dr. William B. Rouse Search Technology, Inc. 550-A Peachtree Parkway Technology Park/Summit Norcross, GA 30092 Dr. Roger Schank Yale University Computer Science Department P.O. Box 2158 New Maven, CT 06520

Dr. Janet Schofield Learning R&D Center University of Pittsburgh Pittsburgh, PA 15260 Karen A. Schriver Department of English Carnegie-Mellon University Pittsburgh, PA 15213 Dr. Hans-Willi Schroiff Institut fuer Psychologie der RWTH Aachen Jaegerstrasse zwischen 17 u. 19 5100 Aachen WEST GERMANY

Dr. Judith Segal OERI 555 New Jarsev Ave...

555 New Jersey Ave., NM Mashington, DC 20208 Dr. Robert J. Seidel US Army Research Institute

5001 Eisenhower Ave. Alexandria, VA 22333 Dr. Colleen M. Seifert

Intelligent Systems Group Institute for Cognitive Science (C-015) UCSD

La Jolla, CA 92093

Dr. Ramsay W. Selden Assessment Center CCSS0 Suite 379 400 N. Capitol, NW Washington, DC 20001 Dr. Daniel Sewell Search Technology, Inc. 5550-A Peachtree Parkway Technology Park/Summit Norcross, GA 30092 Dr. Michael G. Shafto ONR Code 1142CS 800 N. Quincy Street Arlington, VA 22217-5000

Dr. Sylvia A. S. Shafto Department of Computer Science

Towson State University Towson, MD 21204 Dr. Ben Shneiderman Dent of Computer Scienc

Dr. Ben Shneiderman Dept. of Computer Science University of Maryland College Park, MD 20742

Dr. Ted Shortliffe Computer Science Department Stanford University Stanford, CA 94305

Dr. Valerie Shute AFHRL/MOE Brooks AFB, TX 78235 Mr. Raymond C. Sidorsky Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333 Dr. Robert S. Siegler Carnegie-Mellon University Department of Psychology Schenley Park Pittsburgh, PA 15213 LTCOL Robert Simpson Defense Advanced Research Projects Administration 1400 Milson Blvd. Arlington, VA 22209

Dr. Zita M Simutis Instructional Technology Systems Area ARI

ARI 5001 Eisenhower Avenue Alexandria, VA 22333

Dr. Derek Sleeman Dept. of Computing Science King's College Old Aberdeen AB9 2UB UNITED KINCDOM

Dr. Linda B. Smith Department of Psychology Indiana University Bloomington, IN 47405 Dr. Alfred F. Smode Senior Scientist Code 07A Naval Training Systems Center Orlando, FL 32013

Dr. Richard E. Snow Department of Psychology Stanford University Stanford, CA 94306

Dr. Elliot Soloway Yale University Computer Science Department P.O. Box 2158

Dr. Richard Sorensen Navy Personnel R&D Center San Diego, CA 92152-6800

New Haven, CT 06520

Dr. Paul Speckman University of Missouri Department of Statistics Columbia, MD 65201 Dr. Kathryn T. Spoehr Brown University Department of Psychology Providence, RI 02912

Dr. Marian Stearns SRI International 333 Ravenswood Ave. Room B-S324 Menlo Park, CA 94025 Dr. Frederick Steinheiser CIA-ORD 612 Ames

Mashington, DC 20505 Dr. Albert Stevens Bolt Beranek á Mewman, Inc. 10 Moulton St. Cambridge, MA 02238

Dr. David Stone KAJ Software, Inc. 3420 East Shea Blvd. Suite 161

Phoenix, AZ 85028 Dr. John Tangney

AFOSR/NL Bolling AFB, DC 20332

Dr. Kikumi Tatsuoka CERL

252 Engineering Research Laboratory Urbana, IL 61801

Dr. Martin M. Taylor Dciem Box 2000 Downsview, Ontario CaNADA Dr. Perry W. Thorndyke FMC Corporation Central Engineering Labs 1185 Coleman Avenue, Box 580 Santa Clara, CA 95052

Major Jack Thorpe DARPA 1400 Wilson Blvd. Arlington, VA 22209 Dr. Sharon Tkacz Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333

Dr. Martin A. Tolcott Decision Science Consortium. Inc. 7100 Leesburg Pike Falls Church, VA 22043 Dr. Douglas Towne Behavioral Technology Labs 1845 S. Elena Ave. Redondo Beach, CA 90277

Headquarters U. S. Marine Corps Code MPI-20 Washington, DC 20380 Dr. Kurt Van Lehn Department of Psychology Carnegie-Mellon University Schenley Park Pittsburgh, PA 15213

Dr. Jerry Vogt Navy Personnel RúD Center Code 51 San Diego, CA 92152-6800

Dr. Ming-Mei Wang Lindquist Center for Measurement University of Iowa Iowa City, IA 52242 Roger Weissinger-Baylon Department of Administrative Sciences

Naval Postgraduate School Monterey, CA 93940

Dr. Keith T. Wescourt FMC Corporation Central Engineering Labs 1185 Coleman Ave., Box 580 Santa Clara, CA 95052

Dr. Douglas Wetzel Code 12 Navy Personnel RéD Center

San Diego, CA 92152-6800 LCDR Cory deGroot Whitehead Chief of Naval Operations

0P-112G1 Washington, DC 20370-2000

Dr. Heather Wild Naval Air Development Code 6021 Marminster, PA 18974-5000 Mr. David C. Wilkins Stanford University Knowledge Systems Laboratory 701 Weich Road, Bidg. C Palo Alto, CA 94304

Dr. Michael Williams IntelliCorp 1975 El Camino Real West

Mountain View, CA 94040-2216 A. E. Winterbauer Research Associate

Research Associate Electronics Division Denver Research Institute Diviversity Park Denver, CO 80208-0454 Dr. Robert A. Wisher U.S. Army Institute for the Behavioral and Social Social 5001 Eisenhower Avenue Alexandria, VA 22333

Dr. Martin F. Wiskoff Navy Personnel R & D Center San Diego, CA 92152-6000

Dr. Frank Withrow U. S. Office of Education 400 Maryland Ave. SW Washington, DC 20202

Mr. John H. Wolfe Navy Personnel R&D Center San Diego, CA 92152-6800

Dr. Dan Wolz AfhrL/Moe Brooks Afb, TX 78235

Dr. George Wong

Biostatistics Laboratory Memorial Sloan-Kettering Cancer Center 1275 York Avenue New York, NY 10021 1.22.22.24 1.2.22.22 1.22.22.23

