



OTM FILE_COPY



AD-A181 232

AFWAL-TR-86-4006 Volume III Part 13



INTEGRATED INFORMATION SUPPORT SYSTEM (IISS) Volume III - IISS Configuration Management Part 13 - DM User's Manual

General Electric Company Production Resources Consulting One River Road Schenectady, New York 12345

Final Report for Period 22 September 1980 - 31 July 1985

November 1985

Approved for public release; distribution is unlimited.

MATERIALS LABORATORY AIR FORCE WRIGHT AERONAUTICAL LABORATORIES AIR FORCE SYSTEMS COMMAND WRIGHT-PATTERSON AFB, OH 45433-6533



87 6 12

NOTICE

When Government drawings. specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the government may have formulated. furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This report has been reviewed by the Office of Public Affairs (ASD/PA) and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations.

This technical report/has been reviewed and is approved for publication.

DAVID L. JUDSON, PROJECT MANAGER AFWAL/MLTC WRIGHT PATTERSON AFB OH 45433

FOR THE COMMANDER:

ちょう しょう うちま し

eld C. Shume

'GERALD C. SHUMAKER, BRANCH CHIEF AFWAL/MLTC WRIGHT PATTERSON AFB OH 45433

1 aug 86 DATE

"If your address has changed, if you wish to be removed from our mailing list, or if the addressee is no longer employed by your organization please notify AFWAL/MLTC, W-PAFB, OH 45433 to help us maintain a current mailing list."

Copies of this report should not be returned unless return is required by security considerations, contractual obligations, or notice on a specific document.

CURITY CLASS FICATION OF THIS PAGE			-		
A REPORT BECURITY CLARE ELEATION	REPURI DUCUM	TIN ALLUN PAG			
DECRESSIFICATION					
		3 DISTRIBUTION	VALABILITY	ALPORT	
D DECLASSIFICATION/DOWNGRADING SCHEI	DULE	Approved distribu	for public tion is unl:	release; imited.	
. PERFORMING ORGANIZATION REPORT NUM	(b E = (b)	AFVAL-TR	-86-4006 V	ol III, Part :	13
CEDERAL BIECTIC COMPANY	b. Of FICE SYMBOL (If applianble)	TA NAME OF MONIT	TORING DRGAN	ZATION	
L ADDRESS (City, Sue and ZIP Cole)		TO ADDRESS (CHT.	State and Elf Con	La ;	
1 River Road Schenectady, WI 12345		WPAFB, O	H 45433-653	5	
AAME OF FUNDING SPONSORING ORGANIZATION	B. OFFICE SYMBOL Al applicable :	S. PROCUREMENT	NSTRUMENT ID	ENTIFICATION NU	MBER
Air Force Systems Command, USAF	AFVAL/HLTC	733613-80	-C-8185		
c ADDRESS (City, Such and EIP Code)		10 SOURCE OF PU	DING NOS		
Wright-Patterson AFB, Ohio 4543	13	ELEMENT NO.	NO.	NO.	NO.
1. TITLE Include Seconty Charlestions		760117	7500	62	01
2. PERSONAL AUTHORIES		I		I	
Rabbin, Robert					
JA TYPE OF REPORT [13b TIME C Final Technical Report [52 Sept]	OVERED 1980 - 31 July 1985	14. DATE OF REPOI	T (Yr., Me., Dey. enber	18. PAGE CC	UNT
S. SUPPLEMENTARY NOTATION ICAN Project Priority 6201	The computer sof references that computer software	tware containe in no way refl	d herein ar BCL Air For	e theoretical ce-owned or -	and/or developed
T COSATI CODES	TE SUBJECT TERME (C			the by black and by	
FIELD GROUP SUS GR.	1	-		• • • • • • • • • • •	
1308 0905					
	1				
This manual describes the control changes made to stored in a protected er	he Documentat IISS document Wironment con	ion Managem tation. Th ntrolled by	ent (DM) e IISS do the DM s	functions ocuments ar oftware.	that
This manual describes the control changes made to stored in a protected en DISTRIBUTION/AVAILABILITY OF ABSTRACE ACLASSIFIED/UNLIMITED T SAME AS RFT.	he Documentat IISS documentat Vironment Con	ion Managem tation. The ntrolled by 21. ABSTRACT SECU Unclassif 325. TELEPHONE MU Warude Are Ca	ent (DM) e IISS do the DM s inity classific fied	functions ocuments ar software.	that e
This manual describes the control changes made to stored in a protected en Control changes made to stored in a protected en CLASSIFIED/UNICHITED F SAME AS RPT. NAME OF RESPONSIBLE INDIVIDUAL David L. Judson	te Documentat IISS document nvironment com	ion Managem tation. The ntrolled by 21. ABSTRACT SECU Unclassif 225 TELEPHONE NU Stackade Arm Ca 813-255-0	ent (DM) e IISS do the DM s the DM s fiel nass n tr 976	functions ocuments ar oftware. //	that e

4

Ê

.

11. Title

.

Integrated Information Support System (IISS) Vol III - IISS Configuration Management Part 13 - DM User's Manual

A S D 86 1475 17 Jul 1986

Access	ion For
NTIS	GRALI
DTIC	TAB 🖸
Unann	ounced 🔲
Justi	rication
By Distr	ibution/ lability Codes
	Avail and/or
Dist	Special
A-I	



Specifica The Integrated Information Support System is a test computing environment used t o investigate and demonstrate and test the concepts of information management an lly. IISS addresses the problems of integration of data resident on heterogeneou s databases supported by heterogeneous computers, interconnected via a Local Are a Network. A common Data Nodel is maintained and provides the mechanism require d information integration in the contexts of Aerospace Manufacturing. d to integrate the data.

...

.

.

• • •

÷.

.)

F. to 1473

PREFACE

This user's manual covers the work performed under Air Force Contract F33615-80-C-5155 (ICAM Project 6201). This contract is sponsored by the Materials Laboratory, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio. It was administered under the technical direction of Mr. Gerald C. Shumaker, ICAM Program Manager, Manufacturing Technology Division, through Project Manager, Mr. David Judson. The Prime Contractor was Production Resources Consulting of the General Electric Company, Schenectady, New York, under the direction of Mr. Alan Rubenstein. The General Electric Project Manager was Mr. Myron Hurlbut of Industrial Automation Systems Department, Albany, New York.

Certain work aimed at improving Test Bed Technology has been performed by other contracts with Project 6201 performing integrating functions. This work consisted of enhancements to Test Bed software and establishment and operation of Test Bed hardware and communications for developers and other users. Documentation relating to the Test Bed from all of these contractors and projects have been integrated under Project 6201 for publication and treatment as an integrated set of documents. The particular contributors to each document are noted on the Report Documentation Page (DD1473). A listing and description of the entire project document FTR620100001, Project Overview.

The subcontractors and their contributing activities were as follows:

TASK 4.2

accesses lasters

SubcontractorsRoleBoeing Military Aircraft
Company (BMAC)ReviewerD. Appleton Company
(DACOM)Responsible for IDEF support,
state-of-the-art literature
searchGeneral Dynamics/
Ft. WorthResponsible for factory view
function and information
models

Subcontractors	Role
Illinois Institute of Technology	Responsible for factory view function research (IITRI) and information models of small and medium-size business
North American Rockwell	Reviewer
Northrop Corporation	Responsible for factory view function and information models
Pritsker and Associates	Responsible for IDEF2 support
SofTech	Responsible for IDEFO support
TASKS 4 3 - 4 9 (TEST BED)	

Subcontractors

Role

Boeing Military Aircraft Company (BMAC)

Computer Technology Associates (CTA)

Control Data Corporation (CDC)

D. Appleton Company (DACOM) Responsible for consultation on applications of the technology and on IBM computer technology.

Assisted in the areas of communications systems, system design and integration methodology, and design of the Network Transaction Manager.

Responsible for the Common Data Model (CDM) implementation and part of the CDM design (shared with DACOM).

Responsible for the overall CDM Subystem design integration and test plan, as well as part of the design of the CDM (shared with CDC). DACOM also developed the Integration Methodology and did the schema mappings for the Application Subsystems.

Digital Equipment Consulting and support of the Corporation (DEC) performance testing and on DEC software and computer systems operation. McDonnell Douglas Responsible for the support and Automation Company enhancements to the Network (McAuto) Transaction Manager Subsystem during 1984/1985 period. **On-Line Software** Responsible for programming the International (OSI) Communications Subsystem on the IBM and for consulting on the IBM. Rath and Strong Systems Responsible for assistance in Products (RSSP) (In 1985 the implementation and use of became McCormack & Dodge) the MRP II package (PIOS) that they supplied.

Role

Subcontractors

SofTech, Inc.

(SDRC)

Software Performance

Engineering (SPE)

Responsible for the design and implementation of the Network Transaction Manager (NTM) in 1981/1984 period.

Responsible for directing the work on performance evaluation and analysis.

Structural Dynamics Responsible for the User Research Corporation Interface and Virtual Terminal Interface Subsystems.

Other prime contractors under other projects who have contributed to Test Bed Technology, their contributing activities and responsible projects are as follows:

Contractors	ICAM Project	Contributing Activities
Boeing Military Aircraft Company (BMAC)	1701, 2201, 2202	Enhancements for IBM node use. Technology Transfer to Integrated Sheet Metal Center (ISMC)

Contractors	ICAM Project	Contributing Activities
Control Data Corporation (CDC)	1502, 1701	IISS enhancements to Common Data Model Processor (CDMP)
D. Appleton Company (DACOM)	1502	IISS enhancements to Integration Methodology
General Electric	1502	Operation of the Test Bed and communications equipment.
Hughes Aircraft Company (HAC)	1701	Test Bed enhancements
Structural Dynamics Research Corporation (SDRC)	1502, 1701, 1703	IISS enhancements to User Interface/Virtual Terminal Interface (UI/VTI)
Systran	1502	Test Bed enhancements.

ĩ

55.V

0.8499

1.1

М¥.

a

0.0000

TABLE OF CONTENTS

Page

SECTION	1.0 1.1	INTRODUCTION	1-1 1-1
SECTION	2.0	HOW TO USE DM	2-1
SECTION	3.0 3.1	OVERVIEW OF USER FUNCTIONS Examples of How to Use the	3-1
		Documentation Management Facility .	3-2

Second Levels

SECTION 1

INTRODUCTION

DM (Documentation Management) is a system for controlling changes made to IISS documentation. The IISS documents are stored in a protected environment controlled by this DM software. All changes to documentation and the overview files which describe where documents reside are made by using the DM functions in conjunction with WPS-Plus word processing software. The word-processing is used for the actual viewing and editing of documents.

A description of each DM function is given first and then complete examples are given later. No knowledge of WPS-Plus is needed to view documents but is required to edit documents. A rudimentary knowledge of WPS-Plus is recommended to avoid confusion. A user must be authorized as both a WPS-Plus user and a DM user for the system to work.

1.1 DM Filing System

The Documentation Management system files documents away under five subsystems, which will be asked for whenever referring to a file. They are:

- 1) SYS (documents which have system-wide relevancy)
- 2) CDM (documents about the Common Data Model Processorsubsystem)
- 3) NTM (documents about the Network Transaction Manager)
- 4) COMM (documents about the Communications subsystem)
- 5) UI (documents about the User Interface)

The two-to-four letter designator is the correct response to these questions.

Every subsystem will contain a document entitled "OVERVIEW.DOC". It will contain directory and content information about each and every document filed away under that particular subsystem. To print or view it, follow example #1 on p. 5; to alter it, CHECK OUT and RETURN it as shown in example #2 on p. 8.

SECTION 2

HOW TO USE DM

The DM user functions are displayed in a menu format once the user has successfully entered the DM program. To invoke DM, simply type DM at the VMS prompt, as shown:

\$ DM

Your authority for being in DM is then checked and the menu is displayed. Please remember that at any time during the use of the DM program, you may enter a question-mark in response to any question and HELP will appear to guide and assist you. However, you may have to start your sequence of answers again.

The main menu looks like this:

DOCUMENTATION MANAGEMENT

DIRECTORY of documents
 RETRIEVE a document for viewing only
 CHECK OUT a document for possible editing
 RETURN a checked out document
 Enter a NEW DOCUMENT for the first time
 View a list of WHAT YOU have Checked Out
 See WHO HAS a particular Document Checked Out

0) EXIT (a <RETURN> also exits)
?) You may enter a '?' at any time for HELP

What would you like to do [0-7] :

SECTION 3

OVERVIEW OF USER FUNCTIONS

All user functions except CHECKOUT(#3) and RETURN(#4) are available for use by anybody who is authorized to enter DM. Checkout and Returns can only be done by users authorized to do so within a particular subsystem or set of subsystems.

The functions are:

1) DIRECTORY of documents:

This will display the contents of the documentation directory for a particular subsystem. Use this to determine the exact name of the document you are looking for and to see the date when it was last returned into DM. [Note: If you do not know which document you are looking for at all, view the OVERVIEW document using the RETRIEVE function and WPS-Plus (see example #1).]

2) RETRIEVE a document:

Use RETRIEVE to move a copy of the current document to your directory so that, through WPS-Plus, you can view or print out the document. (See example #1.)

3) CHECK OUT a document:

Use CHECKOUT to move a copy of the current document to your directory for the purpose of making permanent changes to it with the WPS-Plus editor. Once you have checked out a document to edit it, no one else can check it out until you RETURN it. (See example #2.)

4) RETURN a checked out document:

Use RETURN to return the edited version of your checked out document to the DM document database. Your new document will replace the previous version of the document and will clear its "checked out" status so that others could then check it out. (See example #2.)

3-1

5) Enter a NEW DOCUMENT:

Use NEW DOCUMENT to add a document to the IISS DM database. Your new document must have a unique name and should be mentioned in the OVERVIEW document for that subsystem. (See Example #2.)

6) View a list of what you have Checked Out.

7) See WHO HAS a particular document Checked Out.

Note: To DELETE a document, notify the DM administrator as there are no user procedures for this function.

3.1 Examples of How to Use the Documentation Management Facility

The document we are using in our example is called DOCMAN and belongs under the "SYS" subsystem.

EXAMPLE #1: TO VIEW A DOCUMENT AND/OR PRINT A DOCUMENT:

If you have no idea where to look for a particular document, this procedure should be followed for the "OVERVIEW.DOC" document which sits under the "SYS" subsystem. If the subsystem is known but not the document, the "OVERVIEW.DOC" document under the particular subsystem should be reviewed. If the name of the document is known, then follow these procedures using that document's name and subsystem.

\$ DM (Enter "DM" at the prompt to start Documentation Management Facility)

(Your authority to be in DM is checked at this point)

DOCUMENTATION MANAGEMENT

DIRECTORY of documents
 RETRIEVE a document for viewing only
 CHECK OUT a document for possible editing
 RETURN a checked out document
 Enter a NEW DOCUMENT for the first time
 View a list of what you have CHECKED OUT
 See WHO HAS particular documents CHECKED OUT
 EXIT (a <RETURN> also exits)

Meanana

?) You may enter a '?' at any time for HELP

What would you like to do [0-7] : 2

RETRIEVE A DOCUMENT

If you are unsure of the document's name or sub-system, use Function 1.

Enter the Sub-System : SYS (We wish to retrieve a document about the SYS)

There are two types of documents which are stored under DM:

- 1) Files with a .DOC file extension in its filename are stored in standard ASCII format and can be read or typed directly from your directory once retrieved from DM.
- 2) Files with a .WPL file extension in its filename are stored in WPS-Plus internal format and, once retrieved, must be read into your WPS-Plus index so that you can edit and hence read the file.

Enter the Document Name : DOCMAN.WPL (a WPS-Plus format file) Document was Found.

I am now copying the file into the sub-directory you are now in. ALL DONE.

(DM menu is printed out again.)

What would you like to do [0-7] : (Press Return or a "0" to exit.)

Exit

S STORES AND A STORE STORE

30-MAY-1985 12:15:45

(To check to see if the document is in the VMS directory)

\$ DIR DOCMAN.*

Directory IISS DEVICE: [YOURDIR]

DOCMAN.WPL;1

1 File Found.

\$

(The document has been placed into our VMS directory.)

\$ WPS (Enter "WPS" to bring up WPS-Plus by typing WPS at the \$ prompt and pressing Return)

At this point, the menu for WPS-Plus will come up. To bring your file into your word-processing folder, enter DT, hit Return, and the Document Transfer Menu appears; enter RV (read from VMS) plus Return. Enter the name of your file (including directory heading which is the first four letters of your account name) Note: Keypad "O" is the EXIT SCREEN key.

Filename: [YOURDIR]DOCMAN.WPL

A "Creating from VMS File" form appears. Designate the name of the folder and the title of the document you wish for the VMS file under WPS. For example, enter "DOCMAN" for document name. Use up arrow to position to folder name if you want to change this, e.g., enter "IISS DOCS." WPS will tell you when the file is successfully copied into your WPS-Plus folder. You may then:

> 1) Print the RETRIEVED document by hitting "P." The Printing Document Form will appear. It should have the following:

Document Destination: LPAO (for Air Force VAX) Printer Type: LP11 Number of Copies: 1 (or another number)

"Preparing Document" will appear at the bottom of the screen; press "Return" again and "Formatting Document" will appear. Wait and WPS will tell you when the document is printed and return you to the Main Menu.

Or

2) View the document in WPS by pressing "E" (for Edit) plus Return. The top of the document appears. To go forward in the document, you may use:

o The down arrow

o Advance Paragraph (0) (5) on the keypad

o Advance Page (0) (PF2)

o Advance Line (0) (2)

 \mathbf{Or}

 Gold Search (keypad "PF1" plus "," on the key board) - if you know of a specific phrase in the document that you want to locate. Type in the exact phrase you wish to find, press ENTER on the keypad. Press "Gold ." (Gold period) to continue search.

To go backward in the document:

Press Backup (1) on the keypad and the correct distance you want to go, i.e., Paragraph (5), Line (2), or Page (PF2).

Press GOLD F once you are done viewing the RETRIEVED document. The document will be filed, and the Main Menu will appear.

Or

3) Send to VMS for reading as follows.

To send back to VMS so that you have an ascii copy of the document, enter "DT" at the Main Menu and then "SV" (Send to VMS) at the next menu. Enter the name of your file including directory heading):

Filename: [YOURDIR]DOCMAN.DOC

It will tell you when the file is successfully copied into your VMS directory. You may then exit WPS-Plus by entering "EX".

\$ TYPE DOCMAN.DOC (To see without editing)

Please note at this point that documents that were stored and retrieved from DM which had ".DOC" as their filename extension could have been typed under VMS directly without going through all this work which is required for ".WPL" files.

Documents should be deleted from WPS when you are finished reading them to save storage space. Use the following procedure.

Enter WPS-Plus if in VMS. Be sure the document you wish to delete is in the upper right hand box. If not, enter SEL and press Return to get the Selecting Current Document Form and fill it in with folder and the document names. Return to the Main Menu.

Press "D" (for "Delete"). WPS will ask, "Do you really want to delete this document? (Y/N)?" Type "Y" and the document will be placed the the wastebasket. Enter "FC" (for "Filing Cabinet") and a second menu will appear. Enter "EW" and you will be asked, "Do you really want to delete all documents in the WASTEBASKET (Y/N)?" Enter "Y" and the wastebasket will be emptied. Hit keypad "O" to return to the Main Menu.

EXAMPLE #2: DM CHECKOUT/RETURN

If you wish to edit a document and then return it into Documentation Management, the file must first be checked out according to the following procedure:

\$ DM (enter "DM" at the prompt in VMS to start Documentation Management Facility)

(Your authority to be in DM is checked at this point)

DOCUMENTATION MANAGEMENT

DIRECTORY of documents
 RETRIEVE a document for viewing only
 CHECK OUT a document for possible editing
 RETURN a checked out document
 Enter a NEW DOCUMENT for the first time
 View a list of what you have CHECKED OUT
 See WHO HAS particular documents CHECKED OUT
 EXIT (a <RETURN> also exits)

?) You may enter a '?' at any time for HELP

What would you like to do [0-7] : 3

ENTERING THE REPORT OF THE

CHECK OUT A DOCUMENT

If you are unsure of the document's name or subsystem, use Function 1.

Enter the Subsystem : SYS (We wish to retrieve a document about the SYS)

Enter Document Filename including extension.

Enter the Document Name : DOCMAN.WPL

Document was Found.

I am now copying the file into the sub-directory you are now in.

ALL DONE.

Please return document within a reasonable amount of time.

(Main DM menu comes up again) (Exit DM here by pressing 0 or Return)

\$ WPS (Enter "WPS" to bring up WPS-Plus)

At this point, the menu for WPS-Plus will come up. To bring your file into your word-processing folder, enter DT, Return, and then RV (read from VMS). Enter the name of your file (including directory heading):

Filename: [YOURDIR]DOCMAN.WPL

Give your document a file name under WPS, hit Return. It will tell you when the file is successfully copied into your WPS-Plus folder. You may then edit it by hitting "E". Hit a GOLD-F (file & exit) or GOLD-K (quit without filing) to finish editing. When finished, send the final copy to VMS so that it can be refiled under DM. To do this, from the main menu, enter "SV" (send to VMS). Enter the name of your file (including directory heading):

Filename: [YOURDIR]DOCMAN.WPL (.WPL keeps file in WPS-Plus internal format)

Note: In using the "SV" command a WPS-Plus file will be sent the if the filename extension is .WPL and an ascii file will

DIGION DE LA DIGIONAL

be sent if the file extension is .DOC, as in Example #1.

It will tell you when the file is successfully copied into your VMS directory. You may then exit WPS-Plus by entering "EX".

\$ DIR DOCMAN.* (Check whether new version of file is there)

Directory IISS_DEVICE: [YOURDIR]

DOCMAN.WPL;2 DOCMAN.WPL;1

2 Files Found.

The file can then be RETURNED to the DM by entering the Documentation Management Facility as follows.

RETURN A CHECKED OUT DOCUMENT

\$ DM (enter "DM" at the prompt to start Documentation Management Facility)

DOCUMENTATION MANAGEMENT

DIRECTORY of documents
 RETRIEVE a document for viewing only
 CHECK OUT a document for possible editing
 RETURN a checked out document
 Enter a NEW DOCUMENT for the first time
 View a list of what you have CHECKED OUT
 See WHO HAS particular documents CHECKED OUT

0) EXIT (a <RETURN, also exits) ?) You may enter a '?' at any time for HELP

What would you like to do [0-7] : 4

Enter the Subsystem : SYS (We wish to return document about the SYS subsystem)

Enter Document Filename including extension.

Enter the Document Name : DOCMAN OK. Document was found sitting in your directory.

I am now copying the file from the sub-directory you are now in.

Document Returned. Thank you.

(Menu prints up again; hit Return to exit)

Please note that the copy of your document in your VMS directory will have been deleted, but the copy of your document in your WPS-Plus folder will still be around. At some point, your WPS-Plus document should be deleted and your "WASTEBASKET" cleaned up. Please see WPS-Plus manuals for more details on document deletion. (See Example #1 for sample procedure.)

To enter a NEW DOCUMENT for the first time, follow the same procedure for transferring a document from WPS, to VMS, and then to the DM as you did for RETURNING a document except hit #5 at the DM Menu and answer the appropriate questions. Use (6) and (7) at the DM Menu for additional information about where CHECKED OUT documents are located.

and the second second

